

Muzee Scheveningen World-wide Shell Shop Price list

		Price Range
Acmaeidae		
Acmaea instabilis (Gould, 1846).	USA, California, Monterey County, Pacific Grove. On beach.	€ 1,00 t/m € 2,50
Acmaea mitra Rathke, 1833.	USA, California, Monterey County, Pacific Grove. On beach.	€ 1,00
Acteonidae		
Pupa solidula (L., 1758).	Thailand, Phuket (island), Raya Island. 25-30 metres deep.	€ 1,30
Acteon tornatilis (L., 1758).	Italy, Province of Ravenna, Cérvia.	€ 1,00
Acteon tornatilis (L., 1758).	France, Brittany, Finistère (department), Point Penmarc'h.	€ 1,30
Amphibolidae		
Amphibola crenata (Gmelin, 1791).	New Zealand, North Island, Russell Island.	€ 4,50
Angariidae		
Angaria delphinus (L., 1758).	Australia, Western Australia.	€ 3,00
Angaria delphinus (L., 1758).	Philippines, Bohol, bij Panglao, Balicasag Island. Tangle net, 160 metres.	€ 0,80 t/m € 1,50
Angaria delphinus (L., 1758).	Philippines, Central Visayas (region), Cebu (island).	€ 3,50
Angaria melanacantha (Reeve, 1842).	Philippines, Palawan (province), Palawan (island).	€ 3,80 t/m € 6,00
Angaria melanacantha (Reeve, 1842).	Madagascar Island. East Africa. Indian Ocean.	€ 4,50
Angaria poppei Monsecour, 1999.	Philippines, Mindanao (region), Balut Island. Dived at 15-20 metres deep.	€ 7,50
Angaria sphaerula (Kiener, 1873).	Philippines, Mindanao (island), Zamboanga.	€ 9,50 t/m € 14,00
Angaria sphaerula (Kiener, 1873).	Philippines, Mindanao (island), Zamboanga.	€ 2,00 t/m € 5,00
Angaria sphaerula (Kiener, 1873).	Philippines, Mindanao (region), Balut Island.	€ 7,50 t/m € 9,50
Angaria sphaerula (Kiener, 1873).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 12,50
Angaria sphaerula (Kiener, 1873).	Philippines, Central Visayas (region), Cebu (island).	€ 5,00
Angaria sphaerula (Kiener, 1873).	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 1,00 t/m € 2,00
Angaria tyria (Reeve, 1842).	Australia, W.A., Abrolhos Island group, N. of West Wallaby Island. 15-20 m	€ 2,50 t/m € 9,00
Angaria tyria (Reeve, 1842).	Australia, Western Australia, near Port Denison, Dongara. On reef.	€ 4,00
Angaria vicdani Kosuge, 1980.	Philippines, Mindanao (region), Balut Island.	€ 4,50 t/m € 9,50
Angaria vicdani Kosuge, 1980.	Philippines, Mindanao (island).	€ 5,00 t/m € 7,50
Anomiidae		
Anomia ephippium L., 1758.	Ireland, Kerry, Kenmare River. Low water, Littoral zone.	€ 2,50
Anomia ephippium L., 1758.	France, Brittany, Côtes-d'Armor (department), Erquy.	€ 0,50
Anomia ephippium L., 1758.	France, Brittany, Côtes-d'Armor (department), Erquy.	€ 1,25
Anomia ephippium L., 1758.	Spain, Province of Málaga, Puerto de Marbella. From fishermen.	€ 0,50 t/m € 1,50
Anomia ephippium L., 1758.	France, Brittany, Côtes-d'Armor (department), Tréburden.	€ 2,00
Anomia ephippium L., 1758.	France, Brittany, Saint-Malo.	€ 0,80
Anomia ephippium L., 1758.	Spain, off Fuengirola. Trawled by local fisherman.	€ 0,30 t/m € 0,50

Anomia ephippium L., 1758.
 Anomia ephippium L., 1758.
 Anomia simplex Orbigny, 1842.

Aplysiidae

Dolabella auriculata (Lightfoot, 1786).

Aporrhaidae

Aporrhais pespelecani (L., 1758).
 Aporrhais pespelecani (L., 1758).
 Aporrhais pespelecani (L., 1758).
 Aporrhais pespelecani (L., 1758).
 Aporrhais pespelecani (L., 1758).
 Aporrhais pespelecani (L., 1758).
 Aporrhais pespelecani (L., 1758).
 Aporrhais pespelecani (L., 1758).
 Aporrhais pespelecani (L., 1758).
 Aporrhais pespelecani (L., 1758).
 Aporrhais pespelecani (L., 1758).
 Aporrhais pespelecani (L., 1758).
 Aporrhais pespelecani (L., 1758).
 Aporrhais pespelecani (L., 1758).
 Aporrhais serresianus (Michaud, 1828).

Architectonicidae

Discotectonica acutissima (Sowerby, 1914).
 Architectonica gualtierii (Bieler, 1993).
 Architectonica maxima (Philippi, 1849).
 Architectonica perdix Hinds, 1844.
 Architectonica perspectiva (L., 1758).
 Architectonica perspectiva (L., 1758).
 Architectonica perspectiva (L., 1758).
 Architectonica perspectiva (L., 1758).
 Architectonica perspectiva (L., 1758).
 Architectonica perspectiva (L., 1758).
 Architectonica perspectiva (L., 1758).
 Architectonica perspectiva (L., 1758).
 Architectonica perspectiva (L., 1758).
 Architectonica perspectiva (L., 1758).
 Architectonica picta (Philippi, 1849).
 Psilaxis radiatus (Röding, 1798).
 Heliacus stramineus (Gmelin, 1791).
 Architectonica taylori (Hanley, 1962).
 Architectonica trochlearis (Hinds, 1844).

France, Brittany, Ille-et-Vilaine (departement), Dinard.
 France, Brittany, Saint-Jacut-de-la-Mer.
 USA, Texas, Aransas Bay.

West Samoa, Upolu (island), Apia, Mulinuu.

Portugal, Algarve (region), Praya da Rocha.
 Spain, Province of Málaga, Fuengirola.
 Greece, 200 km northeast of Athens, Évvoia Island, Kimi.
 Spain, Andalusia (region), Province of Málaga, Marbella.
 The Channel. From fishery.
 France, Brittany, Cap Coz. Collected live.
 Italy, Liguria, Province of Savona, Savona.
 Italy, Lazio (region), Anzio.
 Spain, Province of Málaga, Benajazafe, San Carlos.
 Portugal, Algarve (region), Praia de Rocha.
 Italy, Liguria, Province of Savona. From fishing boats.

Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.
 Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.
 Philippines.
 Australia, Queensland, Keppel Bay.
 Indonesia, East Java (state), Probolinggo. Northeastern coast.
 Thailand, Hua Hin.
 Australia, New South Wales, Iluka. Fished.
 Australia, Queensland, Port Douglas, Four Mile Beach. 4 m, mud & seaweed.
 Malaysia, Langkawi (archipelago), Langkawi Island, Kuah. Collected dead.
 Philippines.
 Indonesia.
 Indonesia, Greater Sundra Islands, East Java (province), Madura Island.
 Japan, Shikoku (island), Kochi Prefecture, Tosa Bay.
 Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.
 Taiwan. East China Sea. Fished.
 Indonesia.
 Japan.

Price Range

€ 0,50 t/m € 0,80
 € 1,30
 € 2,30

 € 3,50 t/m € 5,00

 € 1,30
 € 2,50
 € 1,00 t/m € 2,00
 € 2,00
 € 2,00
 € 3,30
 € 1,00
 € 2,00
 € 1,30 t/m € 2,00
 € 1,00
 € 4,50

 € 1,00 t/m € 2,00
 € 0,50 t/m € 4,00
 € 4,95
 € 2,50
 € 1,30
 € 0,75 t/m € 2,00
 € 2,50
 € 0,50 t/m € 3,00
 € 2,00
 € 2,00 t/m € 2,30
 € 6,50
 € 1,50 t/m € 4,00
 € 2,00 t/m € 3,00
 € 2,00
 € 2,50 t/m € 4,50
 € 2,00 t/m € 3,00
 € 4,75

Architectonica trochlearis (Hinds, 1844).

Heliacus variegatus (Gmelin, 1791).

Heliacus variegatus (Gmelin, 1791).

Arcidae

Barbatia amygdalumtosum (Röding, 1798).

Barbatia amygdalumtosum (Röding, 1798).

Barbatia amygdalumtosum (Röding, 1798).

Anadara antiquata (L., 1758).

Anadara antiquata (L., 1758).

Anadara antiquata (L., 1758).

Barbatia foliata (Forskål, 1775).

Anadara granosa (L., 1758).

Anadara granosa (L., 1758).

Barbatia helblingii (Bruguière, 1789).

Anadara nodifera (von Martens, 1860).

Anadara ovalis (Bruguière, 1789).

Anadara ovalis (Bruguière, 1789).

Trisidos semitorta (Lamarck, 1819).

Trisidos semitorta (Lamarck, 1819).

Trisidos semitorta (Lamarck, 1819).

Trisidos semitorta (Lamarck, 1819).

Arca senilis (L., 1758).

Anadara similis (Adams, 1852).

Trisidos tortuosa (L., 1758).

Anadara transversa (Say, 1822). Stormy weather, live.

Barbatia trapezina (Lamarck, 1819).

Arca ventricosa Lamarck, 1819.

Arcticidae

Arctica islandica (L., 1767).

Arctica islandica (L., 1767). Trawled, 75-80 m, silty sand.

Argonautidae

Argonauta hians Lightfoot, 1786.

Argonauta hians Lightfoot, 1786.

Argonauta hians Lightfoot, 1786.

Japan, Shikoku (island), Kochi Prefecture, Tosa Bay. Fished.

French Polynesia, Society Islands, Tahiti, 20 km east of Papeete.

Philippines.

Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.

Thailand, Phuket (island). Under corals in shallow water.

Thailand, Phuket (island), Raya Island. 25-30 metres deep.

West Samoa Island, Upolu (island), Apia, Malinuu Peninsula, east coast.

Philippines, Bohol (province), close to Panglao Island, Balicasag Island.

Madagascar Island. East Africa. Indian Ocean.

Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.

Taiwan, south-west. East China Sea.

Thailand, Krabi Province, Koh Lanta Yai (island), Koa Kwang Beach.

Oman, Muscat. Middle East. Arabian Sea.

Thailand, Changwat Phuket (province), Phuket (island).

Venezuela, Isla Margarita, Nueva Esparta, Robledal, Macanao.

Venezuela, Isla Margarita, Piedros strand, Negros.

Thailand, Changwat Phuket (province), Phuket (island).

Japan.

Philippines, Central Visayas (region), Bohol (island).

Thailand. Southeast Asia.

The Gambia, Banjul. Atlantic Ocean.

Panama, Gulf of Panamá, San Carlos, Pacific, live.

Indonesia, East Java (province). South coast.

Florida, near Blind Pass Jetty, Captiva Island, Turner Beach. Ebb, beach.

Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.

Indonesia, Greater Sundra Islands, East Java (province), Madura Island.

North Sea, Klaverbank.

North Sea, Outer Silver Pit (station 18-19). 54°06'20"N, 2°16' -2°13'50E.

Philippines, Luzon (island), Bicol. Trawled by local fishermen.

Warm oceans worldwide.

Indonesia, Bali (province), Bali (island).

Price Range

€ 2,00 t/m € 3,50

€ 1,50

€ 0,80

€ 0,50 t/m € 1,50

€ 2,50

€ 0,80 t/m € 1,30

€ 2,00

€ 0,75

€ 0,50

€ 0,25 t/m € 1,30

€ 0,80

€ 1,00

€ 0,50

€ 1,00 t/m € 2,00

€ 0,75

€ 0,50

€ 1,00 t/m € 2,50

€ 9,00

€ 10,00

€ 5,00

€ 1,00

€ 1,30

€ 3,00

€ 1,00

€ 1,00 t/m € 1,50

€ 0,50 t/m € 2,50

€ 2,30 t/m € 5,00

€ 1,00 t/m € 2,50

€ 4,00 t/m € 5,00

€ 6,50

€ 2,00 t/m € 3,00

Assimineidae

Assiminea spec. .

Babyloniidae

Babylonia areolata f. areolata (Link, 1807).

Babylonia areolata f. areolata (Link, 1807).

Babylonia areolata f. areolata (Link, 1807).

Babylonia borneensis (Sowerby II, 1864).

Babylonia borneensis (Sowerby II, 1864).

Babylonia formosae formosae (Sowerby II, 1866).

Babylonia formosae formosae (Sowerby II, 1866).

Babylonia japonica (Reeve, 1842).

Babylonia japonica (Reeve, 1842).

Babylonia spirata f. spirata (L., 1758).

Babylonia spirata f. spirata (L., 1758).

Babylonia spirata f. spirata (L., 1758).

Babylonia spirata f. spirata (L., 1758).

Babylonia spirata f. spirata (L., 1758).

Babylonia spirata f. spirata (L., 1758).

Babylonia spirata f. spirata (L., 1758).

Babylonia spirata f. spirata (L., 1758).

Babylonia spirata f. spirata (L., 1758).

Babylonia zeylanica (Bruguière, 1789).

Babylonia zeylanica (Bruguière, 1789).

Babylonia zeylanica (Bruguière, 1789).

Buccinidae

Nassaria acuminata (Reeve, 1844).

Nassaria acuminata (Reeve, 1844).

Japelion adelphicus (Dall, 1907).

Japelion adelphicus (Dall, 1907).

Kanamarua adonis (Dall, 1919).

Kanamarua adonis (Dall, 1919).

Cominella adspersa (Bruguière, 1789).

Cominella adspersa (Bruguière, 1789).

Cominella adspersa (Bruguière, 1789).

Metula africana Bouchet, 1988.

Philippines.

Vietnam, South Central Coast (region), Da Nang (Đà Nẵng).

Taiwan, northern region. East China Sea. Fished, 20 fathoms deep.

Taiwan. East China Sea.

Malaysia, Borneo, Sarawak, Bako National Park, Headquarters Beach. Ebb.

Indonesia, N.W. Sumatra, Sibolga. Indian Ocean

Taiwan. East China Sea. Fished.

Taiwan. East China Sea.

Japan, Tōhoku (region), Yamagata Prefecture, Toya-saki (island).

Japan.

Indonesia, East Java (province). From local fishermen.

India, Tamil Nadu (state), Cuddalore. Bay of Bengal.

Thailand, Changwat Phuket (province), Phuket (island).

Indonesia, Java (island), North Jakarta city, Jakarta Bay.

Thailand, Ranong Province, Ranong (city). Deep water, >70 m deep.

India, Bay of Bannar, Kilakarai. Collected below low tide level.

Sri Lanka, Chamianpatta.

India, Tamil Nadu (state), Cuddalore. Bay of Bengal. Trawled.

Thailand, Changwat Phuket (province), Phuket (island).

India, Tamil Nadu (state), Cuddalore. Bay of Bengal.

India.

India, Tamil Nadu (state), Ramanathapuram district, Kilakarai.

Gulf of Thailand, Ban Hua Hin.

China, Zhejiang province, Dong Tou. East China Sea. Trawl, 80-120 metres.

Japan, Honshu (island), Kansai (region), Kyoto. Fished at 70 fathoms deep.

Japan, Sea of Enshu-nada.

Japan, Honshu (island), Aichi Prefecture, Mikawa. 50-80 fathoms deep.

New Zealand.

New Zealand. Cook Strait.

New Zealand, North Island, North Shore City, Takapuna, Milford Beach.

Senegal, Dakar Region, Dakar. West Africa. Atlantic Ocean.

Price Range

€ 2,00

€ 9,50

€ 4,50

€ 4,50

€ 1,00 t/m € 3,00

€ 11,00

€ 2,00

€ 4,00

€ 3,00

€ 1,50 t/m € 2,00

€ 3,50

€ 1,25 t/m € 1,75

€ 1,00 t/m € 2,00

€ 2,50

€ 2,00

€ 2,00

€ 2,50

€ 3,00 t/m € 4,00

€ 1,00 t/m € 3,00

€ 6,00

€ 5,50

€ 2,80

€ 2,50

€ 0,80

€ 5,00

€ 8,00

€ 4,00

€ 2,50

€ 1,30 t/m € 1,85

€ 2,50

€ 2,50

€ 2,50

		Price Range
Nassaria amboynensis Watson, 1881.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 0,50 t/m € 1,00
Neptunea amianta (Dall, 1890).	Alaska, off Prince of Wales Island, Noyes Island, Steamboat Bay. 150' deep	€ 10,00 t/m € 25,00
Volutharpa ampullacea perryi (Jay, 1855).	Japan, Hokkaido.	€ 9,50 t/m € 12,50
Volutharpa ampullacea perryi (Jay, 1855).		€ 9,50
Neptunea antiqua (L., 1758).	UK, Scotland, Shetland Islands, 61°NB, 1°OL. ±150 m deep. Scheveningen 33.	€ 1,00 t/m € 5,00
Neptunea antiqua (L., 1758).	Off Norway. North Sea. 58°30'N, 04°00' E. 112 metre deep.	€ 6,00
Neptunea antiqua (L., 1758).	UK, Scotland, Shetland Islands, off Fitful Head. ±90 metres deep.	€ 7,00 t/m € 10,00
Neptunea antiqua (L., 1758).	UK, Scotland. Fished off coast. Northern North Sea.	€ 0,50 t/m € 3,50
Cantharus assimilis Reeve, 1846.	Senegal, Gorée Bay. West Africa. From fisherman, 10- 20 metres deep.	€ 1,00
Pisania auritula (Link, 1807).	St. Maarten, Caribbean Sea.	€ 1,50
Neptunea bulbacea (Bernardi, 1858).	Japan, Hokkaido, Cape Erimo. 20-30 metres deep in fishnets.	€ 10,00
Cantharus cancellarius (Conrad, 1846).	USA, Florida, Seahorse Key.	€ 1,80
Siphonalia cassidariaeformis f. funerea Pilsbry, 1895.	Japan, Honshu (island), Wakayama Prefecture, Inami-Cho.	€ 3,00
Siphonalia cassidariaeformis (Reeve, 1843).	Japan, Honshu (island), Wakayama Prefecture, Inami-Cho. 10-30 fathoms.	€ 3,00
Siphonalia cassidariaeformis (Reeve, 1843).	Japan, Honshu (island), Chubu region, Aichi Prefecture, Mikawa.	€ 2,50
Burnupena cincta (Röding, 1798).	South Africa.	€ 1,50
Burnupena cincta (Röding, 1798).	South Africa, Western Cape, Olifantsbos point. Sand beach, by reefs & kelp	€ 2,50
Neptunea communis (Middendorff, 1849).	USA, Alaska (state), Pribilof Islands, Bering Sea. 60 metres deep.	€ 5,00
Neptunea contraria (L., 1771).	Belgium, Antwerp, 5th Harbour Dock.	€ 3,00
Neptunea contraria (L., 1771).	Spain, Galicia, La Coruña. Fished.	€ 3,50
Neptunea contraria (L., 1771).	Belgium, Antwerp, 5 Haven Dok.	€ 3,00 t/m € 4,00
Buccinulum corneum (L., 1758).	Italy, Apulia, Gallipoli. 2 metres deep, on rocks.	€ 6,00
Buccinulum corneum (L., 1758).	Greece, Island of Kyra, Panagia. Aegean Sea. Dived live, 8 metres deep.	€ 8,00
Buccinulum corneum (L., 1758).	Greece, Halkidiki, Siviri. Aegean Sea. Dived live, 5 metres, under rocks.	€ 5,00 t/m € 6,50
Buccinulum corneum (L., 1758).	Spain, Balearic Islands, Ibiza (island).	€ 2,50
Phos crassus Hinds, 1843. From fishermen.	N. Peru, Tumbes department, off Puerto Pizarro. Trawled, 10-20 metres.	€ 4,00
Neptunea despecta (L., 1758).	Denmark. Atlantic Ocean. Fished northwest of.	€ 7,50 t/m € 10,00
Cantharus dorbignyi (Payraudeau, 1826).	Italy, Sardegna, off Calasetta. 6 metres deep, at low tide.	€ 1,50
Cantharus dorbignyi (Payraudeau, 1826).	Malta.	€ 0,80
Penion fairfieldae (Powell, 1947).	New Zealand, South Island, Otago Peninsula, off Dunedin. 110 metres deep.	€ 16,00
Pisania fasciculata (Reeve, 1846).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 2,50
Pisania ferrea (Reeve).	Japan, Honshu (island), Wakayama Prefecture, Nada. Low tide.	€ 2,00
Cantharus fumosus (Dillwyn, 1817).	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 0,50 t/m € 1,00
Cantharus fumosus (Dillwyn, 1817).	American Samoa, Pago Pago Bay, Pacific, under dead coral.	€ 0,80
Cantharus fumosus (Dillwyn, 1817).	Mozambique, Nampula Province, Nacala Bay area. Shallow water.	€ 1,30

		Price Range
Nassaria fusiformis Sowerby, 1859.	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,30
Siphonalia fusoides (Reeve, 1846).	Japan.	€ 4,00
Siphonalia fusoides (Reeve, 1846).	Japan, Shikoku (island), Kochi Prefecture, Tosa Bay.	€ 4,50
Cominella glandiformis (Reeve, 1847).	New Zealand, N.I., Bay of Islands, off Paitria, ebb, 30 metres deep.	€ 1,80
Cominella glandiformis (Reeve, 1847).	New Zealand, North Island, North Shore City, Takapuna, Milford Beach.	€ 1,00
Colus gracilis (da Costa, 1778).	North Sea, Klaverbank. From fisherman.	€ 2,50
Colus gracilis (da Costa, 1778).		€ 0,50 t/m € 1,00
Colus gracilis (da Costa, 1778).	England. West coast.	€ 4,00
Colus gracilis (da Costa, 1778). Trawled by IJM 44.	North Sea, Between SW Spit and Boldersbank. 54°10' N 1°40 E.	€ 3,50
Colus gracilis (da Costa, 1778).	North Sea, Scate Hole, Well Bank. 22-24 fathoms.	€ 2,30 t/m € 2,30
Ancistrolepis grammatus grammatus Dall, 1907.	Northern Japan.	€ 37,50
Colus hallii (Dall, 1873).	Bering Sea. From Japanese fisherman. Deep water.	€ 8,00
Buccinum humphreysianum Bennett, 1824.	France, Languedoc-Roussillon, Hérault, 40 km east of Sète. 50 metres deep.	€ 2,00
Pisania ignea (Gmelin, 1791).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,80 t/m € 4,00
Engina incarnata (Deshayes & Linart, 1834).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,50
Prodotia iostoma (Gray, 1834).	Thailand, Phuket (island), Raya Island. 25-30 metres deep.	€ 1,50
Prodotia iostoma (Gray, 1834).	Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.	€ 1,30
Prodotia iostoma (Gray, 1834).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,00
Neptunea kuroshio Oyama, 1958.	Japan, Shikoku (isl.), Kochi Prefecture, Tosa Bay. Fished at 70 fathoms.	€ 3,00 t/m € 6,00
Neptunea kuroshio Oyama, 1958.	Japan, Shikoku (island), Kochi Prefecture, Tosa Bay.	€ 5,00
Neptunea kuroshio Oyama, 1958.	Japan, Hokkaido, Nemuro.	€ 7,80
Neptunea kuroshio Oyama, 1958.	Japan, Honshu (island), Chubu region, Aichi Prefecture, Mikawa.	€ 7,50 t/m € 12,50
Neptunea kuroshio Oyama, 1958.	Japan, Honshu (island), Chubu region, Aichi Prefecture, Mikawa.	€ 7,50
Engina lanceolata (Kuroda & Habe, 1971).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,80
Neptunea lyrata (Gmelin, 1791). W/O.	USA, S.E Alaska, Mitkof Island, Petersburg Harbour. At a 4.0 foot tide.	€ 9,00 t/m € 12,00
Penion maximus (Tryon, 1881).	Australia, New South Wales, Eden. Fished.	€ 8,00
Cantharus melanostomus (Sowerby I, 1825).	India.	€ 2,80
Engina mendicaria (L., 1758).	Tanzania, Zanzibar, Bawé Island. East Africa. Indian Ocean	€ 1,00
Engina mendicaria (L., 1758).	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 0,50
Engina mendicaria (L., 1758).	Ethiopia, Dissei Island. East Africa. Indian Ocean.	€ 0,50
Engina mendicaria (L., 1758).	Egypt, Safaga. Red Sea.	€ 0,50
Engina mendicaria (L., 1758).	Philippines.	€ 0,80 t/m € 1,00
Cantharus multangulus (Philippi, 1848).	USA, Florida, Florida Keys, Marathon. At depth of 35 feet.	€ 2,50
Cominella nassoides nassoides (Reeve, 1846).	New Zealand.	€ 3,00
Phos naucratoros (Watson, 1882).	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 1,00

		Price Range
Northia northiae (Griffith & Pidgeon, 1834).	Panama.	€ 3,00 t/m € 4,00
Northia northiae (Griffith & Pidgeon, 1834).	Gulf of California.	€ 4,00
Cantharus pallidus (Broderip & Sowerby, 1829).	Mexico, Baja California (state), San Felipe, Laguna de Percebu. Beach.	€ 1,00
Zemiropsis papillaris (Sowerby I, 1825).	South Africa, Cape Province, Jeffreys Bay. Dived, 25 metres deep.	€ 10,00
Burnupena papyracea (Bruguère, 1789).	South Africa, Western Cape, Simonstown. False Bay. Scuba, kelp, ±6 m.	€ 2,50
Siphonalia pfefferi Sowerby, 1900.	Japan, Honshu (island), Chubu region, Aichi Prefecture, Mikawa.	€ 5,00
Plicifusus plicatus (A. Adams, 1864).	Japan, Hokkaido, Cape Erimo. 30-40 metres deep, by nets.	€ 5,00
Neptunea pribiloffensis (Dall, 1919).	USA, Washington, W.S.W off Juan de Fuca Canyon. 48°23'N, 135 W. 250 faths.	€ 25,00
Cantharus pulcher (Reeve, 1846).	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 0,50
Nassaria pusilla (Röding, 1798).	Malaysia, Terengganu, Aryani Resort.	€ 0,50
Nassaria pusilla (Röding, 1798).	Indonesia, Greater Sundra Islands, East Java (province), Madura Island.	€ 1,00
Nassaria pusilla (Röding, 1798).	Gulf of Thailand, Ban Hua Hin.	€ 0,80
Pisania pusio (L., 1758).	Bonaire, Lesser Antilles Islands.	€ 0,80
Pisania pusio (L., 1758).	Venezuela, Margarita Island.	€ 1,00
Pisania pusio (L., 1758).	The Grenadines Islands, Windward Islands, Caribbean.	€ 0,75
Pisania pusio (L., 1758).	USA, Lower Florida Keys, Lone Key Reef. 3-5 feet deep in coral rubble.	€ 2,50
Colus pygmaeus (Gould, 1841).	Canada, Nova Scotia, near Digby Co., St. Mary's Bay, 40-45 fathoms, trawl.	€ 3,80
Nassaria recurva Sowerby, 1859.	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 2,00
Cantharus ringens (Reeve, 1846).	Panama, Cebaco Island. Pacific Ocean.	€ 1,00
Cantharus ringens (Reeve, 1846).	Bonaire, Lesser Antilles Islands.	€ 2,50
Phos roseatus (Hinds, 1844).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,00
Cantharus scacchianus (Philippi, 1844).	Tunisia. Gulf of Tunis, Mediterranean Sea.	€ 0,20
Phos senticosus (L., 1758).	Thailand, Changwat Phuket (province), Phuket (island).	€ 1,00
Phos senticosus (L., 1758).	Philippines, Cebu (province), Mactan (island), Punta Engaño.	€ 2,30
Phos senticosus (L., 1758).	Malaysia, Terengganu, Aryani Resort.	€ 0,50
Phos senticosus (L., 1758).	Taiwan. East China Sea.	€ 2,50
Phos senticosus (L., 1758).	Philippines, Luzon (island), Manila Bay.	€ 1,00 t/m € 1,50
Phos senticosus (L., 1758).	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 0,50 t/m € 2,00
Siphonalia signum (Reeve, 1843).	Japan, Honshu (island), Aichi Prefecture, Mikawa.	€ 6,00
Nassaria spec. .	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,00
Phos spec. .	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 1,00
Cantharus spiralis (Gray, 1839).	India.	€ 1,30
Pisania striata (Gmelin, 1791).	Malta, Ghallis Rocks. Intertidal on rocks.	€ 0,50
Pisania striata (Gmelin, 1791).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 2,00
Pisania striata (Gmelin, 1791).	Greece, Marathón beach. 1-1½ metres deep.	€ 0,50

		Price Range
Pisania striata (Gmelin, 1791).	Tunisia. Gulf of Tunis, Mediterranean Sea.	€ 0,50
Pisania striata (Gmelin, 1791).	Tunisia, Zarzis.	€ 0,50
Pisania striata (Gmelin, 1791).	Spain, Cabo Ras.	€ 0,50
Buccinum striatissimus Sowerby, 1899.	Sea of Japan. Fished at a depth of about 100 meters.	€ 10,00
Phos textum (Gmelin, 1791).	Thailand, Phuket (island), Raya Island. 25-30 metres deep.	€ 0,80
Pisania tincta (Conrad, 1846).	Bonaire, Lesser Antilles Islands.	€ 2,00
Cantharus tranquebaricus (Gmelin, 1791).	Southern Asia.	€ 1,30 t/m € 1,80
Cantharus tranquebaricus (Gmelin, 1791).	Thailand, Changwat Phuket (province), Phuket (island).	€ 1,50
Pisania tritonoides (Reeve, 1846).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,50 t/m € 2,50
Siphonalia trochulus (Reeve, 1843).	Japan, Honshu (island), Chubu region, Aichi Prefecture, Astumi Bay.	€ 4,00
Siphonalia trochulus (Reeve, 1843).	Japan.	€ 5,00
Buccinum undatum L., 1758.	UK, Scotland, Shetland Islands area. Most northern North Sea.	€ 1,00 t/m € 3,80
Buccinum undatum L., 1758. Juvenile.	The Netherlands, Maasvlakte, Slufterdam. From eggs.	€ 1,00
Buccinum undatum L., 1758.	English Channel.	€ 1,00 t/m € 3,50
Buccinum undatum L., 1758.	UK, Scotland, Airowsaig.	€ 1,00
Buccinum undatum L., 1758.	France, Brittany. Gulf of Morbihan.	€ 1,00 t/m € 1,50
Buccinum undatum L., 1758.	North Sea, Terschellinger Bank.	€ 1,00 t/m € 4,50
Cantharus undosus (L., 1758).	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 0,25 t/m € 0,50
Cantharus undosus (L., 1758).	Philippines, Central Visayas (region), Cebu (island).	€ 1,00 t/m € 2,80
Cantharus undosus (L., 1758).	Taiwan, south-west, in direction of Japan.	€ 0,80
Cantharus undosus (L., 1758).	Indonesia, Greater Sundra Islands, East Java (province), Madura Island.	€ 1,00
Pseudoneptunea varicosa (Röding, 1798).	Indonesia, Greater Sundra Islands, East Java (province), Madura Island.	€ 1,50 t/m € 2,50
Ancistrolepis vietnamensis Sirenko & Goryachev, 1990.	East China Sea. Trawled at 400 metres.	€ 9,00
Buccinum vittatum vittatum f. heteromorphum Powell, 1929. Multiple lines.	New Zealand, North Island, Bay of Plenty, Maketu. 16 mm	€ 9,00
Cantharus viverratus Kiener, 1834.	Senegal. West Africa. Atlantic Ocean.	€ 3,00
Cantharus wagneri (Anton, 1839).	Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.	€ 2,50 t/m € 1,30
Cantharus wagneri (Anton, 1839).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 0,75 t/m € 1,50
Nassaria wanneri visayensis Fraussen & Poppe, 2007.	Philippines, Central Visayas (region), Bohol (island).	€ 2,25
Engina zonalis (Lamarck, 1822).	Thailand, Phuket (island), Raya Island. 25-30 metres deep.	€ 1,30
Engina zonalis (Lamarck, 1822).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,00
Bullidae		
Bulla ampulla L., 1758.	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 0,50
Bulla ampulla L., 1758.	Tanzania, Zanzibar, Nungwi (village). East Africa.	€ 0,80 t/m € 1,30
Bulla ampulla L., 1758.	India.	€ 0,70 t/m € 0,80

Bulla striata Bruguière, 1792.
 Bulla striata Bruguière, 1792.
 Bulla striata Bruguière, 1792.
 Bulla striata Bruguière, 1792.
 Bulla striata Bruguière, 1792.
 Bulla vernicosa Gould, 1859.

Bursidae

Bursa awatii Ray, 1949.
 Tutufa boholica Beu, 1987.
 Tutufa boholica Beu, 1987.
 Tutufa bubo (L., 1758).
 Bufonaria bufo (Bruguière, 1792).
 Tutufa bufo (Röding, 1798).
 Tutufa bufo (Röding, 1798). Juvenile.
 Bursa bufonia (Gmelin, 1791).
 Bursa bufonia (Gmelin, 1791).
 Bursa bufonia (Gmelin, 1791).
 Bursa bufonia (Gmelin, 1791).
 Bursa bufonia (Gmelin, 1791).
 Bursa corrugata corrugata (Perry, 1811).
 Bufonaria crumena (Lamarck, 1816).
 Bufonaria crumena (Lamarck, 1816).
 Bufonaria crumena (Lamarck, 1816).
 Bufonaria crumena (Lamarck, 1816).
 Bufonaria echinata (Link, 1807).
 Bufonaria foliata (Broderip, 1826).
 Bufonaria gnorima (Melvill, 1918).
 Bufonaria gnorima (Melvill, 1918).
 Bursa granularis cubaniana (Orbigny, 1842).
 Bursa granularis cubaniana (Orbigny, 1842).
 Bursa granularis cubaniana (Orbigny, 1842).
 Bursa granularis granularis (Röding, 1798).
 Bursa granularis granularis (Röding, 1798).
 Bursa granularis granularis (Röding, 1798).
 Bursa granularis granularis (Röding, 1798).

USA, Florida, Gulf of Mexico, Fort Myers Beach.
 The Grenadines Islands, Windward Islands, Caribbean.
 Tunisia, Skanis, near Monastia.
 Spain, 3 km south of Alicante.
 Portugal, O. Algarve (region), 2 km W. of Fabrica, ebb, lagoon region.
 Philippines, Bohol (province), close to Panglao Island, Balicasag Island.

Philippines, Bohol (province), close to Panglao Island, Balicasag Island.
 Philippines.
 Philippines, Bohol (province), close to Panglao Island, Balicasag Island.
 Madagascar, Anosy Region, Tôlanaro (Fort Dauphin).
 French Guiana, Salvation Islands (The Îles du Salut). Atlantic Ocean.
 Indo-Pacific.
 Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.
 Japan, Kagoshima (prefectuur). Fished.
 Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.
 Indonesia, Greater Sundra Islands, East Java (province), Madura Island.
 Taiwan. East China Sea.
 Taiwan, south-west. East China Sea.
 Florida, off Pompano Beach. Scuba, 55 feet deep, under rubble on reef.
 Taiwan, south-west. East China Sea.
 South Africa, live off Durban area. Trawled at 250 metres.
 India.
 India, Tamil Nadu (state), Cuddalore. Bay of Bengal. Dived.
 Kenya.
 Philippines.
 Philippines.
 USA, Florida, Pickles Reef.
 USA, Florida, Hollywood. 55 feet deep, under rocks.
 USA, Florida, Pompano Beach. Dived, 3 metres deep.
 Taiwan, south-west. East China Sea.
 Philippines, Bohol (province), close to Panglao Island, Balicasag Island.
 Philippines, Bohol (province), close to Panglao Island, Balicasag Island.
 Thailand, Phuket (island), Raya Island. 25-30 metres deep.

Price Range

€ 0,40
 € 1,00 t/m € 1,30
 € 0,50
 € 1,00
 € 1,30
 € 0,50
 € 2,00 t/m € 3,00
 € 14,50
 € 2,00 t/m € 7,50
 € 9,50
 € 1,50 t/m € 6,00
 € 4,50
 € 0,50
 € 2,80
 € 1,30 t/m € 2,00
 € 3,50
 € 3,00
 € 1,30 t/m € 2,00
 € 9,00
 € 1,30 t/m € 1,50
 € 6,00
 € 2,00
 € 2,30
 € 3,50
 € 7,00
 € 1,80
 € 3,75
 € 2,50
 € 1,50
 € 3,80
 € 1,00
 € 0,50
 € 0,80
 € 0,80 t/m € 1,80

		Price Range
Bursa granularis granularis (Röding, 1798).	Tanzania, Zanzibar, M̄changa Mle. East Africa. Indian Ocean.	€ 1,00
Bursa granularis (Röding, 1798).	Philippines.	€ 1,50
Bursa granularis (Röding, 1798).	Egypt, Safaga. Red Sea.	€ 1,00 t/m € 3,50
Bufonaria ignobilis Beu, 1987.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 1,00 t/m € 7,50
Bursa lamarckii (Deshayes, 1853).	Philippines, Bohol (province), Calituban Island. Dived, 15-20 m deep. 25 mm - 34 mm	€ 3,00 t/m € 4,00
Bursa lamarckii (Deshayes, 1853).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,00 t/m € 8,50
Bursa lamarckii (Deshayes, 1853).	Philippines, Central Visayas (region), Cebu (island).	€ 8,00
Bursa latitudo wolfei Beu, 1981.	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 3,50 t/m € 5,00
Bursa leo Shikama, 1964.	Philippines, Mindanao (island).	€ 2,00 t/m € 3,50
Bursa leo Shikama, 1964.	Philippines.	€ 3,00 t/m € 5,00
Bursa leo Shikama, 1964.	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 2,50 t/m € 5,00
Bufonaria margaritula (Deshayes, 1832).	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 4,50
Bufonaria margaritula (Deshayes, 1832).	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 2,00 t/m € 3,50
Bufonaria margaritula (Deshayes, 1832).	Thailand, Phuket (island), Raya Island. 25-30 metres deep.	€ 1,80 t/m € 2,30
Bursa muehlhaeusseri Parth, 1990.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 3,00 t/m € 4,50
Bufonaria nobilis (Reeve, 1844).		€ 8,00
Tutufa oyamai Habe, 1973.	Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.	€ 1,80 t/m € 4,80
Tutufa oyamai Habe, 1973.	Japan.	€ 14,50
Tutufa oyamai Habe, 1973.	Vietnam.	€ 5,00
Tutufa oyamai Habe, 1973.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 2,00 t/m € 2,50
Bufonaria perelegans Beu, 1987.	Philippines.	€ 5,00 t/m € 7,50
Bursa quirihorai Beu, 1987.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 4,50 t/m € 7,50
Bufonaria rana (L., 1758).	Western Pacific Ocean.	€ 3,00
Bufonaria rana (L., 1758).	India, Tamil Nadu (state), Rameswaram. Gulf of Mannar. By diver.	€ 2,50
Bufonaria rana (L., 1758).	Thailand, Changwat Phuket (province), Phuket (island).	€ 1,00
Bufonaria rana (L., 1758).	Taiwan, south-west. East China Sea.	€ 1,00 t/m € 2,00
Bufonaria rana (L., 1758).	Japan, Honshu (island), Chubu region, Aichi Prefecture, Mikawa.	€ 2,50
Bufonaria rana (L., 1758).	Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.	€ 1,00
Bursa rhodostoma rhodostoma (Beck, 1835).	Thailand, Phuket (island), Raya Island. 25-30 metres deep.	€ 1,00
Bursa rhodostoma thomae (Orbigny, 1842).	USA, Florida, 2 miles NE Boca Raton Inlet. Scuba, 10 fms, on reef.	€ 6,50
Bursa rhodostoma thomae (Orbigny, 1842). W/O.	USA, Florida, Boca Raton. Dived. 22 mm - 27 mm	€ 5,00
Tutufa rubeta (L., 1758).	Philippines, Visayas (region), Samar (island).	€ 3,50
Tutufa rubeta (L., 1758).	Indonesia, West Papua (province), Raja Ampat islands, Kepulauan Sembilan.	€ 2,50
Tutufa rubeta (L., 1758).	Philippines.	€ 2,50
Tutufa rubeta (L., 1758).	Thailand. Southeast Asia.	€ 2,00

Tutufa rubeta (L., 1758).	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 1,00 t/m € 4,00
Tutufa rubeta (L., 1758).	Thailand, Changwat Phuket (province), Phuket (island).	€ 1,00 t/m € 3,00
Tutufa rubeta (L., 1758).	Thailand, Phuket (island), Raya Island. 25-30 metres deep.	€ 1,00 t/m € 5,00
Tutufa rubeta (L., 1758).	Philippines, Samar (island). South coast. From divers. 60 mm	€ 3,50
Tutufa rubeta (L., 1758).	Malaysia, Sabah (state), Borneo, Semporna. Live under dead coral on reef.	€ 3,00
Bufonaria subgranosa (Sowerby, 1836).	Philippines.	€ 6,00
Bursa tuberosissima (Reeve, 1844).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 5,00 t/m € 8,50
Bursa tuberosissima (Reeve, 1844).	South China Sea.	€ 4,50 t/m € 5,50
Bursa tuberosissima (Reeve, 1844).	Thailand, Changwat Phuket (province), Phuket (island).	€ 3,00 t/m € 5,00

Cancellariidae

Cancellaria cancellata (L., 1767).	Spain, Andalusia (region), Málaga. Mediterranean Sea.	€ 3,80
Cancellaria cancellata (L., 1767).	Spain, San Carlos de la Rápita.	€ 0,50 t/m € 2,30
Cancellaria cancellata (L., 1767).	Mediterranean Sea.	€ 0,50 t/m € 1,00
Merica ektyphos Petit & Harasewych, 2000.	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,50 t/m € 2,50
Merica elegans (Sowerby, 1822).	Indonesia, Greater Sundra Islands, East Java (province), Madura Island.	€ 2,00
Merica elegans (Sowerby, 1822).	Indonesia, Nusa Tenggara Timur.	€ 3,00
Cancellaria laticosta (Löbbecke).	Japan, Honshu, Kii Province, Kii Peninsula. Trawled, 10 fathoms deep.	€ 3,00 t/m € 5,00
Cancellaria mercadoi Old, 1968.	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 2,50
Trigonostoma pellucida (Perry, 1811).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 5,00
Cancellaria reticulata (L., 1767).	USA, Florida, 210° S.W. Sanibel, 125 feet deep, dredged by shrimp trawler.	€ 1,80 t/m € 2,30
Trigonostoma scalariformis (Lamarck, 1822).	Malaysia, Terengganu, Aryani Resort.	€ 0,50
Trigonostoma scalariformis (Lamarck, 1822).	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 3,00 t/m € 5,00
Trigonostoma scalariformis (Lamarck, 1822).	Indonesia, Greater Sundra Islands, East Java (province), Madura Island.	€ 0,50
Trigonostoma scalariformis (Lamarck, 1822).	Thailand, Changwat Phuket (province), Phuket (island).	€ 0,50
Pisanella viva (Habe & Okutani, 1981).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,50 t/m € 4,00

Capulidae

Capulus ungaricus (L., 1758).	Spain, Province of Málaga, Fuengirola. Trawled by a local fisherman.	€ 1,50 t/m € 4,50
-------------------------------	--	-------------------

Cardiidae

Acanthocardia aculeata (L., 1767).	Italy. Gulf of Napels.	€ 2,30 t/m € 3,00
Lyrocardium aeolicum (Born, 1778).	Republic of Guinea, fished off Conakry.	€ 7,00
Acrosterigma angulata (Lamarck, 1819).	Philippines.	€ 3,00 t/m € 3,50
Acrosterigma angulata (Lamarck, 1819).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,00 t/m € 3,00
Laevicardium attenuatum (Sowerby, 1841).	India.	€ 5,00
Laevicardium attenuatum (Sowerby, 1841).	India, Tamil Nadu (state), Tuticorin. Trawled.	€ 4,00
Fulvia australe (Sowerby, 1841).	Philippines, Central Visayas (region), Bohol (province), Panglao Island.	€ 1,50

		Price Range
Fulvia australe (Sowerby, 1841).	Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.	€ 1,50
Nemocardium bechei (Reeve, 1847).	Philippines, Central Visayas (region), Bohol (island).	€ 10,00
Laevicardium biradiatum (Bruguère, 1789).	Philippines, Sulu (province), Siasi. Sulu Sea. From fisherman. 35 mm	€ 6,00
Fulvia boholensis Vidal, 1994.	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 3,00
Acrosterigma burchardi (Dunker, 1877).	Japan.	€ 9,50
Corculum cardissa (L., 1758).	Philippines, Palawan (province), Palawan (island).	€ 1,00 t/m € 3,50
Laevicardium crassum (Gmelin, 1791).	North Sea, Klaverbank.	€ 0,80 t/m € 1,30
Laevicardium crassum (Gmelin, 1791).	The Netherlands, Texel. 5 miles from the coast on stones, 12 fathoms deep.	€ 0,50
Vasticardium dupuchense (Reeve, 1845).	Australia, Western Australia, Exmouth. Snorkel, ebb, in shallow water.	€ 1,50 t/m € 2,00
Acanthocardia echinata (L., 1758).	North Sea, Black Sand.	€ 1,30 t/m € 2,00
Acanthocardia echinata (L., 1758).	North Sea, Klaverbank.	€ 0,50
Acanthocardia echinata (L., 1758).	Italy, Lazio (region), Anzio.	€ 1,30
Cerastoderma edule (L., 1758).	France, Brittany, Les Rosaires.	€ 0,20
Cerastoderma edule (L., 1758).	The Netherlands, Zeeland, Yerseke.	€ 0,20
Cerastoderma edule (L., 1758).	France, Aude, Etang de Leucate ou de Salses, Port Leucate. ½-1 metres.	€ 0,25
Cerastoderma edule (L., 1758).	Spain, Province of Málaga, Estepona.	€ 0,40
Laevicardium elatum (Sowerby, 1833).	USA, California. Pacific Ocean.	€ 5,00
Acrosterigma elongatum elongatum (Bruguère, 1789).	Philippines.	€ 4,00 t/m € 9,50
Acrosterigma elongatum enode (Sowerby, 1840).		€ 3,00
Acrosterigma elongatum indioceanum (Vidal, 1993). Juvenile.	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 3,50
Acrosterigma elongatum indioceanum (Vidal, 1993).	Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.	€ 1,80 t/m € 3,50
Acrosterigma flava (L., 1758).	Thailand, Phuket (island), Raya Island. 25-30 metres deep.	€ 1,00 t/m € 1,50
Acrosterigma flava (L., 1758).	Thailand, Krabi Province. Strait of Malacca.	€ 1,30
Acrosterigma flava (L., 1758).	Thailand, Changwat Phuket (province), Phuket (island), Chalong Bay.	€ 1,00
Acrosterigma flava (L., 1758).	Indonesia.	€ 1,50
Acrosterigma flava (L., 1758).	Philippines, Sulu (province), Siasi. Sulu Sea. From fisherman. 30 mm - 43 mm	€ 1,00 t/m € 1,50
Acrosterigma flava (L., 1758).	Kenya, Coast Province, Mombasa County, Mombasa.	€ 0,50 t/m € 1,00
Acrosterigma flava (L., 1758).	Thailand, Krabi Province, Koh Lanta Yai (island), Koa Kwang Beach.	€ 1,00
Lunulicardia hemicardium (L., 1767).	Philippines, Bogo. From fisherman, 10-25 metres deep.	€ 3,50
Lunulicardia hemicardium (L., 1767).	Australia, Western Australia, Shire of Shark Bay, Denham. On beach, dead.	€ 1,20
Lunulicardia hemicardium (L., 1767).	Philippines.	€ 1,30 t/m € 2,30
Lunulicardia hemicardium (L., 1767).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,00 t/m € 1,50
Corculum impressum (Lightfoot, 1786).	Philippines.	€ 1,80
Vepricardium incarnatum (Reeve, 1844).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 5,00
Cardium indicum Lamarck, 1819.	Senegal, Dakar Region, Dakar. West Africa. Atlantic Ocean.	€ 5,00

		Price Range
Cardium indicum Lamarck, 1819.	Senegal, Casamance. West Africa. Atlantic Ocean.	€ 4,00
Laevicardium laevigatum (L., 1758).	USA, Florida, Brevard Coast. Trawled 20 fathoms by scallop boat.	€ 0,50 t/m € 1,80
Laevicardium laevigatum (L., 1758).	Bahamas.	€ 0,80 t/m € 2,30
Lyrocardium lyratum (Sowerby, 1841).	Indo-Pacific.	€ 5,00
Acrosterigma magna (L., 1758).	Brazil, Ceará (state), Camocim.	€ 3,00
Trachycardium mindanense (Reeve, 1844).	USA, Florida, Gulf of Mexico, Sanibel Island.	€ 1,80
Trachycardium mindanense (Reeve, 1844). Albino.	USA, Florida, Marco Island. Low tide, on exposed sand flats.	€ 3,00
Vepricardium multispinosum (Sowerby, 1841).	Thailand, Changwat Phuket (province), Phuket (island).	€ 5,00
Vepricardium multispinosum (Sowerby, 1841).	Indo-Pacific.	€ 4,50
Vepricardium multispinosum (Sowerby, 1841).	Taiwan, south-west. East China Sea.	€ 3,50 t/m € 4,00
Dallocardia muricata (L., 1758).	Curaçao, Lesser Antilles Islands.	€ 0,80 t/m € 1,30
Dallocardia muricata (L., 1758).	USA, Florida.	€ 0,80
Dallocardia muricata (L., 1758).	Bahamas.	€ 1,30
Dallocardia muricata (L., 1758).	Venezuela, Nueva Esparta (state), Isla El Coche, San Pedro.	€ 2,00
Dallocardia muricata (L., 1758).	Brazil, Ilha Bella, São Paulo. Snorkeling in shallow water. 40 mm	€ 1,80 t/m € 2,50
Clinocardium nuttallii (Conrad, 1837).	Canada, British Columbia, Malaspina Strait.	€ 2,50
Acanthocardia paucicostata (Sowerby II, 1841).	Portugal, Algarve (region), Culatra Island. Atlantic Ocean.	€ 1,50
Acanthocardia paucicostata (Sowerby II, 1841).	Croatia, Šibenik-Knin County, Pirovac (village). Adriatic Sea.	€ 1,20
Maoricardium pseudolima (Lamarck, 1819).	Tanzania. East Africa. Indian Ocean.	€ 3,50
Lunulicardia retusa (L., 1767).	Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.	€ 0,50 t/m € 0,80
Bucardium ringens (Bruguère, 1789).	Senegal, Casamance. West Africa. Atlantic Ocean.	€ 3,00
Bucardium ringens (Bruguère, 1789).	Senegal, Petite Côte, Joal-Fadiouth (village). West Africa. Trawled.	€ 6,00
Acrosterigma rubicunda (Reeve, 1844).	Philippines, Visayas (region), Samar (island).	€ 2,00
Acrosterigma rubicunda (Reeve, 1844).	Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.	€ 1,30
Acrosterigma rubicunda (Reeve, 1844).	India.	€ 1,50
Acanthocardia spinosa (Lightfoot, 1786).	Portugal, Algarve, East of Sagres. Trawled, 30-50 m, sandy bottom.	€ 2,50
Fulvia tenuicostata (Lamarck, 1819).	Australia, Western Australia, Albany.	€ 2,30
Fulvia tenuicostata (Lamarck, 1819).	Australia, Victoria.	€ 3,00
Acanthocardia tuberculata (L., 1758).	Spain, Province of Málaga, Estepona.	€ 1,30 t/m € 2,30
Acanthocardia tuberculata (L., 1758).	France, Dahouete, Bay of St. Brieux. Trawled.	€ 1,00 t/m € 1,30
Fragum unedo (L., 1758).	Australia, Western Australia, Shire of Shark Bay, Denham.	€ 2,00
Fragum unedo (L., 1758).	Australia, Queensland, King Bay.	€ 0,50 t/m € 1,00
Fragum unedo (L., 1758).	Australia, Queensland, King's Bay.	€ 1,00
Acrosterigma vertebrata (Jonas, 1844).	Australia, Queensland, Moreton Bay, Mydra Banks.	€ 4,50
Acrosterigma vertebrata (Jonas, 1844).	Australia, Queensland, Tannum Sands.	€ 3,50 t/m € 4,00

Price Range**Carditidae**

Cardita affinis Sowerby, 1833.	Mexico, Baja California, Bahía de los Ángeles. Gulf of California.	€ 0,80
Cardites antiquata (L., 1758).	Greece, Makrónisos - Kéa Island.	€ 2,30
Cardites antiquata (L., 1758).	Tunisia, Djerba Island, Ajim. Gulf of Gabès.	€ 0,70
Cardites bicolor (Lamarck, 1819).	Philippines.	€ 0,80 t/m € 1,80
Cardites bicolor (Lamarck, 1819).	Philippines, Manila Bay. in muddy sand at ±60 feet depth.	€ 1,00
Cardita calyculata (L., 1758).	Italy, Sicily (region), Province of Syracuse, Siracusa.	€ 0,50
Cardita calyculata (L., 1758).	Tunisia, El Kantara.	€ 0,20
Cardita calyculata (L., 1758).	Spain, Canary Islands, Fuerteventura, Corralejo. Under rocks.	€ 0,50
Carditamera floridana Conrad, 1838.	USA, Florida, Key Biscayne, 25°43'36"N; 80°08'52"W. During ebb.	€ 0,80
Carditamera floridana Conrad, 1838.	USA, Florida, Gulf of Mexico, Sanibel Island.	€ 2,00
Carditamera floridana Conrad, 1838.	USA, Florida, Marco Island.	€ 1,80
Carditamera floridana Conrad, 1838. Shallow lagoon.	USA, Florida, Marco Island, Tigertail Beach. Live in mud on algae bottom.	€ 1,00
Carditamera floridana Conrad, 1838.	USA, Florida, Lover's Key.	€ 1,00
Carditamera floridana Conrad, 1838.	USA, Florida, Carl Johnson Park.	€ 1,00
Cardita incrassata Sowerby, 1825.	Australia, Western Australia, Cockburn Sound, intertidal sand.	€ 2,30
Cardita incrassata Sowerby, 1825.	Australia, Western Australia, Rockingham.	€ 2,00
Cardita megastropha (Gray, 1825).	Panama, Gobernadora Island. Pacific Ocean. Trawled, 60 metres deep.	€ 8,50
Megacardita nodulosa (Lamarck, 1816).	Australia, Western Australia, Shark Bay. 6-10 feet deep, in sand.	€ 1,30 t/m € 1,80
Cardiocardita tankervillei (Wood, 1828).	The Gambia, Bakau. Atlantic Ocean.	€ 1,00
Cardiocardita tankervillei (Wood, 1828).	The Gambia, Koldi. Atlantic Ocean.	€ 2,00
Cardita variegata Bruguière, 1792.	Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.	€ 0,80 t/m € 2,50

Cassidae

Phalium areola (L., 1758).	Philippines, Central Visayas (region), Cebu (island).	€ 3,50
Phalium areola (L., 1758).	Indonesia, Greater Sunda Islands, East Java (province), Madura Island.	€ 2,50 t/m € 3,50
Phalium areola (L., 1758).	Madagascar, Sainte Marie Island. East Africa. Indian Ocean. Dived. 41 mm	€ 2,00
Phalium areola (L., 1758).	Philippines.	€ 3,50
Phalium bandatum bandatum (Perry, 1811).	Australia, Queensland, Keppel Bay.	€ 3,00 t/m € 5,00
Phalium bandatum bandatum (Perry, 1811).	Philippines.	€ 3,80 t/m € 4,80
Semicassis bisulcata f. diuturna (Iredale, 1927).	Thailand, Changwat Phuket (province), Phuket (island).	€ 1,00 t/m € 2,50
Semicassis bisulcata f. japonica (Reeve, 1848).	Japan.	€ 2,00
Semicassis bisulcata f. japonica (Reeve, 1848).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,50 t/m € 2,80
Semicassis bisulcata f. japonica (Reeve, 1848).	Philippines, Sulu (province), Siasi. Sulu Sea. From fisherman. 25 mm - 30 mm	€ 3,30
Semicassis bisulcata (Schubert & Wagner, 1829).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,00 t/m € 2,00
Semicassis bisulcata (Schubert & Wagner, 1829).	Taiwan, south-west. 20-40 fathoms deep.	€ 2,50

		Price Range
Semicassis bisulcata (Schubert & Wagner, 1829).	Japan, Honshu (island), Chubu region, Aichi Prefecture, Mikawa.	€ 1,30
Semicassis bisulcata (Schubert & Wagner, 1829).	Philippines.	€ 2,00 t/m € 3,00
Semicassis bisulcata (Schubert & Wagner, 1829).	India, Tamil Nadu (state), Tuticorin.	€ 1,80
Semicassis bisulcata (Schubert & Wagner, 1829).	Philippines.	€ 1,30 t/m € 1,80
Semicassis bisulcata (Schubert & Wagner, 1829).	Fiji, Fiji Island. Pacific Ocean.	€ 3,00
Semicassis bisulcata (Schubert & Wagner, 1829).	Philippines, Palawan (province), Palawan (island).	€ 2,30
Semicassis bulla bulla Habe, 1961.	Japan, Honshu (island), Aichi Prefecture, Mikawa. 30-50 fathoms deep.	€ 4,00
Semicassis canaliculata (Bruguère, 1792).	India, Tamil Nadu (state), Madras [Chennai].	€ 3,00
Cassis cornuta (L., 1758).	Philippines, Central Visayas (region), Cebu (island).	€ 6,00 t/m € 47,50
Cassis cornuta (L., 1758). Juvenile.	Philippines, Central Visayas (reg.), Cebu (province), Mactan (island).	€ 3,50 t/m € 9,50
Cassis cornuta (L., 1758). Juvenile.	Thailand, Changwat Phuket (province), Phuket (island).	€ 3,25
Semicassis craticulata (Euthyme, 1885).	East Africa. Indian Ocean.	€ 3,50
Galeodea echinophora f. adriatica (Coen, 1914).	Mediterranean Sea.	€ 3,50
Galeodea echinophora (L., 1758).	Italy, Province of Latina, Formia.	€ 3,50
Galeodea echinophora (L., 1758). W/O.	Italy, Lazio (region), Anzio.	€ 4,00
Galeodea echinophora (L., 1758).	Mediterranean Sea.	€ 1,50
Galeodea echinophora (L., 1758).	Spain, Benicarló, Mediterranean Sea.	€ 1,30 t/m € 1,80
Galeodea echinophora (L., 1758).	Italy, Province of Latina, Formia.	€ 3,50
Casmaria erinacea erinacea (L., 1758).	Philippines, Central Visayas (region), Bohol (island).	€ 2,30
Casmaria erinacea erinacea (L., 1758).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 2,00
Casmaria erinacea erinacea (L., 1758).	Thailand, Changwat Phuket (province), Phuket (island).	€ 2,50
Casmaria erinacea erinacea (L., 1758).	W. Zanzibar, M'Changa Mle. At low tide in sand pockets.	€ 1,30
Casmaria erinacea erinacea f. vibex (L., 1758).	Tanzania, Zanzibar. East Africa. Indian Ocean.	€ 1,50
Casmaria erinacea erinacea f. vibex (L., 1758).	Philippines.	€ 2,00
Casmaria erinacea erinacea f. vibex (L., 1758).	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 0,70 t/m € 3,00
Casmaria erinacea erinacea f. vibex (L., 1758).	Philippines.	€ 0,75 t/m € 1,50
Semicassis faurotis (Jousseume, 1888).	Somalia, Banaadir (region), Mogadishu. East Africa. Trawled in deep water.	€ 10,00
Semicassis faurotis (Jousseume, 1888).	Somalia. East Africa. Indian Ocean.	€ 8,00
Cassis fimbriata Quoy & Gaimard, 1833.	Australia, South Australia, Edinburgh. In sand low tide.	€ 30,00
Cassis fimbriata Quoy & Gaimard, 1833.	Australia, Western Australia, Albany. On sand and weeds at 3 m deep.	€ 29,50
Cassis fimbriata Quoy & Gaimard, 1833.	Australia, Western Australia, Albany. Dead on beach.	€ 2,50 t/m € 7,00
Cassis fimbriata Quoy & Gaimard, 1833.	Australia, South Australia, Victor Harbour.	€ 25,00
Phalium flammiferum (Röding, 1798).		€ 6,50
Phalium flammiferum (Röding, 1798).	Japan.	€ 7,50
Phalium flammiferum (Röding, 1798).		€ 7,00

		Price Range
Phalium flammiferum (Röding, 1798).	Japan / Taiwan.	€ 2,50 t/m € 6,00
Phalium glaucum (L., 1758).	Philippines.	€ 1,50 t/m € 2,50
Phalium glaucum (L., 1758).	Indonesia, Moluccas Islands.	€ 3,00
Phalium glaucum (L., 1758).	Thailand, Changwat Phuket (province), Phuket (island).	€ 1,00 t/m € 2,50
Phalium glaucum (L., 1758).	India.	€ 4,00
Semicassis granulata granulata (Born, 1778).	Bahamas, Green Turtle Cay (island).	€ 2,50 t/m € 3,80
Semicassis granulata granulata (Born, 1778).		€ 2,00
Semicassis granulata granulata (Born, 1778).	Venezuela, Falcón, Paraganá Peninsula, El Pico, 1 metres deep.	€ 3,80
Semicassis granulata granulata (Born, 1778).	Panama, Medidora Island. 240 feet deep, dredged.	€ 3,80
Semicassis granulata granulata (Born, 1778).	Gulf of Mexico.	€ 2,30
Semicassis granulata undulata (Gmelin, 1791).	Spain, Benicarló. Trawled by fisherman.	€ 2,50
Semicassis granulata undulata (Gmelin, 1791).	Italy, Lazio (region), Anzio. Fished.	€ 3,50
Semicassis granulata undulata (Gmelin, 1791).	Spain, Andalusia (region), Province of Málaga, Marbella.	€ 2,00 t/m € 3,80
Semicassis granulata undulata (Gmelin, 1791).	Spain, Canary Islands, Tenerife.	€ 3,80
Echinophoria kurodai (Abbott, 1968).	Australia, Western Australia, off Scott Reef. By fisherman, ± 450 m deep.	€ 10,00
Echinophoria kurodai (Abbott, 1968). W/O.	East China Sea. Trawled at 380-500 metres deep, on sand bottom.	€ 22,50
Semicassis labiata zeylanica f. iredalei (Bayer, 1935).	South Africa, KwaZulu-Natal (province), Durban.	€ 12,50
Semicassis labiata zeylanica f. iredalei (Bayer, 1935).	South Africa, Cape Province, False Bay.	€ 5,00
Cassis madagascariensis f. spinella Clench, 1944. W/O.	USA, Florida. By divers at a depth of 65 feet.	€ 130,00
Galeodea nipponica (Sakurai & Habe, 1961).	Australia, Western Australia, off Port Hedland. ± 450 metres deep.	€ 12,00
Casmaria ponderosa nipponensis Abbott, 1968.	Japan, Honshu (island), Chubu region, Aichi Prefecture, Mikawa.	€ 2,50
Semicassis pyrum (Lamarck, 1822).	Australia, Tasmania.	€ 5,00
Semicassis pyrum (Lamarck, 1822).	Australia, New South Wales, Port Jackson. Fished.	€ 5,50
Semicassis pyrum (Lamarck, 1822).	New Zealand, South Island, Otago Peninsula, off Dunedin.	€ 1,50 t/m € 3,00
Semicassis pyrum (Lamarck, 1822).	New Zealand, Leigh. Offshore, 24 m deep, on a rock and gravel bottom.	€ 7,50
Cypraecassis rufa (L., 1758).	Madagascar, Toliara (Tulear) region, south-west coast.	€ 7,50 t/m € 22,50
Cypraecassis rufa (L., 1758).	Tanzania, Zanzibar, Unguja South Region, Uroa. East Africa. Indian Ocean.	€ 9,00
Galeodea rugosa (L., 1758).	Mediterranean Sea.	€ 5,00
Galeodea rugosa (L., 1758).	Portugal, Algarve (region).	€ 3,50
Galeodea rugosa (L., 1758).	Morocco. North Africa.	€ 6,50
Semicassis semigranosum (Lamarck, 1822).	Australia, Tasmania.	€ 4,00
Cypraecassis tenuis (Wood, 1828).	Mexico, Baja California Sur (state), Loreto. Gulf of California.	€ 65,00
Cassis tessellata (Gmelin, 1791).	Senegal, trawled off Dakar by local fishermen. West Africa. 43 mm	€ 10,00
Cassis tessellata (Gmelin, 1791).	Ivory Coast, Lagunes Region, Abidjan.	€ 12,50 t/m € 19,50
Cypraecassis testiculus testiculus (L., 1758).	Barbados, West Indies. 3-6 feet deep, on coral/rubble.	€ 6,50

Cypraecassis testiculus testiculus (L., 1758).
Echinophoria wyvillei (Watson, 1886).

Cerithiidae

Pseudovertagus aluco (L., 1758).
Pseudovertagus aluco (L., 1758).
Rhinoclavis aspera (L., 1758).
Rhinoclavis aspera (L., 1758).
Rhinoclavis aspera (L., 1758).
Rhinoclavis aspera (L., 1758).
Cerithium atratum (Born, 1778).
Clypeomorus batillariaeformis Habe & Kosuge, 1966.
Clypeomorus bifasciata (Sowerby II, 1855).
Clypeomorus bifasciata (Sowerby II, 1855).
Clypeomorus bifasciata (Sowerby II, 1855).
Clypeomorus bifasciata (Sowerby II, 1855).
Clypeomorus bifasciata (Sowerby II, 1855).
Cerithium caeruleum Sowerby, 1855.
Cerithium caeruleum Sowerby, 1855.
Cerithium caeruleum Sowerby, 1855.
Cerithium caeruleum Sowerby, 1855.
Cerithium caeruleum Sowerby, 1855.
Cerithium citrinum Sowerby, 1855.
Cerithium columna Sowerby, 1834.
Clypeomorus coralium (Kiener, 1841).
Clypeomorus coralium (Kiener, 1841).
Cerithium eburneum Bruguière, 1792.
Cerithium echinatum (Lamarck, 1822).
Cerithium echinatum (Lamarck, 1822).
Cerithium echinatum (Lamarck, 1822).
Cerithium echinatum (Lamarck, 1822).
Rhinoclavis fasciata (Bruguière, 1792).
Rhinoclavis fasciata (Bruguière, 1792).
Rhinoclavis kochi (Philippi, 1848).
Cerithium litteratum (Born, 1778).
Rhinoclavis matukense (Watson, 1880).

Bahamas, Green Turtle Cay (island).

Philippines.
Indonesia, Bali (province), Bali (island).
Thailand, Phuket (island), Raya Island. 25-30 metres deep.
Australia, Queensland. Dredged in lagoon.
Solomon Islands, Malaita (island), Ata'a (village). Pacific Ocean.
Philippines, Bohol (province), close to Panglao Island, Balicasag Island.
USA, Florida, Palm Beach, Phil Foster Park. 6-10 feet deep, sand/mud.
Mozambique, Nampula Province, Nacala Bay area. Shallow water. 13 mm
Egypt, Safaga. Red Sea.
Philippines, Bohol (province), close to Panglao Island, Balicasag Island.
Malaysia, Negeri Sembilan (state), Port Dickson.
Indonesia, Java (island), Tandjong Priok.
Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.
Kenya, Mombasa Reef. East Africa. Indian Ocean.
Philippines, Bohol (province), close to Panglao Island, Balicasag Island.
Tanzania, Zanzibar, Bawé Island. At low tide by the millions.
Egypt, Safaga. Red Sea.
Egypt, 17 km south of Hurghada. Red Sea.
Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.
Egypt, 5 km south of Safaga. Red Sea. Reef near coast.
Philippines, Mindanao (island), Zamboanga.
Philippines, Bohol (province), close to Panglao Island, Balicasag Island.
Bahamas, Eleuthera Island, Cape Eleuthera. 3-20 feet deep, dived.
Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.
French Polynesia, Society Islands, Tahiti.
Thailand, Changwat Phuket (province), Phuket (island).
Thailand, Changwat Phuket (province), Phuket (island).
Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.
Mozambique, Baixo Pinda, caught by local fishermen.
Japan, Honshu (island), Fukuoka Prefecture, Tsuyazaki.
Bahamas, Green Turtle Cay (island).
Philippines, Bohol (province), close to Panglao Island, Balicasag Island.

Price Range

€ 3,00 t/m € 4,00
€ 15,00

€ 0,80
€ 1,20
€ 0,80 t/m € 1,30
€ 1,30
€ 0,80
€ 0,50
€ 1,30
€ 2,00
€ 0,80
€ 0,50
€ 0,80
€ 0,80
€ 1,50
€ 1,30
€ 0,50
€ 0,80
€ 1,50
€ 0,50 t/m € 1,30
€ 2,00
€ 0,80
€ 1,30 t/m € 1,80
€ 0,50
€ 1,30
€ 2,50
€ 1,50
€ 1,50
€ 1,50
€ 1,00 t/m € 2,50
€ 1,30 t/m € 2,50
€ 0,30
€ 0,50 t/m € 1,00
€ 1,30 t/m € 7,50

		Price Range
Cerithium muscarum Say, 1832.	USA, Florida, Gulf of Mexico, Sanibel Island.	€ 1,00
Pseudovertagus nobilis (Reeve, 1855).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 7,50 t/m € 9,00
Cerithium nodulosum (Bruguère, 1792).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 2,50
Cerithium nodulosum (Bruguère, 1792).	Fiji, Mamanuca Groep, Mana Island. Ebb, seaweed/coral/sand.	€ 2,80
Cerithium nodulosum (Bruguère, 1792).	Thailand, Phuket (island), Raya Island. 25-30 metres deep.	€ 1,30
Cerithium nodulosum (Bruguère, 1792).	Egypt, South Sinai, Dahab. Gulf of Aqaba.	€ 2,00
Cerithium rupestre Risso, 1826.	Yugoslavia.	€ 0,80
Cerithium rupestre Risso, 1826.	France, Cannes.	€ 0,80
Cerithium rupestre Risso, 1826.	Greece, Cyclad Archipelago.	€ 0,40
Rhinoclavis sinensis (Gmelin, 1791).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 0,50
Rhinoclavis sinensis (Gmelin, 1791).	Thailand, Phuket (island), Raya Island. 25-30 metres deep.	€ 0,50 t/m € 1,00
Cerithium stercusmuscarum Valenciennes, 1833.	Panama, Bay of Panamá, Boca la Caja. Pacific Ocean.	€ 0,30
Cerithium stercusmuscarum Valenciennes, 1833.	Mexico, west coast. Pacific Ocean.	€ 0,80
Rhinoclavis vertagus (L., 1758).	Philippines, Mindanao, Davao. Dived at 5-10 metres.	€ 3,00
Rhinoclavis vertagus (L., 1758).	Thailand, Changwat Phuket (province), Phuket, Chalong Bay, Vighit.	€ 0,50
Rhinoclavis vertagus (L., 1758).	Taiwan. East China Sea.	€ 1,00
Rhinoclavis vertagus (L., 1758).	Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.	€ 1,00 t/m € 1,30
Rhinoclavis vertagus (L., 1758).	Thailand, Changwat Phuket (province), Phuket (island), Rawai Beach.	€ 1,00
Rhinoclavis vertagus (L., 1758).	Australia, Western Australia, Houtman Abrolhos.	€ 1,50
Cerithium vulgatum (Bruguère, 1792).	Tunisia, Monastir.	€ 0,30
Cerithium vulgatum (Bruguère, 1792).	Spain, Balearic Islands, Ibiza (island).	€ 2,00
Cerithium vulgatum (Bruguère, 1792).	Italy, Livorno, Tipico. Dived at 2-5 metres.	€ 3,30
Cerithium vulgatum (Bruguère, 1792).	Portugal, Algarve (region), Faro.	€ 0,50
Cerithium vulgatum (Bruguère, 1792).	Spain, San Carlos de la Rápita.	€ 0,40
Cerithium vulgatum (Bruguère, 1792).	Morocco, Marrakesh-Tensift-El Haouz, Essaouira.	€ 0,40
Cerithium vulgatum (Bruguère, 1792).	Tunisia, Djerba Island, Ajim. Gulf of Gabès.	€ 0,40
Cerithium vulgatum (Bruguère, 1792).	Spain, Playa Rio Mar.	€ 0,50
Cerithium vulgatum (Bruguère, 1792).	Tunisia, Houmt Souk.	€ 0,50
Cerithium vulgatum (Bruguère, 1792).	Southern France, Banyuls.	€ 0,50
Chamidae		
Chama brassica Reeve, 1846.	Malaysia, Johor, Tinggi Island (Pulau Tinggi). ±2 m deep, on dead coral.	€ 5,00
Arcinella cornuta Conrad, 1866.	USA, Florida, Key West.	€ 1,30 t/m € 2,50
Pseudochama gryphina (Lamarck, 1819).	Greece, Saronikos. Attached on rocks, 7 metres deep.	€ 2,00
Chama gryphoides L., 1758.	Spain, Province of Málaga, Fuengirola. Fished live, on stone.	€ 2,50
Chama lazarus L., 1758.	Philippines.	€ 2,50 t/m € 5,00

Chama lazarus L., 1758.
 Chama lazarus L., 1758. Beautiful colours.
 Chama limbula Lamarck, 1819.
 Chama macerophylla (Gmelin, 1791).
 Chama pacifica Broderip, 1835.
 Chama pacifica Broderip, 1835.
 Diverse spec. .

Chitonidae

Chiton pelliserpentis Quoy & Gaimard, 1835.

Colubrariidae

Colubraria castanea Kuroda & Habe, 1952.
 Colubraria muricata (Lightfoot, 1786).
 Colubraria muricata (Lightfoot, 1786).
 Colubraria muricata (Lightfoot, 1786).
 Colubraria muricata (Lightfoot, 1786).
 Colubraria nitidula (Sowerby, 1833).
 Colubraria sowerbyi (Reeve, 1844).
 Colubraria sowerbyi (Reeve, 1844).
 Colubraria tortuosa (Reeve, 1844).

Columbellidae

Strombina angularis (Sowerby, 1832).
 Amphissa columbiana Dall, 1916.
 Strombina dorsata (Sowerby, 1832).
 Strombina elegans (Sowerby, 1832).
 Strombina elegans (Sowerby, 1832).
 Pyrene epamella (Duclos, 1846).
 Pyrene fasciata (Sowerby I, 1825).
 Pyrene fasciata (Sowerby I, 1825).
 Pyrene flava filmerae (Sowerby, 1900).
 Pyrene flava filmerae (Sowerby, 1900).
 Pyrene flava (Bruguère, 1789).
 Pyrene flava (Bruguère, 1789).
 Pyrene flava (Bruguère, 1789).
 Anachis fluctuata (Sowerby, 1832).
 Mazatlaniana fulgurata (Philippi, 1846).

Thailand. Southeast Asia.
 Philippines, Cebu (province), Mactan (island), Punta Engaño.
 Philippines.
 Bonaire, Lesser Antilles Islands.
 Philippines.
 Philippines, Central Visayas (region), Cebu (island).
 Philippines, Bohol (province), close to Panglao Island, Balicasag Island.

New Zealand.

Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.
 Philippines.
 Philippines, Visayas (region), Samar (island).
 Thailand, Changwat Phuket (province), Phuket (island).
 Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.
 Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.
 Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.
 Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.
 Philippines, Palawan (prov.), Coron Island. Dived, 15-20 m deep.

Panama.
 USA, S.E. Alaska, Mitkof Island, Petersburg Harbour. At a 4 foot tide.
 Panama.
 Panama, Bay of Chiriqui. Dredged, 120 feet deep.
 Panama.
 Philippines, Bohol (province), Panglao Island.
 Indonesia, Greater Sundra Islands, East Java (province), Madura Island.
 Indonesia.
 South Africa, Transkei Bantu Homeland, Coffee Bay.
 South Africa, Cape Province, Cape Town.
 Thailand, Changwat Phuket (province), Phuket (island).
 Thailand, Phuket (island), Raya Island. 25-30 metres deep.
 Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.
 Panama, Punta Calafata.
 Panama, Gobernadora Island, Veraguas Prov. Sand, low tide. 15 mm

Price Range

€ 10,00 t/m € 12,00
 € 1,20 t/m € 3,20
 € 1,80
 € 1,50
 € 5,00
 € 3,80
 € 1,00 t/m € 2,00
 € 1,50
 € 2,00 t/m € 2,50
 € 7,50
 € 2,50 t/m € 5,00
 € 6,00 t/m € 8,00
 € 5,00 t/m € 12,50
 € 4,00
 € 2,00
 € 4,00
 € 8,00
 € 3,50
 € 2,50
 € 3,20
 € 4,50
 € 5,00
 € 1,50
 € 1,50
 € 1,50
 € 1,00
 € 1,00
 € 0,80
 € 0,80
 € 1,00
 € 1,30
 € 3,00

		Price Range
Columbella fuscata Sowerby, 1832.	Panama, Cebaco Island. Pacific Ocean.	€ 1,50
Columbella fuscata Sowerby, 1832.	Ecuador, Galápagos Islands, Fernandina Island.	€ 1,75 t/m € 2,50
Columbella fuscata Sowerby, 1832.	Ecuador, Galápagos Islands. Pacific Ocean.	€ 1,50
Strombina fusinoidea Dall, 1916.	Panama.	€ 6,00
Strombina fusinoidea Dall, 1916.	Panama, Cebaco Island. Pacific Ocean. Trawled, 60-120 metres deep.	€ 5,00
Strombina fusinoidea Dall, 1916.	Panama, Secas Island. Pacific Ocean. Dredged at 60-120 feet deep.	€ 6,50
Columbella haemastoma Sowerby, 1832.	Mexico, Baja California, Bahía de los Ángeles. Gulf of California.	€ 3,50
Anachis lafresnayi (Fischer & Bernardi, 1856).	USA, Florida, Mayport.	€ 1,30
Mitrella ligula (Duclos, 1840).	Philippines.	€ 0,80
Mitrella ligula (Duclos, 1840).	Philippines.	€ 1,50
Mitrella ligula (Duclos, 1840).	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 0,50
Mitrella ligula (Duclos, 1840).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 0,50
Anachis lyrata (Sowerby, 1832).	Panama, Gulf of Panamá, San Carlos.	€ 2,00
Strombina maculosa (Sowerby, 1832).	Mexico, Baja California Sur (state), San José del Cabo.	€ 1,50
Columbella major Sowerby, 1832.	Mexico, Baja California (state). Gulf of California.	€ 2,00
Columbella major Sowerby, 1832. W/O.	Panama, Chirqui Bay, Coiba Island. Dived, 3-4 metres deep, on rocks.	€ 3,00
Columbella major Sowerby, 1832.	Panama. Dived, 6 feet deep.	€ 1,00
Columbella mercatoria (L., 1758).	The Grenadines Islands, Windward Islands, Caribbean.	€ 2,80
Columbella mercatoria (L., 1758).	Caribbean area.	€ 2,00
Columbella mercatoria (L., 1758).	Venezuela.	€ 2,00
Anachis miser (Sowerby, 1844).	Australia, Queensland, Cairns.	€ 1,30
Anachis miser (Sowerby, 1844).	Philippines.	€ 1,00
Anachis miser (Sowerby, 1844).	Australia, Queensland.	€ 2,50
Nitidella nitida (Lamarck, 1822).	The Grenadines Islands, Windward Islands, Caribbean.	€ 2,00 t/m € 2,30
Nitidella nitida (Lamarck, 1822).	Bonaire, Lesser Antilles Islands.	€ 1,30
Pyrene ocellata (Link, 1807).	Philippines.	€ 0,20
Pyrene ocellata (Link, 1807).		€ 2,00
Mitrella ocellata (Gmelin, 1791).	Thailand, Phuket (island), Raya Island. 25-30 metres deep.	€ 1,30
Mitrella ocellata (Gmelin, 1791).	The Grenadines Islands, Windward Islands, Caribbean.	€ 2,80
Pyrene ocellata (Link, 1807).	Indonesia, Papua (province).	€ 1,50
Pyrene punctata (Bruguère, 1789).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,00 t/m € 2,00
Pyrene punctata (Bruguère, 1789).	Philippines, Central Visayas (region), Cebu (island).	€ 1,50
Pyrene punctata (Bruguère, 1789).	Philippines, Central Visayas (region), Cebu (province), Mactan (island).	€ 0,50
Columbella rustica (L., 1758).	Greece, South Aegean, Rhodes, south of Plinthos. 1 metres deep in algae. 13 mm	€ 3,00
Columbella rustica (L., 1758).	Tunisia, Lac de Bizerte.	€ 1,30

Columbella rustica (L., 1758).
 Columbella rustica f. striata Duclos.
 Mitrella scripta (L., 1758).
 Mitrella scripta (L., 1758).
 Mitrella scripta (L., 1758).
 Mitrella scripta (L., 1758).
 Pyrene splendidula (Sowerby III, 1894).
 Pyrene splendidula (Sowerby III, 1894).
 Pyrene splendidula (Sowerby III, 1894).
 Pyrene testudinaria (Link, 1807).
 Pyrene testudinaria (Link, 1807).
 Strombina turrita (Sowerby, 1832).
 Anachis varia (Sowerby, 1832).
 Anachis varia (Sowerby, 1832).
 Anachis varia (Sowerby, 1832).

Conidae

Conus abbas Hwass, 1792.
 Conus achatinus Gmelin, 1791.
 Conus achatinus Gmelin, 1791.
 Conus amadis f. castaneofasciata Dautzenberg, 1937.
 Conus amadis f. castaneofasciata Dautzenberg, 1937.
 Conus amadis Gmelin, 1791.
 Conus amadis Gmelin, 1791.
 Conus amadis Gmelin, 1791.
 Conus ammiralis ammiralis L., 1758.
 Conus anemone Lamarck, 1810.
 Conus anemone f. novaehollandiae A. Adams, 1854.
 Conus aphrodite Petuch, 1979.
 Conus araneosus araneosus Solander, 1786.
 Conus araneosus nicobaricus Hwass, 1792.
 Conus arenatus Hwass, 1792.
 Conus arenatus Hwass, 1792.
 Conus arenatus Hwass, 1792.
 Conus arenatus Hwass, 1792.
 Conus arenatus Hwass, 1792.

Italy, Sardinia, C. Sferracavallo.
 Spain, Canary Islands, Fuerteventura.
 Indonesia, Papua (province), Biak (island). Cenderawasih Bay.
 Philippines, Bohol (province), close to Panglao Island, Balicasag Island.
 Philippines.
 Philippines.
 Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.
 Philippines, Bohol (province), close to Panglao Island, Balicasag island.
 Thailand, Changwat Phuket (province), Phuket (island).
 Australia, Queensland, Gladstone Harbour.
 Philippines, Bohol (province), close to Panglao Island, Balicasag Island.
 Panama.
 Panama, Panamá City, Punta Calafata. Pacific Ocean.
 Panama, Pearl Islands. Pacific Ocean. Under stones in shallow water. 18 mm
 Panama, Gulf of Panamá, San Carlos, El Palmar.

Sri Lanka, Colombo Reef.
 Australia, Western Australia, Dampier Archipelago. In shallow water.
 Australia, Western Australia. In shallow water.
 Thailand, Changwat Phuket (province), Phuket (island).
 Thailand, Ranong Province, Ranong (city). Deep water, > 70 m deep.
 Sri Lanka, Southern Province, Galle.
 India, off Madras. Trawled by fishing boat, 20-40 metres deep, on sand.
 India, Tamil Nadu (state), Rameswaram. Gulf of Mannar. Dived.
 Philippines, Mindanao (island), Davao.
 Australia, Victoria, west of Port Fairy. Littoral, in mud.
 Australia, Western Australia, Broome.
 Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.
 India, Tamil Nadu (state), Rameswaram. Gulf of Mannar.
 Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.
 Egypt, Sand Island. Red Sea.
 Thailand, Changwat Phuket (province), Phuket (island).
 Egypt, South Sinai, Dahab. Gulf of Aqaba. In sand.
 Australia, Queensland, Beaver Reef. Alive in sand between coral.
 Indonesia, Greater Sunda Islands, East Java (province), Madura Island.

Price Range

€ 1,00
 € 1,30
 € 0,20
 € 1,00
 € 0,20
 € 1,00
 € 0,50 t/m € 2,00
 € 1,00
 € 3,00
 € 1,30
 € 1,00
 € 4,50
 € 0,80
 € 2,50 t/m € 3,30
 € 2,50

€ 4,00
 € 5,00
 € 3,50
 € 1,00 t/m € 5,00
 € 0,75 t/m € 4,25
 € 2,00
 € 5,00
 € 7,50
 € 1,50 t/m € 5,00
 € 3,50
 € 1,80
 € 9,50
 € 9,50
 € 3,00 t/m € 6,50
 € 0,50 t/m € 3,50
 € 1,00 t/m € 2,50
 € 0,50 t/m € 2,50
 € 1,00
 € 0,60

		Price Range
Conus arenatus Hwass, 1792.	Indonesia, West Papua (province), Manokwari, in direction of Pasir Putih.	€ 1,20
Conus arenatus Hwass, 1792.	Indonesia, Bali (province), Bali (island).	€ 1,00
Conus arenatus Hwass, 1792.	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,50 t/m € 2,50
Conus armadillo Shikama, 1971.	Philippines, Central Visayas (region), Bohol (island).	€ 10,00
Conus armadillo Shikama, 1971.	Philippines, Cebu (province), Mactan (island).	€ 7,50
Conus asiaticus asiaticus da Motta, 1985.	Taiwan. East China Sea.	€ 2,30
Conus augur Solander, 1786.	Thailand, Changwat Phuket (province), Phuket (island).	€ 3,00
Conus augur Solander, 1786.	Mozambique. East Africa. Indian Ocean.	€ 4,00 t/m € 5,00
Conus augur Solander, 1786.	Madagascar Island. East Africa. Indian Ocean.	€ 3,50
Conus aulicus L., 1758.	Thailand, Changwat Phuket (province), Phuket (island).	€ 4,00 t/m € 12,50
Conus aulicus L., 1758.	Sri Lanka, Southern Province, Galle.	€ 6,00
Conus aulicus L., 1758.	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 5,00 t/m € 12,50
Conus aurisiacus L., 1758.	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230metres.	€ 7,50
Conus australis australis Holten, 1802.	Japan.	€ 3,50
Conus australis australis Holten, 1802.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 2,50 t/m € 4,00
Conus australis australis Holten, 1802.	Japan, Honshu (island), Kansai (region), Kyoto. Fished.	€ 1,50 t/m € 3,00
Conus bandanus f. vidua Reeve, 1843.	Madagascar, Toliara (Tulear). East Africa. Indian Ocean.	€ 4,50 t/m € 5,00
Conus bandanus f. vidua Reeve, 1843.	Thailand, Changwat Phuket (province), Phuket (island).	€ 2,00 t/m € 5,00
Conus barbieri Raybaudi Massilia, 1995.	Philippines, Samar, Calbayog area. From divers, 25 metres deep.	€ 2,50
Conus barbieri Raybaudi Massilia, 1995.	Philippines, Eastern Visayas (region), Leyte (island), Carigara Bay. 30 mm - 33 mm	€ 5,00
Conus bayani Jousseume, 1872.	India, Tamil Nadu (state), off Madras [Chennai]. Trawled.	€ 7,00 t/m € 12,00
Conus bengalensis (Okutani, 1968).	India.	€ 35,00
Conus bengalensis (Okutani, 1968).	Gulf of Thailand. Trawled at a depth of 200 metres deep. 116 mm	€ 85,00 t/m € 95,00
Conus betulinus L., 1758.	Malaysia, Tioman (island), Teluk Berus. Snorkel, ±4 m deep, on sand.	€ 7,00
Conus betulinus L., 1758.	India, Tamil Nadu (state), Cuddalore. Bay of Bengal.	€ 5,00
Conus betulinus L., 1758.	Indonesia, Moluccas Islands, Ambon Island.	€ 2,00 t/m € 5,50
Conus betulinus L., 1758.	Malaysia, Pulau Perhentian Besar (Big Perhentian Isl.). Live on seagrass.	€ 8,00
Conus betulinus L., 1758.	Tanzania, Zanzibar, Nungwi (village). East Africa. Indian Ocean.	€ 5,00
Conus betulinus L., 1758.	India, Tamil Nadu (state).	€ 6,50
Conus biliosus (Röding, 1798).	India, Tamil Nadu (state), Ramanathapuram district, Kilakarai. Dived.	€ 6,00
Conus biliosus (Röding, 1798).	Australia, Queensland, Cape Tribulation. Alive, Littoral zone.	€ 3,00 t/m € 4,00
Conus biliosus (Röding, 1798).	Australia, Queensland, Keppel Bay.	€ 3,50
Conus blanfordianus Crosse, 1867.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 2,00 t/m € 3,00
Conus bruguieresi Kiener, 1845.	Senegal, Dakar Region, Dakar, north side of N'Gor. Diving, 1-8 m deep.	€ 11,50 t/m € 15,00
Conus bullatus L., 1758.	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 5,00

		Price Range
Conus bullatus L., 1758.	Philippines, Visayas (region), Samar (island).	€ 12,50
Conus capitaneus Fulton, 1938.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 2,00 t/m € 3,50
Conus capitaneus f. ceciliae Crosse, 1858.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 7,00 t/m € 9,50
Conus capitaneus L., 1758.	Tanzania. East Africa. Indian Ocean.	€ 2,00
Conus capitaneus L., 1758.	Thailand, Changwat Phuket (province), Phuket (island).	€ 0,75 t/m € 2,00
Conus capitaneus L., 1758.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 1,80
Conus characteristicus Fischer, 1807.	India, Tamil Nadu (state), Madras [Chennai]. Dived.	€ 2,50
Conus characteristicus Fischer, 1807.	Thailand, Phuket (island), Raya Island. 25-30 metres deep.	€ 0,50 t/m € 6,00
Conus characteristicus Fischer, 1807.	Philippines.	€ 4,50
Conus characteristicus Fischer, 1807. Growth series.	Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.	€ 1,30 t/m € 2,50
Conus characteristicus Fischer, 1807.	India, Tamil Nadu (state), Cuddalore. Trawled in 20 m deep, muddy sand.	€ 6,00
Conus catus Hwass, 1792.	French Polynesia, Marquesas Islands, Nuku Hiva Island. 1-3 metres deep.	€ 2,30 t/m € 3,30
Conus catus Hwass, 1792.	Taiwan. East China Sea.	€ 3,00
Conus catus Hwass, 1792.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 1,50
Conus chaldaeus (Röding, 1798).	Taiwan. East China Sea.	€ 0,50 t/m € 0,70
Conus chiangi (Azuma, 1972).	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 5,00
Conus cinereus Hwass, 1792.	Indonesia, Flores (island), ±12 km east of Maumere. Live, 8 m, black sand.	€ 1,00 t/m € 2,00
Conus cinereus Hwass, 1792.	Philippines, Mimaropa (Region IV-B), Marinduque (island).	€ 2,50
Conus circumactus Iredale, 1929.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 8,50 t/m € 12,50
Conus circumciscus Born, 1778.	Philippines, Mindanao (island), Davao.	€ 5,00 t/m € 9,00
Conus circumciscus Born, 1778.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 1,25 t/m € 6,25
Conus circumciscus Born, 1778.	Philippines, Central Visayas (region), Cebu (island).	€ 3,50 t/m € 12,50
Conus cloveri Walls, 1978. Synonym: C. soaresi.	Senegal, Dakar, north side N'Gor. West Africa. Diving, 1-8 metres deep.	€ 5,50 t/m € 9,00
Conus coccineus Gmelin, 1791.	Philippines, Cebu, Mactan, Olonga Island. Dived, coral reef, 15-20 metres.	€ 3,50
Conus coccineus Gmelin, 1791.	Philippines, Visayas (region), Samar (island).	€ 4,00
Conus coccineus Gmelin, 1791.	Philippines.	€ 2,50 t/m € 3,80
Conus coffeae Gmelin, 1791.	Philippines.	€ 2,00
Conus comatosa Pilsbry, 1904. 2nd choice.	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 2,50
Conus consors Sowerby I, 1833.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 2,50 t/m € 4,00
Conus consors Sowerby I, 1833.	Philippines.	€ 3,50
Conus corallinus Kiener, 1845.	Philippines, Central Visayas (region), Bohol (island).	€ 5,00
Conus corallinus Kiener, 1845.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 6,00 t/m € 7,50
Conus cordigera Sowerby II, 1866.	Philippines, Palawan (province), Coron Island. Divers from Cebu, ±25 m. 26 mm	€ 6,00
Conus cordigera Sowerby II, 1866.	Philippines, S. Palawan (island), Balabac Island. Dived at 15-30 m deep. 45 mm	€ 29,00
Conus coronatus Gmelin, 1791.	Kenya, Mombasa Reef. East Africa. Indian Ocean.	€ 1,00

		Price Range
Conus coronatus Gmelin, 1791.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 1,00
Conus couderti Bernardi, 1860.	The Grenadines Islands, Windward Islands, Caribbean.	€ 6,00
Conus couderti Bernardi, 1860.	The Grenadines Islands, Windward Islands, Caribbean.	€ 12,50
Conus crocatus f. thailandis da Motta, 1978.	Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.	€ 3,00 t/m € 27,50
Conus cuneolus Reeve, 1843.	Cape Verde, Sal(island), Santa Maria. Atlantic Ocean. At low tide.	€ 4,80
Conus dalli Stearns, 1873.	Panama, Cebacu Island. Snorkling, 7-12 feet deep.	€ 4,50 t/m € 9,50
Conus dalli Stearns, 1873. Under rocks.	Panama, Pearl Islands, Isla Pedro Gonzalez. Gulf of Panama. Pacific Ocean.	€ 8,00
Conus dayriti Röckel & da Motta, 1983.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 6,50 t/m € 12,50
Conus delessertii Récluz, 1843.	Mexico, Baja California Sur, La Paz, Playa Pichilingue. Dredged, 80-90 m.	€ 3,00 t/m € 5,00
Conus distans Hwass, 1792.	Philippines.	€ 2,00 t/m € 3,80
Conus distans Hwass, 1792.	Thailand, Changwat Phuket (province), Phuket (island).	€ 2,00 t/m € 4,00
Conus dorreensis Peron, 1807.	Australia, Western Australia, Port Denison. Live, on reef.	€ 1,00 t/m € 3,00
Conus dusaveli (Adams, 1872). Second choice.	Philippines, Mindanao (region), Balut Island. Tangle nets, 100-200 m deep.	€ 9,00
Conus dusaveli (Adams, 1872).	Philippines, Luzon (island), Polillo Island. On coral reef, 20 metres.	€ 45,00
Conus dusaveli (Adams, 1872).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 15,00
Conus ebraeus L., 1758.	Kenya, near Mombasa. East Africa. Indian Ocean.	€ 0,80
Conus ebraeus L., 1758.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 0,50 t/m € 2,00
Conus ebraeus L., 1758.	Indonesia, Moluccas Islands, Ambon Island, Latuhalat.	€ 1,00
Conus ebraeus L., 1758.	Thailand, Phuket (island), Raya Island. 25-30 metres deep.	€ 0,80 t/m € 1,30
Conus eburneus Hwass, 1792.	Thailand, Phuket (island), Raya Island. 25-30 metres deep.	€ 0,80 t/m € 1,30
Conus eburneus Hwass, 1792.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 1,00 t/m € 2,00
Conus eburneus Hwass, 1792.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 1,50 t/m € 4,00
Conus eburneus Hwass, 1792.	Philippines, Sulu Archipelago.	€ 2,40
Conus eburneus Hwass, 1792.	India, Tamil Nadu (state), Tuticorin.	€ 2,00 t/m € 3,00
Conus eburneus Hwass, 1792.	New-Guinea, East New Britain.	€ 4,50
Conus eburneus Hwass, 1792.	Indonesia, Greater Sunda Islands, East Java (province), Madura Island.	€ 1,50
Conus eburneus f. polyglotta Weinkauff, 1874.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 1,30 t/m € 2,50
Conus eburneus f. polyglotta Weinkauff, 1874.	Philippines, Mindanao (island), Davao.	€ 1,30 t/m € 2,50
Conus episcopatus da Motta, 1982.	Thailand, Changwat Phuket (province), Phuket (island).	€ 1,00 t/m € 10,00
Conus episcopatus da Motta, 1982.	Malaysia, Pulau Perhentian Besar. Between dead coral, shallow, live.	€ 3,00 t/m € 5,50
Conus ermineus Born, 1778.	Cape Verde, Santiago (island), Tarrafel. 2-8 metres deep, under stones.	€ 3,80 t/m € 4,80
Conus eximius Reeve, 1849.	Philippines, Central Visayas (region), Cebu (island).	€ 2,50
Conus ferrugineus Hwass, 1792.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 2,00 t/m € 3,00
Conus figulinus L., 1758.	Madagascar, Anosy Region, Tôlanaro (Fort Dauphin).	€ 9,50
Conus figulinus L., 1758.	Malaysia, Sabah (state), Borneo, Kota Kinabalu, Tanjung Aru Beach. Live.	€ 3,00

		Price Range
Conus figulinus L., 1758.	Indonesia, Sumatra, Aceh (province), Lhokseumawe. Above tideline.	€ 1,50
Conus figulinus L., 1758.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 0,50 t/m € 1,50
Conus flavidus Lamarck, 1810.	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,50
Conus flavidus Lamarck, 1810.	Egypt, Hurghada. Red Sea.	€ 0,80 t/m € 2,50
Conus flavidus Lamarck, 1810.	Egypt, Hurghada. Red Sea.	€ 0,50 t/m € 1,00
Conus flavidus Lamarck, 1810.	Solomon Islands. Pacific Ocean.	€ 3,00
Conus flavidus Lamarck, 1810.	Thailand, Phuket (island), Raya Island. 25-30 metres deep.	€ 1,00 t/m € 2,50
Conus floridulus Adams & Reeve, 1848.	Philippines, Cebu (province), Mactan (island), Punta Engaño.	€ 4,80 t/m € 6,50
Conus floridulus Adams & Reeve, 1848.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 3,00 t/m € 4,00
Conus frigidus Reeve, 1848.	Thailand, Changwat Phuket (province), Phuket (island).	€ 2,50
Conus furvus f. aegrotus Reeve, 1849.	Philippines. Sulu Sea.	€ 3,00
Conus furvus Reeve, 1843.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 1,00 t/m € 2,00
Conus furvus Reeve, 1843.	Philippines.	€ 0,80 t/m € 1,30
Conus generalis f. krabiensis da Motta, 1982.	Thailand, Phuket (island), Raya Island. 25-30 metres deep.	€ 2,00
Conus generalis L., 1767.	Philippines, Cebu (province), Mactan (island), Punta Engaño.	€ 2,00 t/m € 4,00
Conus genuanus L., 1758.	Cape Verde, Boavista Island, Sal Rei. Nightdiving, 2-15 metre deep.	€ 4,00 t/m € 7,50
Conus genuanus L., 1758.	Gabon.	€ 12,50
Conus genuanus L., 1758.	Gabon. West coast of Central Africa.	€ 10,00
Conus genuanus L., 1758.	Senegal, Dakar Region, Dakar, Hann Bay (beach). West Africa.	€ 5,00 t/m € 10,00
Conus geographus L., 1758.	Papua New Guinea, Manus Province, Manus Island.	€ 7,00
Conus geographus L., 1758.	Philippines, Central Visayas (region), Cebu (island).	€ 2,30
Conus geographus L., 1758.	Tanzania, Zanzibar, Nungwi (village). East Africa. Indian Ocean.	€ 5,00
Conus gloriamaris Chemnitz, 1777.	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 5,00 t/m € 30,00
Conus granum Röckel & Fischröder, 1985.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 2,50
Conus gubernator Hwass, 1792.	Madagascar, Toliara (Tulear). East Africa. Indian Ocean.	€ 9,50
Conus gubernator Hwass, 1792.	Tanzania, Zanzibar, Nungwi (village). East Africa. Indian Ocean.	€ 4,00
Conus guinaicus Hwass, 1792.	Senegal, N'Gor. West Africa. Atlantic Ocean.	€ 5,00
Conus hyaena hyaena Hwass, 1792.	India, Maharashtra (state), near Bombay.	€ 5,00
Conus hyaena hyaena Hwass, 1792.	India, Maharashtra (state), Bombay. At low tide.	€ 4,00
Conus hybridus Kiener, 1845.	Senegal, Dakar, north side N'Gor. West Africa. Diving, 1-8 metres deep.	€ 2,00 t/m € 5,00
Conus ichinoseana (Kuroda, 1956).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 9,50
Conus imperialis L., 1758.	Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.	€ 2,00
Conus imperialis L., 1758.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 1,00 t/m € 5,50
Conus imperialis L., 1758.	Philippines.	€ 2,50 t/m € 3,50
Conus inscriptus inscriptus Reeve, 1843.	India, Tamil Nadu (state), off Madras [Chennai]. Dived.	€ 2,00 t/m € 5,00

		Price Range
Conus ione Fulton, 1938.	Philippines, Central Visayas (region), Bohol (province), Panglao Island. 56 mm	€ 5,00
Conus ione Fulton, 1938.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 4,00 t/m € 10,00
Conus janus Hwass, 1792.	Madagascar. East Africa. Indian Ocean.	€ 3,25 t/m € 4,25
Conus janus Hwass, 1792.	Mozambique. East Africa. Indian Ocean.	€ 12,50
Conus janus Hwass, 1792.	Mozambique, North coast.	€ 17,50
Conus kinoshitai (Kuroda, 1956).	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 5,00 t/m € 8,00
Conus kinoshitai (Kuroda, 1956).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 5,00 t/m € 8,00
Conus kintoki Habe & Kosuge, 1970.	Philippines, Central Visayas (region), Bohol (province), Panglao Island. 62 mm	€ 9,00
Conus kintoki Habe & Kosuge, 1970.	Malaysia, Sabah (state). South China Sea. Trawled at 30-40 feet deep.	€ 4,00
Conus kintoki Habe & Kosuge, 1970.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 3,50 t/m € 7,50
Conus laterculatus Sowerby III, 1870.	Australia.	€ 3,50
Conus lenavati da Motta & Röckel, 1982.	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 2,50 t/m € 7,50
Conus leopardus (Röding, 1798).	Kenya. East Africa. Coast.	€ 4,00
Conus lithoglyphus Hwass, 1792.	Thailand, Changwat Phuket (province), Phuket (island).	€ 1,00 t/m € 2,00
Conus litteratus L., 1758.	Philippines.	€ 2,50 t/m € 5,00
Conus litteratus L., 1758.	Thailand, Phuket, ±2 hours by boat from Rawai, Raya Island. 25-30 m deep.	€ 1,50 t/m € 4,80
Conus litteratus L., 1758.	Papua New Guinea, Manus Province, Manus Island.	€ 6,00
Conus lividus Hwass, 1792.	Indonesia, Moluccas Islands, Ambon Island.	€ 1,30
Conus lividus Hwass, 1792.	Thailand, Changwat Phuket (province), Phuket (island).	€ 2,00 t/m € 3,50
Conus lividus Hwass, 1792.	Solomon Islands. Pacific Ocean.	€ 1,50
Conus lividus Hwass, 1792.	Philippines.	€ 0,50
Conus lividus Hwass, 1792.	Kenya, Kikambala. On sandy mud in shallow water.	€ 1,30
Conus lividus Hwass, 1792.	Réunion Island, Indian Ocean.	€ 2,00
Conus longurionis Kiener, 1845.	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 5,00
Conus loroisii Kiener, 1845.	India, Tamil Nadu (state), Cuddalore. Bay of Bengal. Dived.	€ 3,00 t/m € 4,50
Conus loroisii Kiener, 1845.	Sri Lanka, Western Province, Negombo.	€ 2,75 t/m € 5,00
Conus magus L., 1758.	Malaysia, Sabah (state), Semporna. Live, shallow, on seaweed, dead coral.	€ 1,00 t/m € 2,00
Conus magus L., 1758.	Philippines.	€ 1,80 t/m € 2,80
Conus magus L., 1758.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 2,50 t/m € 2,80
Conus magus L., 1758.	Indonesia, Borneo, Bohey Dulang Island. Live on reef, under dead coral.	€ 3,50
Conus mahogani Reeve, 1843.	Panama, Gobernadora Island. Pacific Ocean. At low tide, in sand.	€ 2,50
Conus maldivus Hwass, 1792.	Mozambique. East Africa. Indian Ocean.	€ 2,00
Conus marmoreus L., 1758.	Malaysia, Sabah (state), Borneo, off Semporna. Live on sea grass, ±1 m.	€ 2,00 t/m € 4,00
Conus marmoreus L., 1758.	Australia, Queensland, Langford Reef.	€ 2,00
Conus marmoreus L., 1758.	Philippines.	€ 2,50 t/m € 4,50

		Price Range
Conus memiae (Habe & Kosuge, 1970).	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 2,50
Conus memiae (Habe & Kosuge, 1970).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 2,50
Conus mercator L., 1758.	Senegal, Dakar Region, Dakar, Gorée Island. West Africa. Atlantic Ocean.	€ 6,50
Conus mercator L., 1758.	Senegal, Dakar Region, Dakar, north side N'Gor. Diving, 1-8 metres deep.	€ 2,00 t/m € 6,50
Conus miles L., 1758.	Thailand, Changwat Phuket (province), Phuket (island).	€ 1,00 t/m € 4,00
Conus miles L., 1758.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 1,00 t/m € 2,00
Conus miles L., 1758.	Indonesia, Borneo, East Kalimantan, Tarakan (island). Shallow, live.	€ 3,00
Conus miles L., 1758.	Solomon Islands, Pacific Ocean.	€ 2,50
Conus miles L., 1758.	Tanzania, Zanzibar, Mawe Island. East Africa. Indian Ocean	€ 3,50
Conus mindanus mindanus Hwass, 1792.	Brazil, Espírito Santo (state), off Vitória. Trawled, 35-38 metres deep. 40 mm - 42 mm	€ 22,50
Conus monachus L., 1758.	Solomon Islands. Pacific Ocean.	€ 2,00
Conus monile Hwass, 1792.	Thailand, Phuket (island), Raya Island. 25-30 metres deep.	€ 1,30 t/m € 4,30
Conus monile Hwass, 1792.	India, Tamil Nadu (state), Cuddalore. Bay of Bengal. Dived.	€ 3,80
Conus monile Hwass, 1792.	India, Tamil Nadu (state), Cuddalore. Bay of Bengal.	€ 3,50 t/m € 4,50
Conus mucronatus Reeve, 1843.	Philippines, Cebu (province), Mactan (island), Punta Engaño.	€ 3,00
Conus mucronatus Reeve, 1843.	Philippines, Luzon (island), Tayabas Bay.	€ 2,00
Conus muriculatus Sowerby I, 1833.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 1,50 t/m € 2,50
Conus mus Hwass, 1792.	Bonaire, Playa, Lesser Antilles.	€ 1,00 t/m € 2,00
Conus musicus Hwass, 1792.	Taiwan. East China Sea.	€ 1,00
Conus musicus Hwass, 1792.	Thailand, Changwat Phuket (province), Phuket (island).	€ 2,50
Conus mustelinus Hwass, 1792.	Malaysia, Pulau Perhentian Besar. Between dead coral, shallow, live.	€ 1,00 t/m € 2,00
Conus mustelinus Hwass, 1792.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 1,00 t/m € 2,50
Conus natalis Sowerby II, 1857.	South Africa, Eastern Cape, near Glengarriff, Glen Eden.	€ 3,00
Conus neptunus Reeve, 1843.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 3,00 t/m € 8,50
Conus neptunus Reeve, 1843.	Philippines, Central Visayas (region), Cebu (island).	€ 1,50 t/m € 5,00
Conus nielsenae reductaspiralis Walls, 1797.	Australia, Western Australia, Geraldton.	€ 2,50
Conus nielsenae reductaspiralis Walls, 1797.	Australia, Western Australia, Cape Keraudren. In shallow water.	€ 3,00
Conus nussatella L., 1758.	Thailand, Changwat Phuket (province), Phuket (island).	€ 0,80 t/m € 2,00
Conus nussatella L., 1758.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 2,00
Conus obscurus Sowerby I, 1833.	Solomon Islands, Malaita (island), Ata'a (village). Pacific Ocean.	€ 4,00
Conus omaria Hwass, 1792.	Malaysia, Tioman (isl.), Kampung Juara. Live, ±1 m, under dead coral.	€ 1,00 t/m € 3,00
Conus omaria Hwass, 1792.	Solomon Islands, Malaita (island), Ata'a (village). Pacific Ocean.	€ 1,50 t/m € 5,00
Conus omaria Hwass, 1792.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 1,50 t/m € 4,50
Conus omaria Hwass, 1792.	Philippines.	€ 2,50 t/m € 4,30
Conus orbigny orbigny Audouin, 1831.	Japan. North China Sea. Fished off coast.	€ 2,50

		Price Range
Conus orbignyi orbignyi Audouin, 1831.	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,50
Conus patricius Hinds, 1843.	Ecuador. Pacific Ocean. Snorkel in shallow water.	€ 4,50
Conus patricius Hinds, 1843.	Mexico, Baja California Sur (state), San José del Cabo.	€ 3,50
Conus pertusus Hwass, 1792.	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,50 t/m € 4,50
Conus planorbis Born, 1778.	Mozambique. East Africa. Indian Ocean.	€ 2,50
Conus planorbis Born, 1778.	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 0,50 t/m € 4,00
Conus planorbis Born, 1778.	Philippines.	€ 2,50
Conus praecellens A. Adams, 1854.	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,00 t/m € 2,00
Conus praecellens A. Adams, 1854.	Philippines, Luzon (island), Tayabas Bay.	€ 1,00 t/m € 1,80
Conus praecellens A. Adams, 1854.	Philippines, Central Visayas (region), Cebu (island).	€ 1,00
Conus princeps v. lineolatus Valenciennes, 1832.	Panama, Pearl Islands, Isla Pedro Gonzalez. Gulf of Panama. Pacific Ocean.	€ 5,00
Conus pulcher Lightfoot, 1786.	S.W. Africa.	€ 7,00 t/m € 10,00
Conus pulcher Lightfoot, 1786.	Senegal, Dakar Region, Dakar. West Africa. 5 m deep, in sand, under rock.	€ 6,00 t/m € 12,50
Conus pulcher Lightfoot, 1786.	Senegal. West Africa. Atlantic Ocean.	€ 17,50 t/m € 30,00
Conus pulcher Lightfoot, 1786.	Spain, Canary Islands, Fuerteventura, Morro Jable. Dead in harbour.	€ 4,00 t/m € 7,00
Conus pulcher Lightfoot, 1786.	West Africa.	€ 17,50
Conus pulcher Lightfoot, 1786.	Senegal, Petite Côte, Joal-Fadiouth. West Africa. Atlantic Ocean.	€ 3,50
Conus pulcher Lightfoot, 1786.		€ 25,00
Conus pulcarius pulcarius Hwass, 1792.	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,00
Conus pulcarius pulcarius Hwass, 1792.	Malaysia, Pahang (state), Tioman (island), Teluk Berus Dalam. Live in sand	€ 1,20
Conus pulcarius pulcarius Hwass, 1792.	Indonesia, Flores, Bidadari Island. Littoral, in sand between coral.	€ 0,80
Conus purpurascens Sowerby I, 1833.	Mexico, Baja California Sur (state), Cabo San Lucas.	€ 7,00
Conus purpurascens Sowerby I, 1833.	Panama, Panama Bay. Pacific Ocean.	€ 2,50
Conus purpurascens Sowerby I, 1833.	Mexico. West coast. Pacific Ocean.	€ 6,50
Conus purpurascens Sowerby I, 1833.	Ecuador, Galápagos Islands. Pacific Ocean.	€ 4,00
Conus quercinus (Lightfoot, 1786).	Japan, Shikoku (island), Kochi Prefecture, Tosa Bay.	€ 3,50
Conus quercinus (Lightfoot, 1786).	Tanzania, Zanzibar. East Africa. Indian Ocean.	€ 3,80
Conus quercinus (Lightfoot, 1786).	Philippines, Sulu (province), Siasi. Sulu Sea. From fisherman.	€ 2,00
Conus quercinus (Lightfoot, 1786).	French Polynesia, Marquesas Islands, Nuku Hiva Island. 1-3 metres deep.	€ 1,80 t/m € 3,00
Conus radiatus Gmelin, 1791.	Philippines.	€ 3,00
Conus rattus Hwass, 1792.	Taiwan, south-west. East China Sea.	€ 1,30
Conus rattus Hwass, 1792.	Thailand, Changwat Phuket (province), Phuket (island).	€ 1,20
Conus rattus Hwass, 1792.	Thailand, Phuket (island), Raya Island. 25-30 metres deep.	€ 1,00 t/m € 1,30
Conus rattus Hwass, 1792.	Kenya, Coast Province, Mombasa County, Mombasa. East Africa.	€ 7,50
Conus rattus Hwass, 1792.	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,30 t/m € 3,50

		Price Range
Conus rattus f. taitensis Hwass, 1792.	French Polynesia, Marquesas Islands, Nuku Hiva Island. 1-3 metres deep.	€ 1,50
Conus recluzianus Bernardi, 1853.		€ 3,50
Conus regius Gmelin, 1791.	West Indies.	€ 5,00 t/m € 8,00
Conus regius Gmelin, 1791.	Brazil, Ceará, Camocin. Collected at 25-40 metres on rocky bottom.	€ 12,50
Conus regius Gmelin, 1791.	USA, Florida, Pompano Beach. Scuba in 15 feet, under rock rubble.	€ 9,50
Conus regius Gmelin, 1791.	Mexico, Baja California Sur (state), San José del Cabo. 5 metre deep.	€ 3,50
Conus regius Gmelin, 1791.	Aruba, Lesser Antilles Islands.	€ 17,50
Conus regius Gmelin, 1791.	Brazil, Ceará, Camocim. Collected on octopus pots at 20-25 metres deep.	€ 12,50 t/m € 29,50
Conus regius Gmelin, 1791.	Brazil, Pernambuco (state), Recife. Atlantic Ocean. Deep water. 45 mm - 47 mm	€ 7,50
Conus retifer Menke, 1829.	Philippines, Visayas (region), Samar (island).	€ 5,00
Conus retifer Menke, 1829.	Philippines, Visayas (region), Samar (island). East coast.	€ 3,00 t/m € 7,50
Conus rufimaculosus Macpherson, 1959.	Australia, Queensland, Moreton Bay. Fished.	€ 3,00 t/m € 5,00
Conus saecularis Melvill, 1898.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 4,00 t/m € 7,50
Conus sanguinolentus Quoy & Gaimard, 1834.	Philippines.	€ 1,30 t/m € 2,80
Conus sanguinolentus Quoy & Gaimard, 1834.	Egypt, Safaga. Red Sea.	€ 0,80 t/m € 1,80
Conus sanguinolentus Quoy & Gaimard, 1834. Colour form.	French Polynesia, Marquesas Islands, Nuku Hiva Island. 1-3 metres deep.	€ 2,50
Conus sanguinolentus Quoy & Gaimard, 1834.	Egypt, west coast Gulf of Suez, Marsa Abu. Red Sea. Lagoon.	€ 0,80
Conus sieboldii Reeve, 1848.	Taiwan. East China Sea.	€ 6,00
Conus spirofilis Habe & Kosuge, 1970.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 10,00
Conus sponsalis Hwass, 1792.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 0,50
Conus sponsalis Hwass, 1792.	Taiwan, south-west. East China Sea.	€ 0,90
Conus sponsalis Hwass, 1792.	Philippines.	€ 0,70 t/m € 0,90
Conus sponsalis Hwass, 1792.	Philippines, Sulu (province), Siasi. Sulu Sea. From fisherman. 14 mm	€ 3,00
Conus spurius Gmelin, 1791.	Off Colombia, South America, 80 feet deep, dredged by trawler.	€ 3,00
Conus spurius Gmelin, 1791.	USA, Florida.	€ 2,50 t/m € 4,00
Conus stercusmuscarum L., 1758.	Philippines, Mimaropa (Region IV-B), Marinduque (island).	€ 3,00
Conus striatus f. floridus Sowerby, 1858.	Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.	€ 2,00 t/m € 3,50
Conus striatus L., 1758.	Philippines.	€ 3,00
Conus striatus L., 1758.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 1,50 t/m € 7,50
Conus striatus L., 1758.	Madagascar, Anosy Region, Tôlanaro (Fort Dauphin). In shallow water.	€ 4,50 t/m € 6,50
Conus striatus L., 1758.	Malaysia, Tioman (island), Kampung Juara Beach. Live, under dead coral.	€ 2,00 t/m € 2,50
Conus striatus L., 1758.	India, Tamil Nadu (state), Ramanathapuram district, Kilakarai. Dived.	€ 2,50 t/m € 5,00
Conus striatus L., 1758.	Indonesia, Flores (island), Angel Island (Pulau Bidadari). Dead, shallow.	€ 2,75
Conus striatus L., 1758.	Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.	€ 1,00 t/m € 5,00
Conus striatus L., 1758.	Tanzania, Zanzibar. East Africa. Indian Ocean.	€ 2,00

		Price Range
Conus striatus L., 1758.	Malaysia, Sabah (state), Borneo, reef off Semporna. Live under dead coral.	€ 3,50
Conus striolatus Kiener, 1854.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 5,00
Conus sulcatus f. bocki Sowerby III, 1881.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 0,90 t/m € 2,25
Conus sulcatus Hwass, 1792.	Philippines.	€ 2,50
Conus sulcatus f. samiae da Motta, 1982.	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 2,00
Conus sulcocastaneus Kosuge, 1981.	Philippines, Mindanao (region), Balut Island.	€ 1,50 t/m € 3,00
Conus sulcocastaneus Kosuge, 1981.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 5,00
Conus suratensis Hwass, 1792.	Philippines, Central Visayas (region), Cebu (island).	€ 3,80 t/m € 9,00
Conus telatus Reeve, 1848.	Philippines, Palawan (province), Coron Island. Trawled.	€ 6,00
Conus terebra terebra Born, 1778.	Australia, Queensland, Cape Tribulation.	€ 3,00 t/m € 4,00
Conus terebra terebra Born, 1778.	Kenya, Coast Province, Mombasa County, Mombasa.	€ 4,00
Conus terebra terebra Born, 1778.	Philippines, Mimaropa (Region IV-B), Marinduque (island).	€ 3,00
Conus terebra terebra Born, 1778.	Thailand, Phuket (island), Raya Island. 25-30 metres deep.	€ 1,00 t/m € 2,30
Conus terebra terebra Born, 1778.	India, Pamban.	€ 3,00
Conus tessulatus Born, 1778.	Philippines.	€ 3,00
Conus tessulatus Born, 1778.	California, Santa Barbara County, Santa Cruz Island. In sand, 50' deep.	€ 3,50
Conus tessulatus Born, 1778.	Japan, Okinawa, Tsuken-jima (island). From 10 metres, in sand among corals	€ 3,00
Conus tessulatus Born, 1778.	Sri Lanka, Eastern Province, Trincomalee.	€ 2,50
Conus tessulatus Born, 1778.	Philippines, Central Visayas (region), Cebu (island).	€ 2,00 t/m € 4,50
Conus tessulatus Born, 1778.	Kenya, Coast Province, Mombasa County, Mombasa. East Africa. Indian Ocean.	€ 1,50 t/m € 2,50
Conus tessulatus Born, 1778.	Egypt, Safaga. Red Sea.	€ 1,00 t/m € 1,30
Conus tessulatus Born, 1778.	Philippines.	€ 3,50
Conus tessulatus Born, 1778.	Thailand, Changwat Phuket (province), Phuket (island).	€ 1,00 t/m € 2,50
Conus tessulatus Born, 1778.	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,50 t/m € 4,00
Conus textile f. cholmondeleyi Melville, 1900.	Tanzania, Zanzibar, Nungwi. By local fisherman, shallow water.	€ 5,00 t/m € 15,00
Conus textile L., 1758.	Taiwan, south-west. East China Sea.	€ 2,50
Conus textile L., 1758.	Australia, Queensland, Cape Tribulation. Shallow water, under stones.	€ 1,00 t/m € 2,50
Conus textile L., 1758.	Thailand, Phuket (island), Raya Island. 25-30 metres deep.	€ 0,50 t/m € 7,50
Conus thalassiarachus Sowerby I, 1834.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 2,00 t/m € 5,50
Conus thalassiarachus Sowerby I, 1834.	Philippines, Palawan (province), Palawan (island).	€ 2,50 t/m € 4,00
Conus thalassiarachus Sowerby I, 1834.	Philippines, Palawan (province), Palawan (island).	€ 3,50
Conus tinianus Hwass, 1792.	South Africa, Cape Province, Jeffreys Bay.	€ 12,50
Conus tinianus Hwass, 1792.	South Africa.	€ 8,00
Conus tribblei tribblei Walls, 1977.	Taiwan. East China Sea.	€ 9,50 t/m € 12,50
Conus tribblei tribblei Walls, 1977. Granulated form.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 1,00 t/m € 9,50

		Price Range
Conus tulipa L., 1758.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 2,00
Conus varius L., 1758.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 1,50 t/m € 2,00
Conus ventricosus Gmelin, 1791.	Tunisia, Jerba Island.	€ 0,50
Conus venulatus v. ateralbus Kiener, 1845.	Cape Verde, Sal(island). Nightdiving at 2-15 metres deep.	€ 9,00 t/m € 10,00
Conus venulatus v. ateralbus Kiener, 1845.	Cape Verde, Sal (island). Nightdiving, 2-15 metres deep.	€ 17,50
Conus vexillum vexillum Gmelin, 1791.	Philippines, Central Visayas (region), Bohol (island).	€ 6,50
Conus vexillum vexillum Gmelin, 1791.	Tanzania, Zanzibar, Unguja North Region, Pongwe. East Africa.	€ 4,50
Conus vexillum vexillum Gmelin, 1791.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 2,00 t/m € 6,50
Conus vexillum vexillum Gmelin, 1791.	Philippines.	€ 3,50 t/m € 7,50
Conus vexillum vexillum Gmelin, 1791.	Thailand, Changwat Phuket (province), Phuket (island).	€ 3,00
Conus vexillum vexillum Gmelin, 1791.	Indonesia, South Sulawesi, Palau Samalona (isl.). Live on reef, shallow.	€ 4,00
Conus victoriae victoriae Reeve, 1843.	Australia, Western Australia, Pilbara region, Point Samson. Littoral.	€ 2,00 t/m € 4,00
Conus victoriae victoriae Reeve, 1843.	Australia, Western Australia, Broome. At night at low tide.	€ 3,50
Conus villosus Fischer & Bernardi, 1857.	Brazil, off Santa Catarina (state). Trawled, 300-400 m, from fishing ship.	€ 30,00
Conus violaceus Gmelin, 1791.	Tanzania, Zanzibar. East Africa. Indian Ocean.	€ 5,00
Conus virgatus Reeve, 1849.	Mexico, Sonora, Guaymas, San Carlos Bay. Gulf of California. Shallow.	€ 3,00 t/m € 5,00
Conus virgo L., 1758.	Thailand, Phuket (island), Raya Island. 25-30 metres deep.	€ 1,00 t/m € 3,00
Conus virgo L., 1758.	Indonesia, West Java (province).	€ 5,00
Conus virgo L., 1758.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 1,50 t/m € 4,50
Conus vittatus Hwass, 1792.	Panama.	€ 5,00
Conus voluminalis Reeve, 1843.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 0,50 t/m € 2,50
Conus voluminalis Reeve, 1843. Colour form.	Philippines, Bohol island, Balicasag island. Tangle nets, 130-230 m deep.	€ 1,50
Conus wakayamaensis f. nereis Petuch, 1979.	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,00
Conus zeylanicus Gmelin, 1791.	India, Tamil Nadu (state), Rameswaram. Gulf of Mannar. Trawled.	€ 6,00
Conus zeylanicus Gmelin, 1791.	Thailand, Ranong Province, Ranong (city). Andaman Sea.	€ 3,50
Conus zeylanicus Gmelin, 1791.	Tanzania, Zanzibar, Unguja North Region, Pongwe. East Africa.	€ 5,00
Conus zonatus Hwass, 1792.	Thailand, Phuket (island), Raya Island. 25-30 metres deep.	€ 1,50 t/m € 2,00
Cooperellidae		
Chicoreus axicornis (Lamarck, 1822).	Indonesia, Greater Sunda Islands, East Java (province), Madura Island.	€ 2,50
Coralliophilidae		
Babelomurex armatus (Sowerby III, 1912).	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 2,00 t/m € 3,00
Babelomurex armatus (Sowerby III, 1912).	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 2,00
Coralliophila bulbiformis (Conrad, 1837).	Philippines, Visayas (region), Samar (island).	€ 2,00 t/m € 4,80
Babelomurex cariniferus (Sowerby, 1834).	Greece, Alonissos Island. Aegean Sea. Dived live, 12 m deep on white coral	€ 12,50
Coralliophila costularis (Lamarck, 1816).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,00 t/m € 2,50

		Price Range
Coralliophila costularis (Lamarck, 1816).	Philippines, Visayas (region), Samar (island).	€ 6,00
Babelomurex diadema (A. Adams, 1854).	Japan, Honshu (island), Kansai (region), Kyoto.	€ 4,00
Babelomurex diadema (A. Adams, 1854).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 2,50 t/m € 3,80
Coralliophila erosa (Röding, 1798).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 2,00
Mipus eugeniae (Bernardi, 1853).	Japan.	€ 9,50
Mipus eugeniae (Bernardi, 1853).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,00 t/m € 2,00
Babelomurex fearnleyi (Emerson & d'Attilio, 1965).	Philippines.	€ 6,00
Babelomurex fearnleyi (Emerson & d'Attilio, 1965).	Philippines, Cebu (province), Mactan (island), Punta Engaño.	€ 1,50 t/m € 3,00
Babelomurex fearnleyi (Emerson & d'Attilio, 1965).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,00 t/m € 5,00
Babelomurex finchii (Fulton, 1930).	Japan.	€ 10,00
Babelomurex finchii (Fulton, 1930).	Taiwan. East China Sea. Fished.	€ 1,00 t/m € 8,00
Babelomurex gemmatus (Shikama, 1966).	Philippines, Central Visayas (region), Bohol (island).	€ 5,00
Babelomurex gemmatus (Shikama, 1966).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 3,00 t/m € 3,80
Babelomurex gemmatus (Shikama, 1966).	Philippines, Central Visayas (region), Bohol (island). 30 mm	€ 8,00
Mipus gyratus (Hinds, 1844).	India, Tamil Nadu (state), off Madras [Chennai]. Trawled.	€ 4,00
Mipus gyratus (Hinds, 1844).	Taiwan. East China Sea.	€ 3,00 t/m € 5,00
Mipus gyratus (Hinds, 1844).	Japan.	€ 5,00
Mipus gyratus (Hinds, 1844).	India, Tamil Nadu (state), Madras [Chennai].	€ 14,50
Rapa incurva (Dunker, 1852).	Philippines. Collected dead on coral.	€ 4,00
Babelomurex indicus (Smith, 1899).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 7,50
Babelomurex japonicus (Dunker, 1882).	Taiwan. East China Sea.	€ 12,50 t/m € 17,50
Babelomurex japonicus (Dunker, 1882).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,50 t/m € 7,50
Babelomurex japonicus (Dunker, 1882).	Philippines, Central Visayas (region), Cebu (province), Mactan (island).	€ 12,50
Babelomurex lischkeanus (Dunker, 1882).	Japan, Honshu (island), Hyōgo Prefecture, off Kobe.	€ 2,50 t/m € 12,00
Coralliophila madreporarum (Sowerby, 1832).	French Polynesia, Marquesas Islands, Nuku Hiva Island. 1-3 metres deep.	€ 4,00
Latiaxis mawae (Griffith & Pidgeon, 1834).	South Japan, near Amami, Tokara area. Off Gajashima Island, 180-200 m.	€ 7,00 t/m € 9,50
Latiaxis mawae (Griffith & Pidgeon, 1834).	Japan. Fished.	€ 4,00 t/m € 5,00
Babelomurex nakayasui (Shikama, 1970).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 7,50 t/m € 12,50
Babelomurex princeps (Melvill, 1912).	Taiwan, from fisherman of Kaoshiung. Very interesting shells.	€ 9,50
Babelomurex princeps (Melvill, 1912).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 4,50
Coralliophila radula (A. Adams, 1855).	Philippines, Central Visayas (region), Cebu (island).	€ 2,50 t/m € 5,00
Coralliophila radula (A. Adams, 1855).	Philippines, Bohol (province), Panglao Island.	€ 3,80 t/m € 5,00
Coralliophila radula (A. Adams, 1855).	Philippines, Bohol (province), Panglao Island.	€ 3,80 t/m € 5,00
Coralliophila radula (A. Adams, 1855).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 2,50 t/m € 5,00
Rapa rapa (L., 1758).	Philippines, Negros. Trawled at 20-25 metres deep.	€ 5,50

Rapa rapa (L., 1758).
 Coralliophila rubrococcinea Melvill & Standen, 1901.
 Babelomurex spinosus (Hirase, 1908).
 Babelomurex spinosus (Hirase, 1908).
 Babelomurex takahashii (Kosuge, 1979).
 Coralliophila violacea (Kiener, 1836).
 Coralliophila violacea (Kiener, 1836).
 Coralliophila violacea (Kiener, 1836).
 Coralliophila violacea (Kiener, 1836).
 Coralliophila violacea (Kiener, 1836).
 Coralliophila violacea (Kiener, 1836).
 Coralliophila violacea (Kiener, 1836).
 Coralliophila violacea (Kiener, 1836).

Corbiculidae

Polymesoda bengalensis Lamarck, 1818.
 Corbicula fluminea (Müller, 1774).

Corbulidae

Corbula barrattiana C.B. Adams, 1852.
 Corbula erythrodon Lamarck, 1818.
 Corbula gibba (Olivi, 1792).
 Corbula gibba (Olivi, 1792).
 Corbula gibba f. rosea Brown, 1844.
 Lentidium mediterraneum (O.G. Costa, 1829).
 Corbula sulcata Lamarck, 1801.
 Corbula tumaca (Olsson, 1961).
 Corbula tumaca (Olsson, 1961).
 Corbula zelandica (Quoy & Gaimard, 1835).

Costellariidae

Vexillum acuminatum (Gmelin, 1791).
 Vexillum acuminatum (Gmelin, 1791).
 Vexillum albofulvum Herrmann, 2007.
 Vexillum angustissimum (E.A. Smith, 1903).
 Vexillum citrinum (Gmelin, 1791).
 Vexillum citrinum (Gmelin, 1791).
 Vexillum citrinum (Gmelin, 1791).

Philippines.
 Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.
 Philippines, Bohol (province), close to Panglao Island, Balicasag Island.
 Taiwan. East China Sea. Fished off the south-western coast.
 Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.
 Japan, Honshu (island), Wakayama Prefecture, Minabe.
 French Polynesia, Society Islands, Tahiti. 20 km east of Papeete.
 Mozambique, Nampula Province, Nacala Bay. Local women, shallow water.
 Thailand, Phuket (island), Raya Island. 25-30 metres deep.
 Australia, Queensland. From Torres Strait. On coral. 47 mm
 Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.
 Philippines, Central Visayas (region), Cebu (island), Olango Island.
 Taiwan, south-west. East China Sea.

Philippines, Central Visayas (region), Bohol (island).
 The Netherlands, Amersfoort, Juliana canal.

USA, Florida, off Bradenton. Trawled at 100 feet.
 Japan.
 Italy, Province of Ravenna, Cérvia.
 France, Brittany, Les Rosaires.
 Italy, Emilia-Romagna (region), Rimini. Adriatic Sea.
 Italy, Province of Ravenna, Lido di Spina.
 Senegal, Dakar Region, Dakar, off Hann. West Africa. 5-10 metres deep.
 Panama. Pacific Ocean.
 Panama, Kativa Island. Trawled, 120-240 feet deep.
 New Zealand, North Island, Thames Estuary. In mud, low tide.

Thailand, Changwat Phuket (province), Phuket (island).
 Taiwan. East China Sea.
 Philippines.
 Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 meters deep.
 Philippines, Palawan (isl.), Dumaran Island. On coral reef, 15-20 m deep.
 Philippines.
 Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.

Price Range

€ 11,00
 € 1,00
 € 3,80 t/m € 9,00
 € 3,00 t/m € 6,00
 € 3,00 t/m € 5,00
 € 2,50
 € 0,50
 € 1,30
 € 1,00
 € 3,00
 € 1,50 t/m € 2,50
 € 7,50
 € 1,00 t/m € 1,80

€ 0,80
 € 1,00

€ 2,50
 € 3,30
 € 0,30
 € 0,80
 € 0,40
 € 1,00
 € 4,30
 € 3,00
 € 3,80
 € 2,50

€ 1,50
 € 1,60
 € 2,50
 € 3,00
 € 2,50
 € 2,50
 € 3,50 t/m € 8,50

		Price Range
Vexillum citrinum (Gmelin, 1791).	Philippines, Mindanao (island), Davao.	€ 4,00
Vexillum citrinum (Gmelin, 1791).	Madagascar, Anosy Region, Tôlanaro (Fort Dauphin) region. Shallow water.	€ 8,50 t/m € 9,50
Vexillum citrinum (Gmelin, 1791).	Indonesia, Moluccas Islands, Ceram (island).	€ 3,50
Vexillum coccineum (Reeve, 1844).	Taiwan, Kaoshiung. Fished.	€ 4,00
Vexillum coccineum (Reeve, 1844).	Taiwan, south-west. South China Sea.	€ 1,50 t/m € 3,00
Vexillum costatum (Gmelin, 1791).	India, Tamil Nadu (state), off Madras [Chennai]. Trawled, from fishery.	€ 2,50
Vexillum crocatum (Lamarck, 1811).	Philippines, Bohol (province), Calituban Island. Dived at ±30 metres deep.	€ 5,50
Vexillum crocatum (Lamarck, 1811).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 3,00 t/m € 4,00
Vexillum curviliratum (Sowerby, 1874).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 2,50 t/m € 5,00
Vexillum dennisoni (Reeve, 1844).	Philippines, Cebu (province), Mactan (island), Punta Engaño.	€ 3,00
Vexillum dennisoni (Reeve, 1844).	Philippines, Luzon, Bicol Region, Sorsogon, Bulan. From local fisherman. 46 mm	€ 5,50 t/m € 9,50
Vexillum exasperatum (Gmelin, 1791).	Philippines, Central Visayas (region), Cebu (province), Mactan (island).	€ 1,80
Vexillum exasperatum (Gmelin, 1791).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 0,50 t/m € 2,50
Vexillum formosense (Sowerby III, 1889).	Taiwan. East China Sea.	€ 2,50
Vexillum formosense (Sowerby III, 1889).	Philippines.	€ 2,50
Vexillum granosum (Gmelin, 1791).	Indonesia, Borneo, North Kalimantan, Palau Tarakan, Tarakan. Live.	€ 1,50
Vexillum granosum (Gmelin, 1791).	Indonesia, Lesser Sunda Islands, Flores (island), Maumere.	€ 1,30
Vexillum granosum (Gmelin, 1791).	Philippines.	€ 0,25
Vexillum gruneri (Reeve, 1844).	Philippines.	€ 1,50
Vexillum microzonias (Lamarck, 1811).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 6,00
Vexillum microzonias (Lamarck, 1811).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 6,00
Vexillum mirabile (Adams, 1853).	Philippines.	€ 3,00
Zierliana oleacea (Reeve, 1844).	Philippines, Bohol (province), close to Panglao Island.	€ 4,00
Vexillum pacificum (Reeve, 1845).	Mozambique, Nampula Province, Nacala Bay area. In shallow water. 13 mm	€ 2,50
Vexillum patriarchalis (Gmelin, 1791).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 5,00 t/m € 7,50
Vexillum patriarchalis (Gmelin, 1791).	Philippines.	€ 3,50
Vexillum plicarium (L., 1758).	Philippines, Central Visayas (region), Cebu (island).	€ 1,50
Vexillum plicarium (L., 1758).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,50
Vexillum plicarium (L., 1758).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,00 t/m € 2,00
Vexillum plicarium (L., 1758).	Indonesia, Greater Sunda Islands, East Java (province), Madura Island.	€ 0,80
Vexillum potieri Drivas & Jay, 1989.	Indonesia, Lesser Sunda Islands, Flores (island). Live, 4 metres deep.	€ 4,50
Vexillum pyropus Turner & Marrow, 2001.	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,00
Vexillum radix (Sowerby, 1874).	Philippines.	€ 0,80
Vexillum radix (Sowerby, 1874).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 4,00
Vexillum rubrocostatum (Habe & Kosuge, 1966).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 3,00

		Price Range
Vexillum rubrum (Broderip, 1836).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 2,50
Vexillum rubrum (Broderip, 1836).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,50
Vexillum rugosum (Gmelin, 1791).	Philippines.	€ 1,50 t/m € 1,80
Vexillum rugosum (Gmelin, 1791).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 0,50
Vexillum rugosum (Gmelin, 1791).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,00
Vexillum sanguisuga (L., 1758).	Philippines, Central Visayas (region), Cebu (isl.). From local fisherman. 25 mm - 29 mm	€ 5,00
Vexillum sanguisuga (L., 1758).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,50 t/m € 3,00
Vexillum sanguisuga (L., 1758).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,50
Vexillum sanguisuga (L., 1758).	Philippines.	€ 1,80
Vexillum sculptile Reeve, 1845.	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 2,00 t/m € 4,50
Vexillum subdivisum (Gmelin, 1791).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 4,00 t/m € 6,00
Vexillum takakuwai Cernohorsky & Azuma, 1974.	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 5,00
Vexillum unifasciale (Lamarck, 1811).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 2,00
Vexillum vulpecula (L., 1758).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,50
Vexillum vulpecula (L., 1758).	Thailand. Southeast Asia.	€ 1,60
Vexillum vulpecula (L., 1758).	Philippines.	€ 1,50 t/m € 3,80
Vexillum vulpecula (L., 1758).	Philippines.	€ 1,50
Vexillum vulpecula (L., 1758).	Australia, Western Australia, Broome.	€ 1,00
Zierliana woldemarii (Kiener, 1838).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 2,00
Vexillum xenium Pilsbry, 1921.	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 4,00
Zierliana ziervogelii (Gmelin, 1791).	Philippines, Cebu (province), Mactan (island), Punta Engaño.	€ 5,00 t/m € 6,50
Zierliana ziervogelii (Gmelin, 1791).	Philippines, Mindanao (region), Balut Island, by tangle net. 25 mm	€ 5,00 t/m € 11,00
Crepidulidae		
Crepidula adunca Sowerby, 1825.	USA, California, Monterey County, Pacific Grove. On beach.	€ 0,60
Calyptraea chinensis (L., 1758).	Spain, Andalusia (region), Province of Málaga, Marbella.	€ 1,00
Calyptraea chinensis (L., 1758).	Spain, Andalusia, Málaga. Trawled at 30-40 metres deep, on scallops. 14 mm	€ 1,80
Calyptraea chinensis (L., 1758).	Spain, between Estepona and San Carlos de la Rápita.	€ 1,00
Calyptraea chinensis (L., 1758).	France, Brittany, Roscoff.	€ 1,00
Cheilea equestris (L., 1758).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 2,50
Calyptraea extintorium v. morbidum Lamarck, 1822.	Thailand, Changwat Phuket (province), Phuket (island).	€ 1,00
Calyptraea extintorium Lamarck, 1822.	Thailand, Penant (?).	€ 1,00
Crepidula fornicata (L., 1758).	The Netherlands, Zeeland, Yerseke.	€ 0,80 t/m € 3,00
Sigapatella novaezelandiae (Lesson, 1831).	New Zealand, Martin's Bay.	€ 0,50
Crepidula porcellana Lamarck, 1801.	South Africa, Western Cape, Simonstown. False Bay. Scuba, kelp, ±6 m.	€ 0,80 t/m € 1,80

		Price Range
Crucibulum scutellatum (Wood, 1828).	Mexico, Zihuatanejo. 3 metres deep.	€ 1,30
Crucibulum spinosum (Sowerby, 1824).	Mexico, Baja California Sur (state), Loreto. Gulf of California.	€ 0,80 t/m € 1,30
Crucibulum spinosum (Sowerby, 1824).	Panama, Bay of Chiriqui. Coiba Island. Dived at 3 metres deep.	€ 4,00
Calyptrea trochiformis (Born, 1778).	Senegal. West Africa. Atlantic Ocean.	€ 1,00
Cucullaeidae		
Cucullaea labiata (Lightfoot, 1786).	Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.	€ 9,50
Cultellidae		
Ensis arcuatus (Jeffreys, 1865).	North Sea, Black Bank.	€ 1,30
Ensis arcuatus (Jeffreys, 1865).	The Netherlands, Scheveningen.	€ 1,30
Ensis arcuatus (Jeffreys, 1865).	UK, Scotland, Strathclyde, Oban.	€ 1,00 t/m € 1,30
Siliqua costata Say, 1822.	USA, Massachusetts. Atlantic Ocean.	€ 1,00
Ensis directus (Conrad, 1843).	The Netherlands, Ameland.	€ 1,30
Ensis ensis f. phaxoides van Urk, 1964.	North Sea, Black Bank.	€ 1,30
Ensis minor (Chenu, 1843).	The Netherlands, Texel Island.	€ 0,70
Ensis minor (Chenu, 1843).	Italy, Vibo Valentia.	€ 0,50
Siliqua patula (Dixon, 1788).	Pacific Ocean, Mineral Beach. Extreme low tide, 5-12 inches deep in sand.	€ 5,00
Siliqua radiata (L., 1758).	Thailand, Krabi Province, Ao Nang. Strait of Malacca. On beach.	€ 3,80
Siliqua radiata (L., 1758).	Thailand, Changwat Phuket (province), Phuket (island).	€ 1,50 t/m € 2,50
Ensis siliqua (L., 1758).	UK, Scotland, Isle of Skye, Broadford Bay.	€ 2,00
Cypraeidae		
Schilderia achatidea (Sowerby, 1837).	Senegal, Thiès Region, Kayar. West Africa. 100 metres deep.	€ 6,00
Schilderia achatidea (Sowerby, 1837).	Gibraltar, off coast. Alboran Sea, Mediterranean Sea. Fished at 50-70 m.	€ 7,00
Erosaria acicularis acicularis (Gmelin, 1791).	Brazil, Ceará (state), Camocim. Collected on octopus at 25-35 metres.	€ 4,00
Erosaria acicularis acicularis (Gmelin, 1791).	Florida, off Boca Raton, 2 mile N. of Boca Inlet. Scuba, 55 feet deep.	€ 2,50 t/m € 7,50
Erosaria acicularis acicularis (Gmelin, 1791).	USA, Florida, Boca Raton. Scuba, 60 feet deep, under dead coral rubble.	€ 7,00
Erosaria acicularis acicularis (Gmelin, 1791).	Aruba, Arashi, Lesser Antilles Islands.	€ 3,50
Erosaria acicularis acicularis (Gmelin, 1791).	USA, Florida, off Boca Raton, 2 miles NE of Boca Inlet. 55 feet deep. 25 mm	€ 7,00 t/m € 9,50
Erosaria acicularis acicularis (Gmelin, 1791).	USA, Florida Keys, Pickles reef. Under rocks.	€ 4,00
Palmadusta androyensis Blöcher & Lorenz, 1999.	Southern Madagascar, Adroy.	€ 7,50
Palmadusta androyensis Blöcher & Lorenz, 1999.	Madagascar, Anosy Region, near Tôlanaro (Fort Dauphin).	€ 5,00
Zonaria annettae annettae (Dall, 1909).	Mexico.	€ 6,00
Zonaria annettae annettae (Dall, 1909).	Mexico, Baja California Sur, 1 km S. of Santa Rosalía. Under stones, 1 m.	€ 5,00
Zonaria annettae annettae (Dall, 1909).	Mexico, La Paz, 5 km from Playa Pichilingue. 2 metres deep, under stones.	€ 4,00 t/m € 4,80
Zonaria annettae annettae (Dall, 1909).	Mexico, Baja California Sur, 5 km N. of Mulegé. Gulf of California. 2 m .	€ 4,00
Erosaria annulus (L., 1758).	Indonesia, Bali (province), Bali (island), Sanur Beach.	€ 0,20 t/m € 0,40

		Price Range
Erosaria annulus (L., 1758).	Australia, Queensland, Double Island. Great Barrier Reef.	€ 1,00
Erosaria annulus (L., 1758).	Thailand, Changwat Phuket (province), Phuket (island).	€ 0,80
Erosaria annulus (L., 1758).	Tanzania, Zanzibar , Unguja South Region, Uroa Beach. Indian Ocean.	€ 0,80
Erosaria annulus (L., 1758).	Kenya. Southern part of the coast. 17 mm	€ 9,00 t/m € 12,50
Erosaria annulus (L., 1758).	Kenya, Coast Province, Mombasa County, Mombasa, Leven Reef.	€ 0,50 t/m € 0,80
Erosaria annulus (L., 1758).	South Africa, Natal.	€ 0,50
Mauritia arabica arabica (L., 1758).	Madagascar island. East Africa. Indian Ocean.	€ 7,50
Mauritia arabica arabica (L., 1758).	Philippines.	€ 1,00 t/m € 1,80
Mauritia arabica arabica (L., 1758).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 0,50 t/m € 2,50
Mauritia arabica arabica (L., 1758).	Indonesia, West Papua (province), Manokwari, Cenderawasih Bay.	€ 1,00
Mauritia arabica asiatica Schilder & Schilder, 1939.	Thailand, Phuket (island), Raya Island. 25-30 metres deep.	€ 1,50
Mauritia arabica asiatica Schilder & Schilder, 1939.	Northern Sri Lanka.	€ 1,50 t/m € 1,80
Mauritia arabica grayana Schilder, 1930.	Egypt, South Sinai, Dahab. Gulf of Aqaba. Live under stones.	€ 1,50
Mauritia arabica grayana Schilder, 1930.	Eritrea, off Massawa. Red Sea.	€ 3,00
Mauritia arabica immanis Schilder & Schilder, 1939.	Madagascar Island. East Africa. Indian Ocean.	€ 7,50
Mauritia arabica immanis Schilder & Schilder, 1939.	Tanzania, Zanzibar, Nungwi (village). East Africa. From local fisherman.	€ 5,50
Mauritia arabica immanis Schilder & Schilder, 1939.	Mozambique, Nampula Province, Nacala Bay area. Shallow water.	€ 4,00
Mauritia arabica immanis Schilder & Schilder, 1939. BOILED IN OIL, FAKE COLOUR.	Madagascar, off Cap de Fort Dauphin. Scuba diver, 5-10 m deep.	€ 6,50
Mauritia arabica immanis Schilder & Schilder, 1939.	Madagascar, Anosy Region, Tôlanaro (Fort Dauphin) region.	€ 7,50 t/m € 9,50
Mauritia arabica immanis Schilder & Schilder, 1939.	Madagascar, off Toliara (Tulear). East Africa. Indian Ocean.	€ 9,00
Lyncina argus argus (L., 1758).	Thailand, Changwat Phuket (province), Phuket (island).	€ 4,50 t/m € 7,00
Lyncina argus argus (L., 1758).	Philippines.	€ 3,30 t/m € 5,50
Lyncina argus contrastriata (Perry, 1811).	Madagascar Island. East Africa. Indian Ocean.	€ 3,50
Palmadusta asellus (L., 1758).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,00 t/m € 2,00
Palmadusta asellus (L., 1758).	Indonesia, Moluccas Islands, Ambon Island.	€ 1,00 t/m € 1,50
Palmadusta asellus (L., 1758).	Philippines, Samar (island). Northeast coast. From devers. 14 mm	€ 1,00 t/m € 2,00
Palmadusta asellus (L., 1758).	Indonesia, Greater Sunda Islands, East Java (province), Madura Island.	€ 1,50
Lyncina aurantium (Gmelin, 1791).	Philippines, Visayas (region), Samar (island), Samar.	€ 25,00 t/m € 30,00
Erosaria beckii (Gaskoin, 1836).	Philippines, Sulu Archipelago.	€ 4,00
Pustularia bistrinotata bistrinotata Schilder & Schilder, 1937.	Philippines.	€ 3,80
Pustularia bistrinotata bistrinotata Schilder & Schilder, 1937.	Philippines, Samar. East coast. Shallow: ½ metre deep, ebb, rock holes.	€ 4,00
Pustularia bistrinotata mediocris Schilder & Schilder, 1938.	Philippines, Palawan (province), Palawan (island).	€ 4,00
Erosaria boivinii (Kiener, 1843).	Philippines.	€ 1,30
Erosaria boivinii (Kiener, 1843).	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 1,50
Cypraeovula capensis (Gray, 1828).	South Africa, Eastern Cape Province, East London beach.	€ 2,50

		Price Range
Cypraeovula capensis (Gray, 1828).	South Africa, Eastern Cape, Port Elizabeth. On beach, collected dead.	€ 3,00
Cypraeovula capensis (Gray, 1828).	South Africa, Eastern Cape (province), Buffalo City, Gonubie.	€ 0,75
Erosaria caputdraconis (Melvill, 1888).	Chile, Easter Island, Hanga Roa. Surge area, shallow water.	€ 7,00 t/m € 11,00
Erosaria caputserpentis caputserpentis (L., 1758).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 0,75
Erosaria caputserpentis caputserpentis (L., 1758).	India, Laccadive Islands. Arabian Sea.	€ 0,50 t/m € 0,80
Erosaria caputserpentis caputserpentis (L., 1758).	Tanzania, Zanzibar , Unguja South Region, Uroa. East Africa. Indian Ocean.	€ 1,30
Erosaria caputserpentis caputserpentis (L., 1758).	Tanzania, Zanzibar. East Africa. Indian Ocean. From local fisherman.	€ 1,00
Erosaria caputserpentis caputserpentis (L., 1758).	Australia, Western Australia, N. of Exmouth, Cape Range National Park.	€ 0,60
Erosaria caputserpentis caputserpentis (L., 1758).	Thailand, Phuket (island), Raya Island. 25-30 metres deep.	€ 1,00
Erosaria caputserpentis caputserpentis (L., 1758).	Australia, New South Wales, North of Iluka.	€ 1,20
Erosaria caputserpentis caputserpentis (L., 1758).	India, Tamil Nadu (state), Tuticorin.	€ 1,30
Erosaria caputserpentis caputserpentis (L., 1758).	Philippines, Visayas (region), Samar (island).	€ 0,50
Erosaria caputserpentis caputserpentis (L., 1758).	Tanzania, Zanzibar, Uroa Beach. East Africa. Local fisherman.	€ 1,00
Lyncina carneola carneola (L., 1758).	Tanzania, Zanzibar, Nungwi (village). East Africa. From local fisherman.	€ 1,50
Lyncina carneola carneola (L., 1758).	Thailand, Phuket (island), Raya Island. 25-30 metres deep.	€ 0,80 t/m € 1,30
Lyncina carneola carneola (L., 1758).	Egypt, Hurghada. Red Sea.	€ 0,80
Lyncina carneola carneola (L., 1758).	Republic of Djibouti. Northeast Africa.	€ 3,30
Lyncina carneola carneola (L., 1758).	Tanzania, Zanzibar , Unguja South Region, Uroa. East Africa. Indian Ocean.	€ 1,50
Lyncina carneola carneola (L., 1758).	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 0,50 t/m € 3,00
Lyncina carneola carneola (L., 1758).	India, Tamil Nadu (state), Tuticorin.	€ 1,80
Lyncina carneola carneola (L., 1758).	Seychelles. Indian Ocean.	€ 0,80
Erronea caurica caurica (L., 1758).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 0,50
Erronea caurica caurica (L., 1758).	Philippines.	€ 0,50 t/m € 1,50
Erronea caurica dracaena (Born, 1778).	N. Sri Lanka.	€ 1,50
Erronea caurica dracaena (Born, 1778).	Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.	€ 1,00 t/m € 2,00
Erronea caurica elongata (Perry, 1811).	Tanzania, Mafia Island. East Africa. From local fisherman.	€ 2,00
Erronea caurica elongata (Perry, 1811).	Tanzania, Dar Es Salaam. East Africa.	€ 2,00
Erronea caurica quinquefasciata (Röding, 1798).	Egypt, Safaga. Red Sea.	€ 2,50
Macrocypraea cervinetta (Kiener, 1843).	Panama, off Gobernadora Island. Low tide.	€ 12,50 t/m € 17,50
Macrocypraea cervinetta (Kiener, 1843).	Mexico, Baja California Sur (state), off Cabo San Lucas. Scuba, 3-6 metre.	€ 19,50
Macrocypraea cervinetta (Kiener, 1843).	Ecuador, Galápagos Islands, Santa Cruz Island, Academy Bay. Ebb, stones.	€ 7,00 t/m € 10,00
Macrocypraea cervinetta (Kiener, 1843).	West Panama, Taboga Island. Pacific Ocean.	€ 9,50
Macrocypraea cervinetta (Kiener, 1843).	Ecuador, Galápagos Islands. Pacific Ocean.	€ 6,00
Macrocypraea cervinetta (Kiener, 1843).	Panama, Gobernadora Island. Intertidal at low tide.	€ 17,50
Macrocypraea cervinetta (Kiener, 1843).	Ecuador, Manabi Province, off Isote Pedernales. Local diver, 10-20 metre.	€ 10,00

		Price Range
Macrocypraea cervinetta (Kiener, 1843).	Panama, Cebaco Island. Pacific Ocean.	€ 4,00 t/m € 8,50
Macrocypraea cervinetta (Kiener, 1843).	Mexico.	€ 7,00
Macrocypraea cervus (L., 1771).	USA, Florida, Florida Keys, Pantation Key. 126 mm	€ 35,00
Macrocypraea cervus (L., 1771).	Cuba, Sabana-Camagüey Archipelago. Live, shallow water, by mangroves.	€ 7,00 t/m € 12,00
Macrocypraea cervus (L., 1771).	USA, Florida Keys. Under rocks.	€ 10,00 t/m € 35,00
Macrocypraea cervus (L., 1771).	USA, Florida Keys, Bahia Honda Channel. Under rock ledge, 10-15 feet deep.	€ 30,00
Erronea chinensis chinensis (Gmelin, 1791).	Philippines, Mindanao (island), Zamboanga.	€ 0,50 t/m € 1,00
Erronea chinensis chinensis (Gmelin, 1791).	Philippines, Sulu Sea.	€ 2,50
Erronea chinensis chinensis (Gmelin, 1791).	Indo-Pacific.	€ 2,50
Pustularia cicercula (L., 1758).	Philippines, Philippines, Samar (island). East coast.	€ 1,50
Pustularia cicercula (L., 1758).	Thailand, Southeast Asia.	€ 2,50
Luria cinerea brasilensis Lorenz, 2002.	Brazil, Ceará (state), Camocim. Collected on octopus at 25-35 metres.	€ 3,00 t/m € 4,00
Luria cinerea (Gmelin, 1791).	USA, Florida, off Ocean Ridge. Scuba, 10 fathoms deep, under rock rubble.	€ 7,50
Luria cinerea (Gmelin, 1791).	Florida, off Boca Raton, 3 miles NE Boca Inlet. Scuba, 20 metres deep.	€ 11,00
Luria cinerea (Gmelin, 1791).	Florida, Pompano Beach, 2 miles S. of Hillsboro Light. Scuba, 10 fathoms.	€ 3,00 t/m € 7,00
Luria cinerea (Gmelin, 1791).	Martinique, Lesser Antilles. Caribbean Sea. By diver.	€ 4,50 t/m € 7,50
Palmadusta clandestina clandestina (L., 1767).	Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.	€ 1,30
Palmadusta clandestina clandestina (L., 1767).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 0,80
Palmadusta clandestina clandestina (L., 1767).	Philippines.	€ 0,80
Palmadusta clandestina passerina (Melvill, 1888).	Tanzania, Zanzibar, Nungwi (village). East Africa. From local fisherman.	€ 1,00
Blasicrura coxeni coxeni (Cox, 1873).	Solomon Islands. Pacific Ocean.	€ 3,50
Cribrarula cribraria cribraria (L., 1758).	Philippines, Bohol (province), Calituban Island. 20-25 m deep, night dive.	€ 2,00 t/m € 3,00
Cribrarula cribraria cribraria (L., 1758).	Philippines.	€ 2,00 t/m € 5,00
Cribrarula cribraria cribraria (L., 1758).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 2,50 t/m € 3,00
Erronea cylindrica cylindrica (Born, 1778).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,00
Erronea cylindrica cylindrica (Born, 1778).	Philippines.	€ 0,80
Zoila decipiens (Smith, 1880).	Australia, Western Australia, Broome. By-catch pearl fishery.	€ 17,50
Mauritia depressa (Gray, 1824).	India, Laccadive Islands. Arabian Sea.	€ 2,50
Mauritia depressa (Gray, 1824).	French Polynesia, Tuamotu Archipelago. 9 metres deep, under stones.	€ 4,50 t/m € 6,00
Palmadusta diluculum diluculum (Reeve, 1845).	Tanzania, Zanzibar, Kendwa. From local fisherman.	€ 1,00
Palmadusta diluculum diluculum (Reeve, 1845).	Tanzania, Zanzibar. East Africa. Indian Ocean.	€ 1,00
Palmadusta diluculum diluculum (Reeve, 1845).	Kenya, Coast Province, Mombasa County, Mombasa. East Africa.	€ 1,20
Palmadusta diluculum diluculum (Reeve, 1845).	Tanzania, Zanzibar, Nungwi (village). East Africa. From local fisherman.	€ 0,50
Cypraeovula edentula edentula (Gray, 1825).	South Africa.	€ 6,00
Cypraeovula edentula edentula (Gray, 1825).	South Africa, Cape Province, Jeffrey's Bay.	€ 6,00

		Price Range
Mauritia eglantina f. griseoviridis (Duclos, 1833)Raybaudi, 1987.	Philippines, Biliran Island, Samar Sea. By diver on coral reef, 15-20 m.	€ 7,00
Mauritia eglantina (Duclos, 1833).	Philippines, Visayas (region), Samar (island).	€ 1,50
Mauritia eglantina (Duclos, 1833).	Philippines.	€ 1,00 t/m € 1,50
Mauritia eglantina (Duclos, 1833).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 0,50 t/m € 1,50
Mauritia eglantina (Duclos, 1833).	Australia, Western Australia, Cardabia, Nigaloo Marine Park.	€ 1,00
Mauritia eglantina v. niger Roberts, 1855.	New Caledonia, Prony Bay. Pacific Ocean.	€ 12,50
Mauritia eglantina v. niger Roberts, 1855.	New Caledonia, Magenta Bay. 2 metres deep on dead corals.	€ 12,00 t/m € 25,00
Erosaria englerti (Summers & Burgess, 1965).	Easter Island, Hangaroa. Night snorkeling, 5-10 metres, on rocks.	€ 8,00
Erosaria erosa (L., 1758).	Tanzania, Zanzibar, Unguja Ukuu. East Afrika. Local fisherman.	€ 1,00
Erosaria erosa (L., 1758).	Australia, Western Australia, Pilbara region, Point Samson.	€ 1,50
Erosaria erosa (L., 1758).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 0,50
Erosaria erosa (L., 1758).	Tanzania, Zanzibar, Nungwi (village). East Africa. From local fisherman.	€ 1,30
Erosaria erosa (L., 1758).	Tanzania, Mafia Island. East Africa. Indian Ocean. From local fisherman.	€ 0,50
Erosaria erosa (L., 1758).	Australia, Western Australia, Exmouth Gulf.	€ 1,50
Erosaria erosa (L., 1758).	Taiwan, south-west. East China Sea.	€ 1,50
Erosaria erosa (L., 1758).	Republic of Djibouti. Northeast Africa.	€ 2,30
Erosaria erosa (L., 1758).	Tanzania, Zanzibar , Unguja South Region, Uroa. East Africa.	€ 1,80
Erosaria erosa (L., 1758).	Indonesia, West Papua (province), Manokwari.	€ 1,00
Erosaria erosa (L., 1758).	Australia, northeastern Queensland, Darnley.	€ 0,80
Erosaria erosa (L., 1758).	India, Tamil Nadu (state), Rameswaram. Gulf of Mannar.	€ 1,80
Erosaria erosa (L., 1758).	Thailand, Phuket (island), Raya Island. 25-30 metres deep.	€ 0,50 t/m € 1,00
Erronea erronea f. caerulescens Schröter, 1804.	Solomon Islands. Pacific Ocean. By diver.	€ 1,00
Erronea erronea (L., 1758).	Australia, Queensland, Double Island.	€ 0,40
Erronea erronea (L., 1758).	Australia, Western Australia, Broome. In littoral zone.	€ 0,75
Erronea erronea (L., 1758).	Australia, New South Wales, 1 km north of Iluka.	€ 0,70
Erronea erronea (L., 1758).	Philippines.	€ 0,40 t/m € 1,00
Erronea erronea (L., 1758).	Thailand, Phuket (island), Raya Island. 25-30 metres deep.	€ 0,50
Erronea erronea (L., 1758).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 0,50
Erronea erronea (L., 1758).	Australia, Western Australia, Pilbara region, Point Samson.	€ 0,60
Erronea erronea (L., 1758).	India.	€ 0,50
Erronea felina fabula (Kiener, 1843).	Oman, Muscat. Middle East. Gulf of Oman.	€ 2,50
Erronea felina felina (Gmelin, 1791).	Tanzania, Mafia Island. East Africa. Indian Ocean. From local fisherman.	€ 1,00
Erronea felina felina (Gmelin, 1791).	South Africa, KwaZulu-Natal, Park Rynie. Low tide, seaweed, exposed rocks.	€ 1,20
Purpuradusta fimbriata durbanensis (Schilder & Schilder, 1938).	Kenya, Coast Province, Mombasa County, Mombasa. East Africa.	€ 1,00
Purpuradusta fimbriata durbanensis (Schilder & Schilder, 1938).	Tanzania, Zanzibar, Michamvi. East Africa. From local fisherman.	€ 1,00

		Price Range
Purpuradusta fimbriata fimbriata (Gmelin, 1791).	Tanzania, Zanzibar, Nungwi (village). East Africa. From local fisherman.	€ 1,00
Purpuradusta fimbriata fimbriata (Gmelin, 1791).	Tanzania, Zanzibar, Nungwi (village). East Africa. From local fisherman.	€ 1,30
Purpuradusta fimbriata fimbriata (Gmelin, 1791).	South Africa, Transkei Bantu Homeland, Coffee Bay.	€ 0,80 t/m € 1,30
Purpuradusta fimbriata fimbriata (Gmelin, 1791).	Philippines, Central Visayas (region), Cebu (province), Mactan (island).	€ 1,30 t/m € 1,80
Zoila friendii friendii (Gray, 1831).	Australia, W.A., Geographe Bay, Busselton. Diver, 5-8 m, sponge/reef.	€ 20,00 t/m € 30,00
Cypraeovula fuscudentata (Gray, 1825).	South Africa, Cape Province, Jeffreys Bay.	€ 7,50
Erosaria gangranosa gangranosa (Dillwyn, 1817).	Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.	€ 1,00
Pustularia globulus globulus (L., 1758).	Thailand, Changwat Phuket (province), Phuket (island).	€ 3,00 t/m € 5,00
Pustularia globulus globulus f. sphaeridium Schilder & Schilder, 1938.	Solomon Islands, Guadalcanal, Marau Sound. Pacific Ocean.	€ 3,50
Pustularia globulus globulus f. sphaeridium Schilder & Schilder, 1938.	Philippines, Palawan (province), Palawan (island).	€ 4,00
Purpuradusta gracilis gracilis (Gaskoin, 1849).	Indonesia, Greater Sundra Islands, East Java (province), Madura Island.	€ 1,50
Purpuradusta gracilis gracilis (Gaskoin, 1849).	Philippines.	€ 1,30
Erosaria guttata guttata (Gmelin, 1791).	Philippines, Central Visayas (region), Cebu (island).	€ 25,00 t/m € 50,00
Erosaria guttata guttata (Gmelin, 1791).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 40,00 t/m € 55,00
Erosaria guttata guttata (Gmelin, 1791).	Philippines, Central Visayas (region), Bohol (island).	€ 10,00 t/m € 40,00
Erosaria guttata guttata (Gmelin, 1791).		€ 25,00
Erosaria guttata guttata (Gmelin, 1791).	Philippines.	€ 35,00 t/m € 45,00
Purpuradusta hammondae raysummersi Schilder, 1960.	Philippines, off Bohol. Under coral slabs at 5-15 feet deep.	€ 6,00
Erosaria helvola argella (Melvill, 1888).	Tanzania, Zanzibar, Nungwi (village). East Africa. From local fisherman.	€ 1,00
Erosaria helvola callista (Shaw, 1909).	French Polynesia, Marquesas Islands.	€ 2,00
Erosaria helvola hawaiiensis (Melvill, 1888).	USA, Hawaii, Oahu Island. Pacific Ocean.	€ 1,00 t/m € 2,00
Erosaria helvola helvola (L., 1758).	Tanzania, Zanzibar, Chwaka Beach. East Africa. In seaweed at low tide.	€ 1,50
Erosaria helvola helvola (L., 1758).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 0,75
Erosaria helvola helvola (L., 1758).	Australia, Western Australia, Pilbara region, Point Samson.	€ 1,00
Erosaria helvola helvola (L., 1758).	Philippines.	€ 1,30 t/m € 2,30
Erosaria helvola meridionalis Schilder & Schilder, 1938.	Mozambique, Maputo Province, off Maputo (city). East Africa. Indian Ocean.	€ 1,50 t/m € 2,00
Umbilia hesitata hesitata (Iredale, 1916).	Australia, Green Cape Island (?). Trawled offshore, 250 metres deep.	€ 28,00
Umbilia hesitata hesitata (Iredale, 1916).	Australia, Victoria, Lakes Entrance. Fished.	€ 17,00 t/m € 20,00
Mauritia histrio (Gmelin, 1791).	Tanzania, Zanzibar, Uroa. East Africa. Indian Ocean. On sand.	€ 5,00
Mauritia histrio (Gmelin, 1791).	Tanzania, Zanzibar, Nungwi (village). East Africa. Indian Ocean.	€ 1,50
Mauritia histrio (Gmelin, 1791).	Tanzania, Zanzibar, Uroa. East Africa. From local fisherman. 58 mm	€ 3,00
Mauritia histrio (Gmelin, 1791).	Thailand, Changwat Phuket (province), Phuket (island).	€ 2,75
Mauritia histrio (Gmelin, 1791).	Kenya, Mombasa. Leven Reef. Collected live under dead corals.	€ 2,00 t/m € 5,00
Mauritia histrio (Gmelin, 1791).	Tanzania, Zanzibar. East Africa. Indian Ocean. Littoral zone.	€ 2,00

	Price Range
Mauritia histrio (Gmelin, 1791).	€ 3,00
Erronea hungerfordi hungerfordi (Sowerby, 1888).	€ 6,00
Erronea hungerfordi hungerfordi (Sowerby, 1888).	€ 5,00
Erronea hungerfordi hungerfordi (Sowerby, 1888).	€ 6,00
Erronea hungerfordi hungerfordi (Sowerby, 1888).	€ 3,80
Blasicrura interrupta (Gray, 1824).	€ 3,00
Luria isabella controversa f. atriceps Schilder & Schilder, 1938. Deep water in coral reef.	€ 2,50
Luria isabella isabella (L., 1758).	€ 1,00 t/m € 1,30
Luria isabella isabella (L., 1758).	€ 1,00 t/m € 1,30
Luria isabella isabella (L., 1758).	€ 1,30
Luria isabella isabella (L., 1758).	€ 1,50
Luria isabella isabella (L., 1758).	€ 1,25
Luria isabella isabella (L., 1758).	€ 1,00
Luria isabella isabella (L., 1758).	€ 0,75
Luria isabella isabella (L., 1758).	€ 1,80
Luria isabella isabella (L., 1758).	€ 1,00
Luria isabella isabella (L., 1758).	€ 0,50 t/m € 1,00
Bistolida kieneri kieneri Hidalgo, 1906.	€ 1,00
Bistolida kieneri kieneri Hidalgo, 1906.	€ 1,00
Erosaria labrolineata (Gaskoin, 1849).	€ 2,50
Erosaria labrolineata (Gaskoin, 1849). Dwarfs.	€ 1,50
Erosaria labrolineata (Gaskoin, 1849).	€ 4,00
Erosaria labrolineata (Gaskoin, 1849).	€ 3,00
Erosaria lamarckii (Gray, 1825).	€ 1,30
Erosaria lamarckii (Gray, 1825).	€ 3,00
Erosaria lamarckii (Gray, 1825).	€ 2,50
Erosaria lamarckii (Gray, 1825).	€ 2,00
Erosaria lamarckii (Gray, 1825).	€ 4,50
Erosaria lamarckii (Gray, 1825).	€ 2,00
Erosaria lamarckii f. redimita Melvill, 1888.	€ 2,50 t/m € 3,50
Palmadusta lentiginosa lentiginosa (Gray, 1825).	€ 6,00
Lyncina leviathan titan (Schilder & Schilder, 1962).	€ 4,00
Lyncina leviathan titan (Schilder & Schilder, 1962).	€ 5,00 t/m € 7,00
Lyncina leviathan titan (Schilder & Schilder, 1962).	€ 6,00
Staphylaea limacina limacina (Lamarck, 1810).	€ 0,80
Tanzania, Zanzibar, Nungwi. East Africa. Found by local diver.	€ 3,00
China. East China Sea. Trawled at 120 metres deep.	€ 6,00
Japan, Honshu (island), Wakayama Prefecture. Trawled at 50 metres.	€ 5,00
Japan.	€ 6,00
Taiwan. South-west coast. East China Sea.	€ 3,80
Thailand. Southeast Asia.	€ 3,00
USA, Hawaii, Oahu Island, Fort Kamehameha. Pacific Ocean.	€ 2,50
Thailand, Phuket (island), Raya Island. 25-30 metres deep.	€ 1,00 t/m € 1,30
Thailand, Changwat Phuket (province), Phuket (island).	€ 1,00 t/m € 1,30
Mozambique. East Africa. Indian Ocean.	€ 1,30
India, Tamil Nadu (state), Tuticorin.	€ 1,50
Egypt, Safaga. Red Sea.	€ 1,25
India.	€ 1,00
Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 0,75
Tanzania, Zanzibar, Nungwi (village). East Africa. Indian Ocean.	€ 1,80
Tanzania, Zanzibar, Nungwi (village). East Africa. From local fisherman.	€ 1,00
Philippines.	€ 0,50 t/m € 1,00
Tanzania, Zanzibar, Michamvi. East Africa. From local fisherman.	€ 1,00
Tanzania, Mafia Island. East Africa. Indian Ocean. From local fisherman.	€ 1,00
Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 2,50
Philippines, Mactan (island), Punta Engaño. 80-120 m, tangle net. 13 mm	€ 1,50
Indonesia, Greater Sundra Islands, East Java (province), Madura Island.	€ 4,00
Thailand, Changwat Phuket (province), Phuket (island).	€ 3,00
Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.	€ 1,30
Tanzania. East Africa. Indian Ocean.	€ 3,00
Tanzania, Mafia Island. East Africa. Indian Ocean. Via fish market.	€ 2,50
Tanzania, Zanzibar. East Africa. Indian Ocean.	€ 2,00
Tanzania, Mafia Island. East Africa. Indian Ocean. From local fisherman.	€ 4,50
Tanzania, Mafia Island. East Africa. Indian Ocean. From fishermen.	€ 2,00
Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.	€ 2,50 t/m € 3,50
India, Maharashtra (state), Bombay. At low tide.	€ 6,00
Tanzania, Zanzibar, Nungwi (village). Indian Ocean.	€ 4,00
Philippines.	€ 5,00 t/m € 7,00
Kenya, Coast Province, Mombasa County, Mombasa. East Africa.	€ 6,00
Taiwan, south-west. East China Sea.	€ 0,80

		Price Range
Staphylaea limacina limacina (Lamarck, 1810).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,00
Erronea listeri (Gray, 1824).	Taiwan. East China Sea.	€ 1,60
Erronea listeri (Gray, 1824).	Philippines.	€ 1,80
Luria lurida lurida (L., 1758).	Italy, Liguria, Province of Savona, Bergeggi Island, 30-35 m.	€ 7,00 t/m € 9,50
Luria lurida lurida (L., 1758).	Italy, Sicilian (regio), Province of Trapani, Mazara del Vallo.	€ 4,00 t/m € 7,50
Luria lurida lurida (L., 1758).	Marocco, Asilah. By diver.	€ 6,50
Luria lurida lurida (L., 1758).	Italy, Liguria, Province of Savona, Finale Ligure. 20-30 m deep, scuba.	€ 6,00
Luria lurida lurida (L., 1758).	Mediterranean Sea.	€ 3,00
Luria lurida lurida (L., 1758).	Malta.	€ 5,00
Palmadusta lutea (Gmelin, 1791).	Philippines, Sulu Archipelago.	€ 2,30
Palmadusta lutea (Gmelin, 1791).	Philippines, Sulu.	€ 2,50
Palmadusta lutea (Gmelin, 1791).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,50
Lyncina lynx (L., 1758).	Tanzania, Zanzibar (Pemba), Misuka Village. In seagrass, local fisherman.	€ 3,00
Lyncina lynx (L., 1758).	Tanzania, Zanzibar, Uroa. East Africa. From local fisherman.	€ 1,50
Lyncina lynx (L., 1758).	Tanzania, Zanzibar, Pemba, Kisiwa Panza Island. East Africa.	€ 5,00
Lyncina lynx (L., 1758).	Kenya, Mombasa Reef. East Africa. Indian Ocean.	€ 0,30 t/m € 0,80
Lyncina lynx (L., 1758).	Egypt, 17 km south of Hurghada. Red Sea.	€ 1,00 t/m € 1,30
Lyncina lynx (L., 1758).	Indonesia, Papua (province).	€ 0,80 t/m € 1,00
Lyncina lynx (L., 1758).	Solomon Islands, Malaita (island), Ata'a (village). Pacific Ocean. 22 mm - 38 mm	€ 1,00 t/m € 2,00
Lyncina lynx (L., 1758).	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 0,50 t/m € 2,50
Lyncina lynx (L., 1758).	Tanzania, Zanzibar , Unguja South Region, Uroa. East Africa. Indian Ocean.	€ 1,80
Lyncina lynx (L., 1758).	Tanzania, Zanzibar, Sume Island near Fumba (village). East Africa.	€ 1,50
Lyncina lynx (L., 1758).	Tanzania, Mafia Island. East Africa. Indian Ocean. From local fisherman.	€ 1,50
Lyncina lynx (L., 1758).	Taiwan. East China Sea.	€ 1,30
Lyncina lynx (L., 1758).	Tanzania, Zanzibar, Uroa Beach. East Africa. Local fisherman.	€ 0,80 t/m € 1,30
Lyncina lynx (L., 1758).	Philippines, Mindanao (island), Zamboanga.	€ 0,50
Mauritia maculifera (Schilder, 1932).		€ 3,50
Mauritia maculifera (Schilder, 1932).	USA, Hawaii, Oahu Island, Punaluu. 20 feet deep.	€ 5,00 t/m € 7,00
Mauritia maculifera (Schilder, 1932).	Philippines, Visayas (region), Samar (island).	€ 4,00
Mauritia maculifera (Schilder, 1932).	USA, Hawaii, Oahu Island. Pacific Ocean.	€ 11,00
Mauritia maculifera (Schilder, 1932).	USA, Hawaii, Oahu, Kaena Point. Scubadived 20 feet, at night in cave.	€ 10,00
Leporicypraea mappa geographica (Schilder & Schilder, 1933).	Tanzania, Zanzibar. East Africa. Indian Ocean. By local fisherman.	€ 5,00
Leporicypraea mappa geographica (Schilder & Schilder, 1933).	Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.	€ 2,00 t/m € 4,80
Leporicypraea mappa geographica (Schilder & Schilder, 1933).	Thailand, Phuket (island). Trawled at a depth of 40-50 metres.	€ 7,50
Leporicypraea mappa mappa (L., 1758).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 4,50 t/m € 7,50

		Price Range
Leporicypraea mappa mappa (L., 1758).	Philippines, Palawan (island), Cuyo island. On coral reef, 15-22 m deep.	€ 3,50
Leporicypraea mappa mappa (L., 1758).	Philippines.	€ 2,50 t/m € 3,50
Leporicypraea mappa mappa v. panerythra Melvill, 1888.	Philippines, Central Visayas (region), Cebu (province), Mactan (island).	€ 3,50 t/m € 5,00
Leporicypraea mappa rosea Gray, 1824.	Mauritius. Indian Ocean.	€ 9,50
Erosaria marginalis marginalis (Dillwyn, 1827).	Somalia. East Africa. Indian Ocean.	€ 4,50
Mauritia mauritiana (L., 1758).	Tanzania, Pemba, Makangale. East Africa. Indian Ocean.	€ 6,50 t/m € 8,50
Mauritia mauritiana (L., 1758).	India, Andaman Islands. Bay of Bengal. By diver, intertidal, on rocks.	€ 2,75
Mauritia mauritiana (L., 1758).	Thailand, Changwat Phuket (province), Phuket (island).	€ 1,00 t/m € 3,00
Erosaria miliaris (Gmelin, 1791).	Philippines, Manila Bay.	€ 2,50
Erosaria miliaris (Gmelin, 1791).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 2,00
Erosaria miliaris (Gmelin, 1791).	Australia, Queensland, Great Barrier Reef.	€ 1,50 t/m € 2,50
Erosaria moneta f. icterina Lamarck, 1810.	Tanzania, Zanzibar, Ras Fumba (village). East Africa. Low tide in seaweed.	€ 1,50
Erosaria moneta (L., 1758).	Republic of Djibouti. Northeast Africa.	€ 2,00
Erosaria moneta (L., 1758).	South Africa, Natal.	€ 0,50
Erosaria moneta (L., 1758).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,20
Erosaria moneta (L., 1758).	Tanzania, East Zanzibar, Chwaka. On sand. From local fisherman.	€ 1,50
Erosaria moneta (L., 1758).	Indonesia, West Papua (province), Manokwari, Cenderawasih Bay.	€ 0,30
Erosaria moneta (L., 1758).	India, Tamil Nadu (state), Rameswaram. Gulf of Mannar.	€ 1,75
Erosaria moneta (L., 1758).	Philippines.	€ 0,50 t/m € 2,00
Erosaria moneta (L., 1758).	India, Tamil Nadu (state), Tuticorin.	€ 1,30
Erosaria moneta (L., 1758).	French Polynesia, Tuamotu Archipelago, Takapoto atoll.	€ 1,30 t/m € 1,80
Erosaria moneta (L., 1758).	Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.	€ 0,80 t/m € 1,00
Erosaria moneta (L., 1758). Juvenile.	Philippines.	€ 0,30
Siphocypraea mus bicornis (Sowerby, 1870). Syn.: mus donmoorei.	Colombia, off Guajira Peninsula, shrimp trawler, 40-60 fathoms, sand.	€ 7,00 t/m € 15,00
Siphocypraea mus mus (L., 1758). Juvenile.	Venezuela.	€ 2,50
Siphocypraea mus mus (L., 1758).	Venezuela, Falcón, Paraguaná Peninsula, Amuay Bay. 1-2 metres, low tide. 40 mm	€ 4,00
Erosaria nebrates (Melvill, 1888).	Egypt, South Sinai, Dahab. Gulf of Aqaba. Under coral boulders.	€ 2,00
Erosaria nebrates (Melvill, 1888).	South East Arabia. Gulf of Oman.	€ 1,50
Erosaria nebrates (Melvill, 1888).	Egypt, South Sinai, Dahab. Gulf of Aqaba. Under coral boulders.	€ 2,00
Zonaria nigropunctata (Gray, 1824).	Ecuador, Galápagos Islands. Pacific Ocean.	€ 2,00 t/m € 3,00
Lyncina nivosa (Broderip, 1827).	Thailand, Changwat Phuket (province), Phuket (island).	€ 3,50 t/m € 5,00
Lyncina nivosa (Broderip, 1827).	Malaysia, fished west of Langkawi Island. Bought from Singapore fishery.	€ 3,00
Lyncina nivosa (Broderip, 1827).	India, Tamil Nadu (state), Tuticorin.	€ 5,00 t/m € 10,00
Staphylaea nucleus nucleus (L., 1758).	Philippines, Visayas (region), Samar (island).	€ 1,20
Erosaria ocellata (L., 1758).	Sri Lanka.	€ 1,50

		Price Range
Erosaria ocellata (L., 1758).	India, Dwarka.	€ 1,30
Erosaria ocellata (L., 1758).	Sri Lanka, Eastern Province, Trincomalee.	€ 1,50
Erronea onyx (L., 1758).	Taiwan, Taiwan Channel.	€ 1,50
Erronea onyx (L., 1758).	Philippines, Central Visayas (region), Cebu (island).	€ 1,80 t/m € 2,50
Erronea ovum ovum (Gmelin, 1791).	Philippines.	€ 2,00
Erronea pallida (Gray, 1824).	India, Maharashtra (state), Bombay. At low tide.	€ 2,50
Erronea pallida (Gray, 1824).	Philippines.	€ 2,30
Blasicrura pallidula pallidula (Gaskoin, 1849).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 0,50
Blasicrura pallidula pallidula (Gaskoin, 1849).	Philippines.	€ 0,80
Cypraea pantherina Solander, 1786.	Egypt, Ras Gems. Red Sea.	€ 4,00
Cypraea pantherina Solander, 1786.	Egypt, Hurghada. Red Sea.	€ 4,00 t/m € 9,00
Cypraea pantherina Solander, 1786.	Red Sea.	€ 4,00 t/m € 7,50
Cypraea pantherina Solander, 1786.	Yemen, Sarif. Under coral rubble at 3-5 metres deep.	€ 8,50
Cypraea pantherina Solander, 1786.	Dahalk Island, Eritrea. East Africa. Red Sea.	€ 14,50
Zonaria picta (Gray, 1824).	Cape Verde, Boavista Island, Sal Rei. Amongst coral, shallow.	€ 5,00
Zonaria picta (Gray, 1824).	Cape Verde, Sal (island), Santa Maria. Atlantic. In front Aeroflot Hotel.	€ 6,00
Erosaria poraria (L., 1758).	Philippines, Central Visayas (region), Cebu (island).	€ 1,50
Erosaria poraria (L., 1758).	Philippines.	€ 1,30
Erosaria poraria (L., 1758).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,00
Erronea pulchella aliquayensis van Heesvelde & Deprez, 2002.	Philippines, Mindanao, Zamboanga del Norte, near Dipolog. Dredged.	€ 5,00 t/m € 10,00
Erronea pulchella aliquayensis van Heesvelde & Deprez, 2002.	Philippines, Mindanao (island). Deep water.	€ 3,00
Erronea pulchella pericalles (Melvill & Standen, 1904).	India, Tamil Nadu (state), Tuticorin.	€ 3,80
Erronea pulchella pericalles (Melvill & Standen, 1904).	Gulf of Oman.	€ 10,00
Erronea pulchella pulchella (Swainson, 1823).	Taiwan, Pescadores Islands. Taiwan Strait.	€ 7,00 t/m € 9,00
Notadusta punctata berinii (Dautzenberg, 1906).	Tanzania, Zanzibar, Nungwi (village). East Africa. From local fisherman.	€ 3,50
Notadusta punctata punctata (L., 1771).	Mauritius. Indian Ocean.	€ 2,25
Notadusta punctata punctata (L., 1771).	Solomon Islands, Malaita (island), Ata'a (village). Pacific Ocean.	€ 2,00
Notadusta punctata punctata (L., 1771).	Taiwan, south-west. East China Sea. 20-40 fathoms deep.	€ 2,00
Erronea pyriformis (Gray, 1824).	Australia, Queensland, Port Douglas. Under dead coral on mud.	€ 2,30
Erronea pyriformis (Gray, 1824).	Philippines, Sulu (province), Siasi. Sulu Sea. From fisherman.	€ 1,80
Erronea pyriformis (Gray, 1824).	India, Tamil Nadu (state), Rameswaram. Gulf of Mannar. Dredged off coast.	€ 6,00
Erronea pyriformis (Gray, 1824).	Malaysia, Straits of Malacca. Dredged, 60 feet deep.	€ 3,00 t/m € 5,00
Erronea pyriformis (Gray, 1824).	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 2,50
Zonaria pyrum petitiiana (Crosse, 1872).	Senegal, Dakar. West Africa. Atlantic Ocean. Trawled, 40 metres deep.	€ 6,00
Zonaria pyrum petitiiana (Crosse, 1872).	Senegal, Petite Côte, Joal-Fadiouth (village). West Africa.	€ 5,00 t/m € 6,50

		Price Range
Zonaria pyrum petitiiana (Crosse, 1872).	Senegal. West Africa. Atlantic Ocean. Trawled, 25-30 metres deep.	€ 8,00
Zonaria pyrum pyrum (Gmelin, 1791).	Greece, Ionian Islands (region), Corfu. Mediterranean Sea.	€ 10,00
Zonaria pyrum pyrum (Gmelin, 1791).	Tunisia, Djerba Island. Gulf of Gabès. Dived at 45 metres deep.	€ 12,50
Zonaria pyrum pyrum (Gmelin, 1791).	Greece, South Aegean (region), Rhodes. From fishing nets.	€ 4,00
Zonaria pyrum pyrum (Gmelin, 1791).	Tunesia, Sfax Governorate, Sfax. From fishermen.	€ 4,00
Zonaria pyrum pyrum (Gmelin, 1791).	Mediterranean Sea.	€ 3,50
Zonaria pyrum pyrum (Gmelin, 1791).	Tunisia, Mahdia Governorate, Mahdia. Mediterranean Sea. From fishermen.	€ 5,00
Zonaria pyrum pyrum (Gmelin, 1791).	Italy, Sicily (region), Sicily.	€ 6,00
Blasicrura quadrimaculata (Gray, 1824).	Philippines, Visayas (region), Samar (island). East coast.	€ 2,00
Blasicrura quadrimaculata (Gray, 1824).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,50
Austrocypraea reevei (Sowerby, 1832).	Australia, Western Australia, Cape le Grand, Lucky Bay.	€ 10,00
Zonaria robertsi (Hidalgo, 1906).	Gulf of California.	€ 2,00 t/m € 4,00
Palmadusta saulae (Gaskoin, 1843).	Taiwan. East China Sea.	€ 15,00
Palmadusta saulae (Gaskoin, 1843).	Philippines, Visayas (region), Samar (island).	€ 9,50
Palmadusta saulae (Gaskoin, 1843).	Taiwan, Pescadores Islands. Southwestern region. Taiwan Strait.	€ 9,00
Palmadusta saulae (Gaskoin, 1843).	Philippines.	€ 3,50
Palmadusta saulae (Gaskoin, 1843).	Philippines, Panai Island. From divers. Superb species, freshly fished, mostly with a light pink shine, good dorsums with chocolate blotch. A must for cowry collectors. 21 mm	€ 12,00
Lyncina schilderorum (Iredale, 1939).	USA, Hawaii, Oahu Island. Pacific Ocean.	€ 10,00
Mauritia scurra indica (Gmelin, 1791).	Philippines.	€ 10,00
Mauritia scurra indica (Gmelin, 1791).	Solomon Islands, Guadalcanal, Marau Sound. Pacific Ocean.	€ 4,00 t/m € 7,00
Mauritia scurra indica f. vono Steadman & Cotton, 1943.	French Polynesia, Tahiti, Pueu. Snorkel, 0.8-1½ m, under rock rubble.	€ 9,50
Mauritia scurra scurra (Gmelin, 1791). depth.	Mozambique, Nampula Province, Nacala Bay area. Snorkeling, 2 metres deep	€ 7,00
Mauritia scurra scurra (Gmelin, 1791).	Tanzania, Zanzibar, Tumbatu Island. From local fisherman.	€ 5,00
Mauritia scurra scurra (Gmelin, 1791).	Republic of Djibouti. NorthEast Africa.	€ 6,25
Mauritia scurra scurra (Gmelin, 1791).	Kenya, Coast Province, Mombasa County, Mombasa. East Africa.	€ 3,00 t/m € 4,50
Neobernaya spadicea (Swainson, 1823).	USA, California, Point Conception. 6-10 feet deep, under rubble.	€ 3,00 t/m € 6,50
Neobernaya spadicea (Swainson, 1823).	USA, California, San Catalina Rock. Dived at 10-15 metres deep.	€ 3,50 t/m € 7,50
Neobernaya spadicea (Swainson, 1823).	USA, California, San Diego, off Point Loma. On rocks, 5-20 metres deep.	€ 3,50
Neobernaya spadicea (Swainson, 1823).	USA, California, off San Clemente Island. By scuba diver, 20-25 m deep.	€ 4,00
Erosaria spurca (L., 1758).	Mediterranean Sea.	€ 2,50
Erosaria spurca (L., 1758).	Maltese archipelago, Comino Island. On sand & rocky bottom, 10-15 feet.	€ 5,00 t/m € 7,50
Erosaria spurca (L., 1758).	Italy, Sicily (region), Sicily. Collected by a diver.	€ 5,50
Erosaria spurca (L., 1758).	Italy, Sicily (region), Province of Trapani, Mazara del Vallo.	€ 9,50
Erosaria spurca (L., 1758).	Italy, Liguria, Province of Savona, Bergeggi Island, 30-35 m.	€ 12,50

		Price Range
Erosaria spurca (L., 1758).	Tunisia.	€ 2,00
Erosaria spurca (L., 1758).	Italy, Liguria, Province of Savona, Finale Ligure. 20-30 m deep, scuba.	€ 5,00 t/m € 6,00
Erosaria spurca (L., 1758).	Italy, Sicily (region), Sicily.	€ 4,00 t/m € 7,50
Erosaria spurca (L., 1758).	Spain, Canary Islands, Fuerteventura.	€ 6,50
Erosaria spurca f. verdensium Melvill, 1888.	Cape Verde, São Vicente, Porto Grande. Atlantic Ocean.	€ 7,50
Staphylaea staphylaea consobrina (Garrett, 1879).	Solomon Islands, Guadalcanal, Marau Sound. Pacific Ocean.	€ 4,00
Staphylaea staphylaea laevigata (Dautzenberg, 1932).	Tanzania, Zanzibar, Nungwi (village). East Africa. From local fisherman.	€ 2,00
Staphylaea staphylaea laevigata (Dautzenberg, 1932).	Somalia. East Africa. Indian Ocean.	€ 1,00 t/m € 2,00
Staphylaea staphylaea staphylaea (L., 1758).	Philippines, Sulu Archipelago, Siasi Island.	€ 1,50
Staphylaea staphylaea staphylaea (L., 1758).	Taiwan. East China Sea.	€ 0,60
Staphylaea staphylaea staphylaea (L., 1758).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 0,50 t/m € 0,80
Trona stercoraria (L., 1758).	Ghana, Ampenyi. West Africa.	€ 7,50
Trona stercoraria (L., 1758).	Senegal, Dakar Region, Dakar, Aldamies, at a depth of 1-2 metres.	€ 10,00
Trona stercoraria (L., 1758).	Senegal, Dakar Region, Dakar, Gorée Island. Snorkeling in shallow water.	€ 3,00
Trona stercoraria (L., 1758).	Senegal, Cap-Vert (peninsula), Pointe des Almadies. By local diver, 5 m.	€ 17,50
Trona stercoraria (L., 1758). Dwarf.	West Africa.	€ 7,50
Trona stercoraria (L., 1758).	Republic of Cameroon. Gulf of Guínea. Dived, ±10 m deep on rocks.	€ 9,50
Trona stercoraria (L., 1758).	Gabon. West Africa. Atlantic Ocean.	€ 10,00
Bistolida stolidia stolidia (L., 1758).	Philippines, Visayas (region), Samar (island).	€ 12,50 t/m € 14,50
Bistolida stolidia stolidia (L., 1758).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 5,00
Bistolida stolidia stolidia (L., 1758).	Philippines, Samar, Borongon. Dived, 3-5 metres in dead finger coral.	€ 12,50
Bistolida stolidia stolidia (L., 1758).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 7,50
Bistolida stolidia stolidia (L., 1758).	Philippines, Visayas (region), Eastern Samar, Borongan. Snorkeling.	€ 10,00 t/m € 12,00
Erronea subviridis dorsalis Schilder & Schilder, 1938.	Australia, Western Australia, Port Hedland, under rocks.	€ 1,50 t/m € 2,00
Erronea subviridis dorsalis Schilder & Schilder, 1938.	Australia, Western Australia. On reef during low tide.	€ 3,00 t/m € 4,50
Erronea succincta adusta (Lamarck, 1810).	Thailand, Changwat Phuket (province), Phuket (island).	€ 2,50
Erronea succincta adusta (Lamarck, 1810).	Tanzania, Dar es Salaam. East Africa. Indian Ocean.	€ 2,50
Talparia talpa (L., 1758).	Tanzania, Zanzibar, Unguja South Region, Uroa. East Africa. Indian Ocean.	€ 2,80
Talparia talpa (L., 1758).	Kenya, Mombasa. East Africa. Indian Ocean.	€ 1,00 t/m € 3,00
Talparia talpa (L., 1758).	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 2,00 t/m € 4,00
Talparia talpa (L., 1758).	Tanzania, Zanzibar, Matemwe. East Africa. By local fisherman.	€ 3,50
Talparia talpa (L., 1758).	Philippines.	€ 1,80
Talparia talpa (L., 1758).	Thailand, Changwat Phuket (province), Phuket (island).	€ 2,00 t/m € 3,00
Talparia talpa (L., 1758).	Thailand, Changwat Phuket (province), Phuket (island).	€ 2,00
Talparia talpa (L., 1758).	Tanzania, Zanzibar, Uroa. Indian Ocean. Feeding on seagrass.	€ 5,00

		Price Range
Blasicrura teres pellucens (Melvill, 1888).	USA, Hawaii. Pacific Ocean.	€ 6,00 t/m € 9,00
Blasicrura teres pellucens (Melvill, 1888).	French Polynesia, Marquesas Islands. From divers.	€ 6,00
Blasicrura teres teres (Gmelin, 1791).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 0,75
Blasicrura teres teres (Gmelin, 1791).	Papua New Guinea, East New Britain Province, Rabaul.	€ 2,20
Blasicrura teres teres (Gmelin, 1791).	Philippines.	€ 1,00
Blasicrura teres teres (Gmelin, 1791).	Somalia. East Africa. Indian Ocean. Beach.	€ 1,50
Blasicrura teres teres (Gmelin, 1791).	Philippines, Central Visayas (region), Bohol (island).	€ 2,00
Blasicrura teres teres (Gmelin, 1791).	Mozambique, Inhambane, Massinga. East Africa. Indian Ocean.	€ 2,50
Chelycypraea testudinaria (L., 1758).	Solomon Islands, Malaita (island), Ata'a (village). Pacific Ocean.	€ 6,00
Chelycypraea testudinaria (L., 1758).	Philippines.	€ 3,80 t/m € 7,50
Chelycypraea testudinaria (L., 1758).	Tanzania, Zanzibar. East Africa. Indian Ocean.	€ 4,50
Chelycypraea testudinaria (L., 1758).	Philippines, Visayas (region), Samar (island). By diver.	€ 3,50 t/m € 9,00
Chelycypraea testudinaria (L., 1758).	Tanzania, Mainland, Dar es Salaam. East Africa. From local fisherman.	€ 7,50 t/m € 9,50
Bernaya teulerei (Cazenavette, 1846).	Oman, Masirah Island, N.W. coast. 1 m deep, low tide on grassy bottom.	€ 5,00
Bernaya teulerei (Cazenavette, 1846).	Persian Gulf. Collected by divers.	€ 12,00
Zoila thersites (Gaskoin, 1849). Damaged.	Australia, South Australia. Spenser Gulf.	€ 12,00
Cypraea tigris L., 1758.	Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.	€ 3,50
Cypraea tigris L., 1758.	Tanzania, Zanzibar, Unguja South Region, Uroa. East Africa.	€ 4,00 t/m € 6,00
Cypraea tigris L., 1758.	Madagascar, Toliara (Tulear) region, south-west coast.	€ 4,00 t/m € 5,00
Cypraea tigris L., 1758. Dwarf.	Philippines.	€ 3,50
Cypraea tigris L., 1758. Dwarf.	Philippines.	€ 3,50
Cypraea tigris L., 1758.	Indonesia, Greater Sundra Islands, East Java (province), Madura Island.	€ 3,00 t/m € 3,00
Cypraea tigris L., 1758.	Philippines, Visayas (region), Samar (island).	€ 1,50 t/m € 3,50
Cypraea tigris L., 1758.	Australia, Queensland, Cape Tribulation. Under rocks, about 2 metres deep.	€ 2,25
Cypraea tigris f. schilderiana Cate, 1961.	USA, Hawaii, Oahu Island. Pacific Ocean.	€ 25,00
Erosaria turdus (Lamarck, 1810).	Eritrea, off Massawa, Dahlak Archipelago.	€ 3,50
Erosaria turdus (Lamarck, 1810).	Oman. Middle East.	€ 5,50
Erosaria turdus (Lamarck, 1810).	Israel, Elat. Gulf of Aqaba.	€ 5,00
Erosaria turdus (Lamarck, 1810).	Somalia, Somaliland, Berbera District, Berbera. Gulf of Aden.	€ 2,00
Erosaria turdus (Lamarck, 1810).	Tunisia. Mediterranean. 3-15 metres deep.	€ 6,50 t/m € 7,50
Erosaria turdus (Lamarck, 1810).	Oman. Middle East.	€ 3,50
Erosaria turdus (Lamarck, 1810).	India, Dwarka. Low tide.	€ 1,75 t/m € 3,50
Erosaria turdus (Lamarck, 1810).	Egypt, South Sinai, Dahab. Gulf of Aqaba. In mud at low tide.	€ 4,75
Lyncina ventriculus (Lamarck, 1810).	Philippines.	€ 9,50
Lyncina ventriculus (Lamarck, 1810).	Philippines, Sulu Archipelago, Siasi Island.	€ 9,50

		Price Range
Zoila venusta episema (Iredale, 1939).	Australia, Western Australia, near Perth, Sorrento Reef. On sponges.	€ 25,00
Zoila venusta episema f. sorrentensis Schilder, 1963.	Australia, Western Australia, near Perth, Sorrento Reef. On sponges.	€ 10,00 t/m € 20,00
Zoila venusta episema f. sorrentensis Schilder, 1963.	Australia, Western Australia. Dived at a depth of ± 30 metres.	€ 20,00
Lyncina vitellus (L., 1758).	Philippines, Central Visayas (region), Cebu (island).	€ 1,50
Lyncina vitellus (L., 1758).	India, Tamil Nadu (state), Ramanathapuram district, Kilakarai. Trawled.	€ 1,50 t/m € 2,00
Lyncina vitellus (L., 1758).	Indonesia, Bali (province), Bali (island), Sanur Beach.	€ 1,60
Lyncina vitellus (L., 1758).	Australia, Western Australia, Myora Beach.	€ 2,50
Lyncina vitellus (L., 1758).	Taiwan, south-west. East China Sea.	€ 0,80 t/m € 1,30
Lyncina vitellus (L., 1758).	Sri Lanka.	€ 1,50
Lyncina vitellus (L., 1758).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,00 t/m € 1,50
Lyncina vitellus (L., 1758).	Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.	€ 0,50 t/m € 3,00
Lyncina vitellus (L., 1758).	Kenya, Coast Province, Mombasa County, Mombasa. At low tide under coral.	€ 0,50
Lyncina vitellus (L., 1758).	Indonesia, Java (isl.), East Java (prov.), Surabaya. At night, 30' deep.	€ 9,00
Erronea vredenburgi Schilder, 1927.	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 2,00
Erronea walkeri surabajensis Schilder, 1937.		€ 3,00
Erronea walkeri surabajensis Schilder, 1937.	Taiwan, Penghu County, off Magong City. Trawled in deep water.	€ 4,00
Erronea walkeri surabajensis Schilder, 1937.	Australia.	€ 2,50
Erronea xanthodon (Sowerby, 1832).	Cuba, Ciego de Ávila (province), Cayo Coco (island). Live, shallow water.	€ 4,00
Macrocypraea zebra (L., 1758).	USA, Florida Keys.	€ 6,00
Macrocypraea zebra (L., 1758).	Brazil, Santa Caterina (state), Porto Belo. Atlantic Ocean.	€ 5,00 t/m € 8,00
Macrocypraea zebra (L., 1758).	South Africa, Natal (province).	€ 2,50
Palmadusta ziczac f. misella Perry, 1811.	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 2,50
Palmadusta ziczac (L., 1758).	Tanzania, Zanzibar, Kendwa. East Africa. From local fisherman.	€ 4,00
Palmadusta ziczac (L., 1758).	Tanzania, Zanzibar, Nungwi (village). East Africa. From local fisherman.	€ 4,00
Palmadusta ziczac (L., 1758).	Thailand, Changwat Phuket (province), Phuket (island).	€ 1,00
Palmadusta ziczac (L., 1758).	Philippines, Visayas (region), Samar (island). From divers.	€ 1,70
Palmadusta ziczac (L., 1758).	Senegal, Petite Côte, Joal-Fadiouth (village). West Africa.	€ 4,00
Zonaria zonaria (Gmelin, 1791).	Senegal, Cap-Vert, Pointe des Almadies. 10-15 metres deep, by diver.	€ 4,00
Zonaria zonaria (Gmelin, 1791).	Senegal, Dakar Region, Dakar. West Africa. Atlantic Ocean.	€ 2,50
Zonaria zonaria (Gmelin, 1791).	Senegal, Dakar Region, Dakar, Bay of Gorée. West Africa. 3 metres deep.	€ 3,50
Zonaria zonaria (Gmelin, 1791).	Senegal, Dakar Region, Dakar, Hann Bay (beach). West Africa.	€ 1,30
Zonaria zonaria (Gmelin, 1791).	Senegal. West Africa. Atlantic Ocean.	€ 3,50
Zonaria zonaria (Gmelin, 1791).	Senegal. West Africa. Atlantic Ocean.	€ 2,00
Zonaria zonaria (Gmelin, 1791).	Senegal, Casamance. West Africa. Atlantic Ocean.	€ 1,30

Cystiscidae

Persicula cingulata (Dillwyn, 1817).
Persicula cornea (Lamarck, 1822).
Persicula persicula (L., 1758).
Persicula persicula (L., 1758).
Persicula persicula (L., 1758).

Persicula tesselata f. accola Roth & Coan, 1968.
 Persicula tesselata (Lamarck, 1822).
 Persicula tesselata (Lamarck, 1822).

Dentaliidae

Dentalium aprinum L., 1767.
 Dentalium aprinum L., 1767.
 Antalis dentalis (L., 1766).
 Antalis dentalis (L., 1766).
 Dentalium elephantinum L., 1758.
 Fissidentalium lima Kuroda & Habe, 1963.
 Fissidentalium magnificum (Smith, 1896).
 Fissidentalium metivieri Scarabino, 1995.
 Fissidentalium metivieri Scarabino, 1995.
 Fissidentalium metivieri Scarabino, 1995.
 Dentalium octangulatum Donovan, 1804.
 Pictodentalium vernedei (Sowerby, 1860).
 Pictodentalium vernedei (Sowerby, 1860).
 Pictodentalium vernedei (Sowerby, 1860).
 Antalis vulgaris (da Costa, 1778).
 Antalis weinkauffi (Dunker, 1877).

Donacidae

Donax cuneatus L., 1758.
 Donax cuneatus L., 1758.
 Donax cuneatus L., 1758.
 Donax deltoides Lamarck, 1818.
 Donax deltoides Lamarck, 1818.
 Donax denticulatus L., 1758.
 Donax denticulatus L., 1758.
 Donax denticulatus L., 1758.
 Donax faba Gmelin, 1791.
 Donax faba Gmelin, 1791.
 Donax faba Gmelin, 1791.
 Donax faba Gmelin, 1791.
 Donax gouldi Dall, 1921.
 Donax kindermanni Philippi, 1847.

Panama.
 Panama. Eastern coastal region. Caribbean Sea.
 Panama, Cebaco Island. Pacific Ocean. Dredged, 120', on sandy bottom.

 Philippines, Mindanao (island), Davao.
 Tunisia, Djerba Island, Ajim. Gulf of Gabès. 2 metres deep.

 Indonesia, West Papua (province), Manokwari.
 Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.
 Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.
 Madagascar Island. East Africa. Indian Ocean.
 Madagascar, Toliara (Tulear) region. East Africa. Indian Ocean. Trawled.
 Madagascar Island. East Africa. Indian Ocean. 300 metres deep.
 India.
 Japan, Shikoku (island), Kochi Prefecture, Tosa Bay. Dredged, 20 fathoms.
 Philippines, Palawan (province), Palawan (island).
 Taiwan. East China Sea.
 France, Brittany, Saint-Jacut-de-la-Mer.
 Japan, Honshu (island), Chubu region, Aichi Prefecture. 5-10 fathoms deep.

 Malaysia, Terengganu (state), Merang.
 Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.
 Malaysia, Pulau Lang Tenga Island.
 South Australia.
 Australia, South Australia, Adelaide, St. Kilda. Intertidal, in mud.
 Suriname, South America.
 Venezuela, Nueva Esparta (state), Isla El Coche.
 Venezuela, Miranda, Higuerote.
 Thailand, Phuket (island), Chalong Bay, Vigkit bungalows.
 Kenya, Mombasa Reef. East Africa. Indian Ocean.
 Malaysia, Pulau Lang Tenga Island.
 Thailand, Changwat Phuket (province), Phuket (island).
 USA, California, La Jolla.
 Mexico, Chiapas (state). Pacific Ocean.

Price Range

€ 3,50
 € 4,00
 € 4,00

 € 1,50
 € 2,80
 € 0,50
 € 0,50
 € 2,00
 € 3,50
 € 2,00 t/m € 5,00
 € 9,50
 € 9,00
 € 6,50 t/m € 9,50
 € 1,50 t/m € 2,00
 € 5,00
 € 4,00 t/m € 6,00
 € 5,00
 € 0,25
 € 2,20

 € 0,50
 € 1,30
 € 0,50
 € 0,80 t/m € 1,80
 € 3,50
 € 0,30
 € 1,00
 € 0,50 t/m € 1,00
 € 0,50
 € 0,30
 € 0,50
 € 0,50
 € 1,50
 € 2,70

		Price Range
Donax rugosus L., 1758.	Senegal, Saint Louis. West Africa. From fisherman, shallow, in mud/sand.	€ 0,80
Hecuba scortum (L., 1758).	Thailand, Changwat Phuket (province), Phuket (island).	€ 2,00 t/m € 4,00
Donax serra Dillwyn, 1817.	South Africa.	€ 1,80
Donax serra Dillwyn, 1817.	South Africa, Cape Province, False Bay, Muizenberg Beach.	€ 2,00
Donax striatus L., 1767.	Venezuela, Nueva Esparta (state), Isla El Coche.	€ 0,50
Donax striatus L., 1767.	Suriname, South America.	€ 0,30
Donax trunculus f. anatinus Payraudeau, 1826.	France, Brittany, Finistère (department), Penmarch (commune). Beach.	€ 0,25
Donax trunculus f. anatinus Payraudeau, 1826.	Portugal, Algarve (region), Quarteira.	€ 0,20
Donax trunculus L., 1758.	France, Brittany, Finistère (department), Point Penmarc'h.	€ 0,50
Donax trunculus L., 1758.	Spain, Andalusia (region), Province of Málaga, Marbella.	€ 0,20
Donax trunculus L., 1758.	France, Lot (department), Martel.	€ 0,30
Donax trunculus L., 1758.	Greece, Marathón beach. 1-1½ metres deep.	€ 0,25
Donax trunculus L., 1758.	France, Brittany, Finistère (department), Point Penmarc'h.	€ 0,50
Donax variabilis Say, 1822. 5 colour variations.	USA, Florida, Gulf of Mexico, Sanibel Island.	€ 0,90
Donax variabilis Say, 1822.	USA, Florida, Gulf of Mexico, Fort Myers Beach.	€ 0,40
Donax vittatus (da Costa, 1778).	France, Brittany, Finistère (department), Point Penmarc'h.	€ 0,40
Donax vittatus (da Costa, 1778).	North Sea fishery.	€ 0,15
Ellobiidae		
Cassidula aurisfelis (Bruguière, 1789).	Thailand, Changwat Phuket (province), Phuket (island).	€ 1,00 t/m € 1,50
Ellobium aurisjudae (L., 1758).	Thailand, Changwat Phuket (province), Phuket (island).	€ 1,00 t/m € 3,00
Melampus coffeus (L., 1758).	USA, Florida, near Fort Myers, Pineland, Pine Island.	€ 2,00
Melampus flavus (Gmelin, 1791).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,00
Melampus flavus (Gmelin, 1791).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 0,50
Melampus flavus f. nuxcastaneus Kuroda, 1947.	Taiwan. East China Sea.	€ 1,50
Cassidula nucleus (Gmelin, 1791).	Thailand, Changwat Phuket (province), Phuket (island).	€ 1,00
Cassidula nucleus (Gmelin, 1791).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,00
Cassidula nucleus (Gmelin, 1791).	Philippines.	€ 1,50
Melampus olivaceus Carpenter, 1857.	USA, California, Orange County, Laguna Beach, in lagoon region.	€ 0,30
Ellobium pellucens (Menke, 1830).	Suriname, Commewijne, Lust en Rust. South America.	€ 1,00
Pythia scabraeus (L., 1758).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 2,00
Pythia scarabaeus (L., 1758).	Philippines, Central Visayas (region), Cebu (island), Bantayan Island.	€ 2,00
Pythia scarabaeus (L., 1758).	Philippines, Palawan (province), Palawan (island).	€ 2,00
Melampus tabogensis C.B. Adams, 1852.	Panama, Taboga Island. Under leaves.	€ 2,00
Epitoniidae		
Epitonium clathrum (L., 1758).	Spain.	€ 4,00

		Price Range
Epitonium clathrum (L., 1758).	The Netherlands, Scheveningen.	€ 0,30 t/m € 0,50
Epitonium clathrum (L., 1758).	The Netherlands, Scheveningen.	€ 0,50
Gyroscala lamellosa (Lamarck, 1822).		€ 2,50
Gyroscala lamellosa (Lamarck, 1822).	Italy, Liguria, Province of Savona, Savona. Dived, 2-3 metres deep.	€ 5,00
Gyroscala lamellosa (Lamarck, 1822).	Japan.	€ 2,50
Gyroscala lamellosa (Lamarck, 1822).	Canary Islands, Playa Blanca Lanzarote. In tidal pools.	€ 2,30
Gyroscala lamellosa (Lamarck, 1822).	Italy, Savona. Scuba diving in shallow water, 3-5 metres deep.	€ 3,00 t/m € 9,00
Gyroscala lamellosa (Lamarck, 1822).	Spain, Canary Islands. Trawled at 3-4 metres.	€ 2,50
Gyroscala lamellosa (Lamarck, 1822).	Greece, Marathón beach. 1-1½ metres deep.	€ 2,60 t/m € 4,80
Amaea magnifica (Sowerby, 1844).	Japan.	€ 15,00
Epitonium pallasi neglectum (Adams & Reeve, 1850).	India, Tamil Nadu (state), off Madras [Chennai]. Trawled.	€ 6,00
Epitonium pallasi pallasi (Kiener, 1838).	Australia, Queensland, Yeppoon. On beach.	€ 3,50
Epitonium scalare (L., 1758).	Philippines, Luzon (island), Manila Bay.	€ 3,50 t/m € 6,00
Epitonium scalare (L., 1758).	Philippines, Cebu (province), Mactan (island), Punta Engaño.	€ 6,50 t/m € 12,50
Epitonium scalare (L., 1758).	Indonesia, Lesser Sunda Islands, Flores (island).	€ 6,00
Amaea splendidum (de Boury, 1913).	Philippines, Bohol Island, close to Panglao Island, Balicasag Island.	€ 2,00
Cirsotrema varicosum (Lamarck, 1822).	Taiwan. South-west coast. East China Sea. Trawled by local fisherman.	€ 4,50
Cirsotrema varicosum (Lamarck, 1822). Special offer.	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 5,00 t/m € 6,50
Cirsotrema varicosum (Lamarck, 1822).	Philippines, Cebu (province), Mactan (island), Punta Engaño.	€ 4,00
Boreoscala zeleborei (Dunker, 1866).	New Zealand, North Island, Orewa Beach.	€ 2,00
Boreoscala zeleborei (Dunker, 1866).	New Zealand, North Island, Bay of Plenty, Tauranga Beach.	€ 3,00
Fasciolaridae		
Fusinus ambustus (Gould, 1853).	Mexico, Baja California (state). Dredged, 40-50 metres deep.	€ 5,00
Fusinus ansatus (Gmelin, 1791).	Suriname, South America. From shrimp fisherman.	€ 6,00
Latirus balicasagensis Bozzetti, 1997.	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 5,00 t/m € 9,50
Latirus belcheri (Reeve, 1847).	Philippines.	€ 1,50
Latirus carinifer (Lamarck, 1816).	USA, Florida, Palm Beach.	€ 6,00
Latirus carinifer (Lamarck, 1816).	USA, Florida, Pompano Beach, off Hillsboro Light, 10 fathoms, scuba.	€ 9,50
Fusinus colus (L., 1758).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 0,50 t/m € 2,50
Fusinus colus (L., 1758).	Indian Ocean.	€ 2,50 t/m € 4,00
Fusinus colus (L., 1758).	Thailand, Phuket (island), Raya Island. 25-30 metres deep.	€ 0,80 t/m € 2,50
Fusinus colus (L., 1758).	Philippines, Manilla Bay. From fisherman.	€ 2,50
Fusinus colus (L., 1758).	Japan, Honshu (island), Wakayama Prefecture, Nada-Cho. 20-40 fathoms deep.	€ 3,00
Granulifusus consimilis Garrard, 1966.	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 4,50 t/m € 6,50
Latirus constrictus (Koch, 1845).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,00 t/m € 5,00

		Price Range
Latirus craticulatus (L., 1758).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 2,00 t/m € 6,50
Latirus craticulatus (L., 1758).	Mozambique, Nampula (prov.), Quissimajulo (city). 1-2 m, on mud and algae.	€ 6,00
Latirus deynzerorum Emerson & Cage, 1990.	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 3,50 t/m € 4,00
Latirus deynzerorum Emerson & Cage, 1990.	Philippines, Bohol, Balicasag Island. Tangle nets, 120-150 metres deep.	€ 5,00
Pleuroploca filamentosa (Röding, 1798).	Philippines.	€ 2,00
Pleuroploca filamentosa (Röding, 1798).	Thailand, Changwat Phuket (province), Phuket (island).	€ 1,00 t/m € 3,00
Pleuroploca filamentosa (Röding, 1798).	Philippines, Palawan (island). On coral reef, 15-20 metres deep.	€ 4,00
Latirus filusus (Schubert & Wagner, 1829).	Senegal, Casamance. West Africa. From fisherman, trawled in shallow water.	€ 4,00
Fusinus forceps (Perry, 1811).	Japan, Okinawa (island). At 30 fathoms deep.	€ 7,00
Pleuroploca gigantea (Kiener, 1840). Juvenile.	USA, Florida, Boca Raton.	€ 0,80 t/m € 1,80
Pleuroploca gigantea (Kiener, 1840).	USA, Florida, off Marco Island, Pompano Flat. Low tide, sand/grass.	€ 45,00 t/m € 95,00
Latirus hemphilli Hertlein & Strong, 1951.	Panama, Gobernadora Island. Pacific Ocean.	€ 3,00
Latirus infundibulum (Gmelin, 1791).	Florida, Broward County, near Dania Beach. 60 feet deep, under stones.	€ 4,80
Latirus kandai Kuroda, 1950.	Philippines, Central Visayas (region), Cebu (island).	€ 2,50
Granulifusus kiranus Shuto, 1958.	Philippines, Bohol (province), Balicasag Island. 180 metres deep, nets. 46 mm	€ 4,00 t/m € 6,00
Dolicholaturus lancea (Gmelin, 1791).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,50 t/m € 4,00
Latirus lanceolatus (Reeve, 1847).	Thailand, Changwat Phuket (province), Phuket (island).	€ 2,00
Latirus lanceolatus (Reeve, 1847).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 2,50 t/m € 4,00
Fasciolaria lignaria (L., 1758).	Italy, Apulia, Gallipoli. Low tide, under rocks, 2-3 metres deep.	€ 2,00
Fasciolaria lilium hunteria (Perry, 1811).	USA, North Carolina. Atlantic Ocean.	€ 3,50 t/m € 5,00
Fasciolaria lilium hunteria (Perry, 1811).	USA, Florida, Gulf of Mexico.	€ 2,80
Fusinus meyeri (Dunker, 1869).	Ivory Coast, Lagunes Region, Abidjan.	€ 15,00
Fusinus meyeri (Dunker, 1869).	Ivory Coast, Lagunes Region, Abidjan. Trawled offshore, 30-50 metres deep.	€ 29,50
Latirus nagasakiensis Smith, 1880.	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 2,30 t/m € 3,80
Latirus nagasakiensis Smith, 1880.	Philippines, Bohol (prov.), Calituban Island. Local fisherman. 5 m deep.	€ 3,00
Leucozonia nassa (Gmelin, 1791).	Bonaire, Lesser Antilles Islands, Playa.	€ 0,50 t/m € 1,30
Peristernia nassatula (Lamarck, 1822).	Marshall Islands, Majuro. On rocks north of Gateway Hotel.	€ 2,50
Peristernia nassatula (Lamarck, 1822).	Kenya, Mombasa Reef. East Africa.	€ 2,00
Peristernia nassatula (Lamarck, 1822).	Solomon Islands, Malaita (island), Ata'a (village). Pacific Ocean.	€ 2,00
Peristernia nassatula (Lamarck, 1822).	Thailand, Phuket (island), Raya Island. 25-30 metres deep.	€ 1,30
Peristernia nassatula (Lamarck, 1822).	Philippines, Central Visayas (region), Cebu (island).	€ 1,00 t/m € 2,30
Fusinus nicobaricus (Röding, 1798).	Thailand, Changwat Phuket (province), Phuket (island).	€ 1,80 t/m € 2,80
Fusinus nicobaricus (Röding, 1798).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 2,00
Fusinus nicobaricus (Röding, 1798).	Indo-Pacific.	€ 1,80 t/m € 2,80
Granulifusus nipponicus (Smith, 1879).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 2,00

		Price Range
Granulifusus nipponicus (Smith, 1879).	Taiwan, south-west. East China Sea.	€ 0,80 t/m € 1,30
Colubraria nitidula (Sowerby, 1833).	Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.	€ 2,80
Fusinus novaehollandiae (Reeve, 1847).	Australia, Queensland, Moreton Island, Cape Moreton.	€ 6,00
Latirus paetelianus (Küster & Kobelt, 1879).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,25 t/m € 2,30
Fusinus panamensis Dall, 1908.	Panama.	€ 5,00
Latirus pearsoni Snyder, 2002.	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 2,30
Peristernia philberti (Récluz, 1844).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,00
Fusinus polygonoides (Lamarck, 1822).	Egypt, South Sinai, Dahab. Gulf of Aqaba.	€ 2,30 t/m € 6,25
Latirus polygonus (Gmelin, 1791).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 0,50 t/m € 2,50
Latirus polygonus (Gmelin, 1791).	Philippines.	€ 5,00
Pleuroploca princeps (Sowerby, 1825).	USA, California. Pacific Ocean.	€ 30,00
Opeatostoma pseudodon (Burrow, 1815).	Mexico, west coast. Pacific Ocean.	€ 7,50
Opeatostoma pseudodon (Burrow, 1815).	Panama, off Gobernadora Island. Low tide, on sand and grass.	€ 7,50
Opeatostoma pseudodon (Burrow, 1815).	Western Panama.	€ 2,00 t/m € 3,50
Opeatostoma pseudodon (Burrow, 1815).	Panama, off Cebaco Island. Dredged, 60-100 feet on sand and grass.	€ 5,00 t/m € 7,00
Opeatostoma pseudodon (Burrow, 1815).	Mexico, Oaxaca, Puerto Angel. On rock, 40-150 metres deep.	€ 10,00 t/m € 15,00
Latirus recurvirostris (Schubert & Wagner, 1829).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 5,00 t/m € 10,00
Peristernia reincarnata Snyder, 2000.	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 2,00
Fusinus rostratus (Olivi, 1792).	Spain, Province of Málaga, Fuengirola.	€ 2,50
Latirus sarinae Snyder, 2003.	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 2,00
Latirolagena smaragdula (L., 1758).	Philippines, Cebu (province), Mactan (island), Punta Engaño.	€ 4,00
Latirolagena smaragdula (L., 1758).	Thailand, Phuket (island), Raya Island. 25-30 metres deep.	€ 5,00 t/m € 6,25
Pleuroploca trapezium (L., 1758).	Gulf of Thailand.	€ 7,50
Pleuroploca trapezium (L., 1758).	Kenya, Mombasa Reef. East Africa. Indian Ocean.	€ 1,80 t/m € 6,25
Pleuroploca trapezium (L., 1758). Juvenile.	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,00 t/m € 2,50
Pleuroploca trapezium (L., 1758).	Indonesia, Greater Sunda Islands, East Java (province), Madura Island.	€ 3,50 t/m € 4,50
Fasciolaria tulipa (L., 1758).	Venezuela, Isla Margarita.	€ 2,50 t/m € 9,50
Fasciolaria tulipa (L., 1758).	USA, Florida, Gulf of Mexico, Boca Grande.	€ 1,80 t/m € 3,30
Fasciolaria tulipa (L., 1758).	USA, Florida, Marco Island, Pompano Flat. Very low tide, shallow.	€ 6,50
Fasciolaria tulipa (L., 1758).	Venezuela, eastern coastal region. From beach.	€ 1,80
Latirus turritus (Gmelin, 1791).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,00 t/m € 2,00
Fusinus undatus (Gmelin, 1791).	Philippines, Central Visayas (region), Cebu (province), Mactan (island).	€ 7,50
Peristernia ustulata (Reeve, 1847).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,50
Peristernia ustulata (Reeve, 1847).	Philippines, Cebu (province), Mactan (island), Punta Engaño.	€ 1,80
Latirus walleri Ladd, 1976.	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 3,50 t/m € 5,00

Ficidae

Ficus ficus (L., 1758).

Ficus ficus (L., 1758).

Ficus filosa (Sowerby, 1892).

Ficus gracilis (Sowerby, 1825).

Ficus gracilis (Sowerby, 1825).

Fimbriidae

Fimbria fimbriata (L., 1758).

Fimbria fimbriata (L., 1758).

Fimbria fimbriata (L., 1758).

Fissurellidae

Fissurella barbadensis (Gmelin, 1791).

Fissurella barbadensis (Gmelin, 1791).

Fissurella barbadensis (Gmelin, 1791).

Fissurella barbadensis (Gmelin, 1791).

Fissurella bridgesi (Reeve, 1849).

Fissurella coarctata King, 1832.

Fissurella costata Lesson, 1830.

Fissurella crassa Lamarck, 1822.

Megathura crenulata (Sowerby, 1825).

Megathura crenulata (Sowerby, 1825).

Fissurella cumingi Reeve, 1849.

Diodora graeca (L., 1758).

Fissurella latimarginata Sowerby, 1835.

Fissurella latimarginata Sowerby, 1835.

Fissurella limbata Sowerby, 1834.

Fissurella maxima Sowerby, 1835.

Fissurella maxima Sowerby, 1835.

Fissurella natalensis Krauss, 1848.

Fissurella nubecula (L., 1758).

Fissurella nubecula (L., 1758).

Fissurella pulchra Sowerby, 1834.

Gaimardiidae

Gaimardia trapezina (Lamarck, 1819).

Taiwan. East China Sea. Fished.

Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.

Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.

Indonesia. 8 cm - 9 cm

Philippines, Eastern Visayas (region), Leyte (island), Carigari Bay.

Philippines.

Australia, Queensland, Great Barrier Reef.

Solomon Islands. Pacific Ocean.

The Grenadines Islands, Windward Islands, Caribbean.

Barbados, West Indies.

St. Maarten, Caribbean Sea.

Curaçao, Lesser Antilles Islands.

Chile, Choapa Province, Los Vilos. On and under rocks, intertidal. 65 mm

Senegal, Dakar, north side N'Gor. West Africa. Diving, 1-8 metres deep.

Chile, IV Región, Coquimbo. Scuba diver, on rocks at 5-10 metres deep.

Chile, IV Región, Coquimbo. Scuba diver, on rocks at 5-10 metres deep.

USA, California, Channel Islands, San Clemente Island.

USA, California, Newport Beach.

Chile, IV Región, Coquimbo. Scuba diver, on rocks at 5-10 metres deep.

Spain, Sitges, Dosta Dorada, Playa Terramar.

Chile, IV Región, Coquimbo. Scuba diver, on rocks at 5-10 metres deep.

Chile, Choapa Province, Los Vilos. Taken on rocks by local fisherman.

Chile, IV Región, Coquimbo. Scuba diver, on rocks at 5-10 metres deep.

Chile.

Chile, IV Región, Coquimbo. Scuba diver, on rocks at 5-10 metres deep.

South-Africa.

Italy, Aspera.

Spain, Sitges, Playa Terramar.

Chile, III Región de Atacama, Huasco, 3 Playitas. Intertidal on rocks.

Argentina, Staten Island, Puerto Parry. On Algae: Macrocystis.

Price Range

€ 1,50

€ 1,00 t/m € 2,50

€ 2,50 t/m € 6,50

€ 4,00 t/m € 6,00

€ 4,00

€ 2,50

€ 2,00 t/m € 3,00

€ 2,20

€ 1,00

€ 0,75 t/m € 1,25

€ 0,70

€ 1,00

€ 6,50 t/m € 10,00

€ 1,30 t/m € 2,30

€ 14,50

€ 9,50

€ 3,50

€ 2,80 t/m € 3,80

€ 10,00

€ 1,00

€ 10,00

€ 4,50 t/m € 9,50

€ 9,50

€ 7,50

€ 10,00

€ 1,20

€ 0,50

€ 3,00

€ 14,50

€ 6,50

Price Range**Glossidae**

Meiocardia cumingi (Adams, 1864).

Glossus humanus (L., 1758).

Glossus humanus (L., 1758).

Glossus lamarckii Reeve, 1845.

Meiocardia vulgaris (Reeve, 1845).

Glycymerididae

Glycymeris americana (De France, 1829).

Glycymeris americana (De France, 1829).

Glycymeris canoa Pilsbry & Olsson, 1941.

Glycymeris canoa Pilsbry & Olsson, 1941.

Glycymeris gigantea (Reeve, 1843).

Glycymeris gigantea (Reeve, 1843).

Glycymeris glycymeris (L., 1758).

Glycymeris glycymeris (L., 1758).

Glycymeris glycymeris (L., 1758).

Glycymeris glycymeris (L., 1758).

Glycymeris glycymeris (L., 1758).

Glycymeris glycymeris (L., 1758).

Glycymeris insubrica (Brocchi, 1814).

Glycymeris insubrica (Brocchi, 1814).

Tucetona laticostata (Quoy & Gaimard, 1835).

Tucetona multicostata (Sowerby, 1833).

Glycymeris pectinata (Gmelin, 1791).

Glycymeris pectinata (Gmelin, 1791).

Glycymeris pectinata (Gmelin, 1791).

Tucetona pectunculus (L., 1758).

Tucetona pectunculus (L., 1758).

Tucetona pectunculus (L., 1758).

Glycymeris reevei (Mayer, 1868).

Glycymeris reevei (Mayer, 1868).

Glycymeris reevei (Mayer, 1868).

Tucetona strigilata (Sowerby, 1833).

Tucetona strigilata (Sowerby, 1833).

Philippines.

Italy, Emilia-Romagna (region), Rimini. Adriatic Sea.

Spain, between Palamós and Benicarló.

Philippines, Bohol (province), close to Panglao Island, Balicasag Island.

Philippines, Cebu (province), Mactan (island), Punta Engaño.

Panama, Bay of Portobelo, Caribbean. Trawled, 120-240 feet.

Panama, Nombre de Dios. Caribbean. In sand, 20 fathoms deep.

Panama, Bay of Chiriqui. Pacific Ocean. Trawled, 120-240 feet deep.

Panama, Kativa Island.

Mexico, Baja California Sur, Mulegé. 8 metres deep, half-buried in sand.

Mexico, Baja California Sur (state), San Carlos. 6-12 metres deep.

English Channel fishery.

France, Brittany, Ile de Cézembre.

France, Brittany, Côtes-d'Armor (department), Erquy Plages.

France, Brittany, St. Briac sur Mer. In small harbour.

France. Off the coast of Brittany. From fisherman.

France, Brittany, Saint-Malo.

Spain, Andalusia, off Málaga. 20-30 m, trawled by local fishermen.

Spain, Province of Málaga, Benajafar.

New Zealand, N.I. North Island, Waipu Cove.

Panama, Canal de Afuera Island. Trawled between 120-240 feet.

Panama, Nombre de Dios. Caribbean. 20 fathoms deep, sand.

Panama, Bay of Porto Bello.

Bahamas, Green Turtle Cay (island).

Philippines, Bohol (province), close to Panglao Island, Balicasag Island.

Philippines, Central Visayas (region), Cebu (province), Mactan (island).

Philippines.

Philippines, Central Visayas (region), Cebu (island). In shallow water.

South-western Pacific Ocean.

Philippines, Bohol (province), close to Panglao Island, Balicasag Island.

Panama, Bay of Chiriqui. Pacific Ocean. Trawled, 120-240 feet deep.

Panama, Bay of Chiriqui. Pacific Ocean. Trawled at 120-240 feet deep.

€ 3,50

€ 12,50

€ 12,50

€ 7,50

€ 3,00

€ 2,30

€ 2,30

€ 2,50

€ 2,30

€ 3,00

€ 5,00 t/m € 9,00

€ 0,80

€ 0,30

€ 0,20 t/m € 0,80

€ 0,80

€ 0,80

€ 0,80

€ 2,30 t/m € 2,50

€ 0,50 t/m € 1,30

€ 1,30 t/m € 2,30

€ 2,80

€ 1,00

€ 2,80

€ 0,30

€ 0,50 t/m € 2,50

€ 0,50

€ 0,80

€ 1,00

€ 2,00

€ 0,50 t/m € 0,75

€ 2,30

€ 2,30

Haliotidae

		Price Range
Haliotis asinina L., 1758.	Indonesia, Sumatra.	€ 1,25
Haliotis asinina L., 1758.	Thailand, Changwat Phuket (province), Phuket (island).	€ 1,00 t/m € 2,50
Haliotis asinina L., 1758.	Malaysia, Sabah (state), Borneo. Dead, in shallow water.	€ 1,00 t/m € 3,00
Haliotis coccinea Reeve, 1846.	Spain, Canary Islands, Fuerteventura, Corralejo. Live, ±2 metres deep.	€ 2,50 t/m € 3,00
Haliotis coccinea Reeve, 1846.	Spain, Canary Islands, Fuerteventura, Gran Tarajal. Live, ebb, ±2 m deep.	€ 1,00
Haliotis cyclobates Péron, 1816.	Australia, South Australia, Edithburg. Under rocks at 12 feet, reef area.	€ 7,00
Haliotis cyclobates Péron, 1816.	Australia, S.A., Edithburg. Attached to smooth rocks, under jetty at 10 m.	€ 10,00 t/m € 12,50
Haliotis diversicolor Reeve, 1846.	Indonesia, Java (island). Collected by locals, on rocks.	€ 4,50
Haliotis diversicolor Reeve, 1846.	Thailand, Changwat Phuket (province), Phuket (island).	€ 12,00
Haliotis diversicolor Reeve, 1846.	Indonesia, Java (island).	€ 5,00
Haliotis diversicolor Reeve, 1846.	Japan, Mie Prefecture, Shima Peninsula. 10 meters deep.	€ 2,50
Haliotis fulgens Philippi, 1845.	Mexico, Baja California Sur (state), Puerto San Carlos. Dead on beach.	€ 5,00 t/m € 10,00
Haliotis glabra Gmelin, 1791.	Indonesia, Greater Sunda Islands, East Java (province), Madura Island.	€ 1,00
Haliotis glabra Gmelin, 1791.	Philippines, Mindanao (island), Zamboanga.	€ 1,00
Haliotis iris Martyn, 1784.	New Zealand.	€ 2,50 t/m € 35,00
Haliotis kamtschatkana assimilis Dall, 1878.	Mexico, Baja California (state).	€ 12,50
Haliotis kamtschatkana assimilis Dall, 1878. Live by Mexican hookah diver.	Near Santo Tomas, west coast of Baja California, Mexico. 20-30 m deep.	€ 12,50 t/m € 22,50
Haliotis laevigata Donovan, 1808.	Australia, South Australia, Eyre Peninsula, ±1 km west of Point Labatt.	€ 4,50
Haliotis mariae mariae Wood, 1828.	Oman, Sadah (Ṣadh). Middle East. Arabian Sea.	€ 4,00
Haliotis midae L., 1758.	South Africa, Cape Province, Jeffreys Bay.	€ 6,00 t/m € 10,00
Haliotis midae L., 1758.	South Africa, Western Cape, Simonstown. False Bay. Scuba, 6 m, rock bott.	€ 3,50
Haliotis ovina Gmelin, 1791.	Philippines, Cebu (province), Mactan (island), Punta Engaño.	€ 2,80
Haliotis ovina Gmelin, 1791.	Thailand, Changwat Phuket (province), Phuket (island).	€ 1,50 t/m € 3,50
Haliotis patamakanthini Dekker, Regter & Gras, 2001.	Thailand, Changwat Phuket (province), Phuket (island).	€ 1,00 t/m € 2,00
Haliotis planata G.B. Sowerby II, 1882.	Thailand, Changwat Phuket (province), Phuket (island).	€ 1,50 t/m € 2,00
Haliotis pustulata Reeve, 1846.	Mozambique. East Africa. Indian Ocean. Under rocks.	€ 2,00
Haliotis roei Gray, 1826.	Australia.	€ 4,00
Haliotis scalaris emmae Reeve, 1846.	Australia, South Australia, Port Lincoln. On reef, low tide, under rocks.	€ 3,00
Haliotis squamata Reeve, 1846.	Australia, Western Australia, Pilbara (region), Point Samson.	€ 1,80
Haliotis squamata Reeve, 1846.	Australia, Western Australia, Port Hedland. Low tide.	€ 3,50
Haliotis squamosa Gray, 1826.	Australia, Western Australia.	€ 12,50
Haliotis tuberculata tuberculata L., 1758.	France, Brittany.	€ 9,50
Haliotis tuberculata tuberculata L., 1758.	Southeast Spain, San José.	€ 0,50 t/m € 1,00
Haliotis varia L., 1758.	Sri Lanka, Eastern Province, Trincomalee, Dutch Point.	€ 1,00
Haliotis varia L., 1758.	Australia, Western Australia, Pilbara (region), Point Samson. Litoral.	€ 2,00

Haliotis varia L., 1758.

Hamineidae

Atys cylindricus (Helbling, 1779).

Atys cylindricus (Helbling, 1779).

Atys naucum (L., 1758).

Atys naucum (L., 1758).

Atys naucum (L., 1758).

Harpidae

Harpa amouretta f. *crassa* Krauss, 1818.

Harpa amouretta f. *crassa* Krauss, 1818.

Harpa amouretta Röding, 1798.

Harpa amouretta Röding, 1798.

Harpa amouretta Röding, 1798.

Harpa amouretta Röding, 1798.

Harpa amouretta Röding, 1798.

Harpa amouretta Röding, 1798.

Harpa articularis Lamarck, 1822.

Harpa articularis Lamarck, 1822.

Harpa articularis Lamarck, 1822.

Harpa articularis Lamarck, 1822.

Harpa articularis Lamarck, 1822.

Harpa articularis Lamarck, 1822.

Harpa cabriti Lamarck, 1816.

Harpa cabriti Lamarck, 1816. Special colour.

Harpa cabriti Lamarck, 1816.

Harpa cabriti Lamarck, 1816.

Harpa cabriti Lamarck, 1816.

Harpa cabriti Lamarck, 1816.

Harpa cabriti Lamarck, 1816.

Morum cancellatum (Sowerby, 1824).

Harpa davidis Röding, 1798.

Harpa davidis Röding, 1798.

Harpa doris Röding, 1798.

Harpa doris Röding, 1798.

Thailand, Changwat Phuket (province), Phuket (island).

Philippines, Bohol (province), Calituban Island, night dive, 20-25 m deep. 15 mm

Philippines.

Philippines, Luzon, Tayabas Bay. From fisherman. 18 mm - 20 mm

Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.

Philippines, Visayas (region), Samar (island).

Tanzania, Zanzibar, Uroa. East Africa. Indian Ocean. On sand.

Tanzania, Zanzibar. East Africa. Indian Ocean.

Philippines, Sulu Archipelago, Jolo (island). Sulu Sea. 45 mm

Seychelles, W. coast Mahé Island, Anse Boilean Bay. Low tide, muddy sand.

Tanzania, Zanzibar, Kizimkazi. Low tide, in sandpockets.

Philippines, Central Visayas (region), Bohol (island).

Madagascar, Toliara (Tulear). East Africa. Indian Ocean. From fishermen.

Kenya, Mombasa. East Africa. Diving, low tide, 1-3 metres deep.

Thailand, Changwat Phuket (province), Phuket (island).

Philippines, Cebu (province), Olanga Island. Night dive, 8-15 metres deep.

Philippines, Mindanao (island), Zamboanga.

Philippines, Bicol Region, Masbate Island.

Indonesia, Greater Sunda Islands, East Java (province), Madura Island.

Philippines, Luzon (island), Manila Bay.

Madagascar, Anosy Region, Fort Dauphin. East Africa. Indian Ocean.

Madagascar Island. East Africa. Indian Ocean.

Kenya, near Mombasa. East Africa. Indian Ocean.

Tanzania, Zanzibar. East Africa. Indian Ocean.

Madagascar, Toliara (Tulear) region. East Africa. Collected by local.

Tanzania, Zanzibar, Unguja South Region, Uroa Beach. Local fisherman.

Japan, Honshu (island), Wakayama Prefecture, Nada. 5-20 fathoms deep.

Taiwan. East China Sea.

India, Tamil Nadu (state), Cuddalore. Bay of Bengal. Collected by a diver.

India, Tamil Nadu (state), Tuticorin. Trawled by local fisherman.

Senegal. West Africa. Atlantic Ocean.

Cape Verde, in strait between Santo Antão and Santo Vicente. Fished.

Price Range

€ 1,00 t/m € 2,00

€ 7,50

€ 0,80

€ 2,00

€ 3,50

€ 1,30 t/m € 3,30

€ 3,50

€ 3,50

€ 3,80 t/m € 4,50

€ 3,50

€ 4,00

€ 1,50 t/m € 3,00

€ 2,50

€ 2,50 t/m € 3,00

€ 3,50

€ 1,50

€ 7,50

€ 2,75

€ 3,50

€ 3,80

€ 2,50 t/m € 8,50

€ 7,50

€ 9,00

€ 10,00

€ 9,00 t/m € 12,50

€ 5,00 t/m € 7,00

€ 4,00

€ 6,50

€ 8,50

€ 9,00

€ 7,00

€ 6,50

		Price Range
Morum grande (A. Adams, 1855).	Taiwan Channel.	€ 7,50
Morum grande (A. Adams, 1855).	Australia, Queensland, Moreton Island, Cape Moreton.	€ 10,00
Morum grande (A. Adams, 1855).	Philippines, N. Mindanao, N. of Dipolog, Aliguay Island. 340 metres deep. 55 mm	€ 17,00
Morum grande (A. Adams, 1855).	Taiwan, south-west. East China Sea.	€ 10,00 t/m € 19,00
Morum grande (A. Adams, 1855).	Japan, southern Japan.	€ 16,00
Morum grande (A. Adams, 1855).	Philippines.	€ 8,00
Harpa harpa L., 1758.	Philippines, Siasi Island, Laminusa Island. Sulu Sea. From divers, shallow 42 mm	€ 10,00
Harpa harpa L., 1758.	Philippines, Mindanao (island), Zamboanga.	€ 8,00
Harpa harpa L., 1758.	Indonesia, Moluccas Islands, Banda Sea.	€ 5,00 t/m € 8,00
Harpa harpa L., 1758.		€ 9,50
Harpa harpa L., 1758.	Philippines, Batayan Island. Found by diver on reef, 10 metres deep.	€ 8,00
Harpa harpa L., 1758.	Philippines, Sulu (province), Siasi. Sulu Sea. During low tide in sand.	€ 10,00
Harpa harpa L., 1758.	Philippines, Bicol Region, Masbate Island.	€ 10,00
Harpa harpa L., 1758.	Philippines, Sulu (province), Siasi Island. Sulu Sea.	€ 7,50
Morum kurzi Petuch, 1979.	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 2,50
Harpa major Röding, 1798.	Philippines, Mindanao (island), Zamboanga.	€ 7,00
Harpa major Röding, 1798.	Taiwan. East China Sea.	€ 2,50
Harpa major Röding, 1798.	Madagascar, Toliara (Tulear), south-west coast. In shallow water.	€ 4,50 t/m € 6,50
Harpa major Röding, 1798.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 2,00 t/m € 5,00
Morum oniscus (L., 1767).	Dominican Republic, Puerto Plata province, Playa Dorada. Dead.	€ 0,80
Morum oniscus (L., 1767).	Bahamas, New Providence, Lyford Cay. Dead on beach.	€ 0,70
Morum oniscus (L., 1767).	USA, Florida, off Miami, Fingerchannels. 1-3 feet, in sand, seaweed.	€ 2,00
Morum tuberculosum (Reeve, 1842).	Mexico, Baja California Sur, Mulegé. Gulf of California. Dead, littoral.	€ 4,00
Morum tuberculosum (Reeve, 1842).	Panama, Gobernadora Island, extreme low tide in muddy sand.	€ 7,50
Morum watanabei Kosuge, 1981.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 5,00
Hemidonacidae		
Hemidonax pictus (Tyron, 1870).	Australia, Central Queensland. Trawled.	€ 2,50
Hiatellidae		
Panopea abbreviata Valenciennes, 1839.	Argentina, Rio Negro Province, San Antonio Este. Dived at 10 metres, By extraction bomb, buried in sand.	€ 10,00
Hipponicidae		
Hipponix subrufus subrufus (Lamarck, 1819).	Aruba, Lesser Antilles Islands.	€ 2,00
Hydatinidae		
Hydatina albocincta (v.d. Hoeven, 1839).	Philippines.	€ 6,25

		Price Range
Hydatina albocincta (v.d. Hoeven, 1839).	Philippines, Mindanao (island), Zamboanga.	€ 5,00
Hydatina amplustre (L., 1758).	Madagascar, Anosy Region, Tôlanaro (Fort Dauphin). Indian Ocean.	€ 4,50
Hydatina amplustre (L., 1758).	Madagascar, Anosy Region, Tôlanaro (Fort Dauphin). Indian Ocean.	€ 9,50
Hydatina physis (L., 1758).	Philippines, Visayas (region), Samar (island).	€ 2,50 t/m € 3,50
Hydrobiidae		
Hydrobia acuta (Draparnaud, 1805).	Tunisia. Gulf of Tunis, Mediterranean Sea.	€ 0,50
Hydrobia ulvae (Pennant, 1777).	The Netherlands, Zeeland, Schouwen, Koudekerke.	€ 0,50
Hydrobia ulvae (Pennant, 1777).	The Netherlands, Schiermonnikoog. Paal 2.	€ 0,80
Hydrobia ulvae (Pennant, 1777).	The Netherlands, Groningen, Delfzijl, Eemshaven, Spoelhoek I.	€ 2,50
Isognomonidae		
Isognomon isognomon (L., 1758).	Thailand, Changwat Phuket (province), Phuket (island).	€ 3,00
Isognomon isognomon (L., 1758).	Thailand, Changwat Phuket (province), Phuket (island).	€ 1,00 t/m € 2,00
Janthinidae		
Janthina globosa Swainson, 1822.	Australia.	€ 1,50
Janthina globosa Swainson, 1822.		€ 4,00
Janthina janthina (L., 1758).	Kenya, Mombasa, Lyali beach. East Africa. Live by low water line.	€ 3,00 t/m € 5,00
Janthina janthina (L., 1758).	South Africa, Jeffrey's Bay.	€ 0,50
Janthina janthina (L., 1758).	South Africa, Cape Province, False Bay, between Muizenberg and Fishoek.	€ 3,00 t/m € 4,50
Janthina janthina (L., 1758).	Madagascar, Sainte-Marie. East side of island. East Africa. Indian Ocean.	€ 2,00
Janthina janthina (L., 1758).		€ 2,50
Janthina janthina (L., 1758).	Kenya, Mombasa, Lagoon Reef, Diana Beach. Collected live.	€ 3,00 t/m € 5,00
Janthina janthina (L., 1758).	Australia.	€ 3,30
Janthina janthina (L., 1758).	Australia, W.A., Cape Leeuwin, Augusta, washed ashore after storms.	€ 6,50
Janthina pallida Harvey in Thompson, 1840.	Thailand, Ko Samui. Gulf of Thailand.	€ 1,00 t/m € 2,00
Lamellariidae		
Velutina velutina (O.F. Müller, 1776).	France, Brittany, Saint-Jacut-de-la-Mer. Off shore.	€ 2,00
Velutina velutina (O.F. Müller, 1776).	France, Vildé-la-Mavine. In tide line.	€ 1,00
Velutina velutina (O.F. Müller, 1776).	France, Brittany, Les Rosaires.	€ 0,40
Lasaeidae		
Lasaea rubra (Montagu, 1803).	France, Brittany, Ille-et-Vilaine (departement), Dinard.	€ 1,80
Laternulidae		
Laternula anatina (L., 1758).	Australia, Western Australia, Broome. Dead on mudflats.	€ 6,00
Limidae		
Limaria hians (Gmelin, 1791).	Southern France, Banyuls.	€ 1,80 t/m € 3,80

Lima lima (L., 1758).
 Lima lima (L., 1758).
 Lima lima (L., 1758).
 Acesta rathbuni (Bartsch, 1913).
 Lima scabra (Born, 1778).
 Lima scabra f. tenera Sowerby, 1843.
 Lima vulgaris (Link, 1807).
 Lima vulgaris (Link, 1807).

Limopsidae

Limopsis tokaiensis Yokoyama, 1910.
 Limopsis tokaiensis Yokoyama, 1910.

Littorinidae

Littorina brevicula (Philippi, 1844).
 Tectarius coronatus Valenciennes, 1832.
 Tectarius coronatus Valenciennes, 1832.
 Echininus cumingi spinulosus (Philippi, 1847).
 Echininus cumingi spinulosus (Philippi, 1847).
 Littorina fasciata Gray, 1839.
 Littorina littorea (L., 1758).
 Littorina littorea (L., 1758).
 Littorina littorea (L., 1758).
 Littorina littorea (L., 1758).
 Nodilittorina millegrana (Philippi, 1848).
 Nodilittorina millegrana (Philippi, 1848).
 Tectarius muricatus (L., 1758).
 Tectarius muricatus (L., 1758).
 Tectarius muricatus (L., 1758).
 Tectarius muricatus (L., 1758).
 Bembicium nanum (Lamarck, 1822).
 Bembicium nanum (Lamarck, 1822).
 Echininus nodulosus (Pfeiffer, 1839).
 Littorina obtusata f. citrina Dautzenberg & Fischer, 1915.
 Littorina obtusata (L., 1758).
 Littorina obtusata f. olivacea Dautzenberg & Fischer, 1915.
 Littorina obtusata f. olivacea Dautzenberg & Fischer, 1915.

Thailand, Phuket (island), Raya Island. 25-30 metres deep. € 1,00 t/m € 2,80
 Tunisia, Jendouba Governorate, Tabarka. Harbour head, under stones. € 1,50
 Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep. € 1,00 t/m € 4,50
 Philippines, Central Visayas (region), Cebu (island). € 6,00
 The Grenadines Islands, Windward Islands, Caribbean. € 0,80 t/m € 1,80
 USA, Florida. € 2,00
 Japan, Honshu (island), Chiba Prefecture, Bōsō Peninsula. 20 metres deep. € 3,00
 Philippines, Central Visayas (region), Bohol (island). € 6,50 t/m € 10,00

Japan, Honshu (island), Aichi Prefecture, Mikawa. 50-80 fathoms deep. € 1,50
 Japan, Honshu (island), Aichi pref., off Mikawa. 80-100 fathoms deep. € 1,30

Japan, Honshu (island), Mei Prefecture, Toba. € 0,70
 Philippines, Central Visayas (region), Bohol (island). € 1,50
 Philippines. € 1,30
 Philippines, Central Visayas (region), Cebu (island). € 0,80
 Philippines, Sulu Archipelago, Siasi Island. Sulu Sea. € 0,20
 Panama, Gulf of Panamá, San Carlos. On mangrove roots. € 0,50
 France, Brittany. € 0,25
 France, Brittany, Côtes-d'Armor (department), Erquy. € 0,50
 The Netherlands, Zeeland, Yerseke. € 0,30
 France, Brittany. € 1,00
 Japan, Aitsu. € 0,10
 Japan, Honshu (island), Wakayama Prefecture, Shirahama. € 0,20
 USA, Florida, Caribbean. € 0,50
 Bahamas, Green Turtle Cay (island). € 0,70
 Panama, Isla Margarita (Colon), live on stones & mangroves. € 0,70
 USA, Florida, Key Largo, Harris Harris Park. On rocks. € 0,40
 Australia, Queensland, Gladstone Region, Agnes Waters. € 0,50
 Australia, Queensland, Great Keppel Island. € 40,00
 USA, Florida, Fishing Pier, Boca Raton, Dear Field Beach. € 0,50
 France, Brittany, Saint-Jacut-de-la-Mer. € 0,30
 France, Brittany, Saint-Jacut-de-la-Mer. € 0,30
 France, Brittany, Quiberon, Pointe du Conguel. Intertidal. 7 mm € 0,80
 France, Brittany, Les Rosaires. € 0,30

Price Range

		Price Range
Tectarius pagodus (L., 1758).	Indonesia, Greater Sundra Islands, East Java (province), Madura Island.	€ 2,00 t/m € 3,00
Littoraria pallescens (Philippi, 1846).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,00
Lacuna pallidula (da Costa, 1778).	France, Brittany, Saint-Malo.	€ 1,30
Littorina planaxis Philippi, 1847.	Mexico. Gulf of California, Punta Banda.	€ 0,30
Littorina punctata (Gmelin, 1791).	Spain, Valencian Community, Province of Alicante, Alicante.	€ 0,30
Littorina punctata (Gmelin, 1791).	Morocco, Marrakesh-Tensift-El Haouz, Essaouira.	€ 0,10
Nodilittorina pyramidalis (Quoy & Gaimard, 1833).	Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.	€ 1,80
Littorina saxatilis (Olivi, 1792).	France, Brittany, Côtes-d'Armor (department), Tréburden.	€ 0,20
Littorina saxatilis (Olivi, 1792).	France, Brittany, Côtes-d'Armor (department), Erquy.	€ 0,30
Littorina saxatilis (Olivi, 1792).	France, Brittany, Saint-Jacut-de-la-Mer.	€ 0,20
Littorina saxatilis (Olivi, 1792).	The Netherlands, Zeeland, Tholen.	€ 0,20
Littorina saxatilis (Olivi, 1792).	France, Charente-Maritime (department), Fouras.	€ 0,20
Littorina saxatilis (Olivi, 1792).	France, Brittany, Saint-Jacut-de-la-Mer.	€ 0,20
Littorina scabra angulifera (Lamarck, 1822).	Panama, Isla Margarita (Colon), Caribbean, live on mangroves.	€ 0,40
Littorina scabra scabra (L., 1758).	Indonesia, West Papua (province), Manokwari.	€ 1,00
Littorina scabra scabra (L., 1758).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,00
Littorina scabra scabra (L., 1758).	Tanzania, Zanzibar. East Africa. Indian Ocean.	€ 0,60
Littorina sitkana Philippi, 1846.	S.E. Alaska, Baranof Island, W. Sitka, W. Japonsky Island. 1.6' tide.	€ 1,50
Nodilittorina tuberculata (Menke, 1828).	The Grenadines Islands, Windward Islands, Caribbean.	€ 0,80 t/m € 1,80
Littorina unifasciata unifasciata Gray, 1826.	Australia, New South Wales, Sydney, Clovelly.	€ 1,00
Littorina ziczac (Gmelin, 1791).	The Grenadines Islands, Windward Islands, Caribbean.	€ 1,50
Lottiidae		
Patelloida saccharina (L., 1758).	Japan, Honshu (island), Wakayama Prefecture, Nada. At low tide.	€ 0,30
Patelloida saccharina (L., 1758).	Philippines.	€ 0,30
Lucinidae		
Anodontia alba Link, 1807.	USA, Florida.	€ 1,00
Anodontia alba Link, 1807.	Aruba, Malmok, Lesser Antilles Islands, between seaweed and sand.	€ 1,30
Loripes clausus (Philippi, 1894).	South Africa, Mosselbaai.	€ 0,70
Loripes clausus (Philippi, 1894).	South Africa, Western Cape Province, Plettenberg Bay.	€ 1,20
Divaricella dentata (Wood, 1815).	Jamaica, Ocho Rios.	€ 2,00 t/m € 2,50
Anodontia edentula (L., 1758).	Mauritius, Ile aux Cerfs. Indian Ocean.	€ 1,50
Anodontia edentula (L., 1758).	Thailand, Changwat Phuket (province), Phuket (island).	€ 3,00
Loripes lucinalis (Lamarck, 1818).	France, Brittany, Saint-Jacut-de-la-Mer.	€ 0,20
Loripes lucinalis (Lamarck, 1818).	Tunisia, Monastir.	€ 0,30
Codakia orbicularis (L., 1758).	USA, Florida, Key West.	€ 2,00 t/m € 2,50

		Price Range
Codakia paytenorum (Iredale, 1937).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,50 t/m € 2,50
Lucina pectinata (Gmelin, 1791).	USA, Florida, Gulf of Mexico, Sanibel Island.	€ 3,00
Lucina pectinata (Gmelin, 1791).	Venezuela, Isla Margarita.	€ 1,00
Lucina pectinata (Gmelin, 1791).	East Mexico, Yucatan, Mujeres Island. Dived, 5 m, muddy sand.	€ 5,50
Linga pensylvanica (L., 1758).	Bahamas, Eleuthera Island.	€ 1,00 t/m € 2,00
Linga pensylvanica (L., 1758).	USA, Florida, Gulf of Mexico, Sanibel Island.	€ 0,80
Linga pensylvanica (L., 1758).	USA, Florida, Upper Harbour Key.	€ 1,70
Linga pensylvanica (L., 1758).	Bahamas, Green Turtle Cay (island).	€ 1,30 t/m € 1,80
Linga pensylvanica (L., 1758).	Bahamas, Green Turtle Cay (island).	€ 1,30 t/m € 1,80
Linga pensylvanica (L., 1758).	The Grenadines Islands, Windward Islands, Caribbean.	€ 1,00 t/m € 1,30
Codakia punctata (L., 1758).	Australia, Queensland. Northern coast.	€ 1,80
Codakia tigerina (L., 1758).	Tanzania, Zanzibar. East Africa. Indian Ocean.	€ 0,80 t/m € 1,00
Codakia tigerina (L., 1758).	Solomon Islands. Pacific Ocean.	€ 2,50
Codakia tigerina (L., 1758).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,00 t/m € 3,00
Codakia tigerina (L., 1758).	Kenya, Mombasa Reef. East Africa. Indian Ocean.	€ 0,80
Mactridae		
Spisula aequilateralis (Deshayes, 1854).	New Zealand, North Island, Nelson Beach.	€ 2,50
Mactra antecedens Iredale, 1930.	Australia, New South Wales, south of Sydney, Cronulla.	€ 1,60
Mactra australis Lamarck, 1819.	Australia, South Australia, Point Sinclair.	€ 1,30
Mactra australis Lamarck, 1819.	Australia, South Australia, Adelaide.	€ 1,30
Mactra cumingii Reeve, 1854.	Australia, W.A., Fremantle, Cockburn Sound. 25 metres deep.	€ 5,00
Rangia cuneata (Sowerby, 1831).	USA, North Carolina. Atlantic Ocean.	€ 3,50
Rangia cuneata (Sowerby, 1831).	USA, Florida.	€ 3,00
Spisula discors (Gray, 1837).	New Zealand, Auckland, off Long Bay. On beach after storm.	€ 3,00
Longimactra elongata (Quoy & Gaimard, 1835).	New Zealand, Auckland, Waiheke Island, Oneroa Beach. In sand. 95 mm	€ 7,50
Mactrotoma explanata (Reeve, 1854).	Australia, Queensland, Cardwell.	€ 1,00 t/m € 2,00
Mactra fragilis Gmelin, 1791.	Venezuela, Isla Margarita, Guayacancito.	€ 1,00
Mactra fragilis Gmelin, 1791.	Venezuela, Margarita Island, Porlamar region. Scuba, 3 metres deep. 37 mm	€ 3,00
Mactra glabrata L., 1767.	Cape Verde, Santiago, Tarrafal Bay. About 8 m deep on sand.	€ 1,50
Mactra glauca (Born, 1778).	France, Brittany, near Ploubazlanec. In sand at low tide. 80 mm - 95 mm	€ 4,00 t/m € 7,00
Mactra glauca (Born, 1778).	France, Brittany, Côtes-d'Armor (department), Tréburden.	€ 3,00 t/m € 7,00
Mactra isabelleana Orbigny, 1846.	Uruguay, La Coronilla.	€ 2,00
Mactra isabelleana Orbigny, 1846.	Argentina, Chubut, Golfo San Marias. Dived at 5 metres on sand.	€ 1,30
Mactra lilacea Lamarck, 1818.	N. Oman, Batinah coast. In sand in shallow water.	€ 1,30
Mactra lilacea Lamarck, 1818.	Egypt, South Sinai, Dahab. Gulf of Aqaba.	€ 1,00

		Price Range
Mactra lilacea Lamarck, 1818.	Egypt, Dahab, Sinai, 80 km N. of Sharm El Sheikh. Live, sand, littoral.	€ 0,80
Mactra lilacea Lamarck, 1818.	Egypt, Ras Gemsa. Red Sea.	€ 2,00
Mactra lilacea Lamarck, 1818.	Egypt, South Sinai, Dahab. Gulf of Aqaba. Shallow water, on muddy bottom.	€ 2,00
Lutraria lutraria (L., 1758).	France, Brittany, Saint-Jacut-de-la-Mer.	€ 2,50
Lutraria lutraria (L., 1758).	S. Portugal, Algarve (region), S. of Lagos, Maya Playa. On beach.	€ 0,50 t/m € 0,80
Lutraria lutraria (L., 1758).	France, Brittany, Morbihan (department), Carnac.	€ 1,30
Lutraria lutraria (L., 1758).	France, Brittany, Côtes-d'Armor (department), Tréburden.	€ 3,00
Mactra luzonica Reeve, 1854.	Thailand, Krabi Province, Koh Lanta Yai (island), Koa Kwang Beach.	€ 0,50 t/m € 0,80
Mactra luzonica Reeve, 1854.	Thailand, Changwat Phuket (province), Phuket (island), Chalong Bay.	€ 0,50
Mactra luzonica Reeve, 1854.	Gulf of Thailand, Ban Hua Hin.	€ 0,80
Mactra luzonica Reeve, 1854.	Malaysia, Terengganu (state), Merang.	€ 1,00
Tresus nuttalli Conrad, 1837.	USA, California, Ventura County, Mugu Bay.	€ 2,50
Mactra olorina Philippi, 1846.	Egypt, South Sinai, Dahab. Gulf of Aqaba. Shallow water, in mud.	€ 1,30
Mactra olorina Philippi, 1846.	Australia, Western Australia, Port Hedland. Dead on beach.	€ 2,00 t/m € 3,50
Mactra pura Reeve, 1854.	Australia, South Australia, Port Adelaide.	€ 2,00
Mactra pura Reeve, 1854.	Australia, Western Australia, Dunsborough. In sand, 30 feet deep.	€ 1,80
Lutraria rhynchaena Jonas, 1844.	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 2,00
Mactra rufescens Lamarck, 1819.	Australia, Tasmania, Stanley, intertidal, in sand.	€ 1,80 t/m € 2,30
Mactra rufescens Lamarck, 1819.	Australia, N.S.W., Twofold Bay, Boyds Beach. Collected on the beach.	€ 3,00
Spisula solida (L., 1758).	The Netherlands, Texel Island. Near the coast.	€ 0,80
Spisula solida (L., 1758).	North Sea, Terschelling Vuurschip, HD7.	€ 0,80
Spisula solida (L., 1758).	France, Brittany, Saint-Lunaire.	€ 0,50
Spisula solidissima (Dillwyn, 1817).	USA, New Jersey, Monmouth County, Middletown Township, Sandy Hook.	€ 2,00 t/m € 3,00
Spisula solidissima (Dillwyn, 1817).	USA, Massachusetts, Swampscott. Atlantic Ocean.	€ 5,00 t/m € 8,00
Mactra stultorum (L., 1758).	Spain, Province of Málaga, Fuengirola. Fishery.	€ 0,20
Mactra stultorum (L., 1758).	Greece, Marathón beach. 1-1½ metres deep.	€ 0,30
Mactra stultorum (L., 1758).	France, Brittany, Les Rosaires.	€ 0,80
Mactra stultorum (L., 1758).	France, Brittany, Finistère (department), Point Penmarc'h.	€ 0,40 t/m € 0,50
Spisula subtruncata (da Costa, 1778).	Belgium, Westende-Bad. North Sea. In tidal pools, low tide, in heavy wind.	€ 0,25
Spisula subtruncata (da Costa, 1778).	The Netherlands, Scheveningen.	€ 0,40
Spisula subtruncata (da Costa, 1778).	The Netherlands, Schiermonnikoog. Paal 15.	€ 0,30
Spisula trigonella (Lamarck, 1819).	Australia, Western Australia, Swan River.	€ 1,00
Malleidae		
Malleus albus Lamarck, 1819.	Philippines.	€ 3,00
Malleus malleus (L., 1758).	Philippines.	€ 1,00 t/m € 3,50

Vulsella minor Röding, 1798.

Marginellidae

Glabella adansonii (Kiener, 1834).

Bullata analucia de Souza & Coover, 2001.

Cryptospira angustata (Sowerby, 1846).

Cryptospira angustata (Sowerby, 1846).

Cryptospira angustata (Sowerby, 1846).

Cryptospira angustata (Sowerby, 1846).

Cryptospira angustata (Sowerby, 1846).

Prunum apicinum (Menke, 1828).

Prunum apicinum (Menke, 1828).

Volvarina avena (Kiener, 1834).

Bullata bullata (Born, 1778).

Bullata bullata (Born, 1778).

Bullata bullata (Born, 1778).

Bullata bullata (Born, 1778).

Marginella desjardini Marche-Marchad, 1957.

Marginella desjardini Marche-Marchad, 1957.

Marginella desjardini Marche-Marchad, 1957.

Marginella desjardini Marche-Marchad, 1957.

Cryptospira elegans (Gmelin, 1791).

Marginella glabella (L., 1758).

Marginella glabella (L., 1758).

Marginella glabella (L., 1758).

Marginella glabella (L., 1758).

Marginella glabella (L., 1758). B quality.

Marginella glabella (L., 1758).

Marginella goodalli Sowerby, 1825.

Prunum guttatum (Dillwyn, 1817).

Prunum guttatum (Dillwyn, 1817).

Marginella helmetina Rang, 1832.

Marginella irrorata Menke, 1828.

Bullata largillieri (Kiener, 1841).

Bullata lilacina (Sowerby, 1846).

Bullata lilacina (Sowerby, 1846).

Australia, New South Wales, Shoalhaven City, Ulladulla.

Senegal, Dakar Region, Dakar, Hann Bay (beach). West Africa.

Brazil, Espirito Santo (state), off Vitória. Trawled, 45 metres deep.

Sri Lanka.

Singapore.

India, Tamil Nadu (state), Rameswaram. Gulf of Mannar.

Singapore.

Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.

USA, Florida.

Caribbean Islands.

Panama, Bay of Porto Bello.

Brazil, Bahai (state), off Itaparica. Atlantic Ocean. On octopus hole.

Brazil, Bahai (state), Staparica Island. Atlantic Ocean.

Brazil, Bahai (state), off Itaparica. Atlantic Ocean.

Brazil. Atlantic Ocean.

Senegal. West Africa. Atlantic Ocean. 100 metres deep.

Ivory Coast, Lagunes Region, Abidjan. Bought from local fisherman.

Senegal. West Africa. Atlantic Ocean.

Senegal. West Africa. Atlantic Ocean.

Thailand, Changwat Phuket (province), Phuket (island).

Spain, Canary Islands, Fuerteventura, Cortilla. Between rocks.

Senegal, Dakar Region, Dakar, Bay of Gorée. West Africa. 10 metres deep.

Senegal, Casamance. West Africa. Atlantic Ocean.

Spain, Canary Islands.

Senegal, Casamance. West Africa. Atlantic Ocean.

Senegal, N'Gor. West Africa. Atlantic Ocean.

West Africa.

Venezuela, Falcón, Paraguaná Peninsula.

USA, Florida, Big Pine Key.

Solomon Islands, Malaita (island), Ata'a (village). Pacific Ocean.

Senegal, Petite Côte, near Dakar. West Africa. Trawled at 30 metres.

Brazil, Espirito Santo (state), off Vitória. Trawled, 45 metres deep.

Brazil, Rio Grande do Norte, off Natal. On sand, 6 metres deep.

Brazil, Ceará, Camocim. Collected on octopus pots at 20-25 metres deep.

Price Range

€ 2,50

€ 3,50 t/m € 6,50

€ 8,50

€ 3,50

€ 2,00

€ 1,50 t/m € 4,00

€ 4,50

€ 1,30

€ 1,30

€ 0,50

€ 1,80

€ 5,00

€ 11,00

€ 7,50

€ 6,00

€ 15,00

€ 5,00

€ 6,50

€ 3,80 t/m € 11,50

€ 6,00 t/m € 8,00

€ 3,00 t/m € 4,00

€ 5,50

€ 2,50

€ 4,50

€ 1,00

€ 3,80

€ 5,00

€ 2,00

€ 2,00

€ 3,50

€ 8,50

€ 8,50

€ 5,00

€ 4,25

		Price Range
Cryptospira mabellae (Melvill & Standen, 1901).	India, Tamil Nadu (state), Tuticorin.	€ 3,00
Prunum marginata (Born, 1778).	Caribbean Sea.	€ 1,50 t/m € 2,00
Prunum marginata (Born, 1778).	Aruba, Malmok, Lesser Antilles Islands.	€ 2,30
Bullata matthewsi van Mol & Tursch, 1967.	Brazil, Ceará, Camocim. Collected on octopus at 25-35 metres.	€ 4,00
Gibberula miliaria (L., 1758).	Spain, Andalusia (region), Province of Málaga, Marbella, Calypso.	€ 1,50
Marginella nebulosa (Röding, 1798).	South Africa.	€ 10,00
Marginella ornata Redfield, 1870.	South Africa, Ciskei.	€ 4,50
Afrivoluta pringlei Tomlin, 1947.	South Africa.	€ 30,00
Glabella pseudofaba (Sowerby, 1846).	Senegal, Dakar Region, off Dakar. West Africa. Dived.	€ 14,00
Marginella rosea Lamarck, 1822.	South Africa, Western Cape, Cape Agulhas. Fished.	€ 3,00
Marginella rosea Lamarck, 1822.	South Africa, Eastern False Bay, Cape Hangklip. In sand at low water.	€ 6,00
Prunum sapotilla (Hinds, 1844).	Panama. Pacific Ocean.	€ 1,50
Prunum sapotilla (Hinds, 1844).	Venezuela, Caracas (provincie), Calabozo (stad).	€ 0,50
Marginella sebastiani Marche & Rosso, 1979.	Senegal. West Africa. Atlantic Ocean. 100 metres deep.	€ 15,00
Marginella sebastiani Marche & Rosso, 1979.	Senegal. West Africa. Atlantic Ocean.	€ 5,00
Marginella sebastiani Marche & Rosso, 1979.	Senegal, Cayar. West Africa. Atlantic Ocean. 100 metres deep.	€ 6,50
Marginella sebastiani Marche & Rosso, 1979.	Senegal, Thiès Region, Kayar. West Africa.	€ 3,80 t/m € 4,80
Marginella sebastiani Marche & Rosso, 1979.	Senegal, Dakar Region, Dakar, Gorée Island. West Africa. Atlantic Ocean.	€ 15,00
Cryptospira strigata (Dillwyn, 1817).	Malaysia, Langkawi (archipelago), Langkawi Island, Tanjung Rhu.	€ 10,00
Cryptospira strigata (Dillwyn, 1817).	Singapore.	€ 3,50
Cryptospira tricincta (Hinds, 1844).	Thailand, Changwat Prachuap Khiri Khan, Ban Hua Hin. Gulf of Thailand.	€ 2,50
Cryptospira tricincta (Hinds, 1844).	Indian Ocean.	€ 2,00
Cryptospira tricincta (Hinds, 1844).	Taiwan. East China Sea.	€ 2,00
Cryptospira ventricosa (von Waldheim, 1807).	Indonesia, Greater Sunda Islands, East Java (province), Madura Island.	€ 2,50
Cryptospira ventricosa (von Waldheim, 1807).	Singapore.	€ 1,00
Cryptospira ventricosa (von Waldheim, 1807).	Malaysia, Langkawi (archipelago), Langkawi Island. Andaman Sea.	€ 2,00
Melongenidae		
Syrinx aruanus (L., 1758).	Australia. Off northern coast. Arafura Sea.	€ 35,00 t/m € 115,00
Busycon carica eliceans (Montfort, 1810).	USA, Florida.	€ 4,50 t/m € 7,50
Pugilina cochlidium (L., 1758).	India, Tamil Nadu (state), Madras [Chennai].	€ 4,00
Pugilina cochlidium (L., 1758).	Sri Lanka, Southern Province, Koggala.	€ 1,50
Pugilina cochlidium (L., 1758).	Philippines.	€ 4,00
Pugilina cochlidium (L., 1758).	Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.	€ 1,80
Busycon contrarium (Conrad, 1840).	USA, Florida, Marco Island. Low tide on mud flat.	€ 3,50 t/m € 4,50
Busycon contrarium (Conrad, 1840). Juvenile.	USA, Florida, Gulf of Mexico, Boca Grande.	€ 1,30 t/m € 1,80

		Price Range
Busycon contrarium (Conrad, 1840).	USA, Florida, Boca Ciega Bay. On grass flats in shallow water.	€ 2,00 t/m € 7,00
Melongena corona bicolor (Say, 1827).	USA, Florida, Miami. Minus tides, on exposed mud flats.	€ 0,80 t/m € 1,30
Melongena corona corona (Gmelin, 1791).	USA, Florida, Marco Island, minus low tide, sand and grass flats.	€ 5,00 t/m € 6,50
Melongena corona corona (Gmelin, 1791).	USA, Florida.	€ 0,75 t/m € 4,50
Melongena melongena (L., 1758).	Panama, San Blas Archipel, Rio Azucar, Caribbean, tide line.	€ 1,00 t/m € 1,80
Pugilina morio (L., 1758).	Brazil, Bahai (state), Itaparica. Atlantic Ocean.	€ 0,50 t/m € 1,50
Pugilina morio (L., 1758).	Senegal. West Africa. Atlantic Ocean.	€ 7,50
Pugilina morio (L., 1758).	Brazil, Alagoas, Maragogi. From a local fisherman.	€ 5,00
Pugilina morio (L., 1758).	Senegal, Bel Air. West Africa. 10 metres deep.	€ 7,50 t/m € 8,50
Volema myristica Röding, 1798.	Eritrea, off Massawa, Dahlak Archipelago. S. Red Sea.	€ 0,50 t/m € 1,00
Volema myristica Röding, 1798.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 0,50 t/m € 1,00
Volema paradisiaca Röding, 1798.	Tanzania, Zanzibar. East Africa. Indian Ocean	€ 0,50
Volema paradisiaca Röding, 1798.	Tanzania, Zanzibar. East Africa. Indian Ocean.	€ 0,40
Volema paradisiaca Röding, 1798.	Tanzania. East Africa. Indian Ocean.	€ 0,80
Volema paradisiaca nodosa (Lamarck, 1822).	Egypt, Safaga. Red Sea.	€ 1,30 t/m € 2,30
Melongena patula (Broderip & Sowerby, 1829).	Mexico, west coast. Pacific Ocean.	€ 22,50
Busycon spiratum (Lamarck, 1816).	USA, Florida, off Chokoloskee. On sand and mud flats, low tide.	€ 3,80 t/m € 5,50
Busycon spiratum (Lamarck, 1816).	USA, Florida, Marco Island. Mud flats.	€ 3,30
Busycon spiratum (Lamarck, 1816).	USA, Florida, off Chokoloskee. On sand and mud flats, low tide.	€ 4,00
Busycon spiratum (Lamarck, 1816).	USA, Florida, Gulf of Mexico, Sanibel Island. In sand.	€ 5,00
Hemifusus ternatanus (Gmelin, 1791).	Philippines.	€ 1,80 t/m € 3,80
Hemifusus ternatanus (Gmelin, 1791).	Indonesia, West Java (province).	€ 2,00 t/m € 3,00

Mesodesmatidae

Paphies australis (Gmelin, 1790).	New Zealand, North Island, Ninety Mile Beach.	€ 1,00 t/m € 2,50
Caecella chinensis Deshayes, 1855.	Japan, Honshu (island), Fukushima Prefecture, Tomioka.	€ 0,30
Paphies cuneata (Lamarck, 1818).	Australia, Queensland, Great Barrier Reef, Heron Island.	€ 1,80
Mesodesma donacium (Lamarck, 1818).	Chile, Tarapacá Region, Iquique, Playa Aguila.	€ 4,30
Mesodesma donacium (Lamarck, 1818).	Chile, Tarapacá Region, Iquique, Playa Aguila.	€ 6,00
Paphies elongata (Reeve, 1854).	South Australia, Henley Beach.	€ 1,30
Mesodesma mactroides Deshayes, 1854.	Argentina, Mar del Plata, Punta Mogotes. Dived, on sand, ebb.	€ 2,30
Paphies striata (Gmelin, 1791).	Philippines.	€ 0,20
Paphies striata (Gmelin, 1791).	Indonesia, West coast Sumatra, Padang.	€ 1,80
Paphies striata (Gmelin, 1791).	Indonesia, Bali (province), Bali (island).	€ 0,50
Paphies subtriangulata subtriangulata (Wood, 1828).	New Zealand, Auckland, Brown's Bay. Buried in sand, low tide.	€ 0,80 t/m € 1,30

Mitridae

		Price Range
Mitra acuminata Swainson, 1824.	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 2,00
Mitra ambigua Swainson, 1829.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 2,50 t/m € 5,00
Mitra aurantia (Gmelin, 1791).	South-west Pacific.	€ 2,00
Mitra aurantia (Gmelin, 1791).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,80
Ziba bacillum (Lamarck, 1811).	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 1,00
Mitra barbadensis Gmelin, 1791.	Brazil, Ceará (state), Camocim. Collected on octopus at 25-35 metres.	€ 3,50
Subcancilla calodinota (Berry, 1960).	Panama, Bay of Panama. Gulf of Panama. Dredged at 250 metres deep.	€ 5,00 t/m € 7,00
Mitra cardinalis (Gmelin, 1791).	Philippines.	€ 11,50
Mitra cardinalis (Gmelin, 1791).		€ 4,50
Mitra cardinalis (Gmelin, 1791).	Philippines.	€ 3,50
Neocancilla circula (Kiener, 1838).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 2,00
Neocancilla clathrus (Gmelin, 1791).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 2,00
Neocancilla clathrus (Gmelin, 1791).	Thailand, Phuket (island), Raya Island. 25-30 metres deep.	€ 1,80
Neocancilla clathrus (Gmelin, 1791).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 2,50
Mitra contracta Swainson, 1820.	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 2,50 t/m € 4,00
Mitra contracta Swainson, 1820.	Thailand, Changwat Phuket (province), Phuket (island).	€ 1,00
Imbricaria conularis (Lamarck, 1811).	Philippines.	€ 0,50
Mitra cornicula (L., 1758).	Cyprus, Polis, Latsi Beach. On stones, live.	€ 2,50
Pterygia crenulata (Gmelin, 1791).	Philippines, Sulu (province), Siasi. Sulu Sea. From fisherman. 16 mm	€ 2,50
Pterygia crenulata (Gmelin, 1791).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,00 t/m € 2,50
Pterygia crenulata (Gmelin, 1791).	Philippines, Cebu (province), Caubian Island. Dived, 15-20 m deep.	€ 5,00
Mitra cucumerina Lamarck, 1811.	Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.	€ 1,50 t/m € 2,50
Mitra cucumerina Lamarck, 1811.	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,30
Pterygia dactylus (L., 1767).	Philippines, Sulu (province), Siasi. Sulu Sea. From fisherman. 23 mm	€ 1,50 t/m € 2,50
Pterygia dactylus (L., 1767).	Indonesia, Greater Sunda Islands, East Java (province), Madura Island.	€ 1,50
Pterygia dactylus (L., 1767).	Philippines, Bicol Region, Masbate Island.	€ 2,00
Mitra decurtata Reeve, 1844.	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,50 t/m € 2,00
Mitra decurtata Reeve, 1844.	Taiwan, south-west. East China Sea.	€ 1,00
Scabricola desetangsii (Kiener, 1838).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,00
Mitra eremitarum Röding, 1798.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 0,50 t/m € 2,00
Mitra eremitarum Röding, 1798.	Philippines.	€ 1,00 t/m € 2,00
Mitra eremitarum Röding, 1798.	Philippines.	€ 1,80
Mitra eremitarum Röding, 1798.	Thailand, Changwat Phuket (province), Phuket (island).	€ 1,30 t/m € 1,80
Mitra eremitarum Röding, 1798.	Indonesia, Borneo, North Kalimantan, Palau Tarakan, Tarakan. Live.	€ 2,00
Subcancilla erythrogramma (Tomlin, 1931).	Panama, Cebaco Island. Pacific Ocean.	€ 4,50

		Price Range
Mitra fastigium	Reeve, 1845.	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep. € 2,50 t/m € 4,00
Mitra ferruginea	Lamarck, 1811.	Philippines, Bohol (province), Calituban Island. 20-25 m, night dive. 28 mm € 2,00 t/m € 3,00
Mitra ferruginea	Lamarck, 1811.	Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island. € 3,00
Cancilla filaris	(L., 1771).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep. € 1,50
Subcancilla flammea	(Quoy & Gaimard, 1833).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island. € 3,50
Mitra fraga	Quoy & Gaimard, 1833.	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep. € 2,00
Mitra fulvescens	Broderip, 1836.	Philippines, Cebu (province), Caubian Island. Dived, 15 m deep, on sand. € 7,50
Scabricola fusca	(Swainson, 1824).	Spain, Canary Islands, Fuerteventura, Morro Jable. Live, below water mark € 2,00
Mitra glabra	Swainson, 1821.	Australia, South Australia, Port Adelaide. € 3,00
Cancilla gloriola	Cernohorsky, 1970.	Philippines, Sulu Sea. Fished. € 4,00
Cancilla gloriola	Cernohorsky, 1970.	Philippines, Bohol (province), close to Panglao Island, Balicasag Island. € 3,00 t/m € 4,50
Mitra gracilefragum	Turner, 2007.	Philippines, Bohol (province), Calituban Island. Dived, 25-35 metres deep. € 4,00
Cancilla granatina	(Lamarck, 1811).	Philippines. € 2,00
Cancilla granatina	(Lamarck, 1811).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep. € 1,00 t/m € 2,00
Cancilla granatina	(Lamarck, 1811).	Philippines. € 1,00
Cancilla granatina	(Lamarck, 1811).	India, Tamil Nadu (state), off Madras [Chennai]. Trawled. € 2,50
Cancilla granatina	(Lamarck, 1811).	Indonesia, Flores (island), north of Maumere. Shallow, in sand. € 0,50 t/m € 1,00
Subcancilla hindsii	(Reeve, 1844).	Panama, Pearl Islands. Pacific Ocean. Under stones in shallow water. € 4,00
Mitra imperialis	Röding, 1798.	Madagascar, Anosy Region, Tôlanaro (Fort Dauphin) region. Shallow water. € 4,00
Mitra incompta	(Lightfoot, 1786).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep. € 5,00 t/m € 12,50
Mitra incompta	(Lightfoot, 1786).	Philippines, Mindanao (island), Davao. € 7,50 t/m € 12,50
Mitra incompta	(Lightfoot, 1786).	Mozambique, Sanculo Beach. Shallow water, low tide, in sand. € 12,50
Mitra incompta	(Lightfoot, 1786).	Tanzania, Zanzibar, Nungwi (village). East Africa. Indian Ocean. € 4,00 t/m € 7,50
Ziba interlirata	(Reeve, 1844).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep. € 2,00 t/m € 3,50
Ziba interlirata	(Reeve, 1844). Juvenile.	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep. € 2,00
Cancilla isabella	(Swainson, 1831).	East China Sea. Trawled at 130 metres deep. € 5,00
Cancilla isabella	(Swainson, 1831).	Taiwan, off southwest coast. East China Sea. Fished. € 4,50
Mitra lens	(Wood, 1828).	Panama, Bay of Chiriqui. Coiba Island. Dredged, 3-5 metres deep. 43 mm € 6,00
Mitra lienardi	Sowerby, 1874.	Philippines, Bohol (province), close to Panglao Island, Balicasag Island. € 6,00
Mitra litterata	Lamarck, 1811.	Taiwan, south-west. East China Sea. € 1,30 t/m € 1,80
Mitra luctuosa	A. Adams, 1853.	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep. € 2,50 t/m € 4,00
Ziba millepunctata	Schepman, 1913.	Philippines, Bohol (province), close to Panglao Island, Balicasag Island. € 2,00
Mitra mitra	(L., 1758).	Thailand, Changwat Phuket (province), Phuket (island). € 3,00
Mitra mitra	(L., 1758).	Madagascar, off Toliara (Tulear). East Africa. Scuba diver, shallow water. € 9,50
Mitra mitra	(L., 1758).	Malaysia, Sabah (state), Borneo, reef off Semporna. Live in sand, on reef. € 7,00

		Price Range
Mitra mitra (L., 1758).	Kenya, north of Mombasa. East Africa. Live, on coral reef.	€ 5,00
Mitra mitra (L., 1758).	Philippines.	€ 4,00
Mitra mitra (L., 1758).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,50 t/m € 5,00
Pterygia nucea (Gmelin, 1791).	Philippines, Central Visayas, Cebu, Bantayan Island. Tangle nets, 80 m.	€ 7,00
Scabricola ocellata (Swainson, 1831).	Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.	€ 2,30
Imbricaria olivaeformis (Swainson, 1821).	Philippines.	€ 1,50
Imbricaria olivaeformis (Swainson, 1821).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 2,50
Mitra papalis (L., 1758).	Philippines, Eastern Visayas (region), Leyte (island).	€ 3,80 t/m € 6,90
Mitra papalis (L., 1758).	Madagascar, off Toliara (Tulear). East Africa. Collected by a local.	€ 6,50
Mitra papalis (L., 1758).	Philippines, Central Visayas (region), Bohol (island).	€ 5,00
Mitra papalis (L., 1758).	Tanzania, Zanzibar, Nungwi (village). East Africa. Indian Ocean.	€ 6,00
Neocancilla papilio (Link, 1807).	French Polynesia, Society Islands, Tahiti. In sand flats.	€ 2,80
Neocancilla papilio (Link, 1807).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,50 t/m € 3,00
Neocancilla papilio (Link, 1807).	Mozambique, Nampula Province, Nacala. Shallow water.	€ 5,00
Neocancilla papilio (Link, 1807).	Philippines, Visayas (region), Samar (island).	€ 2,30 t/m € 3,30
Mitra paupercula (L., 1758).	Indonesia, Lesser Sunda Islands, Flores (island), ±5 km east of Gelinting.	€ 2,20
Mitra paupercula (L., 1758).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 2,50
Mitra paupercula (L., 1758).	Japan.	€ 2,00 t/m € 6,50
Mitra pele (Cernohorsky, 1970).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 3,00 t/m € 6,00
Cancilla praestantissima (Röding, 1798).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,00 t/m € 2,50
Cancilla praestantissima (Röding, 1798).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,00
Imbricaria punctata (Swainson, 1821).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,00
Mitra puncticulata Lamarck, 1811.	Philippines, Sulu (province), Siasi. Sulu Sea. From fisherman.	€ 2,00 t/m € 3,00
Mitra puncticulata Lamarck, 1811.	Philippines.	€ 2,00 t/m € 2,50
Mitra puncticulata Lamarck, 1811.	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,50 t/m € 2,00
Mitra retusa Lamarck, 1811.	Philippines, Cebu (province), Olango Island. Dived, 5-10 metres deep.	€ 5,00
Mitra retusa Lamarck, 1811.	Indonesia, Moluccas Islands, Ambon Island, Latuhalat.	€ 0,70
Mitra retusa Lamarck, 1811.	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,50
Mitra retusa Lamarck, 1811.	Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.	€ 2,30
Mitra rosacea Reeve, 1845.	Philippines, Cebu (province), Caubian Island. Dived, ±30 metres deep.	€ 5,50
Mitra rosacea Reeve, 1845.	Japan.	€ 3,30
Mitra rubiginosa Reeve, 1844. Dived, 25-30 m.	Philippines, Central Visayas (region), Bohol (island), Calituban.	€ 7,00
Mitra scutulata (Gmelin, 1791).	Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.	€ 1,50 t/m € 1,80
Mitra scutulata (Gmelin, 1791).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 0,50 t/m € 1,50
Mitra stictica (Link, 1807).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,00 t/m € 2,00

Mitra stictica (Link, 1807).
 Mitra stictica (Link, 1807).
 Mitra swainsonii Broderip, 1836.
 Mitra swainsonii Broderip, 1836.
 Mitra tabanula Lamarck, 1811.
 Mitra telescopium Reeve, 1844.
 Mitra ticaonica Reeve, 1844.
 Mitra ticaonica Reeve, 1844.
 Mitra turgida Reeve, 1845.
 Scabricola variegata (Gmelin, 1791).
 Mitra vexillum Reeve, 1844.

Modulidae

Modulus catenulatus (Philippi, 1849).
 Modulus disculus (Philippi, 1846).
 Modulus modulus (L., 1758).
 Modulus tectum (Gmelin, 1791).
 Modulus tectum (Gmelin, 1791).

Muricidae

Thais aculeata Deshayes, 1844.
 Chicoreus aculeatus (Lamarck, 1822). Synonym: artemis.
 Chicoreus alabaster (Reeve, 1845). Juvenile.
 Chicoreus alabaster (Reeve, 1845).
 Pterynotus alatus (Röding, 1798).
 Pterynotus alatus (Röding, 1798).
 Pterynotus alatus (Röding, 1798).
 Homalocantha anatomica (Perry, 1811).
 Chicoreus axicornis (Lamarck, 1822).
 Chicoreus axicornis (Lamarck, 1822).
 Chicoreus axicornis (Lamarck, 1822).
 Murexiella balteata (Sowerby, 1841).
 Chicoreus banksii f. crocatus (Reeve, 1845).
 Naquetia barclayi (Reeve, 1858).
 Rapana bezoar (L., 1758).
 Pterynotus bipinnatus (Reeve, 1845).
 Stramonita biserialis (Blainville, 1832).

Tanzania, Zanzibar, Bawé Island. East Africa. Indian Ocean.
 Tanzania, Zanzibar, Nungwi (village). East Africa. Indian Ocean.
 Panama.
 Mexico, Baja California Sur (state), Pichilique. Bay of La Paz. Fished.
 Philippines, Bohol (province), close to Panglao Island, Balicasag Island.
 Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.
 Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.
 Australia, Western Australia, Coral Bay. Indian Ocean.
 Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.
 Philippines, Cebu (province), Olanga Island. Dived, ± 30 metres deep. 40 mm
 Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.

Costa Rica, Bahia Rineau. In mud at low tide. 11 mm
 Mexico, Baja California Sur (state), La Paz.
 Martinique, Anse d'Arlet. In shallow water. 11 mm
 Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.
 Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.

Philippines, Bohol (province), close to Panglao Island, Balicasag Island.
 Philippines, Bohol (province), close to Panglao Island, Balicasag Island.
 Philippines.
 Japan.
 Philippines, Mindanao (island), Davao.
 India, Tamil Nadu (state), Rameswaram. Gulf of Mannar.
 Japan, Okinawa (island).
 Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.
 Philippines, Mindanao (island), Davao.
 Philippines, Bohol (province), close to Panglao Island, Balicasag Island.
 Philippines, Cebu (province), Mactan (island), Punta Engaño.
 Philippines, N. Mindanao, Aliguay Island. On coral reef, 20-28 m deep.
 Philippines, Bohol (province), close to Panglao Island, Balicasag Island.
 Taiwan. East China Sea.
 Philippines, Cebu (province), Mactan (island), Punta Engaño.
 Panama, Panamá City, Punta Calafata. Pacific Ocean.

Price Range

€ 1,50 t/m € 2,00
 € 1,00 t/m € 2,00
 € 20,00
 € 7,00 t/m € 12,50
 € 1,00
 € 3,00 t/m € 5,00
 € 2,50
 € 1,00 t/m € 2,00
 € 2,50
 € 6,00
 € 2,50
 € 4,50
 € 2,80
 € 1,50
 € 1,50
 € 1,50
 € 1,50
 € 1,30
 € 2,50
 t/m € 9,00
 € 10,00
 € 6,50 t/m € 10,00
 € 6,50
 € 3,50
 € 1,00 t/m € 2,50
 € 1,50 t/m € 2,50
 € 2,50 t/m € 3,80
 € 2,00
 € 5,00
 € 3,30 t/m € 6,00
 € 1,30
 € 5,00 t/m € 7,00
 € 0,80

		Price Range
Stramonita biserialis (Blainville, 1832).	USA, California, Cedros Island.	€ 1,50 t/m € 2,50
Stramonita biserialis (Blainville, 1832).	Chile, Tarapacá Region, Iquique, Chorrillos beach.	€ 2,50
Murex brandaris (L., 1758).	Spain, San Carlos de la Rápita.	€ 1,00
Murex brandaris (L., 1758).	Spain, Andalusia (region), Province of Málaga, Marbella.	€ 2,50
Murex brandaris (L., 1758).	Italy, Sardinia. Live on nets, 20 metres deep.	€ 6,50
Murex brandaris (L., 1758).	Italy, Cosenza, Amantea. In nets, from fishermen.	€ 1,00
Murex brandaris (L., 1758).	Greece, Lesbos, Bay of Kalloni. Live, ±1 metre deep.	€ 1,50
Murex brandaris (L., 1758).	Tunisia, Djerba Island, Aghir. In and on egg capsules on beach.	€ 1,00
Murex brandaris (L., 1758).	Spain, Tarragona (province), Cambrils (city). Fished.	€ 2,00
Murex brandaris (L., 1758).	Italy, Tarente province, Castellaneta. Collected live.	€ 1,00
Murex brandaris (L., 1758).	Italy, offshore Savona. Trawled by local fishermen.	€ 6,50
Stramonita brasiliensis Clarendon & D.G. Reid, 2011. W/O. Dwarf form.	Uruguay, Rocha Department, Punta del Diablo. Dived at 1-2 metres deep.	€ 10,00
Phyllonotus brassica (Lamarck, 1822).	Peru, Departamento de Tumbes, Puerto Pizarro. Trawled near shore.	€ 5,00 t/m € 6,50
Phyllonotus brassica (Lamarck, 1822).	Mexico.	€ 11,00
Phyllonotus brassica (Lamarck, 1822).	Mexico, Sonora (state), Guaymas. Gulf of California. Fished.	€ 2,00 t/m € 4,00
Acanthina brevidentata (Wood, 1828).	Panama, Bay of Panamá, Boca la Caja. Pacific Ocean.	€ 1,00
Chicoreus brevifrons (Lamarck, 1822).	Aruba, Lesser Antilles Islands.	€ 10,00
Chicoreus brevifrons (Lamarck, 1822).	Mexico.	€ 3,50
Murex brevispina macgillivrayi Dohrn, 1862.	Australia, Queensland, Bundaberg.	€ 2,50
Murex brevispina macgillivrayi Dohrn, 1862.	Australia, Queensland, Windy Bay.	€ 1,30 t/m € 2,30
Murex brevispina macgillivrayi Dohrn, 1862.	Australia.	€ 4,00
Murex brevispina macgillivrayi Dohrn, 1862.	Australia, Western Australia, Cape Kerouderen. 8 metres deep in sand. 50 mm	€ 2,50 t/m € 3,80
Chicoreus brunneus (Link, 1807).	Philippines.	€ 6,50
Chicoreus brunneus (Link, 1807).	Malaysia, Pulau Perhentian Besar (Big Perhentian Island). By dead coral.	€ 2,00
Chicoreus brunneus (Link, 1807). Orange form.	New Caledonia. Pacific Ocean.	€ 14,00
Chicoreus brunneus (Link, 1807).	Indonesia, Riau Islands, Pulau Sore. Live, under dead coral, shallow.	€ 1,00
Chicoreus brunneus (Link, 1807).	Mayotte Island (overseas department of France), Téal. Indian Ocean.	€ 3,00
Chicoreus brunneus (Link, 1807).	Sri Lanka.	€ 3,00 t/m € 6,00
Chicoreus brunneus (Link, 1807).	Thailand, Changwat Phuket (province), Phuket (island).	€ 6,50
Chicoreus brunneus (Link, 1807).	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 1,00 t/m € 2,00
Chicoreus brunneus (Link, 1807).	Philippines.	€ 4,50
Chicoreus brunneus (Link, 1807). Dark form.	Philippines, Central Visayas (region), Cebu (island).	€ 5,00
Thais bufo (Lamarck, 1822).	Australia, Queensland, Sarina, Arrmstrong Beach.	€ 2,50
Thais bufo (Lamarck, 1822).	Philippines.	€ 1,50 t/m € 3,00
Thais bufo (Lamarck, 1822).	Malaysia, Johor, Big Island (Babi Besar Island). South China Sea.	€ 5,00

		Price Range
Chicoreus capucinus (Lamarck, 1822).	Philippines.	€ 2,50
Chicoreus capucinus (Lamarck, 1822).	Philippines.	€ 1,30
Chicoreus capucinus (Lamarck, 1822).	Australia, Queensland.	€ 3,30
Murex carbonnieri (Jousseau, 1881).	Thailand, Krabi Province. Strait of Malacca.	€ 4,00
Hexaplex cichoreum (Gmelin, 1791). W/O. Albino form	Philippines, Central Visayas (region), Bohol (island).	€ 2,50
Hexaplex cichoreum (Gmelin, 1791).	Philippines, Camotes, Pacijan Islands. On coral reef, 15-22 metres deep.	€ 3,00 t/m € 5,00
Hexaplex cichoreum (Gmelin, 1791).	Philippines.	€ 2,00 t/m € 10,00
Hexaplex cichoreum (Gmelin, 1791).	Malaysia, Sabah (state), Borneo, off Semporna. Live in sea grass.	€ 2,50
Hexaplex cichoreum (Gmelin, 1791).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 2,00
Urosalpinx cinerea (Say, 1822).	USA, Florida, Fernandina Beach.	€ 2,30
Drupa clathrata (Lamarck, 1816).	Indian Ocean.	€ 2,50
Thais clavigera (Küster, 1858).	Japan, Aitsu.	€ 0,40
Thais clavigera (Küster, 1858).	Japan, Honshu (island), Wakayama Prefecture, Shirahama.	€ 0,30
Chicoreus cnissodus (Euthyme, 1889).	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 2,50 t/m € 7,50
Concholepas concholepas (Bruguière, 1792).	Peru. Pacific Ocean.	€ 10,00
Concholepas concholepas (Bruguière, 1792).	Chile.	€ 15,00
Ergalatax constrictus Reeve, 1847.	Japan.	€ 0,30
Chicoreus consuelae coltrorum Vokes, 1990.	Brazil, All Saint's Bay, Itaparica Island. 5 metres deep, muddy sand.	€ 2,50
Ergalatax contracta (Reeve, 1846).	Thailand, Changwat Phuket (province), Phuket (island).	€ 0,50
Ergalatax contracta (Reeve, 1846).	Philippines.	€ 1,50
Ergalatax contracta (Reeve, 1846).	Gulf of Thailand, Ban Hua Hin.	€ 1,80 t/m € 2,50
Ergalatax contracta (Reeve, 1846).	Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.	€ 1,30
Chicoreus cornucervi (Röding, 1798).	Australia, W.A., Dampier. Low tide line, on muddy bottom and dead coral.	€ 3,50 t/m € 10,00
Drupella cornus (Röding, 1798).	Taiwan. East China Sea.	€ 0,40
Drupella cornus (Röding, 1798).	Australia, W.A., Houtman Abrolhos. On rocks between coral.	€ 1,80 t/m € 2,30
Drupella cornus (Röding, 1798).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,00
Bolinus cornutus (L., 1758).	Senegal. West Africa. Atlantic Ocean.	€ 17,50
Nucella crassilabrum (Lamarck, 1789).	Chile, Arica. Intertidal, in pools.	€ 1,40
Chicoreus damicornis (Hedley, 1903).	Philippines.	€ 7,50
Jaton decussatus (Gmelin, 1791).	Senegal, Dakar Region, Dakar, Gorée Island. West Africa. 5 metres deep.	€ 5,50
Vokesimurex dentifer (Watson, 1883). A quality.	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 2,00 t/m € 6,00
Vokesimurex dentifer (Watson, 1883).	Philippines.	€ 1,50 t/m € 3,50
Vokesimurex dentifer (Watson, 1883).	Japan, Shikoku (island), Kochi Prefecture, Tosa Bay. Fished.	€ 4,50
Chicoreus denudatus (Perry, 1811).	Australia, New South Wales, Kurnell. Botany Bay.	€ 1,00
Murex djarianensis poppei Houart, 1979.	Thailand, Changwat Phuket (province), Phuket (island).	€ 2,50 t/m € 10,00

	Price Range
Chicoreus dodongei Houart, 1995.	€ 5,00
Vokesimurex dolichorus (Ponder & Vokes, 1988).	€ 2,00
Vokesimurex dolichorus (Ponder & Vokes, 1988).	€ 1,30
Hexaplex duplex (Röding, 1798).	€ 29,50
Thais echinata (Blainville, 1832).	€ 1,30 t/m € 1,80
Thais echinata (Blainville, 1832).	€ 0,80
Thais echinulata (Lamarck, 1822).	€ 0,80 t/m € 1,30
Pterynotus elongatus (Lightfoot, 1786).	€ 7,00 t/m € 9,50
Nucella emarginata (Deshayes, 1839).	€ 0,30
Ocenebra erinaceus (L., 1758).	€ 0,30 t/m € 1,00
Ocenebra erinaceus (L., 1758).	€ 2,50
Ocenebra erinaceus (L., 1758).	€ 2,00
Ocenebra erinaceus (L., 1758).	€ 0,50 t/m € 2,30
Phyllonotus erythrostomus Swainson, 1831.	€ 2,00 t/m € 4,50
Lataxiena fimbriata (Hinds, 1844).	€ 3,80
Lataxiena fimbriata (Hinds, 1844).	€ 0,80
Lataxiena fimbriata (Hinds, 1844).	€ 2,00 t/m € 3,00
Muricodrupa fiscella (Gmelin, 1791).	€ 0,40 t/m € 1,00
Chicoreus florifer dilectus (A. Adams, 1855).	€ 1,50 t/m € 4,00
Ceratostoma foliatum (Gmelin, 1791).	€ 11,00
Chicoreus formosus (Sowerby II, 1841).	€ 1,00 t/m € 2,50
Murex forskåli Röding, 1798.	€ 3,50
Nassa francolina (Bruguière, 1789).	€ 0,50 t/m € 2,50
Nassa francolina (Bruguière, 1789).	€ 0,80 t/m € 2,30
Vokesimurex gallinago (Sowerby III, 1903).	€ 1,30 t/m € 2,00
Pterynotus gambiensis (Reeve, 1845). W/O.	€ 10,00
Pterynotus gambiensis (Reeve, 1845).	€ 2,00 t/m € 4,00
Trophon geversianus v. lamellosa Castellanos, 1993.	€ 12,00
Trophon geversianus (Pallas, 1774).	€ 25,00
Trophon geversianus (Pallas, 1774).	€ 6,00 t/m € 9,50
Trophon geversianus (Pallas, 1774).	€ 4,80
Trophon geversianus (Pallas, 1774). Mesolitoral inferior.	€ 9,50
Trophon geversianus (Pallas, 1774). On mussels, 10-15 m deep.	€ 35,00
Chorus giganteus (Lesson, 1831).	€ 17,50
Morula granulata (Duclos, 1832).	€ 0,50 t/m € 0,80
Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 5,00
Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 2,00
Japan, Shikoku (island), Kochi Prefecture, Tosa Bay.	€ 1,30
Senegal, Dakar Region, Dakar, Hann. West Africa. 15 metres deep.	€ 29,50
Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.	€ 1,30 t/m € 1,80
Taiwan, south-west. East China Sea.	€ 0,80
Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.	€ 0,80 t/m € 1,30
Philippines, Cebu, Mactan, Olonga Island. Dived on sandy bottom, 10-15 m.	€ 7,00 t/m € 9,50
USA, California, San Simeon.	€ 0,30
France, Brittany, Saint-Lunaire.	€ 0,30 t/m € 1,00
France, Brittany, Côtes-d'Armor (department), Tréburden.	€ 2,50
Golf de Mobinan, Locmiquel.	€ 2,00
Spain.	€ 0,50 t/m € 2,30
Mexico. Gulf of California.	€ 2,00 t/m € 4,50
Philippines, Central Visayas (region), Cebu (island).	€ 3,80
Gulf of Thailand, Ban Hua Hin.	€ 0,80
Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 2,00 t/m € 3,00
Egypt, Safaga. Red Sea.	€ 0,40 t/m € 1,00
USA, Florida.	€ 1,50 t/m € 4,00
USA, California. Pacific Ocean.	€ 11,00
Brazil, All Saint's Bay, Itaparica Island. Atlantic Ocean. Muddy sand.	€ 1,00 t/m € 2,50
Egypt, Hurghada. Red Sea.	€ 3,50
Egypt, Safaga. Red Sea.	€ 0,50 t/m € 2,50
Philippines, Central Visayas (region), Cebu (island).	€ 0,80 t/m € 2,30
Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,30 t/m € 2,00
Senegal, trawled off Dakar by local fishermen. West Africa.	€ 10,00
Senegal, Casamance. West Africa. Atlantic Ocean.	€ 2,00 t/m € 4,00
Argentina, Chubut Province, Golfo San José. Scuba, 5-10 metres deep.	€ 12,00
Argentina, Tierra del Fuego, Ushuaia. At low tide on beach. 48 mm	€ 25,00
Argentina, The Valdes Peninsula, Golfo Nuevo. Low tide on rocks. 28 mm	€ 6,00 t/m € 9,50
Brazil, Bahia (state), Salvador. Atlantic Ocean.	€ 4,80
Argentina, Tierra del Fuego Prov., Canal Beagle, Punta Maria. Tidal pools.	€ 9,50
Chile, XII Región, Magallanes Strait, Gente Grande Bay. By diver.	€ 35,00
Chile, XIV Los Ríos Region, Valdivia (province), Valdivia (city).	€ 17,50
Thailand, Phuket (island), Raya Island. 25-30 metres deep.	€ 0,50 t/m € 0,80

		Price Range
Morula granulata (Duclos, 1832).	Kenya, Mombasa Reef. East Africa. Indian Ocean.	€ 0,30
Morula granulata (Duclos, 1832).	Taiwan. East China Sea.	€ 0,50
Morula granulata (Duclos, 1832).	French Polynesia, Society Islands, Tahiti, 20 km east of Papeete.	€ 0,80
Morula granulata (Duclos, 1832).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 2,00
Morula granulata (Duclos, 1832).	Egypt, Hurghada. Red Sea.	€ 0,25
Cytharomorula grayi (Dall, 1889).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,50
Drupa grossularia Röding, 1798.	Philippines, Cebu (province), Mactan (island), Punta Engaño.	€ 1,80
Drupa grossularia Röding, 1798.	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,50
Drupa grossularia Röding, 1798.	French Polynesia, Society Islands, Tahiti, 20 km east of Papeete.	€ 1,50
Drupa grossularia Röding, 1798.	Philippines.	€ 0,80
Stramonita haemastoma floridana (Conrad, 1837).	USA, Florida, South Miami. On rocks.	€ 2,30
Stramonita haemastoma (L., 1767).	Spain, Baleric Islands, Ibiza (island), Cala Vedella.	€ 0,50
Stramonita haemastoma (L., 1767).	Spain, Tarragona, Sant Carles de la Ràpita .	€ 2,00
Stramonita haemastoma (L., 1767).	Morocco, Agadir. Atlantic Ocean. Fished.	€ 3,00
Stramonita haemastoma (L., 1767).	Tunisia, Lac de Bizerte.	€ 0,80 t/m € 1,30
Stramonita haemastoma (L., 1767).	Spain, Canary Islands, Fuerteventura.	€ 1,00 t/m € 2,00
Stramonita haemastoma (L., 1767).	Cape Verde, Sal (island), Santa Maria.	€ 1,00 t/m € 1,50
Stramonita haemastoma (L., 1767).	Spain, Mallorca Island, Palma.	€ 1,00 t/m € 2,50
Stramonita haemastoma (L., 1767).	Spain, Andalusia (region), Almeria.	€ 0,50 t/m € 0,80
Stramonita haemastoma (L., 1767).	Morocco, Torres de Alealá.	€ 1,00 t/m € 2,00
Stramonita haemastoma (L., 1767).	Cape Verde, Santiago (island), Praia (city).	€ 1,50
Stramonita haemastoma (L., 1767).	Spain, Province of Málaga, Fuengirola.	€ 1,00 t/m € 1,50
Haustellum haustellum (L., 1758).	Philippines, Visayas (region), Samar (island).	€ 1,50 t/m € 5,00
Haustellum haustellum (L., 1758).	Indonesia, Jakarta, Pasar Ikan fishmarket. From fishery.	€ 4,00 t/m € 5,00
Haustellum haustellum (L., 1758).	Philippines, Visayas (region), Samar (island).	€ 5,00
Haustellum haustellum (L., 1758).	Vietnam, South Central Coast (region), Da Nang (Đà Nẵng)	€ 5,00
Haustellum haustellum (L., 1758).	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 0,50
Haustellum haustellum (L., 1758).	Indonesia.	€ 3,50
Haustellum haustellum (L., 1758). On coral reef, 9-21 metres.	Philippines, Occidental Mindoro (prov.), Lubang Island, NW of Mindoro.	€ 5,00
Haustellum haustellum (L., 1758).	Indonesia, Mid Java, south coast.	€ 2,50
Haustellum haustellum (L., 1758).	Vietnam, South Central Coast (region), Da Nang (Đà Nẵng)	€ 2,50
Thais hippocastanum (L., 1758).		€ 2,00
Thais kieneri (Deshayes, 1844).	Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.	€ 1,00 t/m € 1,80
Thais kieneri (Deshayes, 1844).	Australia, Queensland, Port Douglas.	€ 2,00
Cronia konkanensis (Melville, 1893).	Red Sea.	€ 1,30

		Price Range
Hexaplex kuesterianus (Tapparone-Canefri, 1875).	Saudi Arabia, Eastern Province, Ras Tanura. Persian Gulf.	€ 1,50 t/m € 3,00
Thais lacera (Born, 1778).	Thailand, Ban Hua Hin. Southeast Asia. Gulf of Thailand.	€ 0,80 t/m € 1,30
Chicomurex laciniatus (Sowerby, 1841).	Philippines, Batan Island, Albay province. On coral reef, 15-20 m deep.	€ 1,50 t/m € 2,00
Chicomurex laciniatus (Sowerby, 1841).	Philippines, Palawan (province), Palawan (island).	€ 1,00 t/m € 3,00
Chicomurex laciniatus (Sowerby, 1841).	Indonesia, Banka.	€ 3,80 t/m € 6,50
Chicomurex laciniatus (Sowerby, 1841).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,30 t/m € 3,50
Nucella lamellosa (Gmelin, 1791).	USA, S.E. Alaska, Mitkof Island, 2 miles N of Petersburg. Sandy Beach.	€ 8,50
Nucella lapillus (L., 1758).	USA, Washington, Puget Sound.	€ 1,00
Nucella lapillus (L., 1758).	USA, Massachusetts, Swampscott. Atlantic Ocean.	€ 0,80
Nucella lapillus (L., 1758).	England, Cornwall, Holywell Bay.	€ 0,40
Nucella lapillus (L., 1758).	Ile Verdelet.	€ 0,40
Nucella lapillus (L., 1758).	UK, Wales.	€ 0,40
Nucella lapillus (L., 1758). Yellow variation.	France, Brittany, Les Rosaires.	€ 0,30
Nucella lima (Gmelin, 1791).	SE Alaska, S. of Wowodski Island & Kah Sheets, Whisky Pass, at a 3' tide.	€ 3,50
Drupa lobata (Blainville, 1832).	Tanzania, Zanzibar, Nungwi (village). East Africa. Live, sublittoral.	€ 1,50 t/m € 2,00
Drupa lobata (Blainville, 1832).	Indonesia, Atjeh, Pulau We, Pantai Sumur Tiga. Live, sublittoral.	€ 2,00
Haustellum longicaudum (Baker, 1891).	Philippines, Cebu, Mactan, Olonga Island. Dived on sandy bottom, 10-15 m.	€ 5,00
Acanthina lugubris (Sowerby, 1821).	Mexico, Baja California (state), Punta Banda Beach. Gulf of California.	€ 1,00
Thais luteostoma (Holten, 1802).	Taiwan, south-west. East China Sea.	€ 0,90
Thais mancinella (L., 1758).	Philippines.	€ 1,00
Thais mancinella (L., 1758).	Malaysia, Malacca (state), Malacca City	€ 1,30
Phyllonotus margaritensis (Abbott, 1958).	Venezuela, Isla Margarita.	€ 6,00
Cronia margariticola (Broderip, 1831).	French Polynesia, Society Islands, Tahiti, 20 km east of Papeete.	€ 0,80
Cronia margariticola (Broderip, 1831).	Thailand, Phuket (island), Raya Island. 25-30 metres deep.	€ 0,80
Cronia margariticola (Broderip, 1831).	Japan, Honshu (island), Wakayama Prefecture, Shirahama.	€ 0,30
Thais melones (Duclos, 1832).	Panama, Gulf of Panamá, San Carlos. Live, Littoral zone, on rocks.	€ 1,00
Chicoreus microphyllus (Lamarck, 1822).	Southern Madagascar. East Africa. Indian Ocean.	€ 12,50
Chicoreus microphyllus (Lamarck, 1822).	Malaysia, Johor, Big Island (Babi Besar). W.coast, live under dead coral.	€ 0,50
Vitularia miliaris (Gmelin, 1791).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 2,00 t/m € 3,00
Vitularia miliaris (Gmelin, 1791).	Philippines, Visayas (region), Samar (island).	€ 3,80
Vokesimurex mindanaoensis (Sowerby II, 1841).	Philippines, Luzon (island), Tayabas Bay.	€ 3,00
Vokesimurex mindanaoensis (Sowerby II, 1841).	Philippines, Central Visayas (region), Bohol (province), Panglao Island.	€ 3,50
Vokesimurex mindanaoensis (Sowerby II, 1841).	Philippines, Luzon (island), Tayabas Bay. From fisherman.	€ 6,00
Pterynotus miyokoeae Kosuge, 1979.	Philippines, Central Visayas (region), Bohol (island).	€ 7,50
Drupa morum iodostoma (Lesson, 1840).	French Polynesia, Marquesas Islands, Nuku Hiva Island. 1-3 metres deep.	€ 5,00 t/m € 6,50

		Price Range
Drupa morum Röding, 1798.	S. Taiwan, Kending. Live, on high tidal flat between coral.	€ 2,00
Drupa morum Röding, 1798.	Thailand, Phuket (island), Raya Island. 25-30 metres deep.	€ 1,50
Drupa morum Röding, 1798.	French Polynesia, south of Raiatea. 1 metre deep, on rocks.	€ 1,30
Drupa morum Röding, 1798.	Philippines, Central Visayas (region), Cebu (island).	€ 1,50 t/m € 1,80
Drupa morum Röding, 1798.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 0,50 t/m € 3,00
Drupa morum Röding, 1798.	Mozambique, Bazaruto Island region. Shallow water.	€ 1,00 t/m € 2,50
Morula musiva (Kiener, 1835).	Japan, Honshu (island), Wakayama Prefecture, Shirahama.	€ 0,20
Murex nigrispinosus Reeve, 1845.	Philippines, Visayas (region), Samar (island).	€ 3,00
Murex nigrispinosus Reeve, 1845.	Indonesia, Greater Sundra Islands, East Java (province), Madura Island.	€ 2,50
Hexaplex nigrilus (Philippi, 1845).	Mexico, Sonora (state). Gulf of California.	€ 4,00 t/m € 6,00
Chicoreus nobilis Shikama, 1977.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 0,50 t/m € 2,50
Chicoreus nobilis Shikama, 1977.	Philippines, Central Visayas (region), Cebu (island).	€ 2,00 t/m € 2,80
Purpura nodosa (L., 1758).	Cape Verde, Sal (island), Murdeira Bay. Atlantic Ocean.	€ 3,00 t/m € 5,00
Attiliosa nodulifera (Sowerby, 1841).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 3,00
Cronia ochrostoma (Blainville, 1832).	Solomon Islands, Guadalcanal, Honiara area. Pacific Ocean.	€ 5,00
Thais orbita (Gmelin, 1791).	New Zealand, North Island, Ti Point, Cape Rodney. Amongst rock oysters.	€ 3,50
Thais orbita (Gmelin, 1791).	Australia, New South Wales. Royal National Park, Garie Beach. Littoral.	€ 2,00 t/m € 3,50
Thais orbita (Gmelin, 1791).	Australia, Victoria, Port Fairy. Littoral zone.	€ 3,00
Thais orbita (Gmelin, 1791).	Australia, Western Australia, Port Denison. Collected live.	€ 2,50
Muricopsis oxytatus (Smith, 1938).	USA, Florida, Palm Beach County, Boynton Beach (city). Dived, 28 m deep.	€ 10,00 t/m € 15,00
Orania pacifica (Nakayama, 1988).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 2,50
Bedeva paivae (Crosse, 1864).	Thailand, Phuket (island), Raya Island. 25-30 metres deep.	€ 2,30
Chicoreus palmarosae (Lamarck, 1822).	Gulf of Mannar. Indian Ocean. Fished.	€ 7,00
Chicoreus palmarosae (Lamarck, 1822).	Philippines.	€ 7,50
Chicoreus palmarosae (Lamarck, 1822).	Thailand, Changwat Phuket (province), Phuket (island).	€ 7,50 t/m € 17,50
Chicoreus palmarosae (Lamarck, 1822).	Thailand, Phuket (island), Raya Island. 25-30 metres deep.	€ 7,50 t/m € 22,50
Purpura pansa Gould, 1853.	Mexico.	€ 5,00
Purpura patula (L., 1758).	USA, Florida. South Florida region.	€ 2,50
Purpura patula (L., 1758).	Cuba, María la Gorda. Live, on pier.	€ 1,00 t/m € 2,50
Purpura patula (L., 1758).		€ 0,50 t/m € 1,80
Murex pecten Lightfoot, 1786.	Philippines.	€ 1,50 t/m € 2,50
Murex pecten Lightfoot, 1786.	Indonesia, off the northeastern coast of Java (island), Madura island.	€ 2,50 t/m € 3,00
Murexiella peregrina Olivera, 1980.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 6,00
Purpura persica (L., 1758).	Indonesia.	€ 2,50
Purpura planospira Lamarck, 1822.	Ecuador, Galápagos Islands. Pacific Ocean.	€ 3,00

		Price Range
Siratus pliciferoides (Kuroda, 1942).	Philippines.	€ 7,50 t/m € 12,50
Phyllonotus pomum (Gmelin, 1791).	USA, Florida, Gulf of Mexico, Sanibel Island. Shallow water.	€ 1,00 t/m € 2,50
Phyllonotus pomum (Gmelin, 1791).	Bahamas, Green Turtle Cay (island).	€ 2,50 t/m € 3,80
Phyllonotus pomum (Gmelin, 1791).	USA, Florida, Gulf of Mexico, Sanibel Island.	€ 1,00 t/m € 2,50
Phyllonotus pomum (Gmelin, 1791).	USA, Florida, Marco Island. On oyster bars at extreme low tide.	€ 6,50
Phyllonotus pomum f. oculatus Reeve, 1845.	Brazil, Ceará, Camocim. Collected in lobster nets at 25-30 metres deep.	€ 12,50
Ocenebra poulsoni (Carpenter, 1864).	USA, California, Orange County, Laguna Beach.	€ 0,30
Chicomurex problematicus (Lan, 1981).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 2,00 t/m € 7,50
Chicomurex problematicus (Lan, 1981).	Philippines, Talikud Island. Davao Gulf. Tangle net, 100 metres deep.	€ 2,00 t/m € 7,50
Hexaplex radix (Gmelin, 1791).	USA, California. Pacific Ocean.	€ 6,00
Hexaplex radix (Gmelin, 1791).	Costa Rica, WCR, Playa Hermosa.	€ 7,50
Chicoreus ramosus (L., 1758). Black form.	Northern Madagascar. East Africa. Indian Ocean.	€ 5,00
Chicoreus ramosus (L., 1758).	Indonesia, Borneo (island), Kalimantan.	€ 3,00 t/m € 20,00
Chicoreus ramosus (L., 1758).	Thailand, Changwat Phuket (province), Phuket (island).	€ 1,30 t/m € 5,00
Chicoreus ramosus (L., 1758).	Philippines, Central Visayas (region), Cebu (province), Mactan (island).	€ 5,00 t/m € 15,00
Rapana rapiformis (Born, 1778).	Thailand. Southeast Asia.	€ 2,50
Rapana rapiformis (Born, 1778).	India, Tamil Nadu (state), Cuddalore. Bay of Bengal.	€ 5,00
Rapana rapiformis (Born, 1778).	West Pacific Ocean.	€ 3,00 t/m € 4,00
Rapana rapiformis (Born, 1778).	India, Tamil Nadu (state), Rameswaram. Gulf of Mannar.	€ 2,50
Vokesimurex rectirostris (Sowerby II, 1841).	Taiwan. East China Sea.	€ 1,00 t/m € 2,50
Vokesimurex rectirostris (Sowerby II, 1841).	Philippines, Central Visayas (region), Cebu (island).	€ 1,50 t/m € 2,30
Vokesimurex rectirostris (Sowerby II, 1841).	Thailand, Phuket (island), Raya Island, 100 metres deep.	€ 2,50 t/m € 3,40
Vokesimurex rectirostris (Sowerby II, 1841).	Indonesia, Greater Sunda Islands, East Java (province), Madura Island.	€ 5,00
Phyllonotus regius (Swainson, 1821).	Panama.	€ 3,00 t/m € 6,00
Phyllonotus regius (Swainson, 1821).	Mexico. Gulf of California.	€ 5,00
Drupa ricinus hadari Emerson & Cernohorsky, 1973.	Egypt, South Sinai, Dahab. Gulf of Aqaba.	€ 1,30 t/m € 1,80
Drupa ricinus (L., 1758).	Taiwan, south-west. East China Sea.	€ 0,50 t/m € 0,80
Drupa ricinus (L., 1758).	Philippines, Cebu (province), Mactan (island), Punta Engaño.	€ 1,30 t/m € 1,80
Drupa ricinus (L., 1758).	Thailand, Changwat Phuket (province), Phuket (island).	€ 0,50 t/m € 1,00
Drupa ricinus (L., 1758).	Tanzania, Zanzibar, Kizamkazi. East Africa. On coralblocks.	€ 1,80
Drupa ricinus (L., 1758).	Gulf of Aqaba. Blue Hole.	€ 1,50 t/m € 3,50
Drupa ricinus (L., 1758).	French Polynesia, Society Islands, Tahiti, 20 km east of Papeete.	€ 0,80
Chicoreus rossiteri (Crosse, 1872). Synonym: saltatrix.	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,30 t/m € 2,80
Drupa rubusidaeus Röding, 1798.	Thailand, Changwat Phuket (province), Phuket (island).	€ 2,50
Drupa rubusidaeus Röding, 1798.	Thailand, Changwat Phuket (province), Phuket (island).	€ 2,00 t/m € 2,50

		Price Range
Drupa rubusidaeus Röding, 1798.	Taiwan, south-west. East China Sea.	€ 0,80 t/m € 1,00
Drupa rubusidaeus Röding, 1798.	Philippines.	€ 2,50
Drupa rubusidaeus Röding, 1798.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 2,00 t/m € 2,50
Drupella rugosa (Born, 1778).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,00
Thais rugosa (Born, 1778).	Thailand, Changwat Phuket (province), Phuket (island).	€ 3,00
Stramonita rustica (Lamarck, 1822).	Bahamas, Tarpon Bay.	€ 2,50
Stramonita rustica (Lamarck, 1822).	Brazil, Espírito Santo (state), Meaipe. On rocks, intertidal.	€ 6,50
Stramonita rustica (Lamarck, 1822).	Bahamas, Eleuthera Island, Tarpon Bay. On rocks, water line.	€ 1,50
Thais savignyi (Deshayes, 1844).	Egypt, Safaga. Red Sea.	€ 2,50 t/m € 4,50
Thais savignyi (Deshayes, 1844).	Eritrea, off Massawa, Dahlak Archipelago. On rocks at low tide.	€ 0,25
Thais savignyi (Deshayes, 1844).	Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.	€ 0,50 t/m € 1,00
Thais savignyi (Deshayes, 1844).	Egypt., beach north of Safaga, Red Sea. Near pier, sand/stone.	€ 0,50 t/m € 0,80
Thais savignyi (Deshayes, 1844).	Taiwan. East China Sea.	€ 1,00 t/m € 1,50
Murex scolopax Dillwyn, 1817.	Oman. Middle East. Arabian Sea. Collected live.	€ 1,80
Homalocantha scorpio (L., 1758).	Philippines, Central Visayas (region), Cebu (island).	€ 5,00
Homalocantha scorpio (L., 1758).	Philippines, Albay province, Batan Island. On coral reef, 15-22 m deep.	€ 4,50
Homalocantha scorpio (L., 1758).	Philippines, Luzon, Batangas, Balayan Bay. On coral reef, 10-16 m deep.	€ 3,50
Phos senticosus (L., 1758).	Japan, Honshu (island), Wakayama Prefecture, Inami-Cho. 20-30 fathoms.	€ 1,20
Murex serratospinosus Dunker, 1883.	Sri Lanka.	€ 7,50
Thais siro (Kuroda, 1931).	Taiwan, south-west. East China Sea.	€ 0,50
Muricopsis spec. .	Gulf of Thailand.	€ 2,00
Muricopsis spec. .	Thailand, Changwat Phuket (province), Phuket (island).	€ 1,00
Morula spinosa (H. Adams & A. Adams, 1953).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,50 t/m € 2,00
Morula spinosa (H. Adams & A. Adams, 1953).	Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.	€ 1,30
Hexaplex stainforthi (Reeve, 1843). On rock oysters, exposed rocks	Australia, W.A., off Port Hedland, Finucane Island. Extreme low tide.	€ 12,50
Hexaplex stainforthi (Reeve, 1843).	Australia, Western Australia, Dampier, Dampier Back Beach, muddy reef.	€ 7,50
Hexaplex stainforthi (Reeve, 1843).	Australia, Western Australia, Broome. In Littoral zone.	€ 3,00 t/m € 3,50
Hexaplex stainforthi (Reeve, 1843).	Australia, W.A., Exmouth Gulf, Giralia Station. On mud-covered oysters.	€ 7,50
Hexaplex stainforthi (Reeve, 1843).	Australia, Qld., off Townsville. By fisherman, deep water.	€ 3,00 t/m € 4,00
Hexaplex stainforthi (Reeve, 1843).	Australia, Western Australia, North West Cape.	€ 2,50 t/m € 3,50
Eupleura sulcidentata Dall, 1890.	USA, Florida, Gulf of Mexico, Sanibel Island.	€ 1,50
Chicomurex superbus (Sowerby, 1889).	Philippines, Mindanao (island).	€ 9,50 t/m € 11,50
Urosalpinx tampaensis (Conrad, 1846).	USA, Florida, off Everglade City.	€ 1,30
Chicoreus torrefactus (Sowerby, 1841).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,00 t/m € 3,50
Chicoreus torrefactus (Sowerby, 1841).	Philippines, Camotes, Ponson Island. Taken on coral reef, 15-20 metres.	€ 2,50 t/m € 4,50

		Price Range
Chicoreus torrefactus (Sowerby, 1841).	Indonesia, Greater Sundra Islands, East Java (province), Madura Island.	€ 5,50 t/m € 6,50
Chicoreus torrefactus (Sowerby, 1841).	Thailand, Changwat Phuket (province), Phuket (island).	€ 3,50 t/m € 6,00
Chicoreus torrefactus (Sowerby, 1841).	Japan, Wakayama Prefecture, Minabe. From fisherman, 10-20 metres deep. 68 mm	€ 7,50
Chicoreus torrefactus (Sowerby, 1841).	Philippines.	€ 7,50
Murex trapa Röding, 1798.	Indonesia, East Java (province). South coast.	€ 3,00
Murex trapa Röding, 1798.	Malaysia, Langkawi (archipelago), Langkawi Island. Ebb, in muddy bottom.	€ 5,00
Murex trapa Röding, 1798.	Philippines.	€ 5,00
Murex tribulus L., 1758.	Philippines.	€ 8,50
Murex tribulus L., 1758.	Indonesia, Mid Java, south coast.	€ 4,00
Murex tribulus L., 1758.	Philippines, Luzon (island), Tayabas Bay, Quezon City.	€ 7,00
Pterynotus tripterus (Born, 1778).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 3,50
Naquetia triqueter (Born, 1778).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 4,00 t/m € 6,00
Murex troscheli Lischke, 1868.	Philippines, Surigao Island, Dinagat Island. On coral reef, 20-28 m deep.	€ 7,00
Hexaplex trunculus (L., 1758).	Croatia, Istrië, Bay of Poreč.	€ 0,40
Hexaplex trunculus (L., 1758).	Tunisia, Djerba Island, Ajim. Gulf of Gabès.	€ 2,50
Hexaplex trunculus (L., 1758).	Italy, Pedaso, Adriatic Sea.	€ 2,30
Hexaplex trunculus (L., 1758).	Spain, Andalusia (region), Province of Málaga, Marbella.	€ 1,30 t/m € 2,30
Hexaplex trunculus (L., 1758).	Yugoslavia, Vrsar.	€ 1,80
Thais tuberosa Röding, 1798.	Philippines.	€ 2,50
Thais tuberosa Röding, 1798.	Taiwan. East China Sea.	€ 0,80
Thais tuberosa Röding, 1798.	Taiwan. East China Sea. In coral rubble.	€ 1,50
Thais tuberosa Röding, 1798.	Taiwan, south-west. East China Sea.	€ 1,60
Thais tuberosa Röding, 1798.	Thailand, Phuket (island), Raya Island. 25-30 metres deep.	€ 0,80 t/m € 2,00
Hexaplex varius (Sowerby I, 1834).	Gabon, Libreville. Collected from 'Razel'.	€ 3,00
Rapana venosa (Valenciennes, 1846).	Russia. Off southwestern coast. Black Sea.	€ 8,50
Rapana venosa (Valenciennes, 1846).	Black Sea.	€ 4,00
Chicomurex venustus (Rehder & Wilson, 1975).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,30
Chicomurex venustus (Rehder & Wilson, 1975).	Philippines, Mindanao (island), Davao.	€ 2,50
Chicomurex venustus (Rehder & Wilson, 1975).	Philippines, Central Visayas (region), Cebu (island), Camotes Sea.	€ 1,30
Vexilla vexillum (Gmelin, 1791).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 5,00
Vexilla vexillum (Gmelin, 1791).	Madagascar, Anosy Region, Tôlanaro (Fort Dauphin).	€ 5,50
Haustellum vicdani Kosuge, 1980.	Philippines.	€ 8,50
Chicoreus virgineus (Röding, 1798).	India.	€ 2,50 t/m € 7,00
Chicoreus virgineus (Röding, 1798).	Sri Lanka, Southern Province, Galle.	€ 5,00
Homalocantha zamboi (Burch & Burch, 1960).	Philippines, Central Visayas (region), Cebu (province), Mactan (island).	€ 3,80

Homalocantha zamboi (Burch & Burch, 1960).
 Homalocantha zamboi (Burch & Burch, 1960).
 Homalocantha zamboi (Burch & Burch, 1960).
 Muricopsis zeteki Hertlein & Strong, 1951.

Myidae

Mya arenaria L., 1758.
 Mya arenaria L., 1758.
 Mya arenaria L., 1758.
 Mya arenaria L., 1758.
 Mya arenaria L., 1758.
 Cryptomya californica (Conrad, 1837).
 Cryptomya californica (Conrad, 1837).

Mytilidae

Modiolus areolatus (Gould, 1850).
 Modiolus areolatus (Gould, 1850).
 Modiolus areolatus (Gould, 1850).
 Modiolus auriculatus (Krauss, 1848).
 Modiolus auriculatus (Krauss, 1848).
 Modiolus barbatus (L., 1758).
 Modiolus barbatus (L., 1758).
 Modiolus barbatus (L., 1758).
 Modiolus barbatus (L., 1758).
 Modiolus barbatus (L., 1758).
 Septifer bilocularis (L., 1758).
 Septifer bilocularis (L., 1758).
 Septifer bilocularis (L., 1758).
 Septifer bilocularis (L., 1758).
 Modiolus capax (Conrad, 1837).
 Geukensia demissa (Dillwyn, 1817).
 Mytilus edulis f. galloprovincialis Lamarck, 1819.
 Mytilus edulis f. galloprovincialis Lamarck, 1819.
 Mytilus edulis L., 1758.
 Mytilus edulis L., 1758.
 Mytilus edulis L., 1758.
 Mytilus edulis L., 1758.

Indonesia, Greater Sundra Islands, East Java (province), Madura Island.
 Philippines.
 Philippines, Bohol (province), close to Panglao Island, Balicasag Island.
 Mexico. West coast. Pacific Ocean.

Iceland, Gufunes. Atlantic Ocean.
 The Netherlands, Ijmuiden. Collected between the piers.
 Mudyug Island, White Sea, Russia.
 Netherlands, between Bloemendaal & Ijmuiden. On the beach.
 USA, Massachusetts, Boston. From fisherman. Atlantic Ocean. 60 mm
 W. Canada, Br. Columbia, Tsawassen, Tsawassen Beach, 6" deep, sand.
 USA, California, San Pedro, Terminal Island.

Australia, Western Australia, near Perth, Rockingham.
 Australia, South Australia, Port Adelaide.
 Australia, South Australia. Port Adelaide.
 Egypt, Safaga. Red Sea.
 Egypt, South Sinai, Dahab. Gulf of Aqaba.
 France, Charente-Maritime (department), La Rochelle. Bay of Biscay.
 Tunisia, Guellala.
 France, Brittany, Saint-Jacut-de-la-Mer.
 Yugoslavia, Grado.
 Ireland, Galway Bay.
 Thailand, Phuket (island), Raya Island. 25-30 metres deep.
 Thailand. From seagypsies, taken in shallow water around Phuket.
 Thailand, Changwat Phuket (province), Phuket (island).
 Philippines, Bohol (province), close to Panglao Island, Balicasag Island.
 Mexico, Baja California Sur, Mulegé. Gulf of California. Dead on beach.
 USA, California, Newport Bay.
 Spain, Costa Brava.
 North Sea, Markham's Hole.
 Sri Lanka, Southern Province, Koggala.
 Mediterranean Sea, Prat.
 The Netherlands, west of Terschelling. 13 fathoms deep.
 Japan

Price Range

€ 2,00 t/m € 5,00
 € 5,00
 € 4,80
 € 2,00
 € 1,00 t/m € 1,50
 € 0,70 t/m € 1,30
 € 1,00
 € 1,50 t/m € 2,50
 € 2,00
 € 2,30
 € 2,80
 € 1,50
 € 1,50
 € 2,50
 € 0,30 t/m € 0,80
 € 0,50
 € 0,50
 € 0,30
 € 0,50
 € 0,30
 € 1,50
 € 0,80 t/m € 1,00
 € 1,50 t/m € 2,00
 € 1,25
 € 1,50 t/m € 2,00
 € 1,50
 € 1,00
 € 0,20 t/m € 1,00
 € 0,50
 € 1,00
 € 0,20
 € 1,00 t/m € 1,80
 € 0,50

		Price Range
Brachidontes erosus (Lamarck, 1819).	Australia, South Australia, Port Adelaide.	€ 0,10
Brachidontes exustus (L., 1758).	USA, Florida, Big Pine Key.	€ 1,00
Trichomya hirsuta Lamarck, 1819.	Australia, Queensland, Townsville, Pallarenda.	€ 1,20
Lithophaga lithophaga (L., 1758).	Croatia, Istria, Dalja, north of Pelegrin. Cut from rocks by a fisherman.	€ 0,50 t/m € 2,00
Modiolus modiolus (L., 1758).	The Netherlands, north of Terschelling. Fished.	€ 2,00 t/m € 3,50
Brachidontes modiolus (L., 1767).	Bonaire, Lesser Antilles Islands.	€ 1,50
Modiolus modiolus (L., 1758).	UK, Scotland, Isle of Arran, Corrie.	€ 2,00 t/m € 2,50
Brachidontes modiolus (L., 1767).	Cuba, Saetia. Caribbean.	€ 1,80 t/m € 2,00
Modiolus modiolus (L., 1758).	USA, Massachusetts, Essex County, Marble Head. Atlantic Ocean.	€ 1,80
Brachidontes modiolus (L., 1767).	Grenada. Caribbean Sea.	€ 1,00
Brachidontes modiolus (L., 1767).	Aruba, near the Hilton Hotel, Lesser Antilles Islands. In sea grass.	€ 1,50
Modiolus modiolus (L., 1758).	North Sea fishery.	€ 1,80
Modiolus modiolus squamosus Beuperthuy, 1967.	USA, Florida.	€ 0,25 t/m € 0,50
Modiolus nipponicus (Oyama, 1947).	Japan, Aitsu.	€ 2,50
Perna perna (L., 1758).	South Africa, Cape Province, False Bay, bet. Muizenberg & Fishhoek. Beach	€ 1,50
Modiolus philippinarum (Hanley, 1843).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 5,50
Perna picta (Born, 1780).	Oman, Raysūt. Middle East. Arabian Sea.	€ 0,50
Brachidontes variabilis (Krauss, 1848).	Egypt. Suez Canal. Cutter dredger 'Edax'.	€ 1,00
Perna viridis (L., 1758).	Thailand, Changwat Phuket (province), Phuket (island), Rawai Beach.	€ 2,00
Perna viridis (L., 1758).	Indonesia, Greater Sundra Islands, East Java (province), Madura Island.	€ 1,50 t/m € 2,00
Perna viridis (L., 1758).	Taiwan. East China Sea.	€ 1,20
Nassariidae		
Nassarius albescens albescens (Dunker, 1846).	Australia, Queensland.	€ 1,00
Nassarius albescens albescens (Dunker, 1846).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,00
Nassarius albescens albescens (Dunker, 1846).	New Caledonia, near the Isle of Pines. In deep water. 17 mm	€ 1,30
Nassarius arcularius (L., 1758).	Philippines, Central Visayas (region), Cebu (island).	€ 1,30
Nassarius arcularius plicatus (Röding, 1798).	Pacific Ocean.	€ 0,30
Nassarius bimaculosus (A. Adams, 1852).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 2,00
Nassarius canaliculatus (Lamarck, 1822).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 2,50
Nassarius conoidalis (Deshayes, 1832).	Japan, Honshu (island), Aichi Prefecture, Mikawa. 40 metres deep.	€ 1,50
Nassarius corniculus (Olivi, 1792).	Spain, Valencian Community, Province of Alicante, Alicante.	€ 0,50
Nassarius corniculus (Olivi, 1792).	Tunisia, Lac de Bizerte.	€ 0,50
Nassarius corniculus (Olivi, 1792).	Croatia, Istrië, Bay of Poreč.	€ 0,50
Nassarius coronatus (Bruguière, 1798).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,00
Nassarius coronatus (Bruguière, 1798).	Philippines.	€ 0,20

		Price Range
Nassarius coronatus (Bruguière, 1798).	Egypt, Safaga. Red Sea.	€ 0,75
Nassarius coronatus (Bruguière, 1798).	Philippines.	€ 2,00
Nassarius coronatus (Bruguière, 1798).	Tanzania, Zanzibar, Bwejuu. East Africa.	€ 1,00
Nassarius coronatus (Bruguière, 1798).	Egypt, South Sinai, Dahab. Gulf of Aqaba.	€ 1,50
Nassarius crematus (Hinds, 1844).	Gulf of Thailand, Ban Hua Hin.	€ 0,80
Buccinanops duartei Klappenbach, 1961.	Brazil. Atlantic Ocean.	€ 2,00
Nassarius excellens (Kuroda & Habe, 1961).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 2,00
Nassarius globosus Quoy & Gaimard, 1833.	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,00
Nassarius globosus Quoy & Gaimard, 1833.	Thailand, Changwat Phuket (province), Phuket (island), Rawai Beach.	€ 0,50
Nassarius globosus Quoy & Gaimard, 1833.	Western Samoa Islands, west of Apria. Pacific Ocean.	€ 2,30
Nassarius globosus Quoy & Gaimard, 1833. Set of 10.	Philippines, Mindanao (island), Zamboanga.	€ 0,75
Nassarius globosus Quoy & Gaimard, 1833.	Vanuatu, Malapoa Vila, Pacific Ocean.	€ 1,00
Buccinanops globulosum (Kiener, 1834).	Argentina, Rio Negro Province, Golfo San Matías. Dived at 10 m, on sand.	€ 6,00
Buccinanops gradatum (Deshayes, 1844).	Argentina, Chubut Province, Golfo San José, Playa Larraldo. 6-10 metres.	€ 9,50
Naytiopsis granum (Lamarck, 1822).	Spain, Costa Brava, Cubit.	€ 0,60
Naytiopsis granum (Lamarck, 1822).	Spain, Province of Málaga, Fuengirola. Fished.	€ 1,50
Nassarius incrassatus (Ström, 1768).	Spain, Andalusia (region), Province of Málaga, Marbella.	€ 0,80
Nassarius incrassatus (Ström, 1768).	France, Brittany, Roscoff.	€ 1,00
Nassarius livescens (Philippi, 1849).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,00
Nassarius livescens (Philippi, 1849).	Malaysia, Terengganu, Aryani Resort.	€ 0,50
Nassarius luridus (Gould, 1850).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 2,00
Nassarius luridus (Gould, 1850).	Philippines.	€ 0,20
Nassarius luteostoma (Broderip & Sowerby, 1829).	Mexico, Baja California, Bahía de los Ángeles. Gulf of California.	€ 0,30
Bullia mauritiana (Gray, 1839).	Oman, Şalālah. Middle East. Arabian Sea.	€ 0,50
Bullia miran (Bruguière, 1789).	The Gambia, Sanyang. Atlantic Ocean.	€ 0,80
Nassarius mutabilis (L., 1758).	Spain, Balearic Islands, Ibiza (island).	€ 0,75
Nassarius mutabilis (L., 1758).	Italy, Province of Latina, Formia.	€ 0,20
Nassarius mutabilis (L., 1758).	Greece, 200 km northeast of Athens, Évvoia Island, Kimi.	€ 0,30
Nassarius mutabilis (L., 1758).	Greece, Marathón beach. 1-1½ metres deep.	€ 0,80
Nassarius mutabilis (L., 1758).	Spain, San Carlos de la Rápita.	€ 0,50
Cyclope neritea (L., 1758).	Mediterranean Sea.	€ 0,50
Cyclope neritea (L., 1758).	Italy, Province of Ravenna, Cérvia.	€ 0,20
Nassarius obvelatus (Deshayes in Laborde, 1844).	Tanzania, Zanzibar, Bwejuu. East Africa.	€ 1,00
Nassarius obvelatus (Deshayes in Laborde, 1844).	Rode Zee.	€ 1,50
Nassarius olivaceus (Bruguière, 1789).	Thailand, Krabi Province, Noppharat Thara (beach). Strait of Malacca.	€ 1,50

		Price Range
Nassarius pullus (L., 1758).	Indonesia, Bali, Turtle Island.	€ 0,40
Nassarius pullus (L., 1758).	Thailand, Changwat Phuket (province), Phuket (island), Chalong Bay.	€ 0,50
Nassarius pullus (L., 1758).	Philippines.	€ 0,20
Nassarius pullus (L., 1758).	Thailand, Changwat Phuket (province), Phuket (island).	€ 0,30
Nassarius pullus (L., 1758).	Thailand, Krabi Province, Koh Lanta Yai (island), west of Ban Sala Dan.	€ 0,50
Nassarius pullus (L., 1758).	Thailand, Changwat Phuket (province), Phuket (island), Chalong Bay.	€ 0,50
Nassarius pullus (L., 1758).	Thailand, Changwat Phuket (province), Phuket (island), Rawai Beach.	€ 1,50
Nassarius pygmaeus (Lamarck, 1822).	Spain, Andalusia (region), Province of Málaga, Marbella.	€ 0,80
Nassarius reticulatus (L., 1758).	Greece, northern. In sand.	€ 0,80
Nassarius reticulatus (L., 1758).	Spain, Province of Málaga, Fuengirola.	€ 0,20
Nassarius reticulatus (L., 1758).	France, Cap d'Agde, Golfe du Lion.	€ 0,20
Nassarius reticulatus (L., 1758).	Morocco, Marrakesh-Tensift-El Haouz, Essaouira.	€ 0,30
Nassarius reticulatus (L., 1758).	Spain, Province of Málaga, Fuengirola, Mediterranean Sea.	€ 0,50
Nassarius reticulatus (L., 1758).	Portugal, Algarve (region), Faro.	€ 0,30
Nassarius reticulatus (L., 1758).	The Netherlands, Zeeland. Canal through Zuid-Beverland.	€ 1,00
Nassarius reticulatus (L., 1758).	France, Brittany, Les Rosaires.	€ 0,30
Nassarius semisulcatus (Rousseau, 1854).	Philippines.	€ 0,30
Nassarius stolatus Gmelin, 1791.	India. Southern coastal region.	€ 0,40
Nassarius stolatus Gmelin, 1791.	Indonesia.	€ 1,00
Nassarius stolatus Gmelin, 1791.	Thailand, Changwat Phuket (province), Phuket (island).	€ 0,50
Nassarius stolatus Gmelin, 1791.	Thailand, Changwat Phuket (province), Phuket (island).	€ 0,50
Hebra subspinosa (Lamarck, 1822).	India.	€ 1,00
Hebra subspinosa (Lamarck, 1822).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,00
Bullia vittata (L., 1767).	India, Tamil Nadu (state), Cuddalore. Bay of Bengal.	€ 2,00
Bullia vittata (L., 1767).	India, Tamil Nadu (state), Cuddalore. Bay of Bengal. Trawled.	€ 1,00 t/m € 2,80
Naticidae		
Natica alapapilionis (Röding, 1798). W/O.	Vietnam, Khánh Hòa, Nha Trang. Dredged in shallow water, in sandy bottom.	€ 4,50
Polinices aurantius (Röding, 1798).	Philippines.	€ 0,80 t/m € 1,30
Natica bibalteata Sowerby, 1914.	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,50
Natica canrena (L., 1758).	The Grenadines Islands, Windward Islands. Caribbean.	€ 0,80 t/m € 1,30
Lunatia catena (da Costa, 1778).	The Netherlands, 5 miles west of Texel. On rocks.	€ 1,50
Sinum concavum (Lamarck, 1822).	Angola. Dredged off Lobito. Atlantic Ocean.	€ 7,00
Polinices cumingianus (Récluz, 1844).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,00 t/m € 2,00
Polinices didyma (Röding, 1798).	Japan, Miye-ken, Ise Bay. 50 metres deep.	€ 4,50
Polinices didyma (Röding, 1798).	Australia, Queensland, Armstrong Beach.	€ 0,75 t/m € 1,50

		Price Range
Polinices didyma (Röding, 1798).		€ 2,50
Polinices didyma (Röding, 1798).	Philippines.	€ 0,80
Polinices didyma (Röding, 1798).	Sri Lanka.	€ 2,00
Polinices duplicatus (Say, 1822).	USA, Florida.	€ 2,00 t/m € 4,00
Polinices duplicatus (Say, 1822).	USA, Virginia. Northern coast.	€ 0,50 t/m € 1,50
Polinices duplicatus (Say, 1822).	USA, Florida.	€ 1,30 t/m € 3,80
Polinices duplicatus (Say, 1822).	Venezuela, Margarita Island.	€ 0,50 t/m € 0,80
Natica fasciata (Röding, 1798).	Philippines, Palawan (province), Palawan (island).	€ 3,80
Natica fasciata (Röding, 1798).	Philippines.	€ 2,00
Natica fasciata (Röding, 1798).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 m	€ 2,00 t/m € 3,00
Natica fasciata (Röding, 1798).	Indonesia, Greater Sundra Islands, East Java (province), Madura Island.	€ 1,00
Polinices fibrosa (Souleyet, 1852).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 2,00 t/m € 4,50
Polinices fibrosa (Souleyet, 1852).	Philippines, Palawan (province), Palawan (island).	€ 5,00 t/m € 7,50
Polinices flemingianus (Récluz, 1844).	Philippines, Masinging Island. 8 m deep, in sand.	€ 3,50
Globularia fluctuata (Sowerby, 1825).	Philippines.	€ 5,00
Natica fulminea (Gmelin, 1791).	Senegal, Casamance. West Africa. Atlantic Ocean.	€ 2,50
Natica gualtieriana Récluz, 1844.	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 0,50
Lunatia guillemini (Payraudeau, 1826).	Greece, Marathón beach. 1-1½ metres deep.	€ 3,30
Naticarius hebraeus (Martyn, 1786).	Mediterranean Sea.	€ 0,50 t/m € 1,30
Naticarius hebraeus (Martyn, 1786). GIANT specimen.	Italy, Sicily (region), Province of Agrigento, Lampedusa. From fisherman.	€ 3,50
Naticarius hebraeus (Martyn, 1786).	Greece, Marathón beach. 1-1½ metres deep.	€ 1,30
Neverita josephina Risso, 1826.	Italy, Lazio (region), Torre Astura. 1 metre deep, in sand.	€ 2,00 t/m € 3,00
Neverita josephina Risso, 1826.	Mediterranean Sea.	€ 1,50
Neverita josephina Risso, 1826.	Mediterranean Sea.	€ 2,00
Lunatia lewisi (Gould, 1847).	USA, Washington State. In extreme low tide, in mud.	€ 12,50
Lunatia lewisi (Gould, 1847).	USA, California. Southern coastal region. In crab trap, 30-40 m deep.	€ 17,50
Natica lineata (Röding, 1798).	India, Laccadive Islands. Arabian Sea.	€ 0,80 t/m € 1,20
Natica lineata (Röding, 1798).	Indonesia, Greater Sundra Islands, East Java (province), Madura Island.	€ 1,00
Natica lineata (Röding, 1798).	Japan.	€ 0,50 t/m € 1,00
Polinices mammilla (L., 1758).	Indonesia, Bali (province), Bali (island).	€ 0,50 t/m € 1,30
Polinices mammilla (L., 1758).	Egypt, Hurghada. Red Sea.	€ 1,50
Polinices mammilla (L., 1758).	Egypt, South Sinai, Dahab. Gulf of Aqaba.	€ 1,50 t/m € 2,50
Polinices mammilla (L., 1758).	Philippines, Visayas (region), Samar (island).	€ 0,80
Polinices mammilla (L., 1758).	Malaysia, Pulau Lang Tenga Island.	€ 0,50
Polinices mammilla (L., 1758).	Japan, southern Honshu (island).	€ 0,50

		Price Range
Polinices mammilla (L., 1758).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 0,25 t/m € 0,50
Polinices mammilla (L., 1758).	Egypt, South Sinai, Dahab. Gulf of Aqaba.	€ 1,00
Polinices mammilla (L., 1758).	Thailand, Changwat Phuket (province), Phuket (island).	€ 1,50
Polinices melanostomus (Gmelin, 1791).	Mozambique. East Africa. Indian Ocean.	€ 2,00 t/m € 3,00
Polinices melanostomus (Gmelin, 1791).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 2,50
Polinices melanostomus (Gmelin, 1791).	Philippines, Visayas (region), Samar (island).	€ 1,80 t/m € 3,80
Natica nipponensis Kuroda, 1961.	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 2,00 t/m € 3,00
Natica onca (Röding, 1798).	Philippines, Visayas (region), Samar (island).	€ 2,30 t/m € 3,30
Natica onca (Röding, 1798).	Philippines.	€ 1,00
Natica onca (Röding, 1798).	Philippines, Sulu (province), Siasi. Sulu Sea. From fisherman.	€ 2,00
Natica orientalis Gmelin, 1791.	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 3,50 t/m € 6,50
Sinum perspectivum (Say, 1831).	USA, Florida Keys.	€ 1,80
Polinices peselephanti (Link, 1807).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 2,50
Polinices sagamiensis Pilsbry, 1904.	Philippines, Visayas (region), Samar (island).	€ 3,30
Polinices sagamiensis Pilsbry, 1904.	Japan.	€ 3,00
Polinices sordidus (Swainson, 1821).	Australia, Queensland, Armstrong Beach.	€ 1,00 t/m € 2,00
Natica spec. .	Philippines, Visayas (region), Samar (island).	€ 2,50
Natica stellata Chenu, 1845.	Philippines, Visayas (region), Samar (island).	€ 2,00
Naticarius stercusmuscarum (Gmelin, 1791).	Italy, Emilia-Romagna (region), Rimini. Adriatic Sea.	€ 3,00
Natica subcostata (Tenison-Woods, 1878).	Philippines.	€ 2,80
Natica tigrina (Röding, 1798).	India, Tamil Nadu (state), Gulf of Mannar.	€ 0,80 t/m € 1,00
Natica tigrina (Röding, 1798).	Indonesia, Greater Sundra Islands, East Java (province), Madura Island.	€ 1,00
Natica tigrina (Röding, 1798).	Malaysia.	€ 0,50
Polinices uber (Valenciennes, 1832).	Panama, Bay of Panama. Gulf of Panama. Dredged at ±300 metres deep.	€ 3,50
Sinum undulatum (Lischke, 1872).	Indonesia, Greater Sundra Islands, East Java (province), Madura Island.	€ 2,00
Natica vitellus (L., 1758).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,00
Natica vitellus (L., 1758).	Philippines, Central Visayas (region), Cebu (island).	€ 0,80 t/m € 2,50
Natica vitellus (L., 1758).	Taiwan, south-west. East China Sea.	€ 0,80 t/m € 1,30
Natica vitellus (L., 1758).	Indian Ocean.	€ 4,50
Naticarius vittatus (Gmelin, 1791).	Mediterranean Sea.	€ 1,60
Neritidae		
Nerita albicilla L., 1758.	Thailand, Phuket (island), Raya Island. 25-30 metres deep.	€ 0,50 t/m € 1,30
Nerita albicilla L., 1758.	Sri Lanka, Southern Province, Weligama. Intertidal on rocks. 20 mm	€ 0,30
Nerita albicilla L., 1758.	Taiwan, south-west. East China Sea.	€ 0,20
Nerita albicilla L., 1758.	Tanzania, Zanzibar, Bawé Island. East Africa. Indian Ocean	€ 0,20

		Price Range
Nerita albicilla L., 1758.	Philippines.	€ 0,25
Nerita antiquata Récluz, 1841.	Philippines.	€ 1,50
Nerita atramentosa Reeve, 1855.	New Zealand, Auckland, Waiheke Island. Hauraki Gulf.	€ 1,10
Nerita chamaeleon L., 1758.	Philippines.	€ 0,40
Nerita chamaeleon L., 1758.	Thailand, Phuket (island), Raya Island. 25-30 metres deep.	€ 1,00
Nerita chamaeleon L., 1758.	Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.	€ 0,50 t/m € 1,00
Neritina communis (Quoy & Gaimard, 1832).	Philippines. Among mangroves.	€ 0,75
Neritina coromandeliana Sowerby, 1832.	Philippines, Visayas (region), Samar (island).	€ 0,80
Neritina coromandeliana Sowerby, 1832.	Philippines, Central Visayas (region), Bohol (island).	€ 1,50
Nerita costata Gmelin, 1791.	Indonesia, Greater Sunda Islands, East Java (province), Madura Island.	€ 0,50
Nerita costata Gmelin, 1791.	Thailand, Changwat Phuket (province), Phuket (island), Rawai Beach.	€ 0,50
Nerita exuvia L., 1758.	Philippines, southern Luzon (island), Bantangas.	€ 2,00
Nerita exuvia L., 1758.	Philippines, Luzon (island), Batangas (province), Batangas City.	€ 2,30
Nerita fulgurans Gmelin, 1791.	Caribbean Sea.	€ 0,80
Nerita grossa L., 1758.	Indonesia, Greater Sunda Islands, East Java (province), Madura Island.	€ 2,00
Nerita incerta Philippi, 1844.	Indonesia, Greater Sunda Islands, East Java (province), Madura Island.	€ 1,00
Nerita oryzaeum Récluz, 1841.	India.	€ 0,30
Theodoxus oualaniensis (Lesson, 1831).	Philippines.	€ 3,00
Theodoxus oualaniensis (Lesson, 1831).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,50
Theodoxus oualaniensis (Lesson, 1831).	India.	€ 0,80
Nerita peloronta (L., 1758).	Bahamas, Green Turtle Cay (island).	€ 0,50 t/m € 1,30
Nerita peloronta (L., 1758).	Curaçao, Lesser Antilles Islands.	€ 0,80 t/m € 1,50
Nerita planospira Anton, 1839.	Philippines.	€ 0,20
Nerita plicata L., 1758.	Tanzania, Zanzibar, Coconut Beach. At low tide on coral cliffs.	€ 0,50
Nerita polita L., 1758.	Egypt, Safaga. Red Sea.	€ 0,50
Nerita polita L., 1758.	Indonesia, Greater Sunda Islands, East Java (province), Madura Island.	€ 1,00
Nerita polita L., 1758.	Tanzania, Zanzibar, Unguja Ukuu. Coral beach with mangroves.	€ 1,00
Nerita polita L., 1758.	Thailand, Changwat Phuket (province), Phuket (island).	€ 0,25
Nerita polita L., 1758.	Philippines, Visayas (region), Samar (island).	€ 0,60
Nerita polita L., 1758.	Japan, Okinawa Prefecture, The Cape of Zampa. At low tide.	€ 0,50
Septaria porcellana (L., 1758).	Indonesia, Bali (province), Bali (island). Eastern coastal region.	€ 1,50
Neritina punctulata Lamarck, 1822.	The Grenadines Islands, Windward Islands, Caribbean.	€ 2,50
Puperita pupa (L., 1767).	Curaçao, Lesser Antilles Islands.	€ 1,30
Smaragdia rangiana (Récluz, 1843).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,50
Nerita reticulata Karsten, 1789.	Philippines.	€ 0,25

		Price Range
Nerita scabricosta Lamarck, 1822.	Mexico, Sinaloa (state), Mazatlán.	€ 1,30 t/m € 2,30
Nerita senegalensis Gmelin, 1791.	Senegal, N'Gor Island, Dahau. West Africa.	€ 3,00
Nerita spengleriana Récluz, 1843.	Indonesia, Greater Sundra Islands, East Java (province), Madura Island.	€ 1,00
Nerita squamulata Le Guillon, 1841.	Philippines.	€ 0,20
Nerita tessellata Gmelin, 1791.	USA, Florida, Key Largo	€ 0,30
Nerita textilis Gmelin, 1791.	Tanzania, Zanzibar, Fumba (village). On rocks, at low tide.	€ 0,40
Nerita textilis Gmelin, 1791.		€ 1,50 t/m € 2,00
Neritina turrita (Gmelin, 1791).	Philippines, Visayas (region), Samar (island).	€ 1,00
Nerita undata L., 1758.	Philippines.	€ 0,20
Nerita versicolor Gmelin, 1791.	Bahamas, Green Turtle Cay (island).	€ 0,50
Nerita versicolor Gmelin, 1791.	Bonaire, Lesser Antilles Islands.	€ 0,50
Neritina virginea (L., 1758).		€ 3,00
Smaragdia viridis (L., 1758).	Aruba, Malmok, Boca Catalina, Lesser Antilles Islands.	€ 1,30
Noetiidae		
Striarca lactea (L., 1758). Single valves.	France, Brittany, Côtes-d'Armor (department), Tréburden.	€ 0,50
Noetia ponderosa (Say, 1822).	USA, Florida.	€ 1,00 t/m € 1,50
Arcopsis solida (Sowerby, 1833).	Mexico, Baja California, Bahía de los Ángeles. Gulf of California.	€ 0,35
Arcopsis solida (Sowerby, 1833).	Panama, Panamá City, Punta Calafata, live under stones.	€ 1,20
Nuculanidae		
Nuculana minuta (O.F. Müller, 1776).	Canada, Nova Scotia, W. Digby Co., St. Mary's Bay, 40-45 fathoms, trawl.	€ 1,80
Adrana patagonica (Orbigny, 1842).	Uruguay, Rocha Department, La Paloma. From fisherman.	€ 9,50
Nuculidae		
Acila divaricata (Hinds, 1843).	Japan, Honshu (island), Aichi Prefecture, Mikawa. 30-50 fathoms deep.	€ 1,50
Nucula nitidosa Winkworth, 1930.	Germany, Helgoland Island.	€ 0,30
Olividae		
Baryspira albocallosa (Lischke, 1873)).	China. From East China Sea. Trawled, 140 metres deep.	€ 7,50 t/m € 12,50
Oliva amethystina (Röding, 1798).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,50
Oliva amethystina (Röding, 1798).	Philippines, Palawan (province), Palawan (island).	€ 1,30
Oliva amethystina (Röding, 1798).	Australia.	€ 0,50 t/m € 0,80
Oliva annulata f. carnicolor Dautzenberg, 1927.	Philippines.	€ 1,30 t/m € 1,80
Oliva annulata Gmelin, 1791.	Philippines.	€ 1,30
Olivella biplicata (Sowerby, 1825).	USA, California, Catalina Island.	€ 0,75 t/m € 1,00
Oliva brettinghami Bridgman, 1909.	Australia, Western Australia, Broome.	€ 0,50
Oliva buelowi Sowerby III, 1889.	Thailand, Phuket (island), Raya Island. 25-30 metres deep.	€ 1,00

		Price Range
Oliva bulbiformis Duclos, 1835.	Philippines, Mimaropa (Region IV-B), Marinduque (island).	€ 1,00
Oliva bulbosa f. inflata Lamarck, 1811.	Kenya, Coast Province, Mombasa County, Mombasa, Diani beach.	€ 1,80 t/m € 2,00
Oliva bulbosa (Röding, 1798).	Egypt, Hurghada. Red Sea.	€ 1,00
Oliva bulbosa (Röding, 1798).		€ 0,80
Oliva bulbosa (Röding, 1798).	Egypt, Hurghada, Red Sea.	€ 0,75
Oliva bulbosa (Röding, 1798).	East Africa. Indian Ocean.	€ 0,80 t/m € 1,00
Oliva caerulea (Röding, 1798).	Thailand, Changwat Phuket (province), Phuket (island), Southeast Asia.	€ 1,30
Oliva caerulea (Röding, 1798).	Philippines, Cebu (province), Mactan (island).	€ 1,20
Oliva carneola (Gmelin, 1791).	Philippines.	€ 0,80
Oliva carneola (Gmelin, 1791).	Solomon Islands, Pacific Ocean.	€ 0,50
Oliva elegans Lamarck, 1811.	Indonesia.	€ 1,80
Oliva elegans Lamarck, 1811.	Indonesia, East Java (province). On sand.	€ 2,00
Olivancillaria gibbosa (Born, 1778).	India.	€ 2,00
Olivancillaria gibbosa (Born, 1778).	Thailand, Changwat Phuket (province), Phuket (island).	€ 2,00
Olivancillaria gibbosa (Born, 1778).	Sri Lanka, Eastern Province, Trincomalee District, 10 km N. of Nilaveli.	€ 1,00 t/m € 2,00
Olivancillaria gibbosa (Born, 1778).	India, Tamil Nadu (state), Cuddalore. Bay of Bengal.	€ 2,00
Ancilla glabrata (L., 1758).	Colombia, trawled off Guajira Peninsula. 10-20 fathoms deep, mud/sand.	€ 3,30
Ancilla glabrata (L., 1758).	Gulf of Venezuela, off Los Monges. Trawled by shrimper, muddy sand, 60 m.	€ 7,50 t/m € 12,50
Amalda hinomotoensis (Yokoyama, 1922). W/O.	Vietnam.	€ 2,50
Oliva hirasei Kira, 1959.	Indo-Pacific.	€ 1,30
Oliva hirasei Kira, 1959.	Thailand, Phuket (island), Raya Island. 25-30 metres deep.	€ 2,80
Oliva incrassata (Lightfoot, 1786).	Mexico, Baja California Sur (state), 1 km S. of Mulegé. Dead on beach.	€ 2,50
Oliva incrassata (Lightfoot, 1786).	USA, California. Pacific Ocean.	€ 2,50
Oliva incrassata (Lightfoot, 1786).	Mexico, Baja California, San Felipe.	€ 1,30 t/m € 2,00
Oliva irisans Lamarck, 1811.	Philippines.	€ 1,00
Agaronia johnkochi Voskuil, 2006.	Indonesia, West Java (province), Pangadaran.	€ 5,00
Oliva keenii Marrat, 1870.	Philippines.	€ 1,30 t/m € 1,80
Ancilla lienardi (Bernardi, 1821).	Brazil, Ceará, Camocin. From lobster divers at 25-40 m on a rocky bottom.	€ 6,00 t/m € 12,00
Ancilla lienardi (Bernardi, 1821).	Brazil, Ceará, Camocin. Collected by local divers at 15-25 metres deep.	€ 9,00 t/m € 12,50
Agaronia lutaria Röding, 1798.	Indonesia, Lesser Sunda Islands, Flores (island), Maumere.	€ 1,50
Baryspira mammilla (Sowerby, 1833).	South-west Pacific Ocean.	€ 0,80
Baryspira mammilla (Sowerby, 1833).	Taiwan, Taiwan Channel.	€ 1,50
Oliva mantichora Duclos, 1835.	Thailand, Phuket (island), Raya Island. 25-30 metres deep.	€ 1,20
Oliva mantichora Duclos, 1835.	Philippines.	€ 0,50 t/m € 1,30
Oliva miniacea miniacea Röding, 1798.	Thailand, Phuket (island), Raya Island. 25-30 metres deep.	€ 1,00

		Price Range
Oliva miniacea miniacea Röding, 1798.	Madagascar Island. East Africa. Indian Ocean.	€ 3,50
Oliva miniacea miniacea Röding, 1798.	Philippines.	€ 0,50 t/m € 1,00
Oliva miniacea tremulina Lamarck, 1811.	Philippines, Palawan (province), Palawan (island).	€ 0,80
Oliva mustelina Lamarck, 1811.	Taiwan, south-west. East China Sea.	€ 1,50
Olivella nivea (Gmelin, 1791).	Bonaire, Lesser Antilles Islands.	€ 1,00
Oliva oliva (L., 1758).	Philippines.	€ 0,70
Oliva oliva (L., 1758).	Philippines.	€ 0,40 t/m € 1,00
Oliva oliva (L., 1758).	Brunei State, Borneo, Seria, Southeast Asia.	€ 0,50
Oliva oliva (L., 1758).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 0,50
Oliva oliva (L., 1758).	Thailand, Phuket (island), Raya Island. 25-30 metres deep.	€ 0,50 t/m € 0,80
Oliva oliva (L., 1758).	Indonesia, Bali (province), Bali (island), Kuta Beach.	€ 0,70
Oliva ornata Marrat, 1867.	Taiwan, south-west. East China Sea.	€ 1,00
Oliva ornata Marrat, 1867.	Australia, Western Australia, Broome. Live, on sandbank.	€ 0,90
Oliva ornata Marrat, 1867.	Australia, Western Australia, Broome.	€ 1,00
Oliva pacifica Marrat, 1870.	Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.	€ 2,50
Oliva porphyria (L., 1758).	Mexico, Bahía Concepción. Gulf of California. Eb, 14 metre deep, in sand.	€ 12,50
Oliva reticularis Lamarck, 1811.	Bahamas, Green Turtle Cay (island).	€ 1,80
Oliva reticularis Lamarck, 1811.	Aruba, Lesser Antilles Islands.	€ 1,00
Oliva reticulata (Röding, 1798).	Indonesia, Lesser Sunda Islands, Flores (island), Gelinting.	€ 0,75
Oliva reticulata (Röding, 1798).	Philippines.	€ 1,00
Oliva reticulata (Röding, 1798).	Indonesia, Bali (province), Bali (island).	€ 0,80
Oliva reticulata (Röding, 1798).	Indonesia, Flores (island), Labuhanbajo, Waerana Beach. On coral.	€ 0,75
Oliva rufula Duclos, 1835.	Philippines.	€ 1,50
Oliva sayana Ravenel, 1834.	USA, Florida.	€ 1,30
Ancilla suavis Yokoyama, 1922.	Taiwan. East China Sea.	€ 2,00
Oliva tessellata Lamarck, 1811.	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,00
Oliva tricolor Lamarck, 1811.	Philippines.	€ 0,80 t/m € 1,30
Oliva tricolor Lamarck, 1811.	Sri Lanka.	€ 1,50
Oliva tricolor Lamarck, 1811.	Indonesia, Sulawesi (island), South Sulawesi (province), Bira.	€ 1,30
Olivancillaria urceus (Röding, 1798).	Brazil, Santa Catarina (state), off Itajai. Fisherman, 20-30 metres deep.	€ 1,00 t/m € 2,00
Ancillista velesiana Iredale, 1936.	Australia, New South Wales, Iluka. Fished.	€ 5,00
Amalda vernedei herlaari van Pel, 1989.	Australia, Northern Territory. Arufa Sea. Pacific Ocean.	€ 12,50
Oliva vidua (Röding, 1798).	Sri Lanka, Eastern Province, Trincomalee.	€ 1,25
Oliva vidua (Röding, 1798).	Indonesia, Greater Sunda Islands, East Java (province), Madura Island.	€ 2,00
Oliva vidua (Röding, 1798).	India, Tamil Nadu (state), Madras [Chennai].	€ 2,00

Oliva vidua (Röding, 1798).
 Oliva vidua (Röding, 1798).
 Oliva vidua (Röding, 1798).
 Olivella volutella (Lamarck, 1811).

Ostreidae

Lopha cristagalli (L., 1758).
 Lopha cristagalli (L., 1758).
 Crassostrea gigas (Thunberg, 1793).
 Crassostrea gigas (Thunberg, 1793).
 Ostrea palmula Carpenter, 1857.

Ovulidae

Phenacovolva angasi (Reeve, 1865).
 Phenacovolva brevirostris (Schumacher, 1817).
 Ovula costellata Lamarck, 1810.
 Cyphoma gibbosum (L., 1758).
 Cyphoma gibbosum (L., 1758).
 Cyphoma gibbosum (L., 1758).
 Cyphoma gibbosum (L., 1758).
 Cyphoma gibbosum (L., 1758).
 Cyphoma gibbosum (L., 1758).
 Cyphoma gibbosum (L., 1758).
 Phenacovolva longirostrata (Sowerby, 1828).
 Phenacovolva longirostrata (Sowerby, 1828).
 Pseudosimnia marginata (Sowerby, 1828).
 Pseudosimnia marginata (Sowerby, 1828).
 Pseudosimnia marginata (Sowerby, 1828).
 Ovula ovum (L., 1758).
 Ovula ovum (L., 1758).
 Ovula ovum (L., 1758).
 Jenneria pustulata (Lightfoot, 1786).
 Phenacovolva rosea (A. Adams, 1854).
 Pseudosimnia sinensis (Sowerby, 1874).
 Phenacovolva subreflexa (Adams & Reeve, 1848).
 Calpurnus verrucosus (L., 1758).
 Calpurnus verrucosus (L., 1758).

Philippines, Central Visayas (region), Cebu (province), Mactan (island).
 Australia, Queensland, Dunk Island. Alive, in sand.
 Indonesia, Greater Sundra Islands, East Java (province), Madura Island.
 Panama.

Philippines.
 Japan.
 Nederland, Scheveningen. On beach by breakwater, some live.
 The Netherlands, Zeeland, Yerseke.
 West Panama. Pacific Ocean.

Japan, Honshu (island), Wakayama Prefecture, Nada.
 Japan, Honshu (island), Chubu region, Aichi Prefecture, Mikawa.
 Australia, Qld., Cairns, Great Barrier Reef. Dived at 10 metres, coral. 34 mm
 USA, Florida. On gorgonians.
 The Grenadines Islands, Windward Islands, Caribbean.
 Haiti. Caribbean Sea.
 Curaçao, Lesser Antilles Islands.
 USA, Florida, Big Pine Key.
 Curaçao, Lesser Antilles Islands.
 Bahamas, Abaco Cays, Manjack Cay.
 Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.
 Taiwan. East China Sea.
 Japan.
 Taiwan, south-west. East China Sea.
 Taiwan, south-west. East China Sea.
 Tanzania, Zanzibar. East Africa. Indian Ocean.
 Philippines.
 Indonesia, West Nusa Tenggara, Lombok (island).
 Mexico, Baja California Sur, Mulegé. 1-2 metres deep, under stones.
 Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.
 Taiwan. East China Sea.
 Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.
 Mozambique, Bazaruta Island region. In shallow water. 20 mm - 23 mm
 Philippines.

Price Range

€ 1,50 t/m € 2,00
 € 1,70
 € 2,00
 € 0,30
 € 5,00 t/m € 12,00
 t/m € 4,00
 € 0,80 t/m € 1,30
 € 1,50
 € 2,00
 € 2,50
 € 1,80
 € 12,50
 € 0,50
 € 1,00 t/m € 2,00
 € 1,70
 € 0,25
 € 0,40
 € 0,80
 € 1,80
 € 6,50
 € 10,00
 € 4,00
 € 1,30
 € 2,00
 € 1,30
 € 1,30 t/m € 2,30
 € 1,20
 € 1,50
 € 2,00
 € 1,40
 € 3,50
 € 1,00
 € 0,60

Calpurnus verrucosus (L., 1758).
 Calpurnus verrucosus (L., 1758).
 Calpurnus verrucosus (L., 1758).
 Volva volva (L., 1758).
 Volva volva (L., 1758).
 Volva volva (L., 1758).

Pandoridae

Pandora inaequalis (L., 1758).
 Pandora inaequalis (L., 1758).
 Pandora inaequalis (L., 1758).

Patellidae

Patella argenvillei Krauss, 1848.
 Patella barbara L., 1758.
 Patella caerulea L., 1758.
 Patella caerulea L., 1758.
 Patella caerulea L., 1758.
 Patella caerulea L., 1758.
 Patella candei Orbigny, 1839.
 Patella compressa L., 1758.
 Nacella deaurata (Gmelin, 1791).
 Cellana denticulata (Martyn, 1784).
 Helcion dunkeri (Krauss, 1848).
 Cellana eucosmia (Pilsbry, 1891).
 Patella granatina L., 1758.
 Patella granatina L., 1758.
 Patella granatina L., 1758.
 Patella granatina L., 1758.
 Patella intermedia Murray, 1857.
 Patella intermedia Murray, 1857.
 Patella intermedia Murray, 1857.
 Patella laticostata Blainville, 1825.
 Patella laticostata Blainville, 1825.
 Patella longicosta Lamarck, 1819.
 Patella longicosta Lamarck, 1819.
 Patella lugubris Gmelin, 1791.

Papua New Guinea, East New Britain Province, Rabaul.
 Philippines, Bohol (province), close to Panglao Island, Balicasag Island.
 Solomon Islands, Guadalcanal. Pacific Ocean.
 India, Tamil Nadu (state), off Madras [Chennai]. Trawled.
 Philippines.

Spain, San Carlos de la Rápita. Trawled by fisherman 26 mm - 32 mm
 France, Brittany, Ille-et-Vilaine (departement), Dinard.
 France, Brittany, Saint-Jacut-de-la-Mer, Côtes-du-Nord

South Africa.
 South Africa, Cape Point.
 Italy, Savona, Vado Ligure harbour. 1-5 metres deep.
 Tunisia, Nabeul.
 Turkey, Alanya.
 Spain, Andalusia (region), Province of Málaga, Marbella.
 Portugal, Madeira (autonomous region), Madeira (island). Atlantic Ocean.
 South Africa, Western Cape, Simonstown. False Bay. Scuba, kelp, ±6 m.
 Argentina, Tierra del Fuego, Canal Beagle, Puerto Almanza. On rocks, ebb.
 New Zealand, Kaikoura. Intertidal on rocks. 26 mm
 South Africa, Eastern Cape Province, Port Alfred.
 Israel, Elat. Gulf of Aqaba.
 South Africa, Western Cape, Olifantsbos point. Sand beach, by reefs & kelp
 South Africa, Western Cape, Hout Bay. Low water mark, live on rocks.
 Namibia, Erongo (region), Swakopmund. Atlantic Ocean.
 South Africa, South of Cape Town, Hout Bay, Kommetjie. Atlantic Ocean.
 France, Brittany, Rothéneuf.
 Spain, San Carlos de la Rápita.
 Morocco, West Sahara, Tan Tan.
 Australia, Western Australia, Augusta.
 Australia, Western Australia, Cape le Grand, Rossiter Bay.
 South Africa, Cape Province, Cape Town.
 South Africa, False Bay area, Buffels Bay. Live on rocks at low tide.
 Cape Verde. Atlantic Ocean.

Price Range

€ 0,50
 € 0,50
 € 0,50
 € 3,00
 € 6,00
 € 4,00 t/m € 6,00

 € 1,00
 € 0,20 t/m € 0,50
 € 0,50

 € 2,00
 € 3,50
 € 3,50
 € 1,00
 € 0,50 t/m € 1,00
 € 0,20 t/m € 0,80
 € 2,50
 € 2,00 t/m € 3,50
 € 3,00 t/m € 5,00
 € 2,30
 € 1,70
 € 1,80 t/m € 2,30
 € 1,00 t/m € 2,00
 € 3,00
 € 3,50 t/m € 4,00
 € 2,00 t/m € 3,00
 € 0,40
 € 1,00
 € 0,80 t/m € 1,30
 € 4,00
 € 4,50 t/m € 7,00
 € 2,50
 € 4,50
 € 0,80

		Price Range
Nacella magellanica (Gmelin, 1791). Mesolitoral.	Argentina, Tierra del Fuego, Canal Beagle, Punta Maria. On rocks.	€ 4,00
Patella miniata Born, 1778.	South Africa.	€ 0,50
Patella miniata Born, 1778.	South Africa, Western Cape, Simonstown. False Bay. Scuba, 6 m, rock bott.	€ 2,00
Patella nigra (da Costa, 1771).	Mediterranean Sea.	€ 2,00
Patella oculus Born, 1778.	South Africa, Transkei.	€ 6,50
Patella oculus Born, 1778.	South Africa, Eastern Cape (province), Buffalo City, Gonubie.	€ 2,50
Patella oculus Born, 1778.	South Africa, Cape Province, Jeffreys Bay.	€ 0,80 t/m € 1,30
Patella oculus Born, 1778.	South Africa, False Bay. Mid-tide level, live, collected from rocks.	€ 5,00
Helcion pectunculus (Gmelin, 1791).	South Africa, Western Cape, Olifantsbos point. Sand beach, by reefs & kelp	€ 0,75
Helcion pectunculus (Gmelin, 1791).	South Africa, Eastern Cape Province, near East London, Gonoubie.	€ 0,80
Cellana radiata radiata (Born, 1778).	Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.	€ 1,00 t/m € 1,30
Cellana radiata radiata (Born, 1778).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,00
Patella rustica L., 1758.	Morocco, Marrakesh-Tensift-El Haouz, Essaouira.	€ 0,70
Patella rustica L., 1758.	Spain, Province of Málaga, Fuengirola.	€ 0,30 t/m € 0,50
Patella tabularis Krauss, 1848.	South Africa, Cape Province, False Bay. 15 metres deep on reef.	€ 7,00 t/m € 9,00
Cellana testudinaria (L., 1758).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 0,50
Cellana testudinaria (L., 1758).	Thailand, Changwat Phuket (province), Phuket (island).	€ 1,00 t/m € 2,50
Cellana tramoserica (Holten, 1802).	Australia.	€ 1,00
Patella ulyssiponensis Gmelin, 1791.	Portugal, Madeira (island), Porto Santo. Atlantic Ocean.	€ 0,75
Patella ulyssiponensis Gmelin, 1791.	France, Brittany, Rothéneuf.	€ 0,20 t/m € 0,30
Patella ulyssiponensis Gmelin, 1791.	Portugal, Algarve (region), Quarteira.	€ 0,50
Patella vulgata L., 1758.	Ireland, Dublin, Dún Laoghaire.	€ 1,00
Patella vulgata L., 1758.	England, Cornwall.	€ 1,00
Patella vulgata L., 1758.	UK, Wales, South Wales (region), Cower Peninsula. Live, littoral, rocks.	€ 0,50 t/m € 1,00
Patella vulgata L., 1758.	France, Brittany, Côtes-d'Armor (department), Côtes d'Armorique.	€ 1,80
Patella vulgata L., 1758.	France, Brittany, Ille-et-Vilaine (departement), Dinard.	€ 0,80 t/m € 1,00
Pectinidae		
Pecten albicans (Schröter, 1802).	Taiwan. East China Sea.	€ 2,30
Mimachlamys albolineata (Sowerby II, 1842).	Thailand, Changwat Phuket (province), Phuket (island).	€ 2,00
Mimachlamys asperrima (Lamarck, 1819).	Australia, South Australia, Edithburg, under rocks.	€ 1,50 t/m € 2,30
Mimachlamys asperrima (Lamarck, 1819).	Australia, South Australia, Port Giles Jetty. 45 feet deep.	€ 2,50 t/m € 4,00
Mimachlamys asperrima (Lamarck, 1819).	Australia.	€ 4,00
Amusium balloti (Bernardi, 1861).	Australia, New South Wales, Brunswick Heads.	€ 4,00 t/m € 6,50
Amusium balloti (Bernardi, 1861).	Japan.	€ 7,00 t/m € 3,50
Mimachlamys cloacata (Reeve, 1853).	Philippines. Sulu Sea. Fished.	€ 3,00

		Price Range
Mesopeplum convexum (Quoy & Gaimard, 1835).	New Zealand, south of Stewart Island. Trawled 30 fathoms.	€ 4,30 t/m € 5,00
Bractechlamys corallinoides (Orbigny in W. & B., 1839).	Spain, Canary Islands, Tenerife, off Puerto de la Cruz. Scuba, 10-30 m.	€ 5,00
Mimachlamys crassicostata (Sowerby II, 1842).	Japan, Hokkaido.	€ 6,00
Mimachlamys crassicostata (Sowerby II, 1842).		€ 6,50
Psychrochlamys delicatula (Hutten, 1873).	New Zealand, near Jackson Head. Trawled 15-18 metres deep.	€ 1,80 t/m € 2,50
Euvola diegensis (Dall, 1898).	Mexico, Sonora (state), Moro Colorado. Gulf of California. Fished.	€ 2,00 t/m € 5,00
Pecten erythraeensis Sowerby II, 1842.	Egypt, south of Safaga. Red Sea. From fishery.	€ 4,00
Lissochlamys exotica (Dillwyn, 1817).	Gabon. Port-Gentil. West Africa. Atlantic Ocean.	€ 4,50
Scaechlamys farreri (Jones & Preston, 1904).	Japan.	€ 3,00 t/m € 4,50
Annachlamys flabellata (Lamarck, 1819).	Australia, Western Australia, Carnarvon.	€ 7,50
Annachlamys flabellata (Lamarck, 1819).	Australia, Western Australia, off Carnarvon. Trawled, 40-60 m deep on sand.	€ 4,00
Annachlamys flabellata (Lamarck, 1819).	Australia, Queensland, Cape Manifold.	€ 4,00
Annachlamys flabellata (Lamarck, 1819).	Australia, Queensland, Fraser Coast, Tin Can Bay.	€ 6,50
Aequipecten flabellum (Gmelin, 1791). Special offer.	Senegal, Dakar Region, Dakar, north side N'Gor. Diving, 1-8 metres deep.	€ 3,30
Aequipecten flabellum (Gmelin, 1791).	Angola, Luanda province. West Africa. Atlantic Ocean.	€ 1,30
Aequipecten flabellum (Gmelin, 1791).	Senegal, Cape Verde Peninsula. West Africa. Trawled at 30-50 feet deep.	€ 3,50
Aequipecten flabellum (Gmelin, 1791).	Senegal, Casamance. West Africa. Gulf of Guinea.	€ 3,75 t/m € 5,00
Semipallium flavicans (Lamarck, 1819).	Philippines, Central Visayas (region), Cebu (island), Mactan Channel.	€ 5,00
Serratovola gardineri (E.A. Smith, 1903).	Taiwan. East China Sea.	€ 2,00
Talochlamys gemmulata (Reeve, 1853).	New Zealand, Stewart Island, Paterson Inlet. Dived 10 meters, sand.	€ 4,50
Argopecten gibbus (L., 1758).	USA, Florida, Gulf of Mexico, Sanibel Island.	€ 1,30
Argopecten gibbus (L., 1758).	USA, Florida, Fort Pierce.	€ 1,50
Crassadoma gigantea (Gray, 1825).	USA, California. Pacific Ocean.	€ 12,00
Flexopecten glaber (L., 1758).	Mediterranean Sea.	€ 2,00
Flexopecten glaber (L., 1758).	Italy, Grado. Trawled by fishermen, 15 metres deep on sand, live.	€ 1,50 t/m € 2,50
Flexopecten glaber (L., 1758).	Italy, Sicily (region), Sicily.	€ 3,80 t/m € 4,50
Flexopecten glaber (L., 1758).	Italië, Genua, Mediterranean Sea.	€ 5,50
Flexopecten glaber (L., 1758).	Italy, Sicily (region), Sicily.	€ 3,50
Flexopecten glaber (L., 1758).	Greece, 200 km northeast of Athens, Évvoia Island, Kimi.	€ 1,30 t/m € 1,80
Flexopecten glaber (L., 1758).	Turkey.	€ 2,00 t/m € 6,00
Mimachlamys gloriosa (Reeve, 1853).	Australia, Queensland.	€ 4,00
Mimachlamys gloriosa (Reeve, 1853).	Thailand, Changwat Phuket (province), Phuket (island).	€ 4,00 t/m € 5,00
Chlamys hastata hericius (Gould, 1850).	USA, Washington, Puget Sound.	€ 4,50
Chlamys hastata hericius (Gould, 1850).	Canada, Vancouver Island, Union Bay.	€ 2,30
Excellichlamys histrionica (Gmelin, 1791).	Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.	€ 3,00 t/m € 4,80

		Price Range
Excellichlamys histrionica (Gmelin, 1791).	Thailand, Changwat Phuket (province), Phuket (island).	€ 2,00 t/m € 3,00
Argopecten irradians irradians (Lamarck, 1819).	USA, Massachusetts. Atlantic Ocean.	€ 1,50 t/m € 3,50
Chlamys islandica (Müller, 1776).	Canada, Nova Scotia, Digby.	€ 3,80 t/m € 6,25
Chlamys islandica (Müller, 1776).	Iceland, Breidafjordhur. Atlantic Ocean. Trawled, 36 metres deep.	€ 5,00
Chlamys islandica (Müller, 1776).	Norway, Nordland (province), Lofoten Islands.	€ 5,00
Chlamys islandica (Müller, 1776).	Barents Sea, 68°34' N., 39°14' O., 70-78 metres deep.	€ 3,80 t/m € 5,00
Chlamys islandica (Müller, 1776).	Russia. 68°34'N, 39°14 E. Barents Sea, Arctic Ocean. Fished, 80 m deep.	€ 3,00 t/m € 5,00
Chlamys islandica (Müller, 1776).	Denmark Strait, between Iceland and Greenland. Fished.	€ 4,00
Pecten jacobaeus (L., 1758).	Italy. Mediterranean Sea.	€ 6,50
Pecten jacobaeus (L., 1758).	Italy, Veneto (region), Province of Venice, Caorle (city). Adriatic Sea.	€ 4,00
Mimachlamys lentiginosa (Reeve, 1853).	Philippines.	€ 1,00
Mimachlamys lentiginosa (Reeve, 1853).	Philippines, Mindanao (island), Zamboanga.	€ 2,00
Mimachlamys lentiginosa (Reeve, 1853).	Philippines, Mindanao (island), Zamboanga.	€ 2,00
Mimachlamys lentiginosa (Reeve, 1853).	Philippines.	€ 2,50
Scaechlamys livida (Lamarck, 1819).	Australia, New South Wales, Ulladulla Harbour. Littoral, live and dead.	€ 0,20 t/m € 1,00
Scaechlamys livida (Lamarck, 1819).	Australia, New South Wales, 3 km from Iluka. Littoral zone, under stones.	€ 1,00 t/m € 2,50
Scaechlamys livida (Lamarck, 1819).	Australia, Western Australia, near Rockingham. Scuba, attached on mussels.	€ 2,00
Placopecten magellanicus (Gmelin, 1791).	Canada, Vancouver Island. Trawled at 110-145 metres deep.	€ 9,50
Placopecten magellanicus (Gmelin, 1791).	Canada, Vancouver Island. Trawled 110-145 m, fishermen.	€ 5,00 t/m € 7,50
Nodipecten magnificus (Sowerby I, 1835).	Ecuador, Galápagos Islands, Fernandina Island, Bahia Isabel. Taken in sand between rocks at 15-20 metres, by dive.	€ 595,00
Pecten maximus (L., 1758).	North Sea fishery.	€ 3,50
Pecten maximus (L., 1758).	UK, Wales, 40 km north of the Great Ormes Head. 37 mm - 70 mm	€ 1,50 t/m € 2,50
Pecten maximus (L., 1758). sand at 20-30 metres.	France, Morbihan, Belle Ile sur Mer. Trawled north of Le Palais on silty	€ 5,00
Pecten maximus (L., 1758).	North Sea fishery.	€ 3,50
Pecten maximus (L., 1758).	Ireland, Dundalk Bay, Irish Sea.	€ 1,00 t/m € 3,00
Pecten maximus (L., 1758).	France, Brittany, Côtes-d'Armor (department), Erquy.	€ 1,00 t/m € 2,80
Mirapekten mirificus (Reeve, 1853). Special offer.	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,00 t/m € 5,00
Mirapekten mirificus (Reeve, 1853).	Philippines, Mindanao (island), Zamboanga.	€ 12,50
Aequipekten muscosus (Wood, 1828).	USA, Florida.	€ 3,50
Nodipecten nodosus (L., 1758).	Venezuela, SW of Islas Las Monjes. Gulf of Venezuela. ±25 fathoms deep.	€ 4,30 t/m € 6,50
Nodipecten nodosus (L., 1758).	Venezuela, Isla Margarita, El Coche.	€ 1,50 t/m € 2,50
Nodipecten nodosus (L., 1758).	Brazil, Espírito Santo (state), Guarapari. Flat bottom, 20-25 metres deep.	€ 5,00
Pecten novaezelandiae Reeve, 1852.	New Zealand, N.I., Jackson's Bay. 60 metres deep.	€ 1,30
Aequipekten opercularis (L., 1758). 20-30 m. Collected alive.	France, Morbihan, Belle Ile sur Mer, N. of Le Palais. Trawled, silty sand.	€ 1,50
Aequipekten opercularis (L., 1758).	Spain, Province of Málaga, Fuengirola.	€ 0,50

		Price Range
Aequipecten opercularis (L., 1758).	France, Brittany, Bay of Morbihan. Trawled by commercial scallop boats.	€ 1,50
Aequipecten opercularis (L., 1758).	France, Brittany.	€ 2,50
Aequipecten opercularis (L., 1758). 75-80 m. Trawled, silty sand.	North Sea, Outer Silver Pit (station 18-19). 54°06'20" N 2°16'-2°13'50" E.	€ 2,00
Aequipecten opercularis (L., 1758). sand at 20-30 metres. Live.	France, Belle Ile sur Mer, Morbihan. Trawled north of Le Palais on silty	€ 1,00 t/m € 1,75
Aequipecten opercularis (L., 1758).	France, Brittany, St. Quay-Portrieux.	€ 0,80 t/m € 1,50
Aequipecten opercularis (L., 1758). silty sand.	North Sea, Outer Silver Pit (station 1). 53°59'50"N. 2°28'E. 75-80 m on 43 mm - 70 mm	€ 1,50 t/m € 2,50
Aequipecten opercularis (L., 1758).	Italy, Chioggia, fishery.	€ 0,80
Aequipecten opercularis (L., 1758).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,50
Gloripallium pallium (L., 1758).	Thailand, Changwat Phuket (province), Phuket (island).	€ 1,50 t/m € 3,00
Carabachlamys pellucens (L., 1758).	USA, Florida, Palm Beach to Broward County. Scuba, 10 fathoms deep, reef.	€ 9,50
Carabachlamys pellucens (L., 1758).	USA, Lower Florida Keys, Looe Key. Between coral on sponges. 29 mm - 40 mm	€ 6,50 t/m € 7,50
Euvola perulus (Olsson, 1961).	Panama, Bay of Chiriqui. Pacific Ocean	€ 3,00
Amusium pleuronectes (L., 1758).	Indonesia.	€ 10,00
Amusium pleuronectes (L., 1758).	Indonesia, Mollucus Islands.	€ 12,50
Amusium pleuronectes (L., 1758).	Philippines.	€ 4,00
Decatopecten plica (L., 1758).	Philippines, Luzon (island), Cavite.	€ 5,00
Decatopecten plica (L., 1758).	Japan.	€ 5,00
Decatopecten plica (L., 1758).	Philippines, Visayas (region), Samar (island).	€ 3,30
Decatopecten plica (L., 1758).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 2,00
Decatopecten plica (L., 1758).	Philippines, Cebu (island), Olango Island. Dived at 10 metres deep.	€ 2,00
Decatopecten plica (L., 1758).	Japan, Honshu (island), Wakayama Prefecture, Minabe.	€ 5,00
Talochlamys pusio (L., 1758).	UK, Scotland, Isle of Skye, Broadford. In fishing port, on plastic crates.	€ 2,50 t/m € 3,00
Minnivola pyxidata (Born, 1778).	India, Tamil Nadu (state), Madras [Chennai].	€ 3,00
Minnivola pyxidata (Born, 1778).	Philippines.	€ 1,80 t/m € 2,30
Minnivola pyxidata (Born, 1778).	Philippines, Luzon (island), Tabayas Bay.	€ 3,00
Decatopecten radula radula (L., 1758).	Philippines, Sulu (province), Siasi Island. Sulu Sea.	€ 1,30 t/m € 2,30
Decatopecten radula radula (L., 1758).	Japan, Kagoshima Prefecture, Amami Islands, Amami Ōshima (island).	€ 2,50
Decatopecten radula radula (L., 1758).	Philippines.	€ 2,50
Mirapecten rastellum (Lamarck, 1819).	Philippines, Central Visayas (region), Bohol (island).	€ 5,00 t/m € 10,00
Mirapecten rastellum (Lamarck, 1819).	Philippines, Cebu (island), Mactan Channel. 30 m deep, between dead coral.	€ 4,50
Mirapecten rastellum (Lamarck, 1819).	Philippines, Cebu (province), Mactan (island), Punta Engaño.	€ 0,80 t/m € 7,50
Euvola raveneli (Dall, 1898).	USA, Florida, Port Canaveral.	€ 1,80 t/m € 3,80
Serratovola rubicunda (Récluz in Chenu, 1843).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,50 t/m € 2,00
Serratovola rubicunda (Récluz in Chenu, 1843).	Philippines.	€ 2,00

		Price Range
<i>Chlamys rubida</i> (Hinds, 1845).	USA, Washington, San Juan Islands.	€ 4,50
<i>Mimachlamys sanguinea</i> (L., 1758).	Philippines.	€ 5,00
<i>Mimachlamys sanguinea</i> (L., 1758).	Philippines, Central Visayas (region), Cebu (province), Mactan (island).	€ 4,00
<i>Mimachlamys sanguinea</i> (L., 1758).	Philippines.	€ 3,00
<i>Mimachlamys sanguinea</i> (L., 1758).	Philippines.	€ 2,00
<i>Mimachlamys sanguinea</i> (L., 1758).	Red Sea.	€ 3,00
<i>Mimachlamys sanguinea</i> (L., 1758). Brown form.	Thailand, Phuket (island), Raya Island. 25-30 metres deep.	€ 0,80 t/m € 1,50
<i>Mimachlamys sanguinea</i> (L., 1758).	Thailand, Changwat Phuket (province), Phuket (island).	€ 2,00 t/m € 5,50
<i>Mimachlamys sanguinea</i> (L., 1758).	Philippines, Mindanao (island), Zamboanga. From fisherman.	€ 2,00 t/m € 3,80
<i>Mimachlamys sanguinea</i> (L., 1758).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,80
<i>Mimachlamys sanguinea</i> (L., 1758).	Philippines.	€ 6,50
<i>Mimachlamys sanguinea</i> (L., 1758).	Philippines, Sulu Archipelago. Trawled, 75 metres deep.	€ 3,00
<i>Mimachlamys sanguinea</i> (L., 1758).	Philippines, Basilan Island.	€ 3,30
<i>Mimachlamys sanguinea</i> (L., 1758). Juvenile.	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,50
<i>Caribachlamys sentis</i> (Reeve, 1853).	Florida, Government Cut, Miami. Snorkel, 5-10 feet deep, under rubble.	€ 5,00
<i>Caribachlamys sentis</i> (Reeve, 1853).	USA, Florida, Big Pine Key.	€ 4,50
<i>Caribachlamys sentis</i> (Reeve, 1853).	Florida, Pompano Beach, 2 miles south of Hillsboro Light. 3 m deep.	€ 2,80
<i>Gloripallium speciosum</i> (Reeve, 1853).	Japan, Okinawa (island), Bolo Point. East China Sea. Gedoken.	€ 5,00
<i>Pedum spondyloideum</i> (Gmelin, 1791).	Philippines, Mactan (island). 7 m deep, embedded in braincorals, scuba.	€ 10,00
<i>Scaechlamys squamata</i> (Gmelin, 1791).	Taiwan, south-west of.	€ 1,00 t/m € 1,30
<i>Laevichlamys squamosa</i> (Gmelin, 1791).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,00 t/m € 2,00
<i>Laevichlamys squamosa</i> (Gmelin, 1791).	Malaysia, Straits of Malacca. From shrimp fishery.	€ 2,00 t/m € 3,50
<i>Laevichlamys squamosa</i> (Gmelin, 1791).	Thailand, Changwat Phuket (province), Phuket (island).	€ 1,00 t/m € 2,00
<i>Laevichlamys squamosa</i> (Gmelin, 1791).	Thailand, Changwat Phuket (province), Phuket (island).	€ 1,00 t/m € 2,00
<i>Laevichlamys squamosa</i> (Gmelin, 1791).	Philippines.	€ 1,50
<i>Laevichlamys squamosa</i> (Gmelin, 1791).	Australia, Western Australia, Broome. Shallow, under rocks. 55 mm	€ 4,00
<i>Laevichlamys squamosa</i> (Gmelin, 1791).	Thailand, Changwat Phuket (province), Phuket (island).	€ 1,00 t/m € 2,00
<i>Laevichlamys squamosa</i> (Gmelin, 1791).	Philippines.	€ 1,30
<i>Annachlamys striatula</i> (L., 1758).	Taiwan. East China Sea.	€ 2,50
<i>Annachlamys striatula</i> (L., 1758).	Philippines, Sibuguey Bay.	€ 1,80
<i>Annachlamys striatula</i> (L., 1758).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 m	€ 1,00
<i>Annachlamys striatula</i> (L., 1758).	South China Sea.	€ 3,50
<i>Anguipecten superbus</i> (Sowerby II, 1842).	Japan, Okinawa (island), Serigala Beach. 20-30 meters deep.	€ 7,00
<i>Swiftopecten swiftii</i> (Bernardi, 1858).	Japan.	€ 10,00
<i>Mimachlamys varia</i> (L., 1758).	Ireland, County Cork, Bantry.	€ 3,00

		Price Range
Mimachlamys varia (L., 1758). sand at 20-30 metres. Live.	France, Belle Ile sur Mer, Morbihan. Trawled north of Le Palais on silty	€ 0,75
Mimachlamys varia (L., 1758).	France, Brittany, Golfe de Morbihan, Locmariaquer. Snorkling, 1-2 m deep.	€ 1,00
Mimachlamys varia (L., 1758). Meaban.	France, Morbihan, Baie de Quiberon. Live, low tide under stones at Rochers	€ 1,00
Mimachlamys varia (L., 1758). rocks; low tide.	France, Brittany, Saint-Jacut-de-la-Mer. Sand/mud flats;	€ 0,75
Mimachlamys varia (L., 1758).	France, Brittany, Morbihan (department), Carnac.	€ 1,00 t/m € 1,80
Mimachlamys varia (L., 1758).	France, Brittany.	€ 2,00
Mimachlamys varia (L., 1758).	Portugal. Olhao fishing village. In nets on the quays.	€ 0,75
Mimachlamys varia (L., 1758).	Spain, Province of Málaga, Fuengirola.	€ 0,50
Mimachlamys varia (L., 1758).	France, Brittany. Gulf of Morbihan.	€ 1,80 t/m € 2,30
Mimachlamys varia (L., 1758).	France, Brittany, Le Pô. In oysterpit and waste heaps at an oysterfarm.	€ 1,50
Mimachlamys varia (L., 1758).	France, Brittany, Golfe du Morbihan, Locq Maria Quer.	€ 1,30
Mimachlamys varia nivea (MacGillivray, 1825).	UK, Scotland, Isle of Skye, Broadford. In fishing port, on plastic crates.	€ 5,00
Mimachlamys varia nivea (MacGillivray, 1825).	UK, Scotland, off Isle of Mull. Low tide, under seaweed, on rocks.	€ 7,00
Argopecten ventricosus (Sowerby II, 1842).	Mexico, Baja California Sur (state), La Paz.	€ 3,50
Brachteclamys vexillum (Reeve, 1853).	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 1,50 t/m € 3,50
Brachteclamys vexillum (Reeve, 1853).	Philippines, Moro Gulf.	€ 2,50
Brachteclamys vexillum (Reeve, 1853).	Philippines.	€ 1,30
Brachteclamys vexillum (Reeve, 1853).	Philippines, Luzon, Bicol Region, Sorsogon. Dredged, 8-15 metres.	€ 3,00
Delectopecten vitreus (Gmelin, 1791).	Suriname, South America.	€ 2,50
Complicachlamys wardiana Iredale, 1939.	Australia, Western Australia, Broome. Extreme low tide.	€ 2,00
Complicachlamys wardiana Iredale, 1939.	Philippines, Luzon, Sorsogon. In sand under rocks, 10-20 metres deep.	€ 2,50
Mirapecten yaroni Dijkstra & Knudsen, 1998.	Egypt, Marsa Alam. Red Sea. Dived at 45 metres deep, in shipwreck.	€ 6,00 t/m € 10,00
Mizuhopecten yessoensis (Jay, 1839).	Russia, Primorskij Kraj, Posjet. Sea of Japan. 10 metres deep, trawled.	€ 27,50
Mizuhopecten yessoensis (Jay, 1839).	Japan, Honshu (island), Chubu region, Aichi Prefecture, Mikawa Bay.	€ 9,50
Mizuhopecten yessoensis (Jay, 1839).	Japan, northern.	€ 3,80
Talochlamys zelandiae (Gray in Dieffenbach, 1843).	New Zealand, South Island, Otago Peninsula, off Dunedin.	€ 2,50
Talochlamys zelandiae (Gray in Dieffenbach, 1843).	New Zealand, Foureaux Straits. Trawled at 60 metres by oyster fishermen.	€ 3,80
Euvola ziczac (L., 1758).	Honduras.	€ 7,50
Penicillidae		
Brechites australis (Chenu, 1843).	Australia, Western Australia. South-west coast.	€ 15,00
Penicillus philippinensis (Chenu, 1843).	Vietnam, South Central Coast (region), Da Nang (Đà Nẵng)	€ 14,50
Brechites spec. .	Australia, W.A., near Broome. Buried in sand, at extreme low tide.	€ 10,00
Periplomatidae		
Periploma margaritaceum (Lamarck, 1801).	Venezuela, Nueva Esparta (state), Isla El Coche.	€ 2,00
Personidae		

		Price Range
Distorsio anus (L., 1758).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 2,00
Distorsio anus (L., 1758).	Philippines.	€ 2,75
Distorsio anus (L., 1758).	Thailand, Changwat Phuket (province), Phuket (island).	€ 2,00 t/m € 3,00
Distorsio clathrata (Lamarck, 1816).	Florida, W.S.W. off Ft. Myers Beach, 150 feet deep, dredged by trawler.	€ 1,30 t/m € 2,30
Distorsio clathrata (Lamarck, 1816).	Bahamas, Green Turtle Cay (island).	€ 2,30
Distorsio decipiens (Reeve, 1844).	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 1,00 t/m € 6,00
Distorsio decipiens (Reeve, 1844).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,00 t/m € 2,80
Distorsio habei Lewis, 1972.	Philippines.	€ 3,00
Distorsio habei Lewis, 1972.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep. 44 mm	€ 4,00 t/m € 6,50
Distorsio kurzi Petuch & Harasewych, 1980.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 2,50 t/m € 4,80
Distorsio kurzi Petuch & Harasewych, 1980.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 1,00 t/m € 4,50
Distorsio perdistorta Fulton, 1938.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep. 53 mm	€ 6,00
Distorsio perdistorta Fulton, 1938.	Philippines, Bohol (province), Balicasag Island. 380 metres deep.	€ 3,50 t/m € 6,00
Distorsio reticularis (L., 1758).	Taiwan, Taiwan Channel.	€ 1,50 t/m € 3,00
Distorsio reticularis (L., 1758).	Japan.	€ 5,00
Distorsio reticularis (L., 1758).	Philippines, Cebu (province), Mactan (island), Punta Engaño.	€ 1,00 t/m € 2,50
Distorsio reticularis (L., 1758).	Philippines, Luzon (island), Tayabas Bay.	€ 2,50 t/m € 3,80
Petricolidae		
Petricola lithophaga (Retzius, 1786).	France, Charente-Maritime (department), La Rochelle. Bay of Biscay.	€ 0,80
Petricola pholadiformis Lamarck, 1818.	France, Brittany, Côtes-d'Armor (department), Erquy.	€ 1,00
Petricola pholadiformis Lamarck, 1818.	The Netherlands, Scheveningen. On the beach after a storm.	€ 1,30
Phasianellidae		
Phasianella australis (Gmelin, 1791).	Australia, Western Australia, Esperance.	€ 3,50
Phasianella australis (Gmelin, 1791).	Australia, Western Australia, Albany in sea grass.	€ 3,00
Phasianella australis (Gmelin, 1791).	Australia, W.A., east of Esperance, Lucky Bay. 2-3 m, at night.	€ 9,00
Phasianella australis (Gmelin, 1791).	Australia, Tasmania.	€ 6,50
Phasianella australis (Gmelin, 1791). Amongst ribbon weed & sand.	Australia, Western Australia, east of Esperance, Lucky Bay. 2-3 m deep.	€ 6,50
Phasianella australis (Gmelin, 1791).	Australia, W.A., E. of Esperance, Lucky Bay. 2-3 m, amongst ribbon weed.	€ 4,00 t/m € 7,50
Phasianella solida (Born, 1778).	Japan, Honshu (island).	€ 1,50
Phasianella solida (Born, 1778).	New Caledonia, Nouméa, Anse Vatá. Beach, Chateau Royal.	€ 1,30
Phasianella ventricosa Swainson, 1832.	Australia, Western Australia, Esperance. On sand, 3-5 m under Jetty.	€ 4,50
Pholadidae		
Barnea candida (L., 1758).	Spain, Playa Rio Mar.	€ 0,50 t/m € 1,00
Barnea candida (L., 1758).	North Sea fishery.	€ 2,00 t/m € 2,50
Barnea candida (L., 1758).	UK, Scotland, Fife, St Andrews.	€ 0,80 t/m € 1,00

		Price Range
Barnea candida (L., 1758).	France, Brittany, Saint-Jacut-de-la-Mer. Collected dead.	€ 0,70 t/m € 1,20
Cyrtopleura costata (L., 1758).	USA, Florida, Tampa Bay. Ondiep in modder.	€ 3,50 t/m € 10,00
Pinnidae		
Pinna muricata L., 1758.	Tanzania, Zanzibar, Fumba (village). On the beach.	€ 2,00
Atrina spec. .	Philippines.	€ 6,50
Atrina vexillum (Born, 1778).	Tanzania, Zanzibar, Fumba (village). On the beach.	€ 3,00
Atrina zelandica (Gray, 1835).	New Zealand, North Island, Orewa Beach.	€ 10,00
Placunidae		
Placuna ephippium (Philipsson, 1788).	Philippines, Palawan (province), Palawan (island).	€ 3,50
Placuna placenta (L., 1758).	Philippines, Central Visayas (region), Bohol (island).	€ 2,30
Planaxidae		
Planaxis lineatus (da Costa, 1778).	Curacao, Lesser Antilles Islands, Playa Canoa	€ 0,50
Planaxis sulcatus (Born, 1780).	Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.	€ 0,80
Planaxis sulcatus (Born, 1780).	Vanuatu, Éfaté Island, Port-Vila, Pacific Ocean.	€ 0,40
Planaxis sulcatus (Born, 1780).	Philippines, Luzon (island), Batangas (province), Batangas City.	€ 1,50
Planaxis sulcatus (Born, 1780).	Tanzania, Zanzibar, south of Zanzibar Town, Coconut Beach.	€ 0,50
Planaxis sulcatus (Born, 1780).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,00
Planaxis sulcatus (Born, 1780).	Egypt, Safaga. Red Sea.	€ 0,30 t/m € 0,50
Pleurotomariidae		
Perotrochus hirasei (Pilsbry, 1903).	Taiwan, northern coast. East China Sea.	€ 45,00
Perotrochus hirasei (Pilsbry, 1903).	China, trawled off Litang. East China Sea. 80-150 metres deep.	€ 5,00 t/m € 7,50
Perotrochus hirasei (Pilsbry, 1903).	E. China, Zhejiang, Hangzhou. East China Sea. Trawl, 200 m, sandy bottom.	€ 15,00 t/m € 25,00
Perotrochus teramachii Kuroda, 1955.	Taiwan, from fisherman of Kaoshiung. Trawled in East China Sea.	€ 70,00
Perotrochus teramachii Kuroda, 1955.	East China, Zhejiang Province, Hangzhou, off Zhoushan Qundao Archipelago. Eastern China Sea. Trawled at 400-500 m, on coarse gravel and sandy mud. W/O. 64½ mm - 100 mm	€ 19,50 t/m € 45,00
Perotrochus westralis (Whitehead, 1987).	Australia, W.A., Pert Hedland area. Dredged offshore at 1400-1600 metres.	€ 45,00
Plicatulidae		
Plicatula gibbosa Lamarck, 1801.	USA, Florida, Gulf of Mexico, Sanibel Island.	€ 2,50
Plicatula gibbosa Lamarck, 1801.	Lower Florida Keys, Looe Key Reef. 6 feet deep, coral rubble, snorkel.	€ 1,30 t/m € 1,80
Plicatula gibbosa Lamarck, 1801.	USA, Florida, St. Petersburg. Boat ramp.	€ 0,50
Plicatula muricata Sowerby, 1873.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 0,50 t/m € 1,50
Plicatula muricata Sowerby, 1873.	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,80
Propeamussiidae		
Propeamussium sibogai (Dautzenberg & Bavay, 1904). Damaged.	Philippines, Samar (island). 100-200 metres deep, trawled.	€ 5,00

Price Range

Psammobiidae

Tagelus adansonii (Bosc, 1801).	Senegal, Saint Louis. West Africa. From fisherman, shallow, in sand/mud.	€ 2,30
Tagelus adansonii (Bosc, 1801).	The Gambia, Bakau. Atlantic Ocean.	€ 1,00
Tagelus adansonii (Bosc, 1801).	The Gambia, Tanji. Atlantic Ocean.	€ 0,50
Tagelus affinis (Adams, 1852).	Mexico, Baja California Sur (state), Puerto San Carlos. Dead, mangroves.	€ 3,00
Tagelus affinis (Adams, 1852).	Mexico, Baja California Sur (state), Bahía Concepción. Gulf of California.	€ 2,50
Soletellina alba (Lamarck, 1818).	Australia, New South Wales, Sydney, Frenchmans Beach.	€ 1,00 t/m € 2,00
Psammotellina biradiata (Wood, 1815).	Australia, Western Australia, near Albany, Oyster Bay, Coraki. Ebb.	€ 1,30
Tagelus californianus (Conrad, 1837).	Mexico, Baja California (state), Ensenada. Bahía de Todos Santos.	€ 2,50 t/m € 3,50
Azorinus chamasolen (da Costa, 1778).	Spain, Andalusia (region), Province of Málaga, Marbella. Fished.	€ 2,00
Hiatula chinensis (Mörch, 1854).	Indonesia, South Sulawesi, 5 km south off Makassar (city). On mud flats.	€ 0,80
Asaphis deflorata (L., 1758).	Aruba, Aruba, Lesser Antilles Islands.	€ 0,40 t/m € 0,80
Asaphis deflorata (L., 1758).	Curaçao, Spaanse Water, Lesser Antilles Islands.	€ 0,80 t/m € 1,50
Asaphis deflorata (L., 1758).	Suriname, South America.	€ 2,50 t/m € 3,30
Asaphis deflorata (L., 1758).	USA, Florida Keys. Between mangroves.	€ 0,70 t/m € 0,80
Asaphis deflorata (L., 1758).	Curaçao, Lesser Antilles Islands.	€ 1,00 t/m € 2,30
Gari depressa (Pennant, 1777).	UK, Scotland, Aultbea.	€ 0,80 t/m € 1,50
Gari depressa (Pennant, 1777).	France, Brittany, Côtes-d'Armor (department), Tréburden.	€ 0,80 t/m € 1,50
Gari depressa (Pennant, 1777).	France, Brittany.	€ 0,80
Gari depressa (Pennant, 1777).	Ireland, Clare, Ballyvaghan.	€ 0,80 t/m € 1,30
Soletellina diphos (L., 1771).	Philippines, Central Visayas (region), Cebu (island).	€ 3,50
Soletellina diphos (L., 1771).	Malaysia, Sarawak, Santubong. In mud.	€ 2,00
Soletellina diphos (L., 1771).	Australia, Queensland, Keppel Bay.	€ 2,00
Solecurtus divaricatus (Lischke, 1869).	Taiwan. East China Sea.	€ 7,50
Solecurtus divaricatus (Lischke, 1869).	China, Yellow Sea. Trawled at about 20 metres, on a sand&mud bottom.	€ 9,00
Solecurtus divaricatus (Lischke, 1869).	Japan, Honshu (island), Kansai (region), Kyoto.	€ 3,50
Tagelus divisus (Spengler, 1794).	Bonaire, Lesser Antilles Islands, Playa Lechi.	€ 1,30
Gari elongata (Lamarck, 1818).	Indonesia, Oost-Nusa Tenggara, Lembata (island), Lewoleba. On beach.	€ 1,50 t/m € 2,50
Gari elongata (Lamarck, 1818).	Singapore, from Kranji Park. Collected on a mudflat.	€ 3,00
Gari elongata (Lamarck, 1818).	Indonesia, Moluccas Islands, Ambon Island, Natsepa.	€ 3,50
Gari fervensis (Gmelin, 1791). Halves.	Spain, Andalusia (region), Province of Málaga, Marbella.	€ 0,40
Gari fervensis (Gmelin, 1791).	UK, Scotland, Aultbea.	€ 1,50 t/m € 2,00
Gari fervensis (Gmelin, 1791).	Spain, Andalusia (region), Province of Málaga, Marbella.	€ 1,20
Gari inflata (Bertin, 1880).	Indonesia, Oost-Nusa Tenggara, Lembata (island), Lewoleba. Dead on beach.	€ 2,00 t/m € 3,00
Pharus legumen (L., 1758).	France, Brittany, Finistre, St. Anne de la Palud.	€ 2,30

		Price Range
Pharus legumen (L., 1758).	France, Brittany, Finistère (department), Point Penmarc'h.	€ 2,30
Pharus legumen (L., 1758).	UK, Wales, North Wales (region), Merionethshire (county), Harleck.	€ 1,00 t/m € 2,00
Gari maculosa (Lamarck, 1818).	Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.	€ 0,80 t/m € 1,30
Gari maculosa (Lamarck, 1818).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,50
Azorinus minutus (Dunker, 1862).	Australia, Queensland, Kurrimine Beach. Dead, on a muddy bottom.	€ 2,50
Tagelus plebeius (Lightfoot, 1786).	USA, Virginia, Northampton County, Cape Charles.	€ 3,00 t/m € 4,00
Tagelus plebeius (Lightfoot, 1786).	Brazil, Bahai (state). Atlantic Ocean.	€ 3,80 t/m € 4,80
Gari radiata (Dunker, 1845).	Indonesia, Oost-Nusa Tenggara, Lembata (island), Lewoleba. On beach.	€ 2,00
Solecurtus scopula (Turton, 1822).	Spain, Andalusia (region), Province of Málaga, Marbella. Fished.	€ 2,00 t/m € 3,00
Gari spec. .	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 2,50
Gari stangeri Gray, 1843.	New Zealand, Auckland, Rangitoto Island. In sand at 25 feet deep.	€ 1,00 t/m € 1,50
Gari stangeri Gray, 1843.	New Zealand, Auckland, Takapuna Beach. In sand/mud, shallow.	€ 1,00 t/m € 1,80
Solecurtus strigilatus (L., 1758).		€ 5,00
Solecurtus strigilatus (L., 1758).	Italy, Province of Latina, Formia. Fished.	€ 5,50
Solecurtus strigilatus (L., 1758).	Italy, Province of Latina, Formia. Fished.	€ 2,00 t/m € 4,00
Gari truncata (L., 1767).	Australia, Queensland, Kurrimine Beach. Dead on beach.	€ 2,25
Gari truncata (L., 1767).	Taiwan, south-west. East China Sea.	€ 2,50
Asaphis violascens (Forskåål, 1775).	Mauritius. Indian Ocean. In mangrove area.	€ 0,50 t/m € 0,75
Asaphis violascens (Forskåål, 1775).	West Samoa Island, Upolu (island), Apia.	€ 0,50 t/m € 0,75
Asaphis violascens (Forskåål, 1775).	Philippines, Palawan (province), Palawan (island).	€ 2,50
Asaphis violascens (Forskåål, 1775).	Indonesia, Greater Sundra Islands, East Java (province), Madura Island.	€ 1,50
Asaphis violascens (Forskåål, 1775).	Egypt, South Sinai, Dahab. Gulf of Aqaba.	€ 0,50
Gari virescens (Deshayes, 1855).	Indonesia, Oost-Nusa Tenggara, Lembata (island), Lewoleba. On beach.	€ 1,50
Pyramidellidae		
Otopleura auriscati (Holten, 1802).	Philippines.	€ 0,50
Pyramidella ventricosa (Guerin, 1831).	Philippines, Palawan (province), Palawan (island).	€ 1,50
Ranellidae		
Cymatium aquatile (Reeve, 1844).	Thailand, Changwat Phuket (province), Phuket (island).	€ 1,00 t/m € 2,00
Cymatium aquatile (Reeve, 1844).	Egypt, Safaga. Red Sea.	€ 1,30
Cymatium aquatile (Reeve, 1844).	Egypt, Safaga. Red Sea.	€ 2,50
Cymatium aquatile (Reeve, 1844).	Solomon Islands, Pacific Ocean.	€ 2,00
Cymatium comptum (Adams, 1855).	Philippines, Central Visayas (region), Bohol (island).	€ 2,00
Cymatium comptum (Adams, 1855).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 2,50 t/m € 2,80
Gyrineum cuspidatum (Reeve, 1844).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 0,50 t/m € 2,30
Cabestana cutacea dolaria (L., 1767).	Morocco, M'diq. Mediterranean Sea. Trawled by local fishermen.	€ 3,50

		Price Range
Cabestana cutacea (L., 1767).	Italy, Lazio (region), Rome (province), Santa Marinella. By nets.	€ 1,50 t/m € 3,00
Cymatium encausticum (Reeve, 1844).	Philippines, Caldoban Island, Bohol (island). From divers. 50 mm	€ 4,80
Cymatium encausticum (Reeve, 1844).	Philippines, Central Visayas (region), Cebu (island).	€ 1,50
Cymatium exile (Reeve, 1844).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 5,00
Cymatium gutturnium (Röding, 1798).	Philippines, Central Visayas (region), Bohol (province), Panglao Island.	€ 4,50 t/m € 6,50
Cymatium gutturnium (Röding, 1798).	Philippines, Mindanao (island), Davao.	€ 3,50
Cymatium gutturnium (Röding, 1798).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,00 t/m € 4,80
Cymatium gutturnium (Röding, 1798).	Philippines, Manila Bay. From fisherman. 50 mm	€ 4,80
Cymatium gutturnium (Röding, 1798).	Philippines, Sulu Archipelago.	€ 3,00 t/m € 6,50
Gyrineum gyrinum gyrinum (L., 1758).	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 0,50
Gyrineum gyrinum gyrinum (L., 1758).	Philippines, Visayas (region), Samar (island).	€ 1,30 t/m € 1,80
Cymatium hepaticum (Röding, 1798).	Madagascar, Anosy Region, Tôlanaro (Fort Dauphin). Indian Ocean.	€ 3,50 t/m € 5,50
Cymatium hepaticum (Röding, 1798).	Philippines, Visayas (region), Samar (island).	€ 1,00 t/m € 1,30
Cymatium labiosum (Wood, 1828).	Madagascar, Anosy Region, Tôlanaro (Fort Dauphin).	€ 4,50
Gyrineum lacunatum (Mighels, 1845).	Philippines, Bohol, bij Panglao, Balicasag Island. Tangle net, 160 metres.	€ 2,30
Charonia lampas lampas (L., 1758).	Spain, Province of Málaga, Fuengirola.	€ 12,50
Charonia lampas lampas (L., 1758).	Morocco, Tanger-Tetouan-Al Hoceima (region), Martil. Fished.	€ 2,50 t/m € 7,50
Gyrineum longicaudatum Beu, 1998.	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,00
Cymatium lotorium (L., 1758).	Thailand, Changwat Phuket (province), Phuket (island).	€ 4,00 t/m € 7,50
Cymatium lotorium (L., 1758).	Philippines.	€ 7,50
Cymatium lotorium (L., 1758).	Philippines, Central Visayas (region), Cebu (island).	€ 4,00 t/m € 6,00
Fusitriton magellanicus laudanus Finlay, 1927.	New Zealand, S.I., Otago Peninsula, off Dunedin. 160-190 metres deep.	€ 5,00 t/m € 6,50
Fusitriton magellanicus magellanicus (Röding, 1798).	Argentina, offshore, 45°00'-45°40'S & 60°07'W, 140 metres, on mud.	€ 2,50 t/m € 6,50
Fusitriton magellanicus magellanicus (Röding, 1798).	Uruguay.	€ 11,50
Fusitriton magellanicus magellanicus (Röding, 1798).	Argentina, offshore, 45°00'-45°40'S & 60°07'W, 140 metres deep. 77 mm	€ 10,00 t/m € 12,50
Cymatium mundum (Gould, 1849).	Philippines, Panglao, Bohol. From tangle net fisherman. 21 mm	€ 3,00
Cymatium muricinum (Röding, 1798).	Tanzania, Zanzibar. East Africa. Indian Ocean.	€ 1,30
Cymatium nicobaricum (Röding, 1798).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,80
Cymatium nicobaricum (Röding, 1798).	The Grenadines Islands, Windward Islands. Caribbean.	€ 1,30 t/m € 1,50
Cymatium nicobaricum (Röding, 1798).	Bahamas, Green Turtle Cay (island).	€ 2,30 t/m € 3,00
Ranella olearia (L., 1758).	Spain, Valencian Community, Province of Alicante, Santa Pola. Fished.	€ 6,00
Ranella olearia (L., 1758).	Spain, Andalusia (region), Málaga. Mediterranean Sea. Fished.	€ 5,00
Ranella olearia (L., 1758).	Morocco, Agadir. Atlantic Ocean. Fished.	€ 7,00
Cymatium parthenopeum parthenopeum (von Salis, 1793).	Brazil. Atlantic Ocean.	€ 5,00 t/m € 11,50
Cymatium parthenopeum parthenopeum (von Salis, 1793).	New Zealand, South Island, Otago Peninsula.	€ 3,00 t/m € 7,50

		Price Range
Gyrineum perca (Perry, 1811).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,00 t/m € 3,50
Cymatium perryi Emerson & Old, 1963.	Thailand, Changwat Phuket (province), Phuket (island).	€ 3,50 t/m € 10,00
Cymatium perryi Emerson & Old, 1963.	Sri Lanka, Southern Province, Koggala.	€ 3,00
Cymatium perryi Emerson & Old, 1963.	India, Tamil Nadu (state), Rameswaram. Gulf of Mannar.	€ 4,00
Cymatium pileare (L., 1758).	Australia, northern Queensland, Undine Reef.	€ 0,80 t/m € 8,75
Cymatium pileare (L., 1758).	Indonesia, Greater Sundra Islands, East Java (province), Madura Island.	€ 1,00 t/m € 1,50
Cymatium pileare (L., 1758).	Philippines, Central Visayas (region), Bohol (island).	€ 1,50
Cymatium pileare (L., 1758).	Philippines, Camotes, Pacijan Islands. 8 metres deep, by hooka divers.	€ 1,00
Cymatium pileare (L., 1758).	Thailand, Changwat Phuket (province), Phuket (island).	€ 1,50 t/m € 2,30
Cymatium pileare (L., 1758).	Philippines.	€ 1,50
Cymatium pileare (L., 1758).	Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.	€ 1,30 t/m € 2,30
Cymatium pileare (L., 1758).	French Polynesia, Marquesas Islands, Nuku Hiva Island. 1-3 metres deep.	€ 1,30 t/m € 2,30
Cymatium pileare (L., 1758).	The Grenadines Islands, Windward Islands, Caribbean.	€ 1,80
Cymatium pileare (L., 1758).	USA, Florida, 2 miles N.of Boca Inlet. On reef, scuba, under coral.	€ 6,00
Cymatium pileare (L., 1758).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,00
Gyrineum pulchrum (Gray, 1836).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,50
Argobuccinum pustulosum tumidum (Dunker, 1862).	New Zealand, South Island, Otago Peninsula, off Dunedin.	€ 1,80 t/m € 2,30
Cymatium pyrum (L., 1758).	Philippines, Central Visayas (region), Bohol (island).	€ 2,30 t/m € 6,50
Cymatium pyrum (L., 1758).	Philippines, Central Visayas (region), Bohol (island).	€ 3,50
Cymatium pyrum (L., 1758).	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 2,00 t/m € 6,00
Cymatium raderi Attilio & Myers, 1984.	Brazil, Rio Grande do Norte. In grass and rubble, 10-12 metre deep.	€ 30,00
Gyrineum roseum (Reeve, 1844).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 2,50
Cymatium rubeculum (L., 1758).	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 1,00 t/m € 2,00
Cymatium rubeculum (L., 1758).	Philippines, Cebu (province), Mactan (island), Punta Engaño.	€ 1,00 t/m € 1,80
Cymatium sarcostomus (Reeve, 1844).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 4,00
Cymatium sarcostomus (Reeve, 1844).	Thailand, Phuket, ±2 hours by boat from Rawai, Raya Island.	€ 4,30
Cymatium sarcostomus (Reeve, 1844).	Philippines, Central Visayas (region), Cebu (island).	€ 1,20 t/m € 3,00
Sassia semitorta (Kuroda & Habe, 1952).	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 2,50 t/m € 5,00
Cabestana spengleri (Perry, 1811).	Australia, South Australia.	€ 3,50
Linatella succincta (L., 1771).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 2,50 t/m € 4,00
Cymatium tenuiliratum (Lischke, 1873).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 0,50 t/m € 2,50
Cymatium testudinarium (A. Adams & Reeve, 1850).	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 2,00 t/m € 3,00
Cymatium testudinarium (A. Adams & Reeve, 1850).	Philippines, Mindanao (island), Davao.	€ 2,00 t/m € 3,50
Charonia tritonis tritonis (L., 1758).	Malaysia, Sabah (state), Borneo, Semporna. Live. Fish market.	€ 55,00
Charonia tritonis tritonis (L., 1758).	Philippines, Central Visayas (region), Bohol (island).	€ 15,00 t/m € 100,00

		Price Range
Charonia tritonis variegata (Lamarck, 1816).	Cuba, Punta Covarrubias, Hotel Villa Covarrubias. Snorkeling, 15 m deep.	€ 45,00
Charonia tritonis variegata (Lamarck, 1816).	Brazil, Bahai (state), Porto Seguro. Atlantic Ocean.	€ 85,00
Ringiculidae		
Ringicula conformis Monterosato, 1877.	N.W. Spain, Laredo, bij Santander, Bay of Biscay.	€ 1,80
Rissoidae		
Alvania carinata (da Costa, 1778).	France, Brittany, near Plaoubazianec, under stones. Live. 5 mm	€ 2,30
Alvania lactea (Michaud, 1830).	France, Brittany, Saint-Malo.	€ 0,50
Rissoa variabilis (von Mühlfeldt, 1824).	France, Var (department), Toulon, le Brusuc.	€ 0,50
Rissoina zonata Suter, 1909.	New Zealand, north Island, Doubtless Bay. Under stones, ebb. 9 mm	€ 4,00
Semelidae		
Abra alba (W. Wood, 1802).	The Netherlands, Scheveningen.	€ 0,50
Abra alba (W. Wood, 1802).	The Netherlands, Zandvoort.	€ 1,00
Semele jukesii (Reeve, 1853).	Thailand, Changwat Phuket (province), Phuket (island).	€ 1,00
Cumingia lamellosa Sowerby, 1833.	USA, California, La Jolla.	€ 1,80
Scrobicularia plana (da Costa, 1778).	The Netherlands, Zeeland.	€ 0,50
Scrobicularia plana (da Costa, 1778).	France, Brittany, Baie de la Frênaye. In mud.	€ 0,30 t/m € 0,70
Semele sinensis Adams, 1853.	Thailand. Gulf of Thailand. Southeast Asia.	€ 2,50
Semele zebuensis (Hanley).	Japan, Honshu (island).	€ 1,30
Siliquariidae		
Siliquaria anguina (L., 1758).	Philippines, Bohol (province), close to Panglao Island, Balicasag island.	€ 3,00
Siliquaria anguina (L., 1758).	Philippines.	€ 2,00 t/m € 4,00
Siliquaria anguina (L., 1758).	Australia, Western Australia, off Port Hedland. From fisherman. 31 mm	€ 0,50
Siliquaria cumingi Mörch, 1860.	Japan.	€ 1,30 t/m € 4,30
Siphonariidae		
Siphonaria javanica (Lamarck, 1819).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 0,50
Siphonaria javanica (Lamarck, 1819).	Thailand, Changwat Phuket (province), Phuket (island).	€ 1,30
Siphonaria laciniosa (L., 1758).	Thailand, Coral Island, offshore Phuket (island). 1 metres deep on rocks.	€ 2,30
Siphonaria lessoni (Blainville, 1824).	Argentina, The Valdes Pen., Golfo Nuevo. Low tide on rocks.	€ 2,50
Siphonaria pectinata (L., 1758).	Portugal, Paredes.	€ 0,50
Siphonaria pectinata (L., 1758).	USA, Florida.	€ 0,50
Siphonaria pectinata (L., 1758).	Portugal, Ile de Calatra.	€ 0,40
Siphonaria pectinata (L., 1758).	Spain, Andalusia (region), Barbate.	€ 1,00
Siphonaria pectinata (L., 1758).	Tunisia, Jendouba Governorate, Tabarka. Mediterranean Sea.	€ 0,70
Siphonaria pectinata (L., 1758).	Spain, Andalusia (region), Province of Málaga, Marbella.	€ 1,00

		Price Range
Siphonaria pectinata (L., 1758).	Spain, Gran Canaria, Las Palmas.	€ 1,00
Siphonaria pectinata (L., 1758).	Morocco. North Africa.	€ 0,50
Siphonaria pectinata (L., 1758).	Cape Verde, Sal(island). Atlantic Ocean.	€ 0,40
Solenidae		
Solen marginatus Pulteney, 1799.	France, Brittany, Ille-et-Vilaine (departement), Bay of Dinard.	€ 0,80
Spirulidae		
Spirula spirula L., 1758.	Spain, Canary Islands, Fuerteventura.	€ 0,25
Spirula spirula L., 1758.	Australia, Western Australia, Geraldton. Floating in surf.	€ 1,90
Spirula spirula L., 1758.	Sri Lanka, Southern Province, Kosgoda.	€ 2,00
Spirula spirula L., 1758.	Egypt, Charm El Naja, Red Sea, at ebb, Littoral zone.	€ 1,00 t/m € 2,30
Spirula spirula L., 1758.	Australia, Western Australia, Shark Bay.	€ 1,50 t/m € 2,30
Spondylidae		
Spondylus americanus Hermann, 1781.	Venezuela, Margarita Island. Offshore by Cubagnay Island. 20-25 m deep.	€ 6,50 t/m € 20,00
Spondylus barbatus Reeve, 1856.	Philippines, Sulu Archipelago.	€ 3,00 t/m € 4,50
Spondylus barbatus Reeve, 1856.	Eastern Thailand, Talokapo.	€ 4,00
Spondylus barbatus Reeve, 1856.	Japan, Honshu (island), Kansai (region), Kyoto.	€ 4,00
Spondylus croceus Schreibers, 1793.	Philippines.	€ 4,50
Spondylus croceus Schreibers, 1793.	Philippines.	€ 2,50 t/m € 4,50
Spondylus echinatus f. albibarbatus Reeve, 1856.	Philippines.	€ 8,50 t/m € 12,50
Spondylus echinatus f. albibarbatus Reeve, 1856.	Philippines, N. of Cebu (island), Gato Island. Dived at 10-15 metres deep. 99 mm - 105 mm	€ 10,00 t/m € 15,00
Spondylus echinatus Schreibers, 1793.	Philippines.	€ 6,50
Spondylus gaederopus L., 1758.	Greece, Leipsoi. Near Turkey.	€ 19,50
Spondylus gaederopus L., 1758.	Mediterranean Sea.	€ 8,00 t/m € 15,00
Spondylus gaederopus L., 1758.	Greece, Central Macedonia (region), Halkidiki. Dived, ±8 metres deep.	€ 4,50 t/m € 10,00
Spondylus gloriosus visayensis Poppe & Tagaro, 2010.	Philippines, Camotes islands. 30-45 metres deep.	€ 22,50 t/m € 27,50
Spondylus ictericus Reeve, 1856.	Brazil. Atlantic Ocean.	€ 15,00
Spondylus ictericus Reeve, 1856.	Brazil, Espírito Santo (state), Meaipe. On reef by lobster nets.	€ 12,50 t/m € 17,50
Spondylus ictericus Reeve, 1856.	Curaçao, Lesser Antilles Islands.	€ 9,00
Spondylus imperialis Chenu, 1845.	Taiwan. East China Sea.	€ 10,00
Spondylus imperialis Chenu, 1845.	India, Tamil Nadu, off Madras [Chennai]. From fisherman, at 10-15 fathoms.	€ 14,50
Spondylus imperialis Chenu, 1845.	Indonesia, East Java (province), Paiton	€ 6,50
Spondylus imperialis Chenu, 1845.	Taiwan. East China Sea.	€ 7,00 t/m € 15,00
Spondylus imperialis Chenu, 1845.	Indonesia, East Java (province), Paiton.	€ 6,00
Spondylus linguafelis Sowerby, 1847.	USA, Hawaii, off Oahu Island. Pacific Ocean. In wreck, 50 metres deep.	€ 95,00

		Price Range
Spondylus occidens Sowerby, 1902.	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 5,00 t/m € 10,00
Spondylus regius L., 1758.	Philippines, Mindanao (island), Zamboanga. From fisherman.	€ 6,50 t/m € 15,00
Spondylus sinensis Schreibers, 1793.	Philippines.	€ 5,00
Spondylus sinensis Schreibers, 1793.	Philippines, Central Visayas (region), Cebu (island), Bantayan Island.	€ 6,00 t/m € 8,00
Spondylus sinensis Schreibers, 1793.	Philippines.	€ 3,80
Spondylus spec. .		€ 4,00
Spondylus squamosus Schreibers, 1793.	Solomon Islands. Pacific Ocean.	€ 8,00
Spondylus squamosus Schreibers, 1793.	Philippines.	€ 6,50
Spondylus squamosus Schreibers, 1793.	Philippines.	€ 5,00
Spondylus tenellus Reeve, 1856.	Australia, Victoria, Lakes Entrance. Fished.	€ 4,50
Spondylus varius Sowerby, 1829.	Philippines, Albay province, Batan Island. On coral reef, 15-24 m deep.	€ 12,50 t/m € 15,00
Spondylus varius Sowerby, 1829.	Philippines, Bohol (province), Calituban Island. 15 m deep, on corals.	€ 14,50
Spondylus violaceus Reeve, 1856.	Philippines.	€ 4,50 t/m € 7,50
Spondylus zonalis Lamarck, 1819.	Thailand, Phuket, near Raya Island. Scuba diver, on rocks and dead coral.	€ 5,00 t/m € 8,00
Stomatellidae		
Pseudostomatella papyracea (Gmelin, 1791).	Indonesia, Nusu Tenggara Islands (Lesser Sunda Islands).	€ 4,00
Pseudostomatella papyracea (Gmelin, 1791).	Philippines, Sulu (province), Siasi. Sulu Sea. From fisherman. 22 mm	€ 6,00
Strombidae		
Strombus alatus Gmelin, 1791.	USA, Florida, Sanibel. Low tide, exposed on sand bars, snorkeling.	€ 2,80
Strombus alatus Gmelin, 1791.	USA, Florida Keys.	€ 4,50
Strombus aratrum (Röding, 1798).	Vietnam.	€ 7,50
Strombus aratrum (Röding, 1798).	Australia, Queensland, Dingo Beach. On sand bar at low tide.	€ 5,00
Strombus aratrum (Röding, 1798).	Republic of Djibouti. Northeast Africa.	€ 7,50 t/m € 11,50
Strombus aurisdianae L., 1758.	Philippines.	€ 1,00
Strombus aurisdianae L., 1758.	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,00
Strombus bulla (Röding, 1798).	New Guinea.	€ 1,50
Strombus bulla (Röding, 1798).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,50
Strombus bulla (Röding, 1798).	Philippines, Visayas (region), Samar (island).	€ 2,00
Strombus bulla (Röding, 1798).		€ 2,50
Strombus campbelli Griffith & Pidgeon, 1834.	Australia, Queensland, Keppel Bay.	€ 4,00
Strombus campbelli Griffith & Pidgeon, 1834.	Australia, Western Australia, Shark Bay.	€ 2,00
Strombus canarium L., 1758.	Indonesia.	€ 1,25
Strombus canarium L., 1758.	Philippines.	€ 1,50
Strombus canarium L., 1758.	India, Tamil Nadu (state), Madras [Chennai].	€ 2,50
Strombus canarium L., 1758.	India, Tamil Nadu, Rameswaram. Gulf of Mannar. Trawled.	€ 2,80

		Price Range
<i>Strombus canarium</i> L., 1758.	Thailand, Krabi Province, Koh Lanta Yai (island), Koa Kwang Beach.	€ 1,00
<i>Lambis chiragra arthritica</i> Röding, 1798.	Kenya, Coast Province, Mombasa County, Mombasa. East Africa.	€ 10,00
<i>Lambis chiragra chiragra</i> (L., 1758).	Indonesia, Greater Sundra Islands, East Java (province), Madura Island.	€ 5,00 t/m € 9,50
<i>Lambis chiragra chiragra</i> (L., 1758).	Thailand, Changwat Phuket (province), Phuket (island).	€ 6,00
<i>Lambis chiragra chiragra</i> (L., 1758).	Thailand, Changwat Phuket (province), Phuket (island).	€ 12,50 t/m € 17,50
<i>Lambis chiragra chiragra</i> (L., 1758).	Philippines, Central Visayas (region), Bohol (island).	€ 3,50
<i>Strombus chrysostomus</i> (Kuroda, 1942).	Philippines, Cebu (province), Mactan (island), Punta Engaño.	€ 6,50
<i>Strombus costatus</i> Gmelin, 1791.	Aruba, Lesser Antilles Islands.	€ 5,00 t/m € 12,50
<i>Strombus costatus</i> Gmelin, 1791.	USA, Florida, Big Pine Key, 7 Mile Bridge.	€ 25,00
<i>Strombus costatus</i> Gmelin, 1791.	Brazil, Pernambuco (state), Recife. Atlantic Ocean.	€ 7,50 t/m € 22,50
<i>Rimella crispata</i> (Sowerby, 1842).	Philippines, Bohol (province), close to Pangalo, Balicasag island.	€ 4,00
<i>Lambis crocata crocata</i> (Link, 1807).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 4,00 t/m € 5,50
<i>Lambis crocata crocata</i> (Link, 1807).	Kenya. East Africa. Indian Ocean.	€ 4,00
<i>Lambis crocata crocata</i> (Link, 1807).	Madagascar, Anosy Region, Tôlanaro (Fort Dauphin).	€ 4,00 t/m € 7,50
<i>Lambis crocata crocata</i> (Link, 1807).	Vietnam.	€ 7,50
<i>Strombus decorus decorus</i> (Röding, 1798).	Thailand, Phuket (island), Raya Island. 25-30 metres deep.	€ 0,50 t/m € 0,80
<i>Tibia delicatula</i> Nevill, 1881.	Philippines.	€ 5,00
<i>Strombus dentatus</i> L., 1758.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 1,50
<i>Strombus dentatus</i> L., 1758.	Mozambique. East Africa. Indian Ocean.	€ 2,00
<i>Lambis digitata</i> (Perry, 1811).	Madagascar, Anosy Region, Fort Dauphin. East Africa. Indian Ocean.	€ 4,50
<i>Strombus dilatatus dilatatus</i> Swainson, 1821.	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 2,00
<i>Strombus dilatatus swainsoni</i> Reeve, 1850.	Vietnam, South Central Coast (region), Da Nang (Đà Nẵng). By fisherman.	€ 3,00
<i>Strombus epidromis</i> L., 1758.	Philippines, Cebu (province), Mactan (island), Punta Engaño.	€ 4,00
<i>Strombus epidromis</i> L., 1758.	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 2,50
<i>Strombus erythrinus</i> Dillwyn, 1817.	Thailand, Changwat Phuket (province), Phuket (island).	€ 1,00
<i>Strombus erythrinus</i> Dillwyn, 1817.	Philippines, Visayas (region), Samar (island).	€ 1,00
<i>Strombus erythrinus</i> Dillwyn, 1817. In shallow water.	Philippines, Cebu (province), Caubian Island. Dived, 20-30 m deep.	€ 1,50
<i>Strombus erythrinus</i> Dillwyn, 1817.	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 2,00
<i>Strombus fasciatus</i> Born, 1778. With operculum.	Egypt. Sharm El Sheikh. Red Sea. By diver.	€ 3,50
<i>Strombus fasciatus</i> Born, 1778.	Egypt, Safaga. Red Sea. In mud.	€ 1,50
<i>Strombus fasciatus</i> Born, 1778.	Tarabin, Beduin village. Gulf of Aqaba.	€ 1,00 t/m € 2,00
<i>Strombus fasciatus</i> Born, 1778.	Egypt, Safaga. Red Sea.	€ 1,80
<i>Strombus fusiformis</i> Sowerby, 1842.	Mozambique. East Africa. Indian Ocean.	€ 3,50
<i>Tibia fusus</i> (L., 1758).	Philippines, Luzon (island). South China Sea.	€ 7,50 t/m € 10,00
<i>Tibia fusus</i> (L., 1758).		€ 6,00

		Price Range
Strombus galeatus Swainson, 1823.	Mexico, Baja California Sur, 5 km north of Mulegé. Gulf of California. Between algae covered rocks.	€ 35,00 t/m € 45,00
Strombus gallus L., 1758.	Haiti. Caribbean Sea.	€ 9,50 t/m € 15,00
Strombus gallus L., 1758.	Martinique, Cap Salomon. 8 metres deep between huge rocks.	€ 12,50
Strombus gallus L., 1758. Juvenile.	Aruba, Malmok, Lesser Antilles Islands.	€ 3,50
Strombus gallus L., 1758.	Isla Guadalupe. Pacific Ocean.	€ 8,00
Strombus gibberulus albus Mörch, 1850.	Egypt, Red Sea.	€ 0,50 t/m € 1,00
Strombus gibberulus albus Mörch, 1850.	Egypt, Ras Burka. Red Sea. In sand.	€ 2,00
Strombus gibberulus albus Mörch, 1850.	Egypt, Safaga, Sand Island. Red Sea. Live in sand and seaweed.	€ 1,80
Strombus gibberulus gibberulus L., 1758.	Kenya, Mombasa Reef. Low tide.	€ 0,50 t/m € 1,00
Strombus gibberulus gibberulus L., 1758.	Philippines, Visayas (region), Samar (island).	€ 1,20
Strombus gibberulus gibberulus L., 1758.	Tanzania, East Zanzibar, Chwaka Beach. East Africa.	€ 2,00
Strombus gibberulus gibberulus L., 1758.	Japan.	€ 1,00 t/m € 2,00
Strombus gibberulus gibberulus L., 1758.	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,00
Strombus gibberulus gibberulus L., 1758.	Madagascar, Foulpointe. East Africa. Indian Ocean. In algae.	€ 2,50
Strombus gibberulus gibbosus (Röding, 1798). Dwarf.	Philippines.	€ 3,00
Strombus goliath Schröter, 1805.	Brazil, Pernambuco (state), Recife. Atlantic Ocean.	€ 67,50 t/m € 195,00
Strombus gracilior Sowerby, 1825.	Mexico, Baja California Sur (state), Mulegé. Gulf of California.	€ 4,50
Strombus gracilior Sowerby, 1825.	Mexico, Baja California Sur, Bahía Concepción. ±3 metres deep, sand/mud.	€ 4,00
Strombus granulatus Swainson, 1822.	Mexico. Gulf of California.	€ 5,00
Strombus granulatus Swainson, 1822.	Mexico, west coast. 10-12 metres deep, from fishermen.	€ 5,50
Strombus guidoi Man in't Veld & de Turck, 1998.	Vanuatu, Port Villa. Pacific Ocean. At a depth of 2 metres.	€ 8,00
Strombus hickeyi (Willan, 2000).	Indonesia.	€ 3,50
Tibia insulaechorab f. curta Sowerby I, 1842.	S. India, Kerala State, Cochin, Monamban. Trawled, 70-100 m, on sandy mud.	€ 15,00
Strombus iredalei Abbott, 1960.	Australia, Western Australia, Desault Bay. Low tide on sand/reef.	€ 5,00
Strombus iredalei Abbott, 1960.	Australia, Western Australia.	€ 7,50
Strombus kleckhamae boholensis Mühlhauser, 1981.	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 7,50 t/m € 10,00
Strombus kleckhamae boholensis Mühlhauser, 1981.	Philippines, Bohol (province), Panglao Island. From tangle net fisherman. 57 mm	€ 10,00 t/m € 15,00
Strombus labiatus labiatus (Röding, 1798).		€ 0,75
Strombus labiatus labiatus (Röding, 1798).	Fiji, Mamanuca Groep, Mana Island. At ebb on sea grass.	€ 1,80
Strombus labiatus labiatus (Röding, 1798). On exposed sand flats. ORANGE.	Philippines, Visayas (region), Samar (island). Found by local fisherman.	€ 2,50
Strombus labiatus labiatus (Röding, 1798).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 0,50 t/m € 1,50
Strombus labiatus labiatus (Röding, 1798).	Philippines.	€ 0,50
Strombus labiatus olydius Duclos, 1844.	Mozambique, Nampula Province, Nacala Bay. Dived at 5-10 m.	€ 4,00
Strombus labiosus Wood, 1828.	Madagascar, Toliara (Tulear). East Africa. Indian Ocean. From fishermen.	€ 6,00

		Price Range
Strombus labiosus Wood, 1828.	Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.	€ 6,00
Lambis lambis adamii Bozzetti & Cossignani, 2003.	Philippines.	€ 10,00
Lambis lambis (L., 1758).	Tanzania, Zanzibar, Uroa. East Africa. Indian Ocean. On beach, low tide.	€ 5,00
Lambis lambis (L., 1758).	Philippines.	€ 3,00
Lambis lambis (L., 1758). Melanistic.	Kenya, Mombasa Reef. East Africa. Indian Ocean.	€ 5,00
Strombus latissimus L., 1758.	Philippines, Siasi Island, Laminusa Island (Happy Island), Sulu Sea.	€ 4,00
Strombus latissimus L., 1758.	Philippines, Siasi Island, Laminusa Island (Happy Island), Sulu Sea.	€ 9,00 t/m € 11,00
Strombus latus f. arenensis Bernard, 1892.	Republic of Guinea, West-Africa. Atlantic Ocean. Trawled, 30 metres deep.	€ 14,50
Strombus latus Gmelin, 1791.	Senegal, Dakar Region, Dakar. West Africa. Atlantic Ocean.	€ 10,00
Strombus latus Gmelin, 1791.	West Africa.	€ 10,00
Strombus lentiginosus L., 1758.	Philippines.	€ 1,50
Strombus lentiginosus L., 1758.	Thailand, Changwat Phuket (province), Phuket (island).	€ 1,80
Strombus lentiginosus L., 1758.	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,50
Strombus listeri Gray, 1852.	India, Andaman Sea. South of Myanmar. Trawled.	€ 4,50
Strombus listeri Gray, 1852.	India.	€ 6,50
Strombus listeri Gray, 1852.	Philippines.	€ 6,50
Strombus luhuanus L., 1758.	Thailand, Changwat Phuket (province), Phuket (island).	€ 0,50
Strombus luhuanus L., 1758.	Indonesia, Moluccas Islands, Ambon Island, Pulau Pombo.	€ 1,00
Strombus luhuanus L., 1758.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 0,50
Strombus maculatus Sowerby, 1842.	Marshall Islands, Kwajalein Atoll.	€ 3,00
Strombus marginatus marginatus L., 1758.	India.	€ 2,00
Strombus marginatus marginatus L., 1758.	Thailand, Phuket (island), Raya Island. 25-30 metres deep.	€ 0,80
Strombus marginatus robustus Sowerby, 1874.	Indonesia.	€ 1,50
Strombus marginatus septimus Duclos, 1844.	Thailand, Krabi Province, Koh Lanta Yai (island), Koa Kwang Beach.	€ 1,00
Strombus marginatus septimus Duclos, 1844.	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 3,00
Strombus marginatus succinctus L., 1767.	India, Tamil Nadu, South Rameswaram. Gulf of Mannar. From fishermen.	€ 2,00
Tibia martinii (Marratt, 1877).	Philippines, Luzon (island), Tayabas Bay.	€ 7,50 t/m € 12,50
Tibia martinii (Marratt, 1877).		€ 4,00
Tibia martinii (Marratt, 1877).	Philippines.	€ 2,50
Strombus microurceus Kira, 1959.	Philippines, Bohol (province), Calituban Island. Dived at ±30 metres deep.	€ 7,00
Lambis millepeda (L., 1758).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 3,50 t/m € 4,50
Lambis millepeda (L., 1758).	Indonesia, Java (island).	€ 4,50
Strombus minimus L., 1771.	Philippines, Luzon (island), Batangas (province), Batangas City. Ebb.	€ 2,50
Strombus minimus L., 1771.	Philippines, Luzon (island), Batangas (province), Batangas City. Ebb.	€ 1,50 t/m € 2,00
Strombus mutabilis Swainson, 1821.	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 0,50

		Price Range
Strombus mutabilis Swainson, 1821.	Egypt, Safaga. Red Sea.	€ 0,50
Strombus mutabilis Swainson, 1821.	Philippines.	€ 0,50
Strombus mutabilis Swainson, 1821.	Indonesia.	€ 0,50
Strombus mutabilis Swainson, 1821.	Egypt, Safaga. Red Sea. In coral sand.	€ 0,50
Strombus mutabilis Swainson, 1821.	Kenya, Mombasa Reef. East Africa. Indian Ocean.	€ 1,80
Strombus mutabilis Swainson, 1821.	Tanzania, Zanzibar, Bwejuu. On rocks with hermitkrab.	€ 1,80
Strombus mutabilis Swainson, 1821.	Kenya, Coast Province, Mombasa County, Mombasa.	€ 1,50
Strombus mutabilis f. zebriolatus Adams & Leloup, 1938.	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 2,50
Strombus oldi Emerson, 1965.	Somalia, Banaadir (region), Mogadishu. East Africa. Trawled	€ 10,00
Strombus oldi Emerson, 1965.	Somalia, Berbera. East Africa. Indian Ocean.	€ 25,00
Strombus peruvianus Swainson, 1823.	Mexico, Sinaloa (state), off Mazatlán. Trawled. 130 mm	€ 10,00 t/m € 22,50
Strombus pipus Röding, 1798.	Philippines, Batayan Island, N. of Cebu. From pearl fisherman. 58 mm	€ 4,80
Strombus pipus Röding, 1798.	Thailand, Changwat Phuket (province), Phuket (island).	€ 2,00
Strombus pipus Röding, 1798.	Philippines, Mindanao (island), Zamboanga.	€ 1,50 t/m € 3,00
Strombus plicatus columba Lamarck, 1822.	Mozambique. East Africa. Indian Ocean.	€ 3,50
Strombus plicatus plicatus (Röding, 1798).	Northern Somalian Coast. Trawled off-shore.	€ 5,00
Strombus plicatus pulchellus Reeve, 1851.	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 3,00
Strombus plicatus pulchellus Reeve, 1851.	Philippines, Cebu, Santa Rosa Island. Dived, 30-40 m, sand.	€ 2,00
Strombus plicatus pulchellus Reeve, 1851.	Solomon Islands. Pacific Ocean.	€ 3,00
Strombus plicatus siboldi Sowerby, 1842.	India, Tamil Nadu (state), Madras [Chennai]. Trawled.	€ 6,50
Strombus plicatus siboldi Sowerby, 1842.	India, Tamil Nadu (state), off Madras [Chennai]. Trawled.	€ 5,00
Tibia powisi f. laurenti Duchamps, 1992.	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 2,50
Tibia powisi (Petit, 1842).	Taiwan. East China Sea.	€ 3,00
Tibia powisi (Petit, 1842).	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 2,00
Strombus pugilis pugilis L., 1758.	USA, Florida, Boca Raton. Scuba, 45 feet deep, on sand and algae bottom.	€ 4,50
Strombus pugilis pugilis L., 1758.	Caribbean Sea.	€ 5,00
Strombus pugilis pugilis L., 1758.	Panama.	€ 2,00 t/m € 2,80
Strombus pugilis pugilis L., 1758.	Venezuela, Margarita Island, Porlamar region. By diver, 2-15 metres deep.	€ 2,80 t/m € 6,50
Strombus pugilis worki Petuch, 1993.	Brazil, Espirito Santo, Guarapari Channel. Low tide, on mud/sand.	€ 5,80
Strombus pugilis worki Petuch, 1993.	Brazil, Espirito Santo, Guarapari Channel. Low tide, on mud/sand.	€ 3,50
Strombus raninus Gmelin, 1791.		€ 3,50 t/m € 6,00
Strombus raninus Gmelin, 1791.	USA, Florida, Key West.	€ 3,50
Strombus raninus Gmelin, 1791.	Saint Vincent and the Grenadines. Lesser Antilles. 6 metres deep.	€ 4,50
Strombus raninus Gmelin, 1791.	USA, Florida, S. of Marathon. On sand & grass flats in 3-6 feet.	€ 3,80
Strombus raninus Gmelin, 1791.	Cuba. Caribbean.	€ 5,00

		Price Range
Lambis scorpius indomaris Abbott, 1961.	Sri Lanka, Southern Province, Kosgoda.	€ 4,00 t/m € 7,50
Lambis scorpius indomaris Abbott, 1961.	Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.	€ 3,00
Lambis scorpius indomaris Abbott, 1961.	Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.	€ 4,50
Lambis scorpius scorpius (L., 1758).	Philippines.	€ 3,50 t/m € 4,50
Lambis scorpius scorpius (L., 1758).	Thailand, Changwat Phuket (province), Phuket (island).	€ 2,50 t/m € 5,00
Strombus sinuatus Humphrey, 1786.	Philippines.	€ 4,00
Strombus sinuatus Humphrey, 1786.	Philippines.	€ 3,00 t/m € 4,00
Strombus terebellatus terebellatus Sowerby, 1842.	Indonesia, West Papua (province), Manokwari, Pasir Putih.	€ 1,00
Strombus terebellatus terebellatus Sowerby, 1842.	Philippines, Cebu (province), Caubian Island. Dived, ±30 metres deep.	€ 2,50
Terebellum terebellum (L., 1758).	Philippines, Bohol (province), close to Pangalo, Balicasag island.	€ 1,00 t/m € 1,50
Terebellum terebellum (L., 1758).	Philippines.	€ 0,80
Terebellum terebellum (L., 1758).	Thailand, Phuket (island). Southeast Asia. 25-30 metres deep.	€ 0,80 t/m € 1,30
Strombus thersites Swainson, 1823.	New Caledonia, Prony Bay. Night time scuba, on reef.	€ 45,00 t/m € 55,00
Strombus thersites Swainson, 1823.	New Caledonia, Prony Bay. Night time scuba dive, on reef.	€ 40,00
Strombus tricornis Humphrey, 1786.	Republic of Djibouti, Sept Freres Island. Northeast Africa.	€ 10,00 t/m € 15,00
Strombus tricornis Humphrey, 1786.	Red Sea.	€ 4,50 t/m € 12,00
Strombus tricornis Humphrey, 1786.	Republic of Djibouti, Sept Freres Island. Northeast Africa.	€ 10,00 t/m € 15,00
Strombus tricornis Humphrey, 1786. Dark form.	Somalia. East Africa. Indian Ocean.	€ 19,50
Lambis truncata truncata Humphrey, 1786.	Kenya, Coast Province, Mombasa County, Mombasa. In shallow water.	€ 17,50 t/m € 22,50
Strombus turturella (Röding, 1798).	Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.	€ 1,00 t/m € 2,00
Strombus turturella (Röding, 1798).	Thailand, Changwat Phuket (province), Phuket (island).	€ 3,50
Strombus turturella (Röding, 1798). BANDED.	Philippines, Mindoro (island). Trawled, 15-20 meters deep.	€ 3,50
Strombus urceus urceus L., 1758. Colour form.	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,00
Strombus urceus urceus L., 1758.	Thailand, Changwat Phuket (province), Phuket (island).	€ 0,50
Strombus urceus urceus L., 1758.	Philippines.	€ 0,50 t/m € 0,80
Strombus urceus urceus L., 1758.	Thailand, Phuket, Wayai Island, Qhgng Nga Bay. By local fisherman.	€ 4,50
Strombus urceus urceus f. ustulatus Schumacher, 1817.	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,00
Strombus urceus urceus f. ustulatus Schumacher, 1817.	Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.	€ 1,00
Strombus variabilis athenius Duclos, 1844.	Philippines, Palawan (island). Coral reef, by diver.	€ 6,50
Strombus variabilis variabilis Swainson, 1820.	Malaysia, Sabah (state), Borneo, off Semporna. Live on sea grass.	€ 2,00
Strombus variabilis variabilis Swainson, 1820.		€ 1,00
Strombus variabilis variabilis Swainson, 1820.	Philippines.	€ 1,00 t/m € 1,80
Strombus variabilis variabilis Swainson, 1820.	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,50
Strombus variabilis variabilis Swainson, 1820.	Indonesia, Greater Sundra Islands, East Java (province), Madura Island.	€ 1,30
Strombus variabilis variabilis Swainson, 1820.	Thailand. Southeast Asia.	€ 1,50 t/m € 2,50

Strombus vittatus apicatus Man in't Veld & Visser, 1993.
 Strombus vittatus apicatus Man in't Veld & Visser, 1993.
 Strombus vittatus apicatus Man in't Veld & Visser, 1993.
 Strombus vittatus apicatus Man in't Veld & Visser, 1993.
 Strombus vittatus entropi Man in't Veld & Visser, 1993.
 Strombus vittatus entropi Man in't Veld & Visser, 1993.
 Strombus vittatus entropi Man in't Veld & Visser, 1993.
 Strombus vittatus vittatus L., 1758.
 Strombus vittatus vittatus L., 1758.
 Strombus vittatus vittatus L., 1758.
 Lambis wheelwright Green, 1978.

Struthiolariidae

Struthiolaria papulosa (Martyn, 1784).
 Struthiolaria papulosa (Martyn, 1784).
 Struthiolaria papulosa (Martyn, 1784).

Tellinidae

Tellina albinella Lamarck, 1818.
 Tellina albinella Lamarck, 1818.
 Tellina albinella Lamarck, 1818.
 Tellina angulosa Gmelin, 1791.
 Macoma balthica (L., 1758).
 Macoma balthica (L., 1758).
 Macoma balthica (L., 1758).
 Strigilla carnaria (L., 1758).
 Macoma constricta (Bruguère, 1792).
 Arcopagia crassa (Pennant, 1777).
 Tellidora cristata (Récluz, 1842).
 Tellina fabula Gmelin, 1791.
 Tellina fabula Gmelin, 1791.
 Tellina fausta Pulteney, 1799.
 Tellina fausta Pulteney, 1799.
 Tellina foliacea L., 1758.
 Gastrana fragilis (L., 1758).
 Gastrana fragilis (L., 1758).
 Tellina gaimardi Iredale, 1915.

Thailand, Changwat Phuket (province), Phuket (island).
 Philippines, N. of Cebu, Bantayan Island, pearl fisherman. 52 mm
 Thailand, Krabi Province, Ao Nang. Strait of Malacca.
 Thailand, Krabi Province, Koh Lanta Yai (island). Strait of Malacca.
 Philippines, Central Visayas (region), Cebu (island).
 Philippines, Bohol (province), close to Panglao Island, Balicasag Island.
 Philippines, Manilla Bay.
 Thailand, Krabi Province. Strait of Malacca. On beach.
 Kuantan, Pahang, Malaysia, South China Sea.
 Southern Philippines.
 Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.

New Zealand, North Island, Leigh. Dived.
 New Zealand, Auckland, Takapuna Beach. Washed up after storm.
 New Zealand, Stewart Island, Paterson Inlet. Trawled.
 Australia, New South Wales, Twofold Bay, Boyds Beach.
 Australia, northern New South Wales.
 Australia, South Australia, Goolwa Beach.
 Venezuela, Nueva Esparta (state), Isla El Coche.
 The Netherlands, Scheveningen.
 Netherlands, Oostvoorne.
 France, Brittany, Baie de la Frênaye. Ebb, mud.
 USA, Florida.
 Brazil, Bahai (state). Atlantic Ocean.
 France, Brittany, Côtes-d'Armor (department), Erquy.
 USA, Florida, Marco Island. On sand, mud flat, on seagrass at low tide.
 The Netherlands, Wijk aan Zee.
 North Sea, Black Sand, HD7.
 Venezuela. 3 metres deep.
 Curaçao, San Juan, Lesser Antilles Islands.
 Philippines.
 Southern France, Banyuls.
 Spain, Valencian Community, Province of Alicante, Alicante.
 New Zealand, Auckland, Browns Bay. In sandy mud, spring ebb.

Price Range

€ 2,50
 € 3,80
 € 3,00
 € 3,50
 € 1,80
 € 3,00
 € 3,50
 € 1,80
 € 3,50
 € 1,00
 € 20,00

€ 3,30
 € 2,30 t/m € 4,50
 € 4,00

€ 1,80
 € 2,00
 € 2,00
 € 2,50
 € 0,20
 € 0,50
 € 0,20
 € 2,00
 € 2,00
 € 2,30
 € 3,50
 € 0,80
 € 0,50
 € 1,50
 € 0,80 t/m € 2,00
 € 1,80 t/m € 3,00
 € 1,00
 € 0,80
 € 1,30 t/m € 1,80

		Price Range
Nitidotellina hokkaidoensis (Habe, 1961).	Japan, Honshu (island), Aichi Prefecture, Mikawa. 40 metres deep.	€ 1,75
Tellina incarnata L., 1758.	Italy, Adria, Lignano Pineta.	€ 1,30
Tellina incarnata L., 1758.	France, Brittany, Finistère (department), Point Penmarc'h.	€ 1,80
Tellina incarnata L., 1758.	France, Brittany, Saint-Jacut-de-la-Mer.	€ 1,00
Tellina inflata Gmelin, 1791.	Australia, Queensland, Keibel Bay. Trawled.	€ 1,80 t/m € 2,30
Tellina lineata Turton, 1819.	USA, Florida, Gulf of Mexico, Fort Myers, Carl Johnson Park.	€ 0,50
Tellina lineata Turton, 1819.	Mexico, Yucatan. Golf of Mexico.	€ 1,00
Tellina lineata Turton, 1819.	Suriname, South America.	€ 0,80
Tellina listeri Röding, 1798.	Aruba, Spanish Lagoon. Lesser Antilles Islands.	€ 2,00
Tellina listeri Röding, 1798.	Curaçao, Barbara Beach, Lesser Antilles Islands.	€ 1,30 t/m € 2,30
Tellina listeri Röding, 1798.	Bahamas, Eleuthera Island. 2-3 metres deep, snorkeling.	€ 2,30 t/m € 3,30
Macoma nasuta (Conrad, 1837).	USA, California, Sunset Bay, Seal Beach.	€ 0,80
Macoma nasuta (Conrad, 1837).	USA, California, Sunset Bay.	€ 1,25
Tellina nitida Poli, 1791.	France, Var (department), Bandol. Mediterranean Sea.	€ 0,50
Tellina nitida Poli, 1791.	Spain, Valencian Community, Province of Alicante, Alicante, Los Molinos.	€ 0,80
Tellina nitida Poli, 1791.	Spain, San Carlos de la Rápita.	€ 0,80 t/m € 1,50
Tellina palatum (Iredale, 1929).	Mauritius, Ile aux Cerfs. Indian Ocean.	€ 1,30 t/m € 2,00
Tellina palatum (Iredale, 1929).	Tanzania, East Zanzibar, Chwaka Bay. East Africa.	€ 1,30
Tellina palatum (Iredale, 1929).	Tanzania, Zanzibar, Unguja South Region, Uroa Beach.	€ 0,50
Tellina perna Spengler, 1798.	Australia, Queensland, Swain Reefs.	€ 2,50
Tellina perna Spengler, 1798.		€ 2,00
Strigilla pisiformis (L., 1758).	Caribbean Sea.	€ 0,30
Tellina planata L., 1758.	Spain, Mallorca Island, Arenal.	€ 0,30
Tellina planata L., 1758.	Greece, Marathón beach. 1-1½ metres deep.	€ 0,30 t/m € 1,00
Strigilla pseudocarnaria Boss, 1969.	Caribbean area.	€ 2,00
Tellina pulchella Lamarck, 1818.	Spain, Andalusia (region), Málaga. Mediterranean Sea. From fisherman. 24 mm	€ 3,00
Tellina pulcherrima Sowerby, 1825.	Australia, northern Queensland, Torres Strait.	€ 1,80
Tellina pulcherrima Sowerby, 1825.	Taiwan, southern region. East China Sea.	€ 1,70
Tellina pulcherrima Sowerby, 1825.	Taiwan. East China Sea.	€ 1,80
Tellina radiata L., 1758.	Bahamas.	€ 1,30 t/m € 2,00
Tellina radiata L., 1758.	Aruba, Malmok, Lesser Antilles Islands. Dived, 3 metres in sand.	€ 1,80 t/m € 2,30
Tellina radiata L., 1758.	Caribbean area.	€ 2,00
Tellina radiata L., 1758.	Cuba, Playa Santa Lucia, 4 metres deep on eelgrass.	€ 1,00 t/m € 2,00
Tellina rastellum Hanley, 1844.	Australia, Queensland. Dredged in Fitzroy Lagoon.	€ 1,30 t/m € 2,30
Tellina remies L., 1758.	Solomon Islands, Malaita (island), Ata'a (village). Pacific Ocean.	€ 1,00

Tellina remies L., 1758.
 Tellina rostrata L., 1758.
 Tellina senegambiensis Salisbury.
 Tellina spec. .
 Tellina spec. .
 Tellina spec. .
 Tellina staurella Lamarck, 1818.
 Tellina staurella Lamarck, 1818.
 Tellina staurella Lamarck, 1818.
 Tellina tenuis da Costa, 1778.
 Tellina tenuis da Costa, 1778.
 Tellina tenuis da Costa, 1778.
 Tellina tenuis da Costa, 1778.
 Tellina tenuis da Costa, 1778.
 Tellina tenuis da Costa, 1778.
 Tellina tenuis da Costa, 1778.
 Tellina trilatera Gmelin, 1791.
 Tellina victoriae Gatliff & Gabriel, 1914.
 Tellina virgata L., 1758.
 Tellina virgata L., 1758.
 Tellina virgata L., 1758.
 Tellina virgata L., 1758.

Terebridae

Terebra adamsii E.A. Smith, 1873.
 Terebra affinis Gray, 1834.
 Terebra affinis Gray, 1834.
 Terebra affinis Gray, 1834.
 Hastula albula (Menke, 1843).
 Hastula albula (Menke, 1843).
 Terebra amanda Hinds, 1844.
 Terebra amanda Hinds, 1844.
 Terebra amoena (Deshayes, 1859).
 Terebra areolata (Link, 1807).
 Terebra areolata (Link, 1807).
 Terebra areolata (Link, 1807).

Fiji, Fiji Island. Pacific Ocean.
 Australia.
 Senegal, Saint Louis. West Africa. From fisherman, shallow, in sand/mud.
 Madagascar. East Africa. Indian Ocean.
 Thailand, Changwat Phuket (province), Phuket (island), Rawai, Chalong Bay.
 Thailand, Changwat Phuket (province), Phuket (island), Rawai, Chalong Bay.
 Australia, Western Australia, Broome.
 Philippines, Sulu Sea. Trawled by local fishermen.
 Solomon Islands, Pacific Ocean.
 Spain, Torremolinos.
 Netherlands, Oostvoorne.
 Southern Europe. Adriatic Sea.
 France, Brittany, Les Rosaires.
 France, Brittany, Côtes-d'Armor (department), Tréburden.
 Spain, Playa Rio Mar.
 Greece, Epanomi.
 South Africa, Cape Province, False Bay.
 Australia, Western Australia, Albany, 3 metres deep, in sand.
 Philippines, Mindanao (island), Zamboanga.
 Australia, Queensland, Kurrimine Beach. Snorkel.
 Australia, Western Australia, Broome.
 Australia, Western Australia, Broome.

Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.
 Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.
 Philippines.
 Indo-Pacific.
 Thailand, Phuket (island), Raya Island. 25-30 metres deep.
 Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.
 Thailand. Southeast Asia.
 Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.
 Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.
 Philippines.
 Madagascar, off Toliara (Tulear). East Africa. Collected by a local.
 Philippines, Bohol (province), close to Panglao Island, Balicasag Island.

Price Range

€ 1,30 t/m € 1,80
 € 2,50
 € 0,80
 € 8,50
 € 1,00
 € 1,00
 € 2,00
 € 1,30 t/m € 1,50
 € 0,80
 € 0,20
 € 0,50
 € 0,20
 € 0,15 t/m € 0,20
 € 0,40
 € 0,50
 € 0,20
 € 3,00
 € 1,50
 € 0,50 t/m € 1,00
 € 1,20
 € 3,50
 € 1,50

€ 4,00
 € 2,00
 € 0,50
 € 2,30
 € 1,80
 € 1,00
 € 4,00
 € 6,00
 € 2,00 t/m € 2,50
 € 1,00 t/m € 2,30
 € 6,00
 € 0,50 t/m € 2,80

		Price Range
Terebra areolata (Link, 1807).	Philippines, Visayas (region), Samar (island).	€ 7,50
Terebra argus Hinds, 1844.	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 2,50 t/m € 3,80
Terebra argus Hinds, 1844.	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 3,00
Hastula bacillus (Deshayes, 1859).	Thailand, Phuket (island), Raya Island. 25-30 metres deep.	€ 0,50
Terebra boucheti Bratcher, 1981.	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 2,50
Terebra cerithina Lamarck, 1822.	Japan, Okinawa (island). Shallow water.	€ 2,80 t/m € 3,30
Terebra chlorata Lamarck, 1822.	Mozambique, Nampula Province, Nacala Bay area. Dived.	€ 2,00
Terebra chlorata Lamarck, 1822.	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 2,50
Terebra chlorata Lamarck, 1822.	Philippines, Sulu (province), Siasi. Sulu Sea. From fisherman.	€ 2,00
Terebra commaculata (Gmelin, 1791).	Indonesia, Java (island), North Jakarta city, Jakarta Bay.	€ 2,50
Terebra commaculata (Gmelin, 1791).	India, Tamil Nadu (state), Madras [Chennai].	€ 3,00 t/m € 6,50
Terebra crenulata (L., 1758).	Thailand, Changwat Phuket (province), Phuket (island).	€ 2,50
Terebra crenulata (L., 1758).	Tanzania, Zanzibar, Nungwi (village). East Africa. Indian Ocean.	€ 2,00
Terebra crenulata (L., 1758).	Indonesia, West Papua (province), Manokwari, Cenderawasih Bay.	€ 1,50
Terebra crenulata (L., 1758).	Philippines, Central Visayas (region), Cebu (province), Mactan (island).	€ 1,30 t/m € 2,30
Terebra crenulata (L., 1758).	Egypt, Safaga. Red Sea.	€ 1,30 t/m € 2,80
Terebra crenulata (L., 1758).	Philippines.	€ 2,00 t/m € 6,00
Terebra crenulata (L., 1758).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,00 t/m € 2,30
Terebra cumingii Deshayes, 1857.	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 2,00
Terebra dimidiata (L., 1758).	Madagascar, off Toliara (Tulear). East Africa. Collected by a local.	€ 6,00
Terebra dimidiata (L., 1758).	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 1,00 t/m € 3,00
Terebra dimidiata (L., 1758).	Indo-Pacific.	€ 1,30 t/m € 2,30
Terebra dislocata (Say, 1822).	Bahamas.	€ 1,80
Terebra dislocata (Say, 1822).	USA, Florida, Marco Island. Low water on sands.	€ 3,80
Terebra felina (Dillwyn, 1817).	Mozambique, Nampula Province, Nacala Bay area, shallow water.	€ 3,80
Terebra felina (Dillwyn, 1817).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,80 t/m € 3,30
Terebra felina (Dillwyn, 1817).	Thailand, Changwat Phuket (province), Phuket (island).	€ 2,00
Terebra fenestrata Hinds, 1844.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 0,50 t/m € 3,00
Hastula hastata (Gmelin, 1791).	Bahamas.	€ 1,00 t/m € 1,30
Hastula hastata (Gmelin, 1791).	Martinique, near la Pointe du Bouc. 2 metres deep, on the beach. 18 mm	€ 3,00
Hastula hectica (L., 1758).	Philippines, Luzon (island), Batangas (province), Batangas City.	€ 3,00
Hastula hectica (L., 1758).	Tanzania, Zanzibar, Uroa. East Africa. Collected by snorkeling.	€ 1,80 t/m € 3,30
Hastula lanceata (L., 1767).	Solomon Islands, Pacific Ocean.	€ 2,50
Hastula lanceata (L., 1767).	Thailand, Changwat Phuket (province), Phuket (island).	€ 1,00 t/m € 2,50
Terebra lima Deshayes, 1857.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 0,50 t/m € 1,50

		Price Range
Terebra mactanensis Bratcher & Cernohorsky, 1982.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 1,00 t/m € 4,00
Terebra maculata (L., 1758).	Indonesia, West Papua (province), Manokwari, Cenderawasih Bay.	€ 1,00 t/m € 2,50
Terebra maculata (L., 1758).	Philippines, Mindanao (island), Davao.	€ 3,00 t/m € 9,00
Terebra maculata (L., 1758).	Thailand, Changwat Phuket (province), Phuket (island).	€ 3,00
Terebra maculata (L., 1758).	Red Sea. Beach.	€ 3,00 t/m € 5,00
Terebra mariesi (E.A. Smith, 1880).		€ 1,50
Terebra nebulosa Sowerby, 1825.	Thailand, Phuket (island), Raya Island. 25-30 metres deep.	€ 1,00 t/m € 1,80
Terebra nebulosa Sowerby, 1825.	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 2,00 t/m € 3,00
Terebra ornata Gray, 1834.	Mexico. North of Manzanillo. By diver 30 metres deep, in sand.	€ 5,00
Terebra pertusa (Born, 1778).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 2,00 t/m € 8,50
Terebra pretiosa Reeve, 1842.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 3,00 t/m € 8,00
Terebra quoygaimardi Cernohorsky & Bratcher, 1976.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 1,50 t/m € 2,00
Terebra robusta Hinds, 1844.	Panama, Gobernadora Island.	€ 7,50
Terebra senegalensis Lamarck, 1822.	Gabon. West Africa. Atlantic Ocean.	€ 3,00 t/m € 5,00
Terebra strigata Sowerby, 1825.	Panama.	€ 3,00 t/m € 4,50
Hastula strigilata (L., 1758).	India, Tamil Nadu (state), Madras [Chennai].	€ 2,00
Terebra subulata (L., 1767).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,50 t/m € 2,50
Terebra subulata (L., 1767).	Philippines.	€ 0,80 t/m € 3,50
Terebra succincta (Gmelin, 1791).	Philippines, Bohol (province), close to Panglao Island, Balicasag island.	€ 2,50 t/m € 3,80
Terebra taurina (Lightfoot, 1786).	Brazil, Bahia (state), Salvador. By diver, 10 metres deep, in sand.	€ 10,00
Terebra textilis Hinds, 1844.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 4,00 t/m € 5,00
Terebra triseriata Gray, 1834.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 1,50 t/m € 3,00
Terebra waikikiensis Pilsbry, 1921.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 5,00 t/m € 7,50

Thiaridae

Faunus ater (L., 1758).	Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.	€ 1,00
Faunus ater (L., 1758).	Philippines, Palawan (province), Palawan (island).	€ 1,00
Faunus ater (L., 1758).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 2,50
Faunus ater (L., 1758). A fresh water shell.	Thailand, Changwat Phuket (province), Phuket (island).	€ 1,00 t/m € 2,50
Pachymelania aurita (O.F. Müller, 1774).	West Africa.	€ 1,00

Thyasiridae

Thyasira flexuosa (Montagu, 1803).	France, Brittany, Saint-Lunaire.	€ 0,20
------------------------------------	----------------------------------	--------

Tonnidae

Tonna allium (Dillwyn, 1817).	Mexico, Sinaloa (state), off Mazatlán.	€ 3,00
Tonna canaliculata (L., 1758).	Tanzania, Zanzibar, Unguja South Region, Uroa. East Africa. Indian Ocean.	€ 3,00
Eudolium crosseanum (Monterosato, 1869).	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 2,00 t/m € 4,50

		Price Range
Tonna dolium (L., 1758).	Indonesia.	€ 3,00
Tonna dolium (L., 1758).	Thailand, Krabi Province. Strait of Malacca. On beach.	€ 3,00
Tonna galea (L., 1758).	Brazil. Atlantic Ocean.	€ 2,00 t/m € 4,50
Tonna lischkeana (Küster, 1857).	Thailand, Changwat Phuket (province), Phuket (island).	€ 0,75 t/m € 2,00
Tonna luteostoma (Küster, 1857).	Japan, Shikoku (island), Kochi Prefecture.	€ 2,50
Tonna oentoengi Vos, 2005.	Indonesia, Moluccas Islands, Ambon Island.	€ 6,00
Tonna oentoengi Vos, 2005.	Indonesia, East Java (province), south of Madura Island, Sapekan Island.	€ 5,00
Tonna perdix (L., 1758).	Philippines.	€ 2,50 t/m € 6,50
Tonna perdix (L., 1758).	Madagascar, Toliara (Tulear). East Africa. Indian Ocean. In shallow water.	€ 7,50 t/m € 8,50
Malea pomum (L., 1758).	Egypt, Abu Mingar island, 5 km off Hurghada. Red Sea. Dead on reef.	€ 2,50
Malea pomum (L., 1758).	Southern Madagascar. East Africa. Indian Ocean.	€ 4,50
Malea pomum (L., 1758).	Philippines, Camotes, Ponson Island. Taken on coral reef, 8-15 metres.	€ 3,50
Malea pomum (L., 1758).	Madagascar, Toliara (Tulear). East Africa. Indian Ocean.	€ 2,50 t/m € 3,30
Malea pomum (L., 1758).	Mozambique. East Africa. Indian Ocean.	€ 0,50 t/m € 3,00
Malea pomum (L., 1758).	Egypt, Safaga. Red Sea.	€ 0,50 t/m € 2,30
Malea pomum (L., 1758).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 0,75
Malea ringens (Swainson, 1822).	Mexico.	€ 10,00
Tonna sulcosa (Born, 1778).	Taiwan. East China Sea.	€ 2,00 t/m € 3,50
Tonna sulcosa (Born, 1778).	Indonesia, East Java (state), Probolinggo. Northeastern coast.	€ 2,50
Tonna sulcosa (Born, 1778).	Philippines. Sulu Sea.	€ 6,00
Tonna tessellata (Lamarck, 1816).		€ 2,00
Tornidae		
Tornus subcarinatus (Montagu, 1803).	France, Brittany.	€ 0,50
Trichotropidae		
Trichotropis cancellata (Hinds, 1843).	USA, SE Alaska, Mitkof Island, Petersburg Harbour. At a 4 foot tide.	€ 4,50
Trichotropis cancellata (Hinds, 1843).	Canada, Vancouver Island, Departure Bay, Jessica Island.	€ 6,50
Tricoliidae		
Tricolia pullus (L., 1758).	Spain, Andalusia (region), Province of Málaga, Marbella.	€ 0,50
Tricolia pullus (L., 1758).	Portugal, Algarve (region), between dry seaweed in harbour.	€ 2,50
Trigoniidae		
Neotrigonia bednalli Verco, 1907.	Australia, South Australia, 1 km off Port Stanvac. Dredged, 15 m deep.	€ 5,50
Neotrigonia bednalli Verco, 1907.	Australia, South Australia, off port Lincoln. On sandy mud, 20 m deep.	€ 5,00 t/m € 6,50
Triphoridae		
Tetrastoma princeps (Sowerby, 1904).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 4,00

Price Range**Triviidae**

Triviella aperta aperta (Swainson, 1822).	South Africa, Kinnibaj.	€ 3,50
Triviella aperta aperta (Swainson, 1822).	South Africa, Ciskei.	€ 3,00
Triviella aperta neglecta (Schilder, 1930).	South Africa, Cape Province, Jeffreys Bay.	€ 3,50
Trivia arctica (Solander in Humphrey, 1797).	France, Brittany, Saint-Lunaire.	€ 0,30
Trivia maltbiana McGintry, 1942.	Brazil, Espírito Santo (state), off Guarapari. Dived at 20-25 metres deep.	€ 3,00
Trivia monacha (da Costa, 1778).	France, Brittany, Saint-Lunaire.	€ 0,30
Niveria pediculus pediculus (L., 1758).	Bahamas, Green Turtle Cay (island).	€ 0,50 t/m € 1,00
Niveria pediculus pediculus (L., 1758).	USA, Lower Florida Keys, Lone Key Reef. 3-6 feet deep in seaweed.	€ 0,80
Niveria pediculus pediculus (L., 1758).	Palm Beach Co. to Broward Co. Scuba, 17 m deep, under rock rubble.	€ 2,30
Niveria pediculus pediculus (L., 1758).	Curaçao, Lesser Antilles Islands.	€ 1,00 t/m € 2,00
Niveria pediculus pediculus (L., 1758).	Aruba, Malmok, Boca Catalina, Lesser Antilles Islands.	€ 0,80
Triviella phalacra Schilder, 1930.	South Africa.	€ 5,00
Niveria quadripunctata quadripunctata (Gray, 1827).	Aruba, Lesser Antilles Islands.	€ 0,50
Pusula solandri (Sowerby, 1822).	USA, California, San Diego. Mission Bay. Near Harbour Patrol Station.	€ 2,00

Trochidae

Gibbula albida (Gmelin, 1791).	Spain, Province of Málaga, Estepona.	€ 0,50
Lischkeia alwinae (Lischke, 1871).	Japan.	€ 3,50
Calliostoma annulatum (Lightfoot, 1786).	USA, California, Newport Bay.	€ 6,00
Ginebis argenteonitens (Lischke, 1872).	Japan, Honshu (island), Aichi Prefecture, Mikawa. 30-50 fathoms deep.	€ 8,50
Calliostoma armillata (Wood, 1828). On rubble, under rocks.	Australia, N. Tasmania, eastern side of Rocky Cape. 8-12 metres deep.	€ 10,00
Monodonta articulata Lamarch, 1822.	Malta, Bay of Salina.	€ 0,50
Monodonta articulata Lamarch, 1822.	Tunisia, Monastir.	€ 0,10
Tegula atra (Lesson, 1830).	Chile, Choapa Province, Los Vilos. Local diver, on rocks in shallow water.	€ 3,00
Tegula atra (Lesson, 1830).	Chile, Tarapacá Region, Iquique, Chucumata. On beach	€ 3,50
Monodonta atrata (Wood, 1828).	Spain, Canary Islands, Fuerteventura.	€ 0,50
Euchelus atratus (Gmelin, 1791).	Australia, Western Australia, off Port Hedland. From divers. 18 mm	€ 2,30 t/m € 5,00
Euchelus atratus (Gmelin, 1791).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 2,00 t/m € 3,00
Euchelus atratus (Gmelin, 1791).	Philippines, Cebu (province), Mactan (island). 20 m deep, on coral/rocks.	€ 2,00
Clanculus atropurpureus (Gould, 1849).	Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.	€ 1,30
Bathybembix bairdii (Dall, 1889).	USA, Washington, Astoria Canyon, 46°15'N, 400 fathoms, brown mud.	€ 12,50
Calliostoma blacki (Powell, 1950).	New Zealand, South Island, Otago Peninsula, off Dunedin.	€ 8,00 t/m € 9,50
Monilea callifera (Lamarck, 1822).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,50 t/m € 2,00
Monodonta canalifera Lamarck, 1816.	Thailand, Changwat Phuket (province), Phuket (island).	€ 1,20
Monodonta canalifera Lamarck, 1816.	Indonesia, Sumatra.	€ 4,00

		Price Range
Hybochelus cancellatus orientalis (Pilsbry, 1904).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 3,80
Thalotia chlorostoma (Menke, 1843).	Australia, W.A., Cape Naturaliste. Fish nets at 4-50 m, on ribbon weed.	€ 6,50
Thalotia chlorostoma (Menke, 1843).	Australia, W.A., Perth, Two Rocks. 80-100 m, in fish nets, with weeds.	€ 6,50
Thalotia chlorostoma (Menke, 1843). Colour form.	Australia, W.A., Cape Naturaliste, 40-50 m, on ribbon weed, in fish nets.	€ 6,50
Gibbula cineraria (L., 1758).	Portugal, near Lagos harbour. In dry seaweed.	€ 7,50
Gibbula cineraria (L., 1758).	France, Brittany, Ille-et-Vilaine (departement), Dinard.	€ 0,20
Gibbula cineraria (L., 1758).	France, Brittany, Finistère, Point Penmarc'h, Porte de Kerity.	€ 0,80
Trochus conus (Gmelin, 1791).	Philippines, Central Visayas (region), Bohol (island).	€ 6,50
Trochus conus (Gmelin, 1791).	Japan, Okinawa (island).	€ 6,00
Clanculus cruciatus (L., 1758).	Tunisia, Zarzis.	€ 0,80
Tectus dentatus (Forskål, 1775).	Egypt, Kalau. Red Sea.	€ 0,50 t/m € 6,50
Clanculus denticulatus (Gray, 1827).	Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.	€ 2,00
Trochus erythraeus Brocchi, 1821.	Egypt, Ras Gemsa. Red Sea.	€ 2,30
Trochus erythraeus Brocchi, 1821.	Israel, Elat. Gulf of Aqaba.	€ 1,30 t/m € 1,80
Danilia eucheliformis (Nomura & Hatai).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,50 t/m € 2,30
Jujubinus exasperatus (Pennant, 1777).	Portugal, Algarve (region).	€ 2,50
Cantharidus eximius (Perry, 1811).	Australia, New South Wales, Nambucca Shire, Nambucca Heads.	€ 1,00
Tegula fasciata (Born, 1778).	Honduras, Roatan Island. On rocks, 2 metres deep. 13 mm	€ 3,80
Tegula fasciata (Born, 1778).	Bonaire, Lesser Antilles Islands.	€ 1,00
Tectus fenestratus (Gmelin, 1791).	Philippines, Bohol (province), Calituban Island. 9 m, live under stones.	€ 1,50
Tectus fenestratus (Gmelin, 1791).	Australia, Western Australia, off Port Hedland. From fisherman. 33 mm	€ 7,50
Tectus fenestratus (Gmelin, 1791).	Australia, Western Australia, Dampier Reef.	€ 1,00 t/m € 2,00
Trochus ferreirai Bozzetti, 1996.	Philippines, Northern Samar, Capul Island. From divers, ±25 metres deep.	€ 4,00
Calliostoma formosense Smith, 1907. Some polished.	Taiwan. East China Sea.	€ 1,80
Calliostoma formosense Smith, 1907.	Taiwan. East China Sea. Fished.	€ 4,00 t/m € 5,50
Calliostoma formosense Smith, 1907.	Taiwan, off northern coast. East China Sea. Fished.	€ 4,00
Calliostoma formosense Smith, 1907.	Japan. Southern region.	€ 2,50 t/m € 4,00
Calliostoma foveauxanum (Dell, 1950).	New Zealand, South Island, Otago Peninsula, off Dunedin. 180 m deep.	€ 7,50
Tegula funebris (A. Adams, 1855).	Chile, southern region.	€ 1,50
Umbonium giganteum (Lesson, 1831).	Japan, Honshu (island), Aichi Prefecture, Mikawa, Hazu District.	€ 2,00
Cantharidus gilberti (Montrouzier, 1878).	Philippines.	€ 0,80
Calliostoma granulatum (Born, 1778).	Spain, Province of Málaga, Fuengirola. Fished.	€ 1,00 t/m € 2,50
Calliostoma granulatum (Born, 1778).	France, Charente-Maritime (dep.), near La Rochelle. Bay of Biscay. Fished.	€ 1,00
Calliostoma granulatum (Born, 1778).	Irish Sea.	€ 1,50
Calliostoma granulatum (Born, 1778).	S.E. Spain, Peniscola.	€ 0,50

		Price Range
Calliostoma granulatum (Born, 1778).	Spain, Andalusia (region), off Málaga. Trawled in 30 metres. Mud bottom.	€ 1,50 t/m € 2,50
Calliostoma haliarchus (Melvill, 1889).	Japan, Honshu (island), Kansai (region), Kyoto. Fished, ±100 metres deep.	€ 10,00
Trochus hanleyanus Reeve, 1843.	Australia, Western Australia, Pilbara region, Point Samson. Live.	€ 2,00
Calliostoma javanicum (Gmelin, 1791).	Florida, Palm Beach County. Scuba in 10 fathoms deep, under rock rubble.	€ 1,50
Calliostoma jujubinum (Gmelin, 1791).	USA, Florida, 2 miles S.of Hillsboro Light. 15 feet deep, scuba.	€ 6,50
Calliostoma jujubinum (Gmelin, 1791).	Florida, Pompano Beach, 2 miles S. of Hillsboro Light. 15 feet deep.	€ 4,50
Clanculus jussieui (Payraudeau, 1826).	Spain, Andalusia (region), Province of Málaga, Marbella, Calypso.	€ 0,50
Trochus kochi Philippi, 1844.	Oman, Sadah (Şadh). Middle East. Arabian Sea.	€ 4,50
Monodonta labio (L., 1758).	Philippines, Samar (island), Calbayog area. Intertidal. 27 mm	€ 1,50 t/m € 2,50
Monodonta labio (L., 1758).	Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.	€ 0,80 t/m € 1,30
Monodonta labio (L., 1758).	Australia, W.A., Exmouth Gulf. On algae covered rocks at low tide.	€ 4,50
Monodonta labio (L., 1758).	Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.	€ 0,80 t/m € 1,30
Monodonta labio (L., 1758).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,00
Monodonta labio (L., 1758).	Australia, Queensland, Mission Beach. Alive, Littoral zone.	€ 3,50
Monodonta labio (L., 1758).	Australia, Western Australia, Dampier.	€ 1,30
Prothalotia lehmanni (Menke, 1843).	Australia, Western Australia, near Perth, Rockingham. Shoalhaven Bight.	€ 1,00
Calliostoma ligatum (Gould, 1849).	USA, California, Monterey County, Pacific Grove. On beach.	€ 2,50
Monodonta lineata (da Costa, 1778).	Morocco, Marrakesh-Tensift-El Haouz, Essaouira.	€ 0,20
Monodonta lineata (da Costa, 1778).	Morocco. North Africa.	€ 1,30
Monodonta lineata (da Costa, 1778).	Portugal, Algarve (region), Faro.	€ 0,20
Monodonta lineata (da Costa, 1778).	France, Brittany, Saint-Lunaire.	€ 0,80
Tegula lischkei (Taparone-Canefri).	Japan, Hokkaido.	€ 2,00 t/m € 4,00
Tegula lividomaculata (C.B. Adams, 1845).	Bonaire, Lesser Antilles Islands.	€ 1,00
Turcica maculata (Brazier, 1877).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 4,50
Trochus maculatus L., 1758.	Egypt, Safaga. Red Sea.	€ 2,00 t/m € 3,00
Trochus maculatus L., 1758.	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,00
Trochus maculatus L., 1758.	Philippines.	€ 3,00
Trochus maculatus L., 1758.	Gabon, Olongo Island. West Africa. Atlantic Ocean. 3 metres deep.	€ 1,30 t/m € 1,80
Trochus maculatus L., 1758.	Malaysia, Kapar Peninsula.	€ 1,00 t/m € 2,00
Gibbula magus (L., 1767).	France, Brittany, Ille-et-Vilaine (departement), Dinard.	€ 0,30
Gibbula magus (L., 1767).	Southern Europe. Adriatic Sea.	€ 1,30
Tegula melaleucus (Jonas, 1844).	Peru, Piura Province, Perachique. Trawled in shallow water, from locals.	€ 2,50
Calliostoma monile (Reeve, 1863).	Australia, Western Australia, Broome.	€ 3,00
Umbonium moniliferum (Lamarck, 1822).	Japan.	€ 0,80
Umbonium moniliferum (Lamarck, 1822).	Japan.	€ 0,80

	Price Range
Monodonta nebulosa (Forskål, 1775).	€ 1,00
Tegula nigerrimum (Gmelin).	€ 2,00
Trochus niloticus L., 1767.	€ 3,00 t/m € 9,50
Trochus niloticus L., 1767.	€ 10,00
Gaza olivacea Quinn, 1992.	€ 30,00
Calliostoma palmeri Dall, 1871.	€ 3,50
Tegula pellisserpentis (Wood, 1828).	€ 1,30 t/m € 1,80
Gibbula pennanti (Philippi, 1836).	€ 2,00
Gibbula pennanti (Philippi, 1836).	€ 0,80
Gibbula pennanti (Philippi, 1836).	€ 0,20
Clanculus pharaonius (L., 1758).	€ 1,80
Cittarium pica (L., 1758).	€ 17,50
Cittarium pica (L., 1758).	€ 4,50 t/m € 9,50
Monodonta punctulata (Lamarck, 1822).	€ 2,00
Calliostoma punctulatum (Martyn, 1784).	€ 1,30
Clanculus puniceus (Philippi, 1846).	€ 1,00
Tectus pyramis (Born, 1778).	€ 1,00 t/m € 3,00
Tectus pyramis (Born, 1778).	€ 3,80
Tectus pyramis (Born, 1778).	€ 2,50 t/m € 3,50
Euchelus quadricarinatus (Holten, 1802).	€ 1,00
Trochus radiatus Gmelin, 1791.	€ 0,50
Gibbula rarilineata (Michaud, 1829).	€ 0,50
Gibbula richardi (Payraudeau, 1826).	€ 0,30
Euchelus rubra (Adams, 1853).	€ 6,50 t/m € 7,50
Tegula rugosa (A. Adams, 1853).	€ 0,50
Tegula rustica (Gmelin).	€ 3,50
Pseudotalopia sakuraii Habe, 1961.	€ 3,00
Calliostoma scotti Kilburn, 1973.	€ 6,00
Calliostoma selectum (Dillwyn, 1817).	€ 12,50
Calliostoma selectum (Dillwyn, 1817).	€ 6,00
Oxystele sinensis (Gmelin, 1791).	€ 4,00
Oxystele sinensis (Gmelin, 1791).	€ 2,00 t/m € 2,50
Trochus stellatus Gmelin, 1791. Polished.	€ 0,80 t/m € 1,30
Trochus stellatus Gmelin, 1791.	€ 0,80 t/m € 1,30
Gibbula stoliczkana (Nevill, 1869).	€ 2,30
Oman, Sadah (Şadh). Middle East. Arabian Sea.	€ 1,00
Chile, Tarapacá Region, Iquique. On rocks at intertidal level.	€ 2,00
Philippines.	€ 3,00 t/m € 9,50
Malaysia, Terengganu (state), Pulau Kapas. Littoral zone, live on rocks.	€ 10,00
Colombia, dredged off Guajira Peninsula by a research vessel.	€ 30,00
Mexico, Sonora (state), Guaymas. Gulf of California. Fished.	€ 3,50
Costa Rica, Playa de Jaco. On intertidal rocks/rubble/sand.	€ 1,30 t/m € 1,80
Spain, Andalusia (region), Málaga. Under stones, 2-3 metres deep. 10 mm	€ 2,00
France, Brittany, Finistère, Point Penmarc'h, Porte de Kerity.	€ 0,80
France, Brittany, Ille-et-Vilaine (departement), Dinard.	€ 0,20
Egypt, South Sinai, Dahab. Gulf of Aqaba.	€ 1,80
Dominican Republic. Greater Antilles archipelago, Caribbean region.	€ 17,50
Bahamas, Abaco Cays. On rocks in intertidal and splash zone.	€ 4,50 t/m € 9,50
Senegal, Cap-Vert (peninsula), Pointe des Almadies. Ebb, on rock. 15 mm	€ 2,00
New Zealand, southeast, Otago Peninsula. 110 metres deep.	€ 1,30
Tanzania, Zanzibar. East Africa. Indian Ocean.	€ 1,00
Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 1,00 t/m € 3,00
Philippines, Central Visayas (region), Cebu (province), Mactan (island).	€ 3,80
Indo-Pacific.	€ 2,50 t/m € 3,50
Thailand, Phuket (island), Raya Island, about 2 hours by boat from Rawai.	€ 1,00
Sri Lanka, Southern Province, Kosgodra. Low tide.	€ 0,50
Cyprus, Bay of Garnaca.	€ 0,50
Spain, Andalusia (region), Province of Málaga, Marbella.	€ 0,30
Philippines, Mactan (island), Punta Engano. Tangle net, 10-35 metres deep. 6 mm	€ 6,50 t/m € 7,50
Mexico, Baja California, Bahía de los Ángeles. Gulf of California.	€ 0,50
Japan.	€ 3,50
Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 3,00
Somalia, S. of Mogadishu. East Africa. Trawled on Continental Shelf. 28 mm	€ 6,00
New Zealand, North Island, 60 kilometres north of Wellington, Waikanae.	€ 12,50
New Zealand, North Island, Auckland Harbour.	€ 6,00
South Africa, Western Cape, Simonstown. False Bay. Scuba, 6 m, rock bott.	€ 4,00
South Africa, Eastern Cape (prov.), Gonubie. Low tide, on exposed rocks.	€ 2,00 t/m € 2,50
Philippines.	€ 0,80 t/m € 1,30
Thailand, Phuket (island), Raya Island. 25-30 metres deep.	€ 0,80 t/m € 1,30
Philippines.	€ 2,30

		Price Range
Jujubinus striatus (L., 1767).	Portugal, Algarve (region).	€ 2,50
Jujubinus striatus (L., 1767).	Spain, Province of Málaga, Fuengirola, Mediterranean Sea.	€ 1,00
Jujubinus striatus (L., 1767).	France, Brittany, St. Cast, live in seaweed.	€ 0,30
Oxysteles tigrina (Dillwyn, 1817).	South Africa, Western Cape, Olifantsbos point. Sand beach, by reefs & kelp	€ 2,00
Calliostoma tigris (Gmelin, 1791).	New Zealand, North Island, Bay of Plenty, Maketu.	€ 4,00
Calliostoma tigris (Gmelin, 1791).	New Zealand, North Island, Hawkes Bay, Mahia.	€ 6,50
Calliostoma tranquebaricum (Röding, 1798).	Thailand, Changwat Phuket (province), Phuket (island).	€ 2,50
Tectus triserialis (Lamarck, 1822).	Philippines, Central Visayas (region), Cebu (island).	€ 4,00
Monodonta turbinata (Born, 1780).	Cyprus, Paphos.	€ 0,50
Monodonta turbinata (Born, 1780).	Tunisia, Djerba Island, Ajim. Gulf of Gabès.	€ 0,30
Gibbula umbilicalis (da Costa, 1778).	France, Brittany, Ille-et-Vilaine (departement), Dinard.	€ 0,20
Umbonium vestiarum (L., 1758).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 0,20
Umbonium vestiarum (L., 1758).	Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.	€ 0,50
Calliostoma waikanae Oliver, 1926.	New Zealand, South Island, Otago Peninsula, off Dunedin.	€ 5,00 t/m € 7,50
Calliostoma waikanae Oliver, 1926.	New Zealand, North Island, 60 kilometres north of Wellington, Waikanae.	€ 2,50 t/m € 4,00
Calliostoma zizyphinum (L., 1758).	UK, Scotland, Inner Hebrides, Isle of Mull, Loch Scridain.	€ 1,30
Calliostoma zizyphinum (L., 1758).	France, Brittany, Saint-Lunaire, Pointe du Décollé.	€ 0,50
Calliostoma zizyphinum (L., 1758).	France, Brittany, Côtes-d'Armor (department), Tréburden.	€ 0,40
Calliostoma zizyphinum (L., 1758).	France, Brittany, Saint-Jacut-de-la-Mer.	€ 0,50
Turbinidae		
Turbo argyrostoma argyrostoma L., 1758.	Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.	€ 1,00 t/m € 4,50
Turbo aurantius Kiener, 1847.	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 3,50
Bolma aureola (Hedley, 1907).	Australia, southern Queensland.	€ 9,50 t/m € 22,50
Turbo bruneus (Röding, 1798).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 3,50
Astraea caelata (Gmelin, 1791).	USA, Florida, Big Pine Key. On coral reef.	€ 2,00 t/m € 4,50
Astraliium calcar (L., 1758).	Philippines.	€ 3,00
Astraliium calcar (L., 1758).	Indonesia, Greater Sunda Islands, East Java (province), Madura Island.	€ 2,00
Astraliium calcar (L., 1758).	Philippines, Bohol (province), Calituban Island. 20-25 m, night dive.	€ 1,00 t/m € 3,00
Turbo castanea Gmelin, 1791.	Bahamas, Green Turtle Cay (island).	€ 0,50 t/m € 1,30
Turbo castanea Gmelin, 1791.	Bahamas, South Bimini, Turtle Rocks. 8-10 feet deep.	€ 2,30
Turbo chrysostoma L., 1758.	Malaysia, Pulau Kapas (island). South China Sea. Shallow, littoral zone.	€ 3,00
Turbo chrysostoma L., 1758.	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 2,50 t/m € 3,50
Turbo chrysostoma L., 1758.	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 2,50
Turbo cinereus Born, 1778.	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 0,50
Turbo cinereus Born, 1778.	Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.	€ 0,50 t/m € 3,00

		Price Range
Turbo cinereus Born, 1778.	Fiji, Mamanuca Groep, Mana Island. At ebb under coral.	€ 1,00 t/m € 1,30
Turbo cinereus Born, 1778.	Australia, Western Australia, Port Hedland. From fisherman. 16 mm	€ 2,00
Turbo cornutus cornutus Lightfoot, 1786.	Japan, Honshu (island), Wakayama Prefecture, Shirahama.	€ 2,00
Turbo cornutus cornutus Lightfoot, 1786.	Japan, Honshu (island), Wakayama Prefecture, Nada-Cho. 2-5 fathoms deep.	€ 8,50
Turbo cornutus cornutus Lightfoot, 1786.	North Korea.	€ 17,50 t/m € 35,00
Turbo coronatus Gmelin, 1791.	Oman, Sadah (Şadh). Middle East. Arabian Sea.	€ 2,50
Arene cruentata Mühlfeld, 1829.	Martinique, Grande Anse. 8 metres deep, scuba. 8 mm	€ 3,00
Turbo fluctuosus Wood, 1828.	Mexico, Baja California (state).	€ 7,50
Turbo fluctuosus Wood, 1828.	Mexico, Baja California Sur (state), Bahía Concepción. Gulf of California.	€ 7,50
Bolma girgylla (Reeve, 1843).	Philippines.	€ 7,50
Bolma girgylla (Reeve, 1843).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,00 t/m € 4,00
Bolma girgylla (Reeve, 1843).	Philippines, Central Visayas (region), Cebu (island).	€ 10,00
Bolma girgylla (Reeve, 1843).	Philippines, Mindanao (region), Balut Island.	€ 2,00 t/m € 3,50
Astraea haematraga (Menke, 1829).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 3,00 t/m € 4,00
Astraea haematraga (Menke, 1829).	Philippines, Central Visayas (region), Cebu (island).	€ 5,00
Astraea heliotropium (Martyn, 1784).	New Zealand, by Jackson Bay near Haast River. 25 metres deep, trawled.	€ 2,50
Turbo imperialis Gmelin, 1791.	Australia, N.S.W., ±1 km north of Iluka. Sublittoral, along rocky coast.	€ 3,00 t/m € 4,00
Turbo intercostalis Menke, 1846.	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,00
Turbo laminiferus Reeve, 1848.	Australia, Western Australia, Pilbara region, Point Samson. Littoral.	€ 3,00
Turbo marmoratus L., 1758.	Philippines.	€ 12,50
Turbo marmoratus L., 1758. Polished.	Philippines, Eastern Visayas (region), Leyte (island). In deep water.	€ 75,00 t/m € 95,00
Turbo marmoratus L., 1758.	Indonesia, Mollucus Islands.	€ 35,00 t/m € 75,00
Turbo marmoratus L., 1758.	Kenya, Mombasa Reef. East Africa. Indian Ocean.	€ 15,00 t/m € 29,50
Bolma modesta (Reeve, 1843).	Japan, Honshu, Kii Province, Kii Peninsula.	€ 3,00 t/m € 4,00
Bolma modesta (Reeve, 1843).	Japan, Honshu (island), Wakayama Prefecture, Nada-Cho.	€ 4,00 t/m € 9,00
Liotina peronii (Kiener, 1839).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,00
Bolma persica (Dall, 1907).	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 2,50
Turbo petholatus L., 1758.	Philippines, Cebu (island), Bantayan Island. On corals, 15-20 metres deep.	€ 4,50
Turbo petholatus L., 1758.	Thailand, Changwat Phuket (province), Phuket (island).	€ 1,00 t/m € 3,00
Turbo petholatus L., 1758.	Malaysia, Johor, Big Island (Babi Besar Island). Under dead coral, live.	€ 2,50
Turbo petholatus L., 1758.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 2,00 t/m € 3,50
Astraea phoebia Röding, 1798.	Gualeloupe, near Pigeon. Caribbean Sea. 5 metres deep.	€ 3,50
Astraea phoebia Röding, 1798.	Madagascar Island. East Africa. Indian Ocean.	€ 2,00 t/m € 3,00
Astraliium pileola Reeve, 1842.	Australia, Western Australia, Pilbara (region), Point Samson. Littoral.	€ 2,50
Turbo pulcher Reeve, 1842.	Australia, Western Australia, Albany, Frenchman's Bay. 5-8 metres deep.	€ 5,00

		Price Range
Turbo radiatus Gmelin, 1791.	Egypt, Safaga. Red Sea.	€ 1,00 t/m € 2,80
Turbo radiatus Gmelin, 1791.	Egypt, Safaga. Red Sea.	€ 0,50 t/m € 4,50
Turbo reevei Philippi, 1847.	Philippines, Central Visayas (region), Cebu (island).	€ 2,00 t/m € 3,00
Turbo reevei Philippi, 1847.	Japan.	€ 0,80 t/m € 2,30
Astraea rhodostoma (Lamarck, 1822).	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 2,00
Astraea rhodostoma (Lamarck, 1822).	Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.	€ 4,00
Astraea rugosa (L., 1767).	Greece, Kos Island. Mediterranean Sea.	€ 12,00
Astraea rugosa (L., 1767).	Italy, Liguria, Province of Savona, Savona.	€ 8,50
Astraea rugosa (L., 1767). W/O.	Croatia, Istria, Umag. Adriatic Sea. Collected live, 3 metres deep.	€ 2,50
Astraea rugosa (L., 1767).	Portugal, Algarve (region), Quarteira.	€ 6,00
Astraea rugosa (L., 1767).	Spain, Andalusia (region), Province of Málaga, Marbella.	€ 1,00 t/m € 2,00
Astraea rugosa (L., 1767).	Italy, offshore Savona. Trawled by local fishermen.	€ 9,50
Astraea rugosa (L., 1767).	Spain, Province of Málaga, Fuengirola.	€ 1,50 t/m € 2,00
Turbo sarmaticus L., 1758. Polished.	South Africa, Natal (province).	€ 6,50 t/m € 14,50
Turbo sarmaticus L., 1758.	South Africa, Simonstown. False Bay. Scuba, ±6 m, in sand/shell debris.	€ 3,00
Astraliium saturnum Chino, 1999.	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 2,50
Astraea stellare (Gmelin, 1791).	Australia, Western Australia, Pilbara (region), Point Samson. Littoral.	€ 1,00 t/m € 2,00
Astraea stellare (Gmelin, 1791).	Australia, Western Australia, Broome.	€ 7,00
Astraliium tentorium (Thiele, 1930).	Australia, W.A., Broome. Under rocks and coral at extreme low tide.	€ 12,50
Turbo torquatus Gmelin, 1791.	Australia, W.A., Cape Le Grand National Park. Live, sublittoral.	€ 4,00 t/m € 7,00
Turbo torquatus Gmelin, 1791.	Australia.	€ 12,50
Turbo undulatus Lightfoot, 1786.	Australia, Victoria, Phillip Island, Cowes.	€ 3,00
Guildfordia yoka Jousseau, 1888.	Philippines, Bohol, Panglao Island, Balicasag Island. 130-230 metres deep.	€ 2,50 t/m € 6,50
Guildfordia yoka Jousseau, 1888.	Taiwan. East China Sea.	€ 5,00 t/m € 6,50

Turridae

Lophiotoma acuta (Perry, 1811).	Andaman Sea, Bay of Bengal.	€ 1,30 t/m € 2,50
Lophiotoma acuta (Perry, 1811).	Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.	€ 1,30 t/m € 2,80
Lophiotoma acuta (Perry, 1811).	Fiji, Fiji Island Bay. Pacific Ocean.	€ 0,50
Lophiotoma acuta (Perry, 1811).	Australia, Queensland, North West Island. Capricornia Cays National Park.	€ 2,00
Lophiotoma acuta (Perry, 1811).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,50
Lophiotoma acuta (Perry, 1811).	Japan.	€ 1,50
Inquisitor alabastes (Reeve, 1843).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 3,50
Inquisitor angustus (Kuroda & Oyama, 1971).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 3,50
Turris annulata Reeve, 1843.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 3,00 t/m € 4,00
Turris babylonia (L., 1758).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 3,50

		Price Range
Turris babylonia (L., 1758).	Indonesia, Greater Sundra Islands, East Java (province), Madura Island.	€ 1,00 t/m € 2,00
Turris babylonia (L., 1758).	Indonesia, Greater Sundra Islands, East Java (province), Madura Island.	€ 1,50 t/m € 3,50
Gemmula butonensis (Martin, 1933).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 2,00 t/m € 3,50
Clavus canicularis (Röding, 1798).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 2,00 t/m € 4,00
Turridrupa cerithina (Anton, 1838).	Philippines, Bohol Island, Balicasag Island. Tangle nets, 130-230 metres.	€ 1,50 t/m € 3,50
Turridrupa cerithina (Anton, 1838).	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 1,50 t/m € 5,00
Xenoturris cingulifera (Lamarck, 1822).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 4,00 t/m € 7,00
Gemmula congener congener (E.A. Smith, 1894).	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 4,00 t/m € 6,50
Gemmula congener cosmoi (Sykes, 1930).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 2,50
Turris crispa (Lamarck, 1816).	Philippines, Cebu (province), Mactan (island), Punta Engaño.	€ 2,30 t/m € 3,80
Turris crispa (Lamarck, 1816).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,00 t/m € 2,50
Cochlespira elegans (Dall, 1881).	Brazil, northern coast. Atlantic Ocean.	€ 12,00
Clavus enna (Dall, 1918).	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 2,00 t/m € 5,00
Ptychobela flavidula (Lamarck, 1822).	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 2,50 t/m € 3,50
Ptychobela flavidula (Lamarck, 1822).	Japan.	€ 2,50
Ptychobela flavidula (Lamarck, 1822).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,50 t/m € 3,50
Lophiotoma indica (Röding, 1798).	Indonesia, Greater Sundra Islands, East Java (province), Madura Island.	€ 2,00
Lophiotoma indica (Röding, 1798).	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 1,50 t/m € 3,00
Lophiotoma indica (Röding, 1798).	Thailand, Phuket (island), Raya Island. 25-30 metres deep.	€ 1,00 t/m € 2,50
Lophiotoma indica (Röding, 1798).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 2,00
Inquisitor intercincta (Smith, 1877).	Philippines, Bohol Island, Balicasag Island. Tangle nets, 130-230 metres.	€ 1,00
Turricula javana (L., 1767).	Thailand, Changwat Phuket (province), Phuket (island).	€ 1,50
Comitas kamakurana (Pilsbry, 1895).	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 3,00 t/m € 5,00
Gemmula kieneri Doumet, 1840.	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 0,50 t/m € 2,00
Thatcheria mirabilis Angas, 1877.	Taiwan, Sao. East China Sea.	€ 3,50
Thatcheria mirabilis Angas, 1877.	Taiwan. East China Sea.	€ 12,00
Turris nadaensis Azuma, 1973.	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 3,00 t/m € 6,00
Pusionella nifat (Bruguère, 1789).	Sierra Leone. West Africa. Atlantic Ocean.	€ 5,00
Daphnella nobilis Kira, 1959.	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 5,00 t/m € 9,50
Glyphostoma otohimaia Kosuge, 1981.	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 7,50
Nauderdrillia perardua Kilburn, 1988.	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,50
Cochlespira pulchella fossata Powell, 1969.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 3,00
Drillia roseola (Hertlein & Strong, 1955).	Panama.	€ 2,30
Inquisitor rufovaricosa (Kuroda & Oyama, 1971).	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 1,00 t/m € 4,50
Fusiturris similis (Bivona, 1838).	Gabon, Port-Gentil. West Africa. Atlantic Ocean.	€ 9,50

Conorbis spec. .
 Glyphostoma spec. .
 Turris spec. .
 Clavus spec. .
 Turris spectabilis (Reeve, 1843).
 Conopleura striata (Hinds, 1844).
 Ptychobela subochracea (E.A. Smith, 1877).
 Gemmula unedo (Kiener, 1839).
 Inquisitor varicosa (Reeve, 1843).
 Ptychobela vexillum (Habe & Kosuge, 1966).
 Turris yeddoensis (Jousseume, 1883).

Turritellidae

Turritella banksi Reeve, 1849.
 Haustator bicingulata (Lamarck, 1822).
 Turritella cingulata Sowerby, 1825.
 Turritella communis Risso, 1826.
 Turritella communis Risso, 1826.
 Turritella communis Risso, 1826.
 Turritella duplicata (L., 1758).
 Vermicularia fargoi Olsson, 1951.
 Turritella maculata Reeve, 1849.
 Turritella maculata Reeve, 1849.
 Turritella maculata Reeve, 1849.
 Turritella mariana Dall, 1908.
 Mesalia mesal (Deshayes in Lamarck, 1843).
 Mesalia mesal (Deshayes in Lamarck, 1843).
 Mesalia mesal (Deshayes in Lamarck, 1843).
 Mesalia mesal (Deshayes in Lamarck, 1843).
 Maoricolpus roseus roseus (Quoy & Gaimard, 1834).
 Turritella sanguinea Reeve, 1849.
 Turritella terebra (L., 1758). Juvenile.
 Turritella terebra (L., 1758).
 Turritella terebra (L., 1758).
 Turritella variegata (L., 1758).

Umbraculidae

Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.
 Philippines, Bohol (province), close to Panglao Island, Balicasag Island.
 Indonesia, Greater Sundra Islands, East Java (province), Madura Island.
 Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.
 Mexico.
 Philippines, Bohol Island, close to Panglao Island, Balicasag Island.
 Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.
 Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.
 Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.
 Gulf of Thailand, Ban Hua Hin.
 Japan, Wakayama Prefecture, Nada-Cho, Kusui. Trawled at 30-50 fathoms.
 Panama, Gulf of Panamá, San Carlos, El Palmar. Pacific Ocean.
 Cape Verde, Santiago (island), Praia (city). On beach.
 Chile, IV Región, off Coquimbo. Trawled at 20-40 metres deep. `.
 France, Brittany, Côtes-d'Armor (department), Tréburden. Live.
 Spain, Playa Rio Mar.
 Italy, Province of Latina, Formia. From fishery.
 Thailand, Changwat Phuket (province), Phuket (island).
 USA, Florida, Gulf of Mexico, Fort Myers, Carl Johnson Park.
 Oman, Muscat. Middle East. Arabian Sea.
 Egypt, South Sinai, Dahab. Gulf of Aqaba.
 Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.
 Panama, Canal de Afuera Island. Pacific Ocean. Trawled at 240 feet deep.
 Spain, Province of Málaga, Estepona.
 Spain, San Carlos de la Rápita.
 Spain, Province of Málaga, Fuengirola.
 Morocco, Agadir. Atlantic Ocean.
 New Zealand, Auckland Harbour. 20 feet deep on shelly bottom.
 South Africa, Cape Province.
 Indonesië.
 Thailand, Phuket (island), Raya Island. 25-30 metres deep.
 Philippines.
 Martinique Island, Ste. Luce, Lesser Antilles. 3 metres deep.

Price Range

€ 2,00
 € 3,50
 € 1,00
 € 3,00
 € 5,00
 € 2,00
 € 7,50
 € 2,50 t/m € 4,00
 € 3,00 t/m € 6,50
 € 1,30
 € 5,00
 € 1,30
 € 1,00
 € 3,00
 € 1,30 t/m € 1,80
 € 0,50
 € 0,40 t/m € 0,80
 € 1,50
 € 1,30
 € 2,50
 € 1,30
 € 1,30
 € 2,50
 € 0,40
 € 0,80
 € 0,40
 € 0,80
 € 2,00 t/m € 2,50
 € 2,80
 € 1,00
 € 2,80
 € 2,50
 € 1,20

		Price Range
Umbraculum umbraculum (Lightfoot, 1786).	USA, Florida, Key West.	€ 7,00
Vanikoridae		
Vanikoro cancellata (Lamarck, 1822).	Australia, Queensland, Cape Tribulation.	€ 2,50
Vasidae		
Turbinella angulata (Lightfoot, 1786).	Bahamas, Green Turtle Cay (island).	€ 12,00 t/m € 18,00
Vasum capitellum (L., 1758).	Bonaire, Lesser Antilles Islands.	€ 0,50 t/m € 2,30
Vasum cassiforme (Kiener, 1841).	Brazil, Pernambuco (state), Recife. Atlantic Ocean.	€ 4,00 t/m € 9,00
Vasum cassiforme (Kiener, 1841).	Brazil, Guarapari. Scuba, 10-15 m, on sand & grass bottom.	€ 6,50
Vasum cassiforme (Kiener, 1841).	Brazil, Espírito Santo (state), Guarapari. Atlantic Ocean. 70 mm	€ 3,00 t/m € 4,00
Vasum ceramicum (L., 1758).	Indonesia.	€ 5,00 t/m € 9,50
Vasum ceramicum (L., 1758).	Indonesia.	€ 8,50
Tudivasum cumingii (Reeve, 1844).	Taiwan. East China Sea. Fished off the coast.	€ 2,50
Turbinella laevigata Anton, 1839.	USA, Florida.	€ 14,50
Turbinella laevigata Anton, 1839.	Brazil. Atlantic Ocean.	€ 15,00
Turbinella laevigata Anton, 1839.	Brazil. Atlantic Ocean.	€ 6,00
Columbarium pagoda (Lesson, 1831).	Japan, Shikoku (island), Kochi Prefecture, Tosa Bay. Gevist.	€ 4,50
Columbarium pagoda (Lesson, 1831).	Taiwan. East China Sea.	€ 6,00
Turbinella pyrum (L., 1758).	Bay of Bengal.	€ 27,00 t/m € 32,50
Turbinella pyrum (L., 1758).	Sri Lanka.	€ 20,00
Vasum rhinoceros (Gmelin, 1791).	Kenya, Mombasa Reef. East Africa. Indian Ocean.	€ 1,80 t/m € 3,80
Vasum tubiferum (Anton, 1839).	Philippines, Palawan (province), Coron Island. Local collector.	€ 3,50
Vasum turbinellus (L., 1758).	Thailand, Changwat Phuket (province), Phuket (island).	€ 0,80 t/m € 3,00
Vasum turbinellus (L., 1758).	Egypt, Red Sea, Gifâtin Islands. Coastal reef, sand.	€ 1,50 t/m € 2,80
Vasum turbinellus (L., 1758).	Philippines.	€ 2,50 t/m € 3,50
Vasum turbinellus (L., 1758).	Kenya, Mombasa Reef. On reef.	€ 1,50 t/m € 1,80
Vasum turbinellus (L., 1758).	Egypt, Safaga. Red Sea.	€ 2,80
Vasum turbinellus (L., 1758).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 0,75 t/m € 1,50
Vasum turbinellus (L., 1758).	Philippines.	€ 0,50 t/m € 1,50
Vasum turbinellus (L., 1758).	Philippines, Mindanao (island), Zamboanga.	€ 1,00
Veneridae		
Paphia alapapilionis Röding, 1798.	India.	€ 1,80
Pitar albidus (Gmelin, 1791).	Venezuela, Nueva Esparta (state), Isla El Coche.	€ 1,50
Paphia amabilis (Philippi, 1847).	Taiwan, south-west. East China Sea.	€ 0,70
Chione amathusia (Philippi, 1844).	Mexico, Baja California, Bahía de los Ángeles. Gulf of California.	€ 0,80 t/m € 1,30
Dosinia anus (Philippi, 1848).	New Zealand, North Island, Ninety Mile Beach.	€ 3,00

		Price Range
Dosinia anus (Philippi, 1848).	New Zealand, North Island, Auckland Harbour.	€ 1,50 t/m € 2,50
Dosinia anus (Philippi, 1848).	New Zealand, Piha Beach.	€ 1,00 t/m € 2,00
Protothaca asperrima (Sowerby, 1835).	Panama, Canal de Afuera Island. Pacific Ocean.	€ 1,30
Meretrix astricta (Reeve, 1864).	Thailand, Changwat Phuket (province), Phuket (island).	€ 0,75 t/m € 1,00
Megapitaria aurantiaca (Sowerby, 1831).	Mexico, Baja California Sur (state), San Carlos. 6-12 metres deep.	€ 9,00
Paphia aurea f. mabillei (Locard, 1886).	Italy, Grado. 1-2 metres deep on sandflats. 24 mm - 27 mm	€ 1,00
Polititapes aureus (Gmelin, 1791).	Italy, Grado. In sand, ½-1 metre deep. 20 mm - 30 mm	€ 0,50
Polititapes aureus (Gmelin, 1791).	Italy, Grado. In sand, ½-1 metre deep. 17 mm - 32 mm	€ 0,50
Polititapes aureus (Gmelin, 1791).	Portugal, Algarve (region), Faro.	€ 0,40
Placamen berrii (Wood, 1828).	Australia, Western Australia, Broome.	€ 3,00
Anomalocardia brasiliiana (Gmelin, 1791).	Leeward Islands, Antigua Island, Indian Creek.	€ 1,00
Chione californiensis (Broderip, 1835).	Mexico, Baja California Sur (state), La Paz. 1-6 metres deep.	€ 2,00 t/m € 3,00
Circentia callipyga (Born, 1778).	Egypt, South Sinai, Dahab. Gulf of Aqaba.	€ 0,75
Circentia callipyga (Born, 1778).	Egypte, Hurghada, Gebel Esh. Red Sea. Under stones at low tide. 24 mm - 33 mm	€ 3,00 t/m € 4,00
Circentia callipyga (Born, 1778).	Egypt, Safaga. Red Sea.	€ 0,80
Placamen calophyllum (Philippi, 1836).	Singapore, Changi Coast. Collected on a sandy mudflat.	€ 2,00
Mercenaria campechiensis (Gmelin, 1791).	USA, Florida, Tampa Bay.	€ 1,00 t/m € 2,00
Chione cancellata (L., 1767).	USA, Florida, Gulf of Mexico, Boca Grande.	€ 0,70
Venus casina L., 1758.	France, Brittany, Pors Even-Ploubazlanec, fishery.	€ 2,30 t/m € 2,80
Venus casina L., 1758.	France, Brittany, Baie de St. Brieuc.	€ 3,80
Lioconcha castrensis (L., 1758).	Philippines, Central Visayas (region), Bohol (island).	€ 2,50
Lioconcha castrensis (L., 1758).	Indische Oceaan.	€ 2,00
Callista chione (L., 1758).	Greece, 200 km northeast of Athens, Évvoia Island, Kimi.	€ 1,00 t/m € 2,00
Callista chione (L., 1758).	France, Brittany, Ile Grande. Low tide, live, dug up.	€ 1,50 t/m € 2,00
Callista chione (L., 1758).	Spain, Province of Málaga, Benajarafe.	€ 1,00 t/m € 1,50
Pitar citrinus (Lamarck, 1818).	Australia, Western Australia, Shark Bay. Subtidal sand.	€ 1,30
Pitar citrinus (Lamarck, 1818).	Singapore, Changi Beach Park. Low tide, buried under sand.	€ 2,00
Pitar citrinus (Lamarck, 1818).	Australia, Western Australia, Shark Bay, Monkey Mia.	€ 2,00
Antigona clathrata (Deshayes, 1854).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,00 t/m € 2,00
Dosinia concentrica (Born, 1778).	Venezuela, Isla El Cocha, Nueva Esparta.	€ 2,00
Dosinia contusa (Reeve, 1850).	Australia, Western Australia, Port Hedland. In littoral sand. 22 mm	€ 1,30
Venerupis corrugata (Gmelin, 1791).	France, Brittany, Côtes-d'Armor (department), Tréburden.	€ 0,50 t/m € 0,70
Venerupis corrugata (Gmelin, 1791).	Portugal, Algarve (region), Olhao.	€ 0,70
Venerupis corrugata (Gmelin, 1791).	The Netherlands, Scheveningen.	€ 0,70
Venerupis corrugata (Gmelin, 1791).	France, Brittany, Saint-Jacut-de-la-Mer.	€ 0,50

		Price Range
Circe corrugata (Dillwyn, 1817).	Egypt, South Sinai, Dahab. Gulf of Aqaba.	€ 0,75
Paphia crassisulca (Lamarck, 1818).	Australia, W.A., Cockburn Sound, between seaweed and sand.	€ 1,30 t/m € 1,80
Irus crebrelamellatus (Tate, 1887).	Australia, Western Australia, Albany, intertidal. 27 mm	€ 1,80
Circe crocea (Gray, 1838).	Egypt, South Sinai, Dahab. Gulf of Aqaba.	€ 0,75
Venerupis decussata (L., 1758).	Spain, Andalusia (region), Province of Málaga, Marbella.	€ 0,50
Venerupis decussata (L., 1758).	The Netherlands, Zeeland, Yerseke, oesterput.	€ 0,50 t/m € 1,00
Venerupis decussata (L., 1758).	Morocco, Moulay.	€ 0,20
Dosinia discus (Reeve, 1850).	USA, Florida, Gulf of Mexico.	€ 2,50
Bassina disjecta (Perry, 1811).	Australia, Western Australia, Albany. On beach.	€ 4,00
Gafrarium dispar (Holten, 1802).	Thailand, Phuket (island), Raya Island. 25-30 metres deep.	€ 0,80
Gafrarium divaricatum (Gmelin, 1791).	Singapore, Changi Coast. Attached under a small rock.	€ 1,00
Gafrarium divaricatum (Gmelin, 1791).	Thailand, Changwat Phuket (province), Phuket (island).	€ 1,50
Tapes dorsatus (Lamarck, 1818).	Australia, Queensland, King Bay.	€ 0,50 t/m € 1,00
Tapes dorsatus (Lamarck, 1818).	Thailand, Changwat Phuket (province), Phuket (island).	€ 0,50 t/m € 1,00
Polititapes durus (Gmelin, 1791).	Senegal. West Africa. Atlantic Ocean.	€ 1,50
Dosinia elegans Conrad, 1846.	USA, Florida.	€ 0,30 t/m € 1,50
Callista erycina (L., 1758).	Gulf of Oman, NW of Muscat, Batinakcoast.	€ 3,00
Callista erycina (L., 1758).	India.	€ 3,00
Dosinia erythraea Römer, 1860.	Egypt, South Sinai, Dahab. Gulf of Aqaba.	€ 1,00
Dosinia erythraea Römer, 1860.	Egypt, South Sinai, Dahab. Gulf of Aqaba.	€ 0,80 t/m € 1,30
Paphia euglypta (Philippi, 1847).	Japan.	€ 0,50
Dosinia exoleta (L., 1758).	Greece, Makrónisos - Kéa Island.	€ 0,30 t/m € 0,50
Dosinia exoleta (L., 1758).	France, Brittany, Côtes-d'Armor (department), Tréburden.	€ 0,50 t/m € 1,00
Dosinia exoleta (L., 1758).	France, Brittany, Finistre, St. Anne de la Palud.	€ 0,30
Clausinella fasciata (da Costa, 1778).	UK, Scotland, Inner Hebrides, Isle of Mull.	€ 2,50
Clausinella fasciata (da Costa, 1778).	Great Britain, Herm Island, Shell Beach. Low tide, sand/mud. 16 mm - 23 mm	€ 3,80
Lioconcha fastigiata (Sowerby, 1832).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,00
Placamen flindersi (Cotton & Godfrey, 1938).	Australia, South Australia, Adelaide, Brighton Reef. Buried in sand. 14 mm	€ 2,50
Callista florida (Lamarck, 1818).	Egypt, South Sinai, Dahab. Gulf of Aqaba.	€ 1,00
Callista florida (Lamarck, 1818).	Egypt, Dahab. Gulf of Aqaba. Low tide in mud.	€ 1,00 t/m € 2,00
Pitar floridella Gray, 1838.	Senegal, Hann. West Africa. 5-10 metres deep, from fisherman. 24 mm	€ 1,30
Pitar floridella Gray, 1838.	Congo, Brazzaville, Pointe Noire. At low tide on the beach. 17 mm - 25 mm	€ 1,30
Chione fluctifraga (Sowerby, 1835).	USA, California. Pacific Ocean.	€ 0,70
Circomphalus foliaceolamellosus (Dillwyn, 1817).	Senegal, Dakar, Bay of Gorée. West Africa. Atlantic Ocean. 5 metres deep.	€ 9,00
Pitar fulminatus (Menke, 1828).	Brazil, Bahai (state), Itaparica. Atlantic Ocean.	€ 4,00

		Price Range
Venerupis galactites (Lamarck, 1818).	Australia, Western Australia, Albany, 3 metres deep in sand.	€ 1,30
Chamelea gallina (L., 1758).	Greece, Makrónisos - Kéa Island.	€ 0,40 t/m € 0,80
Chamelea gallina (L., 1758).	Spain, Province of Málaga, Fuengirola.	€ 0,25
Chamelea gallina (L., 1758).	Cyprus, Limassol.	€ 0,50
Chamelea gallina (L., 1758).	Spain, San Carlos de la Rápita.	€ 0,30
Tawera gallinula (Lamarck, 1818).	Australia, Tasmania, Devonport, intertidal, sand/mud.	€ 1,50
Paphia gallus (Gmelin, 1791).	Australia, Queensland, Gladstone. In muddy sand.	€ 1,50
Clausinella gayi (Hupé, 1854).	Argentina, Tierra del Fuego, Ushuaia. At low tide in mud. 22 mm	€ 2,30
Chione gnidia (Broderip & Sowerby, 1829).	Mexico, Baja California Sur (state), Puerto San Carlos. Dead, rubbish dump.	€ 4,00 t/m € 5,00
Placamen gravescens (Menke, 1843).	Australia, Western Australia, Shark Bay, Denham. Dead on beach.	€ 3,60
Marcia hiantina (Lamarck, 1818).	Indonesia, South Sulawesi, S. of Makassar (city). Live in muddy bottom.	€ 3,00
Marcia hiantina (Lamarck, 1818).	Indonesia.	€ 2,50
Marcia hiantina (Lamarck, 1818).	Thailand, Changwat Phuket (province), Phuket (island).	€ 2,00 t/m € 2,50
Callista impar (Lamarck, 1818).	Australia, Western Australia, Shark Bay. Intertidal, in sand.	€ 1,30 t/m € 1,80
Callista impar (Lamarck, 1818).	Australia, Western Australia, Monkey Mia.	€ 1,00
Irus irus (L., 1758).	Spain, Valencian Community, Province of Alicante, Alicante.	€ 0,40
Ventricolaria isocardia (Verrill, 1870).	Mexico, Baja California Sur (state), Pichilingue. Bay of La Paz. Fishery.	€ 3,80
Marcia japonica (Gmelin, 1791).	Thailand, Krabi Province, Koh Lanta Yai (island), Koa Kwang Beach.	€ 0,80
Marcia japonica (Gmelin, 1791).	Singapore, Changi Coast. On sandy bottom.	€ 2,00
Tapes japonica Deshayes.	Japan, Honshu (island), Fukuoka Prefecture, Tsuyazaki.	€ 0,40 t/m € 0,70
Marcia japonica (Gmelin, 1791).	Indonesia, Bali (province), Bali (island).	€ 1,50
Marcia japonica (Gmelin, 1791).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,00 t/m € 1,75
Tawera lagopus (Lamarck, 1818).	Australia, Western Australia, Dunsborough, 10 metres deep in sand.	€ 1,30
Antigona lamellaris Schumacher, 1817.	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 2,50
Antigona lamellaris Schumacher, 1817.	Philippines, Batayan Island, north of Cebu. Pearl fisherman. 33 mm - 40 mm	€ 2,00 t/m € 3,00
Placamen lamellosum (Chemnitz, Sowerby I, 1825).	Australia, Western Australia, Broome. Dead, ebb, on sandbank.	€ 3,00 t/m € 4,00
Placamen lamellosum (Chemnitz, Sowerby I, 1825).	Australia, Western Australia, Broome. In sand at extreme low tide.	€ 3,50
Tapes literatus (L., 1758).	Indonesia, Papua (province), Yapen Island, Serui.	€ 2,25
Tapes literatus (L., 1758).	Philippines.	€ 1,00 t/m € 1,50
Psephidia lordi W.baird, 1863.	Oregon, W. off Tillamook Bay. 43°30'N 124°23'W. 230 m, on mud. 3 mm	€ 3,80
Dosinia lupinus (L., 1758).	Spain, Rio Mar, Ebra delta.	€ 0,40
Dosinia lupinus (L., 1758).	North Sea, Botneygat.	€ 0,70 t/m € 0,80
Dosinia lupinus (L., 1758).	Greece, Marathón beach. 1-1½ metres deep.	€ 0,80 t/m € 1,00
Dosinia lupinus (L., 1758).	Greece, Makrónisos - Kéa Island.	€ 2,00
Dosinia lupinus (L., 1758).	Italy, Emilia-Romagna (region), Rimini. Adriatic Sea.	€ 0,50

		Price Range
Meretrix lusoria (Röding, 1798).	Japan, Honshu (island), Wakayama Prefecture, Minabe.	€ 2,50
Meretrix lusoria (Röding, 1798).	Philippines.	€ 2,50
Tivela mactroides (Born, 1778).	Venezuela, Miranda, Higuerote.	€ 0,80
Tivela mactroides (Born, 1778).	Venezuela, Isla Margarita, Playa el Saco, La Restinga.	€ 1,00
Tivela mactroides (Born, 1778).	Venezuela, Isla Margarita, Playa el Saco, La Restinga. In zand.	€ 0,50 t/m € 1,00
Tivela mactroides (Born, 1778).	Venezuela, Margarita Island.	€ 1,00
Macrocallista maculata (L., 1758).	USA, Florida.	€ 1,30
Macrocallista maculata (L., 1758).	Florida, 12 miles west of Sanibel Island. Scuba, 52 feet deep in sand.	€ 1,50 t/m € 2,50
Antigona magnifica (Hanley, 1845).	Philippines.	€ 10,00
Meretrix meretrix Gmelin, 1791.	Singapore, Changi Coast. Collected fresh on sandbed.	€ 2,00
Gouldia minima (Montagu, 1803).	Italy, Isola Gorgona, 30 metres deep. 6 mm	€ 1,80
Gouldia minima (Montagu, 1803).	Spain, Andalusia (region), Málaga. Trawled, 30-40 metres deep. 10 mm	€ 2,50
Antigona multicostata (Sowerby I, 1835).	Mexico, Baja California Sur (state), Pichilique. Bay of La Paz. Dead.	€ 2,00 t/m € 4,00
Macrocallista nimbose (Lightfoot, 1786).	USA, Florida, Marco Island. In shallow water at extreme low tide.	€ 2,50 t/m € 2,80
Venus nux Gmelin, 1791.	Spain, San Carlos de la Rápita.	€ 1,50
Marcia opima (Gmelin, 1791).	Oman, Muscat. Middle East. Arabian Sea.	€ 2,00
Marcia opima (Gmelin, 1791).	Thailand, Changwat Phuket (province), Phuket (island).	€ 1,50 t/m € 3,00
Marcia opima (Gmelin, 1791).	Thailand, Krabi Province, Koh Lanta Yai (island), west of Ban Sala Dan.	€ 1,00
Timoclea ovata (Pennant, 1777).	Angola, Ambuz. Trawled at a depth of 50 metres deep. 9 mm - 10 mm	€ 2,50
Gafrarium pectinatum (L., 1758).	Australia, Queensland, Cairns, Koombal Point. Intertidal. 25 mm	€ 0,80
Gafrarium pectinatum (L., 1758).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 0,80
Gafrarium pectinatum (L., 1758).	Mauritius, Ile aux Cerfs. Indian Ocean.	€ 0,75
Gafrarium pectinatum (L., 1758).	Egypt, Safaga. Red Sea.	€ 0,80
Katylisia peronii (Lamarck, 1818).	South Australia. On sandy open beach, dug from sand. 26 mm	€ 0,80
Meretrix petechialis (Lamarck, 1818).	China, Yellow Sea. Along coast, local fisherman, low tide. ½-1 m diep.	€ 4,00 t/m € 4,50
Venerupis philippinarum (Adams & Reeve, 1850).	Italy, Emilia-Romagna, Rimini. Adriatic Sea. Artificially cultivated.	€ 0,80
Placamen placidum (Philippi, 1844).	Australia, Western Australia, Albany. 7 metres deep on sand. 19 mm	€ 2,30
Dosinia ponderosa (Gray, 1838).	Mexico, Baja California Sur (state), Puerto San Carlos. Dead.	€ 2,00 t/m € 7,50
Antigona puerpera (L., 1771).	Thailand, Changwat Phuket (province), Phuket (island).	€ 2,00
Antigona puerpera (L., 1771).	Philippines.	€ 1,80 t/m € 3,80
Amiantis purpuratus purpuratus (Lamarck, 1818).	Argentina, San Antonio Este, Rio Negro. 3-5 metres deep, low tide.	€ 3,30
Timoclea recognita (Smith, 1885).	Australia, Queensland, Palm Island. Trawled. 14 mm	€ 1,50
Katylisia rhytiphora (Lamy, 1937).	Australia, Queensland, King Bay.	€ 0,30
Katylisia rhytiphora (Lamy, 1937).	Australia, Western Australia, Albany, intertidal on sand bar. 31 mm	€ 0,80 t/m € 1,00
Venus rosalina (Rang, 1843).	Senegal, Dakar, Bay of Gorée. West Africa. 20 metres deep, scuba.	€ 2,00 t/m € 2,30

		Price Range
Katelysia scalarina (Lamarck, 1818).	South Australia, Semaphore. Dug from sand at low tide. 26 mm	€ 0,80
Paphia schnelliana (Dunker, 1866).	Philippines.	€ 2,30
Circe scripta (L., 1758).	Australia, Western Australia, Shark Bay, Cape Peron.	€ 1,30
Circe scripta (L., 1758).	Philippines.	€ 0,80
Circe scripta (L., 1758).	Philippines.	€ 1,00
Paphia semirugata (Philippi, 1847).	Australia, Western Australia, off Port Hedland. In sand at low tide. 38 mm	€ 1,30
Callista semisulcata (Sowerby, 1851).	Australia, Queensland, Palm Island. Trawled. 30 mm	€ 2,00
Meretrix spec. .	Sri Lanka, Southern Province, Unawatuna.	€ 2,00
Placamen spec. .	Indonesia, Greater Sundra Islands, East Java (province), Madura Island.	€ 2,50
Megapitaria squalida (Sowerby, 1835).	Mexico, Baja California, Bahía de los Ángeles. Gulf of California.	€ 1,30 t/m € 1,80
Megapitaria squalida (Sowerby, 1835).	Mexico, Baja California, Bahía de los Ángeles. Gulf of California.	€ 3,00
Megapitaria squalida (Sowerby, 1835).	Mexico, Baja California Sur (state), San Carlos. 6-12 metres deep.	€ 6,50
Megapitaria squalida (Sowerby, 1835).	Panama, Gulf of Panamá, San Carlos, El Palmar, live/shallows.	€ 1,00
Anomalocardia squamosa (L., 1758).	Philippines, Panay (eiland), Iloilo (provincie), Iloilo City.	€ 1,50
Anomalocardia squamosa (L., 1758).	Philippines, near Cebu (island), Bantayan Island. By local fisherman.	€ 35,00
Anomalocardia squamosa (L., 1758).	Singapore, Changi Coast. On sand bed.	€ 0,75
Anomalocardia squamosa (L., 1758).	Australia, Western Australia, Wickham. In sand, 3 metres deep. 22 mm	€ 1,00 t/m € 1,30
Anomalocardia squamosa (L., 1758).	Australia, Western Australia, Shark Bay. Intertidal, in sand.	€ 1,30
Anomalocardia squamosa (L., 1758).	Australia, Western Australia, Shark Bay, Monkey Mia.	€ 1,50
Protothaca staminea (Conrad, 1837).	Venezuela, Isla Margarita, Manglillo.	€ 0,50
Protothaca staminea (Conrad, 1837).	USA, California, Bolsa Bay, Sunset Beach, E.of Coast Highway.	€ 0,80
Chamelea striatula (da Costa, 1778).	Spain, Province of Málaga, Fuengirola.	€ 0,20
Chamelea striatula (da Costa, 1778).	France, Brittany, Finistère (department), Point Penmarc'h.	€ 0,80
Chamelea striatula (da Costa, 1778).	North Sea, Klaverbank.	€ 0,30 t/m € 0,50
Chione stutchburyi (Wood, 1828).	New Zealand, North Island, Coromandel Ranges.	€ 0,50
Chione subimbricata (Sowerby, 1835).	Panama, Bay of Panamá, Isla de Melones. Live, dredged.	€ 1,00
Dosinia subrosea (Gray, 1835).	New Zealand, Martins Bay.	€ 1,00 t/m € 2,50
Dosinia subrosea (Gray, 1835).	New Zealand, near Nelson, Tapananui beach.	€ 2,00 t/m € 3,00
Tapes sulcarius (Lamarck, 1818).	Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.	€ 0,50 t/m € 1,00
Tapes sulcarius (Lamarck, 1818).	Egypt, South Sinai, Dahab. Gulf of Aqaba.	€ 0,50
Placamen tiara (Dillwyn, 1817).	Philippines.	€ 1,30
Venus toreuma (Gould, 1850).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,50
Tivela tripla (L., 1777).	The Gambia, Kololi. Atlantic Ocean.	€ 1,50
Tivela tripla (L., 1777).	Senegal, Cambarene. West Africa.	€ 3,80
Sunetta truncata (Deshayes, 1854).	Malaysia, Terengganu (state), Merang.	€ 0,50

Gafrarium tumidum Röding, 1798.
 Gafrarium tumidum Röding, 1798.
 Gafrarium tumidum Röding, 1798.
 Paphia undulata (Born, 1778).
 Paphia undulata (Born, 1778).
 Paphia undulata (Born, 1778).
 Paphia undulata (Born, 1778).
 Gomphina undulosa (Lamarck, 1818).
 Tapes variegatus Sowerby, 1852.
 Venus verrucosa L., 1758. with sand and shell debris
 Venus verrucosa L., 1758.
 Venus verrucosa L., 1758.
 Venus verrucosa L., 1758.
 Venus verrucosa L., 1758.
 Polititapes virgineus (L., 1767).
 Polititapes virgineus (L., 1767).
 Polititapes virgineus (L., 1767).
 Polititapes virgineus (L., 1767).
 Polititapes virgineus (L., 1767).

Vermetidae

Serpulorbis colubrinus (Röding, 1798).
 Vermetus spec. .
 Serpulorbis xenophorus Habe, 1961.

Volutidae

Athleta abyssicola (Adams & Reeve, 1848).
 Melo aethiopica (L., 1758).
 Festilyria africana (Reeve, 1856).
 Adelomelon americana (Reeve, 1856).
 Melo amphora (Lightfoot, 1786).
 Melo amphora (Lightfoot, 1786).
 Melo amphora (Lightfoot, 1786).
 Adelomelon ancilla (Lightfoot, 1786).
 Adelomelon ancilla (Lightfoot, 1786).
 Alcithoe arabica (Gmelin, 1791).
 Harpulina arausiaca (Lightfoot, 1786).

Thailand, Krabi Province. Strait of Malacca.
 Indonesia, Jakarta Bay, Pari Island. ½-2 metres deep, buried in sand.
 Thailand, Phuket (island), Raya Island. 25-30 metres deep.
 Philippines.
 Philippines, Bohol (province), close to Panglao Island, Balicasag Island.
 Thailand, Changwat Phuket (province), Phuket (island).
 Thailand, Southeast Asia. Andaman Sea.
 Australia, Western Australia, Cockburn Sound, 1 metres deep in sand.
 Thailand, Phuket (island), Raya Island. 25-30 metres deep.
 South Africa, Simonstown. False Bay. 6 m deep, scuba, rocky bottom.
 France, Brittany, Roscoff.
 Italy, Grado. Trawled by fisherman, 12-15 metres deep. 46 mm - 55 mm
 France, Brittany, Ile Grande.
 France, Brittany, Côtes-d'Armor (department), Tréburden.
 France, Brittany, St. Cast.
 Spain, Andalusia (region), Province of Málaga, Marbella, Calypso.
 Spain, Andalusia (region), Province of Málaga, Marbella, Calypso.
 Spain, Province of Málaga, Fuengirola.
 France, Brittany, Côtes-d'Armor (department), Tréburden.

Philippines.
 Spain, Canary Islands, Fuerteventura, Corralejo. Tidal pools.
 Japan, Honshu (island), Wakayama Prefecture, Minabe. 30-50 fathoms deep.

South Africa, Western Cape, Agulhas Bank. Fished. 100 fathoms deep.
 Indonesia, South Sulawesi (province), Makassar (city). From fishermen.
 South Africa, Eastern Cape Province, East London.
 Brazil, off Espírito Santo (state). Atlantic Ocean.
 Indonesia, Greater Sunda Islands, East Java (province), Madura Island.
 Australia, Western Australia, Carnarvon. Fished.
 Australia, Western Australia, Monkey Mia. Low tide, collected live.
 Argentina, Patagonia (region). Fished.
 Uruguay, La Coronilla, off Coronella Beach. 20-50 deep fathoms in mud.
 New Zealand.
 Sri Lanka, northern region. Fished, 30 fathoms deep.

Price Range

€ 1,00
 € 2,00
 € 0,50
 € 1,80 t/m € 2,30
 € 0,50 t/m € 1,50
 € 2,00 t/m € 3,00
 € 1,00
 € 1,00
 € 0,80
 € 1,00 t/m € 2,00
 € 1,75
 € 1,80
 € 1,50
 € 1,00
 € 0,80
 € 0,70
 € 0,50
 € 0,70
 € 0,70 t/m € 1,30

€ 9,50
 € 0,50
 € 3,50

€ 4,00 t/m € 9,00
 € 22,50
 € 3,50
 € 8,50
 € 12,50 t/m € 150,00
 € 2,50 t/m € 20,00
 € 15,00
 € 4,80
 € 12,50
 € 15,00
 € 10,00

	Price Range
Harpulina arausiaca (Lightfoot, 1786).	€ 27,50
Cymbiola aulica (Sowerby, 1825).	€ 4,00
Cymbiola aulica (Sowerby, 1825).	€ 5,00 t/m € 9,00
Adelomelon beckii (Broderip, 1836).	€ 10,00
Adelomelon beckii (Broderip, 1836).	€ 37,50
Volutoconus bednalli (Brazier, 1878).	€ 25,00 t/m € 35,00
Melo broderipii (Griffith & Pidgeon, 1834).	€ 7,50
Melo broderipii (Griffith & Pidgeon, 1834).	€ 3,00 t/m € 4,00
Melo broderipii (Griffith & Pidgeon, 1834).	€ 3,50 t/m € 25,00
Callipara bullatiana Weaver & Du Pont, 1967.	€ 2,00
Amoria canaliculata (McCoy, 1869).	€ 8,00
Amoria canaliculata (McCoy, 1869).	€ 3,00 t/m € 5,00
Amoria canaliculata (McCoy, 1869).	€ 7,00
Cymbiola cathcartiae (Reeve, 1856).	€ 15,00
Cymbiola chrysostoma (Swainson, 1824).	€ 7,50
Fulgoraria clara (Sowerby, 1914).	€ 7,50
Fusivoluta clarkei Rehder, 1969.	€ 5,00
Lyria cloveriana Weaver, 1963.	€ 5,00
Fulgoraria concinna (Broderip, 1836).	€ 7,50
Enaeta cumingii (Broderip, 1832).	€ 0,80 t/m € 1,00
Cymbiola cymbiola (Gmelin, 1791).	€ 4,50
Cymbiola cymbiola (Gmelin, 1791).	€ 5,00 t/m € 12,50
Cymbium cymbium (L., 1758).	€ 4,00 t/m € 6,00
Amoria damonii damonii f. keatsiana Ludbrook, 1953.	€ 7,00 t/m € 9,50
Amoria damonii damonii (Gray, 1864).	€ 11,00 t/m € 15,00
Amoria damonii damonii (Gray, 1864).	€ 6,50 t/m € 17,50
Amoria dampieria Weaver, 1960.	€ 9,00
Lyria delessertiana (Petit de la Saussaye, 1842).	€ 10,00
Lyria delessertiana tuelarensis von Cosel & Blöcher, 1977.	€ 17,00
Cymbiola deshayesi (Reeve, 1855).	€ 25,00
Scaphella dohrni (Sowerby III, 1903).	€ 4,00
Scaphella dubia dubia (Broderip, 1827).	€ 4,00 t/m € 6,00
Zidona dufresnei (Donovan, 1823).	€ 15,00 t/m € 20,00
Zidona dufresnei (Donovan, 1823).	€ 4,00 t/m € 7,50
Zidona dufresnei (Donovan, 1823).	€ 27,50
Sri Lanka.	€ 27,50
Philippines, Sulu Archipelago, Jolo (island). Sulu Sea.	€ 4,00
Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 5,00 t/m € 9,00
Uruguay, Montevideo Department, Montevideo. Fished.	€ 10,00
Brazil. Atlantic Ocean.	€ 37,50
Indonesia, Arafura Sea S. of Tanimbar Isand. 60-80 metres deep.	€ 25,00 t/m € 35,00
Philippines, Palawan (island), Puerto Princesa. 5 metres deep.	€ 7,50
Philippines, Sulu (province), Siasi Island. Sulu Sea.	€ 3,00 t/m € 4,00
Indonesia, Greater Sundra Islands, East Java (province), Madura Island.	€ 3,50 t/m € 25,00
South Africa, Cape Province, Jeffreys Bay.	€ 2,00
Australia, Queensland, off Bundaberg. Fished, ±70 metres deep.	€ 8,00
Australia, Queensland, Cairns.	€ 3,00 t/m € 5,00
Australia, Queensland, Lady Musgrave Island. Great Barrier Reef. Fished.	€ 7,00
Philippines, Mindanao (island), Zamboanga. Trawled, 110 metres deep.	€ 15,00
Indonesia, East Java (province), south of Madura Island, Sapekan Island.	€ 7,50
Japan.	€ 7,50
Mozambique, off San Martinho. East Africa. Indian Ocean. 140 fathoms deep.	€ 5,00
Sri Lanka. Along the south-west coast.	€ 5,00
Japan, Honshu (island), Aichi Prefecture, Mikawa Bay.	€ 7,50
Mexico, Baja California, Bahía de los Ángeles. Gulf of California.	€ 0,80 t/m € 1,00
Australia, Queensland, North West Island.	€ 4,50
Indonesia, Moluccas Islands, Ambon Island.	€ 5,00 t/m € 12,50
Senegal, Dakar. West Africa. On sandy bottom at 5-10 metres deep.	€ 4,00 t/m € 6,00
Australia, northern Queensland, Thursday Island. Torres Strait.	€ 7,00 t/m € 9,50
Australia, Northern Territory, Darwin. Sand, 40 metres deep.	€ 11,00 t/m € 15,00
Australia, Western Australia, Broome. On sand bars.	€ 6,50 t/m € 17,50
Australia, Western Australia, Weld Island. On sandbank, ebb.	€ 9,00
Madagascar, Nosy Be. Live, shallow water, on sand bank, at rising tide.	€ 10,00
Madagascar, Toliara (Tulear). East Africa. Indian Ocean.	€ 17,00
New Caledonia, Balabio. Pacific Ocean.	€ 25,00
USA, Florida, Florida Keys. Trawled off coast.	€ 4,00
USA, Mississippi, Horn Island.	€ 4,00 t/m € 6,00
Brazil, off southern coast. Fished. Atlantic Ocean.	€ 15,00 t/m € 20,00
Brazil, off southern coast. Atlantic Ocean. Fished.	€ 4,00 t/m € 7,50
Brazil, São Paulo (state), Santos. Trawled by local fishing boats, 60 m.	€ 27,50

Zidona dufresnei (Donovan, 1823).
 Voluta ebraea L., 1758.
 Voluta ebraea L., 1758.
 Voluta ebraea L., 1758.
 Voluta ebraea L., 1758.
 Amoria ellioti (Sowerby, 1864).
 Amoria ellioti (Sowerby, 1864).
 Amoria exoptanda (Reeve, 1849).
 Alcithoe fissurata (Dell, 1963).
 Cymbiola flavicans (Gmelin, 1791).
 Cymbiola flavicans (Gmelin, 1791).
 Ericusa fulgetrum (Sowerby, 1825).
 Ericusa fulgetrum (Sowerby, 1825).
 Alcithoe fusus (Quoy & Gaimard, 1833).
 Neptuneopsis gilchristi Sowerby, 1898.
 Neptuneopsis gilchristi Sowerby, 1898.
 Neptuneopsis gilchristi Sowerby, 1898.
 Neptuneopsis gilchristi Sowerby, 1898.
 Cymbium glans (Gmelin, 1791).
 Amoria grayi Ludbrook, 1953.
 Amoria grayi Ludbrook, 1953.
 Paramoria guntheri (Smith, 1886).
 Amoria guttata McMichael, 1964.
 Cymbiola houarti Bail & Limpus, 1998.
 Amoria hunteri (Iredale, 1931).
 Amoria hunteri (Iredale, 1931).
 Cymbiola imperialis (Lightfoot, 1786).
 Cymbiola imperialis (Lightfoot, 1786).
 Cymbiola imperialis f. robinsona (Burch, 1954).
 Cymbiola innexa (Reeve, 1849).
 Cymbiola innexa (Reeve, 1849).
 Amoria jamrachi Gray, 1864.
 Teramachia johnsoni (Bartsch, 1942).
 Teramachia johnsoni (Bartsch, 1942).
 Teramachia johnsoni (Bartsch, 1942).

Argentina.
 Brazil, Ceará (state), Fortaleza. Atlantic Ocean.
 Brazil. Atlantic Ocean.
 Brazil, Ceará (state), Fortaleza. Atlantic Ocean.
 Brazil, Rio Grande do Norte, Natal. 10-20 m, on sand & coral.
 Australia, Western Australia, Port Hedland.
 Australia, Western Australia, Port Hedland. Collected at low tide.
 Australia, South Australia, Port Lincoln. Sand at 60 metres deep, trawled.
 New Zealand, South Island, west coast. 400 metres deep.
 Australia, Northern Territory, Crocodile Islands group, Milingimbi Island.
 Australia, Northern Territory, about 20 km NW of Darwin.
 Australia, South Australia, Port Lincoln, Sleaford Bay. 1-20 metres deep.
 Australia, South Australia, Tumby Bay. Low water.
 New Zealand, S. Island, 12 km from Tasman Bay. 30 metres, fishery. 56 mm - 69 mm
 South Africa, Western Cape, Agulhas Bank. Fished.
 South Africa, Cape Province, Cape Town, Constantia. 80 fathoms deep.
 South Africa, Cape, Mossel Bay.
 South Africa.
 Senegal. West Africa. Atlantic Ocean.
 Australia, Western Australia, Carnarvon. Fished.
 Australia, Western Australia, Broome. Live on mudflats at low tide.
 Australia, Western Australia, Esperance. 25 meter deep by diver.
 Australia, Queensland, off Swain Reef. Trawled.
 Australia, Queensland, Swain Reef. 10 fathoms deep.
 Australia, Queensland.
 Australia, New South Wales, Iluka. Fished, 20 metres deep.
 Philippines, Mindanao (island), Zamboanga.
 Philippines, Bohol Island, close to Panglao Island, Balicasag Island.
 Philippines, Mindanao (island), Zamboanga.
 Indonesia, southern Java. In depths between 20 & 30 metre on sandy bottom.
 Indonesia, southern Java (island).
 Australia, Western Australia, north of Broome. Ebb, live on sandbank.
 Australia, W.A. Trawled by fishery off Scott Reef, ±450 metres deep.
 Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.
 Philippines, Bohol (province), Panglao Island.

Price Range

€ 6,50 t/m € 9,50
 € 9,00 t/m € 17,00
 € 15,00
 € 6,00 t/m € 12,00
 € 10,00 t/m € 65,00
 € 6,00 t/m € 12,00
 € 17,50
 € 17,50
 € 35,00
 € 5,00
 € 2,00 t/m € 3,00
 € 5,00
 € 21,00
 € 10,00
 € 25,00
 € 7,00 t/m € 20,00
 € 17,50
 € 2,00
 € 25,00 t/m € 29,50
 € 7,50
 € 6,00 t/m € 12,50
 € 10,00
 € 8,00
 € 9,00
 € 5,00
 € 5,00 t/m € 10,00
 € 17,50 t/m € 30,00
 € 12,50 t/m € 47,50
 € 17,50
 € 17,50
 € 3,00 t/m € 5,00
 € 4,00
 € 35,00
 € 27,00
 € 15,00

Teramachia johnsoni (Bartsch, 1942).
 Scaphella junonia (Lamarck, 1804).
 Lyria kurodai (Kawamura, 1964).
 Harpulina lapponica (L., 1767).
 Harpulina lapponica (L., 1767).
 Harpulina lapponica (L., 1767).
 Harpulina lapponica (L., 1767).
 Harpulina loroisi (Valenciennes, 1863).
 Harpulina loroisi (Valenciennes, 1863).
 Amoria maculata (Swainson, 1822).
 Amoria maculata (Swainson, 1822).
 Amoria maculata (Swainson, 1822).
 Amoria maculata (Swainson, 1822).
 Amoria maculata (Swainson, 1822).
 Cymbiola magnifica (Gebauer, 1802).
 Cymbiola magnifica (Gebauer, 1802).
 Lyria mallicki Ladd, 1975.
 Livonia mammilla (Sowerby I, 1844).
 Cymbium marmoratum Link, 1807.
 Melo melo (Lightfoot, 1786).
 Melo melo (Lightfoot, 1786).
 Melo melo (Lightfoot, 1786).
 Melo melo tesselata (Lamarck, 1811).
 Fulgoraria mentiensi (Fulton, 1940).
 Melo miltonis (Griffith & Pidgeon, 1834).
 Lyria mitraeformis (Lamarck, 1811).
 Lyria mitraeformis (Lamarck, 1811).
 Lyria mitraeformis (Lamarck, 1811).
 Lyria mitraeformis (Lamarck, 1811).
 Amoria mollerii (Iredale, 1936).
 Voluta musica L., 1758.
 Voluta musica L., 1758.
 Voluta musica L., 1758.
 Voluta musica L., 1758.
 Voluta musica L., 1758.

Philippines, Central Visayas (region), Bohol. Trawled in deep water.
 USA, Florida, Apalachicola. Gulf of Mexico. Fished, 15 fathoms deep.
 Vietnam, Da Nang (Đà Nẵng). Trawled by fishing boat, 100 m deep, on sand.
 India, Tamil Nadu (state), Rameswaram. Gulf of Mannar.
 India, Thumpura.
 Sri Lanka.
 India, Tamil Nadu (state), Tuticorin. With nets at 20-25 metres.
 India, Tamil Nadu (state), Tuticorin. Trawled off coral reef.
 Sri Lanka.
 Australia, Queensland, Lady Musgrove Island.
 Australia, Queensland, Keppel Bay.
 Australia, Queensland, Great Barrier reef before Kurrimine Beach.
 Australia, Queensland, Keppel Bay.
 Australia, Queensland, off Townsville. 20 fathoms deep.
 Australia, New South Wales, off Iluka. Fished.
 Australia, New South Wales, Kingscliff. Fished.
 Philippines, Bohol (province), close to Panglao Island, Balicasag Island.
 Australia, Victoria, Lakes Entrance. Fished.
 Senegal, Dakar Region, Dakar, Hann. West Africa. 15 metres deep.
 Malaysia, Langkawi (archipelago), Langkawi Island. Ebb, collected live.
 Thailand, Ko Samui. Shallow water, ±0 metres deep, on a muddy bottom.
 Malaysia, Sabah (state), Kota Kinabalu. Fished live.
 Malaysia, Sabah (state), Borneo, Semporna. Fished.
 Japan, Japanese archipelago, Kyushu (island).
 Australia, Western Australia, Shark Bay.
 Australia, South Australia, Port Lincoln. Live, shallow water, sandbank.
 Australia, South Australia, Edithburg.
 Australia, South Australia, Corny Point.
 Australia, South Australia, Port Adelaide. Beach.
 Australia, Queensland, Moreton Bay.
 Curaçao, St. Michiel Bay, Lesser Antilles Islands.
 Bonaire, Lesser Antilles Islands.
 Venezuela, Isla Margarita. Dived, 20 metres deep.
 Martinique, Lesser Antilles. Caribbean Sea.
 Aruba, Lesser Antilles Islands.

Price Range

€ 30,00
 € 18,00 t/m € 56,00
 € 10,00 t/m € 19,50
 € 7,50 t/m € 12,50
 € 5,00
 € 5,00
 € 6,00
 € 30,00
 € 17,50
 € 5,00 t/m € 15,00
 € 14,00
 € 4,00 t/m € 6,00
 € 6,00
 € 2,50
 € 67,50
 € 30,00
 € 7,50
 € 10,00 t/m € 35,00
 € 2,50 t/m € 10,00
 € 4,50
 € 5,50
 € 5,00 t/m € 7,00
 € 5,00
 € 2,00 t/m € 4,00
 € 9,50
 € 5,50
 € 5,00
 € 6,50
 € 4,00
 € 6,50
 € 1,00 t/m € 2,00
 € 4,00 t/m € 7,00
 € 27,50
 € 10,00
 € 2,50 t/m € 6,00

		Price Range
<i>Voluta musica</i> L., 1758.	Venezuela, Margarita Island. Offshore near Cubagnay Island. 2-8 m deep.	€ 11,50 t/m € 47,50
<i>Cymbiola nivosa</i> (Lamarck, 1804).	Australia, Western Australia, Shark Bay.	€ 6,50 t/m € 8,50
<i>Cymbiola nivosa</i> (Lamarck, 1804).	Australia, Western Australia, Shire of Shark Bay, Denham.	€ 4,00
<i>Cymbiola nivosa oblita</i> (Smith, 1909).	Australia, Western Australia, Ningaloo.	€ 3,50
<i>Cymbiola nobilis</i> (Lightfoot, 1786).	Philippines.	€ 7,50
<i>Cymbiola nobilis</i> (Lightfoot, 1786).	Indonesia, Ambon. Dived at 10-20 metres, by local fisherman.	€ 8,00
<i>Cymbiola nobilis</i> (Lightfoot, 1786).	Thailand, Changwat Chonburi (province), Pattaya. Southeast Asia.	€ 20,00
<i>Cymbiola nobilis octogonalis</i> (Senders, 1995).	Indonesia, East Java (province), south of Madura Island, Sapekan Island.	€ 12,00
<i>Cymbium olla</i> (L., 1758).	Spain, Province of Málaga, Estepona.	€ 0,50 t/m € 3,80
<i>Cymbium olla</i> (L., 1758).		€ 2,50 t/m € 6,50
<i>Cymbium olla</i> (L., 1758).	Portugal, Algarve (region).	€ 2,00 t/m € 6,50
<i>Cymbium olla</i> (L., 1758).	Portugal, Algarve (region), Faro. Lagune, 1 metre deep. Collected live.	€ 2,50
<i>Lyria patbaili</i> Bouchet, 1999.	Madagascar, Tôlanaro (Fort Dauphin). In lobster pot, ±100 m deep.	€ 50,00 t/m € 60,00
<i>Cymbium pepo</i> (Lightfoot, 1786).	Senegal, Dakar Region, Dakar. West Africa. Atlantic Ocean.	€ 13,00 t/m € 17,50
<i>Lyria planicostata boholensis</i> Kosuge, 1980.	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 5,00 t/m € 7,50
<i>Lyria planicostata boholensis</i> Kosuge, 1980.	Philippines, Central Visayas (region), Bohol (province), Panglao Island.	€ 10,00
<i>Lyria planicostata boholensis</i> Kosuge, 1980.	Philippines. Fishing industry.	€ 2,00 t/m € 3,50
<i>Lyria planicostata planicostata</i> (Sowerby, 1903).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 5,00
<i>Lyria planicostata taiwanica</i> Lan, 1975.	NW of Taiwan. Fished at 100 metres deep.	€ 9,00
<i>Voluta polypleura</i> Crosse, 1876.	Honduras.	€ 10,00
<i>Voluta polypleura</i> Crosse, 1876.	Honduras.	€ 20,00 t/m € 25,00
<i>Fulgoraria prevostiana</i> f. magna Kuroda & Habe, 1950.	Japan, Hokkaido (island).	€ 6,00
<i>Ampulla priamus</i> (Gmelin, 1791).	Portugal, Algarve (region), Faro District, Portimão.	€ 2,50 t/m € 5,00
<i>Cymbiola pulchra peristicta</i> McMichael, 1963.	Australia, Queensland, Swain Reef, Big Sandy Cay. From fisherman.	€ 10,00
<i>Cymbiola pulchra pulchra</i> (Sowerby I, 1825).	Australia, Queensland, Swain Reefs.	€ 10,00 t/m € 22,50
<i>Cymbiola pulchra pulchra</i> (Sowerby I, 1825).	Australia, Queensland, reef near Yeppoon.	€ 6,00
<i>Cymbiola pulchra pulchra</i> (Sowerby I, 1825).	Australia, Queensland, Lady Musgrave Island. 150 metres deep.	€ 2,00 t/m € 7,00
<i>Cymbiola pulchra pulchra</i> (Sowerby I, 1825).	Australia, Queensland, Heron Island.	€ 6,00 t/m € 9,00
<i>Livonia roadnightae</i> (McCoy, 1881). Near 127°E longitude.	Australia, S.A., Great Australian Bight. Trawled, sand/rubble. 150-170 m.	€ 55,00
<i>Livonia roadnightae</i> (McCoy, 1881).	Australia, Western Australia, Perth.	€ 25,00
<i>Livonia roadnightae</i> (McCoy, 1881).	Australia, New South Wales, South Coast region, Eden.	€ 27,50
<i>Fulgoraria rupestris</i> (Gmelin, 1791).	Taiwan. East China Sea.	€ 3,00
<i>Fulgoraria rupestris</i> (Gmelin, 1791).	Taiwan. East China Sea.	€ 6,50
<i>Fulgoraria rupestris</i> (Gmelin, 1791).	East China Sea. Trawled at a depth of 180 metres on sand.	€ 10,00
<i>Fulgoraria rupestris</i> (Gmelin, 1791).	Philippines.	€ 7,50

		Price Range
Cymbiola rutila (Broderip, 1826).	Papua New Guinea, Louisiade Archipelago. ±5 m deep, on sand with coral.	€ 6,00
Cymbiola rutila (Broderip, 1826).	Australia, Queensland, off Cooktown.	€ 12,00
Cymbiola rutila (Broderip, 1826).	Australia, N. Queensland, Thursday Island. Torres Strait. Dived. ±4 m.	€ 15,00
Notopeplum sericatum Thornley, 1951.	Australia, Queensland, Moreton Bay. Fished.	€ 8,00
Cymbiola sophiae (Gray, 1846).	Australia, northern Queensland, Thursday Island. Torres Strait. 10 m deep.	€ 6,00
Ericusa sowerbyi (Kiener, 1839).	Australia, New South Wales, Eden. From fishermen.	€ 12,50 t/m € 27,50
Ericusa sowerbyi (Kiener, 1839).	Australia, New South Wales, Eden. Fished.	€ 3,00 t/m € 6,50
Athleta studeri (Martens, 1897).	Australia, Queensland, Moreton Island, Cape Moreton. Fished.	€ 4,50
Amoria turneri (Griffith & Pidgeon, 1834).	Australia, Queensland, Friday Island. Torres Strait. Coral sand, low tide.	€ 10,00
Amoria turneri (Griffith & Pidgeon, 1834).	Indonesia, Greater Sundra Islands, East Java (province), Madura Island.	€ 14,00
Melo umbilicatus Broderip, 1826.	Indonesia, Greater Sundra Islands, East Java (province), Madura Island.	€ 15,00
Melo umbilicatus Broderip, 1826.	Australia, Queensland, Innisfail.	€ 4,50
Amoria undulata (Lamarck, 1804).	Australia, South Australia, Eyre Peninsula, Port Lincoln.	€ 15,00 t/m € 19,50
Amoria undulata (Lamarck, 1804).	Australia, Victoria, Lakes Entrance.	€ 8,50
Cymbiola vespertilio (L., 1758).	Philippines, Central Visayas (region), Bohol (island).	€ 2,00 t/m € 3,50
Cymbiola vespertilio (L., 1758).	Philippines.	€ 1,80 t/m € 2,50
Cymbiola vespertilio (L., 1758).	Indonesia, Greater Sundra Islands, East Java (province), Madura Island.	€ 1,50 t/m € 2,50
Alcithoe wilsonae f. smithi (Powell, 1950).	New Zealand, South Island, Otago Peninsula, off Dunedin.	€ 4,50 t/m € 12,50
Amoria zebra (Leach, 1814).	Australia, New South Wales, Iluka. Fished.	€ 4,50
Amoria zebra (Leach, 1814).	Australia, Queensland.	€ 5,00
Xenophoridae		
Onustus caribaeus (Petit de la Saussaye, 1857).	USA, Florida, SW. of Dry Tortugas, Riley Black. Trawled, 100 fathoms	€ 9,00 t/m € 11,50
Xenophora cerea (Reeve, 1845).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 5,00 t/m € 7,50
Xenophora cerea f. torrida Kuroda & Ito, 1961.	Philippines.	€ 7,50
Xenophora cerea f. torrida Kuroda & Ito, 1961.	Philippines, Bohol, Balicasag Island. Tangle nets, 80-150 metres deep.	€ 3,50
Stellaria chinensis chinensis (Philippi, 1841).	Thailand, Changwat Phuket (province), Phuket (island). 10-15 metres deep.	€ 12,50
Stellaria chinensis chinensis (Philippi, 1841).		€ 6,00
Stellaria chinensis chinensis (Philippi, 1841).	Thailand, Changwat Phuket (province), Phuket (island). 10-15 metres deep.	€ 2,50 t/m € 8,00
Xenophora corrugata (Reeve, 1842).	Madagascar, Toliara (Tulear). East Africa. Indian Ocean. Trawled.	€ 15,00
Xenophora crispa (König, 1825).	Italy, Sicily (region), Sicily.	€ 3,50
Xenophora crispa (König, 1825).	Italy, Sicily (region), Sicily.	€ 3,50
Stellaria gigantea Schepman, 1909.	Mozambique. East Africa. Indian Ocean.	€ 13,00
Stellaria gigantea Schepman, 1909.	Madagascar Island. East Africa. Indian Ocean.	€ 17,50
Xenophora granulosa Ponder, 1983.	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 3,00
Xenophora granulosa Ponder, 1983.	Philippines, N. Mindanao, N. of Dipolog, Aliguay Island. Trawled, 50-150 m	€ 10,00

Xenophora granulosa Ponder, 1983.
Onustus indicus (Gmelin, 1791).
Xenophora japonica Kuroda & Habe, 1971.
Xenophora japonica Kuroda & Habe, 1971.
Xenophora mekranensis konoii Habe, 1953.
Xenophora mekranensis konoii Habe, 1953.
Xenophora pallidula (Reeve, 1842).
Xenophora pallidula (Reeve, 1842).
Xenophora pallidula (Reeve, 1842).
Stellaria solaris (L., 1764).
Stellaria solaris (L., 1764).

Philippines.
Malaysia, Island of Borneo, Sarawak.
Philippines, Mindanao (island), Davao.
Philippines.
Indonesia, Java, East Java (province). South coast.
Philippines, Visayas (region), Samar (island).
South Africa, Cape Province, False Bay area. Trawled.
Philippines, Eastern Visayas (region), Leyte (island).
Philippines.
Philippines, Luzon (island), Tayabas Bay.
Indonesia, Moluccas Islands, Ambon Island.

Price Range

€ 2,50
€ 5,00 t/m € 8,00
€ 2,50 t/m € 3,80
€ 3,50
€ 4,50
€ 7,50
€ 19,00
€ 11,50
€ 6,50
€ 3,00
€ 1,00 t/m € 3,00