

Muzee Scheveningen World-wide Shell Shop Price list

		Price Range
Acmaeidae		
Acmaea limatula Carpenter, 1864.	Between Laguna Beach and Dana Point, California. Pacific Ocean.	€ 2,00
Acteonidae		
Pupa solidula (L., 1758).	Thailand, Phuket, Raya Island, 25-30 metres deep.	€ 1,30
Acteon tornatilis (L., 1758).	Italy, Cérvia.	€ 1,00
Acteon tornatilis (L., 1758).	W. Frankrijk, Pointe de Penmarc'h.	€ 1,30
Acteon tornatilis (L., 1758).	France, Brittany, Trebeurden.	€ 1,00
Angariidae		
Angaria delphinus (L., 1758).	Philippines, Bohol, Balicasag Island, Panglao, tangle net, 160 metres.	€ 0,80 t/m € 1,50
Angaria delphinus (L., 1758).	Philippines.	€ 0,80
Angaria delphinus (L., 1758).	Australia, Western Australia.	€ 3,00
Angaria melanacantha (Reeve, 1842).	Philippines, Palawan Island.	€ 3,80
Angaria melanacantha (Reeve, 1842).	Madagascar Island, East Africa. Indian Ocean.	€ 7,00
Angaria sphaerula (Kiener, 1873).	Philippines, Cebu Island.	€ 5,00
Angaria sphaerula (Kiener, 1873).	Philippines, Balut Island.	€ 7,50 t/m € 9,50
Angaria sphaerula (Kiener, 1873).	Philippines, Mindanao island, Zamboanga.	€ 6,50 t/m € 7,50
Angaria sphaerula (Kiener, 1873).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 1,00 t/m € 2,00
Angaria sphaerula (Kiener, 1873).	Philippines, Mindanao island, Zamboanga.	€ 9,50 t/m € 14,00
Angaria tyria (Reeve, 1842).	Western Australia, Abrolhos Island group, N. side of West Wallaby Island. On rocks amongst weed at 15-20 metres deep.	€ 2,50 t/m € 9,00
Angaria vicdani Kosuge, 1980.	Philippines, Mindanao Island, Davao.	€ 4,50 t/m € 12,50
Angaria vicdani Kosuge, 1980.	Philippines, Mindanao Island.	€ 5,00 t/m € 7,50
Angaria vicdani Kosuge, 1980.	Philippines, Biliran Island, Samar Sea. Found on a coral reef, 10-15 m.	€ 7,50
Angaria vicdani Kosuge, 1980.	Philippines, Balut Island.	€ 4,50 t/m € 9,50
Anomiidae		
Anomia ephippium L., 1758.	France, Brittany, St. Jacut de la Mer.	€ 1,30
Anomia ephippium L., 1758.	France, Brittany, Dinard.	€ 0,50 t/m € 0,80
Anomia ephippium L., 1758.	France, Brittany, Trebeurden.	€ 2,00
Anomia ephippium L., 1758.	Ireland, Kerry, Kenmare River, low water, littoral.	€ 2,50
Anomia ephippium L., 1758.	Spain, off Fuengirola, trawled by local fisherman.	€ 0,30 t/m € 0,50
Anomia ephippium L., 1758.	Spain, Puerto de Marbella, from fishermen.	€ 0,50 t/m € 1,50
Anomia ephippium L., 1758.	France, Brittany, St. Malo.	€ 0,80
Anomia ephippium L., 1758.	Mediterranean Sea.	€ 1,30
Anomia ephippium L., 1758.	France, Brittany, Erquy.	€ 0,50

Anomia simplex Orbigny, 1842.

Aplysiidae

Dolabella auriculata (Lightfoot, 1786).

Aporrhaidae

Aporrhais pespelecani (L., 1758).

Aporrhais pespelecani (L., 1758).

Aporrhais pespelecani (L., 1758).

Aporrhais pespelecani (L., 1758).

Aporrhais pespelecani (L., 1758).

Aporrhais pespelecani (L., 1758).

Aporrhais pespelecani (L., 1758).

Aporrhais pespelecani (L., 1758).

Aporrhais pespelecani (L., 1758).

Aporrhais pespelecani (L., 1758).

Aporrhais serresianus (Michaud, 1828).

Architectonicidae

Discotectonica acutissima (Sowerby, 1914).

Architectonica gualtierii (Bieler, 1993).

Architectonica maxima (Philippi, 1848).

Architectonica perdix Hinds, 1844.

Architectonica perspectiva (L., 1758).

Architectonica perspectiva (L., 1758).

Architectonica perspectiva (L., 1758).

Architectonica perspectiva (L., 1758).

Architectonica perspectiva (L., 1758).

Psilaxis radiatus (Röding, 1798).

Heliacus stramineus (Gmelin, 1791).

Heliacus stramineus (Gmelin, 1791).

Heliacus stramineus (Gmelin, 1791).

Architectonica taylori (Hanley, 1962).

Architectonica trochlearis (Hinds, 1844).

Architectonica trochlearis (Hinds, 1844).

Heliacus variegatus (Gmelin, 1791).

Heliacus variegatus (Gmelin, 1791).

Heliacus variegatus (Gmelin, 1791).

Texas, Aransas Bay.

West Samoa, Upolu (Apia), Mulinuu.

Italy, Anzio. With operculum.

Spain, Benajarafe, San Carlos.

Greece, 200 km northeast of Athens, Évvoia Island, Kimi.

Southeast Spain, Fuengirola.

Portugal, Algarve, Praya da Rocha.

Spain, Marbella.

France, Brittany, Cap Coz, collected live.

Italy, Liguria, Province of Savona, Savona.

Portugal, Algarve, Praia de Rocha.

The Channel, from fishery.

Italy, Liguria, Province of Savona. From fishing boats.

Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.

Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.

Philippines.

Australia, Queensland, Keppel Bay.

Indonesia.

Indonesia, off the northeastern coast of Java, Madura Island.

Indonesia, Java, North coast, Probolinggo.

Philippines.

Thailand, Hua Hin.

Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.

Taiwan.

Philippines.

Taiwan channel.

Indonesia.

Indonesia.

Japan.

French Polynesia, Society Islands, Tahiti, 20 km east of Papeete.

Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.

Philippines.

Price Range

€ 2,30

€ 3,50 t/m € 5,00

€ 2,00

€ 1,30 t/m € 2,00

€ 1,00 t/m € 2,00

€ 2,50

€ 1,30

€ 2,00

€ 3,30

€ 1,00

€ 1,00

€ 2,00

€ 4,50

€ 1,00 t/m € 2,00

€ 0,50 t/m € 4,00

€ 4,95

€ 2,50

€ 6,50

€ 1,50 t/m € 4,00

€ 1,30

€ 2,00 t/m € 2,30

€ 0,75 t/m € 2,00

€ 2,00

€ 5,50

€ 4,00

€ 4,00 t/m € 6,00

€ 4,50 t/m € 5,00

€ 4,50 t/m € 15,00

€ 4,75

€ 1,50

€ 1,00 t/m € 2,00

€ 0,80

Price Range

Arcidae

<i>Arca aequilatera</i> (W.R. Dunker, 1868).	Thailand, Phuket.	€ 3,00 t/m € 4,00
<i>Barbatia amygdalumtosum</i> (Röding, 1798).	Thailand, Phuket Island. Under corals in shallow water.	€ 2,50
<i>Barbatia amygdalumtosum</i> (Röding, 1798).	Thailand, Phuket, Raya Island, 25-30 metres deep.	€ 0,80 t/m € 1,30
<i>Barbatia amygdalumtosum</i> (Röding, 1798).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 0,50 t/m € 1,50
<i>Anadara antiquata</i> (L., 1758).	West Samoa Island, Upolu, Apia, Malinuu Peninsula, east coast.	€ 2,00
<i>Anadara antiquata</i> (L., 1758).	Philippines, Bohol, close to Panglao, Balicasag Island.	€ 0,75
<i>Anadara antiquata</i> (L., 1758).	Madagascar Island, East Africa. Indian Ocean.	€ 0,50
<i>Anadara brasiliana</i> (Lamarck, 1819).	Mexico, Baja California, San Carlos, Magdalena Bay, 1-6 metres deep.	€ 1,00 t/m € 2,00
<i>Anadara brasiliana</i> (Lamarck, 1819).	Venezuela, Isla Margarita, Playa de Restinga.	€ 2,00
<i>Anadara floridana</i> (Conrad, 1869).	Venezuela, San Pedro Island, Nueva Esparta.	€ 1,00
<i>Barbatia foliata</i> (Forskåål, 1775).	Thailand, Phuket, ±2 hours by boat from Rawai, Raya Island.	€ 0,25 t/m € 1,30
<i>Anadara grandis</i> (Broderip & Sowerby, 1829).	Canada, Nova Scotia, Lurcher Bank, off Yarmouth, 90-110 metres deep. 5 mm	€ 1,80
<i>Anadara granosa</i> (L., 1758).	Thailand, Krabi, Koh Lanta Yai, Koa Kwang Beach.	€ 1,00
<i>Anadara granosa</i> (L., 1758).	Indonesia, Java Sea.	€ 1,80
<i>Anadara granosa</i> (L., 1758).	Taiwan, southwest.	€ 0,80
<i>Barbatia helblingii</i> (Bruguière, 1789).	Oman, Muscat. Middle East. Arabian Sea.	€ 0,50
<i>Anadara nodifera</i> (von Martens, 1860).	Thailand, Phuket.	€ 1,00 t/m € 2,00
<i>Anadara ovalis</i> (Bruguière, 1789).	Venezuela, Isla Margarita, Nueva Esparta, Robledal, Macanao.	€ 0,75
<i>Anadara ovalis</i> (Bruguière, 1789).	Venezuela, Isla Margarita, Piedros strand, Negros.	€ 0,50
<i>Trisidos semitorta</i> (Lamarck, 1819).	Thailand, Phuket.	€ 1,00 t/m € 2,50
<i>Trisidos semitorta</i> (Lamarck, 1819).	Japan.	€ 9,00
<i>Trisidos semitorta</i> (Lamarck, 1819).	Philippines, Bohol Island.	€ 10,00
<i>Arca senilis</i> (L., 1758).	The Gambia, Banjul. Atlantic Ocean.	€ 1,00
<i>Anadara similis</i> (Adams, 1852).	Panama, Gulf of Panamá, San Carlos, Pacific, live.	€ 1,30
<i>Anadara subcrenata</i> (Lischke, 1869).	Japan, Aitsu.	€ 0,50
<i>Trisidos tortuosa</i> (L., 1758).	Indonesia, East Java, South coast.	€ 3,00
<i>Anadara transversa</i> (Say, 1822). Stormy weather, live	Florida, near Blind Pass Jetty, Captiva Island, Turner Beach. Ebb, beach.	€ 1,00
<i>Barbatia trapezina</i> (Lamarck, 1819).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 1,00 t/m € 1,50
<i>Arca ventricosa</i> Lamarck, 1819.	Indonesia, off the northeastern coast of Java, Madura Island.	€ 0,50 t/m € 2,50

Arcticidae

<i>Arctica islandica</i> (L., 1767).	North Sea, Klaverbank.	€ 2,30 t/m € 5,00
--------------------------------------	------------------------	-------------------

Argonautidae

<i>Argonauta hians</i> Lightfoot, 1786.	Warm oceans worldwide.	€ 6,50
<i>Argonauta hians</i> Lightfoot, 1786.	Indonesia, Bali.	€ 4,50 t/m € 6,50

	Price Range
Argonauta hians Lightfoot, 1786.	€ 4,00 t/m € 5,00
Assimineidae	
Assimineia spec. .	€ 2,00
Astartidae	
Astarte elliptica (Brown, 1827).	€ 1,30
Buccinidae	
Nassaria acuminata (Reeve, 1844).	€ 0,80
Kanamarua adonis (Dall, 1919).	€ 4,00
Kanamarua adonis (Dall, 1919).	€ 2,50
Cominella adpersa (Bruguière, 1789).	€ 2,50
Cominella adpersa (Bruguière, 1789).	€ 2,30
Cominella adpersa (Bruguière, 1789).	€ 1,30 t/m € 1,85
Nassaria amboynensis Watson, 1881.	€ 0,50 t/m € 1,00
Neptunea amianta (Dall, 1890).	€ 17,50 t/m € 25,00
Volutharpa ampullacea perryi (Jay, 1855).	€ 9,50
Volutharpa ampullacea perryi (Jay, 1855).	€ 9,50 t/m € 12,50
Neptunea antiqua (L., 1758).	€ 2,50
Neptunea antiqua (L., 1758). metres on silty sand.	€ 3,00
Babylonia areolata (Link, 1807).	€ 4,50
Neptunea arthritica cumingii (Crosse, 1862).	€ 29,50
Cantharus assimilis Reeve, 1846.	€ 1,00
Pisania auritula (Link, 1807).	€ 1,50
Babylonia borneensis (Sowerby II, 1864).	€ 11,00
Neptunea bulbacea (Bernardi, 1858).	€ 17,50
Cantharus cancellarius (Conrad, 1846).	€ 1,80
Siphonalia cassidariaeformis (Reeve, 1843).	€ 2,50
Neptunea contraria (L., 1771).	€ 3,00 t/m € 4,00
Buccinulum corneum (L., 1758).	€ 2,50
Buccinulum corneum (L., 1758).	€ 6,00
Phos crassus Hinds, 1843. From fishermen	€ 4,00
Cantharus dorbignyi (Payraudeau, 1826).	€ 0,80
Cantharus dorbignyi (Payraudeau, 1826).	€ 1,50
Pisania fasciculata (Reeve, 1846).	€ 2,50
Pisania ferrea (Reeve).	€ 2,00
Philippines, Luzon, Bicol. Trawled by local fishermen.	
Philippines.	€ 2,00
Scotland, British Isles.	€ 1,30
Gulf of Thailand, Ban Hua Hin.	€ 0,80
Japan, Sea of Enshu-nada.	€ 4,00
Japan, Aichi Pref., Mikawa, 50-80 fms.	€ 2,50
New Zealand. Cook Strait.	€ 2,50
New Zealand, Auckland, Whangaparaoa Pen., off Big Mauly Beach.	€ 2,30
New Zealand.	€ 1,30 t/m € 1,85
Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 0,50 t/m € 1,00
SE Alaska, USA, off Prince of Wales Island, Noyes Island, 150 feet deep.	€ 17,50 t/m € 25,00
Steamboot Bay, from dinginess crab pots at 150 feet deep.	€ 9,50
Japan, Hokkaidō.	€ 9,50 t/m € 12,50
The Netherlands, 50 miles north from Texel.	€ 2,50
Hospital grounds (station 29) 54°16' N. 2°36' E. Trawled from 35-40	€ 3,00
Taiwan.	€ 4,50
Japan. Trawled at a depth of 200 metres. From fishermen. 117 mm	€ 29,50
Senegal, Gorée Bay, West Africa. From fisherman, 10- 20 metres deep.	€ 1,00
St. Maarten, Caribbean Sea.	€ 1,50
Indonesia, N.W. Sumatra, Sibolga. Indian Ocean	€ 11,00
Japan, Hokkaidō, Cape Erimo. 20-30 metres deep in fishnets.	€ 17,50
Florida, Seahorse Key.	€ 1,80
Japan, Mikawa.	€ 2,50
Belgium, Antwerp, 5 Haven Dok.	€ 3,00 t/m € 4,00
S. France, Bandol.	€ 2,50
Italy, Apulia, Gallipoli. 2 metres deep, on rocks.	€ 6,00
N. Peru, Tumbes department, off Puerto Pizarro. Trawled, 10-20 metres.	€ 4,00
Malta.	€ 0,80
Italy, Sardegna, off Calasetta. 6 metres deep, at low tide.	€ 1,50
Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 2,50
Japan, Wakayama Prefecture, Nada. Low tide.	€ 2,00

		Price Range
Babylonia formosae Sowerby.	Taiwan.	€ 4,00
Cantharus fumosus (Dillwyn, 1817).	American Samoa, Pago Pago Bay, Pacific, under dead coral.	€ 0,80
Cantharus fumosus (Dillwyn, 1817).	Mozambique, Nacala Bay area, shallow water.	€ 1,30
Cantharus fumosus (Dillwyn, 1817).	Thailand, Phuket.	€ 0,80
Cantharus fumosus (Dillwyn, 1817).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 0,50 t/m € 1,00
Nassaria fusiformis Sowerby, 1859.	Philippines, Bohol, close to Panglao, Balicasag Island.	€ 1,30
Siphonalia fusoides (Reeve, 1846).	Japan.	€ 4,00
Cominella glandiformis (Reeve, 1847).	New Zealand, N.E., Bay of Islands, off Paitria, ebb, 30 metres deep.	€ 1,80
Colus gracilis (da Costa, 1778).	North Sea. Doggersbank.	€ 4,00
Colus gracilis (da Costa, 1778).	North Sea, Scate Hole, Well Bank, 22-24 fathoms.	€ 2,30 t/m € 2,30
Colus gracilis (da Costa, 1778).		€ 0,50 t/m € 1,00
Colus gracilis (da Costa, 1778). Trawled by IJM 44.	North Sea, Between SW Spit and Boldersbank. 54°10' N 1°40' E.	€ 3,50
Colus gracilis (da Costa, 1778).	England. West coast.	€ 4,00
Colus hallii (Dall, 1873).	Bering Sea. From Japanese fisherman. Deep water.	€ 8,00
Pisania ignea (Gmelin, 1791).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 1,80 t/m € 4,00
Engina incarnata (Deshayes & Linart, 1834).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 1,50
Cantharus iostomus (Gray, 1834).	Thailand, Phuket, Raya Island, 25-30 metres deep.	€ 1,50
Cantharus iostomus (Gray, 1834).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 1,00
Cantharus iostomus (Gray, 1834).	Thailand, Phuket, ±2 hours by boat from Rawai, Raya Island.	€ 1,30
Babylonia japonica (Reeve, 1842).	Japan.	€ 1,50 t/m € 2,00
Babylonia japonica (Reeve, 1842).	Japan.	€ 2,50
Neptunea kuroshio Oyama, 1958.	Japan, Hokkaidō, Nemuro.	€ 7,80
Neptunea kuroshio Oyama, 1958.	Japan, Aichi Prefecture (Aichi-ken), Mikawa.	€ 7,50 t/m € 12,50
Neptunea kuroshio Oyama, 1958.	Japan, Aichi Prefecture (Aichi-ken), Mikawa.	€ 7,50
Engina lanceolata (Kuroda & Habe, 1971).	Philippines, Bohol, close to Panglao, Balicasag Island.	€ 1,80
Buccinum leucostoma Lischke, 1872.	Japan, Aichi prefecture, Mikawa, 30-50 fms.	€ 10,00
Buccinum leucostoma Lischke, 1872.	Japan, Shimane prefecture, off Hinomisaki, 200-250 metres deep.	€ 15,00
Neptunea lyrata lyrata (Gmelin, 1791).	SE Alaska, U.S.A., Mitkof Island, Petersburg Harbour, at a 4.0 foot tide. Under cannery rock, in mud and pebbles. With operculum. Best quality possible, proto and sculpture pristine.	€ 17,50 t/m € 25,00
Engina mendicaria (L., 1758).	Red Sea, Egypt, Safaga.	€ 0,50
Engina mendicaria (L., 1758).	West Zanzibar, Bawé Island, East Africa. Indian Ocean	€ 1,00
Engina mendicaria (L., 1758).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 0,50
Engina mendicaria (L., 1758).	Philippines.	€ 0,80 t/m € 1,00
Engina mendicaria (L., 1758).	Ethiopia, Disssei Island, East Africa.	€ 0,50
Phos naucratoros (Watson, 1882).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 1,00

		Price Range
Northia northiae (Griffith & Pidgeon, 1834). From fishermen	N. Peru, Tumbes department, off Puerto Pizarro. Trawled, 10-20 metres.	€ 4,00
Cantharus pallidus (Broderip & Sowerby, 1829).	Mexico, Baja California (state), San Felipe, Laguna de Percebu. Beach.	€ 1,00
Cantharus pallidus (Broderip & Sowerby, 1829).	Panama, Bahia Concepción, on muddy bottom.	€ 0,80
Japelion pericochlion (Schrenck, 1862).	Japan, Fukushima pref., off Souma. Trawled at a depth of 200-250 metres.	€ 25,00
Plicifusus plicatus (A. Adams, 1864).	Japan, Hokkaidō, Cape Erimo. 30-40 metres deep, by nets.	€ 5,00
Cantharus pulcher (Reeve, 1846).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 0,50
Nassaria pusilla (Röding, 1798).	Eastern Malaysia, Terengganu, Aryani Resort.	€ 0,50
Nassaria pusilla (Röding, 1798).	Indonesia, off the northeastern coast of Java, Madura Island.	€ 1,00
Nassaria pusilla (Röding, 1798).	Gulf of Thailand, Ban Hua Hin.	€ 0,80
Pisania pusio (L., 1758).	Florida Keys.	€ 2,00
Pisania pusio (L., 1758).	Venezuela, Margarita Island.	€ 1,00
Pisania pusio (L., 1758).	The Grenadines Islands, Windward Islands, Caribbean.	€ 0,75
Pisania pusio (L., 1758).	Lower Florida Keys, Lone Key Reef, 3-5 feet deep in coral rubble.	€ 2,50
Pisania pusio (L., 1758).	Bonaire, Lesser Antilles Islands.	€ 0,80
Colus pygmaeus (Gould, 1841).	Canada, Nova Scotia, near Digby Co., St. Mary's Bay, 40-45 fathoms, trawl.	€ 3,80
Nassaria recurva Sowerby, 1859.	Philippines, Bohol, close to Panglao, Balicasag Island.	€ 2,00
Cantharus ringens (Reeve, 1846).	Panama, Cebaco Island. Pacific.	€ 1,00
Cantharus ringens (Reeve, 1846).	Bonaire, Lesser Antilles Islands.	€ 2,50
Phos roseatus (Hinds, 1844).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 1,00
Cantharus scacchianus (Philippi, 1844).	Tunisia, Gulf of Tunis, Mediterranean Sea.	€ 0,20
Phos senticosus (L., 1758).	Philippines, Luzon Island, Manila Bay.	€ 1,00 t/m € 1,50
Phos senticosus (L., 1758).	Taiwan.	€ 2,50
Phos senticosus (L., 1758).	Eastern Malaysia, Terengganu, Aryani Resort.	€ 0,50
Phos senticosus (L., 1758).	Japan, Honshu, Wakayama prefecture, Inami-Cho, 20-30 fathoms.	€ 1,20
Phos senticosus (L., 1758).	Philippines, Cebu Island, Mactan Island, Punta Engaño.	€ 2,30
Phos senticosus (L., 1758).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 0,50 t/m € 2,00
Nassaria spec. .	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 1,00
Phos spec. .	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 1,00
Cantharus spiralis (Gray, 1839).	India.	€ 1,30
Babylonia spirata (L., 1758).	Thailand, Phuket.	€ 1,00 t/m € 3,00
Babylonia spirata (L., 1758).	Thailand, Phuket.	€ 1,00 t/m € 2,00
Babylonia spirata (L., 1758).	India, Cuddalore.	€ 1,25 t/m € 1,75
Babylonia spirata (L., 1758).	Indonesia, Jakarta. Bay.	€ 2,50
Babylonia spirata (L., 1758).	Thailand, Ranong, near Birma, deep water, more than 70 metres deep.	€ 2,00
Babylonia spirata (L., 1758).	Indonesia, East Java. From local fishermen.	€ 3,50

		Price Range
Babylonia spirata (L., 1758).	S.E. India, Bay of Bannar, Kilakarai. Collected below low tide level.	€ 2,00
Pisania striata (Gmelin, 1791).	Philippines, Balicasag Island, near Panglao, Bohol.	€ 2,00
Pisania striata (Gmelin, 1791).	Spain, Cabo Ras.	€ 0,50
Pisania striata (Gmelin, 1791).	Tunisia, Gulf of Tunis, Mediterranean Sea.	€ 0,50
Pisania striata (Gmelin, 1791).	Tunisia, Zarzis.	€ 0,50
Pisania striata (Gmelin, 1791).	Greece, Marathón beach, 1-1,5 metres deep.	€ 0,50
Pisania striata (Gmelin, 1791).	Malta, Ghallis Rocks, intertidal on rocks.	€ 0,50
Phos textum (Gmelin, 1791).	Thailand, Phuket, Raya Island, 25-30 metres deep.	€ 0,80
Pisania tinctoria (Conrad, 1846).	Bonaire, Lesser Antilles Islands.	€ 2,00
Cantharus tranquebaricus (Gmelin, 1791).	Thailand, Phuket.	€ 1,50
Cantharus tranquebaricus (Gmelin, 1791).	Southern Asia.	€ 1,30 t/m € 1,80
Pisania tritonoides (Reeve, 1846).	Philippines, Bohol, close to Panglao, Balicasag Island.	€ 1,50 t/m € 2,50
Siphonalia trochulus (Reeve, 1843).	Japan.	€ 5,00
Buccinum undatum L., 1758.	France, Brittany, Gulf of Morbihan.	€ 1,00 t/m € 1,50
Buccinum undatum L., 1758.	English Channel.	€ 1,00 t/m € 3,50
Buccinum undatum L., 1758.	Scotland, Airowsaig.	€ 1,00
Buccinum undatum L., 1758. Juvenile	The Netherlands, Maasvlakte, Slufterdam, from eggs.	€ 1,00
Buccinum undatum L., 1758.	North Sea, Terschellinger Bank.	€ 1,00 t/m € 4,50
Buccinum undatum L., 1758.	Shetland Islands area, most northern North Sea.	€ 1,00 t/m € 3,80
Cantharus undosus (L., 1758).	Philippines, Cebu Island.	€ 1,00 t/m € 2,80
Cantharus undosus (L., 1758).	Indo-Pacific.	€ 2,50
Cantharus undosus (L., 1758).	Taiwan, southwest, in direction of Japan.	€ 0,80
Cantharus undosus (L., 1758).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 0,25 t/m € 0,50
Cantharus undosus (L., 1758).	Indonesia, Madura Island.	€ 1,00
Pseudoneptunea varicosa (Röding, 1798).	Indonesia, Madura Island.	€ 1,50 t/m € 2,50
Ancistrolepis vietnamensis Sirenko & Goryachev, 1990.	China Sea. Trawled at a depth of 600 metres.	€ 65,00
Ancistrolepis vietnamensis Sirenko & Goryachev, 1990.	South China Sea. At a depth of 600-800 metres.	€ 40,00
Buccinulum vittatum vittatum f. heteromorphum Powell, 1929.	New Zealand, Makuta, Bay of Plenty. Multiple lines. 16 mm	€ 9,00
Cantharus viverratus Kiener, 1834.	Senegal, West Africa.	€ 3,00
Cantharus wagneri (Anton, 1839).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 0,75 t/m € 1,50
Cantharus wagneri (Anton, 1839).	Thailand, Phuket, ±2 hours by boat from Rawai, Raya Island.	€ 2,50 t/m € 1,30
Babylonia zeylanica (Bruguière, 1789).	India.	€ 5,50
Babylonia zeylanica (Bruguière, 1789).		€ 2,80
Engina zonalis (Lamarck, 1822).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 1,00
Engina zonalis (Lamarck, 1822).	Thailand, Phuket, Raya Island, 25-30 metres deep.	€ 1,30

Price Range**Bullidae**

Bulla ampulla L., 1758.	Tanzania, Zanzibar, Unguja, Nungwi, East Africa.	€ 0,80 t/m € 1,30
Bulla ampulla L., 1758.	India.	€ 0,70 t/m € 0,80
Bulla ampulla L., 1758.	Philippines, Bohol, close to Panglao, Balicasag Island.	€ 0,50
Bulla striata Bruguière, 1792.	Tunisia, Skanis, near Monastia.	€ 0,50
Bulla striata Bruguière, 1792.	Portugal, O. Algarve, 2 km W. of Fabrica, ebb, lagoon region.	€ 1,30
Bulla striata Bruguière, 1792.	Spain, 3 km south of Alicante.	€ 1,00
Bulla striata Bruguière, 1792.	The Grenadines Islands, Windward Islands, Caribbean.	€ 1,00 t/m € 1,30
Bulla striata Bruguière, 1792.	Florida, Gulf of Mexico, Fort Myers Beach.	€ 0,40
Bulla vernicosa Gould, 1859.	Philippines, Bohol, close to Panglao, Balicasag Island.	€ 0,50

Bursidae

Bursa awatii Ray, 1949.	Philippines, Bohol, close to Panglao, Balicasag Island.	€ 2,00 t/m € 3,00
Tutufa boholica Beu, 1987.	Philippines, Bohol, close to Panglao, Balicasag Island.	€ 2,00 t/m € 7,50
Tutufa boholica Beu, 1987.	Philippines.	€ 14,50
Tutufa bubo (L., 1758).	Madagascar, Fort Dauphin.	€ 9,50
Tutufa bubo (L., 1758).	Indonesia.	€ 10,00
Tutufa bubo (L., 1758).	Thaland, Phuket.	€ 3,00 t/m € 4,50
Tutufa bufo (Röding, 1798). Juvenile	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 0,50
Tutufa bufo (Röding, 1798).	Indo-Pacific.	€ 4,50
Tutufa bufo (Röding, 1798).	Japan, Wakayama prefecture, Minabe, from fisherman in deep water. 81 mm	€ 8,20
Bufonaria bufo (Bruguière, 1792).	French Guiana, Salvation Islands (The Îles du Salut). Atlantic Ocean.	€ 1,50 t/m € 6,00
Tutufa bufo (Röding, 1798).	Indo Pacific Ocean.	€ 3,00 t/m € 4,00
Bursa bufonia (Gmelin, 1791).	Indonesia, Madura Island.	€ 3,50
Bursa bufonia (Gmelin, 1791).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 1,30 t/m € 2,00
Bursa bufonia (Gmelin, 1791).	Taiwan, southwest.	€ 1,30 t/m € 2,00
Bursa corrugata corrugata (Perry, 1811).	Florida, off Pompano Beach. Scuba, 55 feet deep, under rubble on reef.	€ 9,00
Bufonaria crumena (Lamarck, 1816).	India.	€ 2,30
Bufonaria crumena (Lamarck, 1816).	South Africa, live off Durban area, trawled at 250 metres.	€ 6,00
Bufonaria crumena (Lamarck, 1816).		€ 2,00
Bufonaria crumena (Lamarck, 1816).	Taiwan, southwest.	€ 1,30 t/m € 1,50
Bufonaria echinata (Link, 1807).		€ 5,00
Bufonaria echinata (Link, 1807).		€ 1,50
Bufonaria echinata (Link, 1807).	India, Tamil Nadu, Cuddalore. By diver.	€ 3,50
Bufonaria gnorima (Melvill, 1918).	Philippines.	€ 1,80
Bufonaria gnorima (Melvill, 1918).	Philippines.	€ 3,75

		Price Range
Bursa granularis cubaniana (Orbigny, 1842).	Florida, Pompano Beach, dived, 3 metres deep.	€ 3,80
Bursa granularis cubaniana (Orbigny, 1842).	Florida, Hollywood, 55 feet deep, under rocks.	€ 1,50
Bursa granularis cubaniana (Orbigny, 1842).	Florida, Pickles Reef.	€ 2,50
Bursa granularis granularis (Röding, 1798).	West Zanzibar, M̄changa Mle. East Africa. Indian Ocean	€ 1,00
Bursa granularis granularis (Röding, 1798).	Philippines, Bohol, close to Panglao, Balicasag Island.	€ 0,80
Bursa granularis granularis (Röding, 1798).	Taiwan, southwest.	€ 1,00
Bursa granularis granularis (Röding, 1798).	Philippines, Bohol, close to Panglao, Balicasag Island.	€ 0,50
Bursa granularis granularis (Röding, 1798).	Thailand, Phuket, Raya Island, 25-30 metres deep.	€ 0,80 t/m € 1,80
Bursa granularis (Röding, 1798).	Red Sea, Egypt, Safaga.	€ 1,00 t/m € 3,50
Bursa granularis (Röding, 1798).	Philippines.	€ 1,50
Bufonaria ignobilis Beu, 1987.	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 1,00 t/m € 7,50
Bursa lamarckii (Deshayes, 1853).	Philippines, Cebu Island.	€ 8,00
Bursa lamarckii (Deshayes, 1853).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 1,00 t/m € 8,50
Bursa latitudo wolfei Beu, 1981.	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 3,50 t/m € 5,00
Bursa leo Shikama, 1964.	Philippines.	€ 3,00 t/m € 5,00
Bursa leo Shikama, 1964.	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 2,50 t/m € 5,00
Bursa leo Shikama, 1964.	Philippines, Mindanao Island.	€ 2,00 t/m € 3,50
Bufonaria margaritula (Deshayes, 1832).	Thailand, Phuket, Raya Island, 25-30 metres deep.	€ 1,80 t/m € 2,30
Bufonaria margaritula (Deshayes, 1832).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 2,00 t/m € 3,50
Bufonaria margaritula (Deshayes, 1832).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 4,50
Bursa muehlhaeusseri Parth, 1990.	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 3,00 t/m € 4,50
Bufonaria nobilis (Reeve, 1844).		€ 8,00
Tutufa oyamai Habe, 1973.	Japan.	€ 14,50
Tutufa oyamai Habe, 1973.	Vietnam.	€ 5,00
Tutufa oyamai Habe, 1973.	Thailand, Phuket, ±2 hours by boat from Rawai, Raya Island.	€ 1,80 t/m € 4,80
Tutufa oyamai Habe, 1973.	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 2,00 t/m € 2,50
Bufonaria perelegans Beu, 1987.	Philippines.	€ 5,00 t/m € 7,50
Bursa quirihorai Beu, 1987.	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 4,50 t/m € 7,50
Bufonaria rana (L., 1758).	Japan, Honshu Island, Aichi Prefecture (Aichi-ken), Mikawa.	€ 2,50
Bufonaria rana (L., 1758).	Western Pacific Ocean.	€ 3,00
Bufonaria rana (L., 1758).	Thailand, Phuket, ±2 hours by boat from Rawai, Raya Island.	€ 1,00
Bufonaria rana (L., 1758).	Thailand, Phuket.	€ 1,00
Bufonaria rana (L., 1758).	India, Rameswaram. By diver.	€ 2,50
Bufonaria rana (L., 1758).	Taiwan, southwest.	€ 1,00 t/m € 2,00
Bursa rhodostoma rhodostoma (Beck, 1835).	Thailand, Phuket, Raya Island, 25-30 metres deep.	€ 2,50

Bursa rhodostoma rhodostoma (Beck, 1835).
 Bursa rhodostoma thomae (Orbigny, 1842).
 Tutufa rubeta (L., 1758).
 Tutufa rubeta (L., 1758).
 Tutufa rubeta (L., 1758).
 Tutufa rubeta (L., 1758).
 Tutufa rubeta (L., 1758).
 Bufonaria subgranosa (Sowerby, 1836).
 Tutufa tenuigranosa (E.A. Smith, 1914).
 Bursa tuberosissima (Reeve, 1844).
 Bursa tuberosissima (Reeve, 1844).
 Bursa tuberosissima (Reeve, 1844).

Campanilidae

Campanile symbolicum Iredale, 1917.

Cancellariidae

Cancellaria cancellata (L., 1767).
 Cancellaria cancellata (L., 1767).
 Cancellaria cancellata (L., 1767).
 Trigonostoma crenifera (Sowerby, 1833).
 Merica ektyphos Petit & Harasewych, 2000.
 Merica elegans (Sowerby, 1822).
 Merica elegans (Sowerby, 1822).
 Trigonostoma pellucida (Perry, 1811).
 Cancellaria piscatoria (Gmelin, 1791).
 Cancellaria reticulata (L., 1767).
 Trigonostoma scalariformis (Lamarck, 1822).
 Trigonostoma scalariformis (Lamarck, 1822).
 Trigonostoma scalariformis (Lamarck, 1822).
 Trigonostoma scalariformis (Lamarck, 1822).
 Trigonostoma scalata (Sowerby, 1832).
 Pisanella viva (Habe & Okutani, 1981).

Cardiidae

Acanthocardia aculeata (L., 1767).
 Lyrocardium aeolicum (Born, 1778). depth.

Indo-Pacific.
 Florida, 2 miles NE Boca Raton Inlet, scuba, 10 fms, on reef.
 Philippines, Samar, south coast, from divers. 60 mm
 Thailand, Phuket.
 Thailand.
 Philippines.
 Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.
 Thailand, Phuket, Raya Island, 25-30 metres deep.
 Philippines.
 Philippines.
 Thailand, Phuket.
 Philippines, Bohol, close to Panglao, Balicasag Island.
 South China Sea.

Australia, Western Australia, Canal Rocks.

Spain, Malaga.
 Mediterranean Sea.
 Spain, San Carlos de la Rápita.
 Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.
 Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.
 Indonesia, Nusa Tenggara Timur.
 Indonesia, Madura Island.
 Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.
 Senegal, Casamance, West Africa.
 Florida, 210° S.W. Sanibel, 125 feet deep, dredged by shrimp trawler.
 Eastern Malaysia, Terengganu, Aryani Resort.
 Indonesia, Madura Island.
 Thailand, Phuket.
 Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.
 Philippines, Bohol, close to Panglao, Balicasag Island.
 Philippines, Bohol, close to Panglao, Balicasag Island.

Italy, Gulf of Napels.
 Cape Verde Islands, from Santo Antão Island. Dredged at 20-30 metres

Price Range

€ 2,00
 € 6,50
 € 3,50
 € 1,00 t/m € 3,00
 € 2,00
 € 2,50
 € 1,00 t/m € 4,00
 € 1,00 t/m € 5,00
 € 6,00
 € 5,00 t/m € 15,00
 € 3,00 t/m € 5,00
 € 5,00 t/m € 8,50
 € 4,50 t/m € 5,50

€ 10,00

€ 3,80
 € 0,50 t/m € 1,00
 € 0,50 t/m € 2,30
 € 2,50
 € 1,50 t/m € 2,50
 € 3,00
 € 2,00
 € 5,00
 € 5,00
 € 1,80 t/m € 2,30
 € 0,50
 € 0,50
 € 0,50
 € 3,00 t/m € 5,00
 € 9,00
 € 1,50 t/m € 4,00

€ 2,30 t/m € 3,00
 € 9,50

		Price Range
Acrosterigma angulata (Lamarck, 1819).	Philippines.	€ 3,00 t/m € 3,50
Acrosterigma angulata (Lamarck, 1819).	Philippines, Bohol, close to Panglao, Balicasag Island.	€ 1,00 t/m € 3,00
Laevicardium attenuatum (Sowerby, 1841).	India.	€ 5,00
Fulvia australe (Sowerby, 1841).	Thailand, Phuket, ±2 hours by boat from Rawai, Raya Island.	€ 1,50
Fulvia australe (Sowerby, 1841).	Philippines, Bohol Island, Panglao.	€ 1,50
Nemocardium bechei (Reeve, 1847).	Philippines.	€ 7,00
Nemocardium bechei (Reeve, 1847).	Philippines, Bohol Island.	€ 10,00
Laevicardium biradiatum (Bruguère, 1789).	Philippines, Siasi, Sulu Sea, from fisherman. 35 mm	€ 6,00
Fulvia boholensis Vidal, 1994.	Philippines, Bohol, Balicasag Island, tanle nets, 130-230 metres deep.	€ 3,00
Acrosterigma burchardi (Dunker, 1877).	Japan.	€ 9,50
Corculum cardissa (L., 1758).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 0,50
Corculum cardissa (L., 1758).	Philippines, Palawan Island.	€ 1,00 t/m € 3,50
Laevicardium crassum (Gmelin, 1791).	The Netherlands, Texel. 5 miles from the coast on stones, 12 fathoms deep.	€ 0,50
Laevicardium crassum (Gmelin, 1791).	North Sea, Klaverbank.	€ 0,80 t/m € 1,30
Acanthocardia echinata (L., 1758).	Italy, Anzio.	€ 1,30
Acanthocardia echinata (L., 1758).	North Sea, Black Sand.	€ 1,30 t/m € 2,00
Acanthocardia echinata (L., 1758).	North Sea, Klaverbank.	€ 0,50
Cerastoderma edule (L., 1758).	The Netherlands, Zeeland, Yerseke.	€ 0,20
Cerastoderma edule (L., 1758).	France, Brittany, Les Rosaires.	€ 0,20
Cerastoderma edule (L., 1758).	Spain, Estepona.	€ 0,40
Cerastoderma edule (L., 1758). On seagrass.	France, Aude, Etang de Leucate ou de Salses, Port Leucate, 0,5-1 m.	€ 0,25
Acrosterigma elongatum elongatum (Bruguère, 1789).	Philippines.	€ 4,00 t/m € 9,50
Acrosterigma elongatum enode (Sowerby, 1840).		€ 3,00
Acrosterigma elongatum indioceanum (Vidal, 1993). Juvenile	Philippines, Bohol, close to Panglao, Balicasag Island.	€ 3,50
Acrosterigma elongatum indioceanum (Vidal, 1993).	Thailand, Phuket, ±2 hours by boat from Rawai, Raya Island.	€ 1,80 t/m € 3,50
Acrosterigma flava (L., 1758).	Kenya, Mombasa.	€ 0,50 t/m € 1,00
Acrosterigma flava (L., 1758).	Thailand, Phuket, Raya Island, 25-30 metres deep.	€ 1,00 t/m € 1,50
Acrosterigma flava (L., 1758).	Thailand, Phuket, Chalong Bay.	€ 1,00
Acrosterigma flava (L., 1758).	Philippines, Siasi, Sulu Sea, from fisherman. 30 mm - 43 mm	€ 1,00 t/m € 1,50
Acrosterigma flava (L., 1758).	Thailand, Krabi, Koh Lanta Yai, Koa Kwang Beach.	€ 1,00
Acrosterigma flava (L., 1758).	Thailand, Krabi Island.	€ 1,30
Acrosterigma flava (L., 1758).	Indonesia.	€ 1,50
Acrosterigma fucata (Spengler, 1799).	Indonesia, Moluccas Islands, Ambon Island.	€ 3,50
Lunulicardia hemicardium (L., 1767).	Philippines.	€ 1,30 t/m € 2,30
Lunulicardia hemicardium (L., 1767).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 1,00 t/m € 1,50

		Price Range
Lunulicardia hemicardium (L., 1767).	Philippines, Bogo. From fisherman, 10-25 metres deep.	€ 3,50
Vepricardium incarnatum (Reeve, 1844).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 5,00
Cardium indicum Lamarck, 1819.	Senegal, Dakar, West Africa.	€ 5,00
Laevicardium laevigatum (L., 1758).	Aruba, Malmok, Lesser Antilles Islands.	€ 1,00
Laevicardium laevigatum (L., 1758).	Panama, San Blas Archipelago, Caribbean.	€ 1,30
Laevicardium laevigatum (L., 1758).	Florida, Brevard Coast. Trawled 20 fathoms by scallop boat. Large and small.	€ 0,50 t/m € 1,80
Laevicardium laevigatum (L., 1758).	Bahamas.	€ 0,80 t/m € 2,30
Lyrocardium lyratum (Sowerby, 1841).	Indo-Pacific.	€ 5,00
Cardium maxicostatum Ter Poorten, 2007. commercial fishery.	Angola, 80 km S of Benguela. On sandy muddy bottom to 30 m. trawled. Coll.	€ 75,00
Trachycardium mindanense (Reeve, 1844). Albino	Florida, Marco Island. Low tide, on exposed sand flats.	€ 3,00
Trachycardium mindanense (Reeve, 1844).	Florida, Gulf of Mexico, Sanibel Island.	€ 1,80
Vepricardium multispinosum (Sowerby, 1841).	Indo-Pacific.	€ 4,50
Vepricardium multispinosum (Sowerby, 1841).	Thailand, Phuket.	€ 5,00
Vepricardium multispinosum (Sowerby, 1841).	Southwest Taiwan.	€ 3,50 t/m € 4,00
Dallocardia muricata (L., 1758).	Bahamas.	€ 1,30
Dallocardia muricata (L., 1758).	Brazil, Ilha Bella, Sao Paulo, snorkeling in shallow water. 40 mm	€ 1,80 t/m € 2,50
Dallocardia muricata (L., 1758).	Venezuela, Nueva Esparta (state), Isla El Coche, San Pedro.	€ 2,00
Dallocardia muricata (L., 1758).	Curaçao, Lesser Antilles Islands.	€ 0,80 t/m € 1,30
Dallocardia muricata (L., 1758).	Florida.	€ 0,80
Clinocardium nuttallii (Conrad, 1837).	Canada, British Columbia, Malaspina Strait.	€ 2,50
Acrosterigma orbita (Broderip & Sowerby, 1833).	Indonesia, Madura Island.	€ 4,50
Maoricardium pseudolima (Lamarck, 1819).	Zanzibar, East Africa. Indian Ocean.	€ 6,50 t/m € 12,50
Maoricardium pseudolima (Lamarck, 1819).	Tanzania.	€ 3,50
Lunulicardia retusa (L., 1767).	Thailand, Phuket, ±2 hours by boat from Rawai, Raya Island.	€ 0,50 t/m € 0,80
Bucardium ringens (Bruguère, 1789).	Mauritania, Nouakchott. On beach.	€ 0,50
Bucardium ringens (Bruguère, 1789).	Benin, Cotonou. On beach.	€ 0,50
Bucardium ringens (Bruguère, 1789).	Gambia, Banjul. On beach.	€ 0,50
Bucardium ringens (Bruguère, 1789).	Senegal, Casamance, West Africa.	€ 3,00
Dinocardium robustum vanhyingi Clench & Smith, 1944.	Florida.	€ 6,50
Acrosterigma rubicunda (Reeve, 1844).	India.	€ 1,50
Acrosterigma rubicunda (Reeve, 1844).	Thailand, Phuket, ±2 hours by boat from Rawai, Raya Island.	€ 1,30
Acrosterigma rubicunda (Reeve, 1844).	Philippines, Samar Island.	€ 2,00
Fulvia tenuicostata (Lamarck, 1819).	Australia, Victoria.	€ 3,00
Fulvia tenuicostata (Lamarck, 1819).	Australia, Western Australia, Albany.	€ 2,30
Acanthocardia tuberculata (L., 1758).	Spain, Estepona.	€ 1,30 t/m € 2,30

Acanthocardia tuberculata (L., 1758).
 Acanthocardia tuberculata (L., 1758).
 Fragum unedo (L., 1758).
 Fragum unedo (L., 1758).
 Fragum unedo (L., 1758).
 Acrosterigma vertebrata (Jonas, 1844).

Carditidae

Cardita affinis Sowerby, 1833.
 Cardites antiquata (L., 1758).
 Cardites bicolor (Lamarck, 1819).
 Cardites bicolor (Lamarck, 1819).
 Cardita calyculata (L., 1758).
 Cardita calyculata (L., 1758).
 Cardita calyculata (L., 1758).
 Carditamera floridana Conrad, 1838.
 Carditamera floridana Conrad, 1838.
 Carditamera floridana Conrad, 1838.
 Carditamera floridana Conrad, 1838.
 Carditamera floridana Conrad, 1838. Shallow lagoon
 Cardita incrassata Sowerby, 1825.
 Cardita incrassata Sowerby, 1825.
 Cardita laticostata Sowerby, 1833.
 Cardita marmorea Reeve, 1843.
 Cardita megastropha (Gray, 1825).
 Cardiocardita tankervillei (Wood, 1828).
 Cardiocardita tankervillei (Wood, 1828).
 Cardita variegata Bruguière, 1792.

Cassidae

Phalium areola (L., 1758).
 Phalium areola (L., 1758).
 Phalium areola (L., 1758).
 Phalium bandatum bandatum (Perry, 1811).
 Phalium bandatum bandatum (Perry, 1811).
 Semicassis bisulcata f. diuturna (Iredale, 1927).
 Semicassis bisulcata f. japonica (Reeve, 1848).

Spain, San Carlos de la Rápita.
 France, Dahouete, Bay of St. Brieux, trawled.
 Australia, Queensland, King's Bay.
 Australia, Western Australia, Shark Bay, Denham.
 Australia, Queensland, King Bay.
 Australia, Queensland, Moreton Bay, Mydra Banks.

Mexico, Gulf of California, Bahia Concepción.
 Tunisia, Djerba Island, Ajim.
 Philippines.
 Philippines, Manila Bay, in muddy sand at ±60 feet depth.
 Canary Islands, N. Fuerteventura, Corralejo, under rocks.
 Tunisia, El Kantara.
 Italy, Sicily, Siracusa.
 Florida, Carl Johnson Park.
 Florida, Marco Island.
 Florida, Key Biscayne, 25°43'36"N; 80°08'52"W, during ebb.
 Florida, Lover's Key.
 Florida, Marco Island, Tigertail Beach. Live in mud on algae bottom.
 Australia, Western Australia, Cockburn Sound, intertidal sand.
 Australia, Western Australia, Rockingham.
 Panama, Goberanadora Island.
 Australia, Western Australia, Shark Bay, 6-10 feet deep, in sand.
 Panama.
 The Gambia, Bakau. Atlantic Ocean.
 The Gambia, Koldi. Atlantic Ocean.
 Thailand, Phuket, ±2 hours by boat from Rawai, Raya Island.

Philippines.
 Indonesia, off the northeastern coast of Java, Madura Island.
 Philippines, Cebu Island.
 Australia, Western Australia, Broome.
 Philippines.
 Thailand, Phuket.
 Philippines, Bohol, close to Panglao, Balicasag Island.

Price Range

€ 0,40
 € 1,00 t/m € 1,30
 € 1,00
 € 2,00
 € 0,50 t/m € 1,00
 € 4,50

 € 0,80
 € 0,70
 € 0,80 t/m € 1,80
 € 1,00
 € 0,50
 € 0,20
 € 0,50
 € 1,00
 € 1,80
 € 0,80
 € 1,00
 € 1,00
 € 2,30
 € 2,00
 € 2,00
 € 1,30 t/m € 1,80
 € 3,00
 € 1,00
 € 2,00
 € 0,80 t/m € 2,50

 € 3,50
 € 2,50 t/m € 3,50
 € 3,50
 € 7,00 t/m € 9,50
 € 3,80 t/m € 4,80
 € 1,00 t/m € 2,50
 € 1,50 t/m € 2,80

		Price Range
Semicassis bisulcata f. japonica (Reeve, 1848).	Philippines, Siasi, Sulu Sea, from fisherman. 25 mm - 30 mm	€ 3,30
Semicassis bisulcata f. japonica (Reeve, 1848).	Japan.	€ 2,00
Semicassis bisulcata (Schubert & Wagner, 1829).	Philippines, Palawan Island.	€ 2,30
Semicassis bisulcata (Schubert & Wagner, 1829).	Japan, Aichi Prefecture (Aichi-ken), Mikawa.	€ 1,30
Semicassis bisulcata (Schubert & Wagner, 1829).	Philippines, Bohol, close to Panglao, Balicasag Island.	€ 1,00 t/m € 2,00
Semicassis bisulcata (Schubert & Wagner, 1829).	Philippines.	€ 1,30 t/m € 1,80
Semicassis bisulcata (Schubert & Wagner, 1829).	India, Tamil Nadu, Tuticorin.	€ 1,80
Semicassis bisulcata (Schubert & Wagner, 1829).	Taiwan, southwest, 20-40 fathoms deep.	€ 2,50
Semicassis bisulcata (Schubert & Wagner, 1829).	Philippines.	€ 2,00 t/m € 3,00
Semicassis bisulcata (Schubert & Wagner, 1829).	Fiji Island.	€ 3,00
Semicassis bulla bulla Habe, 1961.	Japan, Aichi Pref., Mikawa. 30-50 fms.	€ 4,00
Semicassis canaliculata (Bruguère, 1792).	India, Madras.	€ 3,00
Cassis cornuta (L., 1758).	Philippines. Older specimen	€ 25,00
Cassis cornuta (L., 1758). Juvenile	Philippines, Cebu Island, Mactan Island.	€ 3,50 t/m € 9,50
Cassis cornuta (L., 1758).	Philippines, Cebu Island.	€ 6,00 t/m € 47,50
Cassis cornuta (L., 1758). Juvenile	Philippines.	€ 3,50
Galeodea echinophora f. adriatica (Coen, 1914).	Mediterranean Sea.	€ 3,50
Galeodea echinophora (L., 1758).	Spain, Benicarló, Mediterranean Sea.	€ 1,30 t/m € 1,80
Galeodea echinophora (L., 1758).	Italy, Formia.	€ 3,50
Galeodea echinophora (L., 1758).	Italy, Formia.	€ 3,50
Casmaria erinacea erinacea (L., 1758).	W. Zanzibar, M'Changa Mle, at low tide in sand pockets.	€ 1,30
Casmaria erinacea erinacea (L., 1758).	Thailand, Phuket.	€ 2,50
Casmaria erinacea erinacea (L., 1758).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 2,00
Casmaria erinacea erinacea (L., 1758).	Philippines, Bohol Island.	€ 2,30
Casmaria erinacea erinacea f. vibex (L., 1758).	Philippines.	€ 2,00
Casmaria erinacea erinacea f. vibex (L., 1758).	Philippines, Bohol, close to Panglao, Balicasag Island.	€ 1,50
Casmaria erinacea erinacea f. vibex (L., 1758).	Philippines.	€ 0,75 t/m € 1,50
Casmaria erinacea erinacea f. vibex (L., 1758).	Zanzibar, East Africa. Indian Ocean.	€ 1,50
Casmaria erinacea erinacea f. vibex (L., 1758).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 0,70 t/m € 3,00
Semicassis faurotis (Jousseaume, 1888).	Somalia, Mogadishu, East Africa, trawled in deep water.	€ 10,00
Semicassis faurotis (Jousseaume, 1888).	Somalia, East Africa. Indian Ocean.	€ 8,00
Cassis fimbriata Quoy & Gaimard, 1833.	Australia, Western Australia, Albany. On sand and weeds at 3 m deep.	€ 45,00
Cassis fimbriata Quoy & Gaimard, 1833.	South Australia, Port Lincoln.	€ 30,00
Cassis fimbriata Quoy & Gaimard, 1833.	Australia, South Australia, Victor Harbour.	€ 45,00
Cassis fimbriata Quoy & Gaimard, 1833.	South Australia, Edinburgh. In sand low tide.	€ 30,00

		Price Range
Cassis flammea (L., 1758). Juvenile	Aruba, Lesser Antilles Islands.	€ 4,00
Phalium flammiferum (Röding, 1798).	Japan.	€ 7,50
Phalium flammiferum (Röding, 1798).	Japan / Taiwan.	€ 2,50 t/m € 6,00
Phalium flammiferum (Röding, 1798).		€ 7,00
Phalium flammiferum (Röding, 1798).		€ 6,50
Phalium glaucum (L., 1758).	Philippines.	€ 1,50 t/m € 2,50
Phalium glaucum (L., 1758).	Indo-Pacific.	€ 7,50
Phalium glaucum (L., 1758).	Thailand, Phuket.	€ 1,00 t/m € 2,50
Phalium glaucum (L., 1758).	Indonesia, Moluccas Islands.	€ 3,00
Phalium glaucum (L., 1758).	India.	€ 4,00
Semicassis granulata granulata (Born, 1778).	Florida.	€ 2,00
Semicassis granulata granulata (Born, 1778).	Bahamas, Green Turtle Cay Island.	€ 2,50 t/m € 3,80
Semicassis granulata granulata (Born, 1778).	Venezuela, Falcón, Paraguaná Peninsula, El Pico, 1 metre deep.	€ 3,80
Semicassis granulata granulata (Born, 1778).	Panama, Medidora Island, 240 feet deep, dredged.	€ 3,80
Semicassis granulata granulata (Born, 1778).	Gulf of Mexico.	€ 2,30
Semicassis granulata granulata (Born, 1778).		€ 2,00
Semicassis granulata granulata (Born, 1778).	Venezuela, Falcón, Paraguaná Peninsula.	€ 2,00
Semicassis granulata undulata (Gmelin, 1791).	Spain, Benicarló. Trawled by fisherman.	€ 2,50
Semicassis granulata undulata (Gmelin, 1791).	Spain, Marbella.	€ 2,00 t/m € 3,80
Semicassis granulata undulata (Gmelin, 1791).	Spain, Canary Islands, Tenerife.	€ 3,80
Semicassis granulata undulata (Gmelin, 1791).	Mediterranean Sea.	€ 2,00
Semicassis granulata undulata (Gmelin, 1791).	Italy, Anzio. Fished.	€ 3,50
Echinophoria kurodai (Abbott, 1968).	Australia, Western Australia. By fisherman off Scott Reef. ± 450 m deep.	€ 10,00
Semicassis labiata iheringi (Carcelles, 1953).	Brazil, Santa Catarina, Itajai. Trawled at 50-70 metres.	€ 18,00
Semicassis labiata zeylanica f. iredalei (Bayer, 1935).	South Africa, Natal province, Durban.	€ 12,50
Semicassis labiata zeylanica f. iredalei (Bayer, 1935).	South Africa, Cape Province, Jeffreys Bay.	€ 5,00
Semicassis labiata zeylanica f. iredalei (Bayer, 1935).	South Africa, Cape Province, False Bay.	€ 5,00
Cassis madagascariensis Lamarck, 1822.	Caribbean area.	€ 35,00
Galeodea nipponica (Sakurai & Habe, 1961).	Australia, Western Australia. Off Port Hedland. ± 450 metres deep.	€ 12,00
Casmaria ponderosa nipponensis Abbott, 1968.	Japan, Aichi Prefecture (Aichi-ken), Mikawa.	€ 2,50
Semicassis pyrum (Lamarck, 1822).	New Zealand, Leigh. Offshore, 24 m deep on a rock and gravel bottom.	€ 7,50
Semicassis pyrum (Lamarck, 1822).	Australia, Tasmania.	€ 5,00
Semicassis pyrum (Lamarck, 1822).	New Zealand, South Island, Otago Peninsula, off Dunedin.	€ 1,50 t/m € 3,00
Semicassis pyrum (Lamarck, 1822).	Australia, New South Wales, Port Jackson. Fished.	€ 5,50
Cypraecassis rufa (L., 1758).	Madagascar, Toliara (Tulear) region, south-west coast.	€ 7,50 t/m € 22,50

		Price Range
Galeodea rugosa (L., 1758).	Portugal, Algarve.	€ 3,50
Galeodea rugosa (L., 1758).	Mediterranean Sea.	€ 5,00
Semicassis semigranosum (Lamarck, 1822).	Tasmania.	€ 4,00
Cassis tessellata (Gmelin, 1791).	Senegal, West Africa.	€ 25,00 t/m € 45,00
Cypraecassis testiculus testiculus (L., 1758). With an octopus microphole.	Brazil, Ceará, Camocim. Collected on octopus pots at 20-25 metres deep.	€ 4,50 t/m € 5,50
Cypraecassis testiculus testiculus (L., 1758).	Barbados, West Indies, 3-6 feet deep, on coral/rubble.	€ 6,50
Cypraecassis testiculus testiculus (L., 1758).	Curacao.	€ 2,75
Cassis tuberosa (L., 1758).		€ 20,00 t/m € 27,50
Cassis tuberosa (L., 1758).	Brazil.	€ 30,00
Cassis tuberosa (L., 1758). Juveniel.	Brazil, Ceará, Camocin. Collected at 25-40 metres on rocky bottom.	€ 10,00
Echinophoria wyvillei (Watson, 1886).		€ 25,00
Cerithiidae		
Pseudovertagus aluco (L., 1758).	Philippines.	€ 0,80
Pseudovertagus aluco (L., 1758).	Indonesia, Bali.	€ 1,20
Rhinoclavis aspera (L., 1758).	Australia, Queensland, dredged in lagoon.	€ 1,30
Rhinoclavis aspera (L., 1758).	Thailand, Phuket, Raya Island, 25-30 metres deep.	€ 0,80 t/m € 1,30
Rhinoclavis aspera (L., 1758).	Solomon Islands, Malaita, Ataa.	€ 0,80
Rhinoclavis aspera (L., 1758).	Philippines, Bohol, close to Panglao, Balicasag Island.	€ 0,50
Rhinoclavis aspera (L., 1758).	South East Arabia, Gulf of Oman.	€ 0,50 t/m € 0,80
Cerithium atratum (Born, 1778).	Florida, St.Persburg, Tampa Bay, on oyster bar on mud.	€ 1,00
Cerithium atratum (Born, 1778).	Florida.	€ 2,00
Cerithium atratum (Born, 1778).	Florida, Palm Beach, Phil Foster Park, 6-10 feet deep, sand/mud.	€ 1,30
Clypeomorus batillariaeformis Habe & Kosuge, 1966.	Mozambique, Nacala Bay area, shallow water. 13 mm	€ 2,00
Clypeomorus bifasciata (Sowerby II, 1855).	Indonesia, Java, Tandjong Priok.	€ 0,80
Clypeomorus bifasciata (Sowerby II, 1855).	Red Sea, Egypt, Safaga.	€ 0,80
Clypeomorus bifasciata (Sowerby II, 1855).	Philippines.	€ 3,00
Clypeomorus bifasciata (Sowerby II, 1855).	Philippines, Bohol, close to Panglao, Balicasag Island.	€ 0,50
Clypeomorus bifasciata (Sowerby II, 1855).	West coast Malaysia, Port Dickson.	€ 0,80
Clypeomorus bifasciata (Sowerby II, 1855).	Thailand, Phuket, ±2 hours by boat from Rawai, Raya Island.	€ 1,50
Rhinoclavis bretteghami (Cernohorsky, 1974).	Australia, Queensland, North West Reef.	€ 1,30
Cerithium caeruleum Sowerby, 1855.	Arabian Sea.	€ 1,50
Cerithium caeruleum Sowerby, 1855.	Red Sea, Egypt, Safaga.	€ 1,50
Cerithium caeruleum Sowerby, 1855.	Philippines, Bohol, close to Panglao, Balicasag Island.	€ 0,50
Cerithium caeruleum Sowerby, 1855.	Red Sea, Egypt, 17 km south of Hurghada.	€ 0,50 t/m € 1,30

		Price Range
Cerithium caeruleum Sowerby, 1855.	West Zanzibar, Bawé Island, low tide by the millions.	€ 0,80
Cerithium caeruleum Sowerby, 1855.	Kenya, Mombasa Reef. East Africa.	€ 1,30
Cerithium citrinum Sowerby, 1855.	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 2,00
Cerithium columna Sowerby, 1834.	Thailand, Phuket.	€ 0,80
Cerithium columna Sowerby, 1834.	Red Sea, Egypt, 5 km south of Safaga, reef near coast.	€ 0,80
Cerithium columna Sowerby, 1834.	Southwest Taiwan. Trawled by local fisherman off coast.	€ 0,80
Clypeomorus coralium (Kiener, 1841).	Philippines, Bohol, close to Panglao, Balicasag Island.	€ 0,50
Clypeomorus coralium (Kiener, 1841).	Philippines, S.W. Mindanao, Zamboanga.	€ 1,30 t/m € 1,80
Cerithium eburneum Bruguière, 1792.	Bahamas.	€ 2,00
Cerithium eburneum Bruguière, 1792.	Bahamas, Eleuthera Island, Cape Eleuthera, 3-20 feet deep, dived.	€ 1,30
Cerithium echinatum (Lamarck, 1822).	Thailand, Phuket.	€ 1,50
Cerithium echinatum (Lamarck, 1822).	French Polynesia, Society Islands, Tahiti.	€ 1,50
Cerithium echinatum (Lamarck, 1822).	Thailand, Phuket.	€ 1,50
Cerithium echinatum (Lamarck, 1822).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 2,50
Rhinoclavis fasciata (Bruguière, 1792).	Mozambique, Baixo Pinda, caught by local fishermen.	€ 1,30 t/m € 2,50
Rhinoclavis fasciata (Bruguière, 1792).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 1,00 t/m € 2,50
Rhinoclavis fasciata (Bruguière, 1792).	Philippines, Samar Island.	€ 1,50
Rhinoclavis fasciata (Bruguière, 1792).	Australia, Queensland, Fitzroy Lagoon.	€ 1,50
Rhinoclavis kochi (Philippi, 1848).	Japan, Honshu Island, Tsuyazaki.	€ 0,30
Rhinoclavis kochi (Philippi, 1848).	Egypt, South Sinai, Dahab. Gulf of Aqaba.	€ 0,80
Cerithium litteratum (Born, 1778).	Bahamas, Green Turtle Cay Island.	€ 0,50 t/m € 1,00
Cerithium litteratum (Born, 1778).	The Grenadines Islands, Windward Islands, Caribbean.	€ 0,50
Cerithium litteratum (Born, 1778).	Florida, Miami.	€ 0,50
Rhinoclavis matukense (Watson, 1880).	Thailand.	€ 3,00
Rhinoclavis matukense (Watson, 1880).	Philippines, Bohol, close to Panglao, Balicasag Island.	€ 1,30 t/m € 7,50
Cerithium muscarum Say, 1832.	Florida, Gulf of Mexico, Sanibel Island.	€ 1,00
Pseudovertagus nobilis (Reeve, 1855).	Philippines, Balicasag Island, near Panglao, Bohol.	€ 7,50 t/m € 9,00
Cerithium nodulosum (Bruguière, 1792).	Egypt, South Sinai, Dahab. Gulf of Aqaba.	€ 2,00
Cerithium nodulosum (Bruguière, 1792).	Fiji, Mamanuca Groep, Mana Island, ebb, seaweed/coral/sand.	€ 2,80
Cerithium nodulosum (Bruguière, 1792).	Thailand, Phuket, Raya Island, 25-30 metres deep.	€ 1,30
Cerithium nodulosum (Bruguière, 1792).	Tanzania, Zanzibar, East Africa.	€ 1,00
Cerithium nodulosum (Bruguière, 1792).	Philippines, Bohol, close to Panglao, Balicasag Island.	€ 2,50
Cerithium rupestre Risso, 1826.	France, Cannes.	€ 0,80
Cerithium rupestre Risso, 1826.	Yugoslavia.	€ 0,80
Cerithium rupestre Risso, 1826.	Italy, Aluchese, near Livorno. Spiny form, maybe another sp. 11 mm	€ 1,30

Price Range**Colubrariidae**

Colubraria castanea	Kuroda & Habe, 1952.	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 8,00 t/m € 15,00
Colubraria muricata	(Lightfoot, 1786).	Philippines.	€ 7,50
Colubraria muricata	(Lightfoot, 1786).	Philippines, Samar Island.	€ 2,50 t/m € 5,00
Colubraria muricata	(Lightfoot, 1786).	Thailand, Phuket.	€ 6,00 t/m € 8,00
Colubraria muricata	(Lightfoot, 1786).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 5,00 t/m € 12,50
Colubraria nitidula	(Sowerby, 1833).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 4,00
Colubraria souverbii	(Reeve, 1844).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 2,00
Colubraria souverbii	(Reeve, 1844).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 7,50 t/m € 17,50
Colubraria spec.	.	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 5,00 t/m € 7,50

Columbellidae

Strombina angularis	(Sowerby, 1832).	Panama.	€ 3,50
Amphissa columbiana	Dall, 1916.	SE Alaska, U.S.A., Mitkof Island, Petersburg Harbour, at a 4 foot tide.	€ 2,50
Strombina dorsata	(Sowerby, 1832).	Panama.	€ 3,20
Strombina elegans	(Sowerby, 1832).	Panama.	€ 5,00
Pyrene fasciata	(Sowerby I, 1825).	Indonesia.	€ 4,50
Pyrene fasciata	(Sowerby I, 1825).	Indonesia.	€ 1,50
Pyrene fasciata	(Sowerby I, 1825).	Indonesia, Madura Island.	€ 1,50
Pyrene flava filmerae	(Sowerby, 1900).	South Africa, Transkei Bantu Homeland, Coffee Bay.	€ 1,00
Pyrene flava filmerae	(Sowerby, 1900).	South Africa, Cape Province, Cape Town.	€ 1,00
Pyrene flava	(Bruguère, 1789).	Thailand, Phuket, Raya Island, 25-30 metres deep.	€ 0,80
Pyrene flava	(Bruguère, 1789).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 1,00
Pyrene flava	(Bruguère, 1789).	Thailand, Phuket.	€ 0,80
Anachis fluctuata	(Sowerby, 1832).	Panama, Punta Calafata.	€ 1,30
Mazatlania fulgurata	(Philippi, 1846).	Panama, Gobernadora Island, Veraguas Prov., sand, low tide. 15 mm	€ 3,00
Columbella fuscata	Sowerby, 1832.	Panama, Cebaco Island. Pacific.	€ 1,50
Columbella fuscata	Sowerby, 1832.	Galápagos Archipelago, Fernandina Island.	€ 1,75 t/m € 2,50
Strombina fusinoidea	Dall, 1916.	Panama, Secas Island. Pacific. Dredged at 60-120 feet deep.	€ 6,50
Strombina fusinoidea	Dall, 1916.	Panama.	€ 6,00
Columbella haemastoma	Sowerby, 1832.	Mexico, Gulf of California, Bahia Concepción.	€ 3,50
Anachis lafresnayi	(Fischer & Bernardi, 1856).	Florida, Mayport.	€ 1,30
Mitrella ligula	(Duclos, 1840).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 0,50
Mitrella ligula	(Duclos, 1840).	Philippines.	€ 1,50
Mitrella ligula	(Duclos, 1840).	Philippines.	€ 0,80
Mitrella ligula	(Duclos, 1840).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 0,50

		Price Range
Anachis lyrata (Sowerby, 1832).	Panama, Gulf of Panamá, San Carlos.	€ 2,00
Strombina maculosa (Sowerby, 1832).	Mexico, Baja California (state), San Jose del Cabo.	€ 1,50
Columbella major Sowerby, 1832.	Panama, dived, 6 feet deep.	€ 1,00
Columbella mercatoria (L., 1758).	Venezuela.	€ 2,00
Columbella mercatoria (L., 1758).	The Grenadines Islands, Windward Islands, Caribbean.	€ 2,80
Columbella mercatoria (L., 1758).	Caribbean area.	€ 2,00
Anachis miser (Sowerby, 1844).	Philippines.	€ 1,00
Anachis miser (Sowerby, 1844).	Australia, Queensland, Cairns.	€ 1,30
Anachis miser (Sowerby, 1844).	Australia, Queensland.	€ 2,50
Nitidella nitida (Lamarck, 1822).	Bonaire, Lesser Antilles Islands.	€ 1,30
Nitidella nitida (Lamarck, 1822).	The Grenadines Islands, Windward Islands, Caribbean.	€ 2,00 t/m € 2,30
Pyrene ocellata (Link, 1807).		€ 2,00
Mitrella ocellata (Gmelin, 1791).	The Grenadines Islands, Windward Islands, Caribbean.	€ 2,80
Pyrene ocellata (Link, 1807).	Indonesia, Irian Jaya.	€ 1,50
Mitrella ocellata (Gmelin, 1791).	Thailand, Phuket, Raya Island, 25-30 metres deep.	€ 1,30
Pyrene ocellata (Link, 1807).	Philippines.	€ 0,20
Pyrene punctata (Bruguière, 1789).	Philippines, Mactan Island.	€ 0,50
Pyrene punctata (Bruguière, 1789).	Philippines, Cebu Island.	€ 1,50
Pyrene punctata (Bruguière, 1789).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 1,00 t/m € 2,00
Columbella rustica (L., 1758).	Rhodos, south of Plinthos, 1 metre deep in algae. 13 mm	€ 3,00
Columbella rustica (L., 1758).	Italy, Sardinia, C. Sferracavallo.	€ 1,00
Columbella rustica (L., 1758).	Tunisia, Lac de Bizerte.	€ 1,30
Columbella rustica f. striata Duclos.	Spain, Canary Islands, Fuerteventura.	€ 1,30
Columbella scripta (Lamarck, 1822).	Indonesia, Papua New Guinea, Biak.	€ 0,20
Columbella scripta (Lamarck, 1822).	Philippines, Bohol, close to Panglao, Balicasag Island.	€ 1,00
Columbella scripta (Lamarck, 1822).	Philippines.	€ 1,00
Columbella scripta (Lamarck, 1822).	Philippines.	€ 0,20
Pyrene splendidula (Sowerby III, 1894).	Thailand, Phuket, ±2 hours by boat from Rawai, Raya Island.	€ 0,50 t/m € 2,00
Pyrene splendidula (Sowerby III, 1894).	Philippines, Bohol, close to Panglao, Balicasag island.	€ 1,00
Pyrene splendidula (Sowerby III, 1894).	Thailand, Phuket.	€ 3,00
Pyrene testudinaria (Link, 1807).	Australia, Queensland, Gladstone Harbour.	€ 1,30
Pyrene testudinaria (Link, 1807).	Philippines, Bohol, close to Panglao, Balicasag Island.	€ 1,00
Strombina turrita (Sowerby, 1832).	Panama.	€ 4,50
Anachis varia (Sowerby, 1832).	Panama, Gulf of Panamá, San Carlos, El Palmar.	€ 2,50
Anachis varia (Sowerby, 1832).	Panama, Panamá City, Punta Calafata, Pacific.	€ 0,80

		Price Range
Anachis varia (Sowerby, 1832).	Panama, Las Perlas Islands, under stones in shallow water. 18 mm	€ 2,50 t/m € 3,30
Conidae		
Conus achatinus Gmelin, 1791.	Australia, Western Australia, Dampier Archipelago. In shallow water.	€ 5,00
Conus achatinus Gmelin, 1791.	Thailand, Phuket.	€ 8,50
Conus achatinus Gmelin, 1791.	India, Bay of Bengal, Andaman Islands.	€ 7,50
Conus achatinus Gmelin, 1791.	Australia, Western Australia. In shallow water.	€ 3,50
Conus amadis f. castaneofasciata Dautzenberg, 1937.	Thailand, Phuket.	€ 1,00 t/m € 5,00
Conus amadis f. castaneofasciata Dautzenberg, 1937.	Thailand, Ranong, near Birma, deep water, more than 70 metres deep.	€ 1,50 t/m € 8,50
Conus amadis Gmelin, 1791.	India, off Madras, trawled by fishing boat, 20-40 metres deep, on sand.	€ 3,50 t/m € 9,00
Conus amadis Gmelin, 1791.	Sri Lanka, Galle.	€ 2,00
Conus amadis Gmelin, 1791.	India, Tamil Nadu, Kottaipattinam. Trawled at 25-30 metres.	€ 7,00
Conus ammiralis ammiralis L., 1758.	Philippines, Cebu Island.	€ 3,50
Conus ammiralis ammiralis L., 1758.	Philippines, Mindanao Island, Davao.	€ 1,50 t/m € 5,00
Conus anemone Lamarck, 1810.	Australia, South Australia.	€ 4,50
Conus anemone Lamarck, 1810.	Australia.	€ 2,50
Conus aphrodite Petuch, 1979.	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 9,50
Conus araneosus araneosus Solander, 1786.	India, Ramaswaram, Bay of Bengal.	€ 9,50
Conus araneosus nicobaricus Hwass, 1792.	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 3,00 t/m € 6,50
Conus arenatus Hwass, 1792.	Thailand, Phuket.	€ 1,00 t/m € 2,50
Conus arenatus Hwass, 1792.	Philippines, Bohol, close to Panglao, Balicasag Island.	€ 1,50 t/m € 2,50
Conus arenatus Hwass, 1792.	Indonesia, West-Papua, Manokwari, in direction of Pasir Putih.	€ 1,20
Conus arenatus Hwass, 1792.	Indonesia, Madura Island.	€ 0,60
Conus arenatus Hwass, 1792.	Red Sea, Egypt, Sand Island.	€ 0,50 t/m € 3,50
Conus arenatus Hwass, 1792.	Philippines.	€ 1,80
Conus arenatus Hwass, 1792.	Indonesia, Bali.	€ 1,00
Conus armadillo Shikama, 1971.	Philippines, Mactan Island.	€ 12,00
Conus armadillo Shikama, 1971.	Philippines, Bohol island.	€ 10,00
Conus asiaticus asiaticus da Motta, 1985.	Taiwan.	€ 2,30
Conus augur Solander, 1786.	Madagascar Island, East Africa. Indian Ocean.	€ 5,50
Conus augur Solander, 1786.	Mozambique, East Africa. Indian Ocean.	€ 4,00 t/m € 5,00
Conus augur Solander, 1786.	Thailand, Phuket.	€ 6,00
Conus aulicus L., 1758.	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 5,00 t/m € 12,50
Conus aulicus L., 1758.	Thailand, Phuket.	€ 4,00 t/m € 12,50
Conus aulicus L., 1758.	Sri Lanka, Galle.	€ 6,00
Conus aureus paulucciae Sowerby III, 1877.	Réunion Island, Indian Ocean.	€ 10,00

		Price Range
Conus aurisiacus L., 1758.	Philippines, Bohol, Balicasag Island, tangle nets, 130-230metres.	€ 7,50
Conus australis australis Holten, 1802.	Taiwan.	€ 2,50 t/m € 3,00
Conus australis australis Holten, 1802.	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 2,50 t/m € 4,00
Conus australis australis Holten, 1802.	Japan.	€ 3,50
Conus bandanus Hwass, 1792.	Philippines.	€ 3,00 t/m € 5,00
Conus bandanus f. vidua Reeve, 1843.	Thailand, Phuket.	€ 2,00 t/m € 5,00
Conus bandanus f. vidua Reeve, 1843.	Madagascar, Toliara (Tulear). East Africa. Indian Ocean.	€ 4,50 t/m € 5,00
Conus barbieri Raybaudi Massilia, 1995.	Philippines, Bohol, close to Panglao, Balicasag Island.	€ 3,00
Conus barbieri Raybaudi Massilia, 1995.	Philippines, Leyte Island, Carigara Bay. 30 mm - 33 mm	€ 5,00
Conus barbieri Raybaudi Massilia, 1995.	Philippines, Samar, Calbayog area, from divers, 25 metres deep.	€ 2,50
Conus bengalensis (Okutani, 1968).	Gulf of Thailand, trawled at a depth of 200 metres deep. 116 mm	€ 125,00 t/m € 145,00
Conus bengalensis (Okutani, 1968).	Bay of Bengal (gulf), Asia. Fished.	€ 125,00
Conus betulinus L., 1758.	Philippines.	€ 6,50 t/m € 9,50
Conus betulinus L., 1758.	India, Tamil Nādu.	€ 6,50
Conus betulinus L., 1758.	Philippines.	€ 2,50
Conus betulinus f. zulu Petuch, 1979.	Madagascar, Toliara (Tulear) region. East Africa. Indian Ocean.	€ 9,50 t/m € 17,50
Conus betulinus f. zulu Petuch, 1979.	Madagascar Island, Indian Ocean.	€ 12,50
Conus blanfordianus Crosse, 1867.	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 2,00 t/m € 3,00
Conus bruguieresii Kiener, 1845.	Senegal, Dakar, north side of N'Gor, diving, 1-8 metres deep.	€ 11,50 t/m € 15,00
Conus brunneus Wood, 1828.	Panama, Cabaco Island. Snorkling 6/12 feet under coral.	€ 1,00
Conus bullatus L., 1758. A quality	Philippines, Bohol, close to Panglao, Balicasag Island.	€ 7,50 t/m € 12,50
Conus bullatus L., 1758. Defects	Philippines, Bohol, close to Panglao, Balicasag Island.	€ 2,00 t/m € 15,00
Conus capitaneus Fulton, 1938.	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 2,00 t/m € 3,50
Conus capitaneus f. ceciliae Crosse, 1858.	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 7,00 t/m € 9,50
Conus capitaneus L., 1758.	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 1,80
Conus capitaneus L., 1758.	Thailand, Phuket.	€ 0,75 t/m € 2,00
Conus capitaneus L., 1758.	Tanzania, East Africa. Indian Ocean.	€ 2,00
Conus characteristicus Fischer, 1807.	India, Cuddalore, trawled in 20 metre deep, muddy sand.	€ 6,00
Conus characteristicus Fischer, 1807.	Indo-West Pacific.	€ 9,50
Conus characteristicus Fischer, 1807. Growth series	Thailand, Phuket, ±2 hours by boat from Rawai, Raya Island.	€ 1,30 t/m € 2,50
Conus characteristicus Fischer, 1807.	Philippines.	€ 4,50
Conus characteristicus Fischer, 1807.	Thailand, Phuket, Raya Island, 25-30 metres deep.	€ 0,50 t/m € 6,00
Conus characteristicus Fischer, 1807.	India, Tamil Nādu, Madras [Chennai]. Dived.	€ 2,50
Conus catus Hwass, 1792.	French Polynesia, Marquesas Islands, Nuku Hiva Island, 1-3 metres deep.	€ 2,30 t/m € 3,30
Conus catus Hwass, 1792.	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 1,50

		Price Range
Conus catus Hwass, 1792.	Marquesas Islands, Atuona atoll.	€ 2,50
Conus catus Hwass, 1792.	Taiwan.	€ 3,00
Conus chaldaeus (Röding, 1798).	French Polynesia, Marquesas Isl., Atuona atoll.	€ 2,50
Conus chaldaeus (Röding, 1798).	Taiwan.	€ 0,50 t/m € 0,70
Conus chiangi (Azuma, 1972).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 15,00
Conus circumactus Iredale, 1929.	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 8,50 t/m € 12,50
Conus circumciscus Born, 1778.	Philippines, Mindanao Island, Davao.	€ 5,00 t/m € 9,00
Conus circumciscus Born, 1778.	Philippines, Cebu Island.	€ 3,50 t/m € 12,50
Conus circumciscus Born, 1778.	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 2,50 t/m € 12,50
Conus cloveri Walls, 1978. Synonym: C. soaresi	Senegal, Dakar, north side N'Gor, diving, 1-8 metres deep.	€ 5,50 t/m € 9,00
Conus cloveri Walls, 1978.	Senegal, Dakar, West Africa.	€ 5,00
Conus coccineus Gmelin, 1791.	Philippines, Bohol, close to Panglao, Balicasag Island.	€ 2,50
Conus coccineus Gmelin, 1791.	Philippines, Cebu, Mactan, Olonga Island. Dived, coral reef, 15-20 metres.	€ 7,50
Conus coccineus Gmelin, 1791.	Philippines, Mindanao Island, Zamboanga.	€ 3,00
Conus coccineus Gmelin, 1791.	Philippines.	€ 2,50 t/m € 3,80
Conus coffeae Gmelin, 1791.	Philippines.	€ 2,00
Conus comatosa Pilsbry, 1904. 2nd choice	Philippines, Bohol, close to Panglao, Balicasag Island.	€ 2,50
Conus consors Sowerby I, 1833.	Philippines.	€ 3,50
Conus consors Sowerby I, 1833.	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 2,50 t/m € 4,00
Conus corallinus Kiener, 1845.	Philippines, Bohol Island.	€ 5,00
Conus corallinus Kiener, 1845.	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 6,00 t/m € 7,50
Conus cordigera Sowerby II, 1866.	Philippines, Coron, Palawan Island, divers from Cebu, ±25 metres deep. 26 mm	€ 12,50
Conus cordigera Sowerby II, 1866.	Philippines.	€ 6,00
Conus cordigera Sowerby II, 1866.	Philippines, S. Palawan Island, Balabac Island. Dived at 15-30 m deep. 45 mm	€ 29,00
Conus coronatus Gmelin, 1791.	Taiwan, southwest.	€ 0,70
Conus coronatus Gmelin, 1791.	Kenya, Mombasa Reef. East Africa.	€ 1,00
Conus coronatus Gmelin, 1791.		€ 0,50
Conus coronatus Gmelin, 1791.	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 1,00
Conus couderti Bernardi, 1860.	The Grenadines Islands, Windward Islands, Caribbean.	€ 12,50
Conus couderti Bernardi, 1860.	The Grenadines Islands, Windward Islands, Caribbean.	€ 15,00
Conus crocatus f. thailandis da Motta, 1978.	Thailand, Phuket, ±2 hours by boat from Rawai, Raya Island.	€ 3,00 t/m € 27,50
Conus cuneolus Reeve, 1843.	Cape Verde Islands, Sal Island, Santa Maria, at low tide.	€ 4,80
Conus dalli Stearns, 1873.	Panama, Montijo Bay.	€ 6,50
Conus dalli Stearns, 1873.	Panama, Cebacu Island. Snorkling, 7-12 feet.	€ 4,50 t/m € 9,50
Conus daucus Hwass, 1792.	Aruba, Malmok, Lesser Antilles Islands.	€ 12,50

		Price Range
Conus dayriti Röckel & da Motta, 1983.	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 6,50 t/m € 12,50
Conus delanoyae Trovao, 1979.	Cape Verde, Boa Vista. 3-7 metres on rocks.	€ 5,00
Conus distans Hwass, 1792.	Thailand, Phuket.	€ 2,00 t/m € 4,00
Conus distans Hwass, 1792.	Philippines.	€ 2,00 t/m € 3,80
Conus dusaveli (Adams, 1872).	Philippines, Luzon Island, Polillo Island. Found on coral reef, 20 metres.	€ 55,00
Conus ebraeus L., 1758.	Thailand, Phuket, Raya Island, 25-30 metres deep.	€ 0,80 t/m € 1,30
Conus ebraeus L., 1758.	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 0,50 t/m € 2,00
Conus ebraeus L., 1758.	Indonesia, Moluccas Islands, Ambon Island, Latuhalat.	€ 1,00
Conus ebraeus L., 1758.	Kenya, near Mombasa, East Africa.	€ 0,80
Conus eburneus Hwass, 1792.	India, Tamil Nadu, Tuticorin.	€ 2,00 t/m € 3,00
Conus eburneus Hwass, 1792.	Indonesia, off the northeastern coast of Java, Madura Island.	€ 2,50
Conus eburneus Hwass, 1792.	New-Guinea, East New Britain.	€ 4,50
Conus eburneus Hwass, 1792.	Thailand, Phuket, Raya Island, 25-30 metres deep.	€ 0,80 t/m € 1,30
Conus eburneus Hwass, 1792.	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 1,50 t/m € 4,00
Conus eburneus Hwass, 1792.	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 1,00 t/m € 2,00
Conus eburneus Hwass, 1792.	Philippines, Sulu Archipelago.	€ 2,40
Conus eburneus f. polyglotta Weinkauff, 1874.	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 1,30 t/m € 2,50
Conus eburneus f. polyglotta Weinkauff, 1874.	Philippines, Davao.	€ 1,30 t/m € 2,50
Conus emaciatus Reeve, 1849.	Thailand, Phuket.	€ 6,50
Conus episcopatus da Motta, 1982.	Thailand, Phuket.	€ 2,00 t/m € 22,50
Conus ermineus Born, 1778.	West Africa.	€ 8,00
Conus ermineus Born, 1778.	Cape Verde Islands, Sao Tiago, Tarrafel, 2-8 m, under stones.	€ 3,80 t/m € 4,80
Conus ferrugineus Hwass, 1792.	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 2,00 t/m € 3,00
Conus figulinus L., 1758.	Madagascar, Fort Dauphin.	€ 9,50
Conus figulinus L., 1758.	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 0,50 t/m € 1,50
Conus figulinus L., 1758.	Malaysia, Sabah State, Labuan island.	€ 2,30
Conus flavidus Lamarck, 1810.	Red Sea, Egypt, Hurghada.	€ 0,50 t/m € 1,00
Conus flavidus Lamarck, 1810.	Philippines, Bohol, close to Panglao, Balicasag Island.	€ 1,50
Conus flavidus Lamarck, 1810.	Thailand, Phuket, Raya Island, 25-30 metres deep.	€ 1,00 t/m € 2,50
Conus flavidus Lamarck, 1810.	Red Sea, Egypt, Hurghada.	€ 0,80 t/m € 2,50
Conus flavidus Lamarck, 1810.	Solomon Islands. Pacific Ocean.	€ 3,00
Conus floridulus Adams & Reeve, 1848.	Philippines, Cebu Island, Mactan Island, Punta Engaño.	€ 4,80 t/m € 6,50
Conus floridulus Adams & Reeve, 1848.	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 3,00 t/m € 4,00
Conus frigidus Reeve, 1848.	Philippines.	€ 0,80 t/m € 1,30
Conus frigidus Reeve, 1848.	Thailand, Phuket.	€ 2,50

		Price Range
Conus furvus Reeve, 1843.	Philippines.	€ 0,80 t/m € 1,30
Conus furvus Reeve, 1843.	Philippines, Siasi, Sulu Sea, from fisherman. 30 mm	€ 2,00
Conus furvus Reeve, 1843.	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 1,00 t/m € 2,00
Conus generalis f. krabiensis da Motta, 1982.	Thailand, Phuket, Raya Island, 25-30 metres deep.	€ 1,50 t/m € 7,50
Conus generalis L., 1767.	Philippines, Bohol, close to Panglao, Balicasag Island.	€ 2,30
Conus generalis L., 1767.	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 4,00
Conus generalis L., 1767.	Philippines, Cebu Island, Mactan Island, Punta Engaño.	€ 2,00 t/m € 4,00
Conus genuanus L., 1758.	Senegal, Casamance, West Africa, 15-20 metres deep. 50 mm - 65 mm	€ 12,50 t/m € 35,00
Conus genuanus L., 1758.	Gabon.	€ 15,00
Conus genuanus L., 1758.	Cape Verde Islands, Sal Rei, Boavista. Nightdiving between 2 & 15 m deep.	€ 4,00 t/m € 7,50
Conus geographus L., 1758.	Indonesia, Banda Sea.	€ 6,50 t/m € 9,50
Conus geographus L., 1758.	Philippines, Cebu Island.	€ 2,30
Conus glans Hwass, 1792.	Indonesia, off the northeastern coast of Java, Madura Island.	€ 1,50 t/m € 2,50
Conus glans Hwass, 1792.	Philippines, Eastern Samar Island.	€ 2,50
Conus gloriamaris Chemnitz, 1777.	Philippines, Corregidor, found amongst corals, 5 metres deep.	€ 85,00 t/m € 110,00
Conus gloriamaris Chemnitz, 1777.	Philippines, Bohol, close to Panglao, Balicasag Island.	€ 5,00 t/m € 30,00
Conus gloriamaris Chemnitz, 1777.	Philippines, Bohol, close to Panglao, Balicasag Island.	€ 115,00
Conus granum Röckel & Fischröder, 1985.	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 2,50
Conus gubernator f. leehmani da Motta & Röckel, 1979.	India, Laccadive Islands.	€ 20,00
Conus gubernator Hwass, 1792.	Madagascar Island, East Africa. Indian Ocean.	€ 10,00 t/m € 12,50
Conus gubernator Hwass, 1792.	Madagascar, Toliara (Tulear). East Africa. Indian Ocean.	€ 9,50
Conus gubernator Hwass, 1792.	Zanzibar, East Africa. Indian Ocean.	€ 10,00
Conus guinaicus Hwass, 1792.	Senegal, N'Gor, West Africa.	€ 8,50
Conus hieroglyphus Duclos, 1833.	Aruba, Lesser Antilles Islands.	€ 3,50
Conus hybridus Kiener, 1845.	Senegal, Dakar, north side N'Gor, West Africa, diving, 1-8 metres deep.	€ 2,00 t/m € 5,00
Conus ichinoseana (Kuroda, 1956).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 9,50
Conus ichinoseana (Kuroda, 1956).	Philippines, Balicasag island, Bohol.	€ 9,50
Conus imperialis L., 1758.	Philippines.	€ 2,50 t/m € 3,50
Conus imperialis L., 1758.	Thailand, Phuket, ±2 hours by boat from Rawai, Raya Island.	€ 0,50 t/m € 3,50
Conus imperialis L., 1758.	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 1,00 t/m € 5,50
Conus inscriptus inscriptus Reeve, 1843.	Philippines.	€ 3,00
Conus ione Fulton, 1938.	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 4,00 t/m € 10,00
Conus ione Fulton, 1938.	Philippines, Bohol Island, Panglao. 56 mm	€ 12,50
Conus irregularis iberogermanicus Röckel, Rolan & Monteiro 1980.	Cape Verde Islands.	€ 17,50 t/m € 27,50
Conus janus Hwass, 1792.	Mozambique, East Africa. Indian Ocean.	€ 17,50

		Price Range
Conus janus Hwass, 1792.	Mozambique, North coast.	€ 17,50
Conus janus Hwass, 1792.	Madagascar. East Africa. Indian Ocean.	€ 6,50 t/m € 8,50
Conus kimioi (Habe, 1965).	Philippines, Cebu Island.	€ 3,50
Conus kinoshitai (Kuroda, 1956).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 5,00 t/m € 8,00
Conus kinoshitai (Kuroda, 1956).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 5,00 t/m € 8,00
Conus kinoshitai f. tamikoeae (Kuroda, 1956).	Philippines, Mindanao Island, Davao. 54 mm	€ 45,00
Conus kintoki Habe & Kosuge, 1970.	Philippines, Bohol Island, Panglao. 62 mm	€ 15,00
Conus kintoki Habe & Kosuge, 1970.	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 2,00 t/m € 17,50
Conus kintoki Habe & Kosuge, 1970.	Malaysia, Sabah. South China Sea. Trawled at 30-40 feet deep.	€ 13,50
Conus laterculatus Sowerby III, 1870.	Australia.	€ 3,50
Conus lenavati da Motta & Röckel, 1982.	Philippines, Cebu Island, Mactan Island, Punta Engaño. 47 mm	€ 10,00
Conus leopardus (Röding, 1798).	Philippines, Cebu.	€ 9,50
Conus leopardus (Röding, 1798).	Philippines, East Samar.	€ 3,80
Conus leopardus (Röding, 1798).	Kenya, East Africa. Coast.	€ 4,00
Conus lithoglyphus Hwass, 1792.	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 1,00 t/m € 2,00
Conus lithoglyphus Hwass, 1792.	Thailand, Phuket.	€ 1,00 t/m € 2,00
Conus litteratus L., 1758.	Papua New Guinea, Manus Province, Manus Island.	€ 6,00
Conus litteratus L., 1758.	Philippines.	€ 2,50 t/m € 5,00
Conus litteratus L., 1758.	Thailand, Phuket, Raya Island, 25-30 metres deep.	€ 1,50 t/m € 4,80
Conus lividus Hwass, 1792.	French Polynesia, Marquesas Islands, Nuku Hiva Island, 1-3 metres deep.	€ 1,50
Conus lividus Hwass, 1792.	Kenya, Kikambala, on sandy mud in shallow water.	€ 1,30
Conus lividus Hwass, 1792.	Indonesia, Moluccas Islands, Ambon Island.	€ 1,30
Conus lividus Hwass, 1792.	Thailand, Phuket.	€ 2,00 t/m € 3,50
Conus lividus Hwass, 1792.	Australia, Queensland, Townsville.	€ 2,00
Conus lividus Hwass, 1792.	Réunion Island, Indian Ocean.	€ 2,00
Conus lividus Hwass, 1792.	Philippines.	€ 0,50
Conus lividus Hwass, 1792.	Solomon Islands. Pacific Ocean.	€ 3,50
Conus longurionis Kiener, 1845.	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 5,00
Conus lorioisii Kiener, 1845.	India, Bay of Bengal, Tamil Nadu, Cuddalore.	€ 6,00
Conus lorioisii Kiener, 1845.	Sri Lanka, Nogombo.	€ 2,75 t/m € 5,00
Conus lorioisii Kiener, 1845.	India, Cuddalore.	€ 2,50 t/m € 3,00
Conus magus L., 1758.	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 2,50 t/m € 2,80
Conus magus L., 1758.	Philippines.	€ 1,80 t/m € 2,80
Conus maldivus Hwass, 1792.	Mozambique, East Africa. Indian Ocean.	€ 2,00
Conus marmoreus L., 1758.	Australia, Queensland, Langford Reef.	€ 2,00

		Price Range
Conus marmoreus L., 1758.	Philippines.	€ 2,50 t/m € 4,50
Conus mauricioi Coltro, 2004.	Brazil, Rio Grande Norte, dived at 10-20 metres deep.	€ 29,50
Conus memiae (Habe & Kosuge, 1970).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 2,50
Conus memiae (Habe & Kosuge, 1970).	Philippines, Bohol, close to Panglao, Balicasag Island.	€ 2,50
Conus mercator L., 1758.	Senegal, Dakar, north side N'Gor, diving, 1-8 metres deep.	€ 2,00 t/m € 6,50
Conus miles L., 1758.	Philippines.	€ 1,50 t/m € 2,50
Conus miles L., 1758.	Thailand, Phuket.	€ 1,00 t/m € 4,00
Conus miles L., 1758.	West Zanzibar, Mawe Island. East Africa. Indian Ocean	€ 6,50
Conus miles L., 1758.	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 1,00 t/m € 2,00
Conus miles L., 1758.	Thailand, Phuket, ±2 hours by boat from Rawai, Raya Island.	€ 1,30 t/m € 2,30
Conus miles L., 1758.	Solomon Islands, Pacific Ocean.	€ 2,50
Conus milneedwardsi clytospira Melvill & Standen, 1899. Special offer	India, Madras, from fisherman, trawled in deep water. 140 mm	€ 197,50
Conus mindanus mindanus Hwass, 1792. agassizii	Brazil, Espirito Santo, off Vitória, trawled, 35-38 metres deep. 40 mm - 42 mm	€ 22,50
Conus monile Hwass, 1792.	India, Cuddalore.	€ 3,50 t/m € 4,50
Conus monile Hwass, 1792.	Thailand, Phuket, Raya Island, 25-30 metres deep.	€ 1,30 t/m € 4,30
Conus mozambicus Hwass, 1789.	South Africa, Agulhas Bank.	€ 8,00
Conus mucronatus Reeve, 1843.	Philippines, Luzon Island, Tayabas Bay.	€ 5,00
Conus mucronatus Reeve, 1843.	Southwestern Taiwan.	€ 4,00
Conus mucronatus Reeve, 1843.	Philippines, Cebu Island, Mactan Island, Punta Engaño.	€ 6,50
Conus muriculatus Sowerby I, 1833.	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 1,50 t/m € 2,50
Conus mus Hwass, 1792.	Bonaire, Playa, Lesser Antilles.	€ 1,00 t/m € 2,00
Conus musicus Hwass, 1792.	Philippines, Bohol Island, close to Panglao, Balicasag Island.	€ 1,50
Conus musicus Hwass, 1792.	Taiwan.	€ 1,00
Conus musicus Hwass, 1792.	Thailand, Phuket.	€ 2,50
Conus mustelinus Hwass, 1792. Juvenile	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 1,00 t/m € 2,00
Conus mustelinus Hwass, 1792. Juvenile	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 0,50
Conus mustelinus Hwass, 1792.	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 1,00 t/m € 2,50
Conus natalis Sowerby II, 1857.	South Africa, Transkei, Coffee Bay area. Scuba. 25 m deep, live on reef.	€ 30,00
Conus neptunus f. colorovariegatus Kosuge, 1981.	Philippines, Mindanao Island, Balut Island. 60 mm	€ 45,00
Conus neptunus Reeve, 1843.	Philippines, Cebu Island.	€ 1,50 t/m € 5,00
Conus neptunus Reeve, 1843.	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 3,00 t/m € 8,50
Conus nielsenae reductaspiralis Walls, 1797.	Australia, Western Australia, trawled by Port Hedland. 36 mm - 39 mm	€ 17,50
Conus nielsenae reductaspiralis Walls, 1797.	Australia, Western Australia, Geraldton.	€ 10,00
Conus nussatella L., 1758.	Thailand, Phuket.	€ 0,80 t/m € 2,00
Conus nussatella L., 1758.	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 4,00 t/m € 6,50

		Price Range
Conus omaria Hwass, 1792.	Philippines.	€ 2,50 t/m € 4,30
Conus omaria Hwass, 1792.	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 1,50 t/m € 4,50
Conus orbignyi orbignyi Audouin, 1831.	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 5,00 t/m € 7,50
Conus pennaceus f. behelokensis Lauer, 1989.	Madagascar, Salary. From local fisherman.	€ 10,00
Conus pennaceus f. vezoi Korn, Niederhöfer&Blöcher,2000.	Madagascar, Fort Dauphin, by local fisherman.	€ 25,00 t/m € 27,50
Conus pertusus Hwass, 1792.	Philippines, Cebu Island, Mactan Island, Punta Engaño.	€ 4,80
Conus pertusus Hwass, 1792.	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 1,50 t/m € 4,50
Conus planorbis Born, 1778.	Mozambique, East Africa. Indian Ocean.	€ 2,50
Conus planorbis Born, 1778.	Philippines.	€ 2,50
Conus planorbis Born, 1778.	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 0,50 t/m € 4,00
Conus praecellens A. Adams, 1854.	Philippines, Cebu Island.	€ 1,00
Conus praecellens A. Adams, 1854.	Philippines, Luzon Island, Tayabas Bay.	€ 1,00 t/m € 1,80
Conus praecellens A. Adams, 1854.	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 1,00 t/m € 2,00
Conus princeps v. lineolatus Valenciennes.	West Panama, the Pearl Archipelago, Isla Pedro Gonzalez. Pacific Ocean.	€ 14,00
Conus pulcher Lightfoot, 1786.		€ 35,00
Conus pulcher Lightfoot, 1786.	S.W. Africa.	€ 17,50
Conus pulcher Lightfoot, 1786.	Senegal, West Africa.	€ 15,00
Conus pulcher Lightfoot, 1786.	West Africa.	€ 17,50
Conus pulcher Lightfoot, 1786. 2nd choice	West Africa.	€ 19,50
Conus pulcher Lightfoot, 1786.	Senegal, Petite Côte, Joal-Fadiouth. West Africa.	€ 9,00
Conus pulcher Lightfoot, 1786.	Senegal, West Africa.	€ 60,00 t/m € 75,00
Conus pulicarius pulicarius Hwass, 1792.	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 1,00
Conus purpurascens Sowerby I, 1833.	Mexico. West coast.	€ 6,50
Conus quercinus (Lightfoot, 1786).	Zanzibar, East Africa. Indian Ocean.	€ 3,80
Conus quercinus (Lightfoot, 1786).	Indo-Pacific.	€ 2,50
Conus quercinus (Lightfoot, 1786).	Indonesia, Bali.	€ 2,50
Conus quercinus (Lightfoot, 1786).	Philippines, Siasi, Sulu Sea. From fisherman.	€ 2,00
Conus quercinus (Lightfoot, 1786).	French Polynesia, Marquesas Islands, Nuku Hiva Island, 1-3 metres deep.	€ 1,80 t/m € 3,00
Conus radiatus Gmelin, 1791.	Philippines.	€ 3,00
Conus rattus Hwass, 1792.	Thailand, Phuket.	€ 1,20
Conus rattus Hwass, 1792.	Philippines, Bohol, close to Panglao, Balicasag Island.	€ 1,30 t/m € 3,50
Conus rattus Hwass, 1792.	Taiwan, southwest.	€ 1,30
Conus rattus Hwass, 1792.	Thailand, Phuket, Raya Island, 25-30 metres deep.	€ 1,00 t/m € 1,30
Conus rattus Hwass, 1792.	Kenya, Mombasa, East Africa.	€ 7,50
Conus rattus f. taitensis Hwass, 1792.	French Polynesia, Marquesas Islands, Nuku Hiva Island, 1-3 metres deep.	€ 3,00 t/m € 5,00

		Price Range
Conus regius Gmelin, 1791.	Florida, Pompano Beach, scuba in 15 feet, under rock rubble.	€ 9,50
Conus regius Gmelin, 1791.	Brazil, Ceará, Camocim. Collected on octopus pots at 20-25 metres deep.	€ 12,50 t/m € 29,50
Conus regius Gmelin, 1791.	Brazil, Recife (Pernambuco), deep water. 45 mm - 47 mm	€ 7,50
Conus regius Gmelin, 1791.	Lower Florida Keys, Looe Key.	€ 6,50
Conus regius Gmelin, 1791.	Aruba, Lesser Antilles Islands.	€ 17,50
Conus regius Gmelin, 1791.	Brazil, Ceará, Camocim. Collected at 25-40 metres on rocky bottom.	€ 17,50
Conus saecularis Melvill, 1898.	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 4,00 t/m € 7,50
Conus sanguinolentus Quoy & Gaimard, 1834.	Philippines.	€ 1,30 t/m € 2,80
Conus sanguinolentus Quoy & Gaimard, 1834.	Red Sea, Egypt, west coast Gulf of Suez, Marsa Abu, lagoon.	€ 0,80
Conus sanguinolentus Quoy & Gaimard, 1834. Colour form	French Polynesia, Marquesas Islands, Nuku Hiva Island, 1-3 metres deep.	€ 2,50
Conus sanguinolentus Quoy & Gaimard, 1834.	Red Sea, Egypt, Safaga.	€ 0,80 t/m € 1,80
Conus sazanka Shikama, 1970.	Philippines, Balicasag Island, near Panglao, Bohol.	€ 2,50 t/m € 7,50
Conus sieboldii Reeve, 1848.	Japan, Aichi Prefecture (Aichi-ken), Mikawa.	€ 10,00
Conus spirofilis Habe & Kosuge, 1970.	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 10,00
Conus sponsalis Hwass, 1792.	French Polynesia, Society Islands, Tahiti.	€ 1,50
Conus sponsalis Hwass, 1792.	Philippines.	€ 0,70 t/m € 0,90
Conus sponsalis Hwass, 1792.	Taiwan, southwest.	€ 0,90
Conus sponsalis Hwass, 1792.	Philippines, Siasi, Sulu Sea, from fisherman. 14 mm	€ 3,00
Conus sponsalis Hwass, 1792.	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 0,50
Conus spurius Gmelin, 1791.	Off Colombia, South America, 80 feet deep, dredged by trawler.	€ 5,00
Conus spurius Gmelin, 1791.	Florida.	€ 2,50 t/m € 4,00
Conus striatellus Link, 1807.		€ 1,50
Conus striatus f. floridus Sowerby, 1858.	Thailand, Phuket, ±2 hours by boat from Rawai, Raya Island.	€ 2,00 t/m € 6,50
Conus striatus L., 1758.	India, Tamil Nadu, Kilakkarai, dived.	€ 2,50 t/m € 5,00
Conus striatus L., 1758.	Philippines.	€ 3,00
Conus striatus L., 1758.	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 1,50 t/m € 7,50
Conus striatus L., 1758.	Madagascar, south coast, Fort Dauphin, in shallow water.	€ 4,50 t/m € 6,50
Conus striatus L., 1758.	Thailand, Phuket, ±2 hours by boat from Rawai, Raya Island.	€ 1,00 t/m € 5,00
Conus striolatus Kiener, 1854.	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 5,00
Conus sulcatus f. bocki Sowerby III, 1881.	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 1,80 t/m € 4,50
Conus sulcatus Hwass, 1792.	Philippines.	€ 5,00
Conus sulcatus f. samiae da Motta, 1982.	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 3,00 t/m € 5,50
Conus sulcatus f. samiae da Motta, 1982.	Philippines, Mactan Island.	€ 4,00
Conus sulcocastaneus Kosuge, 1981.	Philippines, Mindanao Island, Balut Island.	€ 3,50 t/m € 9,00
Conus sulcocastaneus Kosuge, 1981.	Philippines, Balicasag Island, near Panglao, Bohol, 130-230 metres deep.	€ 5,00

		Price Range
Conus suratensis Hwass, 1792.	Philippines, Cebu Island.	€ 3,80 t/m € 9,00
Conus telatus Reeve, 1848.		€ 12,00
Conus teramachii (Kuroda, 1956).	Madagascar, Mozambique Channel. East Africa. Indian Ocean.	€ 16,50
Conus terebra terebra Born, 1778.	Kenya, Mombasa.	€ 4,00
Conus terebra terebra Born, 1778.	Philippines, Marinduque Island.	€ 3,00
Conus terebra terebra Born, 1778.	Thailand, Phuket, Raya Island, 25-30 metres deep.	€ 1,00 t/m € 2,30
Conus terebra terebra Born, 1778.	India, Pamban.	€ 6,50
Conus tessulatus Born, 1778.	Philippines, Cebu Island.	€ 2,00 t/m € 4,50
Conus tessulatus Born, 1778.	Thailand, Phuket.	€ 1,00 t/m € 2,50
Conus tessulatus Born, 1778.	Philippines.	€ 4,50
Conus tessulatus Born, 1778.	Philippines.	€ 3,50
Conus tessulatus Born, 1778.	Red Sea, Egypt, Safaga.	€ 1,00 t/m € 1,30
Conus tessulatus Born, 1778.	Red Sea, Egypt, Safaga.	€ 0,50 t/m € 1,50
Conus tessulatus Born, 1778.	Sri Lanka, Trincomalee.	€ 4,50
Conus tessulatus Born, 1778.	Mexico, Santa Cruz Is. Sea of Cortez, Baja Calif. Sur. On sand, 50 feet.	€ 3,50
Conus tessulatus Born, 1778.	Japan, Okinawa, Tsuken-jima (island). From 10 meters, in sand among corals	€ 3,00
Conus tessulatus Born, 1778.	Philippines, Mindanao Isl., Zamboanga. 10-12 ft. In sand, grass & rubble.	€ 3,00
Conus tessulatus Born, 1778.	Philippines, Mindanao Island, Zamboanga.	€ 4,00
Conus tessulatus Born, 1778.	Japan, Wakayama prefecture, Minabe.	€ 2,50
Conus tessulatus Born, 1778.	Kenya, Mombasa, East Africa.	€ 1,50 t/m € 2,50
Conus tessulatus Born, 1778.	Philippines, Bohol, close to Panglao, Balicasag Island.	€ 1,50 t/m € 4,00
Conus tessulatus Born, 1778.	India, Rameswaram.	€ 2,50
Conus textile f. cholmondeleyi Melville, 1900.	Tanzania, Zanzibar, Unguja, Nungwi. By local fisherman, shallow water.	€ 5,00 t/m € 15,00
Conus textile L., 1758.	Taiwan.	€ 4,50 t/m € 7,50
Conus textile L., 1758.	Thailand, Phuket, Raya Island, 25-30 metres deep.	€ 0,50 t/m € 7,50
Conus textile L., 1758.	Taiwan, southwest.	€ 2,50
Conus textile f. verriculum Reeve, 1843.	SW Madagascar, Tulear region, Ifaty. From local collector.	€ 14,50
Conus thalassiarachus Sowerby I, 1834.	Philippines.	€ 5,00
Conus thalassiarachus Sowerby I, 1834.	Philippines, Palawan Island.	€ 4,00
Conus thalassiarachus Sowerby I, 1834.	Philippines, Palawan Island.	€ 3,50
Conus thalassiarachus Sowerby I, 1834.	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 2,00 t/m € 5,50
Conus thalassiarachus Sowerby I, 1834.	Philippines, Palawan Island.	€ 2,50 t/m € 4,00
Conus tinianus Hwass, 1792.	South Africa, Natal province.	€ 7,00
Conus tinianus Hwass, 1792.	South Africa.	€ 8,00
Conus tinianus Hwass, 1792.	South Africa, Cape Province, Jeffreys Bay.	€ 12,50

Conus tribblei tribblei Walls, 1977.
Conus tribblei tribblei Walls, 1977.
Conus tribblei tribblei Walls, 1977. Granulated form
Conus tulipa L., 1758.
Conus tulipa L., 1758.
Conus varius L., 1758.
Conus varius L., 1758.
Conus varius L., 1758.
Conus ventricosus Gmelin, 1791.
Conus ventricosus Gmelin, 1791.
Conus ventricosus Gmelin, 1791.
Conus venulatus v. *ateralbus* Kiener, 1845.
Conus venulatus v. *ateralbus* Kiener, 1845.
Conus vexillum vexillum Gmelin, 1791.
Conus vexillum vexillum Gmelin, 1791.
Conus vexillum vexillum Gmelin, 1791.
Conus victoriae victoriae Reeve, 1843.
Conus victoriae victoriae Reeve, 1843.
Conus vilpini Fischer & Bernardi, 1857.
Conus virgo L., 1758.
Conus virgo L., 1758.
Conus virgo L., 1758.
Conus virgo L., 1758.
Conus voluminalis Reeve, 1843. Colour form
Conus voluminalis Reeve, 1843.
Conus wakayamaensis f. *nereis* Petuch, 1979.
Conus zonatus Hwass, 1792.
Conus zonatus Hwass, 1792.

Coralliophilidae

Babelomurex armatus (Sowerby III, 1912).
Babelomurex armatus (Sowerby III, 1912).
Coralliophila bulbiformis (Conrad, 1837).
Coralliophila costularis (Lamarck, 1816).
Coralliophila costularis (Lamarck, 1816).
Babelomurex diadema (A. Adams, 1854).

Taiwan.
 Philippines, Bohol, close to Panglao, Balicasag Island.
 Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metre deep.
 Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.
 Philippines, Samar Island.
 Thailand, Phuket.
 Phuket.
 Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.
 Tunisia, Jerba Island.
 Tunisia, Jerba Island.
 Mediterranean Sea.
 Cape Verde Islands, Sal Island, nightdiving, 2-15 metres deep.
 Cape Verde Islands, Sal Island, nightdiving at 2-15 metres deep.
 Thailand, Phuket.
 Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.
 Philippines, Bohol Island.
 Australia, Western Australia, Broome. At night at low tide.
 Australia, Western Australia, Broome. At night at low tide.
 Brazil, off Santa Catarina State. Trawled at 300-400 m, from fishing ship.
 Kenya, Mombasa.
 Indonesia, West Java.
 Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.
 Thailand, Phuket, Raya Island, 25-30 metres deep.
 Philippines, Bohol island, Balicasag island. Tangle nets, 130-230 m deep.
 Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.
 Philippines, Bohol, close to Panglao, Balicasag Island.
 Thailand, Phuket, Raya Island, 25-30 metres deep.
 Thailand, Phuket.

Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.
 Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.
 Philippines, Samar Island.
 Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.
 Philippines, Samar Island.
 Japan, Kyoto.

Price Range

€ 9,50 t/m € 12,50
 € 2,50 t/m € 7,50
 € 1,00 t/m € 9,50
 € 4,00
 € 2,00
 € 2,00 t/m € 3,00
 € 2,00
 € 3,50 t/m € 9,50
 € 0,50
 € 1,30
 € 1,00
 € 17,50
 € 9,00 t/m € 10,00
 € 2,00 t/m € 8,00
 € 2,00 t/m € 6,50
 € 6,50
 € 3,50
 € 5,00
 € 45,00
 € 4,50 t/m € 7,50
 € 5,00
 € 1,50 t/m € 4,50
 € 0,50 t/m € 4,80
 € 1,50
 € 0,50 t/m € 2,50
 € 3,50 t/m € 4,80
 € 3,00 t/m € 5,00
 € 1,00 t/m € 5,00

€ 2,00 t/m € 3,00
 € 2,00
 € 2,00 t/m € 4,80
 € 1,00 t/m € 2,50
 € 6,00
 € 4,00

		Price Range
Babelomurex diadema (A. Adams, 1854).	Philippines, Bohol, close to Panglao, Balicasag Island.	€ 2,50 t/m € 3,80
Coralliophila erosa (Röding, 1798).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 2,00
Mipus eugeniae (Bernardi, 1853).	Japan.	€ 9,50
Mipus eugeniae (Bernardi, 1853).	Philippines, Balicasag Island, near Panglao, Bohol.	€ 1,00 t/m € 2,00
Babelomurex fearnleyi (Emerson & d'Attilio, 1965).	Philippines.	€ 6,00
Babelomurex fearnleyi (Emerson & d'Attilio, 1965).	Philippines, Cebu Island, Mactan Island, Punta Engaño.	€ 1,50 t/m € 3,00
Babelomurex fearnleyi (Emerson & d'Attilio, 1965).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 1,00 t/m € 5,00
Babelomurex finchii (Fulton, 1930).	Japan.	€ 5,00 t/m € 17,50
Babelomurex gemmatus (Shikama, 1966).	Philippines, Balicasag Island, near Panglao, Bohol, 130-230 metres deep.	€ 3,00 t/m € 3,80
Babelomurex gemmatus (Shikama, 1966).	Philippines, Bohol Island. 30 mm	€ 8,00
Babelomurex gemmatus (Shikama, 1966).	Philippines, Bohol Island.	€ 5,00
Mipus gyratus (Hinds, 1844).	Japan.	€ 5,00
Mipus gyratus (Hinds, 1844).	India, Madras.	€ 14,50
Mipus gyratus (Hinds, 1844).	Taiwan.	€ 3,00 t/m € 5,00
Babelomurex indicus (Smith, 1899).	Philippines, Balicasag Island, near Panglao, Bohol.	€ 7,50
Babelomurex japonicus (Dunker, 1882).	Taiwan.	€ 12,50 t/m € 17,50
Babelomurex japonicus (Dunker, 1882).	Philippines, Mactan Island.	€ 12,50
Babelomurex japonicus (Dunker, 1882).	Japan, Kii.	€ 2,50
Babelomurex japonicus (Dunker, 1882).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 1,50 t/m € 7,50
Latiaxis mawae (Griffith & Pidgeon, 1834).	South Japan, near Amami, Tokara area. Off Gajashima Island, 180-200 m.	€ 7,00 t/m € 9,50
Latiaxis mawae (Griffith & Pidgeon, 1834).	Taiwan.	€ 3,00
Babelomurex nakayasui (Shikama, 1970).	Philippines, Bohol, close to Panglao, Balicasag Island.	€ 7,50 t/m € 12,50
Coralliophila neritoidea (Lamarck, 1816).	Thailand, Phuket, Raya Island, 25-30 metres deep.	€ 1,00
Coralliophila neritoidea (Lamarck, 1816).	Philippines, Cebu Island, Olango Island.	€ 7,50
Coralliophila neritoidea (Lamarck, 1816).	Taiwan, southwest.	€ 1,00 t/m € 1,80
Coralliophila neritoidea (Lamarck, 1816).	Mozambique, Nacala By, local women, shallow water.	€ 1,30
Coralliophila neritoidea (Lamarck, 1816).	Japan, Wakayama, Minabe.	€ 2,50
Coralliophila neritoidea (Lamarck, 1816).	French Polynesia, Society Islands, Tahiti, 20 km east of Papeete.	€ 0,50
Coralliophila neritoidea (Lamarck, 1816).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 1,50 t/m € 2,50
Coralliophila neritoidea (Lamarck, 1816).	French Polynesia, Society Islands, Tahiti, 20 km east of Papeete.	€ 0,50
Babelomurex princeps (Melvill, 1912).	Taiwan, from fisherman of Kaoshiung. Very interesting shells.	€ 9,50
Babelomurex princeps (Melvill, 1912).	Philippines, Bohol, close to Panglao, Balicasag Island.	€ 4,50
Coralliophila radula (A. Adams, 1855).	Philippines, Bohol, Panglao.	€ 3,80 t/m € 5,00
Coralliophila radula (A. Adams, 1855).	Philippines, Cebu Island.	€ 2,50 t/m € 5,00
Coralliophila radula (A. Adams, 1855).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 2,50 t/m € 5,00

Coralliophila radula (A. Adams, 1855).
 Rapa rapa (L., 1758).
 Rapa rapa (L., 1758).
 Coralliophila rubrococcinea Melvill & Standen, 1901.
 Babelomurex spinosus (Hirase, 1908).
 Babelomurex spinosus (Hirase, 1908).
 Babelomurex takahashii (Kosuge, 1979).

Corbiculidae

Polymesoda bengalensis Lamarck, 1818.
 Corbicula fluminea (Müller, 1774).

Corbulidae

Corbula barrattiana C.B. Adams, 1852.
 Corbula erythrodon Lamarck, 1818.
 Corbula gibba (Olivi, 1792).
 Corbula gibba (Olivi, 1792).
 Corbula gibba f. rosea Brown, 1844.
 Lentidium mediterraneum (O.G. Costa, 1829).
 Corbula sulcata Lamarck, 1801.
 Corbula tumaca (Olsson, 1961).
 Corbula tumaca (Olsson, 1961).
 Corbula zelandica (Quoy & Gaimard, 1835).

Costellariidae

Vexillum acuminatum (Gmelin, 1791).
 Vexillum acuminatum (Gmelin, 1791).
 Vexillum albofulvum Herrmann, 2007.
 Vexillum chickcharneorum Lyons & Kaicher, 1978.
 Vexillum citrinum (Gmelin, 1791).
 Vexillum coccineum (Reeve, 1844).
 Vexillum coccineum (Reeve, 1844).
 Vexillum costatum (Gmelin, 1791).
 Vexillum crocatum (Lamarck, 1811).
 Vexillum curviliratum (Sowerby, 1874).
 Vexillum curviliratum (Sowerby, 1874).
 Vexillum curviliratum (Sowerby, 1874).
 Vexillum dennisoni (Reeve, 1844).

Philippines, Bohol Island, Panglao.
 Philippines.
 Philippines, Negros. Trawled at 20-25 metres.
 Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.
 Philippines, Bohol, close to Panglao, Balicasag Island.
 Taiwan.
 Philippines, Balicasag Island, near Panglao, Bohol, 130-230 metres deep.

Philippines, Bohol Island.
 The Netherlands, Amersfoort, Juliana canal.

Florida, off Bradenton, trawled at 100 feet.
 Japan.
 Italy, Cérvia.
 France, Brittany, Les Rosaires.
 Italy, Rimini.
 Italy, eastern, Ravenna, Lido di Spina.
 Senegal, near Dakar, off Hann, West Africa, taken at 5-10 metres deep.
 Panama, Kativa Island, trawled, 120-240 feet deep.
 Panama. Pacific Ocean.
 New Zealand, North Island, Thames Estuary, in mud, low tide.

Thailand, Phuket.
 Taiwan.
 Philippines.
 Bahamas, Great Guana Cay, Abaco, 10 feet deep, snorkel, under rubble.
 Philippines.
 Philippines.
 Taiwan, southwest.
 Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.
 Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.
 Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.
 Taiwan.
 India, Madras.
 Philippines, Bulan, Sorsogon Island, from local fisherman. 46 mm

Price Range

€ 3,80 t/m € 5,00
 € 11,00
 € 5,50
 € 1,00
 € 3,80 t/m € 9,00
 € 7,00
 € 3,00 t/m € 5,00

 € 0,80
 € 1,00

 € 2,50
 € 3,30
 € 0,30
 € 0,80
 € 0,40
 € 1,00
 € 4,30
 € 3,80
 € 3,00
 € 2,50

 € 1,50
 € 1,60
 € 2,50
 € 6,50
 € 2,50
 € 3,00
 € 1,50 t/m € 3,00
 € 5,00
 € 3,00 t/m € 4,00
 € 2,50 t/m € 5,00
 € 2,00
 € 3,00
 € 5,50 t/m € 9,50

		Price Range
Vexillum exasperatum (Gmelin, 1791).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 0,50 t/m € 2,50
Vexillum exasperatum (Gmelin, 1791).	Philippines, Cebu Island, Mactan Island.	€ 1,80
Vexillum filiareginae J. Cate, 1961.	Philippines, Mindanao Island, Davao.	€ 4,00
Vexillum filiareginae J. Cate, 1961.	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 3,50 t/m € 8,50
Vexillum filiareginae J. Cate, 1961.	Philippines, Palawan Island, Dumaran Island. On coral reef, 15-20 m deep.	€ 4,00
Vexillum filiareginae J. Cate, 1961.	Madagascar, south coast, Fort Dauphin region, shallow.	€ 8,50 t/m € 9,50
Vexillum formosense (Sowerby III, 1889).	Philippines.	€ 2,50
Vexillum formosense (Sowerby III, 1889).	Taiwan.	€ 2,50
Vexillum granosum (Gmelin, 1791).	Philippines.	€ 0,25
Vexillum granosum (Gmelin, 1791).	Philippines.	€ 2,00
Vexillum gruneri (Reeve, 1844).	Philippines, Bohol, close to Panglao, Balicasag Island.	€ 2,50
Vexillum leucodesmum (Reeve, 1845).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 7,50
Vexillum microzonias (Lamarck, 1811).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 6,00
Vexillum microzonias (Lamarck, 1811).	Philippines, Bohol, close to Panglao, Balicasag Island.	€ 6,00
Vexillum mirabile (Adams, 1853).	Philippines, Bohol, close to Panglao, Balicasag Island.	€ 7,50 t/m € 17,50
Vexillum mirabile (Adams, 1853).	Philippines.	€ 3,00
Vexillum pacificum (Reeve, 1845).	Mozambique, Nacala Bay area, in shallow water. Close to gem. 13 mm	€ 2,50
Vexillum patriarchalis (Gmelin, 1791).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 5,00 t/m € 7,50
Vexillum plicarium (L., 1758).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 1,50
Vexillum plicarium (L., 1758).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 1,00 t/m € 2,00
Vexillum plicarium (L., 1758).	Indonesia, Madura Island.	€ 0,80
Vexillum plicarium (L., 1758).	Philippines, Cebu Island.	€ 1,50
Vexillum pyropus Turner & Marrow, 2001.	Philippines, Bohol, close to Panglao, Balicasag Island.	€ 1,00
Vexillum radix (Sowerby, 1874).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 4,00
Vexillum rubrum (Broderip, 1836).	Philippines, Bohol, close to Panglao, Balicasag Island.	€ 1,50
Vexillum rubrum (Broderip, 1836).	Philippines, Bohol, close to Panglao, Balicasag Island.	€ 2,50
Vexillum rugosum (Gmelin, 1791).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 1,00
Vexillum rugosum (Gmelin, 1791).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 0,50
Vexillum rugosum (Gmelin, 1791).	Philippines.	€ 1,50 t/m € 1,80
Vexillum sanguisuga (L., 1758).	Philippines, Cebu Island, from local fisherman. 25 mm - 29 mm	€ 5,00
Vexillum sanguisuga (L., 1758).	Philippines, Bohol, close to Panglao, Balicasag Island.	€ 1,50
Vexillum sanguisuga (L., 1758).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 1,50 t/m € 3,00
Vexillum sanguisuga (L., 1758).	Philippines.	€ 1,80
Vexillum sanguisuga (L., 1758).		€ 2,50
Vexillum sculptile Reeve, 1845.	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 2,00 t/m € 4,50

		Price Range
Vexillum semicostatum (Anton, 1838).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 5,00
Vexillum subdivisum (Gmelin, 1791).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 4,00 t/m € 6,00
Vexillum subdivisum (Gmelin, 1791).	Philippines.	€ 4,00
Vexillum taeniatum (Lamarck, 1811).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 2,00
Vexillum takakuwai Cernohorsky & Azuma, 1974.	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 5,00
Vexillum unifasciale (Lamarck, 1811).	Philippines, Bohol, close to Panglao, Balicasag Island.	€ 2,00
Vexillum vulpecula (L., 1758).	Philippines, Bohol, close to Panglao, Balicasag Island.	€ 1,50
Vexillum vulpecula (L., 1758).	Philippines.	€ 1,50 t/m € 3,80
Vexillum vulpecula (L., 1758).	Thailand.	€ 1,60
Vexillum vulpecula (L., 1758).	Philippines.	€ 1,50
Vexillum weberi (Bartsch, 1918).		€ 9,00
Zierliana woldemarii (Kiener, 1838).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 2,00
Vexillum xenium Pilsbry, 1921.	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 4,00
Zierliana ziervogelii (Gmelin, 1791).	Philippines, Cebu Island, Mactan Island, Punta Engaño.	€ 5,00 t/m € 6,50
Zierliana ziervogelii (Gmelin, 1791).	Philippines, Mindanao Island, Balut Island, by tangle net. 25 mm	€ 5,00 t/m € 11,00
Crepidulidae		
Calyptraea chinensis (L., 1758).	Spain, Marbella. Large and small.	€ 1,00
Calyptraea chinensis (L., 1758).	France, Brittany, Roscoff.	€ 1,00
Calyptraea chinensis (L., 1758).	Spain, between Estepona and San Carlos de la Rápita.	€ 1,00
Calyptraea chinensis (L., 1758).	Spain, Malaga, trawled at 30-40 metres deep, on scallops. 14 mm	€ 1,80
Calyptraea extintorium v. morbidum Lamarck, 1822.	Thailand, Phuket.	€ 1,00
Calyptraea extintorium Lamarck, 1822.	Thailand, Penant.	€ 1,00
Crepidula fornicata (L., 1758).	The Netherlands, Zeeland, Yerseke.	€ 0,80 t/m € 3,00
Sigapatella novaezelandiae (Lesson, 1831).	New Zealand, Martin's Bay.	€ 0,50
Sigapatella novaezelandiae (Lesson, 1831).	New Zealand, North Island, Orewa Beach.	€ 1,25 t/m € 1,50
Crucibulum spinosum (Sowerby, 1824).	California.	€ 2,00
Crucibulum spinosum (Sowerby, 1824).	West Mexico. Gulf of California.	€ 2,00
Crucibulum spinosum (Sowerby, 1824).	Mexico, Loreto, Baja California Sur.	€ 0,80 t/m € 1,30
Crepidula walshi Reeve, 1859.	Indonesia, Bangka, Rambat.	€ 0,80 t/m € 1,30
Cucullaeidae		
Cucullaea labiata (Lightfoot, 1786).	Thailand, Phuket, ±2 hours by boat from Rawai, Raya Island.	€ 9,50
Cultellidae		
Ensis arcuatus (Jeffreys, 1865).	North Sea, Black Bank.	€ 1,30
Ensis arcuatus (Jeffreys, 1865).	Scotland, Strathclyde, Oban.	€ 1,00 t/m € 1,30
Siliqua costata Say, 1822.	Massachusetts, USA.	€ 1,00

Ensis directus (Conrad, 1843).
 Ensis ensis (L., 1758).
 Ensis ensis f. phaxoides van Urk, 1964.
 Ensis minor (Chenu, 1843).
 Ensis minor (Chenu, 1843).
 Siliqua patula (Dixon, 1788).
 Siliqua radiata (L., 1758).
 Siliqua radiata (L., 1758).
 Ensis siliqua (L., 1758).

Cypraeidae

Schilderia achatidea (Sowerby, 1837).
 Erosaria acicularis acicularis (Gmelin, 1791).
 Erosaria acicularis acicularis (Gmelin, 1791).
 Erosaria acicularis acicularis (Gmelin, 1791).
 Erosaria acicularis acicularis (Gmelin, 1791).
 Erosaria albuginosa (Gray, 1825).
 Erosaria albuginosa (Gray, 1825).
 Palmadusta androyensis Blocher & Lorenz, 1999.
 Palmadusta androyensis Blocher & Lorenz, 1999.
 Notocypraea angustata (Gmelin, 1791).
 Zonaria annettae annettae (Dall, 1909).
 Zonaria annettae annettae (Dall, 1909).
 Erosaria annulus (L., 1758).
 Erosaria annulus (L., 1758).
 Erosaria annulus (L., 1758).
 Erosaria annulus (L., 1758).
 Erosaria annulus (L., 1758).
 Erosaria annulus (L., 1758).
 Erosaria annulus (L., 1758).
 Erosaria annulus (L., 1758).
 Mauritia arabica arabica (L., 1758).
 Mauritia arabica arabica (L., 1758).
 Mauritia arabica arabica (L., 1758).
 Mauritia arabica asiatica Schilder & Schilder, 1939.
 Mauritia arabica asiatica Schilder & Schilder, 1939.

The Netherlands, Ameland.
 Schotland, Loch Arisaig.
 North Sea, Black Bank.
 The Netherlands, Texel Island.
 Italy, Vibo Valentia.
 Pacific Ocean, Mineral Beach, extreme low tide, 5-12 inches deep in sand.
 Thailand, Phuket.
 Thailand, Krabi Island, Aow Naang, on beach.
 Scotland, Isle of Skye, Broadford Bay.

Spain. € 10,00
 Brazil, Ceará, Camocim, collected on octopus at 25-35 metres. € 4,00
 Florida, off Boca Raton, 2 mile N. of Boca Inlet, scuba, 55 feet deep. € 2,50 t/m € 7,50
 Florida, Boca Raton, scuba, 60 feet deep, under dead coral rubble. € 7,00
 Florida, off Boca Raton, 2 miles NE of Boca Inlet, 55 feet deep. 25 mm € 7,00 t/m € 9,50
 Panama, Santiago, Bahia Montijo. € 4,60
 Panama, Cebaco Isl. Under coral slabs 6-12 feet. € 2,00 t/m € 3,00
 Southern Madagascar, Adroy. € 7,50
 Madagascar, near Fort Dauphin. € 5,00
 South Australia, Port MacDonnell. Under rocks at 6 feet. € 7,50
 Mexico. € 6,00
 Mexico, Baja California Sur (state), Santa Rosalía. € 4,50
 South Africa, Natal. € 0,50
 S. Zanzibar, Unguja Ukuu, East Africa. € 0,80
 Kenya, southern part of the coast. Very special specimens, all with a rostration on the siphonal canal, but not necessarily fishtail shape. 17 mm € 9,00 t/m € 12,50
 Kenya, Mombasa, Leven Reef. € 0,50 t/m € 0,80
 Tanzania, Zanzibar, Uroa Beach, East Africa. € 0,80
 Indonesia, Bali Island, Sanur Beach. € 0,20 t/m € 0,40
 Thailand, Phuket. € 0,80
 Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep. € 0,50 t/m € 2,50
 Philippines. € 1,00 t/m € 1,80
 Madagascar island, East Africa. Indian Ocean. € 7,50
 India, Goa. € 3,00
 Northern Sri Lanka. € 1,50 t/m € 1,80

Price Range

		Price Range
Mauritia arabica asiatica Schilder & Schilder, 1939.	Thailand, Phuket, Raya Island, 25-30 metres deep.	€ 1,50
Mauritia arabica immanis Schilder & Schilder, 1939.	Tanzania, Zanzibar, Unguja, Nungwi, East Africa. From local fisherman.	€ 5,50
Mauritia arabica immanis Schilder & Schilder, 1939.	Madagascar, south coast, Fort Dauphin region.	€ 7,50 t/m € 9,50
Mauritia arabica immanis Schilder & Schilder, 1939.	Madagascar Island, East Africa. Indian Ocean.	€ 7,50
Lyncina argus argus (L., 1758).	Vietnam.	€ 20,00
Lyncina argus argus (L., 1758).	Thailand, Phuket.	€ 4,50 t/m € 7,00
Lyncina argus argus (L., 1758).	Philippines.	€ 3,30 t/m € 5,50
Lyncina argus argus (L., 1758).	Indonesia, Java, South Coast.	€ 3,50
Lyncina argus contrastriata (Perry, 1811).	Madagascar Island, East Africa. Indian Ocean.	€ 3,50
Umbilia armeniaca (Verco, 1912). Trawled at 150-170 m.	S. Australia, Gr. Australian Bight, 60-70 km s. of cliffs, 127°-128° E.	€ 25,00 t/m € 45,00
Palmadusta asellus (L., 1758).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 1,00 t/m € 2,00
Palmadusta asellus (L., 1758).	Indonesia, Moluccas Islands, Ambon Island.	€ 1,00 t/m € 1,50
Palmadusta asellus (L., 1758).	Philippines, Samar, northeast coast, from devers. 14 mm	€ 1,00 t/m € 2,00
Palmadusta asellus (L., 1758).	Indonesia, Madura Island.	€ 1,50
Lyncina aurantium (Gmelin, 1791).	Philippines, Samar Island.	€ 45,00
Pustularia bistrinotata bistrinotata Schilder & Schilder, 1937.	Philippines, Samar, east coast, shallow:0,5 metre deep, ebb, rock holes.	€ 4,00
Pustularia bistrinotata bistrinotata Schilder & Schilder, 1937.	Philippines.	€ 3,80
Pustularia bistrinotata mediocris Schilder & Schilder, 1938.	Philippines, Palawan Island.	€ 4,00
Erosaria boivinii (Kiener, 1843).	Philippines.	€ 1,30
Erosaria boivinii (Kiener, 1843).	Japan.	€ 1,50
Erosaria boivinii (Kiener, 1843).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 1,50
Cypraeovula capensis (Gray, 1828).	South Africa, Ciskei, Gonubie.	€ 0,75
Erosaria caputdraconis (Melvill, 1888).	Easter Island.	€ 11,00
Erosaria caputdraconis (Melvill, 1888).	Chile, Easter Island, Hanga Roa. Collected on the coast.	€ 6,00
Erosaria caputdraconis (Melvill, 1888).	Chile, Easter Island, Hanga Roa. Surge area, shallow water.	€ 7,00 t/m € 11,00
Erosaria caputserpentis caputserpentis (L., 1758).	Tanzania, East Zanzibar, Uroa, East Africa.	€ 1,30
Erosaria caputserpentis caputserpentis (L., 1758).	Philippines, Samar Island.	€ 0,50
Erosaria caputserpentis caputserpentis (L., 1758).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 0,75
Erosaria caputserpentis caputserpentis (L., 1758).	India, Tamil Nadu, Tuticorin.	€ 1,30
Erosaria caputserpentis caputserpentis (L., 1758).	Tanzania, Zanzibar, Unguja. East Africa. From local fisherman.	€ 1,00
Erosaria caputserpentis caputserpentis (L., 1758).	Tanzania, East Zanzibar, Uroa Beach, East Africa, local fisherman.	€ 1,00
Erosaria caputserpentis caputserpentis (L., 1758).		€ 1,00
Erosaria caputserpentis caputserpentis (L., 1758).	Thailand, Phuket, Raya Island, 25-30 metres deep.	€ 1,00
Erosaria caputserpentis caputserpentis (L., 1758).	Sri Lanka, Koggala.	€ 0,60
Erosaria caputserpentis caputserpentis (L., 1758).	India, Laccadive Islands.	€ 0,50 t/m € 0,80

		Price Range
Lyncina carneola carneola (L., 1758).	Tanzania, East Zanzibar, Uroa, East Africa.	€ 1,50
Lyncina carneola carneola (L., 1758).	Red Sea, Egypt, Hurghada.	€ 0,80
Lyncina carneola carneola (L., 1758).	Djibouti, East Africa.	€ 3,30
Lyncina carneola carneola (L., 1758).	Thailand, Phuket, Raya Island, 25-30 metres deep.	€ 0,80 t/m € 1,30
Lyncina carneola carneola (L., 1758).	Tanzania, Zanzibar, Unguja, Nungwi. East Africa. From local fisherman.	€ 1,50
Lyncina carneola carneola (L., 1758).	India, Tamil Nadu, Tuticorin.	€ 1,80
Lyncina carneola carneola (L., 1758).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 0,50 t/m € 3,00
Erronea caurica caurica (L., 1758).	Philippines, Bohol, close to Panglao, Balicasag Island.	€ 0,50
Erronea caurica caurica (L., 1758).	Philippines.	€ 0,50 t/m € 1,50
Erronea caurica dracaena (Born, 1778).	N. Sri Lanka.	€ 1,50
Erronea caurica dracaena (Born, 1778).	Thailand, Phuket, ±2 hours by boat from Rawai, Raya Island.	€ 1,00 t/m € 2,00
Erronea caurica elongata (Perry, 1811).	Tanzania, Mafia Islands. East Africa. From local fisherman.	€ 2,00
Erronea caurica elongata (Perry, 1811).	Tanzania, Dar Es Salaam. East Africa.	€ 2,00
Macrocypraea cervinetta (Kiener, 1843).	West Panama, Taboga Island. Pacific.	€ 9,50
Macrocypraea cervinetta (Kiener, 1843).	Panama, off Gobernadora Island, low tide.	€ 12,50 t/m € 17,50
Macrocypraea cervinetta (Kiener, 1843).	Panama, Cebaco Island, Pacific.	€ 4,00 t/m € 8,50
Macrocypraea cervinetta (Kiener, 1843).	Mexico, Jalisco, Puerto Vallarta. Bahia de Banderas, Pacific. By diver.	€ 12,00
Macrocypraea cervus (L., 1771).	Florida Keys. Under rocks.	€ 25,00 t/m € 35,00
Macrocypraea cervus (L., 1771).	Florida Keys, Bahia Honda Channel. Under rock ledge, 10-15 feet deep.	€ 45,00
Macrocypraea cervus (L., 1771).	Florida, Florida Keys, Pantation Key.	€ 85,00
Erronea chinensis chinensis (Gmelin, 1791).	Indo-Pacific.	€ 2,50
Erronea chinensis chinensis (Gmelin, 1791).	Philippines, Mindanao Island, Zamboanga.	€ 0,50 t/m € 1,00
Erronea chinensis chinensis (Gmelin, 1791).	Philippines, Sulu Sea.	€ 2,50
Pustularia cicercula (L., 1758).	Thailand, Southeast Asia.	€ 2,50
Pustularia cicercula (L., 1758).	Philippines, east Samar Island.	€ 1,50
Luria cinerea brasilensis Lorenz, 2002.	Brazil, Ceará, Camocim, collected on octopus at 25-35 metres.	€ 3,00 t/m € 4,00
Luria cinerea (Gmelin, 1791).	Florida, off Ocean Ridge. Scuba, 10 fathoms deep, under rock rubble.	€ 7,50
Luria cinerea (Gmelin, 1791).	Florida, off Boca Raton, 3 miles NE Boca Inlet, scuba, 20 metres deep.	€ 11,00
Palmadusta clandestina clandestina (L., 1767).	Thailand, Phuket, ±2 hours by boat from Rawai, Raya Island.	€ 1,30
Palmadusta clandestina clandestina (L., 1767).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 0,80
Palmadusta clandestina clandestina (L., 1767).	Philippines.	€ 0,80
Palmadusta clandestina passerina (Melvill, 1888).	Tanzania, Mainland, Sinda Island. From local fisherman.	€ 2,00
Palmadusta clandestina passerina (Melvill, 1888).	Tanzania, Zanzibar, Unguja, Nungwi. East Africa. From local fisherman.	€ 1,00
Erronea coloba (Melville, 1888).	Thailand, Andaman Isl.	€ 7,50
Palmadusta contaminata (Sowerby, 1832).	Philippines.	€ 9,50

		Price Range
Palmadusta contaminata (Sowerby, 1832).	Thailand, Phuket.	€ 2,00
Cribrarula cribraria cribraria (L., 1758).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 2,50 t/m € 3,00
Cribrarula cribraria cribraria (L., 1758).	Philippines, N. Bohol, Calitoban Island, 20-25 metres deep, night dive.	€ 2,00 t/m € 3,00
Cribrarula cribraria cribraria (L., 1758).	Philippines.	€ 2,00 t/m € 5,00
Cribrarula cribraria cribraria (L., 1758).	Solomon Islands, N. Malaita, Ataa.	€ 2,20
Erronea cylindrica cylindrica (Born, 1778).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 1,00
Erronea cylindrica cylindrica (Born, 1778).	Philippines.	€ 0,80
Zoila decipiens (Smith, 1880).	NW West. Australia, SW of Broome. Pearl diver at 25-30 m.	€ 29,50
Notocypraea declivis (Sowerby, 1870).	Western Australia, Albany. By diver at 30 feet.	€ 17,50
Mauritia depressa (Gray, 1824).	French Polynesia, Tuamotu Archipelago. 9 metres deep, under stones.	€ 4,50 t/m € 6,00
Mauritia depressa (Gray, 1824).	Mauritius. Indian Ocean.	€ 2,00
Mauritia depressa (Gray, 1824).	India, Laccadive Islands.	€ 2,50
Mauritia depressa (Gray, 1824).	Philippines.	€ 2,50
Palmadusta diluculum diluculum (Reeve, 1845).	Tanzania, East Zanzibar, Chwaka. From local fisherman.	€ 2,50
Palmadusta diluculum diluculum (Reeve, 1845).	Tanzania, Zanzibar, Unguja, Kendwa. From local fisherman.	€ 1,00
Palmadusta diluculum diluculum (Reeve, 1845).	Kenya, Mombasa.	€ 1,20
Palmadusta diluculum diluculum (Reeve, 1845).	Zanzibar, East Africa. Indian Ocean.	€ 1,00
Palmadusta diluculum diluculum (Reeve, 1845).	Tanzania, Zanzibar, Unguja, Nungwi. East Africa. From local fisherman.	€ 0,50
Cypraeovula edentula edentula (Gray, 1825).	South Africa, Cape Province, Jeffrey's Bay.	€ 6,00
Cypraeovula edentula edentula (Gray, 1825).	South Africa.	€ 6,00
Mauritia eglantina f. griseoviridis (Duclos, 1833).	Philippines, Cebu.	€ 6,50
Mauritia eglantina (Duclos, 1833).	Philippines, Samar Island.	€ 1,50
Mauritia eglantina (Duclos, 1833).	Australia, W.A., Cardabia, Nigaloo Marine Park.	€ 1,00
Mauritia eglantina (Duclos, 1833).	Philippines.	€ 1,00 t/m € 1,50
Mauritia eglantina (Duclos, 1833).	Philippines, Bohol, close to Panglao, Balicasag Island.	€ 0,50 t/m € 1,50
Mauritia eglantina v. niger Roberts, 1855.	New Caledonia, Signal Island. By diver on dead coral	€ 27,50
Erosaria englerti (Summers & Burgess, 1965).	Easter Island, Hangaroa, night snorkeling, 5-10 metres, on rocks.	€ 8,00
Erosaria erosa (L., 1758).	Djibouti, East Africa.	€ 2,30
Erosaria erosa (L., 1758).	Philippines, Bohol, close to Panglao, Balicasag Island.	€ 0,50
Erosaria erosa (L., 1758).	Tanzania, Zanzibar, Unguju, Unguja Uka. East Afrika. Local fisherman.	€ 1,00
Erosaria erosa (L., 1758).	Tanzania, East Zanzibar, Uroa, East Africa.	€ 1,80
Erosaria erosa (L., 1758).	Australia, northeastern Queensland, Darnley.	€ 0,80
Erosaria erosa (L., 1758).	Tanzania, Zanzibar, Unguja, Nungwi, East Africa, from local fisherman.	€ 1,30
Erosaria erosa (L., 1758).	India, Rameswaram.	€ 1,80
Erosaria erosa (L., 1758).	Tanzania, Mafia Islands. East Africa. From local fisherman.	€ 0,50

		Price Range
Erosaria erosa (L., 1758).	Thailand, Phuket, Raya Island, 25-30 metres deep.	€ 0,50 t/m € 1,00
Erosaria erosa (L., 1758).	Indonesia, West-Papua, Manokwari.	€ 1,00
Erosaria erosa (L., 1758).	Taiwan, southwest.	€ 1,50
Erronea errone erronees f. caerulescens Schröter, 1804.	Solomon Islands. Pacific Ocean. By diver.	€ 1,00
Erronea errone erronees (L., 1758).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 0,50
Erronea errone erronees (L., 1758).	India.	€ 0,50
Erronea errone erronees (L., 1758).	Thailand, Phuket, Raya Island, 25-30 metres deep.	€ 0,50
Erronea errone erronees (L., 1758).	Australia, Queensland, Capricorn, N.W. Island, Keppel Bay.	€ 0,75
Erronea errone erronees (L., 1758).	Philippines.	€ 0,40 t/m € 1,00
Erronea felina fabula (Kiener, 1843).	Oman, Arabian Peninsula. Dead on beach.	€ 3,50
Erronea felina felina (Gmelin, 1791).	Tanzania, Zanzibar, Unguja, Nungwi. East Africa. From local fisherman.	€ 1,00
Erronea felina felina (Gmelin, 1791).	Madagascar, Fort Dauphin. East Africa. Indian Ocean.	€ 2,00 t/m € 3,00
Erronea felina felina (Gmelin, 1791).	Tanzania, Mafia Islands. East Africa. From local fisherman.	€ 1,00
Purpuradusta fimbriata durbanensis (Schilder & Schilder, 1938).	Tanzania, Zanzibar, Unguja, Michamvi. East Africa. From local fisherman.	€ 1,00
Purpuradusta fimbriata durbanensis (Schilder & Schilder, 1938).	Kenya, Mombasa, East Africa.	€ 1,00
Purpuradusta fimbriata durbanensis (Schilder & Schilder, 1938).	Tanzania, Zanzibar, Unguja, Nungwi. East Africa. From local fisherman.	€ 1,00
Purpuradusta fimbriata fimbriata (Gmelin, 1791).	Philippines, Cebu Island, Mactan Island.	€ 1,30 t/m € 1,80
Purpuradusta fimbriata fimbriata (Gmelin, 1791).	Tanzania, Zanzibar, Unguja, Nungwi, East Africa, from local fisherman.	€ 1,30
Purpuradusta fimbriata fimbriata (Gmelin, 1791).	Tanzania, Zanzibar, Unguja, Nungwi. East Africa. From local fisherman.	€ 1,00
Purpuradusta fimbriata fimbriata (Gmelin, 1791).	South Africa, Transkei Bantu Homeland, Coffee Bay.	€ 0,80 t/m € 1,30
Zoila friendii friendii (Gray, 1831).	Australia, W.A., Geographe Bay, Busselton, diver, 5-8 m, sponge/reef.	€ 25,00 t/m € 35,00
Zoila friendii friendii (Gray, 1831).	Australia.	€ 15,00
Zoila friendii friendii (Gray, 1831).	Australia, Western Australia, Albany. Dived quite deep. 63 mm.	€ 27,50
Cypraeovula fuscodentata (Gray, 1825).	South Africa, Jeffreys Bay.	€ 7,50
Cypraeovula fuscodentata (Gray, 1825).	South Africa, Jeffreys Bay.	€ 1,00
Cypraeovula fuscorubra (Shaw, 1909).	South Africa, Cape of Good Hope, Cape Point, dived, 60 metres deep. 31 mm	€ 27,50
Erosaria gangranosa gangranosa (Dillwyn, 1817).	Thailand, Phuket, ±2 hours by boat from Rawai, Raya Island.	€ 1,00
Pustularia globulus globulus (L., 1758).	Indonesia, Java.	€ 6,50
Pustularia globulus globulus (L., 1758).	Thailand, Phuket Island.	€ 3,00 t/m € 5,00
Pustularia globulus globulus f. sphaeridium Schilder & Schilder, 1938.	Philippines, Palawan Island.	€ 4,00
Pustularia globulus globulus f. sphaeridium Schilder & Schilder, 1938.	Solomon Islands, Guadalcanal, Marau Sound. Pacific Ocean.	€ 3,50
Purpuradusta gracilis gracilis (Gaskoin, 1849).	Japan, Honshū, Kantō region Kanagawa Prefecture, Sagami Bay.	€ 1,50
Purpuradusta gracilis gracilis (Gaskoin, 1849).	Indonesia, Madura Island.	€ 1,50
Purpuradusta gracilis gracilis (Gaskoin, 1849).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 0,30

		Price Range
Purpuradusta gracilis gracilis (Gaskoin, 1849).	Philippines.	€ 1,30
Purpuradusta gracilis gracilis (Gaskoin, 1849).	Thailand, Phuket.	€ 1,00
Purpuradusta gracilis macula (Angas, 1867).	Australia, Monile Bay.	€ 4,00
Erosaria guttata guttata f. azumei Schilder, 1960.	West Japan, S. Kyushyu. Trawled off Kagoshima, Makurazaki at 80-120 m.	€ 40,00
Erosaria guttata guttata (Gmelin, 1791).	Philippines, Cebu Island.	€ 50,00 t/m € 75,00
Erosaria guttata guttata (Gmelin, 1791).		€ 80,00
Erosaria guttata guttata (Gmelin, 1791).	Philippines, Bohol, close to Panglao, Balicasag Island.	€ 65,00 t/m € 75,00
Erosaria guttata guttata (Gmelin, 1791).	Philippines.	€ 35,00 t/m € 45,00
Erosaria guttata guttata (Gmelin, 1791).	Bohol Island, Philippines.	€ 20,00 t/m € 65,00
Erosaria helvola argella (Melvill, 1888).	Tanzania, Zanzibar, Unguja, Nungwi. East Africa. From local fisherman.	€ 1,00
Erosaria helvola argella (Melvill, 1888).	Seychelles, N.W. Bay, near Vista do Mar Hotel.	€ 1,20
Erosaria helvola argella (Melvill, 1888).	Somalia, East Africa. Indian Ocean.	€ 2,50
Erosaria helvola helvola (L., 1758).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 0,75
Erosaria helvola helvola (L., 1758).	Philippines.	€ 1,30 t/m € 2,30
Erosaria helvola helvola (L., 1758).	Zanzibar, Chwaka Beach. East Africa. Indian Ocean. In seaweed at low tide.	€ 1,50
Mauritia histrio (Gmelin, 1791).	Thailand, Puket.	€ 2,75
Mauritia histrio (Gmelin, 1791).	Zanzibar, Nungwi. East Africa. Indian Ocean. Found by local diver.	€ 3,00
Mauritia histrio (Gmelin, 1791).	Tanzania, Zanzibar, Uroa, East Africa. On sand.	€ 5,00
Mauritia histrio (Gmelin, 1791).	Tanzania, Zanzibar Island, Uroa. East Africa. From local fisherman. 58 mm	€ 3,00
Mauritia histrio (Gmelin, 1791).	Kenya, Mombasa. Leven Reef. Live collected under dead corals.	€ 2,00 t/m € 5,00
Erronea hungerfordi hungerfordi (Sowerby, 1888).	Japan.	€ 3,00 t/m € 6,00
Erronea hungerfordi hungerfordi (Sowerby, 1888).	Japan.	€ 6,00
Erronea hungerfordi hungerfordi (Sowerby, 1888).	China. East China Sea. Trawled at 120 metres deep.	€ 6,00
Blasicrura interrupta (Gray, 1824).	Thailand.	€ 3,00
Luria isabella isabella (L., 1758).	India, Tamil Nadu, Tuticorin.	€ 1,50
Luria isabella isabella (L., 1758).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 0,75
Luria isabella isabella (L., 1758).	Thailand, Phuket.	€ 1,00 t/m € 1,30
Luria isabella isabella (L., 1758).	India.	€ 1,00
Luria isabella isabella (L., 1758).	West Zanzibar, Bawé Island, East Africa. Indian Ocean	€ 1,00 t/m € 1,30
Luria isabella isabella (L., 1758).	Thailand, Phuket, Raya Island, 25-30 metres deep.	€ 1,00 t/m € 1,30
Luria isabella isabella (L., 1758).	Tanzania, Zanzibar, Unguja, Nungwi, East Africa.	€ 1,80
Luria isabella isabella (L., 1758).	Tuamotu Archipelago, Takapoto atoll, Pacific. Location false.	€ 1,30
Luria isabella isabella (L., 1758).	Philippines.	€ 0,50 t/m € 1,00
Luria isabella isabella (L., 1758).	Tanzania, Zanzibar, Unguja, Nungwi. East Africa. From local fisherman.	€ 1,00
Luria isabella isabella (L., 1758).	Seychelles, Beauvallon Bay.	€ 1,00

		Price Range
Bistolida kieneri kieneri Hidalgo, 1906.	Tanzania, Zanzibar, Unguja, Michamvi. East Africa. From local fisherman.	€ 1,00
Bistolida kieneri kieneri Hidalgo, 1906.	Tanzania, Mafia Islands. East Africa. From local fisherman.	€ 1,00
Erosaria labrolineata (Gaskoin, 1849).	Indonesia, Madura Island.	€ 4,00
Erosaria labrolineata (Gaskoin, 1849). Dwarfs	Philippines, Mactan Island, Punta Engaño, 80-120 m, tangle net. 13 mm	€ 1,50
Erosaria labrolineata (Gaskoin, 1849).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 2,50
Erosaria labrolineata (Gaskoin, 1849).	Thailand, Phuket.	€ 3,00
Erosaria lamarckii (Gray, 1825).	Thailand, Phuket, ±2 hours by boat from Rawai, Raya Island.	€ 1,30
Erosaria lamarckii (Gray, 1825).	Tanzania, East Africa. Indian Ocean.	€ 3,00
Erosaria lamarckii (Gray, 1825).	Tanzania, Mafia Islands. East Africa. From local fisherman.	€ 4,50
Erosaria lamarckii (Gray, 1825).	Tanzania, Zanzibar, East Africa. Indian Ocean.	€ 2,00
Erosaria lamarckii f. redimita Melvill, 1888.	Thailand, Phuket, ±2 hours by boat from Rawai, Raya Island.	€ 2,50 t/m € 3,50
Palmadusta lentiginosa lentiginosa (Gray, 1825).	Indonesia, Java.	€ 5,50
Palmadusta lentiginosa lentiginosa (Gray, 1825).	India, Maharashtra, Bombay. At low tide.	€ 6,00
Lyncina leviathan titan (Schilder & Schilder, 1962).	Philippines.	€ 5,00 t/m € 7,00
Lyncina leviathan titan (Schilder & Schilder, 1962).	Tanzania, East Zanzibar, Uroa Beach. Low tide, under coral boulders.	€ 5,00
Lyncina leviathan titan (Schilder & Schilder, 1962).	Kenya, Mombasa. East Africa.	€ 6,00
Staphylaea limacina limacina (Lamarck, 1810).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 1,00
Staphylaea limacina limacina (Lamarck, 1810).	Taiwan, southwest.	€ 0,80
Erronea listeri (Gray, 1824).	Taiwan.	€ 1,60
Erronea listeri (Gray, 1824).	Philippines.	€ 1,80
Luria lurida lurida (L., 1758).	Malta.	€ 5,00
Luria lurida lurida (L., 1758).	Malta, Tas-Safra, Salina, under big stones at 15 feet.	€ 5,50
Luria lurida lurida (L., 1758).	Italy, Sicily, Trapani province, Mazara del Vallo.	€ 4,00 t/m € 7,50
Luria lurida lurida (L., 1758).	Sicily, Lampedusa. Collected by fisherman.	€ 6,00
Luria lurida lurida (L., 1758).	Mediterranean Sea.	€ 3,00
Luria lurida lurida (L., 1758).	Greece, off Haldiki, by local diver at 4-10 metres under rocks.	€ 7,50
Luria lurida lurida (L., 1758).	Italy, Liguria, Province of Savona, Bergeggi Island, 30-35 m.	€ 7,00 t/m € 9,50
Luria lurida lurida (L., 1758).	Malta, Bahar IC-Caghaq Bay, under big stones at 10-35 feet.	€ 4,75
Luria lurida lurida (L., 1758).	Marocco, Asilah. By diver.	€ 6,50
Luria lurida lurida (L., 1758).	Gran Canaria, Las Palmas.	€ 2,00
Luria lurida lurida (L., 1758).	Italy, Liguria, Province of Savona, Finale Ligure. 20-30 m deep, scuba.	€ 6,00
Palmadusta lutea (Gmelin, 1791).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 1,50
Palmadusta lutea (Gmelin, 1791).	Philippines, Bohol, close to Panglao, Balicasag Island.	€ 2,50
Palmadusta lutea (Gmelin, 1791).	Philippines, Sulu.	€ 2,50
Palmadusta lutea (Gmelin, 1791).	Philippines, Sulu Archipelago.	€ 2,30

		Price Range
Lyncina lynx (L., 1758).	Red Sea, Egypt, 17 km south of Hurghada.	€ 1,00 t/m € 1,30
Lyncina lynx (L., 1758).	South Zanzibar, Sume Island near Fumba. East Africa.	€ 1,50
Lyncina lynx (L., 1758).	Tanzania, Zanzibar, Pemba, Kisiwa Panza Island. East Africa.	€ 5,00
Lyncina lynx (L., 1758).	Tanzania, Zanzibar (Pemba), Misuka Village, in seagrass, local fisherman.	€ 5,00
Lyncina lynx (L., 1758).	Tanzania, East Zanzibar, Uroa, East Africa.	€ 1,80
Lyncina lynx (L., 1758).	Kenya, Mombasa Reef. East Africa.	€ 0,30 t/m € 0,80
Lyncina lynx (L., 1758).	Tanzania, Zanzibar, Unguja, Uroa. East Africa. From local fisherman.	€ 1,50
Lyncina lynx (L., 1758).	Indonesia, Irian Jaya.	€ 0,80 t/m € 1,00
Lyncina lynx (L., 1758).	Tanzania, Mafia Islands. East Africa. From local fisherman.	€ 1,50
Lyncina lynx (L., 1758).	Philippines, Mindanao Island, Zamboanga.	€ 0,50
Lyncina lynx (L., 1758).	Philippines, W. Mindanao, Zamboanga.	€ 2,50
Lyncina lynx (L., 1758).	Solomon Islands, N. Malaita, Ataa. 22 - 38 mm	€ 1,00 t/m € 2,00
Lyncina lynx (L., 1758).	Tanzania, East Zanzibar, Uroa Beach, East Africa, local fisherman.	€ 0,80 t/m € 1,30
Lyncina lynx (L., 1758).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 0,50 t/m € 2,50
Lyncina lynx (L., 1758).	Taiwan.	€ 1,30
Mauritia maculifera (Schilder, 1932).	Philippines, Samar. From local fishermen.	€ 5,00
Mauritia maculifera (Schilder, 1932).		€ 3,50
Leporicypraea mappa geographica (Schilder & Schilder, 1933).	Thailand, Phuket, trawled at a depth of 40-50 metres.	€ 7,50
Leporicypraea mappa geographica (Schilder & Schilder, 1933).	Tanzania, Zanzibar, East Africa. By local fisherman.	€ 5,00
Leporicypraea mappa geographica (Schilder & Schilder, 1933).	Thailand, Phuket, ±2 hours by boat from Rawai, Raya Island.	€ 2,00 t/m € 4,80
Leporicypraea mappa mappa (L., 1758).	Philippines, Bohol, close to Panglao, Balicasag Island.	€ 4,50 t/m € 7,50
Leporicypraea mappa mappa (L., 1758).	Philippines.	€ 2,50 t/m € 3,50
Leporicypraea mappa mappa (L., 1758).	Philippines, Palawan island, Cuyo island. On coral reef, 15-22 m deep.	€ 3,50
Leporicypraea mappa mappa v. panerythra Melvill, 1888.	Philippines, Cebu Island, Mactan Island.	€ 3,50 t/m € 5,00
Leporicypraea mappa rosea Gray, 1824.	Mauritius. Indian Ocean.	€ 9,50
Erosaria marginalis marginalis (Dillwyn, 1827).	Somalia, Mogadishu, East Africa, from fishery. 18 mm - 29 mm	€ 7,50
Erosaria marginalis marginalis (Dillwyn, 1827).	Somalia, East Africa. Indian Ocean.	€ 4,50
Zoila marginata albanyensis Raybaudi, 1985. Depth 15-20 metres.	Australia, Western Australia, Albany, Breaksea Island on sponges on rocks. 58 mm.	€ 37,50
Zoila marginata marginata (Gaskoin, 1849).	Australia, Western Australia, Carnac Island. In caves on sponges.	€ 80,00
Zoila marginata marginata (Gaskoin, 1849). cave. Depth 8-14 metres.	Australia, Western Australia, Carnac Island. By diver, under sponges, in 60	€ 35,00
Zoila marginata marginata (Gaskoin, 1849).	W. Australia, Perth, off Rottnest Isl. On yellow sponges at 15-20 metres.	€ 45,00
Notadusta martini (Schepman, 1907).	New Caladonia.	€ 29,50
Mauritia mauritiana (L., 1758).	Tanzania, Pemba, Makangale. East Africa.	€ 6,50 t/m € 8,50
Mauritia mauritiana (L., 1758).	Thailand, Phuket.	€ 1,00 t/m € 6,00

		Price Range
Mauritia mauritiana (L., 1758).	Taiwan, southwest.	€ 3,00
Erosaria miliaris (Gmelin, 1791).	Philippines, Bohol, close to Panglao, Balicasag Island.	€ 2,00
Erosaria miliaris (Gmelin, 1791).	Australia, Queensland, Great Barrier Reef.	€ 1,50 t/m € 2,50
Erosaria miliaris (Gmelin, 1791).	Philippines, Manila Bay.	€ 2,50
Erosaria moneta f. ictarina Lamarck, 1810.	South Zanzibar, Ras Fumba, East Africa. Low tide in seaweed.	€ 1,50
Erosaria moneta (L., 1758).	India, Rameswaram.	€ 1,75
Erosaria moneta (L., 1758).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 1,20
Erosaria moneta (L., 1758).	India, Tamil Nadu, Tuticorin.	€ 1,30
Erosaria moneta (L., 1758).	French Polynesia, Tuamotu Archipelago, Takapoto atoll.	€ 1,30 t/m € 1,80
Erosaria moneta (L., 1758).	South Africa, Natal.	€ 0,50
Erosaria moneta (L., 1758). Juvenile	Philippines.	€ 0,30
Erosaria moneta (L., 1758).	Djibouti, East Africa.	€ 2,00
Erosaria moneta (L., 1758).	Philippines.	€ 0,50 t/m € 2,00
Erosaria moneta (L., 1758).	Tanzania, East Zanzibar, Chwaka. On sand. From local fisherman.	€ 1,50
Erosaria moneta (L., 1758).	Thailand, Phuket, ±2 hours by boat from Rawai, Raya Island.	€ 0,80 t/m € 1,00
Siphocypraea mus bicornis (Sowerby, 1870). Syn.: mus donmoorei	Colombia, off Guajira Peninsula, shrimp trawler, 40-60 fathoms, sand.	€ 14,00 t/m € 22,50
Siphocypraea mus bicornis (Sowerby, 1870). bottom.	Venezuela, Paraguaná Peninsula, Amuay Bay. At night, 1-2 feet on muddy	€ 5,00
Siphocypraea mus bicornis (Sowerby, 1870).	Colombia, North Colombia, Guajira, Cabo de la Vela. Trawled at 40-60 '.	€ 17,50
Siphocypraea mus mus (L., 1758).	Venezuela, Falcón, Paraguaná Peninsula, Amuay Bay, 1-2 metres, low tide. 40 mm	€ 10,00 t/m € 12,50
Erosaria nebrates (Melvill, 1888).	Egypt, South Sinai, Dahab. Gulf of Aqaba. Under coral boulders.	€ 2,00
Erosaria nebrates (Melvill, 1888).	Egypt, Dahab, Sinai. Red Sea. By snorkeling under stones in Lagune.	€ 2,50
Erosaria nebrates (Melvill, 1888).	South East Arabia, Gulf of Oman.	€ 1,50
Lyncina nivosa (Broderip, 1827).	Thailand, Phuket.	€ 3,50 t/m € 5,00
Lyncina nivosa (Broderip, 1827).	India, Tuticorin.	€ 5,00 t/m € 10,00
Staphylaea nucleus nucleus (L., 1758).	Solomon Islands. Pacific Ocean.	€ 2,00
Staphylaea nucleus nucleus (L., 1758).	Philippines, Samar Island.	€ 1,20
Staphylaea nucleus nucleus (L., 1758).	French Polynesia, Society Islands, Huahine island. Pacific Ocean.	€ 1,20
Erosaria obvelata (Lamarck, 1810).	French Polynesia, Tefararii, Huahine. Ebb by reef under dead coral.	€ 2,00
Erosaria obvelata (Lamarck, 1810).	French Polynesia, Society Islands, Tahiti. Pacific Ocean.	€ 1,00 t/m € 1,60
Erosaria ocellata (L., 1758).	Sri Lanka, Eastern Province, Trincomalee.	€ 1,50
Erosaria ocellata (L., 1758).	Sri Lanka.	€ 1,50
Erosaria ocellata (L., 1758).	India, Dwarka.	€ 1,30
Erronea onyx (L., 1758).	Philippines, Cebu Island.	€ 1,80 t/m € 2,50
Erronea onyx (L., 1758).	Taiwan, Taiwan Channel.	€ 1,50
Erronea ovum chrysostoma Schilder, 1927.	Solomon Islands, Western Province.	€ 5,00

		Price Range
Erronea ovum ovum (Gmelin, 1791).	Philippines, Bohol, close to Panglao, Balicasag Island.	€ 1,50
Erronea ovum ovum (Gmelin, 1791).	Philippines.	€ 2,00
Erronea pallida (Gray, 1824).	Philippines.	€ 2,30
Erronea pallida (Gray, 1824).	Singapore.	€ 2,00
Erronea pallida (Gray, 1824).	Northern Indian Ocean.	€ 2,00
Blasicrura pallidula pallidula (Gaskoin, 1849).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 0,50
Blasicrura pallidula pallidula (Gaskoin, 1849).	Solomon Islands, Malaita, Ataa. Pacific Ocean.	€ 1,80
Blasicrura pallidula pallidula (Gaskoin, 1849).	Philippines.	€ 0,80
Cypraea pantherina Solander, 1786.	Yemen, Sarif. Under coral rubble at 3-5 metres deep.	€ 8,50
Cypraea pantherina Solander, 1786.	Red Sea, Egypt, Ras Gemsa.	€ 9,50
Cypraea pantherina Solander, 1786.	Dahalk Island, Eritrea, East Africa. Red Sea.	€ 14,50
Cypraea pantherina Solander, 1786.	Red Sea.	€ 4,00 t/m € 7,50
Cypraea pantherina Solander, 1786.	Red Sea, Hurghada.	€ 4,00 t/m € 9,00
Zonaria picta (Gray, 1824).	Cape Verde Islands, Sal, Santa Maria, in front Aeroflot Hotel. In heavy surf.	€ 6,00
Erosaria poraria (L., 1758).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 1,00
Erosaria poraria (L., 1758).	Philippines.	€ 1,30
Erosaria poraria (L., 1758).	Philippines, Cebu Island.	€ 1,30
Erosaria poraria (L., 1758).	Philippines, Cebu Island.	€ 1,50
Erosaria poraria (L., 1758).	Taiwan, trawled near Taiwan.	€ 0,80
Lyncina porteri porteri (Cate, 1966).	Philippines. Fished in tangle nets.	€ 250,00
Erronea pulchella pericalles (Melvill & Standen, 1904).	Gulf of Oman.	€ 17,50
Erronea pulchella pericalles (Melvill & Standen, 1904).	India, Tamil Nadu, Tuticorin.	€ 3,80
Luria pulchra (Gray, 1824).	Ethiopia, Dahlak, Red Sea.	€ 7,00 t/m € 10,00
Notocypraea pulicaria (Reeve, 1846).	Western Australia, Augusta. In rock pools, 10-20 feet.	€ 19,50
Notadusta punctata berinii (Dautzenberg, 1906).	Tanzania, North Zanzibar, Nungwi. Local fisherman.	€ 3,50
Notadusta punctata punctata (L., 1771).	Southwest Taiwan. 20-40 fathoms deep.	€ 2,00
Notadusta punctata punctata (L., 1771).	Solomon Islands, N. Malaita, Ataa.	€ 2,00
Notadusta punctata punctata (L., 1771).	Mauritius.	€ 2,25
Erronea pyriformis (Gray, 1824).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 2,50
Erronea pyriformis (Gray, 1824).	Philippines, Siasi, Sulu Sea, from fisherman.	€ 1,80
Zonaria pyrum pyrum (Gmelin, 1791).	Italy, Sicily. Mediterranean Sea.	€ 9,50
Zonaria pyrum pyrum (Gmelin, 1791).	Italy, Sicily.	€ 6,00
Blasicrura quadrimaculata (Gray, 1824).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 1,50
Austrocypraea reevei (Sowerby, 1832).	Australia, Western Australia, Albany. By night on reef, 3 metres deep.	€ 15,00
Zonaria robertsi (Hidalgo, 1906).	Gulf of California.	€ 2,00 t/m € 4,00

		Price Range
Zonaria robertsi (Hidalgo, 1906).	Panama, Cebaco Island. Snorkling 6/12 ft under coral.	€ 3,00
Palmadusta saulae (Gaskoin, 1843).	Philippines, Panai Island, from divers. Superb species, freshly fished, mostly with a light pink shine, good dorsums with chocolate blotch. A must for cowry collectors. 21 mm	€ 12,00
Palmadusta saulae (Gaskoin, 1843).	Taiwan.	€ 9,00
Lyncina schilderorum (Iredale, 1939).	French Polynesia, Tuamotu Archipelago.	€ 7,00
Mauritia scurra indica (Gmelin, 1791).	Solomon Islands.	€ 14,50
Mauritia scurra indica f. vono Steadman & Cotton, 1943.	Tahiti, Pueu, snorkel, 0.8-1.5 metres, under dead rock rubble.	€ 14,50 t/m € 15,00
Mauritia scurra scurra (Gmelin, 1791).	Djibouti, East Africa.	€ 6,25
Mauritia scurra scurra (Gmelin, 1791).	Tanzania, Zanzibar, Unguja, Tumbatu Island. From local fisherman.	€ 5,00
Mauritia scurra scurra (Gmelin, 1791). depth.	Mozambique, North Mozambique, Nacala Bay area. Snorkeling at 2 metres	€ 7,00
Neobernaya spadicea (Swainson, 1823).	California, San Diego, off Point Loma, on rocks, 5-20 metres deep.	€ 3,50
Neobernaya spadicea (Swainson, 1823).	California, Newport Beach.	€ 5,00
Neobernaya spadicea (Swainson, 1823).	California, Point Conception. 6-10 feet deep, under rubble.	€ 3,00 t/m € 6,50
Neobernaya spadicea (Swainson, 1823).	California, off San Clemente Island. By scuba diver at 20-25 metres deep.	€ 4,00
Neobernaya spadicea (Swainson, 1823).	California, San Catalina Rock, dived at 10-15 metres deep.	€ 3,50 t/m € 7,50
Neobernaya spadicea (Swainson, 1823).	California.	€ 2,00
Erosaria spurca (L., 1758).	Tunisia.	€ 2,00
Erosaria spurca (L., 1758).	Italy, Sicily. Collected by a diver.	€ 5,50
Erosaria spurca (L., 1758).	Italy, Sicily, Trapani province, Mazara del Vallo.	€ 9,50
Erosaria spurca (L., 1758).	Cyprus, Limassol, Amathous. Mediterranean. On the beach, after a storm.	€ 5,00 t/m € 7,00
Erosaria spurca (L., 1758).	Maltese archipelago, Comino Island. On sand & rocky bottom, 10-15 feet.	€ 5,00 t/m € 7,50
Erosaria spurca (L., 1758).	Mediterranean Sea.	€ 2,50
Erosaria spurca (L., 1758).	Italy, Liguria, Province of Savona, Bergeggi Island, 30-35 m.	€ 12,50
Erosaria spurca (L., 1758).	Italy, Liguria, Province of Savona, Finale Ligure. 20-30 m deep, scuba.	€ 5,00 t/m € 6,00
Erosaria spurca (L., 1758).	Italy, Sicily.	€ 4,00 t/m € 7,50
Erosaria spurca (L., 1758).	Spain, Canary Islands, Fuerteventura.	€ 6,50
Erosaria spurca f. verdensium Melvill, 1888.	Cape Verde Islands, São Vicente, Porto Grande. Atlantic Ocean.	€ 7,50
Staphylaea staphylaea consobrina (Garrett, 1879).	Solomon Islands, Guadalcanal, Marau Sound. Pacific Ocean.	€ 4,00
Staphylaea staphylaea laevigata (Dautzenberg, 1932).	Tanzania, Zanzibar, Unguja, Nungwi. East Africa. From local fisherman.	€ 2,00
Staphylaea staphylaea laevigata (Dautzenberg, 1932).	Somalia, East Africa. Indian Ocean.	€ 1,00 t/m € 2,00
Staphylaea staphylaea staphylaea (L., 1758).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 0,50 t/m € 0,80
Staphylaea staphylaea staphylaea (L., 1758).	Philippines, Sulu Archipelago, Saisi.	€ 1,50
Staphylaea staphylaea staphylaea (L., 1758).	Thailand, Krabi, Koh Lanta Island.	€ 1,00
Staphylaea staphylaea staphylaea (L., 1758).	Sri Lanka, near Colombo, Mt. Lavinia. Dead on beach.	€ 2,00
Staphylaea staphylaea staphylaea (L., 1758).	Taiwan.	€ 0,60

		Price Range
Trona stercoraria (L., 1758).	Senegal, Cap Vert, Pointe des Almadies. Atlantic. By local diver, 5 m.	€ 17,50
Trona stercoraria (L., 1758).	Senegal, Dakar, Aldamies, at a depth of 1-2 metres.	€ 17,50
Trona stercoraria (L., 1758).	Ghana, Ampenyi. West Africa.	€ 7,50
Trona stercoraria (L., 1758).	Cameroon, Z.W. Gulf of Guínea. Dived, ±10 metres deep on rocks.	€ 9,50
Trona stercoraria (L., 1758).	Ghana, Busua Island. West Africa. 2-6 metres deep.	€ 22,50
Trona stercoraria (L., 1758).	Ghana. West Africa.	€ 4,00 t/m € 7,00
Trona stercoraria (L., 1758). Dwarf	West Africa.	€ 7,50
Trona stercoraria (L., 1758).	Gabon, West Africa. Atlantic Ocean.	€ 10,00
Bistolida stolidi stolidi (L., 1758).	Philippines, Bohol, close to Panglao, Balicasag Island.	€ 10,00
Bistolida stolidi stolidi (L., 1758).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 5,00
Bistolida stolidi stolidi (L., 1758).	Philippines, Samar, Borongon, dived, 3-5 metres in dead finger cor.	€ 12,50
Bistolida stolidi stolidi (L., 1758).	Philippines, Samar Island.	€ 12,50 t/m € 14,50
Erronea subviridis dorsalis Schilder & Schilder, 1938.	Australia, Western Australia, Broome.	€ 3,25
Erronea subviridis dorsalis Schilder & Schilder, 1938.	Australia, Western Australia. On reef during low tide.	€ 3,00 t/m € 4,50
Erronea subviridis dorsalis Schilder & Schilder, 1938.	Australia, Western Australia, Port Hedland, under rocks.	€ 1,50 t/m € 2,00
Erronea subviridis subviridis (Reeve, 1835).	Australia, Queensland, Great Barrier Reef, Norman Reef, Green Island.	€ 3,00
Erronea succincta adusta (Lamarck, 1810).	Thailand, Phuket.	€ 2,50
Erronea succincta adusta (Lamarck, 1810).	Tanzania, Dar es Salaam, East Africa.	€ 2,50
Erronea succincta adusta (Lamarck, 1810).		€ 2,50
Lyncina sulcidentata (Gray, 1824).	Hawaii, Maui, by diver 25' on dead coral slabs.	€ 9,00
Proadusta surinamensis (Perry, 1811).	Brazil, Caerá, off Fortaleza by fishermen, 20-30 fathoms.	€ 85,00
Proadusta surinamensis (Perry, 1811).	Brasilia, Pernambuco, Recife. Trawled. Depth 25 metres.	€ 75,00
Talparia talpa (L., 1758).	Tanzania, Zanzibar, Matemwe. East Africa. By local fisherman.	€ 3,50
Talparia talpa (L., 1758).	Thailand, Phuket.	€ 2,00
Talparia talpa (L., 1758).	Thailand, Phuket.	€ 2,00 t/m € 3,00
Talparia talpa (L., 1758).	Tanzania, Zanzibar, Uroa, East Africa. Feeding on seagrass.	€ 5,00
Talparia talpa (L., 1758).	Philippines.	€ 1,80
Talparia talpa (L., 1758).	Tanzania, East Zanzibar, Uroa, East Africa.	€ 2,80
Talparia talpa (L., 1758).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 2,00 t/m € 4,00
Blasicrura teres pellucens (Melvill, 1888).		€ 1,50
Blasicrura teres pellucens (Melvill, 1888).	Hawaii.	€ 6,00 t/m € 9,00
Blasicrura teres teres (Gmelin, 1791).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 0,75
Blasicrura teres teres (Gmelin, 1791).	Philippines.	€ 1,00
Blasicrura teres teres (Gmelin, 1791).	Somalia, East Africa. Indian Ocean. Beach.	€ 1,50
Luria tessellata (Swainson, 1822).	Hawaii, Oahu Island.	€ 95,00 t/m € 125,00

		Price Range
Chelycypraea testudinaria (L., 1758).	Tanzania, Mainland, Dar es Salaam. East Africa. From local fisherman.	€ 7,50 t/m € 9,50
Chelycypraea testudinaria (L., 1758).	Philippines, Cebu Island.	€ 25,00
Chelycypraea testudinaria (L., 1758).	Philippines.	€ 3,80 t/m € 7,50
Chelycypraea testudinaria (L., 1758).	Solomon Islands, N. Malaita, Ataa.	€ 6,00
Bernaya teulerei (Cazenavette, 1846).	Oman, Al Masirah, N.W. coast, 1 metre deep, low tide on grassy bottom.	€ 10,00 t/m € 14,00
Bernaya teulerei (Cazenavette, 1846).	Persian Gulf. Collected by divers.	€ 12,00
Cypraea tigris L., 1758.	Philippines, Cebu Island, Don Island. On coral reef, 15-20 m deep.	€ 2,50 t/m € 4,00
Cypraea tigris L., 1758.	Madagascar, Toliara (Tulear) region, south-west coast.	€ 4,00 t/m € 5,00
Cypraea tigris L., 1758.	Philippines, Samar Island.	€ 1,50 t/m € 3,50
Cypraea tigris L., 1758. Dwarf form	Philippines, Cebu Island.	€ 2,50
Cypraea tigris L., 1758.	Thailand, Phuket, ±2 hours by boat from Rawai, Raya Island.	€ 3,50
Cypraea tigris L., 1758. Dwarf	Philippines.	€ 3,50
Cypraea tigris L., 1758.	Indonesia, Maluku, Bandanaira. Banda Sea.	€ 3,00
Cypraea tigris L., 1758.	Indonesie, Madura Island.	€ 3,00 t/m € 3,00
Cypraea tigris L., 1758. Dwarf	Philippines.	€ 3,50
Cypraea tigris L., 1758.	Kenya, Mombasa, East Africa.	€ 10,00 t/m € 12,50
Cypraea tigris f. schilderiana Cate, 1961.	Hawaii, Oahu Island.	€ 35,00
Cypraea tigris f. schilderiana Cate, 1961.	Hawaiian Islands.	€ 25,00
Erosaria turdus (Lamarck, 1810).	Southeastern Arabia.	€ 1,50
Erosaria turdus (Lamarck, 1810).	Tunisia. Mediterranen. 3-15 metre deep.	€ 6,50 t/m € 7,50
Erosaria turdus (Lamarck, 1810).	India, Dwarka.	€ 1,75 t/m € 2,50
Erosaria turdus (Lamarck, 1810).	Egypt, South Sinai, Dahab. Gulf of Aqaba. In seagrass, low tide.	€ 3,00
Leporicypraea valentia (Perry, 1811).	Philippines, Olango Island, Lapu Lapu City. 94 mm	€ 250,00
Lyncina ventriculus (Lamarck, 1810).	Philippines, Bohol Island.	€ 10,00
Lyncina ventriculus (Lamarck, 1810).	Philippines, Sulu Archipelago, Saisi.	€ 15,00
Lyncina ventriculus (Lamarck, 1810).	Philippines.	€ 9,50
Zoila venusta episema (Iredale, 1939).	Australia, Western Australia, Rottnest Island. Dived. 73 mm.	€ 90,00
Zoila venusta episema f. sorrentensis Schilder, 1963.	Australia, Westen Australia. Dived at a depth of ± 30 metre.	€ 27,50
Zoila venusta episema f. sorrentensis Schilder, 1963.	Australia, Western Australia, Sorrento Beach.	€ 25,00 t/m € 35,00
Zoila venusta episema f. sorrentensis Schilder, 1963. Depth 8-14 meters.	Australia, Western Australia, Carnac Island. Dived at reef with sponges. 74 mm.	€ 35,00
Zoila venusta venusta (Sowerby, 1846).	Australia, Western Australia, Albany.	€ 200,00
Lyncina vitellus (L., 1758).	Kenya, Mombasa, at low tide under coral.	€ 0,50
Lyncina vitellus (L., 1758).	Australia, Western Australia, Myora Beach.	€ 2,50
Lyncina vitellus (L., 1758).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 1,00 t/m € 1,50
Lyncina vitellus (L., 1758).	Thailand, Phuket, ±2 hours by boat from Rawai, Raya Island.	€ 0,50 t/m € 3,00

		Price Range
Lyncina vitellus (L., 1758).	Philippines, Cebu Island.	€ 1,50
Lyncina vitellus (L., 1758).	Indonesia, Bali, Sanur Beach.	€ 1,60
Lyncina vitellus (L., 1758).	India, Tamil Nadu, Kilakarai, trawled.	€ 1,50 t/m € 2,00
Lyncina vitellus (L., 1758).	Taiwan, southwest. Light brown.	€ 0,80 t/m € 1,30
Lyncina vitellus (L., 1758).	Sri Lanka.	€ 1,50
Erronea walkeri surabajensis Schilder, 1937.	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 2,00
Erronea walkeri surabajensis Schilder, 1937.		€ 3,00
Erronea xanthodon (Sowerby, 1832).	Australia.	€ 2,50
Macrocypraea zebra (L., 1758).	Brazil, Santa Caterina, Porto Belo.	€ 5,00 t/m € 8,00
Macrocypraea zebra (L., 1758).	Florida Keys.	€ 6,00
Palmadusta ziczac f. misella Perry, 1811.	South Africa, Natal province.	€ 2,50
Palmadusta ziczac (L., 1758).	Tanzania, Zanzibar, Unguja, Nungwi. East Africa. From local fisherman.	€ 4,00
Palmadusta ziczac (L., 1758).	Tanzania, Zanzibar, Unguja, Kendwa. East Africa. From local fisherman.	€ 4,00
Palmadusta ziczac (L., 1758).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 2,50
Palmadusta ziczac (L., 1758).	Thailand, Phuket.	€ 1,00
Palmadusta ziczac (L., 1758).	Philippines, Samar Island. From divers.	€ 1,70
Dentaliidae		
Dentalium aprinum L., 1767.	Philippines, Mindanao Island, Davao.	€ 2,80
Dentalium aprinum L., 1767.		€ 1,50
Antalis dentalis (L., 1766).	Tunisia, Djerba Island, Ajim, 2 metres deep.	€ 0,50
Antalis dentalis (L., 1766).		€ 0,50
Fissidentalium lima Kuroda & Habe, 1963.	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 3,50
Fissidentalium magnificum (Smith, 1896).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 2,00 t/m € 5,00
Fissidentalium metivieri Scarabino, 1995.	Madagascar, Toliara (Tulear) region. East Africa. Indian Ocean. Trawled.	€ 9,00
Fissidentalium metivieri Scarabino, 1995.	Madagascar Island, East Africa. Indian Ocean.	€ 9,50
Fissidentalium metivieri Scarabino, 1995.	Madagascar Island, East Africa. Indian Ocean. 300 metres deep.	€ 6,50 t/m € 9,50
Dentalium octangulatum Donovan, 1804.	India.	€ 1,50 t/m € 2,00
Pictodentalium vernedei (Sowerby, 1860).	Philippines, Palawan Island.	€ 4,00 t/m € 6,00
Pictodentalium vernedei (Sowerby, 1860).	Taiwan.	€ 5,00
Antilis vulgaris (da Costa, 1778).	France, Brittany, St. Jacut de la Mer. Bluish white mouth. An absence of three black bands.	€ 0,25
Donacidae		
Egeria congoensis .	Between Angola and Zaire. West Africa. In mud in brackish water.	€ 32,50
Donax cuneatus L., 1758.	Malaysia, Merang.	€ 0,50
Donax cuneatus L., 1758.	Thailand, Phuket, ±2 hours by boat from Rawai, Raya Island.	€ 1,30

		Price Range
Donax cuneatus L., 1758.	Eastern Malaysia, Pulau Lang Tenga Island.	€ 0,50
Donax deltoides Lamarck, 1818.	Australia, South Australia, Adelaide, St. Kilda. Intertidal, in mud.	€ 3,50
Donax deltoides Lamarck, 1818.	South Australia.	€ 0,80 t/m € 1,80
Donax denticulatus L., 1758.	Surinam territory, South America.	€ 0,30
Donax denticulatus L., 1758.	Venezuela, Nueva Esparta (state), Isla El Coche.	€ 1,00
Donax faba Gmelin, 1791.	Eastern Malaysia, Pulau Lang Tenga Island.	€ 0,50
Donax faba Gmelin, 1791.	Thailand, Phuket, Chalong Bay, Vigkit bungalows.	€ 0,50
Donax faba Gmelin, 1791.	Thailand, Phuket.	€ 0,50
Donax faba Gmelin, 1791.	Kenya, Mombasa Reef. East Africa.	€ 0,30
Donax gouldi Dall, 1921.	California, La Jolla.	€ 1,50
Donax rugosus L., 1758.	Senegal, Saint Louis, West Africa. from fisherman, shallow, in mud/sand.	€ 0,80
Hecuba scortum (L., 1758).	Thailand, Phuket.	€ 2,00 t/m € 4,00
Donax serra Dillwyn, 1817.	South Africa, Cape, Van Stadens, in wet sand at sand's edge.	€ 1,50 t/m € 2,00
Donax serra Dillwyn, 1817.	South Africa.	€ 1,80
Donax serra Dillwyn, 1817.	South Africa, Cape Province, False Bay, Muizenberg Beach.	€ 2,00
Donax striatus L., 1767.	Venezuela, Nueva Esparta (state), Isla El Coche.	€ 0,50
Donax striatus L., 1767.	Surinam territory, South America.	€ 0,30
Donax trunculus f. anatinus Payraudeau, 1826.	Portugal, Algarve, Quarteira.	€ 0,20
Donax trunculus L., 1758.	France, Brittany, Pointe de Penmarck.	€ 0,50
Donax trunculus L., 1758.	Spain, Marbella.	€ 0,20
Donax trunculus L., 1758.	France, Brittany, Pointe de Penmarck.	€ 0,50
Donax trunculus L., 1758.	France, Martel.	€ 0,30
Donax trunculus L., 1758.	Greece, Marathón beach, 1-1,5 metres deep.	€ 0,25
Donax variabilis Say, 1822.	Florida, Gulf of Mexico, Fort Myers Beach.	€ 0,40
Donax variabilis Say, 1822. 5 colour variations	Florida, Gulf of Mexico, Sanibel Island.	€ 0,90
Donax vittatus (da Costa, 1778).	North Sea fishery.	€ 0,15
Donax vittatus (da Costa, 1778).	France, Brittany, Pointe de Penmarck.	€ 0,40
Ellobiidae		
Cassidula aurisfelis (Bruguière, 1789).	Thailand, Phuket.	€ 1,00 t/m € 1,50
Ellobium aurisjudae (L., 1758).	Thailand, Phuket.	€ 1,00 t/m € 3,00
Melampus coffeus (L., 1758).	Florida, near Fort Myers, Pineland, Pine Island. Tube of 5.	€ 2,00
Melampus flavus (Gmelin, 1791).	Philippines, Bohol, close to Panglao, Balicasag Island.	€ 0,50
Melampus flavus (Gmelin, 1791).	Philippines, Bohol, close to Panglao, Balicasag Island.	€ 1,00
Melampus flavus f. nuxcastaneus Kuroda, 1947.	Taiwan.	€ 1,50
Cassidula nucleus (Gmelin, 1791).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 1,00

		Price Range
Cassidula nucleus (Gmelin, 1791).	Thailand, Phuket.	€ 1,00
Cassidula nucleus (Gmelin, 1791).	Philippines.	€ 1,50
Melampus olivaceus Carpenter, 1857.	California, Orange County, Laguna Beach, in lagoon region.	€ 0,30
Ellobium pellucens (Menke, 1830).	Surinam, Commewijne, Lust en Rust.	€ 1,00
Pythia scarabaeus (L., 1758).	Philippines, Bohol, close to Panglao, Balicasag Island.	€ 2,00
Pythia scarabaeus (L., 1758).	Philippines, Palawan Island.	€ 2,00
Pythia scarabaeus (L., 1758).	Papua New Guinea, north of Madang Island, Finschhafen.	€ 2,00
Pythia scarabaeus (L., 1758).	Philippines, Cebu Island, Bantayan Island.	€ 2,00
Melampus tabogensis C.B. Adams, 1852.	Panama, Taboga Island. Under leaves.	€ 2,00
Epitoniidae		
Epitonium clathrum (L., 1758).	The Netherlands, Scheveningen.	€ 0,30 t/m € 0,50
Epitonium clathrum (L., 1758).	Spain.	€ 4,00
Epitonium clathrum (L., 1758).	The Netherlands, Scheveningen.	€ 0,50
Epitonium clathrum (L., 1758).	France, Brittany, Les Rosaires.	€ 1,00
Epitonium costulatum (Kiener, 1839).	Thailand, Phuket, ±2 hours by boat from Rawai, Raya Island.	€ 5,00 t/m € 10,00
Opalia crenata (L., 1758).	S.E. Spain, Peniscola.	€ 1,30
Amaea ferminiana (Dall, 1908).	Panama, Bay of Chiriqui, trawled, 240-400 feet deep, on sand.	€ 15,00 t/m € 25,00
Gyroscala lamellosa (Lamarck, 1822).	Italy, Savona, scuba diving in shallow water, 3-5 metres deep.	€ 3,00 t/m € 9,00
Gyroscala lamellosa (Lamarck, 1822).		€ 2,50
Gyroscala lamellosa (Lamarck, 1822).	Spain, Canary Islands. Trawled at 3-4 metres.	€ 2,50
Gyroscala lamellosa (Lamarck, 1822).	Canary Islands, Playa Blanca Lanzarote, in tidal pools.	€ 2,30
Gyroscala lamellosa (Lamarck, 1822).	Greece, Marathón beach, 1-1,5 metres deep.	€ 2,60 t/m € 4,80
Amaea magnifica (Sowerby, 1844).	Japan.	€ 25,00 t/m € 29,50
Epitonium scalare (L., 1758).	Vietnam, Indo-China.	€ 7,00 t/m € 8,00
Epitonium scalare (L., 1758).	Philippines, Masbate province, Rizal. On coral reef, 10-18 m deep.	€ 9,50
Epitonium scalare (L., 1758).	Philippines, Cebu eiland, Mactan eiland, Punta Engaño.	€ 9,00 t/m € 11,50
Epitonium scalare (L., 1758).	Philippines, Luzon Island, Manila Bay.	€ 3,50 t/m € 12,50
Epitonium scalare (L., 1758).	Indonesia, Flores.	€ 6,00
Epitonium spec. .	Thailand, Phuket.	€ 3,00
Amaea splendidum (de Boury, 1913).	Philippines, Bohol Island, close to Panglao, Balicasag Island.	€ 2,00
Cirsotrema varicosum (Lamarck, 1822).	Philippines, Mactan Island, Punta Engaño, from tangle nets. 53 mm - 61 mm	€ 9,00 t/m € 10,00
Cirsotrema varicosum (Lamarck, 1822). Special offer	Philippines, Bohol, close to Panglao, Balicasag Island.	€ 5,00 t/m € 6,50
Boreoscala zelebori (Dunker, 1866).	New Zealand, North Island, Orewa Beach.	€ 2,00
Fasciolariidae		
Pleuroploca aurantiaca (Lamarck, 1816). With octopus microphole.	Brazil, Ceará, Camocim. Collected on octopus pots at 20-25 metres deep.	€ 3,50 t/m € 6,50

		Price Range
Pleuroploca aurantiaca (Lamarck, 1816).	Brazil, Ceará, Camocim, collected on lobster nets at 30-40 metres deep.	€ 2,50
Latirus balicasagensis Bozzetti, 1997.	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 5,00 t/m € 9,50
Latirus belcheri (Reeve, 1847).	Philippines.	€ 5,00
Latirus cariniferus f. mcgintyi Pilsbry, 1939.	Florida, Pompano Beach, off Hillsboro Light, 10 fathoms, scuba.	€ 9,50
Fusinus colus (L., 1758).	Philippines.	€ 1,50
Fusinus colus (L., 1758).	Indian Ocean.	€ 2,50 t/m € 4,00
Fusinus colus (L., 1758).	Thailand, Phuket, Raya Island, 25-30 metres deep.	€ 0,80 t/m € 2,50
Fusinus colus (L., 1758).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 0,50 t/m € 2,50
Fusinus colus (L., 1758).	Japan, Honshu Island, Wakayama prefecture, Nada-Cho. 20-40 fathoms deep.	€ 3,00
Fusinus colus (L., 1758).	Philippines, Manilla Bay. From fisherman.	€ 2,50
Granulifusus consimilis Garrard, 1966.	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 4,50 t/m € 6,50
Latirus constrictus (Koch, 1845).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 1,00 t/m € 5,00
Latirus craticulatus (L., 1758).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 2,00 t/m € 6,50
Latirus craticulatus (L., 1758).	Taiwan.	€ 3,00
Latirus deynzerorum Emerson & Cage, 1990.	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 3,50 t/m € 4,00
Pleuroploca filamentosa (Röding, 1798).	Philippines.	€ 2,00
Pleuroploca filamentosa (Röding, 1798).	Thailand, Phuket.	€ 1,00 t/m € 3,00
Pleuroploca filamentosa (Röding, 1798).	Philippines, Palawan Island. On coral reef, 15-20 metres deep.	€ 4,00
Pleuroploca gigantea (Kiener, 1840).	Florida, off Marco Island, Pompano Flat. Low tide, sand/grass.	€ 45,00 t/m € 95,00
Pleuroploca gigantea (Kiener, 1840). Juvenile	Florida, Boca Raton.	€ 0,80 t/m € 1,80
Granulifusus kiranus Shuto, 1958.	Philippines, Balicasag Island, near Panglao, Bohol, 180 metres deep, nets. 46 mm	€ 4,00 t/m € 6,00
Dolicholatirus lancea (Gmelin, 1791).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 1,50 t/m € 4,00
Latirus lanceolatus (Reeve, 1847).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 2,50 t/m € 4,00
Fasciolaria lignaria (L., 1758).	Italy, Apulia, Gallipoli. Low tide, under rocks, 2-3 metre deep.	€ 2,00
Fasciolaria liliium hunteria (Perry, 1811).	North Carolina.	€ 3,50 t/m € 5,00
Fasciolaria liliium hunteria (Perry, 1811).	Florida, at low tide off St. Petersburg Beach, sand/grass.	€ 2,30
Fasciolaria liliium hunteria (Perry, 1811).	Florida, Gulf of Mexico.	€ 2,80
Fasciolaria liliium hunteria (Perry, 1811).	Florida, off Marco Island. Low tide, sand and grass bottom.	€ 4,50
Latirus nagasakiensis Smith, 1880.	Philippines, Bohol, close to Panglao, Balicasag Island.	€ 2,30 t/m € 3,80
Leucozonia nassa (Gmelin, 1791).	Bonaire, Lesser Antilles Islands, Playa.	€ 0,50 t/m € 1,30
Peristernia nassatula (Lamarck, 1822).	Thailand, Phuket, Raya Island, 25-30 metres deep.	€ 1,30
Peristernia nassatula (Lamarck, 1822).	Kenya, Mombasa Reef. East Africa.	€ 2,00
Peristernia nassatula (Lamarck, 1822).	Philippines, Cebu Island.	€ 1,00 t/m € 2,30
Peristernia nassatula (Lamarck, 1822).	Marshall Islands, Majuro, on rocks north of Gateway Hotel.	€ 2,50
Peristernia nassatula (Lamarck, 1822).	Solomon Islands, Malaita, Ataa.	€ 2,00

		Price Range
Peristernia nassatula (Lamarck, 1822).	Philippines, Cebu Island.	€ 1,00
Fusinus nicobaricus (Röding, 1798).	Thailand, Phuket.	€ 1,80 t/m € 2,80
Fusinus nicobaricus (Röding, 1798).	Indo-Pacific.	€ 1,80 t/m € 2,80
Granulifusus nipponicus (Smith, 1879).	Taiwan, southwest.	€ 0,80 t/m € 1,30
Granulifusus nipponicus (Smith, 1879).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 2,00
Colubraria nitidula (Sowerby, 1833).	Thailand, Phuket, ±2 hours by boat from Rawai, Raya Island.	€ 2,80
Latirus paetelianus (Küster & Kobelt, 1879).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 1,25 t/m € 2,30
Fusinus panamensis Dall, 1908.	Panama.	€ 5,00
Latirus pearsoni Snyder, 2002.	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 2,30
Peristernia philberti (Récluz, 1844).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 1,00
Fusus polygonoides Lamarck, 1822.	Egypt, South Sinai, Dahab. Gulf of Aqaba.	€ 2,30 t/m € 6,25
Latirus polygonus (Gmelin, 1791).	Madagascar, Fort Dauphin.	€ 6,50
Latirus polygonus (Gmelin, 1791).	Philippines.	€ 5,00
Latirus polygonus (Gmelin, 1791).	Philippines, Bohol, close to Panglao, Balicasag Island.	€ 0,50 t/m € 2,50
Opeatostoma pseudodon (Burrow, 1815).	Mexico, Oaxaca, Puerto Angel. On rock, 40-150 metres deep.	€ 10,00 t/m € 15,00
Opeatostoma pseudodon (Burrow, 1815).	Panama, Gobernadora Island.	€ 7,50
Opeatostoma pseudodon (Burrow, 1815).	Western Panama.	€ 2,00 t/m € 3,50
Opeatostoma pseudodon (Burrow, 1815).	West Mexico.	€ 7,50
Opeatostoma pseudodon (Burrow, 1815).	West Panama, the Pearl Archipelago, Isla Pedro Gonzalez. Pacific Ocean.	€ 4,50
Opeatostoma pseudodon (Burrow, 1815).	Panama, off Gobernadora Island, low tide, on sand and grass.	€ 7,50
Latirus recurvirostris (Schubert & Wagner, 1829).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 5,00 t/m € 10,00
Peristernia reincarnata Snyder, 2000.	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 2,00
Fusinus rostratus (Olivi, 1792).	Spain, Fuengirola.	€ 2,50
Latirus sarinae Snyder, 2003.	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 2,00
Latirolagena smaragdula (L., 1758).	Thailand, Phuket, Raya Island, 25-30 metres deep.	€ 5,00 t/m € 6,25
Latirolagena smaragdula (L., 1758).	Philippines, Cebu Island, Mactan Island, Punta Engaño.	€ 4,00
Peristernia spec. .	Philippines, Mactan Island, Punta Engano.	€ 3,30
Pleuroploca trapezium (L., 1758).	Thailand, Phuket, Raya Island, 25-30 metres deep.	€ 0,80
Pleuroploca trapezium (L., 1758). Juvenile	Philippines, Bohol, close to Panglao, Balicasag Island.	€ 1,00 t/m € 2,50
Pleuroploca trapezium (L., 1758).	Indonesia, Madura Island.	€ 3,50 t/m € 4,50
Pleuroploca trapezium (L., 1758).	Gulf of Thailand.	€ 7,50
Pleuroploca trapezium (L., 1758).	Thailand, Phuket.	€ 1,00 t/m € 5,00
Fusinus tuberculatus Lamarck, 1822.		€ 2,50
Fasciolaria tulipa (L., 1758).	Florida, Gulf of Mexico, Boca Grande.	€ 1,80 t/m € 3,30
Fasciolaria tulipa (L., 1758).	Venezuela, Isla Margarita.	€ 2,50 t/m € 9,50

Fasciolaria tulipa (L., 1758).
 Fasciolaria tulipa (L., 1758).
 Latirus turritus (Gmelin, 1791).
 Fusinus undatus (Gmelin, 1791).
 Fusinus undatus (Gmelin, 1791).
 Peristernia ustulata (Reeve, 1847).
 Peristernia ustulata (Reeve, 1847).
 Latirus walleri Ladd, 1976.
 Latirus walleri Ladd, 1976.

Ficidae

Ficus ficus (L., 1758).
 Ficus ficus (L., 1758).
 Ficus filosa (Sowerby, 1892).
 Ficus gracilis (Sowerby, 1825).
 Ficus gracilis (Sowerby, 1825).

Fimbriidae

Fimbria fimbriata (L., 1758).
 Fimbria fimbriata (L., 1758).

Fissurellidae

Fissurella barbadensis (Gmelin, 1791).
 Fissurella barbadensis (Gmelin, 1791).
 Fissurella barbadensis (Gmelin, 1791).
 Fissurella barbadensis (Gmelin, 1791).
 Fissurella bridgesi (Reeve, 1849).
 Fissurella coarctata King, 1832.
 Fissurella costata Lesson, 1830.
 Fissurella crassa Lamarck, 1822.
 Megathura crenulata (Sowerby, 1825).
 Megathura crenulata (Sowerby, 1825).
 Fissurella cumingi Reeve, 1849.
 Diodora graeca (L., 1758).
 Fissurella latimarginata Sowerby, 1835.
 Fissurella latimarginata Sowerby, 1835.
 Fissurella limbata Sowerby, 1834.
 Fissurella maxima Sowerby, 1835.

Florida, Marco Island, Pompano Flat. Very low tide, shallow.
 Venezuela, eastern. From beach.
 Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.
 Philippines.
 Philippines, Mactan Island.
 Philippines, Cebu Island, Mactan Island, Punta Engaño.
 Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.
 Philippines, Bohol Island.
 Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.

Taiwan. Fished.
 Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.
 Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.
 Indonesia. 8 cm - 9 cm
 Philippines, Leyte Island, Carigari Bay.

Philippines.
 Australia, Queensland, Great Barrier Reef.

The Grenadines Islands, Windward Islands, Caribbean.
 Curaçao, Lesser Antilles Islands.
 St. Maarten, Caribbean Sea.
 Barbados, West Indies.
 Chile, I Región, Chipana (21°S). Local diver, on rocks in shallow water.
 Senegal, Dakar, north side N'Gor, diving, 1-8 metres deep.
 Chile, IV Región, Coquimbo. Scuba diver, on rocks at 5-10 metres deep.
 Chile, IV Región, Coquimbo. Scuba diver, on rocks at 5-10 metres deep.
 Mexico.
 California, Newport Beach.
 Chile, IV Región, Coquimbo. Scuba diver, on rocks at 5-10 metres deep.
 Spain, Sitges, Dosta Dorada, Playa Terramar.
 Chile, Los Vilos, IV region. Taken on rocks by local fisherman.
 Chile, IV Región, Coquimbo. Scuba diver, on rocks at 5-10 metres deep.
 Chile, IV Región, Coquimbo. Scuba diver, on rocks at 5-10 metres deep.
 Chile, IV Región, Los Vilos. By diver, on rocks in shallow water.

Price Range

€ 6,50
 € 1,80
 € 1,00 t/m € 2,00
 € 6,00
 € 7,50
 € 1,80
 € 1,50
 € 4,00
 € 3,50 t/m € 5,00

 € 1,50
 € 1,00 t/m € 2,50
 € 2,50 t/m € 6,50
 € 4,00 t/m € 6,00
 € 4,00

 € 2,50
 € 2,00 t/m € 3,00

 € 1,00
 € 1,00
 € 0,70
 € 0,75 t/m € 1,25
 € 8,00
 € 1,30 t/m € 2,30
 € 14,50
 € 9,50
 € 5,50
 € 2,80 t/m € 3,80
 € 10,00
 € 1,00
 € 4,50 t/m € 9,50
 € 10,00
 € 9,50
 € 17,50

Fissurella maxima Sowerby, 1835.
 Fissurella maxima Sowerby, 1835.
 Fissurella microtrema Sowerby, 1835.
 Fissurella natalensis Krauss, 1848.
 Fissurella nimbosa (L., 1758).
 Fissurella nimbosa (L., 1758).
 Fissurella nodosa (Born, 1778).
 Fissurella nodosa (Born, 1778).
 Fissurella nubecula (L., 1758).
 Fissurella nubecula (L., 1758).
 Fissurella picta (Gmelin, 1791). Rock crevices, mesolitoral.
 Fissurella pulchra Sowerby, 1834.
 Amblychilepas scutella (Gmelin, 1791).
 Fissurella spec. .

Gaimardiidae

Gaimardia trapezina (Lamarck, 1819).

Glossidae

Glossus humanus (L., 1758).
 Glossus humanus (L., 1758).
 Glossus lamarckii Reeve, 1845.
 Glossus vulgaris Reeve, 1845.

Glycymerididae

Glycymeris americana (De France, 1829).
 Glycymeris americana (De France, 1829).
 Glycymeris americana (De France, 1829).
 Glycymeris canoa Pilsbry & Olsson, 1941.
 Glycymeris canoa Pilsbry & Olsson, 1941.
 Glycymeris gigantea (Reeve, 1843).
 Glycymeris glycymeris (L., 1758).
 Glycymeris glycymeris (L., 1758).
 Glycymeris glycymeris (L., 1758).
 Glycymeris glycymeris (L., 1758).
 Glycymeris glycymeris (L., 1758).
 Glycymeris glycymeris (L., 1758).
 Glycymeris insubrica (Brocchi, 1814).

Chile.
 Chile, IV Región, Coquimbo. Scuba diver, on rocks at 5-10 metres deep.
 Gulf of California.
 South-Africa.
 Venezuela, Isla Margarita, Playa Morena.
 Surinam territory, Porto Rico. South America.
 Southwest Florida.
 Lesser Antilles Islands.
 Italy, Aspera.
 Spain, Sitges, Playa Terramar.
 Argentina, Tierra del Fuego Prov., Canal Beagle, Puerto Almanza. On rocks.
 Chile, III Región de Atacama, Huasco, 3 Playitas. Intertidal on rocks.
 South Africa.
 Cape Verde Islands, Sal Island. Atlantic Ocean.

Argentina, Staten Island, Puerto Parry, on Algae:Macrocystis.

N.E. Italy, Rimini, Adriatic Sea.
 Spain, between Palamós and Benicarló.
 Philippines, Bohol, close to Panglao, Balicasag Island.
 Philippines, Cebu Island, Mactan Island, Punta Engaño.

Panama, Bay of Portobelo, Caribbean, trawled, 120-240 feet.
 Florida.
 Panama, Nombre de Dios, Caribbean, in sand, 20 fathoms deep.
 Panama, Kativa Island.
 Panama, Bay of Chiriqui, trawled between 120-240 feet.
 Mexico, Baja California, San Carlos, 6-12 metres deep.
 English Channel fishery.
 France, collected by fishermen off the coast of Brittany.
 France, Brittany, Erquy Plages.
 France, Brittany, Ile de Cézembre.
 France, Brittany, St. Briac sur Mer, in small harbour.
 France, Brittany, St. Malo.
 Spain, Benajafefe.

Price Range

€ 7,50
 € 10,00
 € 1,50
 € 1,20
 € 1,00 t/m € 1,50
 € 1,50
 € 1,50 t/m € 2,50
 € 1,00
 € 0,50
 € 3,00
 € 12,50
 € 14,50
 € 1,20
 € 1,00 t/m € 1,30

€ 6,50

€ 12,50
 € 12,50
 € 7,50
 € 3,80 t/m € 7,50

€ 2,30
 € 5,00
 € 2,30
 € 2,30
 € 2,50
 € 5,00 t/m € 9,00
 € 0,80
 € 0,80
 € 0,20 t/m € 0,80
 € 0,30
 € 0,80
 € 0,80
 € 0,50 t/m € 1,30

		Price Range
Glycymeris insubrica (Brocchi, 1814).	Mediterranean Sea.	€ 2,50
Glycymeris insubrica (Brocchi, 1814).	Spain, off Malaga, 20-30 m, trawled by local fishermen.	€ 2,30 t/m € 2,50
Glycymeris insubrica (Brocchi, 1814).	Spain, Barcelona.	€ 1,30 t/m € 1,50
Tucetona laticostata (Quoy & Gaimard, 1835).	New Zealand, N.E. North Island, Waipu Cove.	€ 1,30 t/m € 2,30
Tucetona multicostata (Sowerby, 1833).	Panama, Canal de Afuera Island, trawled between 120-240 feet.	€ 2,80
Glycymeris pectinata (Gmelin, 1791).	Bahamas, Green Turtle Cay Island.	€ 0,30
Glycymeris pectinata (Gmelin, 1791).	Panama, Nombre de Dias, Caribbean, 20 fathoms deep, sand.	€ 1,00
Glycymeris pectinata (Gmelin, 1791).	Panama, Bay of Porto Bello.	€ 2,80
Tucetona pectunculus (L., 1758).	Philippines, Cebu Island, Mactan Island.	€ 0,50
Tucetona pectunculus (L., 1758).	Philippines, Bohol, close to Panglao, Balicasag Island.	€ 0,50 t/m € 2,50
Tucetona pectunculus (L., 1758).	Egypt, South Sinai, Dahab. Gulf of Aqaba.	€ 1,00
Tucetona pectunculus (L., 1758).	Philippines.	€ 0,80
Glycymeris reevei (Mayer, 1868).	Philippines, Bohol, close to Panglao, Balicasag Island.	€ 0,50 t/m € 0,75
Glycymeris reevei (Mayer, 1868).	Philippines, Cebu Island, in shallow water.	€ 1,00
Glycymeris reevei (Mayer, 1868).	Southwestern Pacific Ocean.	€ 2,00
Glycymeris reevei (Mayer, 1868).	Indonesia, West Timor Island, Palau-Semrei.	€ 1,30
Glycymeris striatularis (Lamarck, 1819).	Australia, Western Australia, collected by diver on sand at 1 metre deep.	€ 1,30
Tucetona strigilata (Sowerby, 1833).	Panama, Bay of Chiriqui, trawled between 120-240 feet.	€ 2,30
Tucetona strigilata (Sowerby, 1833).	Panama, Bay of Chiriqui, Pacific, trawled at 120-240 feet.	€ 2,30
Gryphaeidae		
Hytotissa imbricata (Lamarck, 1819).	Japan, Kii.	€ 5,00
Haliotidae		
Haliotis asinina L., 1758.	Thailand, Phuket.	€ 1,50 t/m € 2,50
Haliotis asinina L., 1758.	Indonesia, Sumatra.	€ 1,25
Haliotis australis Gmelin, 1791.	New Zealand, North Island, off Wellington. By diver.	€ 15,00
Haliotis corrugata Wood, 1828.	Southern California.	€ 7,50
Haliotis cyclobates Péron, 1816.	Australia, S.A., Edithburg. Attached to smooth rocks, under jetty at 10 m.	€ 10,00 t/m € 12,50
Haliotis discus hannai Ino, 1952.	China, Yellow Sea, dived at 10-15 metres deep, on rocks.	€ 12,50
Haliotis diversicolor Reeve, 1846.	Indonesië, Java.	€ 5,00
Haliotis diversicolor Reeve, 1846.	Indonesia, Java. Collected by locals on rocks.	€ 4,50
Haliotis diversicolor Reeve, 1846.	Thailand, Phuket.	€ 12,00
Haliotis elegans Philippi, 1844.	Western Australia, 160 km North of Perth, Jurien Bay. At 5-8 metres.	€ 17,50
Haliotis fulgens Philippi, 1845.		€ 17,00
Haliotis glabra Gmelin, 1791.	Indonesia, off the northeastern coast of Java, Madura Island.	€ 1,00
Haliotis glabra Gmelin, 1791.	Philippines, Mindanao Island, Zamboanga.	€ 1,00

		Price Range
Haliotis iris Martyn, 1784. Partly polished.	New Zealand.	€ 15,00
Haliotis iris Martyn, 1784.	New Zealand.	€ 2,50 t/m € 35,00
Haliotis kamtschatkana assimilis Dall, 1878. Live by Mexican hookah diver	Near Santo Tomas, west coast of Baja California, Mexico. 20-30 m deep.	€ 12,50 t/m € 22,50
Haliotis kamtschatkana assimilis Dall, 1878.	Mexico, Baja California (state).	€ 12,50
Haliotis kamtschatkana kamtschatkana Jonas, 1845. Amongst kelp	Northern California, N. of Trinidad, 3-8 m, on rocks in crevices.	€ 15,00
Haliotis laevigata Donovan, 1808.	Australia, Western Australia, Albany & Denmark area.	€ 15,00
Haliotis laevigata Donovan, 1808.	Australia, Tasmania. 15 mm	€ 19,50
Haliotis laevigata Donovan, 1808.	South Australia, Port Lincoln. Sustainably farmed.	€ 10,00
Haliotis mariae mariae Wood, 1828.	Oman, Sadah (Ṣadh). Middle East. Arabian Sea.	€ 4,00
Haliotis midae L., 1758. Polished	South Africa.	€ 7,50 t/m € 15,00
Haliotis ovina Gmelin, 1791.	Philippines, Mactan Island, Punta Engaño.	€ 2,80
Haliotis ovina Gmelin, 1791.	Thailand, Phuket.	€ 1,50 t/m € 3,50
Haliotis patamakanthini Dekker, Regter & Gras, 2001.	Thailand, Phuket.	€ 1,00 t/m € 2,00
Haliotis planata Sowerby, 1883.	Thailand, Phuket.	€ 1,50 t/m € 2,00
Haliotis pustulata Reeve, 1846.	Mozambique, East Africa. Indian Ocean. Under rocks.	€ 5,00
Haliotis rubra rubra Leach, 1814. Synonym: H. ruber Leach, 1814	Australia.	€ 12,50
Haliotis rufescens Swainson, 1822.	N. California, Elk.	€ 12,50 t/m € 27,50
Haliotis rufescens Swainson, 1822.		€ 5,00
Haliotis scalaris scalaris (Leach, 1814).	Australia, W.A., 160 km north of Perth, Jurian Bay, 5-10 metres deep. Under large limestone slabs among ribbon weed.	€ 3,00 t/m € 12,50
Haliotis squamata Reeve, 1846.	Australia, Western Australia, Port Hedland. Low tide.	€ 3,50
Haliotis squamosa Gray, 1826.	Australia, Western Australia.	€ 12,50
Haliotis tuberculata tuberculata L., 1758.	Southeast Spain, San José.	€ 0,50 t/m € 1,00
Haliotis tuberculata tuberculata L., 1758.	France, Brittany.	€ 9,50
Haliotis tuberculata tuberculata L., 1758.	Senegal, West Africa.	€ 1,30
Haliotis varia L., 1758.	Indian Ocean.	€ 0,50
Haliotis varia L., 1758.	Thailand, Phuket.	€ 2,00 t/m € 4,00
Hamineidae		
Atys cylindricus (Helbling, 1779).	Philippines, N. Bohol, Calitoban Island, night dive, 20-25 metres deep. 15 mm	€ 7,50
Atys naucum (L., 1758).	Philippines, Luzon, Tayabas Bay, from fisherman. 18 mm - 20 mm	€ 2,00
Atys naucum (L., 1758).	Philippines, Samar Island.	€ 1,30 t/m € 3,30
Atys naucum (L., 1758).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 3,50
Atys naucum (L., 1758).	Japan.	€ 3,00 t/m € 4,00
Harpidae		
Harpa amouretta f. crassa Krauss, 1818.	Tanzania, Zanzibar, Uroa, East Africa. On sand.	€ 3,50

		Price Range
Harpa amouretta Röding, 1798.	Southern Zanzibar, Kizimkazi. Low tide, in sandpockets.	€ 4,00
Harpa amouretta Röding, 1798.	Philippines, Jolo Island. Sulu Sea. 45 mm	€ 3,80 t/m € 4,50
Harpa amouretta Röding, 1798.	Madagascar, Toliara (Tulear). East Africa. Indian Ocean. From fishermen.	€ 2,50
Harpa amouretta Röding, 1798.	Philippines, Bohol Island.	€ 1,50 t/m € 3,00
Harpa amouretta Röding, 1798.	Red Sea.	€ 3,50
Harpa amouretta Röding, 1798.	Kenya, Mombasa, East Africa, diving, low tide, 1-3 metres deep.	€ 2,50 t/m € 3,00
Harpa amouretta Röding, 1798.	Egypt, Sinai, Dahab, Pullman Hotel, mudflat at night.	€ 3,00
Harpa amouretta Röding, 1798.	Red Sea, Egypt, Safaga.	€ 2,50
Harpa amouretta Röding, 1798.	Seychelles, W. coast Mahé Island, Anse Boilean Bay. Low tide, muddy sand.	€ 3,50
Harpa articularis Lamarck, 1822.	Philippines, Mindanao Island, Zamboanga.	€ 7,50
Harpa articularis Lamarck, 1822.	Indonesia, off the northeastern coast of Java, Madura Island.	€ 3,50
Harpa articularis Lamarck, 1822.	Philippines, Luzon Island, Manila Bay.	€ 3,80
Harpa articularis Lamarck, 1822.	Philippines, Masbate Island.	€ 2,75
Harpa articularis Lamarck, 1822.	Philippines, Luzon Island, Manila Bay.	€ 3,00 t/m € 3,80
Harpa articularis Lamarck, 1822.		€ 3,00
Harpa articularis Lamarck, 1822.	Thailand, Phuket.	€ 3,50
Harpa cabriti Lamarck, 1816.	Japan, Wakayama prefecture, Nada, 5-20 fathoms deep.	€ 4,00
Harpa cabriti Lamarck, 1816. Special colour	Madagascar Island, East Africa. Indian Ocean.	€ 11,00
Harpa cabriti Lamarck, 1816.	Madagascar, Fort Dauphin. East Africa. Indian Ocean.	€ 2,50 t/m € 8,50
Harpa cabriti Lamarck, 1816.	Madagascar, Tulear, collected by local collector.	€ 9,00 t/m € 12,50
Harpa cabriti Lamarck, 1816.	Madagascar, Toliara (Tulear). East Africa. Indian Ocean. From fishermen.	€ 6,50
Harpa cabriti Lamarck, 1816.	Kenya, near Mombasa, East Africa.	€ 9,00
Harpa cabriti Lamarck, 1816.	Mozambique, East Africa. Indian Ocean.	€ 4,00 t/m € 6,00
Harpa cabriti Lamarck, 1816.	Zanzibar.	€ 10,00
Morum cancellatum (Sowerby, 1824).	Taiwan.	€ 6,50
Morum cancellatum (Sowerby, 1824).	Taiwan.	€ 6,50
Harpa davidis Röding, 1798.	India, Cuddalore, collected by a diver.	€ 8,50
Harpa davidis Röding, 1798.	India.	€ 4,50
Harpa doris Röding, 1798.	Republic of Guinea, West-Africa. Atlantic Ocean	€ 9,00 t/m € 14,50
Morum grande (A. Adams, 1855).	Philippines.	€ 15,00
Morum grande (A. Adams, 1855).	Philippines, Aliguai Island, near Dipolog, Mindanao, 340 metres deep. 55 mm	€ 25,00
Morum grande (A. Adams, 1855).	Southwest Taiwan.	€ 22,50 t/m € 25,00
Morum grande (A. Adams, 1855).	Taiwan Channel.	€ 22,50
Morum grande (A. Adams, 1855).		€ 4,50
Harpa harpa L., 1758.	Philippines, Masbate Island.	€ 15,00

		Price Range
Harpa harpa L., 1758.	Philippines, Sulu Archipel, Siasi.	€ 7,50
Harpa harpa L., 1758.	Philippines, Siasi, Sulu Sea, during low tide in sand.	€ 10,00
Harpa harpa L., 1758.	Philippines, Laminusa Island, Sulu Sea, from divers, shallow. 42 mm	€ 10,00
Harpa harpa L., 1758.	Philippines, Batayan Island. Found by diver on reef, 10 metres deep.	€ 12,50
Harpa harpa L., 1758.	Philippines, Mindanao Island, Zamboanga.	€ 8,00
Harpa harpa L., 1758.	Guam, Pacific Ocean.	€ 3,50
Harpa harpa L., 1758.		€ 9,50
Harpa harpa L., 1758.	Indonesia, Moluccas Islands, Banda Sea.	€ 5,00 t/m € 8,00
Harpa major Röding, 1798.	Philippines, Mindanao Island, Zamboanga.	€ 7,00
Harpa major Röding, 1798.	India, Cuddalore, by diver.	€ 1,50 t/m € 7,50
Harpa major Röding, 1798.	Taiwan.	€ 2,50
Harpa major Röding, 1798.	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 2,00 t/m € 5,00
Harpa major Röding, 1798.	Philippines, Sulu Archipel.	€ 5,00
Harpa major Röding, 1798.	Madagascar, Toliara (Tulear), south-west coast, in shallow water.	€ 4,50 t/m € 6,50
Harpa major Röding, 1798.	Philippines.	€ 5,00
Morum oniscus (L., 1767).	Florida, off Miami, Fingerchannels. 1-3 feet deep, in sand, seaweed.	€ 1,50
Morum teramachii Horuda & Habe, 1961.	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 10,00
Morum tuberculosum (Reeve, 1842).	Panama, Gobernadora Island, extreme low tide in muddy sand.	€ 7,50
Morum tuberculosum (Reeve, 1842).	Panama.	€ 3,00
Morum watanabei Kosuge, 1981.	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 5,00
Hemidonacidae		
Hemidonax pictus (Tyron, 1870).	Australia, Central Queensland. Trawled.	€ 2,50
Hiatellidae		
Panopea abbreviata Valenciennes, 1839.	Argentina, Rio Negro Province, San Antonio Este. Dived at 10 metres, By extraction bomb, buried in sand.	€ 10,00
Hipponicidae		
Hipponix conicus (Schumacher, 1817).	Japan, Honshu Island, Tsuyazaki.	€ 0,20
Hipponix subrufus subrufus (Lamarck, 1819).	Aruba, Lesser Antilles Islands. tube containing 3	€ 2,00
Hydatinidae		
Hydatina albocincta (v.d. Hoeven, 1839).	Philippines.	€ 6,25
Hydatina albocincta (v.d. Hoeven, 1839).	Philippines, Mindanao Island, Zamboanga.	€ 5,00
Hydatina amplustre (L., 1758).	Madagascar, Fort Dauphin. East Africa. Indian Ocean.	€ 4,50
Hydatina amplustre (L., 1758).	Madagascar, Fort Dauphin. East Africa. Indian Ocean.	€ 9,50
Hydatina physis (L., 1758).	Philippines, Samar Island.	€ 2,50 t/m € 3,50
Hydrobiidae		

		Price Range
Hydrobia acuta (Draparnaud, 1805).	Tunisia, Gulf of Tunis, Mediterranean Sea.	€ 0,50
Hydrobia ulvae (Pennant, 1777).	The Netherlands, Groningen, Delfzijl, Eemshaven, Spoelhoek I.	€ 2,50
Hydrobia ulvae (Pennant, 1777).	The Netherlands, Schiermonnikoog, Paal 2.	€ 0,80
Hydrobia ulvae (Pennant, 1777).	The Netherlands, Zeeland, Schouwen, Koudekerke.	€ 0,50
Isognomonidae		
Isognomon isognomon (L., 1758).	Thailand, Phuket.	€ 3,00
Isognomon isognomon (L., 1758).	Thailand, Phuket.	€ 1,00 t/m € 2,00
Isognomon pernum (L., 1767).	Thailand, Phuket, ±2 hours by boat from Rawai, Raya Island.	€ 1,30
Janthinidae		
Janthina janthina (L., 1758).	Australia.	€ 3,30
Janthina janthina (L., 1758).	South Africa, Jeffrey's Bay.	€ 0,50
Janthina janthina (L., 1758).	Australia, W.A., Cape Leeuwin, Augusta, washed ashore after storms.	€ 6,50
Janthina janthina (L., 1758).		€ 2,50
Janthina janthina (L., 1758).	Kenya, Mombasa, Lagoon Reef, Diana Beach, live.	€ 3,00 t/m € 5,00
Janthina janthina (L., 1758).	Madagascar, Sainte-Marie. East side of island. East Africa. Indian Ocean.	€ 2,00
Janthina janthina (L., 1758).	Greece, Rhodos.	€ 3,00 t/m € 5,00
Janthina pallida Harvey in Thompson, 1840.	Thailand, Ko Samui. Gulf of Thailand.	€ 1,00 t/m € 2,00
Janthina pallida Harvey in Thompson, 1840.	Portugal, Nazaré.	€ 2,00
Janthina prolongata Blainville, 1822.		€ 4,00
Lamellariidae		
Velutina velutina (O.F. Müller, 1776).	France, Brittany, St. Jacut. Off shore.	€ 2,00
Velutina velutina (O.F. Müller, 1776).	Vildé-la-Mavine, tide line.	€ 1,00
Lasaeidae		
Lasaea rubra (Montagu, 1803).	France, Brittany, Dinard.	€ 1,80
Limidae		
Ctenoides annulatus (Lamarck, 1819).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 2,00
Limaria hians (Gmelin, 1791).	S. France, Banyuls.	€ 1,80 t/m € 3,80
Lima lima (L., 1758).	Thailand, Phuket, Raya Island, 25-30 metres deep.	€ 1,00 t/m € 2,80
Lima lima (L., 1758).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 1,00 t/m € 4,50
Lima scabra (Born, 1778).	The Grenadines Islands, Windward Islands, Caribbean.	€ 0,80 t/m € 1,80
Lima scabra f. tenera Sowerby, 1843.	Florida.	€ 2,00
Lima vulgaris (Link, 1807).	Japan, Honshū, Chiba prefecture, Bōsō Peninsula. 20 metres deep.	€ 3,00
Lima vulgaris (Link, 1807).	Philippines, Bohol Island.	€ 9,50 t/m € 12,50
Lima vulgaris (Link, 1807).	Philippines, Bohol Island.	€ 6,50 t/m € 10,00

Price Range**Limopsidae**

Limopsis tokaiensis Yokoyama, 1910.

Japan, Aichi pref., taken off Mikawa in 80-100 fathoms.

€ 1,30

Littorinidae

Littorina angustior (Mörch, 1876).

Aruba, Northern, Playa Makos.

€ 0,80

Littorina aspersa Philippi, 1846.

Panama, Gulf of Panamá, San Carlos, El Palmar, live, coastal.

€ 0,40

Littorina brevicula (Philippi, 1844).

Japan, Honshu Island, Toba.

€ 0,70

Tectarius coronatus Valenciennes, 1832.

Philippines.

€ 1,30

Tectarius coronatus Valenciennes, 1832.

Philippines, Bohol, close to Panglao, Balicasag Island.

€ 1,75

Tectarius coronatus Valenciennes, 1832.

Philippines, Bohol Island.

€ 1,50

Echininus cumingi spinulosus (Philippi, 1847).

Philippines, Cebu Island.

€ 0,80

Echininus cumingi spinulosus (Philippi, 1847).

Philippines, Sulu Archipelago, Saisi. Sulu Sea.

€ 0,20

Littorina fasciata Gray, 1839.

Costa Rica, Puntarenas, in mangroven. GIANTS. Dark form. 25 mm

€ 0,50 t/m € 2,00

Littorina fasciata Gray, 1839.

Panama, Gulf of Panamá, San Carlos, on mangrove roots.

€ 0,50

Littorina littorea (L., 1758).

France, Brittany.

€ 1,00

Littorina littorea (L., 1758).

The Netherlands, Zeeland, Yerseke.

€ 0,30

Littorina littorea (L., 1758).

France, Brittany.

€ 0,25

Littorina littorea (L., 1758).

France, Le Portel, near Boulogne sur Mer, low tide on rocks. 14 mm

€ 1,50

Littorina littorea (L., 1758).

France, Brittany, Erquy.

€ 0,50

Nodilittorina millegrana (Philippi, 1848).

Japan, Aitsu.

€ 0,10

Nodilittorina millegrana (Philippi, 1848).

Japan, Honshu Island, Wakayama prefecture, Shirahama.

€ 0,20

Tectarius muricatus (L., 1758).

Florida, Key Largo, Harris Harris Park. On rocks. Large.

€ 0,40

Tectarius muricatus (L., 1758).

Bahamas, Green Turtle Cay Island.

€ 0,70

Tectarius muricatus (L., 1758).

Florida, Caribbean.

€ 0,50

Tectarius muricatus (L., 1758).

Panama, Isla Margarita (Colon), live on stones & mangroves.

€ 0,70

Echininus nodulosus (Pfeiffer, 1839).

Florida, Fishing Pier, Boca Raton, Dear Field Beach.

€ 0,50

Littorina obtusata f. *citrina* Dautzenberg & Fischer, 1915.

France, Brittany, St. Jacut de la Mer.

€ 0,30

Littorina obtusata (L., 1758).

France, Brittany, St. Jacut de la Mer.

€ 0,30

Littorina obtusata f. *olivacea* Dautzenberg & Fischer, 1915.

France, Brittany, Les Rosaires.

€ 0,30

Littorina obtusata f. *olivacea* Dautzenberg & Fischer, 1915.

France, Brittany, Quiberon, Pointe du Conguel, intertidal. 7 mm

€ 0,80

Tectarius pagodus (L., 1758).

Indonesia, Madura Island.

€ 2,00 t/m € 3,00

Littoraria pallescens (Philippi, 1846).

Philippines, Balicasag Island, near Panglao, Bohol.

€ 1,00

Lacuna pallidula (da Costa, 1778).

France, Brittany, St. Malo.

€ 1,30

Littorina planaxis Philippi, 1847.

Mexico, Gulf of California, Punta Banda.

€ 0,30

Littorina punctata (Gmelin, 1791).

Spain, Alicante.

€ 0,30

Littorina punctata (Gmelin, 1791).

Morocco, Essaouira.

€ 0,10

		Price Range
Nodilittorina pyramidalis (Quoy & Gaimard, 1833).	Thailand, Phuket, ±2 hours by boat from Rawai, Raya Island.	€ 1,80
Littorina saxatilis (Olivi, 1792).	France, Brittany, Trébeurden.	€ 0,20
Littorina saxatilis (Olivi, 1792).	France, Brittany, St. Jacut de la Mer.	€ 0,20
Littorina saxatilis (Olivi, 1792).	France, Brittany, Erquy.	€ 0,30
Littorina saxatilis (Olivi, 1792).	France, Brittany, St. Jacut de la Mer.	€ 0,20
Littorina saxatilis (Olivi, 1792).	The Netherlands, Zeeland, Tholen.	€ 0,20
Littorina saxatilis (Olivi, 1792).	France, West, Fouras.	€ 0,20
Littorina scabra angulifera (Lamarck, 1822).	Panama, Isla Margarita (Colon), Caribbean, live on mangroves.	€ 0,40
Littorina scabra scabra (L., 1758).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 1,00
Littorina sitkana Philippi, 1846.	S.E. Alaska, Baranof Island, W. Sitka, W. Japonsky Island. 1.6' tide.	€ 1,50
Littorina spec. .	SE Alaska, U.S.A., Baranof Island, Silver Bay, at a 0.8 foot tide.	€ 1,50
Nodilittorina tuberculata (Menke, 1828).	The Grenadines Islands, Windward Islands, Caribbean.	€ 0,80 t/m € 1,80
Littorina unifasciata unifasciata Gray, 1826.	Australia, New South Wales, Sydney, Clovelly.	€ 1,00
Littorina zebra Donovan, 1825.	Panama. On rocks.	€ 4,00
Littorina ziczac (Gmelin, 1791).	The Grenadines Islands, Windward Islands, Caribbean.	€ 1,50
Lottiidae		
Patelloida saccharina (L., 1758).	Philippines.	€ 0,30
Patelloida saccharina (L., 1758).	Japan, Honshu Island, Wakayama prefecture, Nada, at low tide.	€ 0,30
Tectura schrenckii (Lischke, 1868).	Japan, Wakayama Prefecture, Nada-Cho, Kusui. Low tide.	€ 1,00
Lucinidae		
Anodontia alba Link, 1807.	Aruba, Malmok, Lesser Antilles Islands, between seaweed and sand.	€ 1,30
Anodontia alba Link, 1807.	Bahamas, Nassau.	€ 1,50
Anodontia alba Link, 1807.	Florida.	€ 1,00
Loripes clausus (Philippi, 1894).	South Africa, Western Cape Province, Plettenberg Bay.	€ 1,20
Loripes clausus (Philippi, 1894).	South Africa, Mosselbaai.	€ 0,70
Divaricella dentata (Wood, 1815).	Jamaica, Ocho Rios.	€ 2,00 t/m € 2,50
Anodontia edentula (L., 1758).	Thailand, Phuket.	€ 3,00
Anodontia edentula (L., 1758).	Mauritius, Ile aux Cerfs. Indian Ocean.	€ 1,50
Loripes lucinalis (Lamarck, 1818).	France, Brittany, St. Jacut de la Mer.	€ 0,20
Loripes lucinalis (Lamarck, 1818).	Tunisia, Monastir.	€ 0,30
Codakia orbicularis (L., 1758).	Florida, Key West.	€ 2,00 t/m € 2,50
Codakia orbicularis (L., 1758).	Aruba, Malmok, Cactus Bay, Lesser Antilles Islands.	€ 1,75
Codakia paytenorum (Iredale, 1937).	Philippines, Bohol, close to Panglao, Balicasag Island.	€ 1,50 t/m € 2,50
Lucina pectinata (Gmelin, 1791).	Venezuela, Isla Margarita.	€ 1,00
Lucina pectinata (Gmelin, 1791).	East Mexico, Yucatan, Mujeres Island, dived, 5 m, muddy sand.	€ 5,50

		Price Range
Lucina pectinata (Gmelin, 1791).	Florida, Gulf of Mexico, Sanibel Island.	€ 3,00
Linga pensylvanica (L., 1758).	The Grenadines Islands, Windward Islands, Caribbean.	€ 1,00 t/m € 1,30
Linga pensylvanica (L., 1758).	Bahamas, Green Turtle Cay Island.	€ 1,30 t/m € 1,80
Linga pensylvanica (L., 1758).	Florida, Upper Harbour Key.	€ 1,70
Linga pensylvanica (L., 1758).	Bahamas, Eleuthera Island.	€ 1,00 t/m € 2,00
Linga pensylvanica (L., 1758).	Florida, Gulf of Mexico, Sanibel Island.	€ 0,80
Linga pensylvanica (L., 1758).	Bahamas, Green Turtle Cay Island.	€ 1,30 t/m € 1,80
Codakia punctata (L., 1758).	Australia, northern Queensland.	€ 1,80
Codakia tigerina (L., 1758).	Philippines, Bohol, close to Panglao, Balicasag Island.	€ 1,00 t/m € 3,00
Codakia tigerina (L., 1758).	Kenya, Mombasa Reef. East Africa.	€ 0,80
Codakia tigerina (L., 1758).	Solomon Islands. Pacific Ocean.	€ 2,50
Mactridae		
Spisula aequilateralis (Deshayes, 1854).	New Zealand, North Island, Nelson Beach.	€ 2,50
Mactra antecedens Iredale, 1930.	Australia, New South Wales, south of Sydney, Cronulla.	€ 1,60
Mactra australis Lamarck, 1819.	Australia, South Australia, Point Sinclair.	€ 1,30
Mactra australis Lamarck, 1819.	Australia, South Australia, Adelaide.	€ 1,30
Rangia cuneata (Sowerby, 1831).	North Carolina. U.S.A.	€ 3,50
Rangia cuneata (Sowerby, 1831).	USA, Florida.	€ 3,00
Mactra discors Gray, 1837.	New Zealand, Auckland, off Long Bay. On beach after storm.	€ 3,00
Longimactra elongata (Quoy & Gaimard, 1835).	New Zealand, Auckland, Waiheke Island, Oneroa Beach, in sand. 95 mm	€ 7,50
Mactra fragilis Gmelin, 1791.	Venezuela, Isla Margarita, Guayacancito.	€ 1,00
Mactra fragilis Gmelin, 1791.	Venezuela, Margarita Island, Porlamar region, scuba, 3 metres deep. 37 mm	€ 3,00
Mactra glauca (Born, 1778).	France, Brittany, Trébeurden.	€ 3,00 t/m € 7,00
Mactra glauca (Born, 1778).	France, Brittany, near Ploubazlanec, in sand at low tide. 80 mm - 95 mm	€ 4,00 t/m € 7,00
Mactra isabelleana Orbigny, 1846.	Argentina, Chubut, Golfo San Marias, dived at 5 metres on sand.	€ 1,30
Mactra isabelleana Orbigny, 1846.	Uruguay, La Coronilla.	€ 2,00
Mactra lilacea Lamarck, 1818.	Red Sea, Egypt, Ras Gamsa.	€ 2,00
Mactra lilacea Lamarck, 1818.	Egypt, South Sinai, Dahab. Gulf of Aqaba.	€ 1,00
Mactra lilacea Lamarck, 1818.	N. Oman, Batinah Coast, in sand in shallow water.	€ 1,30
Mactra lilacea Lamarck, 1818.	Egypt, South Sinai, Dahab. Gulf of Aqaba. Shallow water, on muddy bottom.	€ 2,00
Mactra lilacea Lamarck, 1818.	Egypt, Dahab, Sinai, 80 km N. of Sharm al-Sheikh, live, sand, littoral.	€ 0,80
Lutraria lutraria (L., 1758).	France, Brittany, Carnac.	€ 1,30
Lutraria lutraria (L., 1758).	France, Brittany, St. Jacut de la Mer.	€ 2,50
Lutraria lutraria (L., 1758).	France, Brittany, Trebeurden.	€ 3,00
Lutraria lutraria (L., 1758).	S. Portugal, Algarve, S. of Lagos, Maya Playa, on beach.	€ 0,50 t/m € 0,80

Mactra luzonica Reeve, 1854.
Mactra luzonica Reeve, 1854.
Mactra luzonica Reeve, 1854.
Mactra luzonica Reeve, 1854.
Tresus nuttalli Conrad, 1837.
Raeta plicatella (Lamarck, 1818).
Mactra pura Reeve, 1854.
Mactra pura Reeve, 1854.
Lutraria rhynchaena Jonas, 1844.
Mactra rufescens Lamarck, 1819.
Mactra rufescens Lamarck, 1819.
Spisula solida (L., 1758).
Spisula solida (L., 1758).
Spisula solida (L., 1758).
Mactra stultorum (L., 1758).
Mactra stultorum (L., 1758).
Mactra stultorum (L., 1758).
Mactra stultorum (L., 1758).
Spisula subtruncata (da Costa, 1778).
Spisula subtruncata (da Costa, 1778).
Spisula subtruncata (da Costa, 1778).

Malleidae

Malleus albus Lamarck, 1819.
Malleus malleus (L., 1758).
Vulsella minor Röding, 1798.

Marginellidae

Glabella adansonii (Kiener, 1834).
Cryptospira angustata (Sowerby, 1846).
Cryptospira angustata (Sowerby, 1846).
Cryptospira angustata (Sowerby, 1846).
Cryptospira angustata (Sowerby, 1846).
Prunum apicinum (Menke, 1828).
Prunum apicinum (Menke, 1828).
Marginella aurantia Lamarck, 1822.
Volvarina avena (Kiener, 1834).

Malaysia, Merang.
 Gulf of Thailand, Ban Hua Hin.
 Thailand, Phuket, Chalong Bay.
 Thailand, Kaw Kwang Beach, Krabi, Koh Lanta.
 California, Ventura County, Mugu Bay.
 Florida.
 Australia, South Australia, Port Adelaide.
 Australia, Western Australia, Dunsborough, in sand, 30 feet deep.
 Philippines, Bohol, close to Panglao, Balicasag Island.
 Australia, N.S.W., Twofold Bay, Boyds Beach. Collected on the beach.
 Australia, Tasmania, Stanley, intertidal, in sand.
 The Netherlands, Texel Island, near the coast.
 North Sea, Terschelling Vuurschip, HD7.
 France, Brittany, St. Lunaire.
 France, Brittany, Les Rosaires.
 France, Brittany, Pointe de Penmarck.
 Spain, Fuengirola. Fishery.
 Greece, Marathón beach, 1-1,5 metres deep.
 The Netherlands, Scheveningen.
 The Netherlands, Schiermonnikoog, Paal 15.
 Belgium, Westende-Bad. North Sea. In tidal pools, low tide, in heavy wind.

Philippines.
 Philippines.
 Australia, New South Wales, Shoalhaven City, Ulladulla.

Senegal, Baie de Hann, West Africa.
 Singapore.
 Sri Lanka.
 Thailand, Phuket, ±2 hours by boat from Rawai, Raya Island.
 India. Rameswaram.
 Caribbean Islands.
 Florida.
 Senegal, West Africa.
 Panama, Bay of Porto Bello.

Price Range

€ 1,00
 € 0,80
 € 0,50
 € 0,50 t/m € 0,80
 € 2,50
 € 2,50
 € 2,00
 € 1,80
 € 2,00
 € 3,00
 € 1,80 t/m € 2,30
 € 0,80
 € 0,80
 € 0,50
 € 0,80
 € 0,40 t/m € 0,50
 € 0,20
 € 0,30
 € 0,40
 € 0,30
 € 0,25
 € 3,00
 € 1,00 t/m € 3,50
 € 2,50
 € 3,50 t/m € 6,50
 € 4,50
 € 3,50
 € 1,30
 € 1,50 t/m € 4,00
 € 0,50
 € 1,30
 € 7,50
 € 1,80

		Price Range
Bullata bullata (Born, 1778).	Brazil, Bahia, Staparica Island. Atlantic Ocean.	€ 11,00
Bullata bullata (Born, 1778).	Brazil.	€ 6,00
Persicula cingulata (Dillwyn, 1817).	Senegal, Dakar, Bay de Gorée, West Africa, 3 metres deep.	€ 3,50
Persicula cingulata (Dillwyn, 1817).	Senegal, West Africa.	€ 2,00
Persicula cornea Lamarck, 1822.	Senegal, West Africa.	€ 1,50
Persicula cornea Lamarck, 1822.	Senegal, Baie de Hann, West Africa.	€ 1,30
Marginella desjardini Marche-Marchad, 1957.	North Senegal, Cayar, West Africa. 100 metres deep.	€ 4,50 t/m € 11,50
Marginella desjardini Marche-Marchad, 1957.	North Senegal, Cayar, West Africa.	€ 11,50
Marginella desjardini Marche-Marchad, 1957.	Abidjan. Ivory Coast. Bought from local fisherman.	€ 5,00
Marginella desjardini Marche-Marchad, 1957.	Senegal, West Africa.	€ 6,50
Marginella desjardini Marche-Marchad, 1957.	Senegal, West Africa.	€ 3,80 t/m € 11,50
Marginella glabella (L., 1758).	Senegal, Gorée Island, West Africa, 3-5 metres deep, trawled.	€ 5,50
Marginella glabella (L., 1758). B quality	Senegal, Casamance, West Africa.	€ 1,00
Marginella glabella (L., 1758).	Senegal, Casamance, West Africa.	€ 2,50
Marginella glabella (L., 1758).	Senegal, N'Gor, West Africa.	€ 3,80
Marginella glabella (L., 1758).	Spain, Canary Islands.	€ 4,50
Marginella goodalli Sowerby, 1825.	Senegal, West Africa.	€ 15,00
Marginella goodalli Sowerby, 1825.	Senegal, Petite Côte.	€ 14,00
Persicula interruptolineata (Mühlfeld, 1816).	Venezuela, Isla Margarita.	€ 0,25
Prunum marginata (Born, 1778).	French Guiana. South America. Atlantic Ocean. From shrimp fishery.	€ 1,00
Prunum marginata (Born, 1778).	Caribbean Sea.	€ 1,50 t/m € 2,00
Prunum marginata (Born, 1778).	Aruba, Malmok, Lesser Antilles Islands.	€ 2,30
Bullata matthewsi van Mol & Tursch, 1967.	Brazil, Ceará, Camocim, collected on octopus at 25-35 metres.	€ 4,00
Gibberula miliaria (L., 1758).	Italy, Cette.	€ 0,80
Gibberula miliaria (L., 1758).	Spain, Marbella, Calypso.	€ 1,50
Marginella nebulosa (Röding, 1798).	South Africa.	€ 17,50
Marginella ornata Redfield, 1870.	South Africa, Ciskei.	€ 4,50
Persicula persicula (L., 1758).	Senegal, West Africa.	€ 3,50
Persicula persicula (L., 1758).	Senegal, Casamance, West Africa.	€ 1,30
Persicula persicula (L., 1758).	Senegal, West Africa.	€ 2,00
Marginella piperata Hinds, 1844.	Strait of Malacca.	€ 3,50
Afrivoluta pringlei Tomlin, 1947.	South Africa.	€ 30,00
Prunum sapotilla (Hinds, 1844).	Panama, Pacific.	€ 1,50
Prunum sapotilla (Hinds, 1844).	Venezuela, Calaboso.	€ 0,50
Marginella sebastiani Marche & Rosso, 1979.	North Senegal, Cayar, West Africa. 100 metres deep.	€ 6,50

Marginella sebastiani Marche & Rosso, 1979.
 Marginella sebastiani Marche & Rosso, 1979.
 Marginella sebastiani Marche & Rosso, 1979.
 Cryptospira tricineta (Hinds, 1844).
 Cryptospira tricineta (Hinds, 1844).
 Cryptospira ventricosa (von Waldheim, 1807).
 Cryptospira ventricosa (von Waldheim, 1807).
 Cryptospira ventricosa (von Waldheim, 1807).

Melongenidae

Syrinx aruanus (L., 1758).
 Busycon carica eliceans (Montfort, 1810).
 Pugilina cochlidium (L., 1758).
 Pugilina cochlidium (L., 1758).
 Pugilina cochlidium (L., 1758).
 Pugilina cochlidium (L., 1758).
 Pugilina cochlidium (L., 1758).
 Hemifusus colosseus (Lamarck, 1816).
 Busycon contrarium (Conrad, 1840).
 Busycon contrarium (Conrad, 1840).
 Busycon contrarium (Conrad, 1840). Juvenile
 Melongena corona bicolor (Say, 1827).
 Melongena corona bicolor (Say, 1827).
 Melongena corona corona (Gmelin, 1791).
 Melongena corona corona (Gmelin, 1791).
 Melongena corona corona (Gmelin, 1791).
 Melongena melongena (L., 1758).
 Melongena melongena (L., 1758).
 Pugilina morio (L., 1758).
 Pugilina morio (L., 1758).
 Pugilina morio (L., 1758).
 Pugilina morio (L., 1758).
 Volema myristica Röding, 1798.
 Volema myristica Röding, 1798.
 Volema myristica Röding, 1798.

Senegal, West Africa.
 Senegal, Kayar, West Africa.
 Senegal, Gorée.
 Thailand, Hua Hin.
 Indian Ocean.
 Singapore.
 Indonesia, Madura Island.
 Malaysia, Langkawi (archipelago). Andaman Sea.

N. Australia, Arafura Sea.
 Florida.
 Thailand, Phuket, ±2 hours by boat from Rawai, Raya Island.
 Philippines.
 India, Madras.
 Thailand, Phuket.
 Sri Lanka, Koggala.
 Philippines.

Florida, Marco Island. Low tide on mud flat.
 Florida, Boca Ciega Bay. On grass flats in shallow water.
 Florida, Gulf of Mexico, Boca Grande.
 Florida, Grassy Keel. Muddy sand bottom, low tide, eel grass.
 Florida, Miami. Minus tides, on exposed mud flats.
 Florida.
 Florida, Gulf of Mexico, Sanibel Island, in mud.
 Florida, Marco Island, minus low tide, sand and grass flats.
 Trinidad.
 Panama, San Blas Archipel, Rio Azucar, Caribbean, tide line.
 Brazil, Bahia, Itaparica.
 The Gambia, near Banjul, Lamin Lodge. Atlantic Ocean.
 Brazil, Alagoas, Maragogi. From a local fisherman.
 Senegal, Bel Air, 10 metres deep.
 Southwest Pacific Ocean.
 Eritrea, off Massawa, Dahlak Archipelago. S. Red Sea.
 Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.

Price Range

€ 5,00
 € 3,80 t/m € 4,80
 € 15,00
 € 1,00
 € 2,00
 € 1,00
 € 2,50
 € 2,00

 € 35,00 t/m € 115,00
 € 4,50 t/m € 7,50
 € 1,80
 € 4,00
 € 4,00
 € 2,50
 € 1,50
 € 2,50
 € 17,50
 € 3,50 t/m € 4,50
 € 2,00 t/m € 7,00
 € 1,30 t/m € 1,80
 € 2,00
 € 0,80 t/m € 1,30
 € 0,75 t/m € 4,50
 € 1,80 t/m € 3,80
 € 5,00 t/m € 6,50
 € 15,00
 € 1,00 t/m € 1,80
 € 0,50 t/m € 1,50
 € 3,00 t/m € 4,50
 € 5,00
 € 7,50 t/m € 8,50
 € 0,80 t/m € 1,30
 € 0,50 t/m € 1,00
 € 0,50 t/m € 1,00

		Price Range
Volema paradisiaca Röding, 1798.	Tanzania, Zanzibar. East Africa.	€ 0,50
Volema paradisiaca Röding, 1798.	Tanzania, East Africa. Indian Ocean.	€ 1,50
Volema paradisiaca Röding, 1798.	Tanzania, East Africa. Indian Ocean.	€ 0,80
Volema paradisiaca Röding, 1798.	Egypt, Dahab, Sinai, Sharm al-Sheikh. Red Sea.	€ 0,50
Volema paradisiaca Röding, 1798.	Zanzibar, East Africa. Indian Ocean.	€ 0,40
Volema paradisiaca nodosa (Lamarck, 1822).	Red Sea, Egypt, Safaga.	€ 1,30 t/m € 2,30
Melongena patula (Broderip & Sowerby, 1829).	Panama.	€ 5,00
Busycon spiratum (Lamarck, 1816).	Florida, off Chokoloskee, on sand and mud flats, low tide.	€ 4,00
Busycon spiratum (Lamarck, 1816).	Gulf of Mexico.	€ 1,50 t/m € 2,50
Busycon spiratum (Lamarck, 1816).	Florida, off Chokoloskee, on sand and mud flats, low tide.	€ 3,80 t/m € 5,50
Busycon spiratum (Lamarck, 1816).	Florida, Marco Island. Mud flats.	€ 3,30
Hemifusus ternatanus (Gmelin, 1791).	Philippines.	€ 2,00 t/m € 3,50
Hemifusus ternatanus (Gmelin, 1791).	Indonesia, West Java.	€ 2,00 t/m € 3,00
Hemifusus ternatanus (Gmelin, 1791).	Philippines.	€ 1,80 t/m € 3,80
Hemifusus tuba (Gmelin, 1791).	Japan.	€ 9,50
Mesodesmatidae		
Paphies australis (Gmelin, 1790).	New Zealand, North Island, Ninety Mile Beach.	€ 1,00 t/m € 2,50
Caecella chinensis Deshayes, 1855.	Japan, Honshu Island, Tomioka.	€ 0,30
Paphies cuneata (Lamarck, 1818).	Australia, Queensland, Great Barrier Reef, Heron Island.	€ 1,80
Mesodesma donacium (Lamarck, 1818).	Chile, Iquique, Playa Aguila.	€ 6,00
Mesodesma donacium (Lamarck, 1818).	Chile, Iquique, Playa Aguila.	€ 4,30
Paphies elongata (Reeve, 1854).	South Australia, Henley Beach.	€ 1,30
Mesodesma mactroides Deshayes, 1854.	Argentina, Mar del Plata, Punta Mogotes, dive, on sand, ebb.	€ 2,30
Paphies striata (Gmelin, 1791).	Indonesia, Bali Island.	€ 0,50
Paphies striata (Gmelin, 1791).	Indonesia, West coast Sumatra, Padang.	€ 1,80
Paphies striata (Gmelin, 1791).	Philippines.	€ 0,20
Paphies subtriangulata subtriangulata (Wood, 1828).	New Zealand, Auckland, Brown's Bay, buried in sand, low tide.	€ 0,80 t/m € 1,30
Paphies subtriangulata subtriangulata (Wood, 1828).	New Zealand, Northland, Bream Bay.	€ 1,50 t/m € 2,00
Mitridae		
Mitra acuminata Swainson, 1824.	Philippines, Bohol, close to Panglao, Balicasag Island.	€ 2,00
Mitra ambigua Swainson, 1829.	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 2,50 t/m € 5,00
Mitra aurantia (Gmelin, 1791).	Philippines, Bohol, close to Panglao, Balicasag Island.	€ 1,80
Mitra aurantia (Gmelin, 1791).	Z.W. Pacific.	€ 2,00
Ziba bacillum (Lamarck, 1811).	Philippines, Balicasag isand., near Panglao, Bohol, 130-230 metres deep.	€ 1,00
Mitra barbadensis Gmelin, 1791.	Brazil, Ceará, Camocim, collected on octopus at 25-35 metres.	€ 3,50

		Price Range
Scabricola bicolor (Swainson, 1824).	Thailand, Phuket.	€ 0,30
Mitra cardinalis (Gmelin, 1791).	Philippines.	€ 11,50
Mitra cardinalis (Gmelin, 1791).		€ 4,50
Mitra cardinalis (Gmelin, 1791).	Philippines.	€ 3,50
Neocancilla circula (Kiener, 1838).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 2,00
Neocancilla clathrus (Gmelin, 1791).	Thailand, Phuket, Raya Island, 25-30 metres deep.	€ 1,80
Neocancilla clathrus (Gmelin, 1791).	Philippines, Bohol, close to Panglao, Balicasag Island.	€ 2,50
Neocancilla clathrus (Gmelin, 1791).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 2,00
Mitra contracta Swainson, 1820.	Thailand, Phuket.	€ 1,00
Mitra contracta Swainson, 1820.	Thailand, Phuket.	€ 0,50
Mitra contracta Swainson, 1820.	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 2,50 t/m € 4,00
Imbricaria conularis (Lamarck, 1811).	Philippines.	€ 0,50
Mitra coronata Lamarck, 1811.	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 1,50
Pterygia crenulata (Gmelin, 1791).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 1,00 t/m € 2,50
Pterygia crenulata (Gmelin, 1791).	Philippines, Siasi, Sulu Sea, from fisherman. 16 mm	€ 2,50
Mitra cucumerina Lamarck, 1811.	Philippines, Bohol, close to Panglao, Balicasag Island.	€ 1,30
Mitra cucumerina Lamarck, 1811.	Thailand, Phuket, ±2 hours by boat from Rawai, Raya Island.	€ 1,50 t/m € 2,50
Pterygia dactylus (L., 1767).	Philippines, Siasi, Sulu Sea, from fisherman. 23 mm	€ 1,50 t/m € 2,50
Pterygia dactylus (L., 1767).	Indonesia, Madura Island.	€ 1,50
Pterygia dactylus (L., 1767).	Philippines, Masbate Island.	€ 2,00
Mitra decurtata Reeve, 1844.	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 1,50 t/m € 2,00
Mitra decurtata Reeve, 1844.	Taiwan, southwest.	€ 1,00
Scabricola desetangsii (Kiener, 1838).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 1,00
Mitra eremitarum Röding, 1798.	Philippines.	€ 1,80
Mitra eremitarum Röding, 1798.	Philippines.	€ 1,00 t/m € 2,00
Mitra eremitarum Röding, 1798.	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 0,50 t/m € 2,00
Mitra eremitarum Röding, 1798.	Thailand, Phuket.	€ 1,30 t/m € 1,80
Mitra fastigium Reeve, 1845.	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 2,50 t/m € 4,00
Mitra ferruginea Lamarck, 1811.	Philippines, N. Bohol, Calitoban Island, 20-25 m, night dive. 28 mm	€ 2,00 t/m € 3,00
Cancilla filaris (L., 1771).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 1,50
Subcancilla flammea (Quoy & Gaimard, 1833).	Philippines, Bohol, close to Panglao, Balicasag Island.	€ 3,50
Mitra fraga Quoy & Gaimard, 1833.	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 2,00
Cancilla gloriola Cernohorsky, 1970.	Philippines, Bohol, close to Panglao, Balicasag Island.	€ 3,00 t/m € 4,50
Cancilla granatina (Lamarck, 1811).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 1,00 t/m € 2,00
Cancilla granatina (Lamarck, 1811).	Philippines.	€ 1,00

		Price Range
Cancilla granatina (Lamarck, 1811).	Philippines.	€ 2,00
Mitra incompta (Lightfoot, 1786).	Philippines, Mindanao Island, Davao.	€ 7,50 t/m € 12,50
Mitra incompta (Lightfoot, 1786).	Mozambique, Sanculo Beach, shallow water, low tide, in sand.	€ 12,50
Mitra incompta (Lightfoot, 1786).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 5,00 t/m € 12,50
Ziba interlirata (Reeve, 1844).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 2,00 t/m € 3,50
Ziba interlirata (Reeve, 1844). Juvenile	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 2,00
Cancilla isabella (Swainson, 1831).	Japan.	€ 6,00
Mitra lienardi Sowerby, 1874.	Philippines, Bohol, close to Panglao, Balicasag Island.	€ 6,00
Mitra litterata Lamarck, 1811.	Taiwan, southwest.	€ 1,30 t/m € 1,80
Mitra luctuosa A. Adams, 1853.	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 2,50 t/m € 4,00
Ziba millepunctata Schepman, 1913.	Philippines, Bohol, close to Panglao, Balicasag Island.	€ 2,00
Mitra mitra (L., 1758).	Philippines, Bohol, close to Panglao, Balicasag Island.	€ 1,50 t/m € 5,00
Mitra mitra (L., 1758).	Philippines.	€ 7,00 t/m € 9,50
Scabricola ocellata (Swainson, 1831).	Thailand, Phuket, ±2 hours by boat from Rawai, Raya Island.	€ 2,30
Imbricaria olivaeformis (Swainson, 1821).	Philippines, Bohol, close to Panglao, Balicasag Island.	€ 2,50
Imbricaria olivaeformis (Swainson, 1821).	Philippines.	€ 1,50
Mitra papalis (L., 1758).	Philippines.	€ 9,50
Mitra papalis (L., 1758).	Philippines, Leyte Island.	€ 3,80 t/m € 6,90
Neocancilla papilio (Link, 1807).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 1,50 t/m € 3,00
Neocancilla papilio (Link, 1807).	Philippines, Samar Island.	€ 2,30 t/m € 3,30
Mitra paupercula (L., 1758).	Japan.	€ 2,00 t/m € 6,50
Mitra paupercula (L., 1758).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 2,50
Mitra pele (Cernohorsky, 1970).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 3,00 t/m € 6,00
Cancilla praestantissima (Röding, 1798).	Philippines, Bohol, close to Panglao, Balicasag Island.	€ 1,00
Cancilla praestantissima (Röding, 1798).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 1,00 t/m € 2,50
Imbricaria punctata (Swainson, 1821).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 1,00
Mitra puncticulata Lamarck, 1811.	Philippines.	€ 2,00 t/m € 2,50
Mitra puncticulata Lamarck, 1811.	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 1,50 t/m € 2,00
Mitra retusa Lamarck, 1811.	Thailand, Phuket, ±2 hours by boat from Rawai, Raya Island.	€ 2,30
Mitra retusa Lamarck, 1811.	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 1,50
Mitra retusa Lamarck, 1811.	Indonesia, Moluccas Islands, Ambon Island, Latuhalat.	€ 0,70
Mitra rosacea Reeve, 1845.	Japan.	€ 3,30
Mitra rosacea Reeve, 1845.	Philippines.	€ 3,00
Mitra scutulata (Gmelin, 1791).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 0,50 t/m € 1,50
Mitra scutulata (Gmelin, 1791).	Thailand, Phuket, ±2 hours by boat from Rawai, Raya Island.	€ 1,50 t/m € 1,80

Mitra stictica (Link, 1807).
 Mitra swainsonii Broderip, 1836.
 Mitra tabanula Lamarck, 1811.
 Mitra telescopium Reeve, 1844.
 Mitra ticaonica Reeve, 1844.
 Mitra turgida Reeve, 1845.
 Mitra vexillum Reeve, 1844.

Modulidae

Modulus catenulatus (Philippi, 1849).
 Modulus disculus (Philippi, 1846).
 Modulus modulus (L., 1758).
 Modulus tectum (Gmelin, 1791).
 Modulus tectum (Gmelin, 1791).

Muricidae

Murex acanthostephes Watson, 1883.
 Thais aculeata Deshayes, 1844.
 Chicoreus aculeatus (Lamarck, 1822).
 Chicoreus aculeatus (Lamarck, 1822). Synonym: artemis
 Chicoreus alabaster (Reeve, 1845). Juvenile
 Pterynotus alatus (Röding, 1798).
 Pterynotus alatus (Röding, 1798).
 Pterynotus alatus (Röding, 1798).
 Murex altispira Ponder & Vokes, 1988.
 Thais armigera (Link, 1807).
 Chicoreus axicornis (Lamarck, 1822).
 Chicoreus axicornis (Lamarck, 1822).
 Chicoreus axicornis (Lamarck, 1822).
 Chicoreus axicornis (Lamarck, 1822).
 Chicoreus banksii f. crocatus (Reeve, 1845).
 Haustellum barbieri Houart, 1993.
 Naquetia barclayi (Reeve, 1858).
 Rapana bezoar (L., 1758).
 Murex brandaris (L., 1758).
 Murex brandaris (L., 1758).

Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.
 Panama.
 Philippines, Bohol, close to Panglao, Balicasag Island.
 Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.
 Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.
 Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.
 Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.

Costa Rica, Bahia Rineau, in mud at low tide. 11 mm
 Mexico, Baja California Sur, La Paz.
 Martinique, Anse d'Arlet, in shallow water. 11 mm
 Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.
 Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.

Australia, Western Australia, Exmouth. On a sandy bottom.

Philippines, Cebu Island, Mactan Island, Punta Engaño.
 Philippines, Bohol, close to Panglao, Balicasag Island.
 Philippines, Bohol, close to Panglao, Balicasag Island.
 Japan.
 Philippines, Mindanao Island, Davao.
 Japan.
 Thailand, Pattani Bay, Budi.
 Indonesia, West-Papua, Manokwari.
 Indonesia, Madura Island.
 Philippines, Mindanao Island, Davao.
 Philippines, Bohol, close to Panglao, Balicasag Island.
 Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.
 Philippines, N. Mindanao, Aliguay Island. On coral reef, 20-28 m deep.
 Madagascar, trawled near Fort Dauphin, 60 metres deep. Beautiful specimen for an attractive price. Best we have ever seen.
 Philippines, Bohol, close to Panglao, Balicasag Island.
 Taiwan.
 Spain, San Carlos de la Rápita.
 Spain, Marbella. Large with operculum.

Price Range

€ 1,00 t/m € 2,00
 € 25,00 t/m € 30,00
 € 1,00
 € 3,00 t/m € 5,00
 € 2,50
 € 2,50
 € 2,50
 € 4,50
 € 2,80
 € 1,50
 € 1,50
 € 1,50
 € 7,00
 € 1,50
 € 1,80
 € 1,30
 € 2,50
 € 10,00
 € 6,50 t/m € 10,00
 € 8,00
 € 2,00 t/m € 5,00
 € 2,50
 € 2,50
 € 1,50 t/m € 2,50
 € 2,50 t/m € 3,80
 € 1,00 t/m € 2,50
 € 5,00
 € 4,00 t/m € 7,00
 € 3,30 t/m € 6,00
 € 1,30
 € 1,00
 € 2,50

		Price Range
Murex brandaris (L., 1758).	Italy, Cosenza, Amantea. In nets, from fishermen.	€ 1,00
Murex brandaris (L., 1758).	Italy, Tarente province, Castellaneta. Collected live.	€ 1,00
Murex brandaris (L., 1758).	Italy, offshore Savona. Trawled by local fishermen.	€ 6,50
Phyllonotus brassica (Lamarck, 1822).	Peru, Departamento de Tumbes, Puerto Pizarro, Trawled near shore.	€ 5,00 t/m € 6,50
Acanthina brevidentata (Wood, 1828).	Panama, Bay of Panamá, Boca la Caja, Pacific.	€ 1,00
Chicoreus brevifrons (Lamarck, 1822).	Aruba, Lesser Antilles Islands.	€ 10,00
Murex brevispina macgillivrayi Dohrn, 1862.	Australia.	€ 4,00
Murex brevispina macgillivrayi Dohrn, 1862.	Australia, Western Australia, Cape Keroudren. 8 metres deep in sand. 50 mm	€ 2,50 t/m € 3,80
Murex brevispina macgillivrayi Dohrn, 1862.	Australia, Windey Bay.	€ 1,30 t/m € 2,30
Murex brevispina macgillivrayi Dohrn, 1862.	Australia, Queensland, Bundaberg.	€ 2,50
Chicoreus brunneus (Link, 1807).	Sri Lanka.	€ 3,00 t/m € 6,00
Chicoreus brunneus (Link, 1807).	Philippines.	€ 4,50
Chicoreus brunneus (Link, 1807). Dark form	Philippines, Cebu Island.	€ 5,00
Chicoreus brunneus (Link, 1807). Orange form	New Caledonia, Pacific Ocean.	€ 14,00
Chicoreus brunneus (Link, 1807).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 1,00 t/m € 2,00
Chicoreus brunneus (Link, 1807).	Mayotte Island (overseas department of France), Téal. Indian Ocean.	€ 3,00
Chicoreus brunneus (Link, 1807).	Philippines.	€ 6,50
Thais bufo (Lamarck, 1822).	Philippines.	€ 1,50 t/m € 3,00
Thais bufo (Lamarck, 1822).	Philippines.	€ 3,00
Chicoreus capucinus (Lamarck, 1822).	Philippines.	€ 2,50
Chicoreus capucinus (Lamarck, 1822).	Philippines.	€ 1,30
Chicoreus capucinus (Lamarck, 1822).	Australia, Queensland.	€ 3,30
Thais chocolata (Duclos, 1832).	Chile, Arica Province, Arica.	€ 3,00
Hexaplex cichoreum (Gmelin, 1791).	Philippines, Bohol, close to Panglao, Balicasag Island.	€ 2,00
Hexaplex cichoreum (Gmelin, 1791).	Philippines, Camotes, Pacijan Islands. On coral reef, 15-22 metres deep.	€ 3,00 t/m € 5,00
Hexaplex cichoreum (Gmelin, 1791).	Philippines.	€ 3,00
Urosalpinx cinerea (Say, 1822).	Florida, Fernandina Beach.	€ 2,30
Drupa clathrata (Lamarck, 1816).	Indian Ocean.	€ 2,50
Thais clavigera (Küster, 1858).	Japan, Honshu Island, Wakayama prefecture, Shirahama.	€ 0,30
Thais clavigera (Küster, 1858).	Japan, Aitsu.	€ 0,40
Chicoreus cnissodus (Euthyme, 1889).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 2,50 t/m € 7,50
Concholepas concholepas (Bruguière, 1792).	Chile.	€ 9,50 t/m € 19,50
Concholepas concholepas (Bruguière, 1792).	Chile.	€ 25,00 t/m € 27,50
Ergalatax constrictus Reeve, 1847.	Japan.	€ 0,30
Chicoreus consuelae coltrorum Vokes, 1990.	Brazil, All Saint's Bay, Itaparica Island. 5 metres deep, muddy sand.	€ 2,50

		Price Range
Ergalatax contracta (Reeve, 1846).	Gulf of Thailand, Ban Hua Hin.	€ 1,80 t/m € 2,50
Ergalatax contracta (Reeve, 1846).	Philippines.	€ 1,50
Ergalatax contracta (Reeve, 1846).	Thailand, Phuket, ±2 hours by boat from Rawai, Raya Island.	€ 1,30
Ergalatax contracta (Reeve, 1846).	Thailand, Phuket.	€ 0,50
Chicoreus cornucervi (Röding, 1798). oyster shells at low tide.	Australia, Western Australia, Dampier, in mud and rubble on	€ 10,00
Chicoreus cornucervi (Röding, 1798).	Australia.	€ 10,00
Drupella cornus (Röding, 1798).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 1,00
Drupella cornus (Röding, 1798).	Philippines, Palawan Island.	€ 1,00
Drupella cornus (Röding, 1798).	Australia, W.A., Houtman Abrolhos, on rocks between coral.	€ 1,80 t/m € 2,30
Drupella cornus (Röding, 1798).	Taiwan.	€ 0,40
Bolinus cornutus (L., 1758).	Senegal, West Africa.	€ 17,50
Nucella crassilabrum (Lamarck, 1789).	Chile, Arica, intertidal, in pools.	€ 1,40
Chicoreus damicornis (Hedley, 1903).	Philippines.	€ 7,50
Jaton decussatus (Gmelin, 1791).	Senegal, Gorée. - 5 Metres.	€ 5,50
Vokesimurex dentifer (Watson, 1883). A quality	Philippines, Bohol, close to Panglao, Balicasag Island.	€ 2,00 t/m € 6,00
Vokesimurex dentifer (Watson, 1883).	Philippines.	€ 1,50 t/m € 3,50
Thais distinguenda (Dunker, 1852).	Taiwan, southwest.	€ 0,70
Murex djarianensis poppei Houart, 1979.	Thailand.	€ 6,00
Vokesimurex dolichorus (Ponder & Vokes, 1988).	Philippines, Balicasag Island, near Panglao, Bohol.	€ 2,00
Vokesimurex dolichorus (Ponder & Vokes, 1988).	Japan, Kochi prefecture, Tosa Bay.	€ 1,30
Hexaplex duplex (Röding, 1798).	Senegal, West Africa.	€ 9,50
Thais echinata (Blainville, 1832).	Thailand, Phuket, ±2 hours by boat from Rawai, Raya Island.	€ 1,30 t/m € 1,80
Thais echinata (Blainville, 1832).	Taiwan, southwest.	€ 0,80
Thais echinulata (Lamarck, 1822).	Thailand, Phuket, ±2 hours by boat from Rawai, Raya Island.	€ 0,80 t/m € 1,30
Pterynotus elongatus (Lightfoot, 1786).	Philippines, Cebu, Mactan, Olonga Island. Dived on sandy bottom, 10-15 m.	€ 7,00 t/m € 9,50
Nucella emarginata (Deshayes, 1839).	California, San Simeon.	€ 0,30
Ocenebra erinaceus (L., 1758).	Golf de Mobinan, Locmiquel.	€ 2,00
Ocenebra erinaceus (L., 1758).	France, Brittany, Trebeurden.	€ 2,50
Ocenebra erinaceus (L., 1758).	France, Brittany, St. Lunaire.	€ 0,30 t/m € 1,00
Ocenebra erinaceus (L., 1758).	Spain.	€ 0,50 t/m € 2,30
Phyllonotus erythrostomus Swainson, 1831.	West Mexico. Gulf of California.	€ 2,00 t/m € 4,50
Pteropurpura festiva (Hinds, 1844).	California.	€ 15,00
Lataxiena fimbriata (Hinds, 1844).	Philippines, Cebu Island.	€ 3,80
Lataxiena fimbriata (Hinds, 1844).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 2,00 t/m € 3,00
Lataxiena fimbriata (Hinds, 1844).	Gulf of Thailand, Ban Hua Hin.	€ 0,80

		Price Range
Chicoreus florifer dilectus (A. Adams, 1855).	Florida.	€ 1,50 t/m € 4,00
Ceratostoma foliatum (Gmelin, 1791).	California.	€ 11,00
Ceratostoma foliatum (Gmelin, 1791).	Canada, Vancouver Island.	€ 7,50
Chicoreus formosus (Sowerby II, 1841).	Brazil, All Saint's Bay, Itaparica Island. Muddy sand.	€ 1,00 t/m € 2,50
Ceratostoma fournieri (Crosse, 1861).	Japan.	€ 3,00
Nassa francolina (Bruguière, 1789).	Philippines, Cebu Island.	€ 0,80 t/m € 2,30
Nassa francolina (Bruguière, 1789).	Red Sea, Egypt, Safaga.	€ 0,50 t/m € 2,50
Morula funiculus (Wood, 1828).	Red Sea, Egypt, Safaga.	€ 0,40 t/m € 1,00
Vokesimurex gallinago (Sowerby III, 1903).	Philippines, Bohol, close to Panglao, Balicasag Island.	€ 1,30 t/m € 2,00
Pterynotus gambiensis (Reeve, 1845).	Senegal, Casamance, West Africa.	€ 2,00 t/m € 4,00
Pterynotus gambiensis (Reeve, 1845).	Senegal, Gorée Bay, West Africa.	€ 9,00
Trophon geversianus v. lamellosa Castellanos, 1993.	Argentina, Chubut Province, Golfo San José. Scuba, 5-10 metres deep.	€ 12,00
Trophon geversianus (Pallas, 1774).	Brazil, Salvador (Bahia).	€ 4,80
Trophon geversianus (Pallas, 1774). On mussels, 10-15 m deep	South Chile, XII Región, Magallanes Strait, Gente Grande Bay. By diver. On mussels at 10-15 metres deep.	€ 35,00
Trophon geversianus (Pallas, 1774).	Argentina, The Valdes Peninsula, Golfo Nuevo, low tide on rocks. 28 mm	€ 6,00 t/m € 9,50
Trophon geversianus (Pallas, 1774). Mesolitoral inferior.	Argentina, Tierra del Fuego Prov., Canal Beagle, Punta Maria. Tidal pools.	€ 9,50
Trophon geversianus (Pallas, 1774).	Argentina, Tierra del Fuego, Ushuaia, at low tide on beach. 48 mm	€ 35,00
Morula granulata (Duclos, 1832).	Taiwan.	€ 0,50
Morula granulata (Duclos, 1832).	Kenya, Mombasa Reef. East Africa.	€ 0,30
Morula granulata (Duclos, 1832).	French Polynesia, Society Islands, Tahiti, 20 km east of Papeete.	€ 0,80
Morula granulata (Duclos, 1832).	Red Sea, Egypt, Hurghada.	€ 0,25
Morula granulata (Duclos, 1832).	Thailand, Phuket, Raya Island, 25-30 metres deep.	€ 0,50 t/m € 0,80
Morula granulata (Duclos, 1832).	Philippines, Balicasag Island, near Panglao, Bohol.	€ 2,00
Cytharomorula grayi (Dall, 1889).	Philippines, Balicasag Island, near Panglao, Bohol.	€ 1,50
Drupa grossularia Röding, 1798.	Philippines, Cebu Island, Mactan Island, Punta Engaño.	€ 1,80
Drupa grossularia Röding, 1798.	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 1,50
Drupa grossularia Röding, 1798.	French Polynesia, Society Islands, Tahiti, 20 km east of Papeete.	€ 1,50
Drupa grossularia Röding, 1798.	Philippines.	€ 0,80
Thais haemastoma biserialis (Blainville, 1832).	California, Cedros Island.	€ 1,50 t/m € 2,50
Thais haemastoma biserialis (Blainville, 1832).	Panama, Gulf of Panama, San Carlos, Pacific.	€ 3,80 t/m € 6,50
Thais haemastoma biserialis (Blainville, 1832).	Panama, Panamá City, Punta Calafata, Pacific.	€ 0,80
Thais haemastoma biserialis (Blainville, 1832).	Chile, Iquique, Chorrillos beach.	€ 2,50
Thais haemastoma floridana (Conrad, 1837).	Florida, South Miami, on rocks.	€ 2,30
Thais haemastoma (L., 1767).	Spain, Balearic Islands, Ibiza Island, Cala Vedella.	€ 0,50
Thais haemastoma (L., 1767).	Spain, Andalucía, Almeria.	€ 0,50 t/m € 0,80

		Price Range
Thais haemastoma (L., 1767).	Tunisia, Lac de Bizerte.	€ 0,80 t/m € 1,30
Thais haemastoma (L., 1767).	Morocco, Torres de Alealá.	€ 1,00 t/m € 2,00
Thais haemastoma (L., 1767).	Spain, Fuengirola.	€ 1,00 t/m € 1,50
Thais haemastoma (L., 1767).	Spain, Mallorca Island, Palma.	€ 1,00 t/m € 2,50
Thais haemastoma (L., 1767).	Canary Islands, Fuerteventura.	€ 1,00 t/m € 2,00
Haustellum haustellum (L., 1758).	Vietnam, Nha Trang.	€ 2,50
Haustellum haustellum (L., 1758). On coral reef, 9-21 metres.	Philippines, Lubang Island, NW of Mindoro, Occidental Mindoro prov.	€ 5,00
Haustellum haustellum (L., 1758).	Vietnam, Nha Trang.	€ 5,00
Haustellum haustellum (L., 1758).	Indonesia.	€ 3,50
Haustellum haustellum (L., 1758).	Philippines, Samar Island.	€ 5,00
Haustellum haustellum (L., 1758).	Indonesia, Sout Coast, Mid Java.	€ 2,50
Haustellum haustellum (L., 1758).	Philippines, Samar Island.	€ 1,50 t/m € 5,00
Haustellum haustellum (L., 1758).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 0,50
Thais hippocastanum (L., 1758).	Philippines, Samar Island.	€ 1,30
Thais hippocastanum (L., 1758).		€ 2,00
Pteropurpura incurvispina (Kilburn, 1970).	South Africa, Transkei Bantu Homeland, Coffee Bay.	€ 5,00
Thais kieneri (Deshayes, 1844).	Thailand, Phuket, ±2 hours by boat from Rawai, Raya Island.	€ 1,00 t/m € 1,80
Cronia konkanensis (Melville, 1893).	Red Sea.	€ 1,30
Thais lacera (Born, 1778).	Thailand, Ban Hua Hin, Gulf of Thailand.	€ 0,80 t/m € 1,30
Chicomurex laciniatus (Sowerby, 1841).	Indonesia, Banka.	€ 3,80 t/m € 6,50
Chicomurex laciniatus (Sowerby, 1841).	Philippines, Bohol, close to Panglao, Balicasag Island.	€ 1,30 t/m € 3,50
Chicomurex laciniatus (Sowerby, 1841).	Philippines, Palawan Island.	€ 1,00 t/m € 3,00
Chicomurex laciniatus (Sowerby, 1841).	Philippines, Batan Island, Albay province. On coral reef, 15-20 m deep.	€ 1,50 t/m € 2,00
Nucella lamellosa (Gmelin, 1791).	SE Alaska, Mitkof Island, 2 miles N of Petersburg, Sandy Beach.	€ 8,50
Nucella lapillus (L., 1758).	Ile Verdelet.	€ 0,40
Nucella lapillus (L., 1758).	England, Cornwall, Holywell Bay.	€ 0,40
Nucella lapillus (L., 1758). Yellow variation	France, Brittany, Les Rosaires.	€ 0,30
Nucella lapillus (L., 1758).	Wales, British Isles.	€ 0,40
Nucella lapillus (L., 1758).	Washington, Puget Sound.	€ 1,00
Nucella lima (Gmelin, 1791).	SE Alaska, S. of Wowodski Island & Kah Sheets, Whisky Pass, at a 3' tide.	€ 3,50
Haustellum longicaudus (Baker, 1891).	Philippines, Cebu, Macta, Olunga Island. Dived on sandy bottom, 10-15 m.	€ 5,00
Thais luteostoma (Holten, 1802).	Taiwan, southwest.	€ 0,90
Thais mancinella (L., 1758).	Malaysia, Malacca.	€ 1,30
Thais mancinella (L., 1758).	Philippines.	€ 3,00
Thais mancinella (L., 1758).	Philippines.	€ 1,00

		Price Range
Phyllonotus margaritensis (Abbott, 1958).	Venezuela, Isla Margarita.	€ 12,00
Cronia margariticola (Broderip, 1831).	French Polynesia, Society Islands, Tahiti, 20 km east of Papeete.	€ 0,80
Cronia margariticola (Broderip, 1831).	Japan, Honshu Island, Wakayama prefecture, Shirahama.	€ 0,30
Cronia margariticola (Broderip, 1831).	Thailand, Phuket, Raya Island, 25-30 metres deep.	€ 0,80
Pterynotus martinetana (Röding, 1798).	Philippines, Bohol, close to Panglao, Balicasag Island.	€ 5,00
Thais melones (Duclos, 1832).	Panama, Gulf of Panamá, San Carlos, live, littoral, on rocks.	€ 1,00
Chicoreus microphyllus (Lamarck, 1822).	Southern Madagascar. East Africa. Indian Ocean.	€ 12,50
Vitularia miliaris (Gmelin, 1791).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 2,00 t/m € 3,00
Vitularia miliaris (Gmelin, 1791).	Philippines, Samar Island.	€ 3,80
Vokesimurex mindanaoensis (Sowerby II, 1841).	Philippines, Luzon Island, Tayabas Bay.	€ 3,00
Vokesimurex mindanaoensis (Sowerby II, 1841).	Philippines, Bohol Island, Panglao.	€ 3,50
Pterynotus miyokoae Kosuge, 1979.	Philippines, Bohol Island.	€ 7,50
Acanthina monodon (Martyr, 1784). Intertidally, low tide	Argentina, Tierra del Fuego Prov., Canal Beagle, Puerto Almanza. On rocks.	€ 7,50
Drupa morum iodostoma (Lesson, 1840).	French Polynesia, Marquesas Islands, Nuku Hiva Island, 1-3 metres deep.	€ 5,00 t/m € 6,50
Drupa morum Röding, 1798.	Thailand, Phuket, Raya Island, 25-30 metres deep.	€ 1,50
Drupa morum Röding, 1798.	French Polynesia, south of Raiatea, 1 metre deep, on rocks.	€ 1,30
Drupa morum Röding, 1798.	Mozambique, Bazaruto Island region, shallow water.	€ 1,00 t/m € 2,50
Drupa morum Röding, 1798.	Philippines, Cebu Island.	€ 1,50 t/m € 1,80
Drupa morum Röding, 1798.	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 0,50 t/m € 3,00
Drupa morum Röding, 1798.	S. Taiwan, Kending. Live, on high tidal flat between coral.	€ 2,00
Morula musiva (Kiener, 1835).	Japan, Honshu Island, Wakayama prefecture, Shirahama.	€ 0,20
Morula musiva (Kiener, 1835).	Thailand, Phuket.	€ 2,00
Murex nigrispinosus Reeve, 1845.	Philippines, Samar Island.	€ 3,00
Chicoreus nobilis Shikama, 1977.	Philippines, Cebu Island.	€ 2,00 t/m € 2,80
Chicoreus nobilis Shikama, 1977.	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 0,50 t/m € 2,50
Purpura nodosa (L., 1758).	West Africa.	€ 7,50
Attiliosa nodulifera (Sowerby, 1841).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 3,00
Cronia ochrostoma (Blainville, 1832).	Solomon Islands, Guadalcanal, Honiara area. Pacific Ocean.	€ 5,00
Thais orbita (Gmelin, 1791).	New Zealand, North Island, Ti Point, Cape Rodney. Amongst rock oysters.	€ 3,50
Thais orbita (Gmelin, 1791).	Australia.	€ 3,00
Boreotrophon pacificus (Dall, 1902).	Russia, Primorskiy, Vladivostok. Posjet Gulf.	€ 9,50
Bedeva paivae (Crosse, 1864).	Thailand, Phuket, Raya Island, 25-30 metres deep.	€ 2,30
Chicoreus palmarosae (Lamarck, 1822).	Philippines.	€ 7,50
Chicoreus palmarosae (Lamarck, 1822).	Thailand, Phuket, Raya Island, 25-30 metres deep.	€ 7,50 t/m € 22,50
Chicoreus palmarosae (Lamarck, 1822).	Thailand, Phuket.	€ 7,50 t/m € 17,50

		Price Range
Chicoreus palmarosae (Lamarck, 1822).	Sri Lanka.	€ 7,00
Purpura panama (Röding, 1798).	Philippines.	€ 3,00 t/m € 5,00
Purpura pansa Gould, 1853.	Mexico.	€ 5,00
Purpura patula (L., 1758).	Curaçao, St. Michiel Bay, Lesser Antilles Islands.	€ 0,80
Purpura patula (L., 1758).	Bahamas.	€ 0,50 t/m € 1,80
Murex pecten Lightfoot, 1786.	Philippines.	€ 1,50 t/m € 2,50
Murex pecten Lightfoot, 1786.	Philippines, Leyte Island.	€ 5,00 t/m € 12,50
Murexiella peregrina Olivera, 1980.	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 6,00
Purpura planospira Lamarck, 1822.	Ecuador, Galapagos, Isla Sante Fe, Barrington Bay. Intertidal, on rocks.	€ 18,00
Austrotrophon plicatus (Lightfoot, 1786).	Brazil.	€ 6,50
Chicoreus pliciferoides Kuroda, 1942.	Philippines.	€ 7,50 t/m € 12,50
Phyllonotus pomum (Gmelin, 1791).	Florida, Marco Island. On oyster bars at extreme low tide.	€ 6,50
Phyllonotus pomum (Gmelin, 1791).	Bahamas, Green Turtle Cay Island.	€ 2,50 t/m € 3,80
Phyllonotus pomum (Gmelin, 1791).	Florida, Gulf of Mexico, Sanibel Island.	€ 1,00 t/m € 2,50
Phyllonotus pomum f. oculatus Reeve, 1845.	Brazil, Ceará, Camocin. Collected in lobster nets at 25-30 metres.	€ 17,50
Ocenebra poulsoni (Carpenter, 1864).	California, Orange County, Laguna Beach.	€ 0,30
Chicomurex problematicus (Lan, 1981).	Philippines, Bohol, close to Panglao, Balicasag Island.	€ 2,00 t/m € 7,50
Chicomurex problematicus (Lan, 1981).	Philippines, Talikud Island, Davao Gulf, tangle net, 100 metres deep.	€ 2,00 t/m € 7,50
Hexaplex radix (Gmelin, 1791).	Panama, Pacific.	€ 3,00 t/m € 9,50
Chicoreus ramosus (L., 1758). Black form	Philippines, Masbate Island.	€ 9,50
Chicoreus ramosus (L., 1758).		€ 4,50 t/m € 8,00
Chicoreus ramosus (L., 1758).	Philippines, Cebu Island, Mactan Island.	€ 7,50 t/m € 22,50
Chicoreus ramosus (L., 1758). Black form	Northern Madagascar. East Africa. Indian Ocean.	€ 5,00
Chicoreus ramosus (L., 1758).	Thailand, Phuket.	€ 1,30 t/m € 5,00
Chicoreus ramosus (L., 1758).	Indonesia, Kalimantan.	€ 5,00
Rapana rapiformis (Born, 1778).	India, Cuddalore.	€ 5,00
Rapana rapiformis (Born, 1778).	Thailand.	€ 2,50
Rapana rapiformis (Born, 1778).	India, Ramaswaram, Bay of Bengal.	€ 2,50
Rapana rapiformis (Born, 1778).	West Pacific Ocean.	€ 3,00 t/m € 4,00
Vokesimurex rectirostris (Sowerby II, 1841).	Indonesia, Madura Island.	€ 5,00
Vokesimurex rectirostris (Sowerby II, 1841).	Philippines, Cebu Island.	€ 1,50 t/m € 2,30
Vokesimurex rectirostris (Sowerby II, 1841).	Taiwan.	€ 1,00 t/m € 2,50
Vokesimurex rectirostris (Sowerby II, 1841).	Thailand, Phuket, Raya Island, 100 metres deep.	€ 2,50 t/m € 3,40
Phyllonotus regius (Swainson, 1821).	West Mexico.	€ 7,50 t/m € 12,50
Drupa ricinus hadari Emerson & Cernohorsky, 1973.	Egypt, South Sinai, Dahab. Gulf of Aqaba.	€ 1,30 t/m € 1,80

		Price Range
<i>Drupa ricinus</i> f. <i>albolabris</i> Blainville, 1832.	Philippines, Cebu Island, Mactan Island, Punta Engaño.	€ 1,50
<i>Drupa ricinus</i> (L., 1758).	Philippines, Cebu Island, Mactan Island, Punta Engaño.	€ 1,30 t/m € 1,80
<i>Drupa ricinus</i> (L., 1758).	South Zanzibar, Kizamkazi, East Africa. On coralblocks.	€ 1,80
<i>Drupa ricinus</i> (L., 1758).	Gulf of Aqaba. Blue Hole.	€ 1,50 t/m € 3,50
<i>Drupa ricinus</i> (L., 1758).	French Polynesia, Society Islands, Tahiti, 20 km east of Papeete.	€ 0,80
<i>Drupa ricinus</i> (L., 1758).	Thailand, Phuket.	€ 0,50 t/m € 1,00
<i>Drupa ricinus</i> (L., 1758).	Taiwan, southwest.	€ 0,50 t/m € 0,80
<i>Chicoreus rossiteri</i> (Crosse, 1872). Synonym: <i>saltatrix</i>	Philippines, Bohol, close to Panglao, Balicasag Island.	€ 1,30 t/m € 2,80
<i>Drupa rubusidaeus</i> Röding, 1798.	Thailand, Phuket.	€ 2,50
<i>Drupa rubusidaeus</i> Röding, 1798.	Philippines.	€ 2,50
<i>Drupa rubusidaeus</i> Röding, 1798.	Thailand, Phuket.	€ 2,00 t/m € 2,50
<i>Drupa rubusidaeus</i> Röding, 1798.	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 2,00 t/m € 2,50
<i>Drupa rubusidaeus</i> Röding, 1798.	Taiwan, southwest.	€ 0,80 t/m € 1,00
<i>Thais rugosa</i> (Born, 1778).	Thailand, Phuket.	€ 3,00
<i>Drupella rugosa</i> (Born, 1778).	Philippines, Bohol, close to Panglao, Balicasag Island.	€ 1,00
<i>Thais rustica</i> (Lamarck, 1822).	Brazil, Espirito Santo State, Meaipe, on rocks, intertidal.	€ 6,50
<i>Thais rustica</i> (Lamarck, 1822).	Bahamas, Eleuthera Island, Tarpon Bay, on rocks, water line.	€ 1,50
<i>Thais rustica</i> (Lamarck, 1822).	Bahamas, Tarpon Bay.	€ 2,50
<i>Chicoreus saulii</i> (Sowerby, 1834).	Vietnam, Nha Trang.	€ 7,50 t/m € 9,50
<i>Thais savignyi</i> (Deshayes, 1844).	Red Sea, Egypt, Safaga.	€ 2,50 t/m € 4,50
<i>Thais savignyi</i> (Deshayes, 1844).	Red Sea, Egypt, beach north of Safaga, near pier, sand/stone.	€ 0,50 t/m € 0,80
<i>Thais savignyi</i> (Deshayes, 1844).	Ethiopia, Eritrea, Dahlak Archipelago. On rocks at low tide.	€ 0,25
<i>Thais savignyi</i> (Deshayes, 1844).	Taiwan.	€ 1,00 t/m € 1,50
<i>Thais savignyi</i> (Deshayes, 1844).	Thailand, Phuket, ±2 hours by boat from Rawai, Raya Island.	€ 0,50 t/m € 1,00
<i>Homalocantha scorpio</i> (L., 1758).	Philippines, Cebu Island.	€ 5,00
<i>Homalocantha scorpio</i> (L., 1758).	Philippines, Albay province, Batan Island. On coral reef, 15-22 m deep.	€ 4,50
<i>Homalocantha scorpio</i> (L., 1758).	Philippines, Luzon, Batangas, Balayan Bay. On coral reef, 10-16 m deep.	€ 3,50
<i>Murex serratospinosus</i> Dunker, 1883.	Sri Lanka.	€ 7,50
<i>Nassa sarta</i> (Bruguère, 1789).	Philippines.	€ 2,00
<i>Thais siro</i> (Kuroda, 1931).	Taiwan, southwest.	€ 0,50
<i>Nucella spec.</i>	SE Alaska, Mitkof Island, N. of Petersburg, Hungry Point, at a 3 foot tide.	€ 3,50
<i>Muricopsis spec.</i>	Gulf of Thailand.	€ 2,00
<i>Muricopsis spec.</i>	Thailand, Phuket.	€ 1,00
<i>Spinidrupa spinosa</i> (Adams, 1953).	Thailand, Phuket, ±2 hours by boat from Rawai, Raya Island.	€ 1,30
<i>Spinidrupa spinosa</i> (Adams, 1953).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 1,50 t/m € 2,00

		Price Range
Hexaplex stainforthi (Reeve, 1843).	Australia, Western Australia, North West Cape.	€ 2,50 t/m € 3,50
Hexaplex stainforthi (Reeve, 1843).	Australia, Western Australia, Dampier, Dampier Back Beach, muddy reef.	€ 7,50
Hexaplex stainforthi (Reeve, 1843).	Western Australia, Exmouth Gulf, Giralia Station. On mud-covered oysters. On exposed mud flats et extreme low tide.	€ 7,50
Hexaplex stainforthi (Reeve, 1843). On rock oysters, exposed rocks	Australia, W.A., off Port Hedland, Finucane Island. Extreme low tide.	€ 12,50
Hexaplex stainforthi (Reeve, 1843).	Australia, Qld., by fisherman off Townsville, deep water.	€ 3,00 t/m € 4,00
Chicoreus strigatus (Reeve, 1849).	Northern Philippines.	€ 9,50
Eupleura sulcidentata Dall, 1890.	Florida, Gulf of Mexico, Sanibel Island.	€ 1,50
Chicomurex superbus (Sowerby, 1889).	Philippines, Mindanao.	€ 9,50 t/m € 11,50
Urosalpinx tampaensis (Conrad, 1846).	Florida, off Everglade City.	€ 1,30
Murex tenuirostrum Lamarck, 1822.	Philippines, Cebu.	€ 8,00
Chicoreus torrefactus (Sowerby, 1841).	Philippines, Camotes, Ponson Island. Taken on coral reef, 15-20 metres.	€ 2,50 t/m € 4,50
Chicoreus torrefactus (Sowerby, 1841).	Indonesia, Madura Island.	€ 5,50 t/m € 6,50
Chicoreus torrefactus (Sowerby, 1841).	Philippines, Bohol, close to Panglao, Balicasag Island.	€ 1,00 t/m € 3,50
Chicoreus torrefactus (Sowerby, 1841).	Thailand, Phuket.	€ 3,50 t/m € 6,00
Chicoreus torrefactus (Sowerby, 1841).	Philippines.	€ 7,50
Chicoreus torrefactus (Sowerby, 1841).	Japan, Wakayama prefecture, Minabe, from fisherman, 10-20 metres deep. 68 mm	€ 7,50
Murex trapa Röding, 1798.	Philippines.	€ 5,00
Murex trapa Röding, 1798.	Malaysia, Langkawi (archipelago). Shallow water, in muddy bottom.	€ 5,00
Murex tribulus L., 1758.	Philippines, Luzon eiland, Tayabas Bay, Quezon City.	€ 7,00
Murex tribulus L., 1758.	Philippines.	€ 8,50
Murex tribulus L., 1758.	Philippines.	€ 6,00
Murex tribulus L., 1758.	Indonesia, Mid Java, South coast.	€ 4,00
Naquetia triqueter (Born, 1778).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 4,00 t/m € 6,00
Murex troscheli Lischke, 1868.	Philippines, Mindanao island, Davao.	€ 10,00
Murex troscheli Lischke, 1868.	Philippines, Surigao Island, Dinagat Island. On coral reef, 20-28 m deep.	€ 7,00
Murex troscheli Lischke, 1868.	Thailand, Phuket.	€ 4,50 t/m € 7,00
Hexaplex trunculus (L., 1758).	Croatia, Istrië, Bay of Poreč	€ 0,40
Hexaplex trunculus (L., 1758).	Tunisia, Djerba Island, Ajim.	€ 2,50
Hexaplex trunculus (L., 1758).	Italy, Pedaso, Adriatic Sea.	€ 2,30
Hexaplex trunculus (L., 1758).	Yugoslavia, Vrsar.	€ 1,80
Hexaplex trunculus (L., 1758).	Spain, Marbella. Large and small.	€ 1,30 t/m € 2,30
Thais tuberosa Röding, 1798.	Thailand, Phuket, Raya Island, 25-30 metres deep.	€ 0,80 t/m € 2,00
Thais tuberosa Röding, 1798.	Taiwan.	€ 0,80
Thais tuberosa Röding, 1798.	Philippines.	€ 2,50

	Price Range
Thais tuberosa Röding, 1798.	€ 1,50
Thais tuberosa Röding, 1798.	€ 1,60
Hexaplex varius (Sowerby I, 1834).	€ 3,00
Chicomurex venustus (Rehder & Wilson, 1975).	€ 2,50
Chicomurex venustus (Rehder & Wilson, 1975).	€ 1,30
Chicomurex venustus (Rehder & Wilson, 1975).	€ 1,30
Vexilla vexillum (Gmelin, 1791).	€ 5,00
Vexilla vexillum (Gmelin, 1791).	€ 5,50
Haustellum vicdani Kosuge, 1980.	€ 8,50
Chicoreus virgineus (Röding, 1798).	€ 2,50 t/m € 7,00
Chicoreus virgineus (Röding, 1798).	€ 5,00
Pteropurpura vokesae Emerson, 1964.	€ 15,00
Boreotrophon xestra Dall, 1918.	€ 12,50
Homalocantha zamboi (Burch & Burch, 1960).	€ 4,80
Homalocantha zamboi (Burch & Burch, 1960).	€ 2,00 t/m € 5,00
Homalocantha zamboi (Burch & Burch, 1960).	€ 5,00
Homalocantha zamboi (Burch & Burch, 1960).	€ 3,80
Poirieria zelandicus Quoy & Gaimard, 1833.	€ 1,00 t/m € 4,80
Myidae	
Mya arenaria L., 1758.	€ 2,00
Mya arenaria L., 1758.	€ 0,70 t/m € 1,30
Mya arenaria L., 1758.	€ 1,00
Mya arenaria L., 1758.	€ 1,00 t/m € 1,50
Mya arenaria L., 1758.	€ 1,50 t/m € 2,50
Cryptomya californica (Conrad, 1837).	€ 2,30
Cryptomya californica (Conrad, 1837).	€ 2,80
Mytilidae	
Modiolus americanus (Leach, 1815).	€ 1,50
Modiolus areolatus (Gould, 1850).	€ 2,50
Modiolus auriculatus (Krauss, 1848).	€ 0,50
Modiolus auriculatus (Krauss, 1848).	€ 0,30 t/m € 0,80
Modiolus barbatus (L., 1758).	€ 0,30
Modiolus barbatus (L., 1758).	€ 1,50
Modiolus barbatus (L., 1758).	€ 0,30
Modiolus barbatus (L., 1758).	€ 0,50
Taiwan. In coral rubble.	€ 1,50
South West Taiwan	€ 1,60
Gabon, Libreville. Collected from 'Razel'.	€ 3,00
Philippines, Mindanao Island, Davao.	€ 2,50
Philippines, Cebu Island, Camotes Sea.	€ 1,30
Philippines, Bohol, close to Panglao, Balicasag Island.	€ 1,30
Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 5,00
Madagascar, Fort Dauphin.	€ 5,50
Philippines.	€ 8,50
India.	€ 2,50 t/m € 7,00
Sri Lanka, Galle.	€ 5,00
California, San Diego, 25 metres off Point Loma, on rocks, 20-25 metres.	€ 15,00
Japan, Hokkaidō. Gulf of Posjet.	€ 12,50
Philippines, Bohol, close to Panglao, Balicasag Island.	€ 4,80
Indonesia, Madura Island.	€ 2,00 t/m € 5,00
Philippines.	€ 5,00
Philippines, Cebu Island, Mactan Island.	€ 3,80
New Zealand, 12 km off Tasman Bay, fishery trawled.	€ 1,00 t/m € 4,80
U.S.A., Boston. From fisherman. 60 mm	€ 2,00
The Netherlands, IJmuiden, collected between the piers.	€ 0,70 t/m € 1,30
Mudyug Island, White Sea, Russia.	€ 1,00
Iceland, Gufunes.	€ 1,00 t/m € 1,50
Netherlands, between Bloemendaal & IJmuiden, on the beach.	€ 1,50 t/m € 2,50
W. Canada, Br. Columbia, Tsawassen, Tsawassen Beach, 6" deep, sand.	€ 2,30
California, San Pedro, Terminal Island.	€ 2,80
Bahamas.	€ 1,50
Australia, South Australia. Port Adelaide.	€ 2,50
Egypt, South Sinai, Dahab. Gulf of Aqaba.	€ 0,50
Red Sea, Egypt, Safaga.	€ 0,30 t/m € 0,80
Tunisia, Guellala.	€ 0,30
Ireland, Galway Bay.	€ 1,50
Yugoslavia, Grado.	€ 0,30
France, Brittany, St. Jacut de la Mer.	€ 0,50

		Price Range
Modiolus barbatus (L., 1758).	France, southwest, La Rochelle.	€ 0,50
Septifer bilocularis (L., 1758).	Philippines, Bohol, close to Panglao, Balicasag Island.	€ 1,50 t/m € 2,00
Septifer bilocularis (L., 1758).	Thailand, Phuket, Raya Island, 25-30 metres deep.	€ 0,80 t/m € 1,00
Septifer bilocularis (L., 1758).	Thailand. From seagypsies, taken in shallow water around Phuket.	€ 1,50 t/m € 2,00
Septifer bilocularis (L., 1758).	Thailand, Phuket.	€ 1,25
Choromytilus chorus (Molina, 1782).	Chile, Tierra del Fuego Province.	€ 6,50
Geukensia demissa (Dillwyn, 1817).	California, Newport Beach.	€ 2,00
Mytilus edulis f. galloprovincialis Lamarck, 1819.	Spain, Costa Brava.	€ 0,20 t/m € 1,00
Mytilus edulis f. galloprovincialis Lamarck, 1819.	North Sea, Markham's Hole.	€ 0,50
Mytilus edulis L., 1758.	Mediterranean Sea, Prat.	€ 0,20
Mytilus edulis L., 1758.	The Netherlands, west of Terschelling, 13 fathoms deep.	€ 1,00 t/m € 1,80
Mytilus edulis L., 1758.	Sri Lanka, Koggala.	€ 1,00
Mytilus edulis L., 1758.	Japan	€ 0,50
Brachidontes modiolus (L., 1767).	Cuba, Saetia, Caribbean.	€ 1,80 t/m € 2,00
Brachidontes modiolus (L., 1767).	Bonaire, Lesser Antilles Islands.	€ 1,50
Modiolus modiolus (L., 1758).	North Sea fishery.	€ 1,80
Brachidontes modiolus (L., 1767).	Aruba, near the Hilton Hotel, in sea grass.	€ 1,50
Modiolus modiolus squamosus Beuperthuy, 1967.	Florida.	€ 0,25 t/m € 0,50
Modiolus nipponicus (Oyama, 1947).	Japan, Aitsu.	€ 2,50
Perna perna (L., 1758).	Venezuela, Isla Margarita.	€ 1,00
Modiolus philippinarum (Hanley, 1843).	Philippines, Bohol, close to Panglao, Balicasag Island.	€ 5,50
Perna picta (Born, 1780).	Oman, Raysūt. Middle East. Arabian Sea.	€ 0,50
Perna viridis (L., 1758).	Thailand, Phuket, Rawai.	€ 2,00
Perna viridis (L., 1758).	Thailand, Krabi, Koh Lanta Island.	€ 2,00
Perna viridis (L., 1758).	Indonesia, Madura Island.	€ 1,50 t/m € 2,00
Perna viridis (L., 1758).	Taiwan.	€ 1,20
Nassariidae		
Nassarius albescens albescens (Dunker, 1846).	New Caledonia, near the Isle of Pines, in deep water. 17 mm	€ 1,30
Nassarius albescens albescens (Dunker, 1846).	Philippines, Balicasag Island, near Panglao, Bohol.	€ 1,00
Nassarius albescens albescens (Dunker, 1846).	Australia, Queensland.	€ 1,00
Nassarius arcularius (L., 1758).	Philippines, Cebu Island.	€ 1,30
Nassarius arcularius plicatus (Röding, 1798).	Pacific Ocean.	€ 0,30
Nassarius bimaculosus (A. Adams, 1852).	Philippines, Balicasag Island, near Panglao, Bohol.	€ 2,00
Nassarius canaliculatus (Lamarck, 1822).	Philippines, Balicasag Island, near Panglao, Bohol.	€ 2,50
Nassarius conoidalis (Deshayes, 1832).	Japan, Aichi Prefecture (Aichi-ken), Mikawa. 40 metres deep.	€ 1,50

		Price Range
Nassarius conoidalis (Deshayes, 1832).	Japan, Wakayama prefecture, Nada.	€ 1,30
Nassarius conoidalis (Deshayes, 1832).	Indonesia, Madura Island.	€ 1,00
Nassarius corniculus (Olivi, 1792).	Spain, Alicante.	€ 0,50
Nassarius corniculus (Olivi, 1792).	Tunisia, Lac de Bizerte.	€ 0,50
Nassarius corniculus (Olivi, 1792).	Croatia, Istrië, Bay of Poreč	€ 0,50
Nassarius coronatus (Bruguière, 1798).	Egypt, South Sinai, Dahab. Gulf of Aqaba.	€ 1,50
Nassarius coronatus (Bruguière, 1798).	Philippines, Balicasag Island, near Panglao, Bohol.	€ 1,00
Nassarius coronatus (Bruguière, 1798).	Red Sea, Egypt, Safaga.	€ 0,75
Nassarius coronatus (Bruguière, 1798).	Philippines.	€ 2,00
Nassarius coronatus (Bruguière, 1798).	South Zanzibar, Bwejuu, East Africa.	€ 1,00
Nassarius coronatus (Bruguière, 1798).	Philippines.	€ 0,20
Nassarius crematus (Hinds, 1844).	Gulf of Thailand, Ban Hua Hin.	€ 0,80
Nassarius distortus (A. Adams, 1852).	Solomon Islands, Pacific Ocean.	€ 1,50
Nassarius dorsatus (Röding, 1798).	Indo-Pacific.	€ 0,70
Nassarius excellens (Kuroda & Habe, 1961).	Philippines, Balicasag Island, near Panglao, Bohol.	€ 2,00
Nassarius glans (L., 1758).	Japan, Wakayama prefecture, Nada.	€ 3,30
Nassarius globosus Quoy & Gaimard, 1833.	Vanuatu, Malapoa Vila, Pacific Ocean.	€ 1,00
Nassarius globosus Quoy & Gaimard, 1833.	South Philippines, S.W. Mindanao, Zamboanga. Set of 10.	€ 0,75
Nassarius globosus Quoy & Gaimard, 1833.	Thailand, Phuket, Rawai.	€ 0,50
Nassarius globosus Quoy & Gaimard, 1833.	Western Samoa Islands, west of Apria. Pacific Ocean.	€ 2,30
Nassarius globosus Quoy & Gaimard, 1833.	Philippines, Balicasag Island, near Panglao, Bohol.	€ 1,00
Buccinanops globulosum (Kiener, 1834).	Argentina, Rio Negro Province, Golfo San Matías. Dived at 10 m, on sand.	€ 6,00
Buccinanops gradatum (Deshayes, 1844).	Argentina, Chubut Province, Golfo San José, Playa Larraldo. 6-10 metres. In sand bottom, collected by a local diver.	€ 9,50
Naytiopsis granum (Lamarck, 1822).	Spain, Costa Brava, Cubit.	€ 0,60
Nassarius incrassatus (Ström, 1768).	Spain, Marbella.	€ 0,80
Nassarius incrassatus (Ström, 1768).	France, Brittany, Roscoff.	€ 1,00
Nassarius livescens (Philippi, 1849).	Eastern Malaysia, Terengganu, Aryani Resort.	€ 0,50
Nassarius livescens (Philippi, 1849).	Philippines, Balicasag Island, near Panglao, Bohol.	€ 1,00
Nassarius luridus (Gould, 1850).	Philippines, Balicasag Island, near Panglao, Bohol.	€ 2,00
Nassarius luridus (Gould, 1850).	Philippines.	€ 0,20
Nassarius luteostoma (Broderip & Sowerby, 1829).	Mexico, Baja California, Bahía de los Ángeles. Gulf of California.	€ 0,30
Bullia mauritiana (Gray, 1839).	Oman, Şalālah. Middle East. Arabian Sea.	€ 0,50
Bullia miran (Bruguière, 1789).	The Gambia, Tabji. Atlantic Ocean.	€ 1,50
Bullia miran (Bruguière, 1789).	The Gambia, Sanyang. Atlantic Ocean.	€ 0,80
Nassarius mutabilis (L., 1758).	Spain, San Carlos de la Rápita.	€ 0,50

		Price Range
Nassarius mutabilis (L., 1758).	Italy, Formia.	€ 0,20
Nassarius mutabilis (L., 1758).	Greece, 200 km northeast of Athens, Évvoia Island, Kimi.	€ 0,30
Nassarius mutabilis (L., 1758).	Greece, Marathón beach, 1-1,5 metres deep.	€ 0,80
Nassarius mutabilis (L., 1758).	Spain, Baleric Islands, Ibiza Island.	€ 0,75
Cyclope neritea (L., 1758).	Italy, Cérvia.	€ 0,20
Cyclope neritea (L., 1758).	Mediterranean Sea.	€ 0,50
Nassarius obvelatus (Deshayes in Laborde, 1844).	Rode Zee.	€ 1,50
Nassarius obvelatus (Deshayes in Laborde, 1844).	South Zanzibar, Bwejuu, East Africa.	€ 1,00
Nassarius olivaceus (Bruguère, 1789).	Thailand, Phuket.	€ 2,50
Nassarius pullus (L., 1758).	Thailand, Phuket, Chalong Bay.	€ 0,50
Nassarius pullus (L., 1758).	Thailand, Phuket.	€ 0,30
Nassarius pullus (L., 1758).	Thailand, Krabi, Koh Lanta Yai, west of Ban Sala Dan.	€ 0,50
Nassarius pullus (L., 1758).	Thailand, Phuket, Raway Beach.	€ 1,50
Nassarius pullus (L., 1758).	Indonesia, Bali, Turtle Island.	€ 0,40
Nassarius pullus (L., 1758).	Philippines.	€ 0,20
Nassarius pullus (L., 1758).	Thailand, Phuket, Chalong Bay.	€ 0,50
Nassarius pygmaeus (Lamarck, 1822).	Spain, Marbella.	€ 0,80
Nassarius reticulatus (L., 1758).	Portugal, Algarve, Faro.	€ 0,30
Nassarius reticulatus (L., 1758).	France, Brittany, Les Rosaires.	€ 0,30
Nassarius reticulatus (L., 1758).	Morocco, Essaouira.	€ 0,30
Nassarius reticulatus (L., 1758).	France, C. d'Agde, Golfe du Lion.	€ 0,20
Nassarius reticulatus (L., 1758).	Greece, northern, in sand.	€ 0,80
Nassarius reticulatus (L., 1758).	Spain, Fuengirola, Mediterranean Sea.	€ 0,50
Nassarius reticulatus (L., 1758).	The Netherlands, Zeeland, canal through Zuid-Beverland.	€ 1,00
Nassarius reticulatus (L., 1758).	Spain, Fuengirola.	€ 0,20
Nassarius semisulcatus (Rousseau, 1854).	Philippines.	€ 0,30
Nassarius stolatus Gmelin, 1791.	Thailand, Phuket.	€ 0,50
Nassarius stolatus Gmelin, 1791.	Indonesia.	€ 1,00
Nassarius stolatus Gmelin, 1791.	Thailand, Phuket.	€ 0,50
Hebra subspinosa (Lamarck, 1822).	Philippines, Balicasag Island, near Panglao, Bohol.	€ 1,00
Hebra subspinosa (Lamarck, 1822).	India.	€ 1,00
Nassarius vaucheri (Pallary, 1906).	Portugal, Algarve, Monte Gordo.	€ 2,00 t/m € 3,50
Bullia vittata (L., 1767).	India, Cuddalore, trawled.	€ 1,00 t/m € 2,80
Bullia vittata (L., 1767).	India, Cuddalore.	€ 2,00

Naticidae

		Price Range
Polinices albumen (L., 1758).	Indonesia, N.W. Sumatra, Sibolga. Indian Ocean	€ 5,00
Polinices aurantius (Röding, 1798).	Philippines.	€ 0,80 t/m € 1,30
Natica bibalteata Sowerby, 1914.	Philippines, Bohol, close to Panglao, Balicasag Island.	€ 1,50
Natica canrena (L., 1758).	The Grenadines Islands, Windward Islands, Caribbean.	€ 0,80 t/m € 1,30
Lunatia catena (da Costa, 1778).	The Netherlands, 5 miles west of Texel, on rocks.	€ 1,50
Natica collaria Lamarck, 1822.	Senegal, Casamance, West Africa.	€ 2,50 t/m € 3,00
Naticarius cruentatus (Gmelin, 1791).	Greece, Marathón beach, 1-1,5 metres deep.	€ 1,30
Naticarius cruentatus (Gmelin, 1791).	Mediterranean Sea.	€ 0,50 t/m € 1,30
Polinices cumingianus (Récluz, 1844).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 1,00 t/m € 2,00
Polinices didyma (Röding, 1798).	Japan, Miye-ken, Ise Bay, 50 metres deep.	€ 4,50
Polinices didyma (Röding, 1798).	Philippines.	€ 0,80
Polinices didyma (Röding, 1798).		€ 2,50
Polinices duplicatus (Say, 1822).	Venezuela, Margarita Island.	€ 0,50 t/m € 0,80
Polinices duplicatus (Say, 1822).	Florida.	€ 1,30 t/m € 3,80
Polinices duplicatus (Say, 1822).	USA, Northern Virginia.	€ 0,50 t/m € 1,50
Polinices duplicatus (Say, 1822).	Florida, U.S.A.	€ 2,00 t/m € 4,00
Natica fasciata (Röding, 1798).	Philippines, Palawan Island.	€ 3,80
Natica fasciata (Röding, 1798).	Indonesia, Madura Island.	€ 1,00
Natica fasciata (Röding, 1798).	Philippines.	€ 2,00
Natica fasciata (Röding, 1798).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 m	€ 2,00 t/m € 3,00
Polinices fibrosa (Souleyet, 1852).	Philippines, Palawan Island.	€ 5,00 t/m € 7,50
Polinices fibrosa (Souleyet, 1852).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 2,00 t/m € 4,50
Natica gualteriana Récluz, 1844.	Philippines, Bohol, close to Panglao, Balicasag Island.	€ 0,50
Natica gualteriana Récluz, 1844.	Egypt, South Sinai, Dahab. Gulf of Aqaba.	€ 1,00
Natica gualteriana Récluz, 1844.	South of Zanzibar, Mafia Island, Chole Bay.	€ 0,80
Lunatia guillemini (Payraudeau, 1826).	Greece, Marathón beach, 1-1,5 metres deep.	€ 3,30
Neverita josephina Risso, 1826.	Mediterranean Sea.	€ 2,00
Neverita josephina Risso, 1826.	Mediterranean Sea.	€ 1,50
Lunatia lewisi (Gould, 1847).	Southern California. In crab trap at 30-40 metres deep.	€ 17,50
Lunatia lewisi (Gould, 1847).	Washington State (USA). In extreme low tide, in mud.	€ 12,50
Natica lineata (Röding, 1798).	Indonesia, Madura Island.	€ 1,00
Natica lineata (Röding, 1798).	Japan.	€ 0,50 t/m € 1,00
Polinices mammilla (L., 1758).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 0,25 t/m € 0,50
Polinices mammilla (L., 1758).	Indonesia, Bali Island.	€ 0,50 t/m € 1,30
Polinices mammilla (L., 1758).	Thailand, Phuket.	€ 1,50

		Price Range
Polinices mammilla (L., 1758).	Egypt, South Sinai, Dahab. Gulf of Aqaba.	€ 1,50 t/m € 2,50
Polinices mammilla (L., 1758).	Eastern Malaysia, Pulau Lang Tenga Island.	€ 0,50
Polinices mammilla (L., 1758).	Egypt, South Sinai, Dahab. Gulf of Aqaba.	€ 1,00
Polinices mammilla (L., 1758).	Red Sea.	€ 0,80
Polinices mammilla (L., 1758).	Japan, Honshu Island.	€ 1,00
Polinices mammilla (L., 1758).	Red Sea, Egypt, Hurghada.	€ 1,50
Polinices mammilla (L., 1758).	Japan, southern Honshu Island.	€ 0,50
Polinices mammilla (L., 1758).	Philippines, Samar Island.	€ 0,80
Polinices melanostomus (Gmelin, 1791).	Red Sea, Egypt, Hurghada.	€ 2,50
Polinices melanostomus (Gmelin, 1791).	Philippines, Samar Island.	€ 1,80 t/m € 3,80
Polinices melanostomus (Gmelin, 1791).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 2,50
Natica nipponensis Kuroda, 1961.	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 2,00 t/m € 3,00
Natica onca (Röding, 1798).	Philippines, Samar Island.	€ 2,30 t/m € 3,30
Natica onca (Röding, 1798).	Philippines.	€ 1,00
Natica orientalis Gmelin, 1791.	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 3,50 t/m € 6,50
Sinum perspectivum (Say, 1831).	Florida, Sanibel Island, low tide on sand near lighthouse.	€ 0,80 t/m € 1,80
Sinum perspectivum (Say, 1831).	Florida Keys.	€ 1,80
Polinices peselephanti (Link, 1807). White form.	Philippines, Siasi, Sulu Sea, from fisherman. 24 mm	€ 1,80
Polinices sagamiensis Pilsbry, 1904.	Philippines, Samar Island.	€ 3,30
Natica spadicea (Gmelin, 1791).	Philippines, Bohol, close to Panglao, Balicasag Island.	€ 1,00 t/m € 3,50
Natica spec. .	Philippines, Samar Island.	€ 2,50
Natica stellata Chenu, 1845.	Philippines.	€ 2,00
Natica subcostata (Tenison-Woods, 1878).	Philippines.	€ 2,80
Natica tigrina (Röding, 1798).	India, Ramaswaram, Bay of Bengal.	€ 0,80 t/m € 1,00
Natica tigrina (Röding, 1798).	Indonesia, Madura Island.	€ 1,00
Natica tigrina (Röding, 1798).	Malaysia.	€ 0,50
Sinum undulatum (Lischke, 1872).	Indonesia, Madura Island.	€ 2,00
Natica unifasciata Lamarck, 1822. In mangrove area	N. Peru, Tumbes, Puerto Pizarro, Isla Hueso de Ballena. Ebb, on mud.	€ 4,00
Natica violacea Sowerby, 1825.	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 5,00
Natica vitellus (L., 1758).	Indian Ocean.	€ 4,50
Natica vitellus (L., 1758).	Taiwan, southwest.	€ 0,80 t/m € 1,30
Natica vitellus (L., 1758).	Philippines, Bohol, close to Panglao, Balicasag Island.	€ 1,00
Natica vitellus (L., 1758).	Philippines, Cebu Island.	€ 0,80 t/m € 2,50
Natica vitellus (L., 1758).	Philippines.	€ 0,80 t/m € 1,00
Naticarius vittatus (Gmelin, 1791).	Mediterranean Sea.	€ 1,60

Price Range**Nautilidae**

Nautilus pompilius L., 1758.	Indian Ocean.	€ 12,50 t/m € 45,00
Nautilus pompilius L., 1758.	Indonesia.	€ 30,00
Nautilus pompilius L., 1758.	Philippines. Cut in half.	€ 27,50

Neritidae

Nerita albicilla L., 1758.	West Zanzibar, Bawe Island. East Africa. Indian Ocean	€ 0,20
Nerita albicilla L., 1758.	Thailand, Phuket, Raya Island, 25-30 metres deep.	€ 0,50 t/m € 1,30
Nerita albicilla L., 1758.	Sri Lanka, south coast, Welligama, intertidal on rocks. 20 mm	€ 0,30
Nerita albicilla L., 1758.	Taiwan, southwest.	€ 0,20
Nerita atramentosa Reeve, 1855.	New Zealand, Auckland, Waiheke Island. Hauraki Gulf.	€ 1,10
Nerita chamaeleon L., 1758.	Thailand, Phuket, ±2 hours by boat from Rawai, Raya Island.	€ 0,50 t/m € 1,00
Nerita chamaeleon L., 1758.	Thailand, Phuket, Raya Island, 25-30 metres deep.	€ 1,00
Neritina communis (Quoy & Gaimard, 1832).	Philippines, among mangroves.	€ 0,75
Neritina coromandeliana Sowerby, 1832.	Philippines, Bohol Island.	€ 1,50
Nerita costata Gmelin, 1791.	Thailand, Phuket, Raway Beach	€ 0,50
Nerita costata Gmelin, 1791.	Indonesia, off the northeastern coast of Java, Madura Island.	€ 0,50
Neritodryas dubia (Gmelin, 1791).	Philippines.	€ 2,00
Nerita exuvia L., 1758.	Philippines, Luzon Island, Batangas	€ 2,30
Nerita exuvia L., 1758.	Philippines, southern Luzon Island, Bantangas.	€ 2,00
Nerita fulgurans Gmelin, 1791.	Caribbean Sea.	€ 0,80
Nerita grossa L., 1758.	Indonesia, off the northeastern coast of Java, Madura Island.	€ 2,00
Nerita incerta Philippi, 1844.	Indonesia, off the northeastern coast of Java, Madura Island.	€ 1,00
Theodoxus oualaniensis (Lesson, 1831).	India.	€ 0,80
Theodoxus oualaniensis (Lesson, 1831).	Philippines, Balicasag Island, near Panglao, Bohol.	€ 1,50
Theodoxus oualaniensis (Lesson, 1831).	Philippines.	€ 3,00
Nerita peloronta (L., 1758).	Curaçao, Lesser Antilles Islands.	€ 0,80 t/m € 1,50
Nerita peloronta (L., 1758).	Bahamas, Green Turtle Cay Island.	€ 0,50 t/m € 1,30
Nerita planospira Anton, 1839.	Philippines.	€ 0,20
Nerita plicata L., 1758.	Philippines, Visayah Sea.	€ 1,30
Nerita plicata L., 1758.	W. Zanzibar, Coconut Beach, at low tide on coral cliffs.	€ 0,50
Nerita polita L., 1758.	Indonesia, off the northeastern coast of Java, Madura Island.	€ 1,00
Nerita polita L., 1758.	Red Sea, Egypt, Safaga.	€ 0,50
Nerita polita L., 1758.	Japan, Okinawa prefecture, The Cape of Zampa, at low tide.	€ 0,50
Nerita polita L., 1758.	Thailand, Phuket.	€ 0,25
Nerita polita L., 1758.	Philippines, Samar Island.	€ 0,60

		Price Range
Neritina pulligera (L., 1767).	Indonesa, Papua, Serui	€ 2,50
Neritina punctulata Lamarck, 1822.	The Grenadines Islands, Windward Islands, Caribbean.	€ 2,50
Puperita pupa (L., 1767).	Curaçao, Lesser Antilles Islands.	€ 1,30
Smaragdia rangiana (Récluz, 1843).	Philippines, Balicasag Island, near Panglao, Bohol.	€ 1,50
Nerita reticulata Karsten, 1789.	Philippines.	€ 0,25
Nerita scabricosta Lamarck, 1822.	West Mexico, Mazatlán.	€ 1,30 t/m € 2,30
Nerita senegalensis Gmelin, 1791.	Senegal, N'Gor Island, Dahau, West Africa.	€ 3,00
Dostia siquijorensis (Récluz, 1843).		€ 3,50
Nerita spec. .	Indonesia, off the northeastern coast of Java, Madura Island.	€ 0,50
Nerita spengleriana Récluz, 1843.	Indonesia, off the northeastern coast of Java, Madura Island.	€ 1,00
Nerita squamulata Le Guillon, 1841.	Philippines.	€ 0,20
Nerita tessellata Gmelin, 1791.	The Grenadines Islands, Windward Islands, Caribbean.	€ 0,80
Nerita tessellata Gmelin, 1791.	Florida, Key Largo	€ 0,30
Nerita textilis Gmelin, 1791.		€ 1,50 t/m € 2,00
Neritina turrita (Gmelin, 1791).	Philippines, Samar Island.	€ 1,00
Nerita undata L., 1758.	Philippines.	€ 0,20
Nerita versicolor Gmelin, 1791.	Bahamas, Green Turtle Cay Island.	€ 0,50
Neritina virginea (L., 1758).		€ 3,00
Smaragdia viridis (L., 1758).	Aruba, Malmok, Boca Catalina, Lesser Antilles Islands.	€ 1,30
Smaragdia viridis (L., 1758).	Greece, 200 km northeast of Athens, Évvoia Island, Kimi.	€ 1,30
Noetiidae		
Noetia ponderosa (Say, 1822).	Florida.	€ 1,00 t/m € 1,50
Arcopsis solida (Sowerby, 1833).	Mexico, Gulf of California, Bahia Concepción.	€ 0,35
Arcopsis solida (Sowerby, 1833).	Panama, Panamá City, Punta Calafata, live under stones.	€ 1,20
Nuculanidae		
Nuculana minuta (O.F. Müller, 1776).	Nova Scotia, W. Digby Co., St. Mary's Bay, 40-45 fathoms, trawl.	€ 1,80
Adrana patagonica (Orbigny, 1842).	Uruguay, La Paloma. From fisherman.	€ 9,50
Nuculidae		
Nucula nitidosa Winkworth, 1930.	Germany, Helgoland Island.	€ 0,30
Nucula nucleus (L., 1758).	France, Brittany, Roscoff.	€ 0,20
Olividae		
Agaronia acuminata (Lamarck, 1811).	Senegal, Casamance, West Africa. From fisherman.	€ 1,80 t/m € 2,50
Baryspira albocallosa (Lischke, 1873)).	Japan.	€ 2,00
Baryspira albocallosa (Lischke, 1873)).	China. From East China Sea, Trawled, 140 metres deep.	€ 7,50 t/m € 12,50

		Price Range
Oliva annulata f. amethystina (Röding, 1798).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 1,50
Oliva annulata f. amethystina (Röding, 1798).	Australia.	€ 0,50 t/m € 0,80
Oliva annulata f. amethystina (Röding, 1798).	Philippines, Palawan eiland.	€ 1,30
Oliva annulata f. carnicolor Dautzenberg, 1927.	Philippines.	€ 1,30 t/m € 1,80
Oliva annulata f. intricata Dautzenberg, 1927.	Philippines.	€ 0,50 t/m € 1,30
Oliva annulata f. mantichora Duclos, 1835.	Thailand, Phuket, Raya Island, 25-30 metres deep.	€ 1,20
Oliva annulata f. mantichora Duclos, 1835.	Philippines, Sulu, Siasi.	€ 1,75
Oliva annulata f. nebulosa Dautzenberg, 1927.		€ 0,80
Oliva annulata Gmelin, 1791.	Philippines.	€ 1,30
Oliva annulata Gmelin, 1791.	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 1,00
Olivella biplicata (Sowerby, 1825).	California, Catalina Island.	€ 0,75 t/m € 1,00
Oliva bulbiformis Duclos, 1835.	Philippines, Marinduque Island.	€ 1,00
Oliva bulbosa f. inflata Lamarck, 1811.	Kenya, Mombasa, Diani beach.	€ 1,80 t/m € 2,00
Oliva bulbosa Röding, 1798.	Red Sea, Egypt, Hurghada.	€ 1,00
Oliva bulbosa Röding, 1798.	Egypt, Hurghada, Red Sea.	€ 0,75
Oliva bulbosa Röding, 1798.	Oman, Muscat. Middle East. Arabian Sea.	€ 0,25
Oliva bulbosa Röding, 1798.		€ 0,80
Oliva bulbosa Röding, 1798.	East Africa.	€ 0,80 t/m € 1,00
Oliva buloui Sowerby, 1887.	Thailand, Phuket, Raya Island, 25-30 metres deep.	€ 2,30
Oliva caerulea Röding, 1798.	Indonesia, Moluccas Islands.	€ 1,30
Oliva caerulea Röding, 1798.	Philippines, Cebu, Mactan.	€ 1,20
Oliva caerulea Röding, 1798.	Thailand, Phuket, Southeast Asia.	€ 1,30
Oliva caldania Duclos, 1835.	Australia, Western Australia, Broome.	€ 0,50
Oliva carneola Gmelin, 1791.	Indonesia, Moluccas Islands, Ambon Island.	€ 0,30
Oliva carneola Gmelin, 1791.	Solomon Islands, Pacific Ocean.	€ 0,50
Oliva carneola Gmelin, 1791.	Philippines.	€ 0,80
Oliva elegans Lamarck, 1811.	Indonesia.	€ 1,80
Oliva elegans Lamarck, 1811.	Philippines.	€ 1,00
Oliva elegans Lamarck, 1811.	Indonesia, East Java. On sand.	€ 2,00
Oliva funebris Lamarck, 1811.	Philippines.	€ 1,30 t/m € 1,80
Olivancillaria gibbosa (Born, 1778).	Thailand, Phuket.	€ 2,00
Olivancillaria gibbosa (Born, 1778).	India.	€ 2,00
Olivancillaria gibbosa (Born, 1778).	Thailand, Phuket.	€ 1,50 t/m € 2,00
Olivancillaria gibbosa (Born, 1778).	India, Cuddalore.	€ 2,00
Olivancillaria gibbosa (Born, 1778).		€ 2,50

		Price Range
Ancilla glabrata (L., 1758).	Gulf of Venezuela, off Los Monges. Trawled by shrimper, muddy sand, 60 m.	€ 15,00 t/m € 25,00
Ancilla glabrata (L., 1758).	Colombia, trawled off Guajira Peninsula, 10-20 fathoms, mud/sand.	€ 3,30
Oliva hirasei Kira, 1959.	Indo-Pacific.	€ 1,30
Oliva hirasei Kira, 1959.	Thailand, Phuket, Raya Island, 25-30 metres deep.	€ 2,80
Oliva incrassata Lightfoot, 1786.	Mexico, Baja California, San Felipe.	€ 1,30 t/m € 2,00
Oliva irisans f. fordi Johnson, 1910.	Philippines.	€ 1,00
Agaronia johnkochi Voskuil, 2006.	Indonesia, West Java, Pangadaran.	€ 5,00
Ancilla lienardi (Bernardi, 1821).	Brazil, Ceará, Camocin. From lobster divers at 25-40 m on a rocky bottom.	€ 6,00 t/m € 12,00
Ancilla lienardi (Bernardi, 1821). on rocky bottom.	Brazil, Ceará, Camocin. Collected by lobster divers at 25-40 metres	€ 14,00
Agaronia lutaria Röding, 1798.	Indonesia, Flores Island, Maumere.	€ 1,50
Baryspira mammilla (Sowerby, 1833).	Taiwan, Taiwan Channel.	€ 2,80
Baryspira mammilla (Sowerby, 1833).	Southwest Pacific Ocean.	€ 0,80
Oliva miniacea Röding, 1798.	Madagascar Island, East Africa. Indian Ocean.	€ 3,50
Oliva miniacea Röding, 1798.	Thailand, Phuket, Raya Island, 25-30 metres deep.	€ 1,00
Oliva miniacea Röding, 1798.	Philippines.	€ 0,50 t/m € 1,00
Oliva miniacea Röding, 1798.	Philippines, Mindanao Island, Balut Island. On coral reef, 15-20 m deep.	€ 2,00
Oliva miniacea tremulina Lamarck, 1811.	Philippines, Palawan Island.	€ 0,80
Oliva miniacea tremulina Lamarck, 1811.	Philippines.	€ 12,00 t/m € 14,50
Oliva mustelina Lamarck, 1811.	Taiwan, southwest.	€ 1,50
Olivella nivea (Gmelin, 1791).	Bonaire, Lesser Antilles Islands.	€ 1,00
Oliva oliva (L., 1758).	Brunei State, Borneo, Seria, Southeast Asia.	€ 0,50
Oliva oliva (L., 1758).	Indonesia, Bali Island, Kuta Beach.	€ 0,70
Oliva oliva (L., 1758).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 0,50
Oliva oliva (L., 1758).	Philippines.	€ 0,70
Oliva oliva (L., 1758).	Thailand, Phuket, Raya Island, 25-30 metres deep.	€ 0,50 t/m € 0,80
Oliva oliva (L., 1758).	Philippines. Large and small.	€ 0,40 t/m € 1,00
Oliva ornata Marrat, 1867.	Taiwan, China Sea.	€ 1,00
Oliva ornata Marrat, 1867.	Australia, South Australia, Broome.	€ 1,00
Oliva porphyria (L., 1758).	Mexico, Sea of Cortez. In sand at night by diver.	€ 17,50
Oliva porphyria (L., 1758).	West Mexico. Pacific Ocean.	€ 5,00 t/m € 7,00
Oliva reticularis Lamarck, 1811.	Bahamas, Green Turtle Cay Island.	€ 1,80
Oliva reticularis Lamarck, 1811.	Aruba.	€ 1,00
Oliva reticulata Röding, 1798.	Indonesia, Bali Island.	€ 0,80
Oliva reticulata Röding, 1798.	Philippines.	€ 1,00
Oliva rufula Duclos, 1835.	Philippines.	€ 1,50

		Price Range
Oliva sayana	Ravenel, 1834.	€ 1,30
Oliva sericea	Röding, 1798.	€ 3,00
Ancilla suavis	Yokoyama, 1922.	€ 2,00
Oliva tessellata	Lamarck, 1811.	€ 1,00
Oliva tessellata	Lamarck, 1811.	€ 1,00
Oliva tricolor	Lamarck, 1811.	€ 1,50
Oliva tricolor	Lamarck, 1811.	€ 1,30
Oliva tricolor	Lamarck, 1811.	€ 0,80 t/m € 1,30
Olivancillaria urceus	(Röding, 1798).	€ 1,00 t/m € 1,25
Olivancillaria urceus	(Röding, 1798).	€ 1,00 t/m € 2,00
Amalda vernedei herlaari	van Pel, 1989.	€ 15,00 t/m € 25,00
Olivancillaria vesica auricularia	(Lamarck, 1810).	€ 3,50
Olivancillaria vesica vesica	(Gmelin, 1791).	€ 2,50
Oliva vidua	Röding, 1798.	€ 2,00
Oliva vidua	Röding, 1798.	€ 2,00
Oliva vidua	Röding, 1798.	€ 1,25
Oliva vidua	Röding, 1798.	€ 2,00
Oliva vidua	Röding, 1798.	€ 1,50 t/m € 2,00
Oliva vidua	Röding, 1798.	€ 2,50
Oliva zeigleri	da Motta, 1881.	€ 2,50
Ostreidae		
Lopha cristagalli	(L., 1758).	€ 5,00 t/m € 7,50
Ostrea edulis	L., 1758.	€ 0,80
Crassostrea gigas	(Thunberg, 1793).	€ 0,80 t/m € 1,30
Crassostrea gigas	(Thunberg, 1793).	€ 1,50
Ostrea palmula	Carpenter, 1857.	€ 3,00
Ostrea palmula	Carpenter, 1857.	€ 2,00
Ovulidae		
Phenacovolva angasi	(Reeve, 1865).	€ 2,50
Phenacovolva brevirostris	(Schumacher, 1817).	€ 1,80
Phenacovolva coarctata	(Adams & Reeve, 1848).	€ 5,00
Ovula costellata	Lamarck, 1810.	€ 12,50
Cyphoma gibbosum	(L., 1758).	€ 1,80
Cyphoma gibbosum	(L., 1758).	€ 0,50
Cyphoma gibbosum	(L., 1758).	€ 1,00 t/m € 2,00
Cyphoma gibbosum	(L., 1758).	€ 1,70
Florida.		€ 1,30
Indonesia.		€ 3,00
Taiwan.		€ 2,00
Philippines, Mindanao Island, Zamboanga.		€ 1,00
Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.		€ 1,00
Sri Lanka.		€ 1,50
Indonesia, Sulawesi Island, Bira.		€ 1,30
Philippines.		€ 0,80 t/m € 1,30
Brasil, Estado de Rio Janeiro.		€ 1,00 t/m € 1,25
Brazil, Santa Catarina State, off Itajai, fisherman, 20-30 metres deep.		€ 1,00 t/m € 2,00
Australia, Northern Territory. Arufa Sea. Pacific Ocean.		€ 15,00 t/m € 25,00
Brazil.		€ 3,50
		€ 2,50
Indonesia, Madura Island.		€ 2,00
Indonesia, Madura Island.		€ 2,00
Sri Lanka, Trincomalee.		€ 1,25
India, Madras.		€ 2,00
Philippines, Cebu Island, Mactan Island.		€ 1,50 t/m € 2,00
Thailand, Phuket, ±2 hours by boat from Rawai, Raya Island.		€ 2,50
Philippines.		€ 5,00 t/m € 7,50
Italy, Secenatico, Adriatic Sea.		€ 0,80
Nederland, Scheveningen, on beach by breakwater, some live.		€ 0,80 t/m € 1,30
The Netherlands, Zeeland, Yerseke.		€ 1,50
Mexico, Baja California Sur, La Paz, 1 metre deep. 23 mm		€ 3,00
West Panama. Pacific Ocean.		€ 2,00
Japan, Wakayama prefecture, Nada.		€ 2,50
Japan, Aichi, Mikawa.		€ 1,80
Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.		€ 5,00
Australia, Qld., Cairns, Great Barrier Reef, dived at 10 metres, coral. 34 mm		€ 12,50
Bahamas, Abaco Cays, Manjack Cay.		€ 1,80
Florida. On gorgonians.		€ 0,50
The Grenadines Islands, Windward Islands, Caribbean.		€ 1,00 t/m € 2,00
Haiti. Caribbean Sea.		€ 1,70

		Price Range
Cyphoma gibbosum (L., 1758).	Curaçao, Lesser Antilles Islands.	€ 0,25
Cyphoma gibbosum (L., 1758).	Curaçao, Lesser Antilles Islands.	€ 0,80
Phenacovolva longirostrata (Sowerby, 1828).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 6,50
Phenacovolva longirostrata (Sowerby, 1828).	Taiwan.	€ 10,00
Pseudosimnia marginata (Sowerby, 1828).	Taiwan, southwest.	€ 1,30
Pseudosimnia marginata (Sowerby, 1828).	South West Taiwan.	€ 2,00
Pseudosimnia marginata (Sowerby, 1828).	Japan.	€ 4,00
Ovula ovum (L., 1758).	Philippines.	€ 1,30 t/m € 2,30
Ovula ovum (L., 1758).	Thailand, Phuket.	€ 1,50 t/m € 2,50
Jenneria pustulata (Lightfoot, 1786).		€ 3,00
Phenacovolva rosea (A. Adams, 1854).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 2,00
Pseudosimnia sinensis (Sowerby, 1874).	Taiwan.	€ 1,40
Phenacovolva subreflexa (Adams & Reeve, 1848).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 3,50
Calpurnus verrucosus (L., 1758).	Papua New Guinea, New Britain, Rabaul.	€ 0,50
Calpurnus verrucosus (L., 1758).	Solomon Islands, Guadalcanal.	€ 0,50
Calpurnus verrucosus (L., 1758).	Mozambique, Bazaruta Island region, in shallow water. 20 mm - 23 mm	€ 1,00
Calpurnus verrucosus (L., 1758).	Philippines.	€ 0,60
Calpurnus verrucosus (L., 1758).	Philippines, Bohol, close to Panglao, Balicasag Island.	€ 0,50
Volva volva (L., 1758).	Philippines.	€ 6,00
Volva volva (L., 1758).		€ 4,00 t/m € 6,00
Pandoridae		
Pandora inaequalvis (L., 1758).	France, Brittany, Dinard.	€ 0,20 t/m € 0,50
Pandora inaequalvis (L., 1758).	Spain, San Carlos de la Rápita, trawled by fisherman 26 mm 32 mm	€ 1,00
Pandora inaequalvis (L., 1758).	England, sothern coast	€ 1,00
Pandora inaequalvis (L., 1758).	France, Brittany, St. Jacut, Côtes-du-Nord	€ 0,50
Patellidae		
Patella barbara L., 1758.	South Africa, Cape Point.	€ 3,50
Patella barbara L., 1758.	South Africa.	€ 8,00
Patella barbara L., 1758.	Mozambique, Chongoen. On white sand near a coral reef.	€ 2,50
Patella caerulea L., 1758.	Spain, Marbella.	€ 0,20 t/m € 0,80
Patella caerulea L., 1758.	Italy, Savona, Vado Ligure harbour. 1-5 metres deep.	€ 3,50
Patella caerulea L., 1758.	Turkey, Alanya.	€ 0,50 t/m € 1,00
Patella caerulea L., 1758.	Tunisia, Nabeul.	€ 1,00
Patella candei f. crenata Orbigny, 1840.	Portugal, Madeira. Atlantic Ocean.	€ 0,40 t/m € 0,75
Patella cochlear Born, 1778.	South Africa, Cape Province, Cape Town.	€ 2,50

		Price Range
Cellana denticulata (Martyn, 1784).	New Zealand, Kaikoura, intertidal on rocks. 26 mm	€ 2,30
Helcion dunkeri (Krauss, 1848).	South Africa, Eastern Cape Province, Port Alfred.	€ 1,70
Cellana eucosmia (Pilsbry, 1891).	Egypt, South Sinai, Dahab. Gulf of Aqaba. Near oasis.	€ 0,80
Cellana eucosmia (Pilsbry, 1891).	Israel, Elat. Gulf of Aqaba.	€ 1,80 t/m € 2,30
Patella granatina L., 1758.	Namibia, Swakopmund. Atlantic Ocean.	€ 3,50 t/m € 4,00
Patella granularis L., 1758.	South Africa, Cape Agulhas.	€ 3,50
Patella intermedia Murray, 1857.	France, Brittany, Rothéneuf.	€ 0,40
Patella intermedia Murray, 1857.	Morocco, Agadir. Atlantic Ocean.	€ 0,80 t/m € 1,30
Patella intermedia Murray, 1857.	Spain, San Carlos de la Rápita.	€ 1,00
Patella intermedia Murray, 1857.	Morocco, West Sahara, Tan Tan.	€ 0,80 t/m € 1,30
Patella intermedia Murray, 1857.	Morocco, Asilah	€ 0,50
Patella laticostata Blainville, 1825.	Australia, Western Australia, Cape le Grand, Rossiter Bay.	€ 4,50 t/m € 7,00
Patella laticostata Blainville, 1825.	Australia, Western Australia.	€ 5,50 t/m € 10,00
Patella longicosta Lamarck, 1819.	South Africa, Eastern Cape Province, near East London, Gonoubie.	€ 5,00
Patella longicosta Lamarck, 1819.	South Africa, False Bay area, Buffels Bay, live on rocks at low tide.	€ 4,50
Patella longicosta Lamarck, 1819.	South Africa, Eastern Cape Province, near East London, Gonoubie.	€ 2,00
Patella lugubris Gmelin, 1791.	Cape Verde Islands, Atlantic Ocean.	€ 0,80
Nacella magellanica (Gmelin, 1791).	Argentina, southern part of the Rio de la Plata river mouth.	€ 2,00
Patella miniata Born, 1778.	South Africa.	€ 0,50
Patella miniata Born, 1778.	South Africa, Eastern Cape Province, near East London, Gonoubie.	€ 3,00
Patella nigra (da Costa, 1771).	Mediterranean Sea.	€ 2,00
Patella nigra (da Costa, 1771).	Senegal, Dakar, N'Gor Village. Coast. Atlantic Ocean.	€ 2,00 t/m € 3,00
Patella oculus Born, 1778.	South Africa, Transkei.	€ 6,50
Patella oculus Born, 1778.	South Africa, Cape Province, Jeffreys Bay.	€ 0,80 t/m € 1,30
Patella oculus Born, 1778.	South Africa, Kaapstad.	€ 1,00
Patella oculus Born, 1778.	South Africa, False Bay, mid-tide level, live, coll. from rocks.	€ 5,00
Patella oculus Born, 1778.	South Africa, Cape Province, Jeffreys Bay.	€ 2,50
Helcion pectunculus (Gmelin, 1791).	South Africa, Eastern Cape Province, near East London, Gonoubie.	€ 0,80
Cellana radiata capensis (Gmelin, 1791).	Zanzibar, East Africa. Indian Ocean.	€ 1,00
Cellana radiata radiata (Born, 1778).	Thailand, Phuket, ±2 hours by boat from Rawai, Raya Island.	€ 1,00 t/m € 1,30
Cellana radiata radiata (Born, 1778).	Philippines, Bohol, close to Panglao, Balicasag Island.	€ 1,00
Patella rustica L., 1758.	Morocco, Essaouira. Large.	€ 0,70
Patella rustica L., 1758.	Spain, Fuengirola.	€ 0,30 t/m € 0,50
Patella tabularis Krauss, 1848.	South Africa, Jeffreys Bay near Port Elizabeth.	€ 5,00 t/m € 8,00
Patella tabularis Krauss, 1848.	South Africa, False Bay, collected live at 3-10 metre on rock. The largest limpet in South Africa.	€ 7,50

		Price Range
Patella tabularis Krauss, 1848.	South Africa, Cape Province, False Bay, 15 metres deep on reef.	€ 7,00 t/m € 9,00
Cellana testudinaria (L., 1758).	Philippines, Bohol, close to Panglao, Balicasag Island.	€ 0,50
Cellana testudinaria (L., 1758).	Philippines.	€ 4,50
Cellana testudinaria (L., 1758).	Philippines, Ivana, Batanes. 55 mm	€ 2,00 t/m € 2,80
Cellana testudinaria (L., 1758).	Thailand, Phuket.	€ 1,00 t/m € 2,50
Cellana testudinaria (L., 1758).	Madagascar Island, East Africa. Indian Ocean.	€ 1,50
Cellana testudinaria (L., 1758).	Thailand, Ranong (province). Near Burmese border.	€ 0,50
Cellana tramoserica (Holten, 1802).	Australia.	€ 1,00
Patella ulyssiponensis Gmelin, 1791.	France, Brittany, Rothéneuf.	€ 0,20 t/m € 0,30
Patella ulyssiponensis Gmelin, 1791.	Portugal, Algarve, Quarteira.	€ 0,50
Patella ulyssiponensis Gmelin, 1791.	Portugal, Madeira, Porto Santo. Atlantic Ocean.	€ 0,75
Patella vulgata L., 1758.	France, Brittany, Dinard.	€ 0,80 t/m € 1,00
Patella vulgata L., 1758.	England, Cornwall.	€ 1,00
Patella vulgata L., 1758.	France, Brittany, Cote d'Amorique.	€ 1,80
Patella vulgata L., 1758.	Ireland, Dublin, Dún Laoghaire.	€ 1,00
Pectinidae		
Pecten albicans (Schröter, 1802).	Taiwan.	€ 2,30
Mimachlamys albolineata (Sowerby II, 1842).	Thailand, Phuket.	€ 2,00
Mimachlamys asperrima (Lamarck, 1819).	Australia, South Australia, Port Giles Jetty. 45 feet deep.	€ 2,50 t/m € 4,00
Mimachlamys asperrima (Lamarck, 1819).	Australia.	€ 4,00
Mimachlamys asperrima (Lamarck, 1819).	Australia, Queensland.	€ 4,00
Mimachlamys asperrima (Lamarck, 1819).	Australia, South Australia, Edithburg, under rocks.	€ 1,50 t/m € 2,30
Mesopeplum convexum (Quoy & Gaimard, 1835).	New Zealand, south of Stewart Island, trawled 30 fathoms.	€ 4,30 t/m € 5,00
Mimachlamys crassicosata (Sowerby II, 1842).		€ 6,50
Mimachlamys crassicosata (Sowerby II, 1842).	Japan, Hokkaido.	€ 6,00
Psychrochlamys delicatula (Hutten, 1873).	New Zealand, North Island, Canterbury.	€ 2,50
Psychrochlamys delicatula (Hutten, 1873).	New Zealand, near Jackson Head, trawled 15-18 metres deep.	€ 1,80 t/m € 2,50
Pecten erythraeensis Sowerby II, 1842.	Red Sea.	€ 6,00
Scaechlamys farreri (Jones & Preston, 1904).	Japan.	€ 3,00 t/m € 4,50
Annachlamys flabellata (Lamarck, 1819).	Australia, New South Wales.	€ 4,00
Annachlamys flabellata (Lamarck, 1819).	Australia, Queensland, Cape Manifold.	€ 4,00
Annachlamys flabellata (Lamarck, 1819).	Australia, Western Australia, Carnarvon.	€ 7,50
Annachlamys flabellata (Lamarck, 1819). on sand 40-60 metres.	Australia, Western Australia, Central Coast, off Carnarvon. Trawled	€ 4,00
Annachlamys flabellata (Lamarck, 1819).	Australia, Queensland, Fraser Coast, Tin Can Bay.	€ 6,50
Aequipecten flabellum (Gmelin, 1791).	Senegal, Cape Verde Peninsula. West Africa. Trawled at 30-50 feet deep.	€ 3,50

		Price Range
Aequipecten flabellum (Gmelin, 1791).	Angola, Luanda province, West Africa. Atlantic Ocean.	€ 1,30
Aequipecten flabellum (Gmelin, 1791). Special offer	Senegal, Dakar, north side N'Gor, diving, 1-8 metres deep.	€ 3,30
Semipallium flavicans (Lamarck, 1819).	Philippines, Cebu Island, Mactan Channel.	€ 5,00
Serratovola gardineri (E.A. Smith, 1903).	Taiwan.	€ 2,00
Argopecten gibbus (L., 1758).	Florida, Fort Pierce.	€ 1,50
Argopecten gibbus (L., 1758).	Florida, Gulf of Mexico, Sanibel Island.	€ 1,30
Flexopecten glaber (L., 1758).	Italy, Chioggia.	€ 1,80 t/m € 2,50
Flexopecten glaber (L., 1758).	Italy, Grado, trawled by fishermen, 15 metres deep on sand, live.	€ 1,50 t/m € 2,50
Flexopecten glaber (L., 1758).	Greece, 200 km northeast of Athens, Évvoia Island, Kimi.	€ 1,30 t/m € 1,80
Flexopecten glaber (L., 1758).	Italy, Sicily.	€ 3,50
Flexopecten glaber (L., 1758).	Italië, Genua, Mediterranean Sea.	€ 5,50
Flexopecten glaber (L., 1758).	Italy, Sicilia.	€ 3,80 t/m € 4,50
Flexopecten glaber (L., 1758).	Turkey.	€ 2,00 t/m € 6,00
Flexopecten glaber (L., 1758).	Mediterranean Sea.	€ 2,00
Mimachlamys gloriosa (Reeve, 1853).	Australia, Queensland.	€ 4,00
Mimachlamys gloriosa (Reeve, 1853).	Thailand, Phuket.	€ 4,00 t/m € 5,00
Mimachlamys gloriosa (Reeve, 1853).	Australia, Queensland, Cooktown.	€ 4,50
Chlamys hastata hericius (Gould, 1850).	Canada, Vancouver Island, Union Bay.	€ 2,30
Chlamys hastata hericius (Gould, 1850).	Washington, Puget Sound.	€ 4,50
Notochlamys hexactes (Péron in Lamarck, 1819).	Australia, Western Australia, Albany, 12-15 metres deep. Amongst rubble, sand and shells in seagrass beds.	€ 12,50
Excellichlamys histrionica (Gmelin, 1791).	Thailand, Phuket.	€ 2,00 t/m € 3,00
Excellichlamys histrionica (Gmelin, 1791).	Thailand, Phuket, ±2 hours by boat from Rawai, Raya Island.	€ 3,00 t/m € 4,80
Argopecten irradians irradians (Lamarck, 1819).	Florida.	€ 2,50
Argopecten irradians irradians (Lamarck, 1819).	Massachusetts, USA.	€ 1,50 t/m € 3,50
Chlamys islandica (Müller, 1776).	Barents Sea, 68°34' N., 39°14' O., 70-78 metres deep.	€ 3,80 t/m € 5,00
Chlamys islandica (Müller, 1776).	Norway, Lofoten Islands.	€ 5,00
Chlamys islandica (Müller, 1776).	Canada, Nova Scotia, Digby.	€ 3,80 t/m € 6,25
Chlamys islandica (Müller, 1776).	Iceland, Breidafjordhur; trawled, depth 36 metres deep.	€ 5,00
Pecten jacobaeus (L., 1758).	Italy. Mediterranean Sea.	€ 6,50
Pecten keppelianus Sowerby III, 1905.	Senegal, Cap de Naz, West Africa.	€ 3,80 t/m € 4,80
Mimachlamys lentiginosa (Reeve, 1853).	Philippines.	€ 2,50
Mimachlamys lentiginosa (Reeve, 1853).	Philippines, Mindanao Island, Zamboanga.	€ 2,00
Mimachlamys lentiginosa (Reeve, 1853).	Philippines.	€ 1,00
Mimachlamys lentiginosa (Reeve, 1853).	Philippines, Mindanao Island, Zamboanga.	€ 2,00
Scaechlamys livida (Lamarck, 1819).	Australia, Western Australia, near Rockingham. Scuba, attached on mussels.	€ 2,00

		Price Range
Placopecten magellanicus (Gmelin, 1791).	Canada, Vancouver Island. Trawled at 110-145 metres deep.	€ 9,50
Placopecten magellanicus (Gmelin, 1791).	Canada, Vancouver Island, trawled 110-145 m, fishermen.	€ 5,00 t/m € 7,50
Nodipecten magnificus (Sowerby I, 1835).	Ecuador, Galapagos Islands, Fernandina Island, Bahia Isabel. Taken in sand between rocks at 15-20 metres, by dive.	€ 595,00
Pecten maximus (L., 1758).	Ireland, Dundalk Bay, Irish Sea.	€ 1,00 t/m € 3,00
Pecten maximus (L., 1758).	France, Brittany, Erquy.	€ 1,00 t/m € 2,80
Pecten maximus (L., 1758).	United Kingdom, Wales, 40 km n. of the Great Ormes Head. 37 - 70 mm	€ 1,50 t/m € 2,50
Pecten maximus (L., 1758). Juvenile.	France, Brittany, Erquy. Harbour, low tide.	€ 1,25
Pecten maximus (L., 1758). sand at 20-30 metres.	France, Morbihan, Belle Ile sur Mer. Trawled north of Le Palais on silty	€ 5,00
Pecten maximus (L., 1758).	North Sea fishery.	€ 3,50
Mirapecten mirificus (Reeve, 1853). Special offer	Philippines, Bohol, close to Panglao, Balicasag Island.	€ 1,00 t/m € 5,00
Mirapecten mirificus (Reeve, 1853).	Philippines, Mindanao Island, Zamboanga.	€ 12,50
Aequipecten muscosus (Wood, 1828).	Florida.	€ 3,50
Nodipecten nodosus (L., 1758).	Southeastern Florida.	€ 10,00
Nodipecten nodosus (L., 1758).	Venezuela, SW of Islas Las Monjes, Gulf of Venezuela, ±25 fathoms.	€ 4,30 t/m € 6,50
Nodipecten nodosus (L., 1758).	Columbia, trawled by shrimper in 20-30 fathoms off Guajira Pen.	€ 7,50 t/m € 8,75
Nodipecten nodosus (L., 1758).	Brazil, Espirito Santo State, Guarapari, flat bottom, 20-25 metres deep.	€ 10,00 t/m € 12,50
Nodipecten nodosus (L., 1758).	Venezuela, Isla Margarita, El Coche.	€ 1,50 t/m € 2,50
Pecten novaezelandiae Reeve, 1852.	New Zealand, N.E., Jackson's Bay, 60 metres deep.	€ 1,30
Aequipecten opercularis (L., 1758).	North Sea, trawled on the Doggersbank.	€ 1,00 t/m € 1,50
Aequipecten opercularis (L., 1758).	France, Brittany, St. Quay-Portrieux.	€ 0,80 t/m € 1,50
Aequipecten opercularis (L., 1758).	France, Brittany, Les Rosaires.	€ 1,30 t/m € 1,80
Aequipecten opercularis (L., 1758).	France, Brittany.	€ 2,50
Aequipecten opercularis (L., 1758).	Italy, Chioggia, fishery.	€ 0,80
Aequipecten opercularis (L., 1758).	Spain, Fuengirola. From tanglenet.	€ 2,30
Aequipecten opercularis (L., 1758).	Spain, Fuengirola.	€ 0,50
Aequipecten opercularis (L., 1758). 75-80 m. Trawled, silty sand.	North Sea, Outer Silver Pit (station 18-19) 54°06'20" N 2°16'-2°13'50" E.	€ 2,00
Aequipecten opercularis (L., 1758). sand at 20-30 metres. Live.	France, Belle Ile sur Mer, Morbihan. Trawled north of Le Palais on silty	€ 1,00 t/m € 1,75
Aequipecten opercularis (L., 1758).	France, Brittany, Bay of Morbihan. Trawled by commercial scallop boats.	€ 1,50
Aequipecten opercularis (L., 1758).	Philippines, Bohol, close to Panglao, Balicasag Island.	€ 1,50
Aequipecten opercularis (L., 1758). silty sand.	North Sea, Outer Silver Pit (station 1) 53°59'50"N. 2°28'E. 75-80 m. on 43 mm 70 mm	€ 1,50 t/m € 2,50
Gloripallium pallium (L., 1758).	Thailand, Phuket Island, Southeast Asia.	€ 1,50 t/m € 3,00
Carabachlamys pellucens (L., 1758).	Florida, Palm Beach to Broward County, scuba, 10 fathoms deep, reef.	€ 9,50
Carabachlamys pellucens (L., 1758).	Lower Florida Keys, Looe Key, between coral on sponges. 29 mm - 40 mm	€ 6,50 t/m € 7,50
Pseudamussium peslutrae (Gmelin, 1771).	Senegal, Casamance, Kafontaine, 10 metres deep.	€ 5,50

		Price Range
Amusium pleuronectes (L., 1758).	Indonesia, Mollucus Islands.	€ 12,50
Amusium pleuronectes (L., 1758).	Indonesia.	€ 10,00
Amusium pleuronectes (L., 1758).	Philippines.	€ 4,00
Decatopecten plica (L., 1758).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 2,00
Decatopecten plica (L., 1758).	Japan, Wakayama prefecture, Minabe.	€ 5,00
Decatopecten plica (L., 1758).	Philippines, Cebu Island, Bantayan Island.	€ 4,50
Decatopecten plica (L., 1758).	Japan.	€ 5,00
Decatopecten plica (L., 1758).	Philippines.	€ 4,00
Decatopecten plica (L., 1758).	Philippines, Cebu, Olanga Island. Dived at 10 metres deep.	€ 2,00
Decatopecten plica (L., 1758).	Philippines, Luzon Island, Cavite.	€ 5,00
Decatopecten plica (L., 1758).	Philippines, Samar Island.	€ 3,30
Argopecten purpuratus (Lamarck, 1819).	Chile.	€ 3,00
Minnivola pyxidata (Born, 1778).	Philippines.	€ 1,80 t/m € 2,30
Minnivola pyxidata (Born, 1778).	India, Madras.	€ 3,00
Minnivola pyxidata (Born, 1778).	Philippines, Luzon, Tabayas Bay.	€ 3,00
Decatopecten radula radula (L., 1758).	Philippines.	€ 2,50
Decatopecten radula radula (L., 1758).	Japan , Kagoshima Amami , Amami Ōshima (Nansei Islands).	€ 2,50
Decatopecten radula radula (L., 1758).	Philippines, Siasi Island, Sulu Sea.	€ 1,30 t/m € 2,30
Mirapecten rastellum (Lamarck, 1819).	Philippines, Bohol Island.	€ 5,00 t/m € 10,00
Mirapecten rastellum (Lamarck, 1819).	Philippines, Cebu Island, Mactan Island, Punta Engaño.	€ 0,80 t/m € 7,50
Euvola raveneli (Dall, 1898).	Port Canaveral.	€ 1,80 t/m € 3,80
Serratovola rubicunda (Récluz in Chenu, 1843).	Philippines.	€ 2,00
Serratovola rubicunda (Récluz in Chenu, 1843).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 1,50 t/m € 2,00
Chlamys rubida (Hinds, 1845).	Washington, San Juan Islands.	€ 4,50
Mimachlamys sanguinea (L., 1758).	Philippines, Bohol Island.	€ 1,25 t/m € 2,00
Mimachlamys sanguinea (L., 1758).	Philippines.	€ 6,50
Mimachlamys sanguinea (L., 1758).	Philippines.	€ 3,00
Mimachlamys sanguinea (L., 1758).	Philippines.	€ 5,00
Mimachlamys sanguinea (L., 1758).	Thailand, Phuket.	€ 2,00 t/m € 5,50
Mimachlamys sanguinea (L., 1758).	Philippines.	€ 2,00
Mimachlamys sanguinea (L., 1758).	Philippines, Bohol, close to Panglao, Balicasag Island.	€ 1,80
Mimachlamys sanguinea (L., 1758). Juvenile	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 1,50
Mimachlamys sanguinea (L., 1758).	Japan.	€ 4,00
Mimachlamys sanguinea (L., 1758).	Red Sea.	€ 3,00
Mimachlamys sanguinea (L., 1758). Brown form	Thailand, Phuket, Raya Island, 25-30 metres deep.	€ 0,80 t/m € 1,50

		Price Range
Mimachlamys sanguinea (L., 1758).	Philippines, Mactan Island.	€ 4,00
Mimachlamys sanguinea (L., 1758).	Philippines, Basilan Island.	€ 3,30
Mimachlamys sanguinea (L., 1758).	Philippines, Sulu Archipelago. Trawled, 75 metres deep.	€ 3,00
Mimachlamys sanguinea (L., 1758).	Philippines, Mindanao Island, Zamboanga, from fisherman.	€ 2,00 t/m € 3,80
Caribachlamys sentis (Reeve, 1853).	Florida, Pompano Beach, 2 miles south of Hillsboro Light, 3 metre deep.	€ 2,80
Caribachlamys sentis (Reeve, 1853).	Florida, Government Cut, Miami. Snorkel, 5-10 feet deep, under rubble.	€ 5,00
Caribachlamys sentis (Reeve, 1853).	Florida, Big Pine Key.	€ 4,50
Pecten spec. .	Philippines.	€ 4,50
Gloripallium speciosum (Reeve, 1853).	Japan, Okinawa, Horseshoe. 110-160 feet deep, under rocks.	€ 12,00
Pedum spondyloideum (Gmelin, 1791).	Philippines, Mactan Island, 7 metres deep, embedded in braincorals, scuba.	€ 10,00
Scaechlamys squamata (Gmelin, 1791).	Philippines, Mindanao Island, Zamboanga.	€ 1,30
Scaechlamys squamata (Gmelin, 1791).	Taiwan, southwest of.	€ 1,00 t/m € 1,30
Laevichlamys squamosa (Gmelin, 1791).	Malaysia, Straits of Malacca. From shrimp fishery.	€ 2,00 t/m € 3,50
Laevichlamys squamosa (Gmelin, 1791).	Australia, Western Australia, Broome, shallow, under rocks. 55 mm	€ 4,00
Laevichlamys squamosa (Gmelin, 1791).	Thailand, Phuket.	€ 1,00 t/m € 2,00
Laevichlamys squamosa (Gmelin, 1791).	Thailand, Phuket.	€ 1,00 t/m € 2,00
Laevichlamys squamosa (Gmelin, 1791).	Philippines.	€ 1,50
Laevichlamys squamosa (Gmelin, 1791).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 1,00 t/m € 2,00
Laevichlamys squamosa (Gmelin, 1791).	Thailand, Phuket.	€ 1,00 t/m € 2,00
Laevichlamys squamosa (Gmelin, 1791).	Philippines.	€ 1,30
Annachlamys striatula (L., 1758).	Philippines, Sibuguey Bay.	€ 1,80
Annachlamys striatula (L., 1758).	South China Sea.	€ 3,50
Annachlamys striatula (L., 1758).	Philippines, Luzon Island, Tayabas Bay.	€ 2,30
Annachlamys striatula (L., 1758).	Taiwan.	€ 2,50
Annachlamys striatula (L., 1758).	Philippines, Western Visayas region, Pamay Island, Capiz.	€ 4,50
Annachlamys striatula (L., 1758).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 m	€ 1,00
Swiftopecten swiftii (Bernardi, 1858).	Popow Island, Sea of Japan, USSR, 5 metres deep.	€ 11,50 t/m € 15,00
Swiftopecten swiftii (Bernardi, 1858).	Japan.	€ 10,00
Palliolium tigerinum (Müller, 1776).	Atlantic Ocean.	€ 6,00
Mimachlamys varia (L., 1758).	Spain, Fuengirola.	€ 0,50
Mimachlamys varia (L., 1758).	France, Brittany, Golfe du Morbihan, Locq Maria Quer.	€ 1,30
Mimachlamys varia (L., 1758).	France, Brittany, Gulf of Morbihan.	€ 1,80 t/m € 2,30
Mimachlamys varia (L., 1758).	Ireland, County Cork, Bantry.	€ 3,00
Mimachlamys varia (L., 1758).	France, Brittany.	€ 2,00
Mimachlamys varia (L., 1758).	France, Brittany, Carnac.	€ 1,00 t/m € 1,80

		Price Range
Mimachlamys varia (L., 1758). Meaban. Collected alive.	France, Morbihan, Baie de Quiberon. At low tide under stones at Rochers	€ 1,00
Mimachlamys varia (L., 1758). gravel & shell grid bottom.	Spain, Costa Brava, Girona, Liafranc. Scuba at 3-16 m. on coarse sand	€ 0,75
Mimachlamys varia (L., 1758). sand at 20-30 metres. Live.	France, Belle Ile sur Mer, Morbihan. Trawled north of Le Palais on silty	€ 0,75
Mimachlamys varia (L., 1758).	France, Brittany, Golfe de Morbihan, Locmariaquer. Snorkling, depth 1-2 m.	€ 1,00
Mimachlamys varia (L., 1758).	France, Brittany, Le Pô. In oysterpit and waste heaps at an oysterfarm.	€ 1,50
Mimachlamys varia (L., 1758).	France, Brittany, Le Pô. In oysterpit and waste heaps at an oysterfarm.	€ 1,50
Mimachlamys varia (L., 1758).	Portugal. In nets on the quays. Olhao fishing village.	€ 0,75
Mimachlamys varia (L., 1758). low tide.	France, Brittany, Cotes du Nord, Le Val Andre. Wide sand beach; boulders;	€ 0,75
Mimachlamys varia (L., 1758). rocks; low tide.	France, Brittany, Cotes du Nord, St. Jacut de la Mer. Sand/mud flats;	€ 0,75
Mimachlamys varia nivea (MacGillivray, 1825).	Scotland, off Mull. At lowest tide, under seaweed, attached to rocks.	€ 7,00
Argopecten ventricosus (Sowerby II, 1842).	Mexico, Baja California Sur, La Paz.	€ 3,50
Brachteclamys vexillum (Reeve, 1853).	Philippines, Moro Gulf.	€ 2,50
Brachteclamys vexillum (Reeve, 1853).	Thailand, Phuket.	€ 4,00
Brachteclamys vexillum (Reeve, 1853).	Philippines, Sorsogon Island. Dredged at a depth of 8-15 metres.	€ 3,00
Brachteclamys vexillum (Reeve, 1853).	Philippines.	€ 1,30
Brachteclamys vexillum (Reeve, 1853).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 1,50 t/m € 3,50
Delectopecten vitreus (Gmelin, 1791).	Surinam territory, South America.	€ 2,50
Complicachlamys wardiana Iredale, 1939.	Australia, Western Australia, Broome. Extreme low tide.	€ 2,00
Complicachlamys wardiana Iredale, 1939.	Philippines, Sorsogon Island. In sand under rocks, 10-20 metres deep.	€ 2,50
Mirapecten yaroni Dijkstra & Knudsen, 1998.	Red Sea, Egypt, Marsa Alam. Dived at 45 metres, in shipwreck.	€ 35,00
Mizuhopecten yessoensis (Jay, 1839).	Russia, Primorskiy, Pos'yet. Sea of Japan. 10 metres deep, trawled.	€ 27,50
Mizuhopecten yessoensis (Jay, 1839).	Japan, northern.	€ 3,80
Talochlamys zelandiae (Gray in Dieffenbach, 1843).	New Zealand, South Island, Otago Peninsula, off Dunedin.	€ 2,50
Talochlamys zelandiae (Gray in Dieffenbach, 1843).	New Zealand, Foureaux Straits, trawled at 60 metres by oyster fishermen.	€ 3,80
Euvola ziczac (L., 1758).	Honduras.	€ 7,50
Periplomatidae		
Periploma margaritaceum (Lamarck, 1801).	Venezuela, Nueva Esparta (state), Isla El Coche.	€ 2,00
Personidae		
Distorsio anus (L., 1758).	Thailand, Phuket.	€ 2,00 t/m € 3,00
Distorsio anus (L., 1758).	Philippines, Bohol, close to Panglao, Balicasag Island.	€ 2,00
Distorsio clathrata (Lamarck, 1816).	Florida, W.S.W. of Ft. Myers Beach, 150 feet deep, dredged by trawler.	€ 1,30 t/m € 2,30
Distorsio clathrata (Lamarck, 1816).	Bahamas, Green Turtle Cay Island.	€ 2,30
Distorsio decipiens (Reeve, 1844).	Philippines, Bohol, close to Panglao, Balicasag Island.	€ 1,00 t/m € 2,80
Distorsio decipiens (Reeve, 1844).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 1,00 t/m € 6,00

		Price Range
Distorsio habei Lewis, 1972.	Philippines, Balicasag Island, near Panglao, Bohol, 130-230 metres deep. 44 mm	€ 4,00 t/m € 6,50
Distorsio habei Lewis, 1972.	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 6,00 t/m € 8,00
Distorsio habei Lewis, 1972.	Philippines.	€ 3,00
Distorsio kurzi Petuch & Harasewych, 1980.	Philippines, Balicasag Island, near Panglao, Bohol, 130-230 metres deep.	€ 2,50 t/m € 4,80
Distorsio kurzi Petuch & Harasewych, 1980.	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 1,00 t/m € 4,50
Distorsio perdistorta Fulton, 1938.	Philippines, Balicasag Island, near Panglao, Bohol, 130-230 metres deep. 53 mm	€ 6,00
Distorsio perdistorta Fulton, 1938.	Philippines, Balicasag island., near Panglao, Bohol, 380 metres deep.	€ 3,50 t/m € 6,00
Distorsio reticularis (L., 1758).	Philippines, Cebu Island, Mactan Island, Punta Engaño.	€ 1,00 t/m € 2,50
Distorsio reticularis (L., 1758).	Philippines, Luzon Island, Tayabas Bay.	€ 2,50 t/m € 3,80
Distorsio reticularis (L., 1758).	Japan.	€ 5,00
Distorsio reticularis (L., 1758).	Taiwan, Taiwan Channel.	€ 1,50 t/m € 3,00
Petricolidae		
Petricola lithophaga (Retzius, 1786).	France, southwest, La Rochelle.	€ 0,80
Petricola pholadiformis Lamarck, 1818.	France, Brittany, Erquy.	€ 1,00
Phasianellidae		
Phasianella australis (Gmelin, 1791).	Australia, Tasmania.	€ 6,50
Phasianella australis (Gmelin, 1791). Amongst ribbon weed & sand	Australia, Western Australia, east of Esperance, Lucky Bay. 2-3 m deep.	€ 6,50
Phasianella australis (Gmelin, 1791).	Australia, Western Australia, Esperance.	€ 6,50 t/m € 7,50
Phasianella australis (Gmelin, 1791).	Australia, W.A., E. of Esperance, Lucky Bay. 2-3 m, amongst ribbon weed.	€ 4,00 t/m € 7,50
Phasianella australis (Gmelin, 1791).	Australia, Western Australia, Albany in sea grass.	€ 3,00
Phasianella australis (Gmelin, 1791).	Australia, W.A., East of Esperance, Lucky Bay, 2-3 m, at night. Amongst ribbon weed and sand patches.	€ 9,00
Phasianella solida (Born, 1780).	New Caledonia, Nouméa, Anse Vatá, beach, Chateau Royal.	€ 1,30
Phasianella solida (Born, 1780).	Japan, Honshu.	€ 1,50
Phasianella ventricosa Swainson, 1832.	SW Western Australia, Esperance. On sand at 3-5 m. under Jetty.	€ 8,00
Pholadidae		
Barnea candida (L., 1758).	Spain, Playa Rio Mar.	€ 0,50 t/m € 1,00
Barnea candida (L., 1758).	North Sea fishery.	€ 2,00 t/m € 2,50
Cyrtopleura costata (L., 1758).	Florida, Gulf of Mexico, Sanibel Island.	€ 20,00
Pinnidae		
Atrina pectinata pectinata (L., 1767).	Thailand, Hua Hin.	€ 2,50
Atrina spec. .	Philippines.	€ 6,50
Atrina zelandica (Gray, 1835).	New Zealand, North Island, Orewa Beach.	€ 10,00

		Price Range
Placuna ehippium (Philipsson, 1788).	Philippines, Palawan Island.	€ 3,50
Placuna placentata (L., 1758).	Philippines, Bohol Island.	€ 2,30
Planaxidae		
Planaxis lineatus (da Costa, 1778).	The Grenadines Islands, Windward Islands, Caribbean	€ 2,30
Planaxis lineatus (da Costa, 1778).	Curacao, Lesser Antilles Islands, Playa Canoa	€ 0,50
Planaxis nucleus (Bruguière, 1789).	Florida, Marathon	€ 0,80
Planaxis sulcatus (Born, 1780).	Philippines, Bohol, close to Panglao, Balicasag Island.	€ 1,50
Planaxis sulcatus (Born, 1780).	Philippines, Balicasag Island, near Panglao, Bohol	€ 1,00
Planaxis sulcatus (Born, 1780).	Vanuatu, Éfaté Island, Port-Vila, Pacific Ocean	€ 0,40
Planaxis sulcatus (Born, 1780).	Philippines, Batangan	€ 1,50
Planaxis sulcatus (Born, 1780).	Zanzibar, south of Zanzibar Town, Coconut Beach	€ 0,50
Planaxis sulcatus (Born, 1780).	Red Sea, Egypt, Safaga	€ 0,30 t/m € 0,50
Planaxis sulcatus (Born, 1780).	Thailand, Phuket, ±2 hours by boat from Rawai, Raya Island.	€ 0,80
Pleurotomariidae		
Peretrochus hirasei (Pilsbry, 1903).	E. China, Zhejiang, Hangzhou. East China Sea. Trawl, 200 m, sandy bottom.	€ 35,00
Peretrochus hirasei (Pilsbry, 1903).	Northern Taiwan.	€ 65,00
Peretrochus hirasei (Pilsbry, 1903).	China, East China Sea. Trawled at ± 300 metres deep. 57 mm - 62 mm	€ 35,00
Bayerotrochus teramachii Kuroda, 1955.	East China, Zhejiang Province, Hangzhou, off Zhoushan Qundao Archipelago. Eastern China Sea. Trawled at 400-500 m, on coarse gravel and sandy mud. W/O. 64½ mm - 100 mm	€ 19,50 t/m € 45,00
Peretrochus westralis (Whitehead, 1987).	Australia, Western Australia, Broome.	€ 95,00
Plicatulidae		
Plicatula gibbosa Lamarck, 1801.	Florida, St. Petersburg. Boat ramp.	€ 0,50
Plicatula gibbosa Lamarck, 1801.	Florida, Gulf of Mexico, Sanibel Island.	€ 2,50
Plicatula gibbosa Lamarck, 1801.	Lower Florida Keys, Looe Key Reef, 6 feet deep, coral rubble, snorkel.	€ 1,30 t/m € 1,80
Plicatula gibbosa Lamarck, 1801. Stormy weather, live	Florida, near Blind Pass Jetty Captiva Island, Turner Beach. Ebb, beach.	€ 1,00
Plicatula muricata Sowerby, 1873.	Philippines, Bohol, close to Panglao, Balicasag Island.	€ 1,80
Plicatula muricata Sowerby, 1873.	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 0,50 t/m € 1,50
Propeamussiidae		
Propeamussium sibogai (Dautzenberg & Bavay, 1904). Damaged	Philippines, Samar Island, 100-200 metres deep, trawled.	€ 5,00
Psammobiidae		
Tagelus adansonii (Bosc, 1801).	The Gambia, Tanji. Atlantic Ocean.	€ 0,50
Tagelus adansonii (Bosc, 1801).	Senegal, Saint Louis, from fisherman, shallow, in sand/mud.	€ 2,30
Tagelus adansonii (Bosc, 1801).	The Gambia, Bakau. Atlantic Ocean.	€ 1,00
Tagelus affinis (Adams, 1852).	Mexico, Bahía Concepción.	€ 2,50

		Price Range
<i>Psammotellina biradiata</i> (Wood, 1815).	Australia, Western Australia, near Albany, Oyster Bay, Coraki, ebb.	€ 1,30
<i>Hiatula chinensis</i> (Mörch, 1854).	Indonesia, Sulawesi, 5 km south of Ujung Pandang, on mud flats.	€ 0,80
<i>Asaphis deflorata</i> (L., 1758).	Surinam territory, South America.	€ 2,50 t/m € 3,30
<i>Asaphis deflorata</i> (L., 1758).	Curaçao, Spaanse Water, Lesser Antilles Islands.	€ 0,80 t/m € 1,50
<i>Asaphis deflorata</i> (L., 1758).	Aruba, Aruba, Lesser Antilles Islands.	€ 0,40 t/m € 0,80
<i>Asaphis deflorata</i> (L., 1758).	Florida Keys. Between mangroves.	€ 0,70 t/m € 0,80
<i>Asaphis deflorata</i> (L., 1758).	Curaçao, Lesser Antilles Islands.	€ 1,00 t/m € 2,30
<i>Gari depressa</i> (Pennant, 1777).	France, Brittany, Trébeurden.	€ 0,80 t/m € 1,50
<i>Gari depressa</i> (Pennant, 1777).	Ireland, Clare, Ballyvaghan.	€ 0,80 t/m € 1,30
<i>Gari depressa</i> (Pennant, 1777).	France, Brittany.	€ 0,80
<i>Gari depressa</i> (Pennant, 1777).	N.W. Scotland, Aultbra.	€ 0,80 t/m € 1,50
<i>Soletellina diphos</i> (L., 1771).	Philippines, Cebu Island.	€ 3,50
<i>Solecurtus divaricatus</i> (Lischke, 1869).	Taiwan.	€ 7,50
<i>Solecurtus divaricatus</i> (Lischke, 1869).	China, Yellow Sea. Trawled at about 20 metres, on a sand&mud bottom.	€ 9,00
<i>Tagelus divisus</i> (Spengler, 1794).	Bonaire, Lesser Antilles Islands, Playa Lechi.	€ 1,30
<i>Gari elongata</i> f. <i>violacea</i> (Lamarck, 1818).	Indonesia, Moluccas Islands, Ambon Island, Natsepa.	€ 3,50
<i>Gari elongata</i> f. <i>violacea</i> (Lamarck, 1818).	Singapore, from Kranji Park. Collected on a mudflat.	€ 3,00
<i>Gari fervensis</i> (Gmelin, 1791). Halves	Spain, Marbella.	€ 0,40
<i>Gari fervensis</i> (Gmelin, 1791).	Spain, Marbella. Large.	€ 1,20
<i>Pharus legumen</i> (L., 1758).	France, Brittany, Finistre, St. Anne de la Palud.	€ 2,30
<i>Pharus legumen</i> (L., 1758).	Pointe de penmarck, Bretagne, Frankrijk.	€ 2,30
<i>Gari maculosa</i> (Lamarck, 1818).	Philippines, Bohol, close to Panglao, Balicasag Island.	€ 1,50
<i>Gari maculosa</i> (Lamarck, 1818).	Thailand, Phuket, ±2 hours by boat from Rawai, Raya Island.	€ 0,80 t/m € 1,30
<i>Tagelus plebeius</i> (Lightfoot, 1786).	Brazil, Bahia.	€ 3,80 t/m € 4,80
<i>Gari spec.</i> .	Philippines, Bohol, close to Panglao, Balicasag Island.	€ 2,50
<i>Gari stangeri</i> Gray, 1843.	New Zealand, Auckland, Rangitoto Island, in sand at 25 feet.	€ 1,00 t/m € 1,50
<i>Gari stangeri</i> Gray, 1843.	New Zealand, Auckland, Takapuna Beach, sand/mud, shallaw.	€ 1,00 t/m € 1,80
<i>Solecurtus strigilatus</i> (L., 1758).		€ 5,00
<i>Gari truncata</i> (L., 1767).	Southwest Taiwan.	€ 2,50
<i>Asaphis violascens</i> (Forskåål, 1775).	Egypt, South Sinai, Dahab. Gulf of Aqaba.	€ 0,50
<i>Asaphis violascens</i> (Forskåål, 1775).	Mauritius. Indian Ocean. In mangrove area.	€ 0,50 t/m € 0,75
<i>Asaphis violascens</i> (Forskåål, 1775).	West Samoa Island, Upolu, Apia.	€ 0,50 t/m € 0,75
<i>Asaphis violascens</i> (Forskåål, 1775).	Indonesia, off the northeastern coast of Java, Madura Island.	€ 1,50
<i>Asaphis violascens</i> (Forskåål, 1775).	Philippines, Palawan Island.	€ 2,50

Pyramidellidae

Otopleura auriscati (Holten, 1802).
 Pyramidella dolabrata (L., 1758).
 Pyramidella ventricosa (Guerin, 1831).

Ranellidae

Cymatium aquatile (Reeve, 1844).
 Cymatium aquatile (Reeve, 1844).
 Cymatium aquatile (Reeve, 1844).
 Cymatium aquatile (Reeve, 1844).
 Ranella australasia australasia (Perry, 1811).
 Cymatium comptum (Adams, 1855).
 Cymatium comptum (Adams, 1855).
 Gyrineum cuspidatum (Reeve, 1844).
 Cabestana cutacea dolaria (L., 1767).
 Cymatium cynocephalum (Lamarck, 1816). With an octopus microphole.
 Cymatium dunkeri (Lischke, 1868).
 Cymatium encausticum (Reeve, 1844).
 Cymatium encausticum (Reeve, 1844).
 Cymatium exile (Reeve, 1844).
 Fusitriton galea Kurode & Habe, 1961.
 Cymatium grandimaculatum (Reeve, 1844).
 Cymatium gutturnium (Röding, 1798).
 Cymatium gutturnium (Röding, 1798).
 Cymatium gutturnium (Röding, 1798).
 Cymatium gutturnium (Röding, 1798).
 Cymatium gutturnium (Röding, 1798).
 Gyrineum gyrinum gyrinum (L., 1758).
 Gyrineum gyrinum gyrinum (L., 1758).
 Cymatium hepaticum (Röding, 1798).
 Cymatium hepaticum (Röding, 1798).
 Cymatium labiosum (Wood, 1828).
 Cymatium labiosum (Wood, 1828).
 Gyrineum lacunatum (Mighels, 1845).
 Charonia lampas lampas (L., 1758).
 Charonia lampas lampas (L., 1758).

Philippines.
 Pescadores Islands.
 Philippines, Palawan Island.

Thailand, Phuket.
 Red Sea, Egypt, Safaga.
 Red Sea, Egypt, Safaga.
 Solomon Islands, Pacific Ocean.
 Australia, Victoria, Bass Strait.
 Philippines, Bohol, close to Panglao, Balicasag Island.
 Philippines, Bohol Island.
 Philippines, Bohol, close to Panglao, Balicasag Island.
 Morokko. Atlantic Ocean.
 Brazil, Ceará, Camocim. Collected on octopus pots at 20-25 metres deep.

Philippines, Caldoban Island, Bohol, from divers. 50 mm
 Philippines, Cebu Island.
 Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.

Philippines.
 Philippines, Mindanao Island, Davao.
 Philippines, Sulu Archipelago.
 Philippines, Bohol Island, Panglao.
 Philippines, Bohol, close to Panglao, Balicasag Island.
 Philippines, Manila Bay, from fisherman. 50 mm
 Philippines, Samar Island.
 Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.
 Madagascar, Fort Dauphin. East Africa. Indian Ocean.
 Philippines, Samar Island.
 Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.
 Madagascar, Fort Dauphin.
 Philippines, Bohol, Balicasag Island, Panglao, tangle net, 160 metres.
 Spain, Fuengirola.
 Spain.

Price Range

€ 0,50
 € 1,25
 € 1,50
 € 1,00 t/m € 2,00
 € 1,30
 € 2,50
 € 2,00
 € 5,00
 € 2,50 t/m € 2,80
 € 2,00
 € 0,50 t/m € 2,30
 € 1,00 t/m € 2,50
 € 6,50 t/m € 7,50
 € 3,50
 € 4,80
 € 1,50
 € 5,00
 € 5,00
 € 4,00 t/m € 7,00
 € 3,50
 € 3,00 t/m € 6,50
 € 4,50 t/m € 6,50
 € 1,00 t/m € 4,80
 € 4,80
 € 1,30 t/m € 1,80
 € 0,50
 € 3,50 t/m € 5,50
 € 1,00 t/m € 1,30
 € 3,00
 € 4,50
 € 2,30
 € 12,50
 € 5,00 t/m € 7,50

	Price Range
Gyrineum longicaudatum Beu, 1998.	€ 1,00
Cymatium lotorium (L., 1758).	€ 4,00 t/m € 6,00
Cymatium lotorium (L., 1758).	€ 7,50
Cymatium lotorium (L., 1758).	€ 4,00 t/m € 7,50
Fusitriton magellanicus laudanus Finlay, 1927.	€ 5,00 t/m € 6,50
Fusitriton magellanicus magellanicus (Röding, 1798).	€ 2,50 t/m € 6,50
Fusitriton magellanicus magellanicus (Röding, 1798).	€ 11,50
Fusitriton magellanicus magellanicus (Röding, 1798).	€ 10,00 t/m € 12,50
Cymatium mundum (Gould, 1849).	€ 3,00
Cymatium muricinum (Röding, 1798).	€ 1,50
Cymatium muricinum (Röding, 1798).	€ 1,30
Cymatium muricinum (Röding, 1798).	€ 1,50
Cymatium muricinum (Röding, 1798).	€ 1,50
Cymatium nicobaricum (Röding, 1798).	€ 1,30
Cymatium nicobaricum (Röding, 1798).	€ 1,80
Cymatium nicobaricum (Röding, 1798).	€ 1,30 t/m € 1,50
Cymatium nicobaricum (Röding, 1798).	€ 2,30 t/m € 3,00
Cymatium parthenopeum echo Kuroda & Habe, 1961.	€ 3,00
Cymatium parthenopeum parthenopeum (von Salis, 1793).	€ 5,00 t/m € 11,50
Cymatium parthenopeum parthenopeum (von Salis, 1793).	€ 3,00 t/m € 7,50
Cymatium parthenopeum parthenopeum (von Salis, 1793).	€ 5,00
Gyrineum perca (Perry, 1811).	€ 1,00 t/m € 3,50
Cymatium perryi Emerson & Old, 1963.	€ 3,50 t/m € 10,00
Cymatium perryi Emerson & Old, 1963.	€ 4,00
Cymatium perryi Emerson & Old, 1963.	€ 3,00
Cymatium pfeifferianum (Reeve, 1844).	€ 3,80 t/m € 5,00
Cymatium pileare (L., 1758).	€ 1,00
Cymatium pileare (L., 1758).	€ 1,80
Cymatium pileare (L., 1758).	€ 6,00
Cymatium pileare (L., 1758).	€ 1,50 t/m € 2,30
Cymatium pileare (L., 1758).	€ 1,00
Cymatium pileare (L., 1758).	€ 1,50
Cymatium pileare (L., 1758).	€ 0,80 t/m € 8,75
Cymatium pileare (L., 1758).	€ 1,30 t/m € 2,30
Cymatium pileare (L., 1758).	€ 1,00 t/m € 1,50
Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	
Philippines, Cebu Island.	
Philippines.	
Thailand, Phuket.	
New Zealand, Z.E., Otago Peninsula, off Dunedin, 160-190 metres deep.	
Argentina, offshore, 45°00'-45°40'S & 60°07'W, 140 metres, on mud.	
Uruguay.	
Argentina, offshore, 45°00'-45°40'S & 60°07'W, 140 metres deep. 77 mm	
Philippines, Panglao, Bohol, from tangle net fisherman. 21 mm	
Thailand, Phuket.	
Zanzibar, East Africa. Indian Ocean.	
Philippines.	
Solomon Islands, Pacific Ocean.	
Florida, Gulf of Mexico, Fort Myers.	
Philippines, Bohol, close to Panglao, Balicasag Island.	
The Grenadines Islands, Windward Islands, Caribbean.	
Bahamas, Green Turtle Cay Island.	
Hawaii, off Oahu Island. Pacific Ocean.	
Brazil.	
New Zealand, South Island, Otago Peninsula.	
Venezuela.	
Philippines, Bohol, close to Panglao, Balicasag Island.	
Thailand, Phuket.	
India, Rameswaram.	
Sri Lanka, Koggala.	
Thailand, Phuket, ±2 hours by boat from Rawai, Raya Island.	
Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	
The Grenadines Islands, Windward Islands, Caribbean.	
Florida, 2 miles N.of Boca Inlet on reef, scuba, under coral.	
Thailand, Phuket.	
Philippines, Camotes, Pacijan Islands. 8 metres deep, by hooka divers.	
Philippines.	
Australia, northern Queensland, Undine Reef.	
Thailand, Phuket, ±2 hours by boat from Rawai, Raya Island.	
Indonesia, off the northeastern coast of Java, Madura Island.	

		Price Range
Cymatium pileare (L., 1758).	French Polynesia, Marquesas Islands, Nuku Hiva Island, 1-3 metres deep.	€ 1,30 t/m € 2,30
Cymatium pileare (L., 1758).	Philippines, Bohol Island.	€ 1,50
Gyrineum pulchrum (Gray, 1836).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 1,50
Argobuccinum pustulosum tumidum (Dunker, 1862).	New Zealand, South Island, Otago Peninsula, off Dunedin.	€ 1,80 t/m € 2,30
Cymatium pyrum (L., 1758).	Philippines, Bohol Island.	€ 2,30 t/m € 6,50
Cymatium pyrum (L., 1758).	Philippines, Bohol Island.	€ 3,50
Cymatium pyrum (L., 1758).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 2,00 t/m € 6,00
Gyrineum roseum (Reeve, 1844).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 2,50
Gyrineum roseum (Reeve, 1844).		€ 1,20
Cymatium rubeculum (L., 1758).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 1,00 t/m € 2,00
Cymatium rubeculum (L., 1758).	Philippines, Cebu Island, Mactan Island, Punta Engaño.	€ 1,00 t/m € 1,80
Cymatium sarcostomus (Reeve, 1844).	Philippines, Cebu Island.	€ 1,20 t/m € 3,00
Cymatium sarcostomus (Reeve, 1844).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 4,00
Cymatium sarcostomus (Reeve, 1844).	Thailand, Phuket, ±2 hours by boat from Rawai, Raya Island.	€ 4,30
Sassia semitorta (Kuroda & Habe, 1952).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 2,50 t/m € 5,00
Cabestana spengleri (Perry, 1811).	Australia, Queensland, Cairns.	€ 3,50
Cymatium springsteeni Beu, 1987.	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 8,50 t/m € 10,00
Cymatium springsteeni Beu, 1987.	Philippines.	€ 3,25
Linatella succincta (L., 1771).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 2,50 t/m € 4,00
Cymatium tenuiliratum (Lischke, 1873).	Philippines, Bohol, close to Panglao, Balicasag Island.	€ 0,50 t/m € 2,50
Cymatium testudinarium (A. Adams & Reeve, 1850).	Philippines, Mindanao Island, Davao.	€ 2,00 t/m € 3,50
Cymatium testudinarium (A. Adams & Reeve, 1850).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 2,00 t/m € 3,00
Cymatium tripum (Lamarck, 1822).	India.	€ 1,60
Charonia tritonis tritonis (L., 1758).	Philippines, Bohol Island.	€ 15,00 t/m € 95,00
Charonia tritonis variegata (Lamarck, 1816).	Caribbean area.	€ 17,50 t/m € 20,00
Linatella wiegmanni (Anton, 1838).	Mexico.	€ 4,00
Ringiculidae		
Ringicula conformis Monterosato, 1877.	N.W. Spain, Laredo, bij Santander, Bay of Biscay.	€ 1,80
Rissoidae		
Alvania carinata (da Costa, 1778).	France, Brittany, near Plaoubazianec, under stones. Live. 5 mm	€ 2,30
Alvania lactea (Michaud, 1830).	France, Brittany, St. Malo.	€ 0,50
Rissoa variabilis (von Mühlfeldt, 1824).	France, south, Toulon, le Brusç.	€ 0,50
Rissoina zonata Suter, 1909.	New Zealand, north Island, Doubtless Bay, under stones, ebb. 9 mm	€ 4,00
Semelidae		
Abra alba (W. Wood, 1802).	The Netherlands, Scheveningen.	€ 0,50

		Price Range
Abra alba (W. Wood, 1802).	The Netherlands, Zandvoort.	€ 1,00
Abra alba (W. Wood, 1802).	The Netherlands, Scheveningen.	€ 1,00
Semele jukesii (Reeve, 1853).	Thailand, Phuket.	€ 1,00
Cumingia lamellosa Sowerby, 1833.	California, La Jolla.	€ 1,80
Scrobicularia plana (da Costa, 1778).	Zeeland, Nederland.	€ 0,50
Scrobicularia plana (da Costa, 1778).	France, Brittany, Baie de la Frênaye, in mud. Large.	€ 0,30 t/m € 0,70
Semele sinensis Adams, 1853.	Thailand, Gulf of Thailand.	€ 2,50
Semele zebuensis (Hanley).	Japan, Honshu Island.	€ 1,30
Siliquariidae		
Siliquaria anguina (L., 1758).	Australia, Western Australia, off Port Hedland, from fisherman. 31 mm	€ 0,50
Siliquaria anguina (L., 1758).	Philippines, Bohol.	€ 4,00
Siliquaria cumingi Mörch, 1860.	Japan.	€ 1,30 t/m € 4,30
Siliquaria cumingi Mörch, 1860.	Indonesia, Madura Island.	€ 2,50
Siliquaria ponderosa (Mörch, 1860).	Australia.	€ 25,00
Siphonariidae		
Siphonaria javanica (Lamarck, 1819).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 0,50
Siphonaria javanica (Lamarck, 1819).	Thailand, Phuket.	€ 1,30
Siphonaria laciniosa (L., 1758).	Thailand, Coral Island, offshore Phuket, 1 metre deep on rocks.	€ 2,30
Siphonaria lessoni (Blainville, 1824).	Argentina, The Valdes Pen., Golfo Nuevo, low tide on rocks.	€ 2,50
Siphonaria pectinata (L., 1758).	Portugal, Paredes.	€ 0,50
Siphonaria pectinata (L., 1758).	Spain, Gran Canaria, Las Palmas.	€ 1,00
Siphonaria pectinata (L., 1758).	Tunisia, Tabarka.	€ 0,70
Siphonaria pectinata (L., 1758).	Spain, Andalucía, Barbate.	€ 1,00
Siphonaria pectinata (L., 1758).	Spain, Marbella.	€ 1,00
Siphonaria pectinata (L., 1758).	Portugal, Ile de Calatra.	€ 0,40
Siphonaria pectinata (L., 1758).	Florida.	€ 0,50
Siphonaria pectinata (L., 1758).	Cape Verde Islands, Sal Island. Atlantic Ocean.	€ 0,40
Siphonaria pectinata (L., 1758).	Morocco.	€ 0,50
Solenidae		
Solen marginatus Pulteney, 1799.	France, Brittany, bay of Dinard.	€ 0,80
Spirulidae		
Spirula spirula L., 1758.	Sri Lanka, Kosgoda.	€ 2,00
Spirula spirula L., 1758.	Australia, Western Australia, Geraldton, floating in surf.	€ 1,90
Spirula spirula L., 1758.	Egypt, Charm El Naja, Red Sea, at ebb, littoral.	€ 1,00 t/m € 2,30

Spirula spirula L., 1758.

Spirula spirula L., 1758.

Spondylidae

Spondylus americanus Hermann, 1781.

Spondylus americanus Hermann, 1781.

Spondylus anacanthus Mawe, 1823.

Spondylus barbatus Reeve, 1856.

Spondylus barbatus Reeve, 1856.

Spondylus barbatus Reeve, 1856.

Spondylus croceus Schreibers, 1793.

Spondylus croceus Schreibers, 1793.

Spondylus croceus Schreibers, 1793.

Spondylus echinatus f. albibarbatus Reeve, 1856.

Spondylus echinatus Schreibers, 1793.

Spondylus gaederopus L., 1758.

Spondylus gaederopus L., 1758.

Spondylus gloriosus visayensis Poppe & Tagaro, 2010.

Spondylus ictericus Reeve, 1856.

Spondylus ictericus Reeve, 1856.

Spondylus ictericus Reeve, 1856.

Spondylus ictericus Reeve, 1856.

Spondylus imperialis Chenu, 1845.

Spondylus imperialis Chenu, 1845.

Spondylus multisetosus Reeve, 1856.

Spondylus occidens Sowerby, 1902.

Spondylus occidens Sowerby, 1902.

Spondylus princeps Broderip, 1833.

Spondylus regius L., 1758.

Spondylus sinensis Schreibers, 1793.

Spondylus sinensis Schreibers, 1793.

Spondylus sinensis Schreibers, 1793.

Spondylus spec. .

Spondylus squamosus Schreibers, 1793.

Spondylus squamosus Schreibers, 1793.

Spondylus squamosus Schreibers, 1793.

Canary Islands, Fuerteventura.

Australia, Western Australia, Shark Bay.

Venezuela, Margarita Island, offshore by Cubagnay Island, 20-25 m deep.

Caribbean area.

Japan.

Eastern Thailand, Talokapo.

Philippines, Sulu Archipelago.

Japan, Kyoto.

Philippines

Philippines.

Philippines, Bohol, close to Panglao, Balicasag Island.

Philippines.

Philippines.

Greece, Leipsoi. Near Turkey.

Mediterranean Sea.

Philippines, Camotes islands. 30-45 m. deep.

Brazil, Cear a, Camocim, collected on lobster nets at 30-40 metres.

Brazil.

Brazil, Espirito Santo State, Meaiepe. On reef by lobster nets.

Cura ao, Lesser Antilles Islands.

Indonesia, East Java, Paiton

Taiwan.

Philippines, Cebu Island.

Philippines, Bohol, close to Panglao, Balicasag Island.

Philippines, Bohol, close to Panglao, Balicasag Island.

Mexico, Baja California (state).

Philippines, Mindanao Island, Zamboanga, from fisherman.

Philippines.

Philippines.

Philippines, Cebu Island, Bantayan Island.

Philippines.

Philippines.

Solomon Islands. Pacific Ocean.

Price Range

  0,25

  1,50 t/m   2,30

  6,50 t/m   20,00

  9,00 t/m   17,50

  7,50

  4,00

  3,00 t/m   4,50

  4,00

  4,50

  2,50 t/m   4,50

  3,00 t/m   5,00

  8,50 t/m   12,50

  6,50

  19,50

  8,00 t/m   15,00

  30,00 t/m   35,00

  15,00 t/m   35,00

  15,00

  12,50 t/m   17,50

  9,00

  6,50

  7,00 t/m   15,00

  6,00

  15,00

  5,00 t/m   10,00

  17,50 t/m   45,00

  6,50 t/m   15,00

  3,80

  5,00

  6,00 t/m   8,00

  4,00

  5,00

  6,50

  8,00

Spondylus varius Sowerby, 1829.
 Spondylus violaceus Reeve, 1856.
 Spondylus violaceus Reeve, 1856.

Stomatellidae

Pseudostomatella papyracea (Gmelin, 1791).
 Pseudostomatella papyracea (Gmelin, 1791).

Strombidae

Strombus alatus Gmelin, 1791.
 Strombus alatus Gmelin, 1791.
 Strombus aratrum (Röding, 1798).
 Strombus aratrum (Röding, 1798).
 Strombus aratrum (Röding, 1798).
 Strombus aurisdianae L., 1758.
 Strombus aurisdianae L., 1758.
 Strombus aurisdianae L., 1758.
 Strombus bulla (Röding, 1798).
 Strombus bulla (Röding, 1798).
 Strombus bulla (Röding, 1798).
 Strombus bulla (Röding, 1798).
 Strombus bulla (Röding, 1798).
 Strombus bulla (Röding, 1798).
 Strombus campbelli Griffith & Pidgeon, 1834.
 Strombus campbelli Griffith & Pidgeon, 1834.
 Strombus canarium L., 1758.
 Strombus canarium L., 1758. Dwarf form
 Strombus canarium L., 1758.
 Strombus canarium L., 1758.
 Strombus canarium L., 1758.
 Strombus canarium L., 1758.
 Strombus canarium L., 1758.
 Strombus canarium L., 1758.
 Lambis chiragra arthritica Röding, 1798.
 Lambis chiragra arthritica Röding, 1798.
 Lambis chiragra chiragra (L., 1758).
 Lambis chiragra chiragra (L., 1758).

Philippines, Albay province, Batan Island. On coral reef, 15-24 m deep.
 Philippines, Palawan island.
 Philippines.

Philippines, Siasi, Sulu Sea, from fisherman. 22 mm
 Indonesia, Nusu Tenggara Island.

Florida Keys.
 Florida, Sanibel, low tide, exposed on sand bars, snorkeling.
 Australia, Queensland, Dingo Beach, on sand bar at low tide.
 Djibouti, East Africa.
 Vietnam.
 Philippines.
 Philippines.
 Philippines, Bohol, close to Panglao, Balicasag Island.
 Philippines.

Philippines, Samar Island.
 Philippines, Bohol Island, Panglao.
 New Guinea.
 Philippines, Bohol, close to Panglao, Balicasag Island.
 Australia, Queensland, Keppel Bay.
 Australia, Western Australia, Shark Bay.
 India, Tamil Nādu, Madras [Chennai].
 India, Cuddalore.
 Philippines.
 India, Rameswaram.
 Thailand, Krabi, Koh Lanta Yai, Koa Kwang Beach.
 India, Rameswaram, trawled.
 India, Rameswaram, trawled.
 Indonesia.
 Kenya, Mombasa, East Africa.
 Kenya, Mombasa
 Philippines, Bohol Island.
 Philippines.

Price Range

€ 12,50 t/m € 15,00
 € 5,00 t/m € 9,50
 € 4,50 t/m € 7,50

 € 6,00
 € 4,00

 € 4,50
 € 2,80
 € 5,00
 € 7,50 t/m € 11,50
 € 7,50
 € 1,00
 € 1,00
 € 1,00
 € 1,00 t/m € 2,30
 € 2,50
 € 2,00
 € 2,30
 € 1,50
 € 1,50
 € 4,00
 € 2,00
 € 2,50
 € 1,30
 € 1,50
 € 0,50 t/m € 5,50
 € 1,00
 € 1,50
 € 2,80
 € 1,25
 € 10,00
 € 3,00 t/m € 4,00
 € 3,50
 € 7,50

		Price Range
Lambis chiragra chiragra (L., 1758).	Thailand, Phuket.	€ 12,50 t/m € 17,50
Lambis chiragra chiragra (L., 1758).	Indonesie, Madura island.	€ 5,00 t/m € 9,50
Strombus costatus Gmelin, 1791.	Brazil, Recife (Pernambuco).	€ 7,50 t/m € 22,50
Strombus costatus Gmelin, 1791.	Aruba.	€ 5,00 t/m € 12,50
Strombus costatus Gmelin, 1791.	Caribbean Sea.	€ 6,00
Lambis crocata crocata (Link, 1807).	Thailand, Phuket.	€ 7,50 t/m € 12,50
Lambis crocata crocata (Link, 1807).	Vietnam.	€ 7,50 t/m € 12,50
Lambis crocata crocata (Link, 1807).	Madagascar, southern coast, Fort Dauphin.	€ 5,00 t/m € 7,50
Lambis crocata crocata (Link, 1807).	Kenya, East Africa.	€ 7,50
Lambis crocata crocata (Link, 1807).	Philippines, Bohol, close to Panglao, Balicasag Island.	€ 4,50 t/m € 5,50
Strombus decorus decorus (Röding, 1798).	West Zanzibar, Bawé Island, East Africa. Indian Ocean	€ 2,30
Strombus decorus decorus (Röding, 1798).	Thailand, Phuket, Raya Island, 25-30 metres deep.	€ 0,50 t/m € 0,80
Strombus dentatus L., 1758.	Mozambique, Nacala Bay, in shallow water. 40 mm - 45 mm	€ 5,00
Strombus dentatus L., 1758.	Mozambique, East Africa. Indian Ocean.	€ 2,00
Strombus dentatus L., 1758.	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 3,00 t/m € 5,00
Lambis digitata (Perry, 1811).	Madagascar, Toliara (Tulear). East Africa. Indian Ocean.	€ 5,00 t/m € 7,50
Strombus dilatatus dilatatus Swainson, 1821.	Philippines, Bohol, close to Panglao, Balicasag Island.	€ 2,00
Strombus dilatatus swainsoni Reeve, 1850.	Vietnam, Nha Trang, by fisherman.	€ 7,50
Strombus epidromis L., 1758.	Philippines, Bohol, close to Panglao, Balicasag Island.	€ 3,00 t/m € 7,50
Strombus epidromis L., 1758. OUTSTANDING.	Philippines, Siasi, Sulu Sea, from fisherman. 68 mm	€ 8,00 t/m € 10,00
Strombus erythrinus Dillwyn, 1817.	Red Sea, Egypt, Safaga.	€ 4,50
Strombus erythrinus Dillwyn, 1817.	Philippines, Samar Island.	€ 1,00
Strombus erythrinus Dillwyn, 1817.	Thailand, Phuket.	€ 1,00
Strombus erythrinus Dillwyn, 1817.	Philippines, Bohol, close to Panglao, Balicasag Island.	€ 2,00
Strombus fasciatus Born, 1778.	Red Sea, Egypt, Hurghada.	€ 2,00
Strombus fasciatus Born, 1778.	Tarabin, Beduin village, Gulf of Aqaba.	€ 1,00 t/m € 2,00
Strombus fasciatus Born, 1778.	Red Sea, Egypt, Safaga.	€ 1,80
Strombus fasciatus Born, 1778.	Red Sea, Egypt, Safaga, in mud. Large.	€ 1,50
Tibia fusus (L., 1758).	Philippines, Luzon Island.	€ 7,50 t/m € 10,00
Strombus gallus L., 1758.	Martinique, Cap Salomon, 8 metres deep between huge rocks.	€ 12,50
Strombus gallus L., 1758.	Haiti. Caribbean Sea.	€ 9,50 t/m € 15,00
Strombus gallus L., 1758.	Brazil, S. Bahia, off Corumbau, in sand at 15-20 m, dived.	€ 8,50
Strombus gallus L., 1758.	Martinique (dependency), North America. Atlantic Ocean.	€ 4,50
Strombus gallus L., 1758.	Isla Guadalupe. Pacific Ocean.	€ 8,00
Strombus gibberulus albus Mörch, 1850.	Egypt, Red Sea.	€ 0,50 t/m € 1,00

		Price Range
Strombus gibberulus albus Mörch, 1850.	Egypt, Ras Burka, Red Sea. In sand.	€ 2,00
Strombus gibberulus albus Mörch, 1850.	Red Sea, Egypt, Safaga, Sand Island, live in sand/seaweed.	€ 1,80
Strombus gibberulus gibberulus L., 1758.	Tanzania, East Zanzibar, Chwaka Beach, East Africa	€ 2,00
Strombus gibberulus gibberulus L., 1758.	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 1,00
Strombus gibberulus gibberulus L., 1758.	Japan.	€ 1,00 t/m € 2,00
Strombus gibberulus gibberulus L., 1758.	Kenya, Mombasa Reef, low tide.	€ 0,50 t/m € 1,00
Strombus gibberulus gibberulus L., 1758.	Madagascar, Foulpointe. East Africa. Indian Ocean. In algae.	€ 2,50
Strombus gibberulus gibberulus L., 1758.	Philippines, Samar Island.	€ 1,20
Strombus gibberulus gibbosus (Röding, 1798). Dwarf	Philippines.	€ 3,00
Strombus gigas L., 1758.	Bahamas, South Andros, Kemps Bay. Dived at 5-30 m.	€ 85,00
Strombus goliath Schröter, 1805.	Brazil, Recife (Pernambuco).	€ 67,50 t/m € 195,00
Strombus gracilior Sowerby, 1825.	Mexico, Baja California, Concepcion Bay, a few metres deep, sand/mud.	€ 7,00
Strombus gracilior Sowerby, 1825.	Mexico, Baja California Sur, Mulegé, Gulf of California.	€ 4,50
Strombus granulatus Swainson, 1822.	Panama.	€ 5,00 t/m € 7,00
Strombus guidoi Man in't Veld & de Turck, 1998.	Vanuatu, Port Villa, at a depth of 2 metres.	€ 15,00
Strombus hickeyi (Willan, 2000).	Indonesia.	€ 3,50
Tibia insulaechorab f. curta Sowerby I, 1842.	S. India, Kerala State, Cochin, Monamban. Trawled, 70-100 m, on sandy mud.	€ 27,50
Tibia insulaechorab Röding, 1798.	Red Sea.	€ 9,00 t/m € 12,50
Strombus kleckhamae boholensis Mühlhauser, 1981.	Philippines, Panglao, Bohol, from tangle net fisherman. 57 mm	€ 17,50 t/m € 32,50
Strombus kleckhamae boholensis Mühlhauser, 1981.	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 7,50 t/m € 10,00
Strombus labiatus labiatus (Röding, 1798).	Philippines, Bohol Island.	€ 1,30
Strombus labiatus labiatus (Röding, 1798).		€ 0,75
Strombus labiatus labiatus (Röding, 1798).	Philippines.	€ 0,50
Strombus labiatus labiatus (Röding, 1798).	Philippines, Bohol, close to Panglao, Balicasag Island.	€ 0,50 t/m € 1,50
Strombus labiatus olydius Duclos, 1844.	Mozambique, off Nacala Bay, diver, 5-10 metres deep in algae.	€ 6,50
Strombus labiatus olydius Duclos, 1844.	Mozambique, East Africa. Indian Ocean.	€ 5,00
Strombus labiosus Wood, 1828.	Madagascar, Toliara (Tulear). East Africa. Indian Ocean. From fishermen.	€ 6,00
Strombus labiosus Wood, 1828.	Thailand, Phuket, ±20 miles from Rawai, Raya Eiland.	€ 4,50
Lambis lambis adamii Bozzetti & Cossignani, 2003.	Philippines, S. Mindanao, Sarangani Island. Dived at 25-35 metres deep. 59 mm	€ 17,00
Lambis lambis (L., 1758). Melanistic	Kenya, Mombasa Reef. East Africa.	€ 5,00
Lambis lambis (L., 1758).	Philippines, Bohol, close to Panglao, Balicasag Island.	€ 3,00 t/m € 6,00
Lambis lambis (L., 1758).	Philippines.	€ 2,50
Lambis lambis (L., 1758).	Zanzibar, East Africa. Indian Ocean.	€ 3,00
Strombus latus f. arenensis Bernard, 1892.	Republic of Guinea, West-Africa. Atlantic Ocean. Trawled, 30 metres.	€ 14,50
Strombus latus Gmelin, 1791.	Senegal, Yoff, West Africa, at 4-5 metres deep.	€ 10,00

		Price Range
Strombus latus Gmelin, 1791.	Senegal, Dakar, West Africa.	€ 17,50 t/m € 27,50
Strombus latus Gmelin, 1791.	West Africa.	€ 10,00
Strombus lentiginosus L., 1758.	Philippines.	€ 1,50
Strombus lentiginosus L., 1758.	Indonesia, West-Papua, Manokwari.	€ 2,50
Strombus lentiginosus L., 1758.	Thailand, Phuket.	€ 1,80
Strombus lentiginosus L., 1758.	Philippines, Bohol, close to Panglao, Balicasag Island.	€ 1,50
Strombus listeri Gray, 1852.	Bay of Bengal (gulf), Asia.	€ 3,00
Strombus listeri Gray, 1852.	India, Andaman Sea. South of Myanmar. Trawled.	€ 4,50
Strombus listeri Gray, 1852.	Philippines.	€ 6,50
Strombus listeri Gray, 1852. SPECIAL OFFER !!!	Philippines.	€ 5,00
Strombus listeri Gray, 1852.	India.	€ 6,50
Strombus luhuanus L., 1758.	Philippines.	€ 1,50
Strombus luhuanus L., 1758.	Thailand, Phuket.	€ 0,50
Strombus luhuanus L., 1758.	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 0,50
Strombus luhuanus L., 1758.	Indonesia, Moluccas Islands, Ambon Island, Palau Pombo.	€ 1,00
Strombus maculatus Sowerby, 1842.	Hawaii, Kwajalein Atoll.	€ 3,00
Strombus marginatus marginatus L., 1758.	Philippines, Bohol, close to Panglao, Balicasag Island.	€ 1,00
Strombus marginatus marginatus L., 1758.	Thailand, Phuket, Raya Island, 25-30 metres deep.	€ 0,80
Strombus marginatus marginatus L., 1758.	India.	€ 2,00
Strombus marginatus robustus Sowerby, 1874.	Indonesia.	€ 1,50
Strombus marginatus septimus Duclos, 1844.	Thailand, Krabi, Koh Lanta Yai, Koa Kwang Beach.	€ 1,00
Strombus marginatus septimus Duclos, 1844.	Philippines, Bohol, close to Panglao, Balicasag Island.	€ 3,00
Tibia martinii (Marratt, 1877).	Philippines, Ormoc Bay, in shallow area near coral reefs.	€ 12,50 t/m € 17,50
Tibia martinii (Marratt, 1877).		€ 4,00
Tibia martinii (Marratt, 1877).	Philippines, Luzon Island, Tayabas Bay.	€ 7,50 t/m € 12,50
Tibia martinii (Marratt, 1877).	Philippines, Luzon eiland, Tayabas Bay.	€ 9,00
Lambis millepeda (L., 1758).	Philippines.	€ 0,75 t/m € 3,00
Lambis millepeda (L., 1758).	Indonesia, Java.	€ 4,50
Lambis millepeda (L., 1758).	Philippines, Bohol, close to Panglao, Balicasag Island.	€ 3,50 t/m € 4,50
Strombus minimus L., 1771.	Philippines, Luzon Island, Batangas. Very near low tide.	€ 1,50 t/m € 2,00
Strombus mutabilis Swainson, 1821.	Red Sea, Egypt, Safaga.	€ 0,50
Strombus mutabilis Swainson, 1821.	Kenya, Mombasa Reef. East Africa.	€ 1,80
Strombus mutabilis Swainson, 1821.	South Zanzibar, Bwejuu. On rocks with hermitkrab.	€ 1,80
Strombus mutabilis Swainson, 1821.	Kenya, Mombasa.	€ 1,50
Strombus mutabilis Swainson, 1821.	Western Australia, S. of Coral Bay, Paradise Bay. 2 metres, sand.	€ 2,00

		Price Range
Strombus mutabilis Swainson, 1821.	Philippines, Bohol, close to Panglao, Balicasag Island.	€ 0,50
Strombus mutabilis Swainson, 1821.	Philippines, Bohol, close to Panglao, Balicasag Island.	€ 0,50
Strombus mutabilis Swainson, 1821.	Indonesia.	€ 0,50
Strombus mutabilis Swainson, 1821.	Red Sea, Egypt, Safaga, in coral sand.	€ 0,50
Strombus mutabilis Swainson, 1821.	Philippines. Large and small.	€ 0,50
Strombus mutabilis f. zebriolatus Adams & Leloup, 1938.	Philippines, Bohol, close to Panglao, Balicasag Island.	€ 2,50
Strombus mutabilis f. zebriolatus Adams & Leloup, 1938.	Philippines, Siasi, Sulu Sea. From fisherman.	€ 2,50
Strombus oldi Emerson, 1965.	Somalia, Berbera. East Africa.	€ 25,00
Strombus persicus Swainson, 1821.	Greece, Rhodos, Plinthos, 1-3 metres deep on rocks in algae. 37 mm	€ 4,80 t/m € 6,00
Strombus peruvianus Swainson, 1823.	West Mexico, trawled off Manzanillo. 130 mm	€ 10,00 t/m € 22,50
Strombus pipus Röding, 1798.	Philippines, Batayan Island, N. of Cebu, from pearl fisherman. 58 mm	€ 4,80
Strombus pipus Röding, 1798.	Philippines.	€ 2,50
Strombus pipus Röding, 1798.	Thailand, Phuket, ±2 hours by boat from Rawai, Raya Island.	€ 1,50 t/m € 2,50
Strombus pipus Röding, 1798.	Philippines, Bohol, close to Panglao, Balicasag Island.	€ 2,50
Strombus pipus Röding, 1798.	Philippines, Mindanao Island, Zamboanga.	€ 1,50 t/m € 3,00
Strombus plicatus columba Lamarck, 1822.		€ 3,50
Strombus plicatus plicatus (Röding, 1798).	Northern Somalian Coast, trawled off-shore.	€ 10,00
Strombus plicatus pulchellus Reeve, 1851.	Philippines, Bohol, close to Panglao, Balicasag Island.	€ 5,00
Strombus plicatus pulchellus Reeve, 1851.	Philippines, Cebu, Santa Rosa Island, dived, 30-40 m, sand.	€ 5,00
Strombus plicatus siboldi Sowerby, 1842.	India, Tamil Nādu, Madras [Chennai], trawled.	€ 6,50
Tibia powisi f. laurenti Duchamps, 1992.	Philippines, Bohol, close to Panglao, Balicasag Island.	€ 4,50
Tibia powisi (Petit, 1842).	Taiwan.	€ 5,00
Tibia powisi (Petit, 1842).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 4,50
Tibia powisi (Petit, 1842).	Philippines.	€ 3,00
Strombus pugilis pugilis L., 1758.	Panama.	€ 2,00 t/m € 2,80
Strombus pugilis pugilis L., 1758.	Venezuela, Margarita Island, Porlamar region, by diver, 2-15 metres deep.	€ 2,80 t/m € 6,50
Strombus pugilis pugilis L., 1758.	Caribbean Sea.	€ 5,00
Strombus pugilis pugilis L., 1758.	Florida, Boca Raton, scuba in 45 ft. on sand & algae bottom.	€ 3,00 t/m € 6,00
Strombus raninus Gmelin, 1791.	Cuba.	€ 9,50
Strombus raninus Gmelin, 1791.	Florida, Key West.	€ 3,50
Strombus raninus Gmelin, 1791.	Florida, S. of Marathon, on sand & grass flats in 3-6 feet.	€ 3,80
Lambis scorpius indomaris Abbott, 1961. Lightly damaged	Thailand, Phuket.	€ 6,00
Lambis scorpius indomaris Abbott, 1961.	Thailand, Phuket, ±2 hours by boat from Rawai, Raya Island.	€ 4,50 t/m € 7,50
Lambis scorpius indomaris Abbott, 1961.	Sri Lanka, Kosgoda.	€ 4,00 t/m € 7,50
Lambis scorpius scorpius (L., 1758).	Philippines, Bantayan Island.	€ 12,50

		Price Range
Lambis scorpius scorpius (L., 1758).	Thailand, Phuket.	€ 2,50 t/m € 5,00
Lambis scorpius scorpius (L., 1758).	Philippines.	€ 3,50 t/m € 4,50
Strombus sinuatus Humphrey, 1786.	Philippines.	€ 2,50
Strombus sinuatus Humphrey, 1786.		€ 3,00
Strombus taurus Reeve, 1857.	Guam Island, Micronesië. Pacific Ocean.	€ 75,00
Strombus terebellatus terebellatus Sowerby, 1842.		€ 1,00
Strombus terebellatus terebellatus Sowerby, 1842.	Indonesia, West-Papua, Manokwari, Pasir Putih.	€ 1,00
Terebellum terebellum (L., 1758).	Philippines, Sulu Archipelago, Saisi.	€ 1,00 t/m € 2,00
Terebellum terebellum (L., 1758).	Thailand, Phuket, 25-30 metres deep.	€ 0,80 t/m € 1,30
Terebellum terebellum (L., 1758).	Philippines.	€ 0,80
Terebellum terebellum (L., 1758).	Philippines, Bohol, close to Pangalo, Balicasag island.	€ 1,00 t/m € 1,50
Strombus thersites Swainson, 1823.	New Caledonia Island, Prony Bay, night time scuba, on reef.	€ 45,00 t/m € 55,00
Strombus thersites Swainson, 1823.	New Caledonia, north of Nouméa. On sand in shallow water.	€ 100,00
Strombus tricornis Humphrey, 1786.	Philippines.	€ 3,50
Strombus tricornis Humphrey, 1786. Dark form	Somalia, East Africa. Indian Ocean.	€ 19,50
Strombus tricornis Humphrey, 1786.	Red Sea.	€ 4,50 t/m € 12,00
Strombus tricornis Humphrey, 1786.	Djibouti, Sept Freres Island, East Africa.	€ 10,00 t/m € 15,00
Lambis truncata truncata Humphrey, 1786.	Kenya, Mombasa, in shallow water.	€ 17,50 t/m € 22,50
Strombus turturella (Röding, 1798).	Thailand, Phuket, ±2 hours by boat from Rawai, Raya Island.	€ 1,00 t/m € 2,00
Strombus urceus urceus L., 1758.	Thailand, Phuket, Wayai Island, Qhgng Nga Bay. By local fisherman.	€ 4,50
Strombus urceus urceus L., 1758.	Philippines, Bohol, close to Panglao, Balicasag Island.	€ 1,50
Strombus urceus urceus L., 1758. Colour form	Philippines, Bohol, close to Panglao, Balicasag Island.	€ 2,00
Strombus urceus urceus L., 1758.	Thailand, Phuket.	€ 0,50
Strombus urceus urceus L., 1758.	Indonesia, Papua province.	€ 0,60
Strombus urceus urceus L., 1758.	Philippines.	€ 0,50 t/m € 0,80
Strombus urceus urceus f. ustulatus Schumacher, 1817.	Philippines, Bohol, close to Panglao, Balicasag Island.	€ 1,00
Strombus urceus urceus f. ustulatus Schumacher, 1817.	Thailand, Phuket, ±2 hours by boat from Rawai, Raya Island.	€ 1,00
Strombus variabilis variabilis Swainson, 1820.	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 1,50
Strombus variabilis variabilis Swainson, 1820.	Thailand.	€ 1,50 t/m € 2,50
Strombus variabilis variabilis Swainson, 1820.		€ 1,00
Strombus variabilis variabilis Swainson, 1820.	Philippines. Large.	€ 1,00 t/m € 1,80
Strombus variabilis variabilis Swainson, 1820.	Philippines, Bohol Island.	€ 2,50
Strombus variabilis variabilis Swainson, 1820.	Indonesia, Madura Island.	€ 1,30
Strombus vittatus apicatus Man in't Veld & Visser, 1993. Juvenile	Gulf of Thailand, Ban Hua Hin.	€ 0,80
Strombus vittatus apicatus Man in't Veld & Visser, 1993.	Gulf of Thailand, Ban Hua Hin.	€ 2,80 t/m € 3,80

Strombus vittatus apicatus Man in't Veld & Visser, 1993.
 Strombus vittatus apicatus Man in't Veld & Visser, 1993.
 Strombus vittatus apicatus Man in't Veld & Visser, 1993.
 Strombus vittatus apicatus Man in't Veld & Visser, 1993.
 Strombus vittatus apicatus Man in't Veld & Visser, 1993.
 Strombus vittatus apicatus Man in't Veld & Visser, 1993.
 Strombus vittatus entropi Man in't Veld & Visser, 1993.
 Strombus vittatus entropi Man in't Veld & Visser, 1993.
 Strombus vittatus entropi Man in't Veld & Visser, 1993.
 Strombus vittatus entropi Man in't Veld & Visser, 1993.
 Strombus vittatus vittatus L., 1758.
 Strombus vittatus vittatus L., 1758.
 Strombus vittatus vittatus L., 1758.
 Lambis wheelwright Green, 1978.

Struthiolariidae

Struthiolaria papulosa (Martyn, 1784).
 Struthiolaria papulosa (Martyn, 1784).

Tellinidae

Tellina albinella Lamarck, 1818.
 Tellina albinella Lamarck, 1818.
 Tellina angulosa Gmelin, 1791.
 Macoma balthica (L., 1758).
 Macoma balthica (L., 1758).
 Macoma balthica (L., 1758).
 Strigilla carnaria (L., 1758).
 Macoma constricta (Bruguère, 1792).
 Arcopagia crassa (Pennant, 1777).
 Tellidora cristata (Récluz, 1842).
 Macoma cumana (O.G. Costa, 1829).
 Tellina fabula Gmelin, 1791.
 Tellina fabula Gmelin, 1791.
 Tellina fausta Pulteney, 1799.
 Tellina fausta Pulteney, 1799.
 Tellina foliacea L., 1758.
 Tellina foliacea L., 1758.

Thailand, Ko Lanta Island.
 Philippines, N. of Cebu, Bantayan Island, pearl fisherman. 52 mm
 Thailand, Krabi, Ao Nang.
 Thailand, Krabi, Ao Nang.
 Indonesia.
 Thailand, Phuket.
 Philippines, Manilla Bay.
 Western Australia, Shark Bay, Peron Peninsula, Broadhurst Bight.
 Philippines, Bohol, close to Panglao, Balicasag Island.
 Philippines, Cebu Island.
 Kuantan, Pahang, Malaysia, South China Sea.
 Southern Philippines.
 Philippines, Manila Bay.
 Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.

New Zealand, North Island, Leigh, dived.
 New Zealand, Auckland, Takapuna Beach, washed up after storm.

Australia, northern New South Wales.
 Australia, South Australia, Goolwa Beach.
 Venezuela, Nueva Esparta (state), Isla El Coche.
 The Netherlands, Scheveningen.
 France, Brittany, Baie de la Frênaye, ebb, mud.
 Netherlands, Oostvoorne.
 Florida.
 Brazil, Bahia.
 France, Brittany, Erquy.
 Florida, Marco Island. On sand, mud flat, on seagrass at low tide.
 Spain, Fuengirola.
 North Sea, Black Sand, HD7.
 The Netherlands, Wijk aan Zee.
 Bonaire.
 Curaçao, San Juan, Lesser Antilles Islands.
 Australia, Queensland, Keppel Bay.
 Philippines.

Price Range

€ 3,50
 € 3,80
 € 2,50 t/m € 5,00
 € 3,00
 € 2,00
 € 2,50
 € 3,50
 € 2,00
 € 5,00 t/m € 7,50
 € 1,80
 € 3,50
 € 1,00
 € 2,00 t/m € 3,50
 € 20,00

€ 3,30
 € 2,30 t/m € 4,50

€ 2,00
 € 2,00
 € 2,50
 € 0,20
 € 0,20
 € 0,50
 € 2,00
 € 2,00
 € 2,30
 € 3,50
 € 0,90
 € 0,50
 € 0,80
 € 1,50
 € 0,80 t/m € 2,00
 € 1,50
 € 1,80 t/m € 3,00

		Price Range
Gastrana fragilis (L., 1758).	S. France, Banyuls.	€ 1,00
Gastrana fragilis (L., 1758).	Spain, Alicante.	€ 0,80
Tellina gaimardi Iredale, 1915.	New Zealand, Auckland, Browns Bay, in sandy mud, spring ebb.	€ 1,30 t/m € 1,80
Nitidotellina hokkaidoensis (Habe, 1961).	Japan, Aichi Prefecture (Aichi-ken), Mikawa. 40 metres deep.	€ 1,75
Tellina incarnata L., 1758.	Italy, Adria, Lignano Pineta.	€ 1,30
Tellina incarnata L., 1758.	Spain, Playa Rio Mar.	€ 1,30
Tellina incarnata L., 1758.	France, Brittany, St. Jacut de la Mer.	€ 1,00
Tellina incarnata L., 1758.	France, Brittany, Pointe de Penmarck.	€ 1,80
Tellina inflata Gmelin, 1791.	Australia, Queensland, Keibel Bay, trawled.	€ 1,80 t/m € 2,30
Tellina liliana Iredale, 1915.	New Zealand, North Island, Orewa beach.	€ 1,50 t/m € 3,00
Tellina lineata Turton, 1819.	Florida, Gulf of Mexico, Fort Myers, Carl Johnson Park.	€ 0,50
Tellina lineata Turton, 1819.	Florida, Tiger Bay.	€ 0,50
Tellina lineata Turton, 1819.	Surinam territory, South America.	€ 0,80
Tellina lineata Turton, 1819.	East Mexico, Yucatan.	€ 1,00
Tellina listeri Röding, 1798.	Bahamas, Eleuthera Island, 2-3 metres deep, snorkeling.	€ 2,30 t/m € 3,30
Tellina listeri Röding, 1798.	Curaçao, Barbara Beach, Lesser Antilles Islands.	€ 1,30 t/m € 2,30
Tellina listeri Röding, 1798.	Aruba, Spanish Lagoon. Lesser Antilles Islands.	€ 2,00
Macoma nasuta (Conrad, 1837).	California, Sunset Bay, Seal Beach.	€ 0,80
Macoma nasuta (Conrad, 1837).	California, Sunset Bay.	€ 1,25
Tellina nitida Poli, 1791.	Spain, Alicante, Los Molinos.	€ 0,80
Tellina nitida Poli, 1791.	Spain, San Carlos de la Rápita.	€ 0,80 t/m € 1,50
Tellina nitida Poli, 1791.	France, Bandol, Mediterranean Sea.	€ 0,50
Tellina palatum (Iredale, 1929).	Tanzania, East Zanzibar, Chwaka Bay, East Africa.	€ 1,30
Tellina palatum (Iredale, 1929).	Tanzania, East Zanzibar, Uroa Beach.	€ 0,50
Tellina palatum (Iredale, 1929).	Mauritius, Ile aux Cerfs. Indian Ocean.	€ 1,30 t/m € 2,00
Tellina perna Spengler, 1798.		€ 2,00
Tellina perna Spengler, 1798.	Australia, Queensland, Swain Reef.	€ 2,50
Strigilla pisiformis (L., 1758).	Caribbean Sea.	€ 0,30
Tellina planata L., 1758.	Spain, Mallorca Island, Arenal.	€ 0,30
Tellina planata L., 1758.	Greece, Marathón beach, 1-1,5 metres deep.	€ 0,30 t/m € 1,00
Strigilla pseudocarnaria Boss, 1969.	Caribbean area.	€ 2,00
Tellina pulchella Lamarck, 1818.	Spain, Malaga, from fisherman. 24 mm	€ 3,00
Tellina pulcherrima Sowerby, 1825.	Taiwan.	€ 1,80
Tellina pulcherrima Sowerby, 1825.	Southern Taiwan.	€ 1,70
Tellina pulcherrima Sowerby, 1825.	Australia, northern Queensland, Torres Strait.	€ 1,80

		Price Range
Tellina radiata L., 1758.	Aruba, Malmok, Lesser Antilles Islands, dived, 3 metres in sand.	€ 1,80 t/m € 2,30
Tellina radiata L., 1758.	Bahamas.	€ 1,30 t/m € 2,00
Tellina radiata L., 1758.	Caribbean area.	€ 2,00
Tellina radiata L., 1758.	Cuba, Playa Santa Lucia, 4 metres deep on eelgrass.	€ 1,00 t/m € 2,00
Tellina rastellum Hanley, 1844.	Australia, Queensland, dredged in Fitzroy Lagoon.	€ 1,30 t/m € 2,30
Tellina remies L., 1758.	Solomon Islands, Malaita, Ataa.	€ 1,00
Tellina remies L., 1758.	Fiji Island.	€ 1,30 t/m € 1,80
Tellina rostrata L., 1758.	Indonesia, Madura. Island.	€ 3,00
Tellina rostrata L., 1758.	Australia, northeastern Queensland, Port Douglas.	€ 3,00
Tellina rostrata L., 1758.	Australia.	€ 2,50
Tellina senegambiensis Salisbury.	Senegal, Saint Louis, from fisherman, shallow, in sand/mud.	€ 0,80
Tellina spec. .	Madagascar. East Africa. Indian Ocean.	€ 8,50
Tellina spec. .	Thailand, Phuket, Rawai, Chalong Bay.	€ 1,00
Tellina staurella Lamarck, 1818.	Solomon Islands, Pacific Ocean.	€ 0,80
Tellina staurella Lamarck, 1818.	Philippines, Sulu Sea, trawled by local fishermen.	€ 1,30 t/m € 1,50
Tellina staurella Lamarck, 1818.	Australia, Western Australia, Broome.	€ 2,00
Tellina tenuis da Costa, 1778.	Netherlands, Oostvoorne.	€ 0,50
Tellina tenuis da Costa, 1778.	Spain, Playa Rio Mar.	€ 0,50
Tellina tenuis da Costa, 1778.	Portugal, Algarve, Quarteira.	€ 0,15
Tellina tenuis da Costa, 1778.	France, Brittany, Trébeurden.	€ 0,40
Tellina tenuis da Costa, 1778.	Spain, Torremolinos.	€ 0,20
Tellina tenuis da Costa, 1778.	France, Brittany, Les Rosaires.	€ 0,15 t/m € 0,20
Tellina tenuis da Costa, 1778.	Greece, Epanomi.	€ 0,20
Tellina tenuis da Costa, 1778.	Adriatic Sea, Southern Europe.	€ 0,20
Tellina trilatera Gmelin, 1791.	South Africa, Cape Province, False Bay.	€ 3,00
Tellina victoriae Gatliff & Gabriel, 1914.	Australia, Western Australia, Albany, 3 metres deep, in sand.	€ 1,50
Tellina virgata L., 1758.	Australia, Western Australia, Broome.	€ 3,50
Tellina virgata L., 1758.	Australia, Western Australia, Broome.	€ 1,50
Tellina virgata L., 1758.	Philippines, Mindanao Island, Zamboanga. Large.	€ 0,50 t/m € 1,00
Terebridae		
Terebra adamsii E.A. Smith, 1873.	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 4,00
Terebra affinis Gray, 1834.	Philippines.	€ 0,50
Terebra affinis Gray, 1834.	Philippines, Bohol, close to Panglao, Balicasag Island.	€ 3,30
Terebra affinis Gray, 1834.	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 2,00
Terebra affinis Gray, 1834.	Indo-Pacific.	€ 2,30

		Price Range
Hastula albula (Menke, 1843).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 1,00
Hastula albula (Menke, 1843).	Thailand, Phuket, Raya Island, 25-30 metres deep.	€ 1,80
Terebra amanda Hinds, 1844.	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 6,00
Terebra amanda Hinds, 1844.	Thailand.	€ 4,00
Terebra amoena (Deshayes, 1859).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 2,00 t/m € 2,50
Terebra areolata (Link, 1807).	Philippines, Samar Island.	€ 7,50
Terebra areolata (Link, 1807).	Philippines, Bohol, close to Panglao, Balicasag Island.	€ 0,50 t/m € 2,80
Terebra areolata (Link, 1807).	Philippines.	€ 1,00 t/m € 2,30
Terebra argus Hinds, 1844.	Philippines, Bohol, close to Panglao, Balicasag Island.	€ 2,50 t/m € 3,80
Terebra argus Hinds, 1844.	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 3,00
Hastula bacillus (Deshayes, 1859).	Thailand, Phuket, Raya Island, 25-30 metres deep.	€ 0,50
Terebra boucheti Bratcher, 1981.	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 2,50
Terebra cerithina Lamarck, 1822.	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 1,50
Terebra cerithina Lamarck, 1822.	Japan, Okinawa, shallow water.	€ 2,80 t/m € 3,30
Terebra chlorata Lamarck, 1822.	Philippines, Siasi, Sulu Sea. From fisherman.	€ 2,00
Terebra chlorata Lamarck, 1822.	Philippines, Luzon Island, Batangas	€ 2,00
Terebra chlorata Lamarck, 1822.	Mozambique, Nacala Bay area, dived.	€ 2,00
Terebra chlorata Lamarck, 1822.	Philippines, Bohol, close to Panglao, Balicasag Island.	€ 2,50
Terebra commaculata (Gmelin, 1791).	India, Tamil Nādu, Madras [Chennai], trawled.	€ 5,00
Terebra commaculata (Gmelin, 1791).	India, Madras.	€ 3,00 t/m € 6,50
Terebra crenulata (L., 1758).	Red Sea, Egypt, Safaga.	€ 1,30 t/m € 2,80
Terebra crenulata (L., 1758).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 1,00 t/m € 2,30
Terebra crenulata (L., 1758).	Philippines, Cebu Island, Mactan Island.	€ 1,30 t/m € 2,30
Terebra crenulata (L., 1758).	Philippines.	€ 2,00 t/m € 6,00
Terebra cumingii Deshayes, 1857.	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 2,00
Terebra dimidiata (L., 1758).	Indo-Pacific.	€ 1,30 t/m € 2,30
Terebra dimidiata (L., 1758).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 1,00 t/m € 3,00
Terebra dislocata (Say, 1822).	Bahamas.	€ 1,80
Terebra dislocata (Say, 1822).	Florida, Marco Island. Low water on sands.	€ 3,80
Terebra felina (Dillwyn, 1817).	Thailand, Phuket.	€ 2,00
Terebra felina (Dillwyn, 1817).	Philippines, Bohol, close to Panglao, Balicasag Island.	€ 1,80 t/m € 3,30
Terebra felina (Dillwyn, 1817).	Mozambique, Nacala Bay area, shallow water.	€ 3,80
Terebra felina (Dillwyn, 1817).	Thailand, Phuket, Raya Island, 25-30 metres deep.	€ 2,50
Terebra fenestrata Hinds, 1844.	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 0,50 t/m € 3,00
Hastula hastata (Gmelin, 1791).	Martinique, near la Pointe du Bouc, 2 metres deep, on the beach. 18 mm	€ 3,00

		Price Range
Hastula hastata (Gmelin, 1791).	Bahamas.	€ 1,00 t/m € 1,30
Hastula hectica (L., 1758).	Philippines, Luzon Island, Batangas	€ 3,00
Hastula hectica (L., 1758).	Tanzania, East Zanzibar, Uroa, East Africa, collected by snorkeling.	€ 1,80 t/m € 3,30
Hastula lanceata (L., 1767).	Thailand, Phuket.	€ 1,00 t/m € 2,50
Hastula lanceata (L., 1767).	Solomon Islands, Pacific Ocean.	€ 2,50
Terebra lima Deshayes, 1857.	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 0,50 t/m € 1,50
Terebra mactanensis Bratcher & Cernohorsky, 1982.	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 1,00 t/m € 4,00
Terebra maculata (L., 1758).	Thailand, Phuket.	€ 3,00
Terebra maculata (L., 1758).	Red Sea. Beach.	€ 3,00 t/m € 5,00
Terebra maculata (L., 1758).	Philippines, Mindanao Island, Davao.	€ 3,00 t/m € 9,00
Terebra maculata (L., 1758).	Philippines.	€ 3,50
Terebra mariesi (E.A. Smith, 1880).		€ 1,50
Terebra nebulosa Sowerby, 1825.	Thailand, Phuket, Raya Island, 25-30 metres deep.	€ 1,00 t/m € 1,80
Terebra nebulosa Sowerby, 1825.	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 2,00 t/m € 3,00
Terebra ornata Gray, 1834.	Mexico. North of Manzanillo. By diver 30 metres deep, in sand.	€ 5,00
Terebra pertusa (Born, 1778).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 2,00 t/m € 8,50
Terebra pretiosa Reeve, 1842.	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 3,00 t/m € 8,00
Terebra pretiosa Reeve, 1842.	Japan. 80 metres deep.	€ 7,00
Terebra quoygaimardi Cernohorsky & Bratcher, 1976.	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 1,50 t/m € 2,00
Terebra robusta Hinds, 1844.	Panama, Gobernadora Island.	€ 7,50
Terebra senegalensis Lamarck, 1822.	Gabon, West Africa. Atlantic Ocean.	€ 3,00 t/m € 5,00
Terebra senegalensis Lamarck, 1822.	Senegal, Fatick, Baie de Niodior. Atlantic Ocean.	€ 4,00
Terebra strigata Sowerby, 1825.	Panama.	€ 3,00 t/m € 4,50
Hastula strigilata (L., 1758).	India, Tamil Nādu, Madras [Chennai].	€ 2,00
Terebra subulata (L., 1767).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 1,50 t/m € 2,50
Terebra subulata (L., 1767).	Philippines.	€ 0,80 t/m € 3,50
Terebra subulata (L., 1767).		€ 2,00 t/m € 3,00
Terebra succincta (Gmelin, 1791).	Philippines, Bohol, close to Panglao, Balicasag island.	€ 2,50 t/m € 3,80
Terebra succincta (Gmelin, 1791).	Indian Ocean.	€ 3,00
Terebra taurina (Lightfoot, 1786).	Brazil Salvador (Bahia). By diver 10 metres in sand.	€ 15,00
Terebra textilis Hinds, 1844.	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 4,00 t/m € 5,00
Terebra triseriata Gray, 1834.	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 1,50 t/m € 3,00
Terebra waikikiensis Pilsbry, 1921.	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 5,00 t/m € 7,50
Thiaridae		
Faunus ater (L., 1758).	Philippines.	€ 1,00

		Price Range
Faunus ater (L., 1758).	Thailand, Phuket. A fresh water shell.	€ 1,00 t/m € 2,50
Faunus ater (L., 1758).	Philippines, Palawan Island.	€ 1,00
Faunus ater (L., 1758).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 2,50
Faunus ater (L., 1758).	Thailand, Phuket, ±2 hours by boat from Rawai, Raya Island.	€ 1,00
Pachymelania aurita (O.F. Müller, 1774).	West Africa.	€ 1,00
Thyasiridae		
Thyasira flexuosa (Montagu, 1803).	Frankrijk, Bretagne, St. Lunaire.	€ 0,20
Tonnidae		
Tonna allium (Dillwyn, 1817).	Philippines, Cebu Island.	€ 3,00
Eudolium crosseanum (Monterosato, 1869).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 2,00 t/m € 4,50
Tonna lischkeana (Küster, 1857).	Thailand, Phuket.	€ 0,75 t/m € 2,00
Tonna oentoengi Vos, 2005.	Indonesia.	€ 12,50
Tonna perdix (L., 1758).	Philippines.	€ 2,30 t/m € 2,80
Tonna perdix (L., 1758).	Madagascar, Toliara (Tulear). East Africa. Indian Ocean. In shallow water.	€ 7,50 t/m € 8,50
Malea pomum (L., 1758).	Red Sea, Egypt, Safaga.	€ 0,50
Malea pomum (L., 1758).	Mozambique, East Africa. Indian Ocean.	€ 0,50 t/m € 3,00
Malea pomum (L., 1758).	Red Sea, Egypt, Safaga.	€ 0,50 t/m € 2,30
Malea pomum (L., 1758).	Philippines, Bohol, close to Panglao, Balicasag Island.	€ 0,75
Malea pomum (L., 1758).	Southern Madagascar. East Africa. Indian Ocean.	€ 4,50
Malea pomum (L., 1758).	Egypt, Abu Mingar, Red Sea, dead on reef.	€ 2,50
Malea pomum (L., 1758).	Madagascar, Toliara (Tulear). East Africa. Indian Ocean.	€ 2,50 t/m € 3,30
Malea pomum (L., 1758).	Philippines, Camotes, Ponson Island. Taken on coral reef, 8-15 metres.	€ 3,50
Malea ringens (Swainson, 1822).	Mexico.	€ 27,00
Malea ringens (Swainson, 1822).	West Mexico, trawled at a depth of 30-40 metres off Mazatlán.	€ 10,00 t/m € 15,00
Malea ringens (Swainson, 1822).	West Mexico, off Mazatlán.	€ 8,50
Tonna sulcosa (Born, 1778).	Taiwan.	€ 3,00 t/m € 5,00
Tonna sulcosa (Born, 1778).	Indonesia, East Java, North coast, Probolinggo.	€ 2,50
Tonna sulcosa (Born, 1778).	Taiwan.	€ 2,00 t/m € 3,50
Tonna tessellata (Lamarck, 1816).		€ 2,00
Tonna tetracotula Hedley, 1919.	Australia, Queensland, Capricorn Channel, trawl. to 70 fathoms.	€ 3,00 t/m € 6,50
Tornidae		
Tornus subcarinatus (Montagu, 1803).	France, Brittany.	€ 0,50
Trichotropidae		
Trichotropis cancellata (Hinds, 1843).	N.W. Washington, Neah Bay, ebb, 1-7 feet deep, hanging under boulder.	€ 6,50

		Price Range
Trichotropis cancellata (Hinds, 1843).	SE Alaska, Mitkof Island, Petersburg Harbour, at a 4.0 foot tide.	€ 4,50
Trichotropis cancellata (Hinds, 1843).	Canada, Vancouver Island, Departure Bay, Jessica Island.	€ 6,50
Tricoliidae		
Tricolia pullus (L., 1758).	Spain, Marbella.	€ 0,50
Tricolia pullus (L., 1758).	Portugal, Algarve, between dry seaweed in harbour.	€ 2,50
Trigoniidae		
Neotrigonia bednalli Verco, 1907.	Australia, South Australia, 1 km off Port Stanvac. Dredged, 15 m deep.	€ 5,50
Neotrigonia bednalli Verco, 1907.	South Australia, off port Lincoln. On sandy mud at 20 metres.	€ 5,00 t/m € 6,50
Triphoridae		
Tetraphora princeps (Sowerby, 1904).	Philippines, Bohol, close to Panglao, Balicasag Island.	€ 4,00
Euthymella pyramidalis (Adams & Reeve, 1850).	Philippines, Bohol, close to Panglao, Balicasag Island.	€ 2,50
Euthymella spec. .	Philippines, Bohol, close to Panglao, Balicasag Island.	€ 4,00
Triviidae		
Triviella aperta aperta (Swainson, 1822).	South Africa, Ciskei.	€ 3,00
Triviella aperta aperta (Swainson, 1822).	South Africa, Kinnibaj.	€ 3,50
Triviella aperta neglecta (Schilder, 1930).	South Africa, Cape Province, Jeffreys Bay.	€ 3,50
Trivia arctica (Solander in Humphrey, 1797).	France, Brittany, St. Lunaire.	€ 0,30
Trivia maltbiana McGintry, 1942.	Brazil, Espirito Santo, off Guarapari, dived at 20-25 metres deep.	€ 3,00
Trivia monacha (da Costa, 1778).	France, Brittany, St. Lunaire.	€ 0,30
Trivia monacha (da Costa, 1778).	Portugal, Algarve, Sagres, Ilheus do Martinhal. 17 m deep, under rocks.	€ 2,00
Niveria nix nix (Schilder, 1922).	Florida, Boca Raton, under rock rubble at 10 fathoms.	€ 4,30
Galeatrivia ovulata (Lamarck, 1811).	South Africa.	€ 12,50
Niveria pediculus pediculus (L., 1758).	Bahamas, Green Turtle Cay Island.	€ 0,50 t/m € 1,00
Niveria pediculus pediculus (L., 1758).	Lower Florida Keys, Lone Key Reef, 3-6 feet deep in seaweed.	€ 0,80
Niveria pediculus pediculus (L., 1758).	Aruba, Malmok, Boca Catalina, Lesser Antilles Islands.	€ 0,80
Niveria pediculus pediculus (L., 1758).	Curaçao, Lesser Antilles Islands.	€ 1,00 t/m € 2,00
Niveria pediculus pediculus (L., 1758).	Palm Beach Co. to Broward Co., scuba, 17m, under rock rubble.	€ 2,30
Triviella phalacra Schilder, 1930.	South Africa, Cape Province, Jeffreys Bay.	€ 2,50
Trochidae		
Calliostoma adpersum (Philippi, 1851).	Colombia, Guajira Peninsula, trawled by shrimp fisherman. 18 mm	€ 7,50
Gibbula albida (Gmelin, 1791).	Spain, Estepona. Large.	€ 0,50
Calliostoma armillata (Wood, 1828). On rubble, under rocks	Australia, N. Tasmania, eastern side of Rocky Cape. 8-12 metre deep.	€ 10,00
Monodonta articulata Lamarch, 1822.	Malta, Bay of Salina.	€ 0,50
Monodonta articulata Lamarch, 1822.	Tunisia, Monastir.	€ 0,10

		Price Range
Tegula atra (Lesson, 1830).	Chile, IV Región, Los Vilos. Local diver, on rocks in shallow water.	€ 6,00 t/m € 6,50
Monodonta atrata (Wood, 1828).	Spain, Canary Islands, Fuerteventura.	€ 0,50
Euchelus atratus (Gmelin, 1791).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 2,00 t/m € 3,00
Euchelus atratus (Gmelin, 1791).	Australia, Western Australia, off Port Hedland, from divers. 18 mm	€ 2,30 t/m € 5,00
Euchelus atratus (Gmelin, 1791).	Philippines, Mactan Island. 20 metres deep, on coral/rocks.	€ 2,00
Clanculus atropurpureus (Gould, 1849).	Thailand, Phuket, ±2 hours by boat from Rawai, Raya Island.	€ 1,30
Bathybembix bairdii (Dall, 1889).	Washington, Astoria Canyon, 46°15'N, 400 fathoms, brown mud.	€ 12,50
Maurea blacki (Powell, 1950).	New Zealand, South Island, Otago Peninsula, off Dunedin.	€ 9,50
Monilea callifera (Lamarck, 1822).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 1,50 t/m € 2,00
Monodonta canalifera Lamarck, 1816.	Thailand, Phuket.	€ 1,20
Monodonta canalifera Lamarck, 1816.	Indonesia, Sumatra.	€ 4,00
Hybochelus cancellatus orientalis (Pilsbry, 1904).	Philippines, Bohol, close to Panglao, Balicasag Island.	€ 3,80
Thalotia chlorostoma (Menke, 1843).	Australia, W.A., Perth, Two Rocks. 80-100 m, in fish nets, with weeds.	€ 6,50
Thalotia chlorostoma (Menke, 1843).	Australia, W.A., Cape Naturaliste, fish nets at 4-50 m, on ribbon weed.	€ 6,50
Thalotia chlorostoma (Menke, 1843). Colour form	Australia, W.A., Cape Naturaliste, 40-50 m, on ribbon weed, in fish nets.	€ 6,50
Gibbula cineraria (L., 1758).	France, Brittany, Dinard.	€ 0,20
Gibbula cineraria (L., 1758).	France, Brittany, Penmarc'h, Porte de Kerity.	€ 0,80
Gibbula cineraria (L., 1758).	Portugal, near Lagos harbour, in dry seaweed.	€ 7,50
Trochus conus (Gmelin, 1791).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 1,00 t/m € 2,00
Trochus conus (Gmelin, 1791).	Philippines, Bohol Island.	€ 6,50
Clanculus cruciatus (L., 1758).	Tunisia, Zarzis.	€ 0,80
Tectus dentatus (Forskål, 1775).	Red Sea, Egypt, Kalau.	€ 0,50 t/m € 6,50
Clanculus denticulatus (Gray, 1827).	Thailand, Phuket, ±2 hours by boat from Rawai, Raya Island.	€ 2,00
Trochus erythraeus Brocchi, 1821.	Red Sea, Egypt, Ras Gemsa.	€ 2,30
Trochus erythraeus Brocchi, 1821.	Red Sea, Egypt, Safaga.	€ 0,80 t/m € 1,30
Trochus erythraeus Brocchi, 1821.	Israel, Elat. Gulf of Aqaba.	€ 1,30 t/m € 1,80
Trochus erythraeus Brocchi, 1821.	Red Sea, Egypt, Safaga.	€ 0,80
Danilia eucheliformis (Nomura & Hatai).	Philippines, Bohol, close to Panglao, Balicasag Island.	€ 1,50 t/m € 2,30
Jujubinus exasperatus (Pennant, 1777).	Portugal, Algarve.	€ 2,50
Tegula fasciata (Born, 1778).	Bonaire, Lesser Antilles Islands.	€ 1,00
Tegula fasciata (Born, 1778).	Honduras, Roatan Island, on rocks, 2 metres deep. 13 mm	€ 3,80
Tectus fenestratus (Gmelin, 1791).	Australia, Western Australia, off Port Hedland, from fisherman. 33 mm	€ 7,50
Tectus fenestratus (Gmelin, 1791).	Australia, Western Australia, Dampier Reef.	€ 1,00 t/m € 2,00
Tectus fenestratus (Gmelin, 1791).	Philippines, off Calitoban Island. 9 metres deep, living under stones.	€ 1,50
Calliostoma formosense Smith, 1907.	Taiwan. Fished.	€ 4,00 t/m € 5,50

Calliostoma formosense Smith, 1907.
Microgaza fulgens Dall, 1907.
Tegula funebris (A. Adams, 1855).
Tegula funebris (A. Adams, 1855).
Umbonium giganteum (Lesson, 1831).
Umbonium giganteum (Lesson, 1831).
Cantharidus gilberti (Montrouzier, 1878).
Calliostoma granulatum (Born, 1778).
Calliostoma granulatum (Born, 1778).
Granata imbricata Lamarck, 1816.
Calliostoma javanicum (Gmelin, 1791).

Calliostoma jujubinum (Gmelin, 1791).
Calliostoma jujubinum (Gmelin, 1791).
Clanculus jussieui (Payraudeau, 1826).
Calliostoma kiiensis (Ikebe).
Calliostoma kiiensis (Ikebe).
Trochus kochi Philippi, 1844.
Monodonta labio (L., 1758).
Monodonta labio (L., 1758).
Monodonta labio (L., 1758).
Monodonta labio (L., 1758).
Monodonta labio (L., 1758).
Monodonta labio (L., 1758).
Monodonta labio (L., 1758).
Monodonta labio (L., 1758).
Monodonta lineata (da Costa, 1778).
Monodonta lineata (da Costa, 1778).
Monodonta lineata (da Costa, 1778).
Monodonta lineata (da Costa, 1778).
Tegula lischkei (Taparone-Canefri).
Tegula lividomaculata (C.B. Adams, 1845).
Turcica maculata (Brazier, 1877).
Trochus maculatus L., 1758.
Trochus maculatus L., 1758.
Trochus maculatus L., 1758.

Taiwan. Some polished.
 Philippines, Balicasag Island, near Panglao, Bohol.
 Californië. Pacific Ocean.
 Southern Chile.
 Japan, south of Aichi prefecture, Mikawa Bay.
 Japan, Aichi Prefecture (Aichi-ken), Mikawa.
 Philippines.
 Spain, trawled in 30 metres off Malaga, mud bottom.
 S.E. Spain, Peniscola.
 Australia, South Australia.
 Florida, Palm Beach County. Scuba in 10 fathoms deep, under rock rubble.
 Scarce.
 Florida, 2 miles S. of Hillsboro Light, 15 feet deep, scuba.
 Florida, Pompano Beach, 2 miles S. of Hillsboro Light, 15 feet deep.
 Spain, Calypso.
 Japan.
 Japan, Wakayama prefecture, Minabe. 50 fathoms deep.
 Oman, Sadah (Ṣadh). Middle East. Arabian Sea.
 Thailand, Phuket, ±2 hours by boat from Rawai, Raya Island.
 Philippines, Samar, Calbayog area, intertidal. 27 mm
 Australia, Western Australia, Exmouth, on algae covered rocks at low tide.
 Australia, Western Australia, Dampier.
 Australia, W.A., Exmouth Gulf. On algae covered rocks at low tide.
 Philippines, Balicasag Island, near Panglao, Bohol.
 Australia.
 Australia, Western Australia, Broome. Intertidal, rocks, mangroves.
 France, Brittany, St. Lunaire.
 Morocco, Essaouira.
 Morocco.
 Portugal, Algarve, Faro.
 Japan, Hokkaidō.
 Bonaire, Lesser Antilles Islands.
 Philippines, Bohol, close to Panglao, Balicasag Island.
 Gabon, Olongo Island, West Africa. Atlantic Ocean. 3 metres deep.
 Philippines.
 Red Sea, Egypt, Safaga.

Price Range

€ 1,80
 € 1,00
 € 1,00 t/m € 2,00
 € 1,50
 € 2,00 t/m € 3,00
 € 2,00
 € 0,80
 € 1,50 t/m € 2,50
 € 0,50
 € 4,50
 € 7,50
 € 6,50
 € 4,50
 € 0,50
 € 3,80
 € 3,50
 € 4,50
 € 0,80 t/m € 1,30
 € 1,50 t/m € 2,50
 € 5,50
 € 1,30
 € 4,50
 € 1,00
 € 0,80 t/m € 1,30
 € 4,00
 € 0,80
 € 0,20
 € 1,30
 € 0,20
 € 2,00 t/m € 4,00
 € 1,00
 € 4,50
 € 1,30 t/m € 1,80
 € 0,50 t/m € 1,50
 € 2,00 t/m € 3,00

		Price Range
Trochus maculatus L., 1758.	Malaysia, Kapar Peninsula.	€ 1,00 t/m € 2,00
Trochus maculatus L., 1758.	Philippines, Bohol, close to Panglao, Balicasag Island.	€ 1,00
Gibbula magus (L., 1767).	France, Brittany, Dinard.	€ 0,30
Gibbula magus (L., 1767).	Senegal, Hann, 10-20 metres deep, from fisherman. 12 mm - 14 mm	€ 2,00
Gibbula magus (L., 1767).	Adriatic Sea, Southern Europe.	€ 1,30
Umbonium moniliferum (Lamarck, 1822).	Japan.	€ 0,80
Umbonium moniliferum (Lamarck, 1822).	Japan.	€ 0,80
Monodonta nebulosa (Forskål, 1775).	Oman, Sadah (Şadh). Middle East. Arabian Sea.	€ 1,00
Tegula nigerrimum (Gmelin).	Chile, Iquique. On rocks at intertidal level.	€ 2,00
Trochus niloticus L., 1767.	Philippines.	€ 5,00 t/m € 9,50
Trochus niloticus L., 1767.	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 1,50
Trochus niloticus L., 1767.	Indian Ocean.	€ 3,50 t/m € 7,50
Trochus ochroleucus Gmelin, 1791.	Sri Lanka, Kosgoda. Low tide.	€ 0,50
Tegula pellisserpentis (Wood, 1828).	Costa Rica, Playa de Jaco, on intertidal rocks/rubble/sand.	€ 1,30 t/m € 1,80
Maurea pellucida forsteriana (Dell, 1950).	New Zealand, South Island, Otago Peninsula, off Dunedin.	€ 5,00 t/m € 7,50
Gibbula pennanti (Philippi, 1836).	France, Brittany, Penmarc'h, Porte de Kerity.	€ 0,80
Gibbula pennanti (Philippi, 1836).	France, Brittany, Dinard.	€ 0,20
Gibbula pennanti (Philippi, 1836).	Spain, Malaga, under stones, 2-3 metres deep. 10 mm	€ 2,00
Clanculus pharaonius (L., 1758).	Egypt, South Sinai, Dahab. Gulf of Aqaba.	€ 1,80
Cittarium pica (L., 1758).	Bahamas.	€ 1,50 t/m € 2,30
Cittarium pica (L., 1758).	Bahamas, Abaco Cays, on rocks in intertidal and splash zone.	€ 4,50 t/m € 9,50
Cittarium pica (L., 1758).	Dominican Republic. Greater Antilles archipelago, Caribbean region.	€ 17,50
Maurea punctulata (Martyn, 1784).	New Zealand, southeast, Otago Peninsula, 110 metres deep.	€ 1,30
Monodonta punctulata (Lamarck, 1822).	Senegal, N. of Dakar, Peninsula of the Almadies, ebb on rock. 15 mm	€ 2,00
Clanculus puniceus (Philippi, 1846).	Zanzibar, East Africa. Indian Ocean.	€ 1,00
Tectus pyramis (Born, 1778).	Philippines, Mactan Island.	€ 3,80
Tectus pyramis (Born, 1778).	Indo-Pacific.	€ 3,50
Tectus pyramis (Born, 1778).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 1,00 t/m € 3,00
Gibbula rarilineata (Michaud, 1829).	Cyprus, Bay of Garnaca.	€ 0,50
Gibbula richardi (Payraudeau, 1826).	Spain, Marbella.	€ 0,30
Euchelus rubra (Adams, 1853).	Philippines, Mactan Island., Punta Engano, tangle net, 10-35 metres deep. 6 mm	€ 6,50 t/m € 7,50
Tegula rugosa (A. Adams, 1853).	Mexico, Baja California, Bahía de los Ángeles. Gulf of California.	€ 0,50
Pseudotalopia sakuraii Habe, 1961.	Philippines, Bohol, close to Panglao, Balicasag Island.	€ 6,50
Calliostoma scotti Kilburn, 1973.	Somalia, S. of Mogadishu, East Africa, trawled on Continental Shelf. 28 mm	€ 17,50
Trochus stellatus Gmelin, 1791.	Thailand, Phuket, Raya Island, 25-30 metres deep.	€ 0,80 t/m € 1,30

Trochus stellatus Gmelin, 1791. Polished
 Gibbula stoliczkana (Nevill, 1869).
 Jujubinus striatus (L., 1767).
 Jujubinus striatus (L., 1767).
 Jujubinus striatus (L., 1767).
 Tectus triserialis (Lamarck, 1822).
 Monodonta turbinata (Born, 1780).
 Monodonta turbinata (Born, 1780).
 Monodonta turbinata (Born, 1780).
 Gibbula umbilicalis (da Costa, 1778).
 Clanculus undatus (Lamarck, 1816).
 Clanculus undatus (Lamarck, 1816). Under kelp covered rocks
 Tegula verrucosa McLean, 1970.
 Umbonium vestiarum (L., 1758).
 Umbonium vestiarum (L., 1758).
 Calliostoma zizyphinum (L., 1758).
 Calliostoma zizyphinum (L., 1758).
 Calliostoma zizyphinum (L., 1758).
 Calliostoma zizyphinum (L., 1758).

Turbinidae

Turbo argyrostoma argyrostoma L., 1758.
 Turbo aurantius Kiener, 1847.
 Bolma aureola (Hedley, 1907).
 Astraea brevispina Lamarck, 1822.
 Turbo bruneus (Röding, 1798).
 Turbo bruneus (Röding, 1798).
 Astralium calcar (L., 1758).
 Astralium calcar (L., 1758).
 Turbo castanea Gmelin, 1791.
 Turbo castanea Gmelin, 1791.
 Turbo chrysostoma L., 1758.
 Turbo chrysostoma L., 1758.
 Turbo cidaris natalensis (Krauss, 1848).
 Turbo cinereus Born, 1778.
 Turbo cinereus Born, 1778.

Philippines. Polished.
 Philippines.
 France, Brittany, St. Cast, live in seaweed.
 Spain, Fuengirola, Mediterranean Sea.
 Portugal, Algarve.
 Philippines, Cebu Island.
 Tunisia, Djerba Island, Ajim.
 Cyprus, Paphos.
 Spain, Fuengirola.
 France, Brittany, Dinard.
 Australia, South Australia, Brighton Reef. Low tide on reef under rocks.
 Australia, Tasmania, Port Arthur, Isle of the Dead. 8-10 m, rubble slope.
 Panama, Panamá, Punta Calafata, live, littoral, on rocks.
 Philippines, Bohol, close to Panglao, Balicasag Island.
 Thailand, Phuket, ±2 hours by boat from Rawai, Raya Island.
 France, Brittany, St. Jacut de la Mer.
 France, Brittany, Trébeurden.
 Scotland, Isle of Mull, Loch Scridain.
 France, Brittany, St. Lunaire, Pointe du Décollé.

Thailand, Phuket, ±2 hours by boat from Rawai, Raya Island.
 Philippines, Bohol, close to Panglao, Balicasag Island.
 Australia, southern Queensland.
 Venezuela, Isla Margarita, Playa Morena.
 Indo-Pacific.
 Philippines, Bohol, close to Panglao, Balicasag Island.
 Philippines.
 Indonesia, Madura Island.
 Bahamas, South Bimini, Turtle Rocks, 8-10 feet deep.
 Bahamas, Green Turtle Cay Island.
 Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.
 Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.
 South Africa, False Bay, scuba at 15 metres, live on reef.
 Philippines, Bohol, close to Panglao, Balicasag Island.
 Fiji, Mamanuca Groep, Mana Island, at ebb under coral.

Price Range

€ 0,80 t/m € 1,30
 € 2,30
 € 0,30
 € 1,00
 € 2,50
 € 4,00
 € 0,30
 € 0,50
 € 0,30
 € 0,20
 € 6,50
 € 8,00
 € 0,10 t/m € 0,50
 € 0,20
 € 0,50
 € 0,40
 € 1,30
 € 0,50

€ 1,00 t/m € 4,50
 € 3,50
 € 9,50 t/m € 22,50
 € 1,50 t/m € 4,50
 € 1,50
 € 3,50
 € 3,00
 € 2,00
 € 2,30
 € 0,50 t/m € 1,30
 € 2,50
 € 2,50 t/m € 3,50
 € 3,80
 € 0,50
 € 1,00 t/m € 1,30

		Price Range
Turbo cinereus Born, 1778.	Australia, Western Australia, Port Hedland, from fisherman. 16 mm	€ 2,00
Turbo cinereus Born, 1778.	Thailand, Phuket, ±2 hours by boat from Rawai, Raya Island.	€ 0,50 t/m € 3,00
Turbo cornutus cornutus Lightfoot, 1786.	North Korea.	€ 17,50 t/m € 35,00
Turbo cornutus cornutus Lightfoot, 1786.	Japan, Wakayama prefecture, Shirahama.	€ 11,00
Turbo cornutus cornutus Lightfoot, 1786.	Japan, Honshu Island, Wakayama prefecture, Nada-Cho. 2-5 fathoms deep.	€ 8,50
Turbo coronatus Gmelin, 1791.	Japan, Aichi prefecture.	€ 2,50
Turbo coronatus Gmelin, 1791.	Oman, Sadah (Şadh). Middle East. Arabian Sea.	€ 2,50
Turbo coronatus Gmelin, 1791.	Japan, Honshu Island, Wakayama prefecture, Shirahama.	€ 0,80
Arene cruentata Mühlfeld, 1829.	Martinique, Grande Anse, 8 metres deep, scuba. 8 mm	€ 6,00
Turbo fluctuosus Wood, 1828.	West Mexico.	€ 2,00
Turbo fluctuosus Wood, 1828.	Mexico, Baja California (state).	€ 7,50
Turbo fluctuosus Wood, 1828.	Mexico, Bahia Conception, Gulf of California.	€ 7,50
Bolma girgylla (Reeve, 1843).	Philippines, Cebu Island.	€ 1,00 t/m € 4,00
Bolma girgylla (Reeve, 1843).	Philippines, Mindanao Island, Davao.	€ 1,50 t/m € 3,50
Bolma girgylla (Reeve, 1843).	Philippines, Cebu Island.	€ 10,00
Bolma girgylla (Reeve, 1843).	Philippines.	€ 7,50
Bolma girgylla (Reeve, 1843).	Philippines, Balut Island.	€ 2,00 t/m € 3,50
Bolma girgylla (Reeve, 1843).	Philippines, Bohol, close to Panglao, Balicasag Island.	€ 1,00 t/m € 4,00
Astraea haematraga (Menke, 1829).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 3,00 t/m € 4,00
Astraea haematraga (Menke, 1829).	Philippines, Cebu Island.	€ 5,00
Astraea heliotropium (Martyn, 1784).	New Zealand, by Jackson Bay near Haast River, 25 metres, trawled.	€ 7,50
Astraea heliotropium (Martyn, 1784).	New Zealand, by Jackson Bay near Haast River, 25 m, trawled.	€ 2,50
Turbo intercostalis Menke, 1846.	Philippines, Bohol, close to Panglao, Balicasag Island.	€ 2,50 t/m € 4,50
Turbo jourdani Kiener, 1839.	Australia, Western Australia, Perth, Rottneest Island.	€ 45,00
Turbo marmoratus L., 1758. Polished	Philippines, Leyte Island, in deep water.	€ 75,00 t/m € 95,00
Turbo marmoratus L., 1758.	Indonesia, Mollucus Islands.	€ 35,00 t/m € 75,00
Turbo marmoratus L., 1758.	Kenya, Mombasa Reef. East Africa.	€ 22,50 t/m € 29,50
Turbo marmoratus L., 1758. Operculum.		€ 3,00
Turbo marmoratus L., 1758.	Philippines. Polished.	€ 12,50
Turbo marmoratus L., 1758.	Philippines.	€ 12,50
Bolma millegranosa Kuroda & Habe, 1958.	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 1,00 t/m € 1,50
Bolma modesta (Reeve, 1843).	Japan.	€ 7,00
Liotina peronii (Kiener, 1839).	Philippines, Bohol, close to Panglao, Balicasag Island.	€ 1,00
Bolma persica (Dall, 1907).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 2,50
Turbo petholatus L., 1758.	Philippines, Cebu Island.	€ 4,50

		Price Range
Turbo petholatus L., 1758.	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 2,00 t/m € 3,50
Turbo petholatus L., 1758.	Thailand, Phuket.	€ 1,00 t/m € 3,00
Turbo petholatus L., 1758.	Philippines, Cebu Island, Bantayan Island. On corals, 15-20 metres deep.	€ 4,50
Astraea phoebia Röding, 1798.	Bahamas, Abaco Cays, snorkel, on sand and grass in 6-8 feet.	€ 5,00
Astraea phoebia Röding, 1798.	Guaeloupe, near Pigeon. Caribbean Sea. 5 metres deep.	€ 3,50
Astraea phoebia Röding, 1798.	Madagascar Island, East Africa. Indian Ocean.	€ 2,00 t/m € 3,00
Astralium pileola Reeve, 1842.	Australia.	€ 2,00
Astralium pileola Reeve, 1842.	Australia, Western Australia, Exmouth Gulf, silty reef at very low tide.	€ 12,50
Turbo radiatus Gmelin, 1791.	Red Sea, Egypt, Safaga.	€ 1,00 t/m € 1,30
Turbo radiatus Gmelin, 1791.	Red Sea, Egypt, Safaga.	€ 0,50 t/m € 4,50
Turbo radiatus Gmelin, 1791.	Gulf of Oman, Muscat.	€ 2,50
Turbo radiatus Gmelin, 1791.	Egypt, Charm El Naga, Red Sea.	€ 2,50 t/m € 6,50
Turbo radiatus Gmelin, 1791.	Red Sea, Egypt, Safaga.	€ 3,00
Turbo radiatus Gmelin, 1791.	Red Sea, Egypt, Safaga.	€ 1,00 t/m € 2,80
Turbo reevei Philippi, 1847.	Japan.	€ 0,80 t/m € 2,30
Astraea rhodostoma (Lamarck, 1822).	Thailand, Phuket, ±2 hours by boat from Rawai, Raya Island.	€ 4,00
Astraea rhodostoma (Lamarck, 1822).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 2,50 t/m € 4,00
Astralium rotularium (Lamarck, 1822).	Northwestern Australia.	€ 3,50
Astralium rotularium (Lamarck, 1822).	Australia, Western Australia, Broome. In cracks on reef.	€ 9,50 t/m € 11,50
Astralium rotularium (Lamarck, 1822).	Australia, W.A., Roebuck Bay, underside of dead coral slabs, low tide.	€ 10,00
Astraea rugosa (L., 1767).	Portugal, Algarve, Portimao. From fishermen.	€ 0,50 t/m € 1,00
Astraea rugosa (L., 1767).	Spain, Marbella.	€ 1,00 t/m € 2,00
Astraea rugosa (L., 1767).	Spain, Fuengirola.	€ 1,50 t/m € 2,00
Astraea rugosa (L., 1767).	Italy, offshore Savona. Trawled by local fishermen.	€ 9,50
Astraea rugosa (L., 1767).	Portugal, Algarve, Quarteira.	€ 6,00
Astraea rugosa (L., 1767). With camouflage	Kos Island, Greece. Mediterranean Sea.	€ 15,00
Astraea rugosa (L., 1767).	Kos Island, Greece. Mediterranean Sea.	€ 12,00
Astraea rugosa (L., 1767).	Italy, Liguria, Province of Savona, Savona.	€ 8,50
Turbo sarmaticus L., 1758. Polished	South Africa, Natal province.	€ 6,50 t/m € 14,50
Astralium saturnum Chino, 1999.	Philippines, Bohol, close to Panglao, Balicasag Island.	€ 17,50
Turbo setosus Gmelin, 1791.	New Guinea.	€ 8,50
Astraea stellare (Gmelin, 1791).	Australia, Western Australia, Broome.	€ 7,00
Astraea tecta olfersii (Philippi, 1846).	Brazil.	€ 4,50
Astralium tentorium (Thiele, 1930).	Australia.	€ 4,00
Astralium tentorium (Thiele, 1930).	Western Australia, Broome. Under rocks and coral at extreme low tide.	€ 12,50

Turbo torquatus Gmelin, 1791.
 Guildfordia triumphans (Philippi, 1841).
 Astraea tuber (L., 1767).
 Astraea tuber (L., 1767).
 Astraea turbanica (Dall, 1910). Polished
 Astraea undosa (Wood, 1828).
 Guildfordia yoka Jousseume, 1888.
 Guildfordia yoka Jousseume, 1888.

Turridae

Lophiotoma acuta (Perry, 1811).
 Lophiotoma acuta (Perry, 1811).
 Lophiotoma acuta (Perry, 1811).
 Lophiotoma acuta (Perry, 1811).
 Lophiotoma acuta (Perry, 1811).
 Inquisitor alabastes (Reeve, 1843).
 Inquisitor angustus (Kuroda & Oyama, 1971).
 Turris annulata Reeve, 1843.
 Turris babylonia (L., 1758).
 Turris babylonia (L., 1758).
 Turris babylonia (L., 1758).
 Turris babylonia (L., 1758).
 Gemmula butonensis (Martin, 1933).
 Clavus canicularis (Röding, 1798).
 Turridrupa cerithina (Anton, 1838).
 Turridrupa cerithina (Anton, 1838).
 Xenoturris cingulifera (Lamarck, 1822).
 Xenoturris cingulifera (Lamarck, 1822).
 Gemmula congener congener (E.A. Smith, 1894).
 Gemmula congener congener (E.A. Smith, 1894).
 Gemmula congener cosmoi (Sykes, 1930).
 Gemmula congener cosmoi (Sykes, 1930).
 Turris crista (Lamarck, 1816).
 Turris crista (Lamarck, 1816).
 Clavus enna (Dall, 1918).
 Ptychobela flavidula (Lamarck, 1822).

Australia.
 Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.
 Florida, off Florida Key.
 Florida.
 Mexico.
 Mexico, Coronado Islands. Dived at 20-30 metres deep, on rocks.
 Taiwan.
 Philippines, Balicasag island., near Panglao, Bohol, 130-230 metres deep.

Fiji Island Bay.
 Thailand, Phuket, ±2 hours by boat from Rawai, Raya Island.
 Philippines, Balicasag Island, near Panglao, Bohol.
 Japan.
 Andaman Sea, Bay of Bengal.
 Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.
 Philippines, Balicasag Island, near Panglao, Bohol.
 Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.
 Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.
 Indonesia, Madura island.
 Indonesia, Madura Island.
 Indonesia, off the northeastern coast of Java, Madura Island.
 Philippines, Balicasag Island, near Panglao, Bohol.
 Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.
 Philippines, Bohol Island, Balicasag Island, tangle nets, 130-230 metres.
 Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.
 Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.
 Thailand, Phuket, ±2 hours by boat from Rawai, Raya Island.
 Philippines, Balicasag Island, near Panglao, Bohol.
 Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.
 Philippines, Bohol, close to Panglao, Balicasag Island.
 South Africa, Natal. Trawled off Durban at 80-100 metres.
 Philippines, Cebu Island, Mactan Island, Punta Engaño.
 Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.
 Philippines, Balicasag Island, near Panglao, Bohol, 130-230 metres deep.
 Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.

Price Range

€ 12,50
 € 1,00 t/m € 2,00
 € 1,30
 € 2,00
 € 17,50
 € 25,00
 € 5,00 t/m € 6,50
 € 2,50 t/m € 6,50
 € 0,50
 € 1,30 t/m € 2,80
 € 1,50
 € 1,50
 € 1,30 t/m € 2,50
 € 3,50
 € 3,50
 € 3,00 t/m € 4,00
 € 3,50
 € 1,50 t/m € 3,50
 € 1,50
 € 1,00 t/m € 2,00
 € 2,00 t/m € 3,50
 € 2,00 t/m € 4,00
 € 1,50 t/m € 3,50
 € 1,50 t/m € 5,00
 € 4,00 t/m € 7,00
 € 1,50 t/m € 3,80
 € 2,50
 € 4,00 t/m € 6,50
 € 2,50
 € 5,00
 € 2,30 t/m € 3,80
 € 1,00 t/m € 2,50
 € 2,00 t/m € 5,00
 € 2,50 t/m € 3,50

		Price Range
Ptychobela flavidula (Lamarck, 1822).	Philippines, Bohol, close to Panglao, Balicasag Island.	€ 1,50 t/m € 3,50
Ptychobela flavidula (Lamarck, 1822).	Japan.	€ 2,50
Lophiotoma indica (Röding, 1798).	Fiji Island Bay, dredged by hand.	€ 1,00
Lophiotoma indica (Röding, 1798).	Sri Lanka.	€ 2,00
Lophiotoma indica (Röding, 1798).	Philippines.	€ 1,50 t/m € 3,00
Lophiotoma indica (Röding, 1798).	Philippines, Balicasag Island, near Panglao, Bohol.	€ 2,00
Lophiotoma indica (Röding, 1798).	Indonesia, Madura Island.	€ 2,00
Lophiotoma indica (Röding, 1798).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 1,50 t/m € 3,00
Lophiotoma indica (Röding, 1798).	Thailand, Phuket, Raya Island, 25-30 metres deep.	€ 1,00 t/m € 2,50
Inquisitor intercincta (Smith, 1877).	Philippines, Bohol Island, Balicasag Island, tangle nets, 130-230 metres.	€ 1,00
Turricula javana (L., 1767).	Thailand, Phuket.	€ 1,50
Turricula javana (L., 1767).	Taiwan.	€ 1,00 t/m € 2,00
Comitas kamakurana (Pilsbry, 1895).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 3,00 t/m € 5,00
Gemmula kieneri Doumet, 1840.	Philippines, Bohol, close to Panglao, Balicasag Island.	€ 0,50 t/m € 2,00
Lophiotoma leucotropis (Adams & Reeve, 1850).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 6,50
Thatcheria mirabilis Angas, 1877.	Taiwan, Sao.	€ 3,50
Daphnella mitrellaformis (Nomura, 1940).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 2,00
Turris nadaensis Azuma, 1973.	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 3,00 t/m € 6,00
Daphnella nobilis Kira, 1959.	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 5,00 t/m € 9,50
Glyphostoma otohimaeya Kosuge, 1981.	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 7,50
Nauderdrillia perardua Kilburn, 1988.	Philippines, Balicasag Island, near Panglao, Bohol.	€ 1,50
Cochlespira pulchella fossata Powell, 1969.	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 9,50
Drillia roseola (Hertlein & Strong, 1955).	Panama.	€ 2,30
Inquisitor rufovaricosa (Kuroda & Oyama, 1971).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 1,00 t/m € 4,50
Fusiturris similis (Bivona, 1838).	Gabon. Port-Gentil. West Africa. Atlantic Ocean.	€ 9,50
Clavus spec. .	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 3,00
Turris spec. .	Philippines, Balicasag Island, near Panglao, Bohol, 180 metres deep, nets. 11 mm	€ 6,50
Glyphostoma spec. .	Philippines, Bohol, close to Panglao, Balicasag Island.	€ 3,50
Conorbis spec. .	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 2,00
Turris spec. .	Indonesia, Madura Island.	€ 1,00
Turris spectabilis (Reeve, 1843).	Mexico.	€ 5,00
Etrema spurca (Hinds, 1843).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 2,50
Conopleura striata (Hinds, 1844).	Philippines, Bohol Island, close to Panglao, Balicasag Island.	€ 2,00
Ptychobela subochracea (E.A. Smith, 1877).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 7,50
Gemmula unedo (Kiener, 1839).	Philippines.	€ 2,00

Gemmula unedo (Kiener, 1839).
 Clavus unizonalis (Lamarck, 1822).
 Inquisitor varicosa (Reeve, 1843).
 Ptychobela vexillum (Habe & Kosuge, 1966).

Turritellidae

Turritella banksi Reeve, 1849.
 Turritella communis Risso, 1826.
 Turritella communis Risso, 1826.
 Turritella communis Risso, 1826.
 Turritella communis Risso, 1826.
 Turritella duplicata (L., 1758).
 Vermicularia fargoi Olsson, 1951.
 Turritella maculata Reeve, 1849.
 Turritella maculata Reeve, 1849.
 Turritella maculata Reeve, 1849.
 Mesalia mesal (Deshayes in Lamarck, 1843).
 Mesalia mesal (Deshayes in Lamarck, 1843).
 Mesalia mesal (Deshayes in Lamarck, 1843).
 Mesalia mesal (Deshayes in Lamarck, 1843).
 Zeacolpus pagoda (Reeve, 1849).
 Maoricolpus roseus roseus (Quoy & Gaimard, 1834).
 Maoricolpus roseus roseus (Quoy & Gaimard, 1834).
 Turritella sanguinea Reeve, 1849.
 Turritella terebra (L., 1758).
 Turritella terebra (L., 1758).
 Turritella terebra (L., 1758). Juvenile
 Turritella unguina L., 1758.
 Turritella unguina L., 1758.
 Turritella variegata (L., 1758).

Vasidae

Turbinella angulata (Lightfoot, 1786).
 Vasum capitellum (L., 1758).
 Vasum cassiforme (Kiener, 1841).
 Vasum cassiforme (Kiener, 1841).
 Vasum cassiforme (Kiener, 1841).

Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.
 Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.
 Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.
 Gulf of Thailand, Ban Hua Hin.

Panama, Gulf of Panamá, San Carlos, El Palmar, Pacific.
 Italy, Formia, fishery.
 Spain, Playa Rio Mar.
 France, Brittany, Trébeurden, live.
 North Sea fishery.
 Thailand, Phuket.
 Florida, Gulf of Mexico, Fort Myers, Carl Johnson Park.
 Thailand, Phuket, ±2 hours by boat from Rawai, Raya Island.
 Egypt, South Sinai, Dahab. Gulf of Aqaba.
 Oman, Muscat. Middle East. Arabian Sea.
 Spain, San Carlos de la Rápita.
 Spain, Estepona.
 Morocco, Agadir. Atlantic Ocean.
 Spain, Fuengirola.
 New Zealand, Orewa, Red Beach.
 New Zealand, Auckland Harbour, 20 feet deep on shelly bottom.
 New Zealand, North Island, Omaka Ocean Beach.
 South Africa, Cape Province.
 Thailand, Phuket, Raya Island, 25-30 metres deep.
 Philippines.
 Indonesië.
 The Gambia. Atlantic Ocean.
 Senegal, West Africa.
 Martinique Island, Ste. Luce, Lesser Antilles, 3 metres deep.

Bahamas, South Andros, dived at 5-20 m. 240 mm 245 mm
 Bonaire, Lesser Antilles Islands.
 Brazil, Recife (Pernambuco).
 Brazil, Espirito Santo, Guarapari. 70 mm
 Brazil, Guarapari, scuba, 10-15 m, on sand & grass bottom.

Price Range

€ 2,50 t/m € 4,00
 € 2,00
 € 3,00 t/m € 6,50
 € 1,30
 € 1,30
 € 0,40 t/m € 0,80
 € 0,50
 € 1,30 t/m € 1,80
 € 1,40
 € 1,50
 € 1,30
 € 1,30
 € 1,30
 € 2,50
 € 0,80
 € 0,40
 € 0,80
 € 0,40
 € 1,80
 € 2,00 t/m € 2,50
 € 1,30
 € 2,80
 € 2,80
 € 2,50
 € 1,00
 € 2,50
 € 4,00
 € 3,80
 € 39,50
 € 0,50 t/m € 2,30
 € 4,00 t/m € 9,00
 € 9,50 t/m € 14,50
 € 6,50

		Price Range
Vasum ceramicum (L., 1758).	Indonesia.	€ 8,50
Vasum ceramicum (L., 1758).	Indonesia.	€ 5,00 t/m € 9,50
Vasum ceramicum (L., 1758).	Mozambique, East Africa. Indian Ocean.	€ 5,00
Tudivasum cumingii (Reeve, 1844).	Taiwan.	€ 3,00
Turbinella laevigata Anton, 1839.	Brazil.	€ 25,00
Turbinella laevigata Anton, 1839.	Florida.	€ 14,50
Vasum muricatum (Born, 1778). on rocks.	Florida, Gulf of Mexico, Content Keys. At low tide in sea grass and	€ 3,50
Vasum muricatum (Born, 1778).	Florida.	€ 2,30 t/m € 4,50
Columbarium pagoda (Lesson, 1831).	Taiwan.	€ 6,00
Turbinella pyrum (L., 1758).	Sri Lanka.	€ 20,00
Turbinella pyrum (L., 1758).	Bay of Bengal.	€ 27,00 t/m € 32,50
Vasum rhinoceros (Gmelin, 1791).	Zanzibar, East Africa. Indian Ocean.	€ 1,20 t/m € 3,00
Vasum rhinoceros (Gmelin, 1791).	Kenya, Mombasa Reef. East Africa.	€ 1,80 t/m € 3,80
Vasum tubiferum (Anton, 1839).	Philippines, Coron, Palawan Island. Local collector.	€ 3,50
Vasum turbinellus (L., 1758).	Philippines, Bohol, close to Panglao, Balicasag Island.	€ 0,75 t/m € 1,50
Vasum turbinellus (L., 1758).	Kenya, Mombasa Reef, on reef.	€ 1,50 t/m € 1,80
Vasum turbinellus (L., 1758).	Philippines, Mindanao Island, Zamboanga.	€ 1,00
Vasum turbinellus (L., 1758).	Egypt, Red Sea, Gifâtin Islands. Coastal reef, sand.	€ 1,50 t/m € 2,80
Vasum turbinellus (L., 1758).	Thailand, Phuket.	€ 0,80 t/m € 3,00
Vasum turbinellus (L., 1758).	Philippines.	€ 0,50 t/m € 1,50
Vasum turbinellus (L., 1758).	Philippines.	€ 2,50 t/m € 3,50
Vasum turbinellus (L., 1758).	Red Sea, Egypt, Safaga.	€ 2,80
Veneridae		
Paphia alapapilionis Röding, 1798.	India.	€ 1,80
Pitar albidus (Gmelin, 1791).	Venezuela, Nueva Esparta (state), Isla El Coche.	€ 1,50
Paphia amabilis (Philippi, 1847).	Taiwan, southwest.	€ 0,70
Chione amathusia (Philippi, 1844).	Mexico, Gulf of California, Bahia Concepción.	€ 2,00
Chione amathusia (Philippi, 1844).	Mexico, Gulf of California, Bahia Concepción.	€ 0,80 t/m € 1,30
Dosinia anus (Philippi, 1848).	New Zealand, North Island, Ninety Mile Beach.	€ 3,00
Dosinia anus (Philippi, 1848).	New Zealand, Piha Beach.	€ 1,00 t/m € 2,00
Protothaca asperrima (Sowerby, 1835).	Panama, Canal de Afuera Island, Pacific.	€ 1,30
Meretrix astricta (Reeve, 1864).	Thailand, Phuket.	€ 0,75 t/m € 1,00
Anomalocardia auberiana (Orbigny, 1842).	Florida, de Soto.	€ 0,50
Megapitaria aurantiaca (Sowerby, 1831).	Mexico, Baja California, San Carlos, 6-12 metres deep.	€ 9,00
Megapitaria aurantiaca (Sowerby, 1831).	West Mexico. Pacific Ocean.	€ 7,00

		Price Range
<i>Paphia aurea</i> f. <i>mabillei</i> (Locard, 1886).	Italy, Grado, 1-2 metres deep on sandflats. 24 mm - 27 mm	€ 1,00
<i>Polititapes aureus</i> (Gmelin, 1791).	Portugal, Algarve, Faro.	€ 0,40
<i>Polititapes aureus</i> (Gmelin, 1791).	Italy, Grado, in sand between 0.5 and 1 metre deep. 20 mm - 30 mm	€ 0,50
<i>Polititapes aureus</i> (Gmelin, 1791).	Italy, Grado, in sand between 0.5 and 1 metre deep. 17 mm - 32 mm	€ 0,50
<i>Anomalocardia brasiliiana</i> (Gmelin, 1791).	Leeward Islands, Antigua Island, Indian Creek.	€ 1,00
<i>Chione californiensis</i> (Broderip, 1835).	Mexico, Baja California Sur, La Paz, 1-6 metres deep.	€ 2,00 t/m € 3,00
<i>Circentia callipyga</i> (Born, 1778).	Red Sea, Egypt, Safaga.	€ 0,80
<i>Circentia callipyga</i> (Born, 1778).	Egypt, South Sinai, Dahab. Gulf of Aqaba.	€ 0,75
<i>Placamen calophyllum</i> (Philippi, 1836).	Singapore, Changi Coast. Collected on a sandy mudflat.	€ 2,00
<i>Mercenaria campechiensis</i> (Gmelin, 1791).	Florida, Tampa Bay.	€ 1,00 t/m € 2,00
<i>Chione cancellata</i> (L., 1767).	Curaçao, Lesser Antilles Islands.	€ 1,00
<i>Chione cancellata</i> (L., 1767).	Florida, Gulf of Mexico, Boca Grande.	€ 0,70
<i>Venus casina</i> L., 1758.	France, Brittany, Baie de St. Brieuc.	€ 3,80
<i>Venus casina</i> L., 1758.	France, Brittany, Pors Even-Ploubazlanec, fishery.	€ 2,30 t/m € 2,80
<i>Lioconcha castrensis</i> (L., 1758).	Philippines, Bohol Island.	€ 2,50
<i>Lioconcha castrensis</i> (L., 1758).	Indische Oceaan.	€ 2,00
<i>Callista chione</i> (L., 1758).	Greece, 200 km northeast of Athens, Évvoia Island, Kimi.	€ 1,00 t/m € 2,00
<i>Callista chione</i> (L., 1758).	France, Brittany, Ile Grande, low tide, live, dug up.	€ 1,50 t/m € 2,00
<i>Callista chione</i> (L., 1758).	Spain, Benajarafe.	€ 1,00 t/m € 1,50
<i>Pitar citrinus</i> (Lamarck, 1818).	Australia, Western Australia, Shark Bay, Monkey Mia.	€ 2,00
<i>Pitar citrinus</i> (Lamarck, 1818).	Singapore, Changi Beach Park. Low tide, buried under sand.	€ 2,00
<i>Pitar citrinus</i> (Lamarck, 1818).	Australia, Western Australia, Shark Bay, subtidal sand.	€ 1,30
<i>Antigona clathrata</i> (Deshayes, 1854).	Philippines, Bohol, close to Panglao, Balicasag Island.	€ 1,00 t/m € 2,00
<i>Dosinia concentrica</i> (Born, 1778).	Venezuela, Isla El Cocha, Nueva Esparta.	€ 2,00
<i>Dosinia contusa</i> (Reeve, 1850).	Australia, Western Australia, Port Hedland, in littoral sand. 22 mm	€ 1,30
<i>Circe corrugata</i> (Dillwyn, 1817).	Egypt, South Sinai, Dahab. Gulf of Aqaba.	€ 0,75
<i>Paphia crassisulca</i> (Lamarck, 1818).	Australia, W.A., Cockburn Sound, between seaweed and sand.	€ 1,30 t/m € 1,80
<i>Irus crebrelamellatus</i> (Tate, 1887).	Australia, Western Australia, Albany, intertidal. 27 mm	€ 1,80
<i>Circe crocea</i> (Gray, 1838).	Egypt, South Sinai, Dahab. Gulf of Aqaba.	€ 0,75
<i>Venerupis decussata</i> (L., 1758).	Spain, Marbella.	€ 0,50
<i>Venerupis decussata</i> (L., 1758).	Morocco, Moulay.	€ 0,20
<i>Venerupis decussata</i> (L., 1758).	The Netherlands, Zeeland, Yerseke, oesterput.	€ 0,50 t/m € 1,00
<i>Venerupis decussata</i> (L., 1758).	Malta, southern coast, on mud flats. 36 mm	€ 0,80
<i>Dosinia discus</i> (Reeve, 1850).	Florida, Gulf of Mexico.	€ 2,50
<i>Bassina disjecta</i> (Perry, 1811).	Australia, Nrth coast Tasmania, Seven Mile Beach Shallow water in sand&mud	€ 12,00 t/m € 15,00

		Price Range
Bassina disjecta (Perry, 1811).	Australia, Arno Bay.	€ 4,00
Gafrarium dispar (Holten, 1802).	Thailand, Phuket, Raya Island, 25-30 metres deep.	€ 0,80
Gafrarium divaricatum (Gmelin, 1791).	Thailand, Phuket.	€ 1,50
Gafrarium divaricatum (Gmelin, 1791).	Singapore, Changi Coast. Attached under a small rock.	€ 1,00
Tapes dorsatus (Lamarck, 1818).	Thailand, Phuket.	€ 0,50 t/m € 1,00
Tapes dorsatus (Lamarck, 1818).	Australia, Queensland, King Bay.	€ 0,50 t/m € 1,00
Dosinia elegans Conrad, 1846.	Florida.	€ 0,30 t/m € 1,50
Callista erycina (L., 1758).	Philippines.	€ 1,75
Callista erycina (L., 1758).	Gulf of Oman, NW of Muscat, Batinakcoast.	€ 3,00
Callista erycina (L., 1758).	India.	€ 3,00
Callista erycina (L., 1758).	Inda, Periyapattinam.	€ 3,50
Dosinia erythraea Römer, 1860.	Egypt, South Sinai, Dahab. Gulf of Aqaba.	€ 0,80 t/m € 1,30
Dosinia erythraea Römer, 1860.	Egypt, South Sinai, Dahab. Gulf of Aqaba.	€ 1,00
Paphia euglypta (Philippi, 1847).	Japan.	€ 0,50
Dosinia exoleta (L., 1758).	Greece, Makrónisos - Kéa Island.	€ 0,30 t/m € 0,50
Dosinia exoleta (L., 1758).	France, Brittany, Finistre, St. Anne de la Palud.	€ 0,30
Dosinia exoleta (L., 1758).	Ile Val-André.	€ 0,50
Dosinia exoleta (L., 1758).	France, Brittany, Trébeurden.	€ 0,50 t/m € 1,00
Clausinella fasciata (da Costa, 1778).	Great Britain, Herm Island, Shell Beach, low tide, sand/mud. 16 mm - 23 mm	€ 3,80
Lioconcha fastigiata (Sowerby, 1832).	Philippines, Bohol, close to Panglao, Balicasag Island.	€ 1,00
Placamen flindersi (Cotton & Godfrey, 1938).	Australia, Brighton Reef, buried in sand. 14 mm	€ 2,50
Callista florida (Lamarck, 1818).	Egypt, Dahab. Gulf of Aqaba. Low tide in mud.	€ 1,00 t/m € 2,00
Callista florida (Lamarck, 1818).	Egypt, South Sinai, Dahab. Gulf of Aqaba.	€ 1,00
Pitar floridella Gray, 1838.	Senegal, Hann, West Africa, 5-10 metres deep, from fisherman. 24 mm	€ 1,30
Pitar floridella Gray, 1838.	Congo, Brazzaville, Pointe Noire, at low tide on the beach. 17 mm - 25 mm	€ 1,30
Chione fluctifraga (Sowerby, 1835).	California.	€ 0,70
Pitar fulminatus (Menke, 1828).	Brazil, Bahia, Itaparica.	€ 4,00
Dosinia gabonensis Cosel, 1989.	The Gambia, Sanyang. Atlantic Ocean.	€ 0,50
Venerupis galactites (Lamarck, 1818).	Australia, Western Australia, Albany, 3 metres deep in sand.	€ 1,30
Chamelea gallina (L., 1758).	Cyprus, Limassol.	€ 0,50
Chamelea gallina (L., 1758).	Spain, San Carlos de la Rápita.	€ 0,30
Chamelea gallina (L., 1758).	Spain, Fuengirola.	€ 0,25
Chamelea gallina (L., 1758).	Greece, Makrónisos - Kéa Island.	€ 0,40 t/m € 0,80
Tawera gallinula (Lamarck, 1818).	Australia, Tasmania, Devonport, intertidal, sand/mud.	€ 1,50
Paphia gallus (Gmelin, 1791).	Australia, Queensland, Gladstone, in muddy sand.	€ 1,50

		Price Range
Clausinella gayi (Hupé, 1854).	Argentina, Tierra del Fuego, Ushuaia, at low tide in mud. 22 mm	€ 2,30
Marcia hiantina (Lamarck, 1818).	Indonesia.	€ 2,50
Marcia hiantina (Lamarck, 1818).	Thailand, Phuket.	€ 2,00 t/m € 2,50
Callista impar (Lamarck, 1818).	Australia, Western Australia, Monkey Mia.	€ 1,00
Callista impar (Lamarck, 1818).	Australia, Western Australia, Shark Bay, intertidal, in sand.	€ 1,30 t/m € 1,80
Irus irus (L., 1758).	Spain, Alicante.	€ 0,40
Marcia japonica (Gmelin, 1791).	Thailand, Krabi, Koh Lauta, Kaw Kwang Beach.	€ 0,80
Marcia japonica (Gmelin, 1791).	Indonesia, Bali Island.	€ 1,50
Marcia japonica (Gmelin, 1791).	Philippines, Bohol, close to Panglao, Balicasag Island.	€ 1,00 t/m € 1,75
Tapes japonica Deshayes.	Japan, Honshu Island, Tsuyazaki.	€ 0,40 t/m € 0,70
Marcia japonica (Gmelin, 1791).	Singapore, Changi Coast. On sandy bottom.	€ 2,00
Tawera lagopus (Lamarck, 1818).	Australia, Western Australia, Dunsborough, 10 metres deep in sand.	€ 1,30
Antigona lamellaris Schumacher, 1817.	Philippines, Bohol, close to Panglao, Balicasag Island.	€ 2,50
Antigona lamellaris Schumacher, 1817.	Philippines, Batayan Island, north of Cebu, pearl fisherman. 33 mm - 40 mm	€ 2,00 t/m € 3,00
Placamen lamellosum (Chemnitz, Sowerby I, 1825).	NW Western Australia, Broome. In sand & partly exposed at extr. low tide.	€ 3,50
Tapes literatus (L., 1758).	Indonesia, Papua, Serui.	€ 2,25
Tapes literatus (L., 1758).	Philippines.	€ 1,00 t/m € 1,50
Tapes litteratus (L., 1758).	Taiwan.	€ 3,00
Psephidia lordi W.baird, 1863.	Oregon, W.off Tillamook Bay, 43°30'N 124°23'W, 230 m, on mud. 3 mm	€ 3,80
Dosinia lupinus (L., 1758).	Spain, Rio Mar, Ebra delta.	€ 0,40
Dosinia lupinus (L., 1758).	Greece, Marathón beach, 1-1,5 metres deep.	€ 0,80 t/m € 1,00
Dosinia lupinus (L., 1758).	North Sea, Botneygat.	€ 0,70 t/m € 0,80
Dosinia lupinus (L., 1758).	Italy, Rimini.	€ 0,50
Dosinia lupinus (L., 1758).	Greece, Makrónisos - Kéa Island.	€ 2,00
Meretrix lusoria (Röding, 1798).	Philippines.	€ 3,00
Meretrix lusoria (Röding, 1798).	Japan, Wakayama prefecture, Minabe.	€ 2,50
Meretrix lusoria (Röding, 1798).	Philippines.	€ 2,50
Tivela mactroides (Born, 1778).	Venezuela, Isla Margarita, Playa el Saco, La Restinga.	€ 1,00
Tivela mactroides (Born, 1778).	Venezuela, Isla Margarita, Playa el Saco, La Restinga. In zand.	€ 0,50 t/m € 1,00
Tivela mactroides (Born, 1778).	Venezuela, Margarita Island.	€ 1,00
Macrocallista maculata (L., 1758).	Florida.	€ 1,30
Macrocallista maculata (L., 1758).	Florida, 12 miles west of Sanibel Island, scuba, 52 feet deep in sand.	€ 1,50 t/m € 2,50
Macrocallista maculata (L., 1758).	Florida, Gulf of Mexico, Sanibel Island.	€ 2,50
Meretrix meretrix Gmelin, 1791.	Singapore, Changi Coast. Collected fresh on sandbed.	€ 2,00
Gouldia minima (Montagu, 1803).	Italy, Isola Gorgona, 30 metres deep. 6 mm	€ 1,80

		Price Range
Gouldia minima (Montagu, 1803).	Spain, Malaga, trawled, 30-40 metres deep. 10 mm	€ 2,50
Macrocallista nimbosa (Lightfoot, 1786).	Florida, Marco Island. In shallow water at extreme low tide.	€ 2,50 t/m € 2,80
Venus nux Gmelin, 1791.	Spain, San Carlos de la Rápita.	€ 1,50
Marcia opima (Gmelin, 1791).	Oman, Muscat. Middle East. Arabian Sea.	€ 2,00
Marcia opima (Gmelin, 1791).	Thailand, Krabi, Koh Lanta Yai, west of Ban Sala Dan.	€ 1,00
Marcia opima (Gmelin, 1791).	Thailand, Phuket.	€ 1,50 t/m € 3,00
Timoclea ovata (Pennant, 1777).	Angola, Ambuz, trawled at a depth of 50 metres deep. 9 mm - 10 mm	€ 2,50
Gafrarium pectinatum (L., 1758).	Philippines, Bohol, close to Panglao, Balicasag Island.	€ 0,80
Gafrarium pectinatum (L., 1758).	Australia. Queensland, Cairns, Koombal Point, intertidal. 25 mm	€ 0,80
Gafrarium pectinatum (L., 1758).	Mauritius, Ile aux Cerfs. Indian Ocean.	€ 0,75
Gafrarium pectinatum (L., 1758).	Red Sea, Egypt, Safaga.	€ 0,80
Katelysia peronii (Lamarck, 1818).	South Australia. On sandy open beach, dug from sand. 26 mm	€ 0,80
Venerupis philippinarum (Adams & Reeve, 1850).	Italy, Rimini. Medditeranean Sea. Artificially cultivated.	€ 0,80
Placamen placidum (Philippi, 1844).	Australia, Western Australia, Albany, 7 metres deep on sand. 19 mm	€ 2,30
Antigona puerpera (L., 1771).	Thailand, Phuket.	€ 2,00
Antigona puerpera (L., 1771).	Philippines.	€ 1,80 t/m € 3,80
Amiantis purpuratus purpuratus (Lamarck, 1818).	Argentina, San Antonio Este, Rio Negro, 3-5 m, low tide.	€ 3,30
Timoclea recognita (Smith, 1885).	Australia, Queensland, Palm Island, trawled. 14 mm	€ 1,50
Katelysia rhytiphora (Lamy, 1937).	Australia, Western Australia, Albany, intertidal on sand bar. 31 mm	€ 0,80 t/m € 1,00
Katelysia rhytiphora (Lamy, 1937).	Australia, Queensland, King Bay. Large.	€ 0,30
Venus rosalina (Rang, 1843).	Senegal, Gorée Bay, West Africa. 20 metres deep, scuba.	€ 2,00 t/m € 2,30
Katelysia scalarina (Lamarck, 1818).	South Australia, Semaphore. Dug from sand at low tide. 26 mm	€ 0,80
Paphia schnelliana (Dunker, 1866).	Philippines.	€ 2,30
Circe scripta (L., 1758).	Philippines.	€ 1,00
Circe scripta (L., 1758).	Australia, Western Australia, Shark Bay, Cape Peron.	€ 1,30
Circe scripta (L., 1758).	Philippines.	€ 0,80
Paphia semirugata (Philippi, 1847).	Australia, Western Australia, off Port Hedland, in sand at low tide. 38 mm	€ 1,30
Callista semisulcata (Sowerby, 1851).	Australia, Queensland, Palm Island, trawled. 30 mm	€ 2,00
Venerupis senegalensis (Gmelin, 1791).	France, Brittany, Trébeurden.	€ 0,50 t/m € 0,70
Venerupis senegalensis (Gmelin, 1791).	The Netherlands, Scheveningen.	€ 0,70
Venerupis senegalensis (Gmelin, 1791).	Portugal, Algarve, Olhao.	€ 0,70
Venerupis senegalensis (Gmelin, 1791).	France, Brittany, St. Jacut de la Mer.	€ 0,50
Meretrix spec. .	Sri Lanka, Unawatuna.	€ 2,00
Placamen spec. .	Indonesia, Madura Island.	€ 2,50
Megapitaria squalida (Sowerby, 1835).	Panama, Gulf of Panamá, San Carlos, El Palmar, live/shallows.	€ 1,00

		Price Range
Megapitaria squalida (Sowerby, 1835).	Mexico, Baja California (state), San Carlos, 6-12 metres deep.	€ 6,50
Megapitaria squalida (Sowerby, 1835).	Mexico, Gulf of California, Bahia Concepción.	€ 1,30 t/m € 1,80
Megapitaria squalida (Sowerby, 1835).	Mexico, Baja California, Concepcion Bay.	€ 3,00
Anomalocardia squamosa (L., 1758).	Australia, Western Australia, Wickham, in sand, 3 metres deep. 22 mm	€ 1,00 t/m € 1,30
Anomalocardia squamosa (L., 1758).	Australia, Western Australia, Shark Bay, Monkey Mia.	€ 1,50
Anomalocardia squamosa (L., 1758).	Philippines, near Cebu Island, Bantayan Island. By local fisherman.	€ 35,00
Anomalocardia squamosa (L., 1758).	Philippines, Lloilo.	€ 1,50
Anomalocardia squamosa (L., 1758).	Australia, Western Australia, Shark Bay, intertidal, in sand.	€ 1,30
Anomalocardia squamosa (L., 1758).	Singapore, Changi Coast. On sand bed.	€ 0,75
Protothaca staminea (Conrad, 1837).	Venezuela, Isla Margarita, Manglillo.	€ 0,50
Protothaca staminea (Conrad, 1837).	California, Bolsa Bay, Sunset Beach, E.of Coast Highway.	€ 0,80
Chamelea striatula (da Costa, 1778).	Spain, Fuengirola.	€ 0,20
Chamelea striatula (da Costa, 1778).	France, Brittany, Pointe de Penmarck.	€ 0,80
Chamelea striatula (da Costa, 1778).	North Sea, Klaverbank.	€ 0,25
Chione stutchburyi (Wood, 1828).	New Zealand, North Island, Coromandel Ranges.	€ 0,50
Chione subimbricata (Sowerby, 1835).	Panama, Bay of Panamá, Isla de Melones, live, dredged.	€ 1,00
Dosinia subrosea (Gray, 1835).	New Zealand, Martins Bay.	€ 1,00 t/m € 2,50
Dosinia subrosea (Gray, 1835).	New Zealand, near Nelson, Tapananui beach.	€ 2,00 t/m € 3,00
Tapes sulcarius (Lamarck, 1818).	Thailand, Phuket, ±2 hours by boat from Rawai, Raya Island.	€ 0,50 t/m € 1,00
Tapes sulcarius (Lamarck, 1818).	Egypt, South Sinai, Dahab. Gulf of Aqaba.	€ 0,50
Placamen tiara (Dillwyn, 1817).	Philippines.	€ 1,30
Venus toreuma (Gould, 1850).	Philippines, Bohol, close to Panglao, Balicasag Island.	€ 1,50
Tivela tripla (L., 1777).	Senegal, Cambarene, West Africa.	€ 3,80
Tivela tripla (L., 1777).	Gambia, Kololi.	€ 1,50
Sunetta truncata (Deshayes, 1854).	Malaysia, Merang, northeast coast.	€ 0,50
Gafrarium tumidum Röding, 1798.	Thailand, Krabi.	€ 1,00
Gafrarium tumidum Röding, 1798.	Thailand, Phuket, Raya Island, 25-30 metres deep.	€ 0,50
Gafrarium tumidum Röding, 1798.	Indonesia, Jakarta Bay, Pari Island. 0,5-2 metres deep, buried in sand.	€ 2,00
Paphia undulata (Born, 1778).	Philippines, Bohol, close to Panglao, Balicasag Island.	€ 0,50 t/m € 1,50
Paphia undulata (Born, 1778).	Thailand, Andaman Sea.	€ 1,00
Paphia undulata (Born, 1778).	Philippines.	€ 1,80 t/m € 2,30
Paphia undulata (Born, 1778).	Thailand, Phuket.	€ 2,00 t/m € 3,00
Gomphina undulosa (Lamarck, 1818).	Australia, Western Australia, Cockburn Sound, 1 metre deep in sand.	€ 1,00
Tapes variegatus Sowerby, 1852.	Thailand, Phuket, Raya Island, 25-30 metres deep.	€ 0,80
Venus verrucosa L., 1758.	France, Brittany, Trébeurden.	€ 1,00

Venus verrucosa L., 1758.
 Venus verrucosa L., 1758. with sand and shell debris
 Venus verrucosa L., 1758.
 Venus verrucosa L., 1758.
 Polititapes virgineus (L., 1767).
 Polititapes virgineus (L., 1767).
 Polititapes virgineus (L., 1767).
 Polititapes virgineus (L., 1767).
 Polititapes virgineus (L., 1767).
 Polititapes virgineus (L., 1767).

Vermetidae

Serpulorbis colubrinus (Röding, 1798).
 Serpulorbis colubrinus (Röding, 1798).
 Vermetus spec. .
 Serpulorbis xenophorus Habe.

Volutidae

Melo amphora (Lightfoot, 1786).
 Alcithoe arabica f. depressa Suter, 1908.
 Alcithoe arabica (Gmelin, 1791).
 Harpulina arausiaca (Lightfoot, 1786).
 Harpulina arausiaca (Lightfoot, 1786).
 Cymbiola aulica f. cathcartiae Reeve, 1855.
 Cymbiola aulica (Sowerby, 1825).
 Adelomelon beckii (Broderip, 1836).
 Volutoconus bednalli (Brazier, 1878).
 Melo broderipii (Griffith & Pidgeon, 1834).
 Melo broderipii (Griffith & Pidgeon, 1834).
 Cymbiola chrysostoma (Swainson, 1824).
 Fulgoraria clara (Sowerby, 1914).
 Lyria cloveriana Weaver, 1963.
 Enaeta cumingii (Broderip, 1832).
 Cymbiola cymbiola (Gmelin, 1791).
 Cymbium cymbium (L., 1758).
 Amoria damonii damonii (Gray, 1864).
 Amoria damonii damonii (Gray, 1864).

Italy, Grado, trawled by fisherman, 12-15 metres deep. 46 mm - 55 mm
 South Africa, False Bay, Simonstown. 6 m deep, scuba, rocky bottom
 France, Brittany, Ile Grande.
 France, Brittany, Roscoff.
 Spain, Marbella, Calypso.
 France, Brittany, Trébeurden.
 Spain, Fuengirola.
 Spain, Marbella, Calypso.
 France, Brittany, St. Cast.
 Spain, Torremolinos.

Philippines.
 Philippines.
 Canary Islands, North Fuerteventura, Corralejo, tidal pools.
 Japan, Wakayama Prefecture, Minabe. 30-50 fathoms deep.

Indonesia, Madura Island.
 New Zealand, Southland.
 New Zealand.
 Sri Lanka.
 India, south of Cuddalore. On reef, by diver at 20 metres deep.
 Philippines, Zamboanga, trawled at a depth of 110 metres.
 Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.
 Brazil, Ceará, Fortaleza.
 Indonesia, Arafura Sea S. of Tanimbar Isand, 60-80 metres deep.
 Indonesia, Madura Island.

Indonesia, south of Madura Island, Sapekan Island.
 Japan.
 Sri Lanka, along the south-west coast.
 Mexico, Baja California, Bahía de los Ángeles. Gulf of California.
 Indonesia, Moluccas Islands, Ambon Island.
 Senegal, Dakar. On sandy bottom at 5-10 metres deep.
 Australia, Northern Territory, Darwin. Sand, 40 metres deep.
 Australia, Western Australia, Broome, on sand bars.

Price Range

€ 1,80
 € 1,00 t/m € 2,00
 € 1,50
 € 1,75
 € 0,50
 € 0,70 t/m € 1,30
 € 0,70
 € 0,70
 € 0,80
 € 0,70
 € 4,00 t/m € 7,00
 € 9,50
 € 0,50
 € 3,50
 € 12,50 t/m € 150,00
 € 7,00
 € 15,00
 € 27,50
 € 10,00
 € 27,50
 € 5,00 t/m € 9,00
 € 17,50
 € 17,50 t/m € 55,00
 € 3,50 t/m € 25,00
 € 5,00
 € 25,00
 € 7,50
 € 17,50
 € 0,80 t/m € 1,00
 € 5,00 t/m € 12,50
 € 10,00 t/m € 14,00
 € 11,00 t/m € 15,00
 € 6,50 t/m € 17,50

		Price Range
Cymbiola deshayesi (Reeve, 1855).	New Caledonia, Balabio. Pacific Ocean.	€ 25,00
Zidona dufresnei (Donovan, 1823).	Argentina.	€ 6,50 t/m € 9,50
Voluta ebraea L., 1758.	Brazil, Natal, Rio Grande do Norte, 10-20 m, on sand/coral.	€ 10,00 t/m € 65,00
Voluta ebraea L., 1758.	Brazil.	€ 25,00
Amoria ellioti (Sowerby, 1864).	Australia, Western Australia, Port Hedland. Collected at low tide.	€ 17,50
Amoria ellioti (Sowerby, 1864).	Australia.	€ 9,50
Festilyria festiva (Lamarck, 1811).	Somalia, East Africa. Indian Ocean.	€ 87,50
Alcithoe fissurata (Dell, 1963).	New Zealand, South Island, west coast, 400 metres deep.	€ 75,00
Alcithoe fusus (Quoy & Gaimard, 1833).	New Zealand, S. Island, 12 km from Tasman Bay, 30 metres, fishery. 56 mm - 69 mm	€ 10,00
Neptuneopsis gilchristi Sowerby, 1898.	South Africa, Cape, Mossel Bay.	€ 27,50 t/m € 35,00
Neptuneopsis gilchristi Sowerby, 1898.	South Africa, Eastern Cape, East London.	€ 9,50
Cymbium glans (Gmelin, 1791).	Senegal, West Africa.	€ 25,00 t/m € 29,50
Fulgoraria hamillei (Crosse, 1869).	Japan.	€ 15,00
Volutoconus hargreavesi (Angas, 1872).	Australia, Queensland.	€ 250,00
Fulgoraria hirasei (Sowerby, 1912).	Japan, Aichi Prefecture (Aichi-ken), Mikawa.	€ 17,50
Cymbiola imperialis (Lightfoot, 1786).	Philippines, Bohol Island, close to Panglao, Balicasag Island.	€ 12,50 t/m € 47,50
Cymbiola innexa (Reeve, 1849).	Indonesia, southern Java.	€ 3,00 t/m € 5,00
Cymbiola innexa (Reeve, 1849).	Indonesia, southern Java, in depths between 20 & 30 metre on sandy bottom.	€ 17,50
Teramachia johnsoni (Bartsch, 1942).	Western Australia. Trawled by fishery off Scott Reef, ±450 metres deep.	€ 40,00
Teramachia johnsoni (Bartsch, 1942).	Philippines, Bohol Island. Trawled in deep water.	€ 45,00 t/m € 55,00
Harpulina lapponica (L., 1767).	India, Rameswaram.	€ 7,50 t/m € 12,50
Harpulina lapponica (L., 1767).	India, Tamil Nadu, Tuticorin. With nets at 20-25 metres.	€ 6,00
Harpulina lapponica (L., 1767).	Sri Lanka.	€ 5,00
Amoria maculata (Swainson, 1822).	Australia, Queensland, Lady Musgrove Island.	€ 9,00 t/m € 25,00
Amoria maculata (Swainson, 1822).	Australia, Queensland, Keppel Bay.	€ 14,00
Cymbium marmoratum Link, 1807.	Senegal, Dakar, Bel-Air.	€ 12,00
Melo melo (Lightfoot, 1786).	Thailand, Phuket.	€ 9,50
Melo melo (Lightfoot, 1786).	India.	€ 2,00
Fulgoraria mentiensi (Fulton, 1940).	Southern Japan.	€ 10,00
Voluta musica L., 1758.	Curaçao, St. Michiel Bay, Lesser Antilles Islands.	€ 1,00 t/m € 2,00
Voluta musica L., 1758.	Venezuela, Margarita Island, offshore near Cubagnay Island, 2-8 m deep.	€ 11,50 t/m € 47,50
Voluta musica L., 1758.	Bonaire, Lesser Antilles Islands.	€ 4,00 t/m € 7,00
Cymbiola nivosa (Lamarck, 1804).	Australia, Western Australia, Shark Bay, Denham.	€ 4,00
Cymbiola nivosa (Lamarck, 1804).	Australia, Western Australia, Shark Bay.	€ 6,50 t/m € 8,50
Cymbiola nobilis (Lightfoot, 1786).	Thailand, Pattaya.	€ 20,00 t/m € 25,00

		Price Range
Cymbiola nobilis (Lightfoot, 1786).	Philippines	€ 7,50
Cymbiola nobilis (Lightfoot, 1786).	Indonesia, Ambon. Dived at 10-20 metres, by local fisherman.	€ 8,00
Cymbiola nobilis octogonalis Senders, 1995.	Indonesia, Sapekan Island near Madura Island.	€ 12,50
Livonia nodiplicata (Cox, 1910).	Australia, Western Australia, Fremantle.	€ 75,00
Cymbium olla (L., 1758).	Spain, Estepona.	€ 0,50 t/m € 3,80
Cymbium olla (L., 1758).		€ 2,50 t/m € 6,50
Cymbium olla (L., 1758).	Portugal, Algarve.	€ 2,00 t/m € 6,50
Lyria planicostata boholensis Kosuge, 1980.	Philippines, Bohol Island, Panglao.	€ 17,50
Lyria planicostata boholensis Kosuge, 1980.	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 5,00 t/m € 7,50
Lyria planicostata planicostata (Sowerby, 1903).	Philippines, Bohol, close to Panglao, Balicasag Island.	€ 12,50 t/m € 25,00
Ampulla priamus (Gmelin, 1791).	Portugal, Algarve, off Portimao, dredged by fisherman. Atlantic Ocean.	€ 9,50
Cymbiola pulchra (Sowerby, 1825).	Australia, Queensland, Cape Moreton. 100 feet deep.	€ 10,00
Cymbiola pulchra f. perryi (Ostergaard & Summers, 1957).	Australia, Queensland, Fitzroy Reef.	€ 7,50 t/m € 17,50
Cymbiola pulchra f. woolacottae (McMichael, 1958).	Australia, Queensland, Swain Reef.	€ 10,00 t/m € 22,50
Livonia roadnightae (McCoy, 1881).	Australia, Western Australia, Perth.	€ 25,00
Fulgoraria rupestris (Gmelin, 1791).	East China Sea. Trawled at a depth of 180 metres on sand.	€ 10,00
Fulgoraria rupestris (Gmelin, 1791).	Philippines.	€ 7,50
Fulgoraria rupestris (Gmelin, 1791).	Taiwan.	€ 3,00
Notopeplum sericatum Thornley, 1951.	Australia, Queensland.	€ 5,00
Ericusa sowerbyi (Kiener, 1839).	Australia, Tasmania.	€ 15,00 t/m € 19,50
Melo umbilicatus Broderip, 1826.	Indonesia, Madura Island.	€ 30,00 t/m € 50,00
Amoria undulata (Lamarck, 1804).	Australia, Tasmania.	€ 6,50
Amoria undulata (Lamarck, 1804).	Australia, South Australia, Eyre Peninsula, Port Lincoln.	€ 15,00 t/m € 19,50
Cymbiola vespertilio (L., 1758).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 1,50 t/m € 2,50
Cymbiola vespertilio (L., 1758).	Philippines.	€ 1,80 t/m € 2,50
Cymbiola vespertilio (L., 1758).	Philippines, Bohol Island.	€ 2,00 t/m € 3,50
Cymbiola vespertilio (L., 1758).	Indonesia, Madura Island.	€ 1,50 t/m € 2,50
Cymbiola vespertilio (L., 1758).	Philippines, Surigao Island, Nonoc Island. On coral reef, 23-25 m deep.	€ 4,00
Alcithoe wilsonae f. smithi (Powell, 1950).	New Zealand, South Island, Otago Peninsula, off Dunedin.	€ 4,50 t/m € 12,50
Amoria zebra (Leach, 1814).	Australia, Queensland.	€ 5,00
Amoria zebra (Leach, 1814).	Northern Australia.	€ 8,00
Xenophoridae		
Onustus caribaeus (Petit d.l.Saussaye, 1857).	Florida, SW. of Dry Tortugas, Riley Black, trawled, 100 fathoms	€ 9,00 t/m € 11,50
Xenophora cerea (Reeve, 1845).	Philippines, Bohol, Balicasag Island, tangle nets, 130-230 metres deep.	€ 5,00 t/m € 7,50
Xenophora cerea f. torrida Kuroda & Ito, 1961.	Philippines.	€ 7,50

		Price Range
Stellaria chinensis chinensis (Philippi, 1841).	Thailand, Phuket Island, 10-15 metres deep.	€ 2,50 t/m € 8,00
Stellaria chinensis chinensis (Philippi, 1841).	Thailand, Phuket. 10-15 metres deep.	€ 12,50
Xenophora corrugata (Reeve, 1842).	Madagascar Island, Toliara (Tuléar), trawled. 101 mm	€ 15,00
Xenophora corrugata (Reeve, 1842).	Madagascar, Toliara, southwest coast, trawled in 300 metres of water. 87 mm - 100 mm	€ 20,00
Xenophora crispa (König, 1825).	Italy, Sicilia.	€ 3,50
Stellaria gigantea Schepman, 1909.	Madagascar Island, East Africa. Indian Ocean.	€ 17,50
Xenophora granulosa Ponder, 1983.	Philippines, Bohol, close to Panglao, Balicasag Island.	€ 7,50 t/m € 14,00
Xenophora granulosa Ponder, 1983.	Philippines.	€ 7,50
Xenophora granulosa Ponder, 1983. metres.	Philippines, N. Mindanao, N. of Dipolog, Aliguay Island. Trawled at 50-150	€ 10,00
Onustus indicus (Gmelin, 1791).	Malaysia, Island of Borneo, Sarawak.	€ 5,00 t/m € 8,00
Xenophora japonica Kuroda & Habe, 1971.	Taiwan.	€ 3,00
Xenophora japonica Kuroda & Habe, 1971.	Philippines.	€ 3,00
Xenophora japonica Kuroda & Habe, 1971.	Philippines.	€ 3,50
Xenophora japonica Kuroda & Habe, 1971.	Philippines, Mindanao Island, Davao.	€ 2,50 t/m € 3,80
Onustus longleyi Bartsch, 1931.	Florida, Key West. Trawled by shrimp boat, 800-1000 metres deep.	€ 27,50
Xenophora mekranensis konoii Habe, 1953.	Philippines, Samar Island.	€ 7,50
Xenophora neozelanica neozelanica Suter, 1908.	New Zealand, North Island, Bream Bay. Dredged.	€ 15,00
Xenophora pallidula (Reeve, 1842).	Philippines.	€ 6,50
Xenophora pallidula (Reeve, 1842).	Madagascar Island, East Africa. Indian Ocean.	€ 12,00
Xenophora pallidula (Reeve, 1842).	Philippines, Leyte Island.	€ 11,50
Xenophora solarioides solarioides (Reeve, 1845).	Thailand, Phuket, ±2 hours by boat from Rawai, Raya Island.	€ 0,50 t/m € 6,50
Stellaria solaris (L., 1764).	Indonesia, Moluccas Islands, Ambon Island.	€ 1,00 t/m € 4,50