

## Muzee Scheveningen World-wide Shell Shop Price list

		Price Range
<b>Acmaeidae</b>		
Acmaea instabilis (Gould, 1846).	USA, California, Monterey County, Pacific Grove. On beach.	€ 1,00 t/m € 2,50
Acmaea mitra Rathke, 1833.	USA, California, Monterey County, Pacific Grove. On beach.	€ 1,00
<b>Acteonidae</b>		
Acteon fabreanus (Crosse, 1874).	Sri Lanka, Western Province, Negombo, Waikkal.	€ 1,00
Pupa solidula (L., 1758).	Thailand, Phuket (island), Raya Island. 25-30 metres deep.	€ 1,30
Pupa solidula (L., 1758).	Australia, Queensland, 5 km. North of Townsville.	€ 1,50
Acteon tornatilis (L., 1758).	Italy, Province of Ravenna, Cérvia.	€ 1,00
Acteon tornatilis (L., 1758).	France, Brittany, Finistère (department), Point Penmarc'h.	€ 1,30
<b>Akeridae</b>		
Akera soluta (Gmelin, 1791).	Australia, Western Australia, Rockingham. Live on beach, after storm.	€ 2,50
<b>Amphibolidae</b>		
Amphibola crenata (Gmelin, 1791).	New Zealand, North Island, Russell Island.	€ 4,50
<b>Angariidae</b>		
Angaria delphinus (L., 1758).	Australia, Western Australia.	€ 3,00
Angaria delphinus (L., 1758).	Philippines, Bohol, bij Panglao, Balicasag Island. Tangle net, 160 metres.	€ 0,80 t/m € 1,50
Angaria delphinus (L., 1758).	Philippines, Central Visayas (region), Cebu (island).	€ 3,50
Angaria delphinus (L., 1758).	Malaysia, Johor, Pulau Babi Besar, "South Cape". Littoral on rocks.	€ 1,50
Angaria melanacantha (Reeve, 1842).	Madagascar Island. East Africa. Indian Ocean.	€ 4,50
Angaria melanacantha (Reeve, 1842).	Philippines, Palawan (province), Palawan (island).	€ 3,80 t/m € 6,00
Angaria sphaerula (Kiener, 1873).	Philippines, Mindanao (region), Balut Island.	€ 7,50 t/m € 9,50
Angaria sphaerula (Kiener, 1873).	Philippines, Mindanao (island), Zamboanga.	€ 2,00 t/m € 5,00
Angaria sphaerula (Kiener, 1873).	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 1,00 t/m € 2,00
Angaria sphaerula (Kiener, 1873).	Philippines, Central Visayas (region), Cebu (island).	€ 5,00
Angaria sphaerula (Kiener, 1873).	Philippines, Mindanao (island), Zamboanga.	€ 9,50 t/m € 14,00
Angaria tyria (Reeve, 1842).	Australia, W.A., Abrolhos Island group, N. of West Wallaby Island. 15-20 m	€ 2,50 t/m € 9,00
Angaria tyria (Reeve, 1842).	Australia, Western Australia, near Port Denison, Dongara. On reef.	€ 4,00
Angaria vicdani Kosuge, 1980.	Philippines, Mindanao (island).	€ 5,00 t/m € 7,50
Angaria vicdani Kosuge, 1980.	Philippines, Mindanao (region), Balut Island.	€ 4,50 t/m € 9,50
<b>Anomiidae</b>		
Anomia ephippium L., 1758.	France, Brittany, Saint-Jacut-de-la-Mer.	€ 1,30
Anomia ephippium L., 1758.	France, Brittany, Côtes-d'Armor (department), Erquy.	€ 1,25
Anomia ephippium L., 1758.	Spain, Province of Málaga, Puerto de Marbella. From fishermen.	€ 0,50 t/m € 1,50
Anomia ephippium L., 1758.	France, Brittany, Ille-et-Vilaine (departement), Dinard.	€ 0,50 t/m € 0,80

Anomia ephippium L., 1758.  
 Anomia ephippium L., 1758.  
 Anomia ephippium L., 1758.  
 Anomia ephippium L., 1758.  
 Anomia ephippium L., 1758.  
 Anomia simplex Orbigny, 1842.

## Aplysiidae

Dolabella auriculata (Lightfoot, 1786).

## Aporrhaidae

Aporrhais pesgallinae Barnard, 1963.  
 Aporrhais pespelecani (L., 1758).  
 Aporrhais pespelecani (L., 1758).  
 Aporrhais pespelecani (L., 1758).  
 Aporrhais pespelecani (L., 1758).  
 Aporrhais pespelecani (L., 1758).  
 Aporrhais pespelecani (L., 1758).  
 Aporrhais pespelecani (L., 1758).  
 Aporrhais pespelecani (L., 1758).  
 Aporrhais pespelecani (L., 1758).  
 Aporrhais pespelecani (L., 1758).  
 Aporrhais pespelecani (L., 1758).  
 Aporrhais pespelecani (L., 1758).  
 Aporrhais serresianus (Michaud, 1828).

## Architectonicidae

Discotectonica acutissima (Sowerby, 1914).  
 Architectonica gualtierii (Bieler, 1993).  
 Architectonica maxima (Philippi, 1849).  
 Architectonica perdix Hinds, 1844.  
 Architectonica perspectiva (L., 1758).  
 Architectonica perspectiva (L., 1758).  
 Architectonica perspectiva (L., 1758).  
 Architectonica perspectiva (L., 1758).  
 Architectonica perspectiva (L., 1758).  
 Architectonica perspectiva (L., 1758).  
 Architectonica perspectiva (L., 1758).  
 Architectonica perspectiva (L., 1758).  
 Architectonica picta (Philippi, 1849).  
 Psilaxis radiatus (Röding, 1798).

Ireland, Kerry, Kenmare River. Low water, Littoral zone.  
 France, Brittany, Saint-Malo.  
 Spain, off Fuengirola. Trawled by local fisherman.  
 France, Brittany, Côtes-d'Armor (department), Tréburden.  
 France, Brittany, Côtes-d'Armor (department), Erquy.  
 USA, Texas, Aransas Bay.

West Samoa, Upolu (island), Apia, Mulinuu.

Senegal, Cap-Vert, N'Gor Island, Pointe des Almadies. Fishing harbour.  
 Portugal, Algarve (region), Praia de Rocha.  
 Italy, Liguria, Province of Savona, Savona.  
 Spain, Province of Málaga, Fuengirola.  
 Greece, 200 km northeast of Athens, Évvoia Island, Kimi.  
 Spain, Andalusia (region), Province of Málaga, Marbella.  
 Spain, Province of Málaga, Benajafate, San Carlos.  
 France, Brittany, Cap Coz. Collected live.  
 Italy, Lazio (region), Anzio.  
 Portugal, Algarve (region), Praya da Rocha.  
 The Channel. From fishery.  
 Italy, Liguria, Province of Savona. From fishing boats.

Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.  
 Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.  
 Philippines.  
 Australia, Queensland, Keppel Bay.  
 Indonesia, East Java (state), Probolinggo. Northeastern coast.  
 Australia, New South Wales, Iluka. Fished.  
 Australia, Queensland, Port Douglas, Four Mile Beach. 4 m, mud & seaweed.  
 Malaysia, Langkawi (archipelago), Langkawi Island, Kuah. Collected dead.  
 Indonesia, Greater Sunda Islands, East Java (province), Madura Island.  
 Indonesia.  
 Philippines.  
 Indonesia, Greater Sunda Islands, East Java (province), Madura Island.  
 Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.

## Price Range

€ 2,50  
 € 0,80  
 € 0,30 t/m € 0,50  
 € 2,00  
 € 0,50  
 € 2,30  
 € 3,50 t/m € 5,00  
 € 0,80  
 € 1,00  
 € 1,00  
 € 2,50  
 € 1,00 t/m € 2,00  
 € 2,00  
 € 1,30 t/m € 2,00  
 € 3,30  
 € 2,00  
 € 1,30  
 € 2,00  
 € 4,50  
 € 1,00 t/m € 2,00  
 € 0,50 t/m € 4,00  
 € 4,95  
 € 2,50  
 € 1,30  
 € 2,50  
 € 0,50 t/m € 3,00  
 € 2,00  
 € 1,50 t/m € 4,00  
 € 6,50  
 € 2,00 t/m € 2,30  
 € 2,50  
 € 2,00

Heliacus stramineus (Gmelin, 1791).  
 Architectonica taylori (Hanley, 1962).  
 Architectonica trochlearis (Hinds, 1844).  
 Heliacus variegatus (Gmelin, 1791).  
 Heliacus variegatus (Gmelin, 1791).

## Arcidae

Barbatia amygdalumtosum (Röding, 1798).  
 Barbatia amygdalumtosum (Röding, 1798).  
 Barbatia amygdalumtosum (Röding, 1798).  
 Anadara antiquata (L., 1758).  
 Anadara antiquata (L., 1758).  
 Anadara antiquata (L., 1758).  
 Barbatia barbata (L., 1758).  
 Barbatia foliata (Forskål, 1775).  
 Anadara granosa (L., 1758).  
 Anadara granosa (L., 1758).  
 Barbatia helblingii (Bruguière, 1789).  
 Anadara inaequalis (Bruguière, 1789).  
 Anadara nodifera (von Martens, 1860).  
 Anadara ovalis (Bruguière, 1789).  
 Anadara ovalis (Bruguière, 1789).  
 Trisidos semitorta (Lamarck, 1819).  
 Trisidos semitorta (Lamarck, 1819).  
 Trisidos semitorta (Lamarck, 1819).  
 Trisidos semitorta (Lamarck, 1819).  
 Arca senilis (L., 1758).  
 Anadara similis (Adams, 1852).  
 Trisidos tortuosa (L., 1758).  
 Anadara transversa (Say, 1822). Stormy weather, live.  
 Barbatia trapezina (Lamarck, 1819).  
 Arca ventricosa Lamarck, 1819.

## Arcticidae

Arctica islandica (L., 1767).  
 Arctica islandica (L., 1767). Trawled, 75-80 m, silty sand.

## Argonautidae

Taiwan. East China Sea. Fished.  
 Indonesia.  
 Japan, Shikoku (island), Kochi Prefecture, Tosa Bay. Fished.  
 French Polynesia, Society Islands, Tahiti, 20 km east of Papeete.  
 Philippines.

Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.  
 Thailand, Phuket (island). Under corals in shallow water.  
 Thailand, Phuket (island), Raya Island. 25-30 metres deep.  
 Philippines, Bohol (province), close to Panglao Island, Balicasag Island.  
 West Samoa Island, Upolu (island), Apia, Malinuu Peninsula, east coast.  
 Madagascar Island. East Africa. Indian Ocean.  
 Tunisia, Djerba Island, Ajim.  
 Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.  
 Taiwan, south-west. South China Sea.  
 Thailand, Krabi Province, Koh Lanta Yai (island), Koa Kwang Beach.  
 Oman, Muscat. Middle East. Arabian Sea.  
 Australia, Queensland, between Townsville and Pallarenda.  
 Thailand, Changwat Phuket (province), Phuket (island).  
 Venezuela, Isla Margarita, Nueva Esparta, Robledal, Macanao.  
 Venezuela, Isla Margarita, Piedros strand, Negros.  
 Thailand. Southeast Asia.  
 Japan.  
 Philippines, Central Visayas (region), Bohol (island).  
 Thailand, Changwat Phuket (province), Phuket (island).  
 The Gambia, Banjul. Atlantic Ocean.  
 Panama, Gulf of Panamá, San Carlos, Pacific, live.  
 Indonesia, East Java (province). South coast.  
 Florida, near Blind Pass Jetty, Captiva Island, Turner Beach. Ebb, beach.  
 Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.  
 Indonesia, Greater Sunda Islands, East Java (province), Madura Island.

North Sea, Klaverbank.  
 North Sea, Outer Silver Pit (station 18-19). 54°06'20"N, 2°16' -2°13'50E.

## Price Range

€ 2,50 t/m € 4,50  
 € 2,00 t/m € 3,00  
 € 2,00 t/m € 3,50  
 € 1,50  
 € 0,80  
 € 0,50 t/m € 1,50  
 € 2,50  
 € 0,80 t/m € 1,30  
 € 0,75  
 € 2,00  
 € 0,50  
 € 1,00  
 € 0,25 t/m € 1,30  
 € 0,80  
 € 1,00  
 € 0,50  
 € 1,00 t/m € 3,50  
 € 1,00 t/m € 2,00  
 € 0,75  
 € 0,50  
 € 5,00  
 € 9,00  
 € 10,00  
 € 1,00 t/m € 2,50  
 € 1,00  
 € 1,30  
 € 3,00  
 € 1,00  
 € 1,00 t/m € 1,50  
 € 0,50 t/m € 2,50  
 € 2,30 t/m € 5,00  
 € 1,00 t/m € 2,50

Argonauta hians Lightfoot, 1786.  
 Argonauta hians Lightfoot, 1786.  
 Argonauta nodosa Lightfoot, 1786. by local shrimpers.

## Assimineidae

Assimineea spec. .

## Astartidae

Astarte sulcata (da Costa, 1778).

## Babyloniidae

Babylonia areolata f. areolata (Link, 1807).

Babylonia areolata f. areolata (Link, 1807).

Babylonia areolata f. areolata (Link, 1807).

Babylonia borneensis (Sowerby II, 1864).

Babylonia borneensis (Sowerby II, 1864).

Babylonia formosae formosae (Sowerby II, 1866).

Babylonia formosae formosae (Sowerby II, 1866).

Babylonia japonica (Reeve, 1842).

Babylonia japonica (Reeve, 1842).

Babylonia spirata f. spirata (L., 1758).

Babylonia spirata f. spirata (L., 1758).

Babylonia spirata f. spirata (L., 1758).

Babylonia spirata f. spirata (L., 1758).

Babylonia spirata f. spirata (L., 1758).

Babylonia spirata f. spirata (L., 1758).

Babylonia spirata f. spirata (L., 1758).

Babylonia spirata f. spirata (L., 1758).

Babylonia spirata f. spirata (L., 1758).

Babylonia zeylanica (Bruguière, 1789).

Babylonia zeylanica (Bruguière, 1789).

Babylonia zeylanica (Bruguière, 1789).

## Buccinidae

Nassaria acuminata (Reeve, 1844).

Nassaria acuminata (Reeve, 1844).

Japelion adelphicus (Dall, 1907).

Japelion adelphicus (Dall, 1907).

Warm oceans worldwide.

Indonesia, Bali (province), Bali (island).

Brasil, Sao Paulo State, off Santos. Trawled by nets at 6-70 m, collected

Philippines.

Scotland, British Isles.

Taiwan. East China Sea.

Vietnam, South Central Coast (region), Da Nang (Đà Nẵng).

Taiwan, northern region. East China Sea. Fished, 20 fathoms deep.

Indonesia, N.W. Sumatra, Sibolga. Indian Ocean

Malaysia, Borneo, Sarawak, Bako National Park, Headquarters Beach. Ebb.

Taiwan. East China Sea. Fished.

Taiwan. East China Sea.

Japan, Tōhoku (region), Yamagata Prefecture, Toya-saki (island).

Japan.

India, Tamil Nadu (state), Cuddalore. Bay of Bengal.

Thailand, Changwat Phuket (province), Phuket (island).

Indonesia, Java (island), North Jakarta city, Jakarta Bay.

Thailand, Changwat Phuket (province), Phuket (island).

Indonesia, East Java (province). From local fishermen.

India, Bay of Bannar, Kilakarai. Collected below low tide level.

India, Tamil Nadu (state), Cuddalore. Bay of Bengal. Trawled.

Sri Lanka, Chamianpatta.

Thailand, Ranong Province, Ranong (city). Deep water, >70 m deep.

€ 2,80

India, Tamil Nadu (state), Cuddalore. Bay of Bengal.

€ 6,00

India.

€ 5,50

Gulf of Thailand, Ban Hua Hin.

€ 0,80

India, Tamil Nadu (state), Ramanathapuram district, Kilakarai.

€ 2,50

China, Zhejiang province, Dong Tou. East China Sea. Trawl, 80-120 metres.

€ 5,00

Japan, Honshu (island), Kansai (region), Kyoto. Fished at 70 fathoms deep.

## Price Range

€ 6,50

€ 2,00 t/m € 3,00

€ 40,00

€ 2,00

€ 1,50

€ 4,50

€ 9,50

€ 4,50

€ 11,00

€ 1,00 t/m € 3,00

€ 2,00

€ 4,00

€ 3,00

€ 1,50 t/m € 2,00

€ 1,25 t/m € 1,75

€ 1,00 t/m € 2,00

€ 2,50

€ 1,00 t/m € 3,00

€ 3,50

€ 2,00

€ 3,00 t/m € 4,00

€ 2,50

€ 2,00

€ 2,80

€ 6,00

€ 5,50

€ 0,80

€ 2,50

€ 5,00

€ 8,00

		<b>Price Range</b>
Kanamarua adonis (Dall, 1919).	Japan, Sea of Enshu-nada.	€ 4,00
Kanamarua adonis (Dall, 1919).	Japan, Honshu (island), Aichi Prefecture, Mikawa. 50-80 fathoms deep.	€ 2,50
Cominella adpersa (Bruguière, 1789).	New Zealand.	€ 1,30 t/m € 1,85
Cominella adpersa (Bruguière, 1789).	New Zealand, North Island, North Shore City, Takapuna, Milford Beach.	€ 2,50
Nassaria amboynensis Watson, 1881.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 0,50 t/m € 1,00
Neptunea amianta (Dall, 1890).	Canada, Juan de Fuca Canyon, W. of Sea Lion Rock, at 500 fms.	€ 6,50
Neptunea amianta (Dall, 1890).	Alaska, off Prince of Wales Island, Noyes Island, Steamboot Bay. 150' deep	€ 10,00 t/m € 25,00
Metula amosi Vanatta, 1913.	Panama, Bay of Chiriqui, dredged in 80 m.	€ 6,00
Volutharpa ampullacea perryi (Jay, 1855).	Japan, Hokkaido.	€ 6,00 t/m € 12,50
Neptunea antiqua (L., 1758).	UK, Scotland, Shetland Islands, off Fitful Head. ±90 metres deep.	€ 7,00 t/m € 10,00
Neptunea antiqua (L., 1758).	UK, Scotland. Fished off coast. Northern North Sea.	€ 0,50 t/m € 3,50
Neptunea antiqua (L., 1758).	Off Norway. North Sea. 58°30'N, 04°00' E. 112 metre deep.	€ 6,00
Pisania auritula (Link, 1807).	St. Maarten, Caribbean Sea.	€ 1,50
Neptunea bulbacea (Bernardi, 1858).	Japan, Hokkaido, Cape Erimo. 20-30 metres deep in fishnets.	€ 10,00
Cantharus cancellarius (Conrad, 1846).	USA, Florida, Seahorse Key.	€ 1,80
Siphonalia cassidariaeformis f. funerea Pilsbry, 1895.	Japan, Honshu (island), Wakayama Prefecture, Inami-Cho.	€ 3,00
Siphonalia cassidariaeformis (Reeve, 1843).	Japan, Honshu (island), Wakayama Prefecture, Inami-Cho. 10-30 fathoms.	€ 3,00
Siphonalia cassidariaeformis (Reeve, 1843).	Japan, Honshu (island), Chubu region, Aichi Prefecture, Mikawa.	€ 2,50
Siphonofusus chrysodomoides (Schepman, 1911).	Australia, Western Australia, off Rottneest Island. Trawled.	€ 9,00
Burnupena cincta (Röding, 1798).	South Africa, Transkei, Mazeppa Bay.	€ 2,00
Burnupena cincta (Röding, 1798).	South Africa, Western Cape, Olifantsbos point. Sand beach, by reefs & kelp	€ 2,50
Burnupena cincta (Röding, 1798).	South Africa.	€ 1,50
Neptunea contraria (L., 1771).	Belgium, Antwerp, 5 Haven Dok.	€ 3,00 t/m € 4,00
Neptunea contraria (L., 1771).	Spain, Galicia, La Coruña. Fished.	€ 3,50
Buccinulum corneum (L., 1758).	Italy, Apulia, Gallipoli. 2 metres deep, on rocks.	€ 6,00
Buccinulum corneum (L., 1758).	Spain, Balearic Islands, Ibiza (island).	€ 2,50
Buccinulum corneum (L., 1758).	Greece, Island of Kyra, Panagia. Aegean Sea. Dived live, 8 metres deep.	€ 8,00
Phos crassus Hinds, 1843. From fishermen.	N. Peru, Tumbes department, off Puerto Pizarro. Trawled, 10-20 metres.	€ 4,00
Metula cumingii Adams, 1853. Low tide. Alive.	Senegal, Cap-Vert, N'Gor Island, Pointe des Almadies. Fishing harbour.	€ 1,00 t/m € 2,50
Neptunea decemcostata (Say, 1826).	Canada, off Halifax.	€ 4,00
Cantharus dorbignyi (Payraudeau, 1826).	Malta.	€ 0,80
Cantharus dorbignyi (Payraudeau, 1826).	Italy, Sardegna, off Calasetta. 6 metres deep, at low tide.	€ 1,50
Pisania fasciculata (Reeve, 1846).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 2,50
Pisania ferrea (Reeve).	Japan, Honshu (island), Wakayama Prefecture, Nada. Low tide.	€ 2,00
Cantharus fumosus (Dillwyn, 1817).	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 0,50 t/m € 1,00

		<b>Price Range</b>
Cantharus fumosus (Dillwyn, 1817).	American Samoa, Pago Pago Bay, Pacific, under dead coral.	€ 0,80
Cantharus fumosus (Dillwyn, 1817).	Mozambique, Nampula Province, Nacala Bay area. Shallow water.	€ 1,30
Nassaria fusiformis Sowerby, 1859.	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,30
Siphonalia fusoides (Reeve, 1846).	Japan.	€ 4,00
Siphonalia fusoides (Reeve, 1846).	Japan, Shikoku (island), Kochi Prefecture, Tosa Bay.	€ 4,50
Buccinum glaciale L., 1761.	Japan, Hokkaido, Monbetsu. At 90 m. deep.	€ 6,00
Cominella glandiformis (Reeve, 1847).	New Zealand, North Island, North Shore City, Takapuna, Milford Beach.	€ 1,00
Cominella glandiformis (Reeve, 1847).	New Zealand, N.I., Bay of Islands, off Paitria, ebb, 30 metres deep.	€ 1,80
Colus gracilis (da Costa, 1778).	North Sea, Scate Hole, Well Bank. 22-24 fathoms.	€ 2,30 t/m € 2,30
Colus gracilis (da Costa, 1778).	England. West coast.	€ 4,00
Colus gracilis (da Costa, 1778).	France, Bretgne, Roscoff, live on bottom harbour.	€ 3,00
Colus gracilis (da Costa, 1778). Trawled by IJM 44.	North Sea, Between SW Spit and Boldersbank. 54°10' N 1°40 E.	€ 3,50
Colus gracilis (da Costa, 1778).	North Sea, Klaverbank. From fisherman.	€ 2,50
Colus gracilis (da Costa, 1778).		€ 0,50 t/m € 1,00
Colus hallii (Dall, 1873).	Bering Sea. From Japanese fisherman. Deep water.	€ 8,00
Buccinum humphreysianum Bennett, 1824.	France, Languedoc-Roussillon, Hérault, 40 km east of Sète. 50 metres deep.	€ 2,00
Pisania ignea (Gmelin, 1791).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,80 t/m € 4,00
Engina incarnata (Deshayes & Linart, 1834).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,50
Prodotia iostoma (Gray, 1834).	Thailand, Phuket (island), Raya Island. 25-30 metres deep.	€ 1,50
Prodotia iostoma (Gray, 1834).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,00
Prodotia iostoma (Gray, 1834).	Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.	€ 1,30
Neptunea kuroshio Oyama, 1958.	Japan, Honshu (island), Chubu region, Aichi Prefecture, Mikawa.	€ 7,50
Neptunea kuroshio Oyama, 1958.	Japan, Shikoku (isl.), Kochi Prefecture, Tosa Bay. Fished at 70 fathoms.	€ 3,00 t/m € 6,00
Neptunea kuroshio Oyama, 1958.	Japan, Honshu (island), Chubu region, Aichi Prefecture, Mikawa.	€ 7,50 t/m € 12,50
Engina lanceolata (Kuroda & Habe, 1971).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,80
Buccinum leucostoma Lischke, 1872.	Japan, Honshu (island), Aichi Prefecture, Mikawa. 30 fathoms.	€ 4,00
Buccinum leucostoma Lischke, 1872.	Japan, Shikoku (island), Kochi Prefecture, Tosa Bay. Fished.	€ 4,00
Buccinum leucostoma Lischke, 1872.	Japan, Honshu (island), Aichi Prefecture, Mikawa. Fished, 50 fathoms.	€ 11,00
Neptunea lyrata (Gmelin, 1791). W/O.	USA, S.E Alaska, Mitkof Island, Petersburg Harbour. At a 4.0 foot tide.	€ 9,00 t/m € 12,00
Penion maximus (Tryon, 1881).	Australia, New South Wales, Eden. Fished.	€ 8,00
Cantharus melanostomus (Sowerby I, 1825).	India.	€ 2,80
Engina mendicaria (L., 1758).	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 0,50
Engina mendicaria (L., 1758).	Tanzania, Zanzibar, Bawé Island. East Africa. Indian Ocean	€ 1,00
Engina mendicaria (L., 1758).	Philippines.	€ 0,80 t/m € 1,00
Engina mendicaria (L., 1758).	Egypt, Safaga. Red Sea.	€ 0,50

		<b>Price Range</b>
Engina mendicaria (L., 1758).	Ethiopia, Dissei Island. East Africa. Indian Ocean.	€ 0,50
Cominella nassoides nassoides (Reeve, 1846).	New Zealand.	€ 3,00
Phos naucratoros (Watson, 1882).	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 1,00
Northia northiae (Griffith & Pidgeon, 1834).	Gulf of California.	€ 4,00
Northia northiae (Griffith & Pidgeon, 1834).	Panama.	€ 3,00 t/m € 4,00
Buccinum opisoplectum Dall, 1907.	Japan, Tayama Bay. Fished.	€ 7,50
Cantharus pallidus (Broderip & Sowerby, 1829).	Mexico, Baja California (state), San Felipe, Laguna de Percebu. Beach.	€ 1,00
Zemiropsis papillaris (Sowerby I, 1825).	South Africa, Cape Province, Jeffreys Bay. Dived, 25 metres deep.	€ 10,00
Burnupena papyracea (Bruguère, 1789).	South Africa, Western Cape, Simonstown. False Bay. Scuba, kelp, ±6 m.	€ 2,50
Siphonalia pfefferi Sowerby, 1900.	Japan, Honshu (island), Chubu region, Aichi Prefecture, Mikawa.	€ 5,00
Plicifusus plicatus (A. Adams, 1864).	Japan, Hokkaido, Cape Erimo. 30-40 metres deep, by nets.	€ 5,00
Neptunea pribiloffensis (Dall, 1919).	USA, Washington, W.S.W off Juan de Fuca Canyon. 48°23'N, 135 W. 250 faths.	€ 25,00
Afer pseudofusinus Fraussen & Hadorn, 2000.	Senegal, Cap-Vert, N'Gor Island, Pointe des Almadies. Fishing harbour.	€ 5,00
Cantharus pulcher (Reeve, 1846).	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 0,50
Nassaria pusilla (Röding, 1798).	Malaysia, Terengganu, Aryani Resort.	€ 0,50
Nassaria pusilla (Röding, 1798).	Gulf of Thailand, Ban Hua Hin.	€ 0,80
Nassaria pusilla (Röding, 1798).	Indonesia, Greater Sundra Islands, East Java (province), Madura Island.	€ 1,00
Pisania pusio (L., 1758).	USA, Lower Florida Keys, Lone Key Reef. 3-5 feet deep in coral rubble.	€ 2,50
Pisania pusio (L., 1758).	Bonaire, Lesser Antilles Islands.	€ 0,80
Pisania pusio (L., 1758).	Venezuela, Margarita Island.	€ 1,00
Colus pygmaeus (Gould, 1841).	Canada, Nova Scotia, near Digby Co., St. Mary's Bay, 40-45 fathoms, trawl.	€ 3,80
Nassaria recurva Sowerby, 1859.	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 2,00
Cantharus ringens (Reeve, 1846).	Panama, Cebaco Island. Pacific Ocean.	€ 1,00
Phos roseatus (Hinds, 1844).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,00
Buccinum sakhalinense Dall, 1907.	Japan, east of Hokkaido at a depth of 200 m.	€ 6,00
Buccinum sakhalinense Dall, 1907.	Japan, Hokkaido, Cape Erimo. 100 fathoms.	€ 9,00
Cantharus scacchianus (Philippi, 1844).	Tunisia. Gulf of Tunis, Mediterranean Sea.	€ 0,20
Phos senticosus (L., 1758).	Taiwan. East China Sea.	€ 2,50
Phos senticosus (L., 1758).	Philippines, Luzon (island), Manila Bay.	€ 1,00 t/m € 1,50
Phos senticosus (L., 1758).	Malaysia, Terengganu, Aryani Resort.	€ 0,50
Phos senticosus (L., 1758).	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 0,50 t/m € 2,00
Nassaria spec. .	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,00
Phos spec. .	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 1,00
Cantharus spiralis (Gray, 1839).	India.	€ 1,30
Colus stimpsoni (Mörch, 1867).	Canada, Nova Scotia. Fished.	€ 4,00

		<b>Price Range</b>
Pisania striata (Gmelin, 1791).	Tunisia. Gulf of Tunis, Mediterranean Sea.	€ 0,50
Pisania striata (Gmelin, 1791).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 2,00
Pisania striata (Gmelin, 1791).	Tunisia, Zarzis.	€ 0,50
Pisania striata (Gmelin, 1791).	Spain, Cabo Ras.	€ 0,50
Pisania striata (Gmelin, 1791).	Malta, Ghallis Rocks. Intertidal on rocks.	€ 0,50
Pisania striata (Gmelin, 1791).	Greece, Marathón beach. 1-1½ metres deep.	€ 0,50
Phos textum (Gmelin, 1791).	Thailand, Phuket (island), Raya Island. 25-30 metres deep.	€ 0,80
Pisania tinctoria (Conrad, 1846).	Bonaire, Lesser Antilles Islands.	€ 2,00
Cantharus tranquebaricus (Gmelin, 1791).	Southern Asia.	€ 1,30 t/m € 1,80
Cantharus tranquebaricus (Gmelin, 1791).	India, Maharashtra (state), Bombay. Dived.	€ 2,00
Cantharus tranquebaricus (Gmelin, 1791).	Thailand, Changwat Phuket (province), Phuket (island).	€ 1,50
Pisania tritonoides (Reeve, 1846).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,50 t/m € 2,50
Siphonalia trochulus (Reeve, 1843).	Japan.	€ 5,00
Siphonalia trochulus (Reeve, 1843).	Japan, Honshu (island), Chubu region, Aichi Prefecture, Astumi Bay.	€ 4,00
Buccinum tsubai Kuroda, 1933.	Japan, Toyama Pref., Toyama Bay. 300 metres deep.	€ 12,00
Buccinum undatum L., 1758.	UK, Scotland, Shetland Islands area. Most northern North Sea.	€ 1,00 t/m € 3,80
Buccinum undatum L., 1758.	UK, Scotland, Airowsaig.	€ 1,00
Buccinum undatum L., 1758.	France, Brittany. Gulf of Morbihan.	€ 1,00 t/m € 1,50
Buccinum undatum L., 1758. Juvenile.	The Netherlands, Maasvlakte, Slufterdam. From eggs.	€ 1,00
Buccinum undatum L., 1758.	English Channel.	€ 1,00 t/m € 3,50
Buccinum undatum L., 1758.	North Sea, Terschellinger Bank.	€ 1,00 t/m € 4,50
Cantharus undosus (L., 1758).	Philippines, Central Visayas (region), Cebu (island).	€ 1,00 t/m € 2,80
Cantharus undosus (L., 1758).	Taiwan, south-west, in direction of Japan.	€ 0,80
Cantharus undosus (L., 1758).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 0,25 t/m € 0,50
Pseudoneptunea varicosa (Röding, 1798).	Indonesia, Greater Sunda Islands, East Java (province), Madura Island.	€ 1,50 t/m € 2,50
Buccinulum vittatum vittatum f. heteromorphum Powell, 1929. Multiple lines.	New Zealand, North Island, Bay of Plenty, Maketu. 16 mm	€ 9,00
Cantharus viverratus Kiener, 1834.	Senegal. West Africa. Atlantic Ocean.	€ 3,00
Cantharus wagneri (Anton, 1839).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 0,75 t/m € 1,50
Cantharus wagneri (Anton, 1839).	Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.	€ 2,50 t/m € 1,30
Nassaria wanneri visayensis Fraussen & Poppe, 2007.	Philippines, Central Visayas (region), Bohol (island).	€ 2,25
Engina zonalis (Lamarck, 1822).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,00
Engina zonalis (Lamarck, 1822).	Thailand, Phuket (island), Raya Island. 25-30 metres deep.	€ 1,30
<b>Bullidae</b>		
Bulla ampulla L., 1758.	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 0,50



Bulla ampulla L., 1758.  
 Bulla ampulla L., 1758.  
 Bulla striata Bruguière, 1792.  
 Bulla striata Bruguière, 1792.  
 Bulla striata Bruguière, 1792.  
 Bulla striata Bruguière, 1792.  
 Bulla striata Bruguière, 1792.  
 Bulla vernicosa Gould, 1859.

## Bursidae

Bursa awatii Ray, 1949.  
 Tutufa boholica Beu, 1987.  
 Tutufa boholica Beu, 1987.  
 Tutufa bubo (L., 1758).  
 Tutufa bufo (Röding, 1798). Juvenile.  
 Bufonaria bufo (Bruguière, 1792).  
 Tutufa bufo (Röding, 1798).  
 Bursa bufonia (Gmelin, 1791).  
 Bursa bufonia (Gmelin, 1791).  
 Bursa bufonia (Gmelin, 1791).  
 Bursa bufonia (Gmelin, 1791).  
 Bursa bufonia (Gmelin, 1791).  
 Bursa cruentata (Sowerby, 1835).  
 Bufonaria crumena (Lamarck, 1816).  
 Bufonaria crumena (Lamarck, 1816).  
 Bufonaria crumena (Lamarck, 1816).  
 Bufonaria crumena (Lamarck, 1816).  
 Bufonaria echinata (Link, 1807).  
 Bufonaria gnorima (Melvill, 1918).  
 Bufonaria gnorima (Melvill, 1918).  
 Bursa granularis cubaniana (Orbigny, 1842).  
 Bursa granularis cubaniana (Orbigny, 1842).  
 Bursa granularis cubaniana (Orbigny, 1842).  
 Bursa granularis granularis (Röding, 1798).  
 Bursa granularis granularis (Röding, 1798).  
 Bursa granularis granularis (Röding, 1798).

Tanzania, Zanzibar, Nungwi (village). East Africa.  
 India.  
 Portugal, O. Algarve (region), 2 km W. of Fabrica, ebb, lagoon region.  
 USA, Florida, Gulf of Mexico, Fort Myers Beach.  
 The Grenadines Islands, Windward Islands, Caribbean.  
 Tunisia, Skanis, near Monastia.  
 Spain, 3 km south of Alicante.  
 Philippines, Bohol (province), close to Panglao Island, Balicasag Island.

Philippines, Bohol (province), close to Panglao Island, Balicasag Island.  
 Philippines, Bohol (province), close to Panglao Island, Balicasag Island.  
 Philippines.  
 Madagascar, Anosy Region, Tôlanaro (Fort Dauphin).  
 Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.  
 French Guiana, Salvation Islands (The Îles du Salut). Atlantic Ocean.  
 Indo-Pacific.  
 Indonesia, Greater Sundra Islands, East Java (province), Madura Island.  
 Japan, Kagoshima (prefectuur). Fished.  
 Taiwan, south-west. South China Sea.  
 Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.  
 Taiwan. East China Sea.  
 Indonesia, Atjeh, Pulau Weh, Kampong Iboih. Alive under dead coral.  
 South Africa, live off Durban area. Trawled at 250 metres.  
 Taiwan, south-west. South China Sea.  
 India.

India, Tamil Nadu (state), Cuddalore. Bay of Bengal. Dived.  
 Philippines.  
 Philippines.  
 USA, Florida, Hollywood. 55 feet deep, under rocks.  
 USA, Florida, Pickles Reef.  
 USA, Florida, Pompano Beach. Dived, 3 metres deep.  
 Philippines, Bohol (province), close to Panglao Island, Balicasag Island.  
 Taiwan, south-west. South China Sea.  
 Philippines, Bohol (province), close to Panglao Island, Balicasag Island.

## Price Range

€ 0,80 t/m € 1,30  
 € 0,70 t/m € 0,80  
 € 1,30  
 € 0,40  
 € 1,00 t/m € 1,30  
 € 0,50  
 € 1,00  
 € 0,50  
 € 2,00 t/m € 3,00  
 € 2,00 t/m € 7,50  
 € 14,50  
 € 9,50  
 € 0,50  
 € 1,50 t/m € 6,00  
 € 4,50  
 € 3,50  
 € 2,80  
 € 1,30 t/m € 2,00  
 € 1,30 t/m € 2,00  
 € 3,00  
 € 1,00 t/m € 3,00  
 € 6,00  
 € 1,30 t/m € 1,50  
 € 2,30  
 € 2,00  
 € 3,50  
 € 3,75  
 € 1,80  
 € 1,50  
 € 2,50  
 € 3,80  
 € 0,80  
 € 1,00  
 € 0,50

		<b>Price Range</b>
Bursa granularis granularis (Röding, 1798).	Thailand, Phuket (island), Raya Island. 25-30 metres deep.	€ 0,80 t/m € 1,80
Bursa granularis granularis (Röding, 1798).	Tanzania, Zanzibar, Mchanga Mle. East Africa. Indian Ocean.	€ 1,00
Bursa granularis (Röding, 1798).	Egypt, Safaga. Red Sea.	€ 1,00 t/m € 3,50
Bufonaria ignobilis Beu, 1987.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 1,00 t/m € 7,50
Bursa lamarckii (Deshayes, 1853).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,00 t/m € 8,50
Bursa lamarckii (Deshayes, 1853).	Philippines, Bohol (province), Calituban Island. Dived, 15-20 m deep. 25 mm - 34 mm	€ 3,00 t/m € 4,00
Bursa lamarckii (Deshayes, 1853).	Philippines, Central Visayas (region), Cebu (island).	€ 8,00
Bursa latitudo wolfei Beu, 1981.	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 3,50 t/m € 5,00
Bursa leo Shikama, 1964.	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 2,50 t/m € 5,00
Bursa leo Shikama, 1964.	Philippines.	€ 3,00 t/m € 5,00
Bursa leo Shikama, 1964.	Philippines, Mindanao (island).	€ 2,00 t/m € 3,50
Bufonaria margaritula (Deshayes, 1832).	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 4,50
Bufonaria margaritula (Deshayes, 1832).	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 2,00 t/m € 3,50
Bufonaria margaritula (Deshayes, 1832).	Thailand, Phuket (island), Raya Island. 25-30 metres deep.	€ 1,80 t/m € 2,30
Aspa marginata (Gmelin, 1791).	Morocco, south of Agadir. Live, fished.	€ 2,00
Bursa muehlhaeusseri Parth, 1990.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 3,00 t/m € 4,50
Bufonaria nobilis (Reeve, 1844).		€ 8,00
Tutufa oyamai Habe, 1973.	Vietnam.	€ 5,00
Tutufa oyamai Habe, 1973.	Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.	€ 1,80 t/m € 4,80
Tutufa oyamai Habe, 1973.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 2,00 t/m € 2,50
Tutufa oyamai Habe, 1973.	Japan.	€ 6,50
Bufonaria perelegans Beu, 1987.	Philippines.	€ 5,00 t/m € 7,50
Bursa quirihorai Beu, 1987.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 4,50 t/m € 7,50
Bufonaria rana (L., 1758).	Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.	€ 1,00
Bufonaria rana (L., 1758).	Japan, Honshu (island), Chubu region, Aichi Prefecture, Mikawa.	€ 2,50
Bufonaria rana (L., 1758).	Thailand, Changwat Phuket (province), Phuket (island).	€ 1,00
Bufonaria rana (L., 1758).	Taiwan, south-west. South China Sea.	€ 1,00 t/m € 2,00
Bufonaria rana (L., 1758).	India, Tamil Nadu (state), Rameswaram. Gulf of Mannar. By diver.	€ 2,50
Bursa rhodostoma rhodostoma (Beck, 1835).	Thailand, Phuket (island), Raya Island. 25-30 metres deep.	€ 1,00
Bursa rhodostoma thomae (Orbigny, 1842).	Cuba, María la Gorda, at a depth of 4 metres. Alive, under stones.	€ 2,00 t/m € 2,50
Bursa rhodostoma thomae (Orbigny, 1842).	USA, Florida, 2 miles NE Boca Raton Inlet. Scuba, 10 fms, on reef.	€ 6,50
Bursa rhodostoma thomae (Orbigny, 1842). W/O.	USA, Florida, Boca Raton. Dived. 22 mm - 27 mm	€ 5,00
Tutufa rubeta (L., 1758).	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 1,00 t/m € 4,00
Tutufa rubeta (L., 1758).	Thailand. Southeast Asia.	€ 2,00
Tutufa rubeta (L., 1758).	Malaysia, Sabah (state), Borneo, Semporna. Live under dead coral on reef.	€ 3,00

Tutufa rubeta (L., 1758).  
 Tutufa rubeta (L., 1758).  
 Tutufa rubeta (L., 1758).  
 Tutufa rubeta (L., 1758).  
 Bufonaria subgranosa (Sowerby, 1836).  
 Bursa tuberosissima (Reeve, 1844).  
 Bursa tuberosissima (Reeve, 1844).

## Cancellariidae

Cancellaria cancellata (L., 1767).  
 Cancellaria cancellata (L., 1767).  
 Cancellaria cancellata (L., 1767).  
 Merica ektyphos Petit & Harasewych, 2000.  
 Merica elegans (Sowerby, 1822).  
 Cancellaria laticosta (Löbbecke).  
 Cancellaria mercadoi Old, 1968.  
 Trigonostoma pellucida (Perry, 1811).  
 Cancellaria reticulata (L., 1767).  
 Trigonostoma scalariformis (Lamarck, 1822).  
 Trigonostoma scalariformis (Lamarck, 1822).  
 Trigonostoma scalariformis (Lamarck, 1822).  
 Trigonostoma scalariformis (Lamarck, 1822).  
 Trigonostoma thysthlon Petit & Harasewych, 1987.  
 Pisanella viva (Habe & Okutani, 1981).

## Capulidae

Capulus ungaricus (L., 1758).  
 Capulus ungaricus (L., 1758).  
 Capulus ungaricus (L., 1758).

## Cardiidae

Acanthocardia aculeata (L., 1758).  
 Acanthocardia aculeata (L., 1758).  
 Vasticardium angulatum (Lamarck, 1819).  
 Vasticardium angulatum (Lamarck, 1819).  
 Papyridea aspersa (Sowerby, 1833).  
 Papyridea aspersa (Sowerby, 1833).  
 Vasticardium assimile (Reeve, 1844).

Indonesia, West Papua (province), Raja Ampat islands, Kepulauan Sembilan.  
 Philippines.  
 Thailand, Changwat Phuket (province), Phuket (island).  
 Philippines, Visayas (region), Samar (island).  
 Philippines.  
 Philippines, Bohol (province), close to Panglao Island, Balicasag Island.  
 South China Sea.

Mediterranean Sea.  
 Spain, San Carlos de la Rápita.  
 Spain, Andalusia (region), Málaga. Mediterranean Sea.  
 Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.  
 Indonesia, Nusa Tenggara Timur.  
 Japan, Honshu, Kii Province, Kii Peninsula. Trawled, 10 fathoms deep.  
 Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.  
 Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.  
 USA, Florida, 210° S.W. Sanibel, 125 feet deep, dredged by shrimp trawler.  
 Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.  
 Malaysia, Terengganu, Aryani Resort.  
 Thailand, Changwat Phuket (province), Phuket (island).  
 Indonesia, Greater Sundra Islands, East Java (province), Madura Island.  
 Philippines, Balicasag. Dredged.  
 Philippines, Bohol (province), close to Panglao Island, Balicasag Island.

Spain, Province of Málaga, Fuengirola. Trawled by a local fisherman.  
 Italy, Chioggia. Fished.  
 France, Port-Vendres.

France, Finistère (department), Douarmenez Bay, Morgat.  
 Italy. Gulf of Napels.  
 Philippines.  
 Philippines, Bohol (province), close to Panglao Island, Balicasag Island.  
 Mexico, Baja California, Manuela Lagoon.  
 Mexico, Baja California Sur (state), Bahía Concepción. Gulf of California.  
 Tanzania, Zanzibar, South of Stone Town, on waste heap.

## Price Range

€ 2,50  
 € 2,50  
 € 1,00 t/m € 3,00  
 € 3,50  
 € 6,00  
 € 5,00 t/m € 8,50  
 € 4,50 t/m € 5,50

€ 0,50 t/m € 1,00  
 € 0,50 t/m € 2,30  
 € 3,80  
 € 1,50 t/m € 2,50  
 € 3,00  
 € 3,00 t/m € 5,00  
 € 2,50  
 € 5,00  
 € 1,80 t/m € 2,30  
 € 3,00 t/m € 5,00  
 € 0,50  
 € 0,50  
 € 0,50  
 € 2,00  
 € 1,50 t/m € 4,00

€ 1,50 t/m € 4,50  
 € 3,00  
 € 1,50 t/m € 3,50

€ 2,50  
 € 2,30 t/m € 3,00  
 € 3,00 t/m € 3,50  
 € 1,00 t/m € 3,00  
 € 3,00  
 € 1,30  
 € 1,50

		<b>Price Range</b>
Laevicardium attenuatum (Sowerby, 1841).	India, Tamil Nadu (state), Tuticorin. Trawled.	€ 4,00
Laevicardium attenuatum (Sowerby, 1841).	India.	€ 5,00
Fulvia australe (Sowerby, 1841).	Philippines, Central Visayas (region), Bohol (province), Panglao Island.	€ 1,50
Fulvia australe (Sowerby, 1841).	Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.	€ 1,50
Nemocardium bechei (Reeve, 1847).	Philippines, Central Visayas (region), Bohol (island).	€ 10,00
Laevicardium biradiatum (Bruguère, 1789).	Philippines, Sulu (province), Siasi. Sulu Sea. From fisherman. 35 mm	€ 6,00
Fulvia boholensis Vidal, 1994.	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 3,00
Acrosterigma burchardi (Dunker, 1877).	Japan.	€ 9,50
Corculum cardissa (L., 1758).	Philippines, Palawan (province), Palawan (island).	€ 1,00 t/m € 3,50
Cardium costatum L., 1758.	Senegal, off Dakar, trawled by fishermen, nets.	€ 19,00
Cardium costatum L., 1758.	Senegal, Joal-Fadiouth at 30 metres deep.	€ 20,00
Cardium costatum L., 1758.	The Gambia, Western Division, Solifor Point. Low tide, on beach.	€ 21,00
Laevicardium crassum (Gmelin, 1791).	North Sea, Klaverbank.	€ 0,80 t/m € 1,30
Laevicardium crassum (Gmelin, 1791).	The Netherlands, Texel. 5 miles from the coast on stones, 12 fathoms deep.	€ 0,50
Laevicardium crassum (Gmelin, 1791).	Senegal, Cap-Vert, N'Gor Island, Pointe des Almadies. Fishing harbour.	€ 1,00
Acrosterigma cygnora (Deshayes, 1855).	Australia, South Australia. Port Adelaide. Beach.	€ 2,00
Vasticardium dupuchense (Reeve, 1845).	Australia, Western Australia, Exmouth. Snorkel, ebb, in shallow water.	€ 1,50 t/m € 2,00
Acanthocardia echinata (L., 1758).	Spain, Fuengirola. Fished.	€ 1,20
Acanthocardia echinata (L., 1758).	North Sea, Black Sand.	€ 1,30 t/m € 2,00
Acanthocardia echinata (L., 1758).	North Sea, Klaverbank.	€ 0,50
Acanthocardia echinata (L., 1758).	Italy, Lazio (region), Anzio.	€ 1,30
Cerastoderma edule (L., 1758).	Spain, Province of Málaga, Estepona.	€ 0,40
Cerastoderma edule (L., 1758).	Scotland, Loch Broom.	€ 1,20
Cerastoderma edule (L., 1758).	France, Aude, Etang de Leucate ou de Salses, Port Leucate. ½-1 metres.	€ 0,25
Cerastoderma edule (L., 1758).	France, Brittany, Les Rosaires.	€ 0,20
Cerastoderma edule (L., 1758).	The Netherlands, Zeeland, Yerseke.	€ 0,20
Trachycardium egmontianum (Shuttleworth, 1856).	USA, Florida, Tampa Bay.	€ 2,00 t/m € 3,00
Laevicardium elatum (Sowerby, 1833).	Mexico, Bahia de la Paz.	€ 9,50
Vasticardium elongatum (Bruguère, 1789).	Philippines.	€ 4,00 t/m € 9,50
Vasticardium enode (Sowerby II, 1840).		€ 3,00
Vasticardium flavum (L., 1758).	Indonesia.	€ 1,50
Vasticardium flavum (L., 1758).	Thailand, Changwat Phuket (province), Phuket (island), Chalong Bay.	€ 1,00
Vasticardium flavum (L., 1758).	Thailand, Krabi Province, Koh Lanta Yai (island), Koa Kwang Beach.	€ 1,00
Vasticardium flavum (L., 1758).	Philippines, Sulu (province), Siasi. Sulu Sea. From fisherman. 30 mm - 43 mm	€ 1,00 t/m € 1,50
Vasticardium flavum (L., 1758).	Kenya, Coast Province, Mombasa County, Mombasa.	€ 0,50 t/m € 1,00

		<b>Price Range</b>
Vasticardium flavum (L., 1758).	Thailand, Phuket (island), Raya Island. 25-30 metres deep.	€ 1,00 t/m € 1,50
Vasticardium flavum (L., 1758).	Thailand, Krabi Province. Strait of Malacca.	€ 1,30
Vasticardium flavum subrugosum (Sowerby II, 1839). reef, sandbank off Semporana.	Malaysia, Sabah, Borneo, Semporna. Alive, about -1 m. on sandy spots. From	€ 2,00
Vasticardium flavum subrugosum (Sowerby II, 1839).	Indonesia, Atjeh, Pulau Weh, Iboih. Shallow on sand.	€ 2,80
Vasticardium flavum subrugosum (Sowerby II, 1839).	Indonesia, Riau Islands, Pulau Terkulai.	€ 1,30 t/m € 1,80
Fragum fragum (L., 1758).	Indonesia, Mollucus Islands.	€ 1,00 t/m € 2,50
Lunulicardia hemicardium (L., 1767).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,00 t/m € 1,50
Lunulicardia hemicardium (L., 1767).	Philippines.	€ 1,30 t/m € 2,30
Lunulicardia hemicardium (L., 1767).	Philippines, Bogo. From fisherman, 10-25 metres deep.	€ 3,50
Lunulicardia hemicardium (L., 1767).	Australia, Western Australia, Shire of Shark Bay, Denham. On beach, dead.	€ 1,20
Corculum impressum (Lightfoot, 1786).	Philippines.	€ 1,80
Vepricardium incarnatum (Reeve, 1844).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 5,00
Vasticardium indioceanum (Vidal, 1993).	Tanzania, Zanzibar, Nungwi. Dead in lagoon.	€ 3,80
Vasticardium indioceanum (Vidal, 1993).	Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.	€ 1,80 t/m € 3,50
Vasticardium indioceanum (Vidal, 1993). Juvenile.	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 3,50
Laevicardium laevigatum (L., 1758).	Venezuela, Margarita Island, Porlamar region.	€ 3,00
Laevicardium laevigatum (L., 1758).	Bahamas, Paradise Isl., Arawak Beach, dead on seagrass. Shallow.	€ 1,00
Laevicardium laevigatum (L., 1758).	Bahamas.	€ 0,80 t/m € 2,30
Laevicardium laevigatum (L., 1758).	USA, Florida, Brevard Coast. Trawled 20 fathoms by scallop boat.	€ 0,50 t/m € 1,80
Vasticardium luteomarginatum (Voskuil & Onverwagt, 1991). coral.	Indonesia, Sumatra, off Aceh, between P. Rabai and P. Weh. On sand between	€ 2,50 t/m € 4,00
Lyrocardium lyratum (Sowerby, 1841).	Philippines, Mindanao (island), Zamboanga. Fishery.	€ 1,00 t/m € 3,00
Lyrocardium lyratum (Sowerby, 1841).	Japan, Kii.	€ 4,00
Lyrocardium lyratum (Sowerby, 1841).	Indo-Pacific.	€ 5,00
Acrosterigma magna (L., 1758).	Bahamas, New Providence, Lyford Cay.	€ 2,00
Acrosterigma magna (L., 1758).	Curacao, Lesser Antilles Islands.	€ 3,00
Ctenocardia media (L., 1758).	Aruba, harbour, sand replenishment.	€ 0,50 t/m € 1,50
Trachycardium mindanense (Reeve, 1844).	USA, Florida, Gulf of Mexico, Sanibel Island.	€ 1,80
Trachycardium mindanense (Reeve, 1844). Albino.	USA, Florida, Marco Island. Low tide, on exposed sand flats.	€ 3,00
Vepricardium multispinosum (Sowerby, 1841).	Taiwan, south-west. South China Sea.	€ 3,50 t/m € 4,00
Vepricardium multispinosum (Sowerby, 1841).	Indo-Pacific.	€ 4,50
Vepricardium multispinosum (Sowerby, 1841).	Thailand, Changwat Phuket (province), Phuket (island).	€ 5,00
Dallocardia muricata (L., 1758).	Brazil, Ilha Bella, São Paulo. Snorkeling in shallow water. 40 mm	€ 1,80 t/m € 2,50
Dallocardia muricata (L., 1758).	USA, Florida.	€ 0,80
Dallocardia muricata (L., 1758).	Bahamas.	€ 1,30
Dallocardia muricata (L., 1758).	Curaçao, Lesser Antilles Islands.	€ 0,80 t/m € 1,30

		<b>Price Range</b>
Dallocardia muricata (L., 1758).	Venezuela, Nueva Esparta (state), Isla El Coche, San Pedro.	€ 2,00
Laevicardium oblongum (Gmelin, 1791).	Spain, Costa del Sol, Marbella. Fished.	€ 1,00 t/m € 2,50
Trachycardium panamense (Sowerby, 1833).	Mexico, Baja California Sur (state), Puerto San Carlos. Dead on waste tip.	€ 2,00 t/m € 5,00
Acanthocardia paucicostata (Sowerby II, 1841).	Spain, Tarragona, Sant Carles de la Ràpita. Fished.	€ 2,00
Acanthocardia paucicostata (Sowerby II, 1841).	Croatia, Šibenik-Knin County, Pirovac (village). Adriatic Sea.	€ 1,20
Acanthocardia paucicostata (Sowerby II, 1841).	Portugal, Algarve (region), Culatra Island. Atlantic Ocean.	€ 1,50
Acanthocardia paucicostata (Sowerby II, 1841).	Italy, Province of Latina, Formia. Fished.	€ 1,50
Acanthocardia paucicostata (Sowerby II, 1841).	France, Etang de Thau. Fished 6 m. deep.	€ 1,80
Vasticardium pectiniforme (Born, 1780).	Tanzania, Zanzibar, beach S. of Stone Stown.	€ 1,00
Vasticardium pectiniforme (Born, 1780).	Sri Lanka, Passekudah. Dead near "crab caves?".	€ 2,50
Vasticardium pectiniforme (Born, 1780).	Malaysia, Sabah, Borneo, Semporna.	€ 1,50
Vasticardium pectiniforme (Born, 1780).	Australia, Queensland, Port Douglas. Dead.	€ 2,00
Vasticardium pectiniforme (Born, 1780).	Thailand, Changwat Phuket (province), Phuket (island), Chalong Bay.	€ 2,50
Maoricardium pseudolima (Lamarck, 1819).	Kenya, Mombasa.	€ 10,00
Maoricardium pseudolima (Lamarck, 1819).	Tanzania. East Africa. Indian Ocean.	€ 3,50
Lunulicardia retusa (L., 1767).	Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.	€ 0,50 t/m € 0,80
Bucardium ringens (Bruguère, 1789).	Senegal, Casamance. West Africa. Atlantic Ocean.	€ 3,00
Dinocardium robustum vanhyningi Clench & Smith, 1944.	USA, Florida, Tampa Bay.	€ 2,00 t/m € 5,00
Vasticardium rubicundum (Reeve, 1844).	Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.	€ 1,30
Vasticardium rubicundum (Reeve, 1844).	Philippines, Visayas (region), Samar (island).	€ 2,00
Vasticardium rubicundum (Reeve, 1844).	India.	€ 1,50
Acanthocardia spinosa (Lightfoot, 1786).	Portugal, Algarve, East of Sagres. Trawled, 30-50 m, sandy bottom.	€ 2,50
Fulvia tenuicostata (Lamarck, 1819).	Australia, Victoria.	€ 3,00
Fulvia tenuicostata (Lamarck, 1819).	Australia, Western Australia, Albany.	€ 2,30
Fulvia tenuicostata (Lamarck, 1819).	Australia, South Australia. Port Adelaide. Beach.	€ 3,00
Acanthocardia tuberculata (L., 1758).	France, Dahouete, Bay of St. Brieux. Trawled.	€ 1,00 t/m € 1,30
Acanthocardia tuberculata (L., 1758).	Spain, San Carlos de la Rápita.	€ 1,20
Acanthocardia tuberculata (L., 1758).	Spain, Province of Málaga, Estepona.	€ 1,30 t/m € 2,30
Fragum unedo (L., 1758).	Malaysia, P. Tioman, Tekek, Ayer Batam Bay. Dead near crab caves.	€ 1,00 t/m € 2,20
Fragum unedo (L., 1758).	Australia, Western Australia, Shark Bay, Denham. Beached, dead.	€ 1,00 t/m € 2,00
Fragum unedo (L., 1758).	Australia, Western Australia, King Bay.	€ 0,50 t/m € 1,00
Fragum unedo (L., 1758).	Indonesia, Flores, Labuhanbajo, Waerana Beach. Alive in muddy sand.	€ 1,50 t/m € 2,00
Fragum unedo (L., 1758).	Australia, Queensland, King's Bay.	€ 1,00
Acrosterigma unicolor (Sowerby, 1834).	Indonesia, South Sulawesi, off Ujung Pandang, P. Samalona. Dead, shallow.	€ 1,80
Vasticardium vertebratum (Jonas, 1844).	Australia, Queensland, Tannum Sands.	€ 3,50 t/m € 4,00

Vasticardium vertebratum (Jonas, 1844).  
Ctenocardia virgo (Reeve, 1845).

## Carditidae

Cardita affinis Sowerby, 1833.  
Cardites antiquata (L., 1758).  
Cardites antiquata (L., 1758).  
Cardites antiquata (L., 1758).  
Cardites bicolor (Lamarck, 1819).  
Cardites bicolor (Lamarck, 1819).  
Cardita calyculata (L., 1758).  
Cardita calyculata (L., 1758).  
Cardita calyculata (L., 1758).  
Carditamera floridana Conrad, 1838. Shallow lagoon.  
Carditamera floridana Conrad, 1838.  
Carditamera floridana Conrad, 1838.  
Carditamera floridana Conrad, 1838.  
Carditamera floridana Conrad, 1838.  
Carditamera floridana Conrad, 1838.  
Cardita incrassata Sowerby, 1825.  
Cardita incrassata Sowerby, 1825.  
Megacardita nodulosa (Lamarck, 1816).  
Beguina semiorbiculata (L., 1758). coastal reef.  
Cardiocardita tankervillii (Wood, 1828).  
Cardiocardita tankervillii (Wood, 1828).  
Cardiocardita tankervillii (Wood, 1828).  
Cardiocardita tankervillii (Wood, 1828).  
Cardita variegata Bruguière, 1792.

## Cassidae

Phalium areola (L., 1758).  
Phalium areola (L., 1758).  
Phalium areola (L., 1758).  
Phalium areola (L., 1758).  
Phalium bandatum bandatum (Perry, 1811).  
Phalium bandatum bandatum (Perry, 1811).  
Semicassis bisulcata f. diuturna (Iredale, 1927).

Australia, Queensland, Moreton Bay, Mydra Banks.  
Malaysia, Sabah (state), Borneo, reef off Semporna. Fished.

Mexico, Baja California, Bahía de los Ángeles. Gulf of California.  
Greece, Lesbos, Kolpos Geras, Ntipi.  
Tunisia, Djerba Island, Ajim. Gulf of Gabès.  
Greece, Makrónisos - Kéa Island.  
Philippines, Manila Bay. in muddy sand at ±60 feet depth.  
Philippines.  
Tunisia, El Kantara.  
Spain, Canary Islands, Fuerteventura, Corralejo. Under rocks.  
Italy, Sicily (region), Province of Syracuse, Siracusa.  
USA, Florida, Marco Island, Tigertail Beach. Live in mud on algae bottom.  
USA, Florida, Gulf of Mexico, Sanibel Island.  
USA, Florida, Lover's Key.  
USA, Florida, Marco Island.  
USA, Florida, Carl Johnson Park.  
USA, Florida, Key Biscayne, 25°43'36"N; 80°08'52"W. During ebb.  
Australia, Western Australia, Cockburn Sound, intertidal sand.  
Australia, Western Australia, Rockingham.  
Australia, Western Australia, Shark Bay. 6-10 feet deep, in sand.  
Malaysia, Johor, Tinggi Island (Pulau Tinggi), W. coast, just behind  
The Gambia, Bakau. Atlantic Ocean.  
Senegal, Cap-Vert, N'Gor Island, Pointe des Almadies. Fishing harbour.  
Senegal, off Casamance. Trawled.  
The Gambia, Koldi. Atlantic Ocean.  
Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.

Philippines, Central Visayas (region), Cebu (island).  
Philippines.  
Madagascar, Sainte Marie Island. East Africa. Indian Ocean. Dived. 41 mm  
Indonesia, Greater Sundra Islands, East Java (province), Madura Island.  
Australia, Queensland, Keppel Bay.  
Philippines.  
Thailand, Changwat Phuket (province), Phuket (island).

## Price Range

€ 4,50  
€ 2,00  
€ 0,80  
€ 1,20  
€ 0,70  
€ 2,30  
€ 1,00  
€ 0,80 t/m € 1,80  
€ 0,20  
€ 0,50  
€ 0,50  
€ 1,00  
€ 2,00  
€ 1,00  
€ 1,80  
€ 1,00  
€ 0,80  
€ 2,30  
€ 2,00  
€ 1,30 t/m € 1,80  
€ 3,00  
€ 1,00  
€ 1,50 t/m € 2,00  
€ 2,50  
€ 2,00  
€ 0,80 t/m € 2,50  
€ 3,50  
€ 3,50  
€ 2,00  
€ 2,50 t/m € 3,50  
€ 3,00 t/m € 5,00  
€ 3,80 t/m € 4,80  
€ 1,00 t/m € 2,50

		<b>Price Range</b>
Semicassis bisulcata f. japonica (Reeve, 1848).	Japan.	€ 2,00
Semicassis bisulcata f. japonica (Reeve, 1848).	Philippines, Sulu (province), Siasi. Sulu Sea. From fisherman. 25 mm - 30 mm	€ 3,30
Semicassis bisulcata f. japonica (Reeve, 1848).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,50 t/m € 2,80
Semicassis bisulcata (Schubert & Wagner, 1829).	Fiji, Fiji Island. Pacific Ocean.	€ 3,00
Semicassis bisulcata (Schubert & Wagner, 1829).	Taiwan, south-west. 20-40 fathoms deep.	€ 2,50
Semicassis bisulcata (Schubert & Wagner, 1829).	India, Tamil Nadu (state), Tuticorin.	€ 1,80
Semicassis bisulcata (Schubert & Wagner, 1829).	Philippines.	€ 1,30 t/m € 1,80
Semicassis bisulcata (Schubert & Wagner, 1829).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,00 t/m € 2,00
Semicassis bisulcata (Schubert & Wagner, 1829).	Japan, Honshu (island), Chubu region, Aichi Prefecture, Mikawa.	€ 1,30
Semicassis bisulcata (Schubert & Wagner, 1829).	Philippines, Palawan (province), Palawan (island).	€ 2,30
Semicassis bisulcata (Schubert & Wagner, 1829).	Philippines.	€ 2,00 t/m € 3,00
Semicassis bulla bulla Habe, 1961.	Japan, Honshu (island), Aichi Prefecture, Mikawa. 30-50 fathoms deep.	€ 4,00
Semicassis canaliculata (Bruguère, 1792).	India, Tamil Nadu (state), Madras [Chennai].	€ 3,00
Cassis cornuta (L., 1758).	Philippines, Bohol	€ 22,50 t/m € 35,00
Cassis cornuta (L., 1758).	Philippines, Cebu.	€ 6,00 t/m € 27,50
Semicassis craticulata (Euthyme, 1885).	East Africa. Indian Ocean.	€ 3,50
Phalium decussatum (L., 1758).	Taiwan. Fished.	€ 2,00 t/m € 2,50
Galeodea echinophora (L., 1758). W/O.	Italy, Lazio (region), Anzio.	€ 4,00
Galeodea echinophora (L., 1758).	Italy, Province of Latina, Formia.	€ 3,50
Galeodea echinophora (L., 1758).	Italy, Lazio (region), Anzio. Fished.	€ 2,00
Galeodea echinophora (L., 1758).	Spain, Valencian Community, Province of Alicante, Santa Pola. Fished.	€ 1,70
Casmaria erinacea erinacea (L., 1758).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 2,00
Casmaria erinacea erinacea (L., 1758).	Philippines, Central Visayas (region), Bohol (island).	€ 2,30
Casmaria erinacea erinacea (L., 1758).	Thailand, Changwat Phuket (province), Phuket (island).	€ 2,50
Casmaria erinacea erinacea (L., 1758).	W. Zanzibar, M'Changa Mle. At low tide in sand pockets.	€ 1,30
Casmaria erinacea erinacea f. vibex (L., 1758).	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 0,70 t/m € 3,00
Casmaria erinacea erinacea f. vibex (L., 1758).	Philippines.	€ 0,75 t/m € 1,50
Casmaria erinacea erinacea f. vibex (L., 1758).	Tanzania, Zanzibar. East Africa. Indian Ocean.	€ 1,50
Semicassis faurotis (Jousseume, 1888).	Somalia, Banaadir (region), Mogadishu. East Africa. Trawled in deep water.	€ 10,00
Semicassis faurotis (Jousseume, 1888).	Somalia. East Africa. Indian Ocean.	€ 8,00
Cassis fimbriata Quoy & Gaimard, 1833.	Australia, South Australia, Victor Harbour.	€ 17,50
Cassis fimbriata Quoy & Gaimard, 1833.	Australia, Western Australia, Albany. On sand and weeds at 3 m deep.	€ 29,50
Cassis fimbriata Quoy & Gaimard, 1833.	Australia, South Australia, Edinburgh. In sand low tide.	€ 30,00
Cassis fimbriata Quoy & Gaimard, 1833.	Australia, Western Australia, Albany. Dead on beach.	€ 2,50 t/m € 7,00
Cassis flammea (L., 1758). Juvenile.	Caribbean area.	€ 3,50



		<b>Price Range</b>
Phalium flammiferum (Röding, 1798).		€ 6,50
Phalium flammiferum (Röding, 1798).	Japan / Taiwan.	€ 2,50 t/m € 6,00
Phalium flammiferum (Röding, 1798).	Japan.	€ 7,50
Phalium glaucum (L., 1758).	Thailand, Changwat Phuket (province), Phuket (island).	€ 1,00 t/m € 2,50
Phalium glaucum (L., 1758).	Philippines.	€ 1,50 t/m € 2,50
Phalium glaucum (L., 1758).	Malaysia, Pulau Sibul. Sand beach, 2-3 m. deep, live.	€ 3,20
Phalium glaucum (L., 1758).	India.	€ 4,00
Semicassis granulata granulata (Born, 1778).	Panama, Medidora Island. 240 feet deep, dredged.	€ 3,80
Semicassis granulata granulata (Born, 1778).		€ 2,00
Semicassis granulata granulata (Born, 1778).	Gulf of Mexico.	€ 2,30
Semicassis granulata granulata (Born, 1778).	Bahamas, Green Turtle Cay (island).	€ 2,50 t/m € 3,80
Semicassis granulata granulata (Born, 1778).	Venezuela, Falcón, Paraguaná Peninsula, El Pico, 1 metres deep.	€ 3,80
Semicassis granulata undulata (Gmelin, 1791).	Spain, Canary Islands, Tenerife.	€ 3,80
Semicassis granulata undulata (Gmelin, 1791).	Spain, Andalusia (region), Province of Málaga, Marbella.	€ 2,00 t/m € 3,80
Semicassis granulata undulata (Gmelin, 1791).	Spain, Benicarló. Trawled by fisherman.	€ 2,50
Semicassis granulata undulata (Gmelin, 1791).	Italy, Lazio (region), Anzio. Fished.	€ 3,50
Echinophoria kurodai (Abbott, 1968). W/O.	East China Sea. Trawled at 380-500 metres deep, on sand bottom.	€ 17,00
Echinophoria kurodai (Abbott, 1968).	Australia, Western Australia, off Scott Reef. By fisherman, ± 450 m deep.	€ 10,00
Semicassis labiata zeylanica f. iredalei (Bayer, 1935).	South Africa, KwaZulu-Natal (province), Durban.	€ 12,50
Semicassis labiata zeylanica f. iredalei (Bayer, 1935).	South Africa, Cape Province, False Bay.	€ 5,00
Cassis nana (Tenison-Woods, 1879).	Australia, Queensland, Moreton Island, Cape Moreton. Fished.	€ 1,00 t/m € 2,00
Galeodea nipponica (Sakurai & Habe, 1961).	Australia, Western Australia, off Port Hedland. ± 450 metres deep.	€ 12,00
Casmaria ponderosa nipponensis Abbott, 1968.	Japan, Honshu (island), Chubu region, Aichi Prefecture, Mikawa.	€ 2,50
Semicassis pyrum (Lamarck, 1822).	Australia, New South Wales, Port Jackson. Fished.	€ 5,50
Semicassis pyrum (Lamarck, 1822).	New Zealand, South Island, Otago Peninsula, off Dunedin.	€ 1,50 t/m € 3,00
Semicassis pyrum (Lamarck, 1822).	New Zealand, Leigh. Offshore, 24 m deep, on a rock and gravel bottom.	€ 7,50
Cypraecassis rufa (L., 1758). Juvenile.	Kenya.	€ 2,00
Cypraecassis rufa (L., 1758).	Madagascar, Toliara (Tulear) region, south-west coast.	€ 7,50 t/m € 22,50
Galeodea rugosa (L., 1758).	Mediterranean Sea.	€ 5,00
Galeodea rugosa (L., 1758).	Portugal, Algarve (region).	€ 3,50
Semicassis saburon (Bruguière, 1792).	Morocco, Agadir. Live, fished.	€ 1,80
Cassis tessellata (Gmelin, 1791).	Senegal, trawled off Dakar by local fishermen. West Africa. 43 mm	€ 7,00
Cassis tessellata (Gmelin, 1791).	Ivory Coast, Lagunes Region, Abidjan.	€ 12,50 t/m € 19,50
Cypraecassis testiculus testiculus (L., 1758).	Barbados, West Indies. 3-6 feet deep, on coral/rubble.	€ 6,50
Semicassis thomsoni (Brazier, 1875).	Australia, New South Wales, Port Jackson. Fished.	€ 3,00

Cassis tuberosa (L., 1758).  
 Cassis tuberosa (L., 1758).  
 Echinophoria wyvillei (Watson, 1886).

## Cerithiidae

Pseudovertagus aluco (L., 1758).  
 Pseudovertagus aluco (L., 1758).  
 Pseudovertagus aluco (L., 1758).  
 Rhinoclavis aspera (L., 1758).  
 Rhinoclavis aspera (L., 1758).  
 Rhinoclavis aspera (L., 1758).  
 Rhinoclavis aspera (L., 1758).  
 Cerithium atratum (Born, 1778).  
 Clypeomorus batillariaeformis Habe & Kosuge, 1966.  
 Clypeomorus bifasciata (Sowerby II, 1855).  
 Clypeomorus bifasciata (Sowerby II, 1855).  
 Clypeomorus bifasciata (Sowerby II, 1855).  
 Clypeomorus bifasciata (Sowerby II, 1855).  
 Clypeomorus bifasciata (Sowerby II, 1855).  
 Clypeomorus bifasciata (Sowerby II, 1855).  
 Cerithium caeruleum Sowerby, 1855.  
 Cerithium caeruleum Sowerby, 1855.  
 Cerithium caeruleum Sowerby, 1855.  
 Cerithium caeruleum Sowerby, 1855.  
 Cerithium citrinum Sowerby, 1855.  
 Cerithium columna Sowerby, 1834.  
 Clypeomorus coralium (Kiener, 1841).  
 Clypeomorus coralium (Kiener, 1841).  
 Cerithium eburneum Bruguière, 1792.  
 Cerithium echinatum (Lamarck, 1822).  
 Cerithium echinatum (Lamarck, 1822).  
 Cerithium echinatum (Lamarck, 1822).  
 Cerithium echinatum (Lamarck, 1822).  
 Rhinoclavis fasciata (Bruguière, 1792).  
 Rhinoclavis fasciata (Bruguière, 1792).  
 Rhinoclavis kochi (Philippi, 1848).

Venezuela.  
 Brazil, Guarapari. Trawled by fishermen at 30-50 metres deep.

Indonesia, Bali (province), Bali (island).  
 Indonesia, West Papua (province), Manokwari.  
 Philippines.  
 Solomon Islands, Malaita (island), Ata'a (village). Pacific Ocean.  
 Philippines, Bohol (province), close to Panglao Island, Balicasag Island.  
 Thailand, Phuket (island), Raya Island. 25-30 metres deep.  
 Australia, Queensland. Dredged in lagoon.  
 USA, Florida, Palm Beach, Phil Foster Park. 6-10 feet deep, sand/mud.  
 Mozambique, Nampula Province, Nacala Bay area. Shallow water. 13 mm  
 Indonesia, West Papua (province), Manokwari.  
 Indonesia, Java (island), Tandjong Priok.  
 Philippines, Bohol (province), close to Panglao Island, Balicasag Island.  
 Malaysia, Negeri Sembilan (state), Port Dickson.  
 Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.  
 Egypt, Safaga. Red Sea.  
 Tanzania, Zanzibar, Bawé Island. At low tide by the millions.  
 Egypt, 17 km south of Hurghada. Red Sea.  
 Kenya, Mombasa Reef. East Africa. Indian Ocean.  
 Philippines, Bohol (province), close to Panglao Island, Balicasag Island.  
 Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.  
 Indonesia, West Papua (province), Manokwari.  
 Philippines, Mindanao (island), Zamboanga.  
 Philippines, Bohol (province), close to Panglao Island, Balicasag Island.  
 Bahamas, Eleuthera Island, Cape Eleuthera. 3-20 feet deep, dived.  
 Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.  
 Thailand, Changwat Phuket (province), Phuket (island).  
 French Polynesia, Society Islands, Tahiti.  
 Thailand, Changwat Phuket (province), Phuket (island).  
 Mozambique, Baixo Pinda, caught by local fishermen.  
 Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.  
 Japan, Honshu (island), Fukuoka Prefecture, Tsuyazaki.

## Price Range

€ 15,00  
 € 25,00 t/m € 50,00  
 € 15,00  
 € 1,20  
 € 1,50  
 € 0,80  
 € 0,80  
 € 0,50  
 € 0,80 t/m € 1,30  
 € 1,30  
 € 1,30  
 € 2,00  
 € 0,70  
 € 0,80  
 € 0,50  
 € 0,80  
 € 1,50  
 € 0,80  
 € 0,50 t/m € 1,30  
 € 1,30  
 € 0,50  
 € 2,00  
 € 1,80  
 € 1,30 t/m € 1,80  
 € 0,50  
 € 1,30  
 € 2,50  
 € 1,50  
 € 1,50  
 € 1,50  
 € 1,30 t/m € 2,50  
 € 1,00 t/m € 2,50  
 € 0,30

		<b>Price Range</b>
Cerithium litteratum (Born, 1778).	Bahamas, Green Turtle Cay (island).	€ 0,50 t/m € 1,00
Rhinoclavis matukense (Watson, 1880).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,30
Cerithium muscarum Say, 1832.	USA, Florida, Gulf of Mexico, Sanibel Island.	€ 1,00
Pseudovertagus nobilis (Reeve, 1855).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 7,50 t/m € 9,00
Cerithium nodulosum (Bruguère, 1792).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 2,50
Cerithium nodulosum (Bruguère, 1792).	Fiji, Mamanuca Groep, Mana Island. Ebb, seaweed/coral/sand.	€ 2,80
Cerithium nodulosum (Bruguère, 1792).	Egypt, South Sinai, Dahab. Gulf of Aqaba.	€ 2,00
Cerithium nodulosum (Bruguère, 1792).	Thailand, Phuket (island), Raya Island. 25-30 metres deep.	€ 1,30
Cerithium rupestre Risso, 1826.	Yugoslavia.	€ 0,80
Cerithium rupestre Risso, 1826.	Greece, Cyclad Archipelago.	€ 0,40
Cerithium rupestre Risso, 1826.	France, Cannes.	€ 0,80
Rhinoclavis sinensis (Gmelin, 1791).	Thailand, Phuket (island), Raya Island. 25-30 metres deep.	€ 0,50 t/m € 1,00
Rhinoclavis sinensis (Gmelin, 1791).	Indonesia, West Papua (province), Numfor.	€ 1,00
Rhinoclavis sinensis (Gmelin, 1791).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 0,50
Cerithium stercusmuscarum Valenciennes, 1833.	Panama, Bay of Panamá, Boca la Caja. Pacific Ocean.	€ 0,30
Cerithium stercusmuscarum Valenciennes, 1833.	Mexico, west coast. Pacific Ocean.	€ 0,80
Rhinoclavis vertagus (L., 1758).	Taiwan. East China Sea.	€ 1,00
Rhinoclavis vertagus (L., 1758).	Indonesia, West Papua (province), Manokwari.	€ 1,20
Rhinoclavis vertagus (L., 1758).	Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.	€ 1,00 t/m € 1,30
Rhinoclavis vertagus (L., 1758).	Philippines, Mindanao, Davao Region, Davao City. Dived at 5-10 metres.	€ 3,00
Rhinoclavis vertagus (L., 1758).	Thailand, Changwat Phuket (province), Phuket, Chalong Bay, Vighit.	€ 0,50
Rhinoclavis vertagus (L., 1758).	Thailand, Changwat Phuket (province), Phuket (island), Rawai Beach.	€ 1,00
Rhinoclavis vertagus (L., 1758).	Australia, Western Australia, Houtman Abrolhos.	€ 1,50
Cerithium vulgatum (Bruguère, 1792).	Spain, Baleric Islands, Ibiza (island).	€ 2,00
Cerithium vulgatum (Bruguère, 1792).	Southern France, Banyuls.	€ 0,50
Cerithium vulgatum (Bruguère, 1792).	Spain, San Carlos de la Rápita.	€ 0,40
Cerithium vulgatum (Bruguère, 1792).	Tunisia, Monastir.	€ 0,30
Cerithium vulgatum (Bruguère, 1792).	Morocco, Marrakesh-Tensift-El Haouz, Essaouira.	€ 0,40
Cerithium vulgatum (Bruguère, 1792).	Portugal, Algarve (region), Faro.	€ 0,50
Cerithium vulgatum (Bruguère, 1792).	Tunisia, Djerba Island, Ajim. Gulf of Gabès.	€ 0,40
Cerithium vulgatum (Bruguère, 1792).	Spain, Playa Rio Mar.	€ 0,50
Cerithium vulgatum (Bruguère, 1792).	Tunisia, Houmt Souk.	€ 0,50
Cerithium vulgatum (Bruguère, 1792).	Italy, Livorno, Tipico. Dived at 2-5 metres.	€ 3,30
<b>Chamidae</b>		
Arcinella arcinella (L., 1767).	West Indies, Bahamas, Bahamas, Green Turtle Cay (island).	€ 3,50

Chama brassica Reeve, 1846.  
 Arcinella cornuta Conrad, 1866.  
 Arcinella cornuta Conrad, 1866.  
 Pseudochama gryphina (Lamarck, 1819).  
 Chama gryphoides L., 1758.  
 Chama lazarus L., 1758.  
 Chama lazarus L., 1758.  
 Chama lazarus L., 1758. Beautiful colours.  
 Chama lazarus L., 1758.  
 Chama limbula Lamarck, 1819.  
 Chama macerophylla (Gmelin, 1791).  
 Chama pacifica Broderip, 1835.  
 Diverse spec. .

## Chitonidae

Chiton pelliserpentis Quoy & Gaimard, 1835.

## Colubrariidae

Colubraria castanea Kuroda & Habe, 1952.  
 Colubraria muricata (Lightfoot, 1786).  
 Colubraria muricata (Lightfoot, 1786).  
 Colubraria muricata (Lightfoot, 1786).  
 Colubraria muricata (Lightfoot, 1786).  
 Colubraria nitidula (Sowerby, 1833).  
 Colubraria sowerbyi (Reeve, 1844).  
 Colubraria sowerbyi (Reeve, 1844).  
 Colubraria tortuosa (Reeve, 1844).

## Columbariidae

Columbarium pagoda (Lesson, 1831).  
 Columbarium pagoda (Lesson, 1831).

## Columbellidae

Mitrella acuminata (Menke, 1843).  
 Strombina angularis (Sowerby, 1832).  
 Columbella aureomexicana (Howard, 1963).  
 Euplica bidentata (Menke, 1843). Set of 5.  
 Amphissa columbiana Dall, 1916.

Malaysia, Johor, Tinggi Island (Pulau Tinggi). ±2 m deep, on dead coral.  
 USA, Florida, Key West.  
 USA, Florida, Big Pine Key.  
 Greece, Saronikos. Attached on rocks, 7 metres deep.  
 Spain, Province of Málaga, Fuengirola. Fished live, on stone.  
 Philippines.  
 Thailand. Southeast Asia.  
 Philippines, Cebu (province), Mactan (island), Punta Engaño.  
 Philippines, Cebu (island), Bantayan Island.  
 Philippines.  
 Bonaire, Lesser Antilles Islands.  
 Philippines.  
 Philippines, Bohol (province), close to Panglao Island, Balicasag Island.

New Zealand.

Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.  
 Philippines, Visayas (region), Samar (island).  
 Philippines.  
 Thailand, Changwat Phuket (province), Phuket (island).  
 Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.  
 Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.  
 Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.  
 Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.  
 Philippines, Palawan (prov.), Coron Island. Dived, 15-20 m deep.

Japan, Shikoku (island), Kochi Prefecture, Tosa Bay. Gevist.  
 Taiwan. East China Sea.

Australia, Port Adelaide, Semaphore.  
 Panama.  
 Mexico, Baja California Sur, 1 km S. of Santa Rosalía. Alive under stones.  
 Australia, Western Australia, Rockingham, Shoalwater Beach.  
 USA, S.E. Alaska, Mitkof Island, Petersburg Harbour. At a 4 foot tide.

## Price Range

€ 5,00  
 € 1,30 t/m € 2,50  
 € 1,00 t/m € 2,50  
 € 2,00  
 € 2,50  
 € 2,50 t/m € 5,00  
 € 10,00 t/m € 12,00  
 € 1,20 t/m € 3,20  
 € 7,50  
 € 1,80  
 € 1,50  
 € 5,00  
 € 1,00 t/m € 2,00  
 € 1,50

€ 2,00 t/m € 2,50  
 € 2,50 t/m € 5,00  
 € 7,50  
 € 6,00 t/m € 8,00  
 € 5,00 t/m € 12,50  
 € 4,00  
 € 4,00  
 € 2,00  
 € 8,00

€ 4,50  
 € 6,00

€ 2,00  
 € 3,50  
 € 1,00  
 € 1,50  
 € 2,50

		<b>Price Range</b>
Pseudomycla dermestoidea (Lamarck, 1822). Tube.	Australia, NSWales, Kurnell, Capt. Cook's Landing Place, Botany Bay.	€ 4,00
Strombina dorsata (Sowerby, 1832).	Panama.	€ 3,20
Strombina elegans (Sowerby, 1832).	Panama, Bay of Chiriqui. Dredged, 120 feet deep.	€ 4,50
Strombina elegans (Sowerby, 1832).	Panama.	€ 5,00
Pyrene epamella (Duclos, 1846).	Philippines, Bohol (province), Panglao Island.	€ 1,50
Pyrene fasciata (Sowerby I, 1825).	Indonesia, Greater Sundra Islands, East Java (province), Madura Island.	€ 1,50
Pyrene flava filmerae (Sowerby, 1900).	South Africa, Cape Province, Cape Town.	€ 1,00
Pyrene flava filmerae (Sowerby, 1900).	South Africa, Transkei Bantu Homeland, Coffee Bay.	€ 1,00
Pyrene flava (Bruguère, 1789).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,00
Pyrene flava (Bruguère, 1789).	Thailand, Changwat Phuket (province), Phuket (island).	€ 0,80
Anachis fluctuata (Sowerby, 1832).	Panama, Punta Calafata.	€ 1,30
Mazatlanian fulgurata (Philippi, 1846).	Panama, Gobernadora Island, Veraguas Prov. Sand, low tide. 15 mm	€ 3,00
Columbella fuscata Sowerby, 1832.	Ecuador, Galápagos Islands, Fernandina Island.	€ 1,75 t/m € 2,50
Columbella fuscata Sowerby, 1832.	Ecuador, Galápagos Islands. Pacific Ocean.	€ 1,50
Strombina fusinoidea Dall, 1916.	Mexico, Baja California Sur (state), San José del Cabo.	€ 5,00
Strombina fusinoidea Dall, 1916.	Panama, Secas Island. Pacific Ocean. Dredged at 60-120 feet deep.	€ 6,50
Columbella haemastoma Sowerby, 1832.	Mexico, Baja California, Bahía de los Ángeles. Gulf of California.	€ 3,50
Mitrella ligula (Duclos, 1840).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 0,50
Mitrella ligula (Duclos, 1840).	Philippines.	€ 0,80
Anachis lyrata (Sowerby, 1832).	Panama, Gulf of Panamá, San Carlos.	€ 2,00
Strombina maculosa (Sowerby, 1832).	Mexico, Baja California Sur (state), San José del Cabo.	€ 1,50
Columbella major Sowerby, 1832. W/O.	Panama, Chiriqui Bay, Coiba Island. Dived, 3-4 metres deep, on rocks.	€ 1,50
Columbella major Sowerby, 1832.	Mexico, Baja California (state). Gulf of California.	€ 2,00
Columbella major Sowerby, 1832.	Panama. Dived, 6 feet deep.	€ 1,00
Columbella mercatoria (L., 1758).	The Grenadines Islands, Windward Islands, Caribbean.	€ 2,80
Columbella mercatoria (L., 1758).	Venezuela.	€ 2,00
Columbella mercatoria (L., 1758).	Caribbean area.	€ 2,00
Anachis miser (Sowerby, 1844).	Philippines.	€ 1,00
Anachis miser (Sowerby, 1844).	Australia, Queensland.	€ 2,50
Nitidella nitida (Lamarck, 1822).	Bonaire, Lesser Antilles Islands.	€ 1,30
Nitidella nitida (Lamarck, 1822).	The Grenadines Islands, Windward Islands, Caribbean.	€ 2,00 t/m € 2,30
Mitrella ocellata (Gmelin, 1791).	The Grenadines Islands, Windward Islands, Caribbean.	€ 2,80
Mitrella ocellata (Gmelin, 1791).	Thailand, Phuket (island), Raya Island. 25-30 metres deep.	€ 1,30
Pyrene ocellata (Link, 1807).	Indonesia, Papua (province).	€ 1,50
Pyrene ocellata (Link, 1807).	Philippines.	€ 0,20

		<b>Price Range</b>
Pyrene punctata (Bruguère, 1789).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,00 t/m € 2,00
Pyrene punctata (Bruguère, 1789).	Malaysia, P. Tioman, Tekek, Ayer Batam Bay. Alive between/under dead coral	€ 1,00
Pyrene punctata (Bruguère, 1789).	Philippines, Central Visayas (region), Cebu (island).	€ 1,50
Columbella rustica (L., 1758).	Italy, Sardinia, C. Sferracavallo.	€ 1,00
Columbella rustica (L., 1758).	Tunisia, Lac de Bizerte.	€ 1,30
Columbella rustica f. striata Duclos.	Spain, Canary Islands, Fuerteventura.	€ 1,30
Mitrella scripta (L., 1758).	Indonesia, Papua (province), Biak (island). Cenderawasih Bay.	€ 0,20
Mitrella scripta (L., 1758).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,00
Mitrella scripta (L., 1758). Set of 5.	Australia, Queensland, Cape Tribulation.	€ 1,00
Mitrella scripta (L., 1758).	Philippines.	€ 0,20
Mitrella scripta (L., 1758).	Philippines.	€ 1,00
Pyrene splendidula (Sowerby III, 1894).	Thailand, Changwat Phuket (province), Phuket (island).	€ 3,00
Pyrene splendidula (Sowerby III, 1894).	Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.	€ 0,50 t/m € 2,00
Pyrene splendidula (Sowerby III, 1894).	Philippines, Bohol (province), close to Panglao Island, Balicasag island.	€ 1,00
Mitrella tayloriana (Reeve, 1859).	Australia, South Australia. Port Adelaide.	€ 2,20
Anachis terpsichore (Sowerby II, 1822).	Australia, Queensland, Cape Tribulation.	€ 1,50
Pyrene testudinaria (Link, 1807).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,00
Pyrene testudinaria (Link, 1807).	Australia, Queensland, Gladstone Harbour.	€ 1,30
Strombina turrita (Sowerby, 1832).	Panama.	€ 4,50
Pyrene turturina (Lamarck, 1822).	Australia, Western Australia, Coral Bay. Indian Ocean.	€ 2,00
Anachis varia (Sowerby, 1832).	Panama, Pearl Islands. Pacific Ocean. Under stones in shallow water. 18 mm	€ 2,50 t/m € 3,30
Anachis varia (Sowerby, 1832).	Panama, Gulf of Panamá, San Carlos, El Palmar.	€ 2,50
Anachis varia (Sowerby, 1832).	Panama, Panamá City, Punta Calafata. Pacific Ocean.	€ 0,80
<b>Conidae</b>		
Conus achatinus Gmelin, 1791.	Australia, Western Australia, Dampier Archipelago. In shallow water.	€ 5,00
Conus achatinus Gmelin, 1791.	Australia, Western Australia. In shallow water.	€ 3,50
Conus amadis f. castaneofasciata Dautzenberg, 1937.	Thailand, Changwat Phuket (province), Phuket (island).	€ 1,00 t/m € 5,00
Conus amadis f. castaneofasciata Dautzenberg, 1937.	Thailand, Ranong Province, Ranong (city). Deep water, > 70 m deep.	€ 0,75 t/m € 4,25
Conus amadis f. castaneofasciata Dautzenberg, 1937.	Bay of Bengal, trawled at 35 fathoms.	€ 3,00
Conus amadis Gmelin, 1791.	India, Tamil Nadu (state), Rameswaram. Gulf of Mannar. Dived.	€ 7,50
Conus amadis Gmelin, 1791.	India, off Madras. Trawled by fishing boat, 20-40 metres deep, on sand.	€ 5,00
Conus amadis Gmelin, 1791.	Sri Lanka, Southern Province, Galle.	€ 2,00
Conus ammiralis ammiralis L., 1758.	Philippines, Mindanao (island), Davao Region, Davao City.	€ 1,50 t/m € 5,00
Conus ammiralis ammiralis L., 1758.	Philippines, Cebu Island.	€ 4,00
Conus anemone f. carmeli Tenison-Woods, 1877.	Australia, South.	€ 9,00

		<b>Price Range</b>
Conus anemone Lamarck, 1810.	Australia, Victoria, west of Port Fairy. Littoral, in mud.	€ 3,50
Conus anemone Lamarck, 1810.	Australia, South Australia. Port Adelaide.	€ 2,50
Conus anemone f. novaehollandiae A. Adams, 1854.	Australia, Western Australia, Broome.	€ 1,80
Conus aphrodite Petuch, 1979.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 9,50
Conus araneosus araneosus Solander, 1786.	India, Tamil Nadu (state), Rameswaram. Gulf of Mannar.	€ 9,50
Conus araneosus nicobaricus Hwass, 1792.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 3,00 t/m € 6,50
Conus arenatus Hwass, 1792.	Egypt, Sand Island. Red Sea.	€ 0,50 t/m € 3,50
Conus arenatus Hwass, 1792.	Indonesia, Greater Sundra Islands, East Java (province), Madura Island.	€ 0,60
Conus arenatus Hwass, 1792.	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,50 t/m € 2,50
Conus arenatus Hwass, 1792.	Indonesia, Bali (province), Bali (island).	€ 1,00
Conus arenatus Hwass, 1792.	Indonesia, West Papua (province), Manokwari, in direction of Pasir Putih.	€ 1,20
Conus arenatus Hwass, 1792.	Australia, Queensland, Beaver Reef. Alive in sand between coral.	€ 1,00
Conus arenatus Hwass, 1792.	Egypt, South Sinai, Dahab. Gulf of Aqaba. In sand.	€ 0,50 t/m € 2,50
Conus arenatus Hwass, 1792.	Thailand, Changwat Phuket (province), Phuket (island).	€ 1,00 t/m € 2,50
Conus armadillo Shikama, 1971.	Philippines, Bohol, Panglao.	€ 6,00
Conus armadillo Shikama, 1971.	Philippines, Central Visayas (region), Bohol (island).	€ 10,00
Conus asiaticus asiaticus da Motta, 1985.	Taiwan. East China Sea.	€ 2,30
Conus augur Solander, 1786.	Madagascar, Antsiranana.	€ 4,50
Conus augur Solander, 1786.	Madagascar Island. East Africa. Indian Ocean.	€ 3,50
Conus augur Solander, 1786.	Mozambique. East Africa. Indian Ocean.	€ 4,00 t/m € 5,00
Conus aulicus L., 1758.	Phillipines.	€ 7,50
Conus aulicus L., 1758.	Thailand, Changwat Phuket (province), Phuket (island).	€ 4,00 t/m € 12,50
Conus aurisiacus L., 1758.	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230metres.	€ 3,00 t/m € 7,50
Conus australis australis Holten, 1802.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 2,50 t/m € 4,00
Conus australis australis Holten, 1802.	Japan, Honshu (island), Kansai (region), Kyoto. Fished.	€ 1,50 t/m € 3,00
Conus australis australis Holten, 1802.	Japan.	€ 3,50
Conus bandanus Hwass, 1792.	Tanzania, Zanzibar.	€ 3,00 t/m € 4,00
Conus bandanus f. vidua Reeve, 1843.	Thailand, Changwat Phuket (province), Phuket (island).	€ 2,00 t/m € 5,00
Conus bandanus f. vidua Reeve, 1843.	Madagascar, Toliara (Tulear). East Africa. Indian Ocean.	€ 4,50 t/m € 5,00
Conus barbieri Raybaudi Massilia, 1995.	Philippines, Samar, Calbayog area. From divers, 25 metres deep.	€ 2,50
Conus barbieri Raybaudi Massilia, 1995.	Philippines, Eastern Visayas (region), Leyte (island), Carigara Bay. 30 mm - 33 mm	€ 5,00
Conus bengalensis (Okutani, 1968).	India.	€ 40,00
Conus bengalensis (Okutani, 1968).	Gulf of Thailand. Trawled at a depth of 200 metres deep. 116 mm	€ 85,00 t/m € 95,00
Conus bengalensis (Okutani, 1968).	Thailand, Gulf of Thailand. Deep water.	€ 39,50
Conus betulinus L., 1758.	India, Tamil Nadu (state), Cuddalore. Bay of Bengal.	€ 5,00

		<b>Price Range</b>
Conus betulinus L., 1758.	Tanzania, Zanzibar, Nungwi (village). East Africa. Indian Ocean.	€ 5,00
Conus betulinus L., 1758.	Indonesia, Moluccas Islands, Ambon Island.	€ 2,00 t/m € 5,50
Conus betulinus L., 1758.	Philippines.	€ 3,50
Conus betulinus L., 1758.	Malaysia, Pulau Perhentian Besar (Big Perhentian Isl.). Live on seagrass.	€ 8,00
Conus biliosus (Röding, 1798).	Australia, Queensland, Cape Tribulation. Alive, Littoral zone.	€ 3,00 t/m € 4,00
Conus biliosus (Röding, 1798).	India, Tamil Nadu (state), Ramanathapuram district, Kilakarai. Dived.	€ 6,00
Conus blanfordianus Crosse, 1867.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 2,00 t/m € 3,00
Conus bruguieresii Kiener, 1845.	Senegal, Dakar Region, Dakar, north side of N'Gor. Diving, 1-8 m deep.	€ 11,50 t/m € 15,00
Conus bullatus L., 1758.	Philippines. Bohol. On reef, 20-25 metres deep.	€ 6,00 t/m € 14,00
Conus bullatus L., 1758.	Philippines, Visayas (region), Samar (island).	€ 12,50
Conus bullatus L., 1758.	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 5,00
Conus capitaneus Fulton, 1938.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 2,00 t/m € 3,50
Conus capitaneus f. ceciliae Crosse, 1858.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 7,00 t/m € 9,50
Conus capitaneus L., 1758.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 1,80
Conus capitaneus L., 1758.	Thailand, Changwat Phuket (province), Phuket (island).	€ 0,75 t/m € 2,00
Conus capitaneus L., 1758.	Tanzania. East Africa. Indian Ocean.	€ 2,00
Conus characteristicus Fischer, 1807.	Taiwan.	€ 3,50
Conus characteristicus Fischer, 1807. Growth series.	Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.	€ 1,30 t/m € 2,50
Conus characteristicus Fischer, 1807.	Thailand, Phuket (island), Raya Island. 25-30 metres deep.	€ 0,50 t/m € 6,00
Conus characteristicus Fischer, 1807.	India, Tamil Nadu (state), Madras [Chennai]. Dived.	€ 2,50
Conus characteristicus Fischer, 1807.	India, Tamil Nadu (state), Cuddalore. Trawled in 20 m deep, muddy sand.	€ 6,00
Conus characteristicus Fischer, 1807.	Philippines.	€ 4,50
Conus catus Hwass, 1792.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 1,50
Conus catus Hwass, 1792.	French Polynesia, Marquesas Islands, Nuku Hiva Island. 1-3 metres deep.	€ 2,30 t/m € 3,30
Conus catus Hwass, 1792.	Philippines, Balicasag island, Bohol.	€ 4,00
Conus catus Hwass, 1792.	Taiwan. East China Sea.	€ 3,00
Conus chaldaeus (Röding, 1798).	Taiwan. East China Sea.	€ 0,50 t/m € 0,70
Conus chiangi (Azuma, 1972).	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 5,00
Conus cinereus Hwass, 1792.	Indonesia, Flores (island), ±12 km east of Maumere. Live, 8 m, black sand.	€ 1,00 t/m € 2,00
Conus circumactus Iredale, 1929.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 8,50 t/m € 12,50
Conus circumciscus Born, 1778.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 1,25 t/m € 6,25
Conus circumciscus Born, 1778.	Philippines, Mindanao (island), Davao Region, Davao City.	€ 3,00 t/m € 9,00
Conus circumciscus Born, 1778.	Philippines, Central Visayas (region), Cebu (island).	€ 3,50 t/m € 12,50
Conus cloveri Walls, 1978. Synonym: C. soaresi.	Senegal, Dakar, north side N'Gor. West Africa. Diving, 1-8 metres deep.	€ 5,50 t/m € 9,00
Conus coccineus Gmelin, 1791.	Philippines, Cebu, Mactan, Olonga Island. Dived, coral reef, 15-20 metres.	€ 3,50



		<b>Price Range</b>
Conus coccineus Gmelin, 1791.	Philippines.	€ 2,50 t/m € 3,80
Conus coccineus Gmelin, 1791.	Philippines, Visayas (region), Samar (island).	€ 4,00
Conus coffeae Gmelin, 1791.	Philippines.	€ 2,00
Conus collisus Reeve, 1849.	Thailand, Ranong.	€ 2,00
Conus comatosa Pilsbry, 1904. 2nd choice.	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 2,50
Conus consors Sowerby I, 1833.	Thailand, Phuket Island.	€ 3,00
Conus consors Sowerby I, 1833.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 2,50 t/m € 4,00
Conus consors Sowerby I, 1833.	Philippines.	€ 3,50
Conus corallinus Kiener, 1845.	Philippines, Central Visayas (region), Bohol (island).	€ 5,00
Conus corallinus Kiener, 1845.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 6,00 t/m € 7,50
Conus cordigera Sowerby II, 1866.	Philippines, Sulu.	€ 3,00 t/m € 6,00
Conus cordigera Sowerby II, 1866.	Philippines, Palawan (province), Coron Island. Divers from Cebu, ±25 m. 26 mm	€ 6,00
Conus coronatus Gmelin, 1791.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 1,00
Conus coronatus Gmelin, 1791.	Kenya, Mombasa Reef. East Africa. Indian Ocean.	€ 1,00
Conus couderti Bernardi, 1860.	The Grenadines Islands, Windward Islands, Caribbean.	€ 12,50
Conus crocatus f. thailandis da Motta, 1978.	Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.	€ 3,00 t/m € 27,50
Conus cuneolus Reeve, 1843.	Cape Verde, Sal(island), Santa Maria. Atlantic Ocean. At low tide.	€ 4,80
Conus dalli Stearns, 1873.	Panama, Pearl Islands, Isla Pedro Gonzalez. Gulf of Panama. Pacific Ocean.	€ 3,50
Conus daucus Hwass, 1792.	Aruba, Lesser Antilles Islands.	€ 6,00 t/m € 12,00
Conus dayriti Röckel & da Motta, 1983.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 6,50 t/m € 12,50
Conus distans Hwass, 1792. among dead coral.	Indonesia, Timor, Tenau Harbour, 6 km. south west of Kupang. Shallow water	€ 3,50
Conus distans Hwass, 1792.	Thailand, Changwat Phuket (province), Phuket (island).	€ 2,00 t/m € 4,00
Conus distans Hwass, 1792.	Philippines.	€ 2,00 t/m € 3,80
Conus distans Hwass, 1792.	Taiwan. Fished.	€ 4,00
Conus dorreensis Peron, 1807.	Australia, Western Australia, Port Denison. Live, on reef.	€ 1,00 t/m € 3,00
Conus dusaveli (Adams, 1872).	Philippines, Cebu.	€ 17,00
Conus dusaveli (Adams, 1872).	Philippines, Luzon (island), Polillo Island. On coral reef, 20 metres.	€ 20,00
Conus dusaveli (Adams, 1872).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 10,00
Conus ebraeus L., 1758.	Kenya, near Mombasa. East Africa. Indian Ocean.	€ 0,80
Conus ebraeus L., 1758.	Thailand, Phuket (island), Raya Island. 25-30 metres deep.	€ 0,80 t/m € 1,30
Conus ebraeus L., 1758.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 0,50 t/m € 2,00
Conus ebraeus L., 1758.	Indonesia, Moluccas Islands, Ambon Island, Latuhalat.	€ 1,00
Conus eburneus Hwass, 1792.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 1,50 t/m € 4,00
Conus eburneus Hwass, 1792.	Indonesia, Greater Sunda Islands, East Java (province), Madura Island.	€ 1,50
Conus eburneus Hwass, 1792.	New-Guinea, East New Britain.	€ 4,50

		<b>Price Range</b>
Conus eburneus	Hwass, 1792.	Philippines, Sulu Archipelago. € 2,40
Conus eburneus	Hwass, 1792.	Malaysia, Pulau Tioman, Tekek, Ayer Batam Bay. Alive, 4 metres deep. € 1,50 t/m € 2,00
Conus eburneus	Hwass, 1792.	India, Tamil Nadu (state), Tuticorin. € 2,00 t/m € 3,00
Conus eburneus	Hwass, 1792.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep. € 1,00 t/m € 2,00
Conus eburneus	Hwass, 1792.	Thailand, Phuket (island), Raya Island. 25-30 metres deep. € 0,80 t/m € 1,30
Conus eburneus	f. polyglotta Weinkauff, 1874.	Philippines, Mindanao (island), Davao Region, Davao City. € 1,30 t/m € 2,50
Conus eburneus	f. polyglotta Weinkauff, 1874.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep. € 1,30 t/m € 2,50
Conus echinophilus	Petuch, 1975.	Senegal, Ngor. € 2,00
Conus episcopatus	da Motta, 1982.	Thailand, Changwat Phuket (province), Phuket (island). € 1,00 t/m € 10,00
Conus episcopatus	da Motta, 1982.	Malaysia, Pulau Perhentian Besar. Between dead coral, shallow, live. € 3,00 t/m € 5,50
Conus ermineus	Born, 1778.	Cape Verde, Santiago (island), Tarrafel. 2-8 metres deep, under stones. € 3,80 t/m € 4,80
Conus ermineus	Born, 1778.	Senegal. Deep water. € 4,00
Conus eximius	Reeve, 1849.	Philippines, Central Visayas (region), Cebu (island). € 2,50
Conus eximius	Reeve, 1849.	India, Tamil Nadu (state), Madras [Chennai]. Dredged. € 3,00
Conus ferrugineus	Hwass, 1792.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep. € 2,00 t/m € 3,00
Conus figulinus	L., 1758.	Indonesia, Sumatra, Aceh (province), Lhokseumawe. Above tideline. € 1,50
Conus figulinus	L., 1758.	Madagascar, Anosy Region, Tôlanaro (Fort Dauphin). € 9,50
Conus figulinus	L., 1758.	Malaysia, Sabah (state), Borneo, Kota Kinabalu, Tanjung Aru Beach. Live. € 3,00
Conus figulinus	L., 1758.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep. € 0,50 t/m € 1,50
Conus flavidus	Lamarck, 1810.	Egypt, Hurghada. Red Sea. € 0,50 t/m € 1,00
Conus flavidus	Lamarck, 1810.	Philippines, Bohol (province), close to Panglao Island, Balicasag Island. € 1,50
Conus flavidus	Lamarck, 1810.	Solomon Islands. Pacific Ocean. € 3,00
Conus flavidus	Lamarck, 1810.	Egypt, Hurghada. Red Sea. € 0,80 t/m € 2,50
Conus flavidus	Lamarck, 1810.	Thailand, Phuket (island), Raya Island. 25-30 metres deep. € 1,00 t/m € 2,50
Conus floridulus	Adams & Reeve, 1848.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep. € 3,00 t/m € 4,00
Conus floridulus	Adams & Reeve, 1848.	Philippines, Cebu (province), Mactan (island), Punta Engaño. € 4,80 t/m € 6,50
Conus frigidus	Reeve, 1848.	Thailand, Changwat Phuket (province), Phuket (island). € 2,50
Conus furvus	f. aegrotus Reeve, 1849.	Philippines. Sulu Sea. € 3,00
Conus furvus	Reeve, 1843.	Philippines. € 0,80 t/m € 1,30
Conus furvus	Reeve, 1843.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep. € 1,00 t/m € 2,00
Conus generalis	f. krabiensis da Motta, 1982.	Thailand, Phuket (island), Raya Island. 25-30 metres deep. € 2,00
Conus generalis	L., 1767.	Philippines, Cebu (province), Mactan (island), Punta Engaño. € 2,00 t/m € 4,00
Conus genuanus	L., 1758.	Cape Verde, Boavista Island, Sal Rei. Nightdiving, 2-15 metre deep. € 4,00 t/m € 7,50
Conus genuanus	L., 1758.	Senegal, Cap-Vert, N'Gor Island, Pointe des Almadies. Fishing harbour.. € 2,50
Conus genuanus	L., 1758.	Gabon. € 6,00

		<b>Price Range</b>
Conus genuanus L., 1758.	Senegal, Dakar Region, Dakar, Hann Bay (beach). West Africa.	€ 5,00 t/m € 10,00
Conus genuanus L., 1758.	Ivory Coast, Abidjan.	€ 7,00
Conus geographus L., 1758.	Philippines, Central Visayas (region), Cebu (island).	€ 2,30
Conus geographus L., 1758.	Papua New Guinea, Manus Province, Manus Island.	€ 7,00
Conus geographus L., 1758.	Tanzania, Zanzibar, Nungwi (village). East Africa. Indian Ocean.	€ 5,00
Conus glans Hwass, 1792.	Malaysia, Pulau Tioman, Tekek, Ayer Batam Bay.	€ 2,00
Conus gloriamaris Chemnitz, 1777.	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 5,00 t/m € 30,00
Conus granum Röckel & Fischröder, 1985.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 2,50
Conus gubernator Hwass, 1792.	Madagascar, Toliara (Tulear). East Africa. Indian Ocean.	€ 9,50
Conus gubernator Hwass, 1792.	Tanzania, Zanzibar, Nungwi (village). East Africa. Indian Ocean.	€ 4,00
Conus guinaicus Hwass, 1792.	Senegal, N'Gor. West Africa. Atlantic Ocean.	€ 5,00
Conus hyaena hyaena Hwass, 1792.	India, Maharashtra (state), Bombay. At low tide.	€ 4,00
Conus hyaena hyaena Hwass, 1792.	India, Maharashtra (state), near Bombay.	€ 5,00
Conus hybridus Kiener, 1845.	Senegal, Dakar, north side N'Gor. West Africa. Diving, 1-8 metres deep.	€ 2,00 t/m € 5,00
Conus ichinoseana (Kuroda, 1956).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 9,50
Conus imperialis L., 1758.	Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.	€ 2,00
Conus imperialis L., 1758.	Tanzania, Zanzibar.	€ 3,50
Conus imperialis L., 1758.	Philippines.	€ 2,50 t/m € 3,50
Conus imperialis L., 1758.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 1,00 t/m € 5,50
Conus inscriptus inscriptus Reeve, 1843.	India, Tamil Nadu (state), off Madras [Chennai]. Dived.	€ 2,00 t/m € 5,00
Conus ione Fulton, 1938.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 4,00 t/m € 10,00
Conus janus Hwass, 1792.	Madagascar. East Africa. Indian Ocean.	€ 3,25 t/m € 4,25
Conus janus Hwass, 1792.	Mozambique, North coast.	€ 10,00
Conus janus Hwass, 1792.	Mozambique. East Africa. Indian Ocean.	€ 12,50
Conus kinoshitai (Kuroda, 1956).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 5,00 t/m € 8,00
Conus kinoshitai (Kuroda, 1956).	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 5,00 t/m € 8,00
Conus kintoki Habe & Kosuge, 1970.	Malaysia, Sabah (state). South China Sea. Trawled at 30-40 feet deep.	€ 4,00
Conus kintoki Habe & Kosuge, 1970.	Philippines, Central Visayas (region), Bohol (province), Panglao Island. 62 mm	€ 9,00
Conus kintoki Habe & Kosuge, 1970.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 3,50 t/m € 7,50
Conus laterculatus Sowerby III, 1870.	Australia.	€ 3,50
Conus lenavati da Motta & Röckel, 1982.	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 2,50 t/m € 7,50
Conus lentiginosus Reeve, 1844.	India, Bombay. At low tide.	€ 4,00
Conus leopardus (Röding, 1798).	Zanzibar, Nungwi, live in laguna.	€ 3,00
Conus leopardus (Röding, 1798).	Indonesia, Moluccas Islands, Ambon Island.	€ 3,00 t/m € 6,00
Conus lithoglyphus Hwass, 1792.	Thailand, Changwat Phuket (province), Phuket (island).	€ 1,00 t/m € 2,00

		<b>Price Range</b>
Conus lithoglyphus Hwass, 1792.	Tanzania, Zanzibar, Nungwi.	€ 0,50 t/m € 1,50
Conus litteratus L., 1758.	Thailand, Phuket, ±2 hours by boat from Rawai, Raya Island. 25-30 m deep.	€ 1,50 t/m € 4,80
Conus litteratus L., 1758.	Indonesia, Sulawesi, 5 km. south of Parepare, Pulau Dutungan, 3 m. deep.	€ 2,00 t/m € 4,00
Conus lividus Hwass, 1792.	Thailand, Changwat Phuket (province), Phuket (island).	€ 2,00 t/m € 3,50
Conus lividus Hwass, 1792.	Solomon Islands. Pacific Ocean.	€ 1,50
Conus lividus Hwass, 1792.	Réunion Island, Indian Ocean.	€ 2,00
Conus lividus Hwass, 1792.	Philippines.	€ 0,50
Conus lividus Hwass, 1792.	Indonesia, Moluccas Islands, Ambon Island.	€ 1,30
Conus lividus Hwass, 1792.	Kenya, Kikambala. On sandy mud in shallow water.	€ 1,30
Conus longurionis Kiener, 1845.	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 5,00
Conus lorenzianus Dillwyn, 1817.	Colombia, North, in mud, 40-50 metres.	€ 6,50
Conus lorisii f. insignis Dautzenberg, 1939.	Philippines.	€ 4,00
Conus lorisii Kiener, 1845.	India, Tamil Nadu (state), Cuddalore. Bay of Bengal. Dived.	€ 3,00 t/m € 4,50
Conus magus L., 1758.	Malaysia, Sabah, Bohey Dulang Island. Live on reef, under dead coral.	€ 3,50
Conus magus L., 1758.	Philippines.	€ 1,80 t/m € 2,80
Conus magus L., 1758.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 2,50 t/m € 2,80
Conus magus L., 1758.	Malaysia, Sabah (state), Semporna. Live, shallow, on seaweed, dead coral.	€ 1,00 t/m € 2,00
Conus malacanus Hwass, 1792.	India, Tamil Nadu (state), Cuddalore.	€ 3,50
Conus maldivus Hwass, 1792.	Mozambique. East Africa. Indian Ocean.	€ 2,00
Conus marmoreus L., 1758.	Australia, Queensland, Langford Reef.	€ 2,00
Conus marmoreus L., 1758.	Malaysia, Sabah (state), Borneo, off Semporna. Live on sea grass, ±1 m.	€ 2,00 t/m € 4,00
Conus marmoreus L., 1758.	Philippines.	€ 2,50 t/m € 4,50
Conus memiae (Habe & Kosuge, 1970).	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 2,50
Conus memiae (Habe & Kosuge, 1970).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 2,50
Conus mercator L., 1758.	Senegal, Dakar Region, Dakar, Gorée Island. West Africa. Atlantic Ocean.	€ 6,50
Conus mercator L., 1758.	Senegal, Dakar Region, Dakar, north side N'Gor. Diving, 1-8 metres deep.	€ 2,00 t/m € 6,50
Conus miles L., 1758.	Tanzania, Zanzibar, Mawe Island. East Africa. Indian Ocean	€ 3,50
Conus miles L., 1758.	Thailand, Changwat Phuket (province), Phuket (island).	€ 1,00 t/m € 4,00
Conus miles L., 1758.	Indonesia, Borneo, East Kalimantan, Tarakan (island). Shallow, live.	€ 3,00
Conus miles L., 1758.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 1,00 t/m € 2,00
Conus miles L., 1758.	Solomon Islands, Pacific Ocean.	€ 2,50
Conus milneedwardsi clytospira Melvill & Standen, 1899.	Southern India, dredged by Russian trawler. Deep water.	€ 85,00
Conus monachus L., 1758.	Solomon Islands. Pacific Ocean.	€ 2,00
Conus monile Hwass, 1792.	India, Tamil Nadu (state), Cuddalore. Bay of Bengal. Dived.	€ 3,80
Conus monile Hwass, 1792.	Thailand, Phuket (island), Raya Island. 25-30 metres deep.	€ 1,30 t/m € 4,30

		<b>Price Range</b>
Conus monile Hwass, 1792.	India, Tamil Nadu (state), Cuddalore. Bay of Bengal.	€ 3,50 t/m € 4,50
Conus mucronatus Reeve, 1843.	Philippines, Cebu (province), Mactan (island), Punta Engaño.	€ 3,00
Conus mucronatus Reeve, 1843.	Philippines, Luzon (island), Tayabas Bay.	€ 2,00
Conus muriculatus Sowerby I, 1833.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 1,50 t/m € 2,50
Conus mus Hwass, 1792.	Bonaire, Playa, Lesser Antilles.	€ 1,00 t/m € 2,00
Conus musicus Hwass, 1792.	Taiwan. East China Sea.	€ 1,00
Conus mustelinus Hwass, 1792.	Malaysia, Pulau Perhentian Besar. Between dead coral, shallow, live.	€ 1,00 t/m € 2,00
Conus mustelinus Hwass, 1792.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 1,00 t/m € 2,50
Conus namocanus Hwass, 1792.	Tanzania, Zanzibar.	€ 2,00 t/m € 4,00
Conus natalis Sowerby II, 1857.	South Africa, Eastern Cape, near Glengarriff, Glen Eden.	€ 3,00
Conus neptunus Reeve, 1843.	Philippines, Central Visayas (region), Cebu (island).	€ 1,50 t/m € 5,00
Conus neptunus Reeve, 1843.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 3,00 t/m € 8,50
Conus nussatella L., 1758.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 2,00
Conus nussatella L., 1758.	Thailand, Changwat Phuket (province), Phuket (island).	€ 0,80 t/m € 2,00
Conus obscurus Sowerby I, 1833.	Solomon Islands, Malaita (island), Ata'a (village). Pacific Ocean.	€ 4,00
Conus omaria Hwass, 1792.	Philippines.	€ 2,50 t/m € 4,30
Conus omaria Hwass, 1792.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 1,50 t/m € 4,50
Conus omaria Hwass, 1792.	Solomon Islands, Malaita (island), Ata'a (village). Pacific Ocean.	€ 1,50 t/m € 5,00
Conus omaria Hwass, 1792.	Malaysia, Tioman (isl.), Kampung Juara. Live, ±1 m, under dead coral.	€ 1,00 t/m € 3,00
Conus orbignyi orbignyi Audouin, 1831.	Japan. North China Sea. Fished off coast.	€ 2,50
Conus orbignyi orbignyi Audouin, 1831.	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,50
Conus patricius Hinds, 1843.	Mexico, Baja California Sur (state), San José del Cabo.	€ 3,50
Conus pennaceus Born, 1778.	Mozambique.	€ 5,00
Conus pennaceus Born, 1778.	Mozambique.	€ 3,50
Conus pennaceus Born, 1778.	Madagascar, S.W. coast.	€ 3,50
Conus pertusus Hwass, 1792.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 1,50 t/m € 4,50
Conus planorbis Born, 1778.	Mozambique. East Africa. Indian Ocean.	€ 2,50
Conus planorbis Born, 1778.	Philippines.	€ 2,50
Conus planorbis Born, 1778.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 0,50 t/m € 4,00
Conus praecellens A. Adams, 1854.	Philippines, Luzon (island), Tayabas Bay.	€ 1,00 t/m € 1,80
Conus praecellens A. Adams, 1854.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 1,00 t/m € 2,00
Conus praecellens A. Adams, 1854.	Philippines, Central Visayas (region), Cebu (island).	€ 1,00
Conus princeps v. lineolatus Valenciennes, 1832.	Panama, Taboga Island. Pacific Ocean.	€ 5,00
Conus princeps v. lineolatus Valenciennes, 1832.	Panama, Pearl Islands, Isla Pedro Gonzalez. Gulf of Panama. Pacific Ocean.	€ 5,00
Conus pulcher Lightfoot, 1786.	Senegal. West Africa. Atlantic Ocean.	€ 17,50 t/m € 30,00

		<b>Price Range</b>
Conus pulcher Lightfoot, 1786.	West Africa.	€ 17,50
Conus pulcher Lightfoot, 1786.	Senegal, Dakar Region, Dakar. West Africa. 5 m deep, in sand, under rock.	€ 6,00 t/m € 12,50
Conus pulcher Lightfoot, 1786.	S.W. Africa.	€ 7,00 t/m € 10,00
Conus pulcher Lightfoot, 1786.	Spain, Canary Islands, Fuerteventura, Morro Jable. Dead in harbour.	€ 4,00 t/m € 7,00
Conus pulcarius pulcarius Hwass, 1792.	Malaysia, Pahang (state), Tioman (island), Teluk Berus Dalam. Live in sand	€ 1,20
Conus pulcarius pulcarius Hwass, 1792.	Indonesia, Flores, Bidadari Island. Littoral, in sand between coral.	€ 0,80
Conus pulcarius pulcarius Hwass, 1792.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 1,00
Conus pulcarius pulcarius Hwass, 1792.	Philippines, Samar.	€ 3,00
Conus purpurascens Sowerby I, 1833.	Mexico. West coast. Pacific Ocean.	€ 6,50
Conus purpurascens Sowerby I, 1833.	Panama, Panama Bay. Pacific Ocean.	€ 2,50
Conus purpurascens Sowerby I, 1833.	Ecuador, Galápagos Islands. Pacific Ocean.	€ 4,00
Conus quercinus (Lightfoot, 1786).	Philippines, Sulu (province), Siasi. Sulu Sea. From fisherman.	€ 2,00
Conus quercinus (Lightfoot, 1786).	French Polynesia, Marquesas Islands, Nuku Hiva Island. 1-3 metres deep.	€ 1,80 t/m € 3,00
Conus quercinus (Lightfoot, 1786). deep between sea grass.	Malaysia, Pulau Perhentian Besar (Big Perhentian Island). Alive, 4- 6 m.	€ 1,00 t/m € 3,00
Conus rattus Hwass, 1792.	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,30 t/m € 3,50
Conus rattus Hwass, 1792.	Thailand, Phuket (island), Raya Island. 25-30 metres deep.	€ 1,00 t/m € 1,30
Conus rattus Hwass, 1792.	Taiwan, south-west. South China Sea.	€ 1,30
Conus rattus Hwass, 1792.	Thailand, Changwat Phuket (province), Phuket (island).	€ 1,20
Conus rattus Hwass, 1792.	Kenya, Coast Province, Mombasa County, Mombasa. East Africa.	€ 7,50
Conus rattus f. taitensis Hwass, 1792.	French Polynesia, Marquesas Islands, Nuku Hiva Island. 1-3 metres deep.	€ 1,50
Conus recluzianus f. roseorapum Raybaudi & da Motta, 1990.	Philippines, Balicasag island, Bohol.	€ 3,00
Conus regius Gmelin, 1791.	Brazil, Ceará, Camocin. Collected at 25-40 metres on rocky bottom.	€ 12,50
Conus regius Gmelin, 1791.	Mexico, Baja California Sur (state), San José del Cabo. 5 metre deep.	€ 3,50
Conus retifer Menke, 1829.	Philippines, Visayas (region), Samar (island). East coast.	€ 3,00 t/m € 7,50
Conus retifer Menke, 1829.	Philippines, Cebu.	€ 3,50 t/m € 6,00
Conus rufimaculosus Macpherson, 1959.	Australia, Queensland, Moreton Bay. Fished.	€ 3,00 t/m € 5,00
Conus saecularis Melvill, 1898.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 4,00 t/m € 7,50
Conus sanguinolentus Quoy & Gaimard, 1834.	Egypt, Safaga. Red Sea.	€ 0,80 t/m € 1,80
Conus sanguinolentus Quoy & Gaimard, 1834.	Egypt, west coast Gulf of Suez, Marsa Abu. Red Sea. Lagoon.	€ 0,80
Conus sieboldii Reeve, 1848.	Taiwan. East China Sea.	€ 6,00
Conus spirofilis Habe & Kosuge, 1970.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 10,00
Conus sponsalis Hwass, 1792.	Philippines, Sulu (province), Siasi. Sulu Sea. From fisherman. 14 mm	€ 3,00
Conus sponsalis Hwass, 1792.	Taiwan, south-west. South China Sea.	€ 0,90
Conus sponsalis Hwass, 1792.	Philippines.	€ 0,70 t/m € 0,90
Conus sponsalis Hwass, 1792.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 0,50

		<b>Price Range</b>
Conus spurius Gmelin, 1791.	Off Colombia, South America, 80 feet deep, dredged by trawler.	€ 3,00
Conus spurius Gmelin, 1791.	USA, Florida.	€ 2,50 t/m € 4,00
Conus striatus f. floridus Sowerby, 1858.	Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.	€ 2,00 t/m € 3,50
Conus striatus L., 1758.	Malaysia, Sabah (state), Borneo, reef off Semporna. Live under dead coral.	€ 3,50
Conus striatus L., 1758.	Madagascar, Anosy Region, Tôlanaro (Fort Dauphin). In shallow water.	€ 4,50 t/m € 6,50
Conus striatus L., 1758.	Indonesia, Flores (island), Angel Island (Pulau Bidadari). Dead, shallow.	€ 2,75
Conus striatus L., 1758.	Philippines.	€ 3,00
Conus striatus L., 1758.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 1,50 t/m € 7,50
Conus striatus L., 1758.	Malaysia, Tioman (island), Kampung Juara Beach. Live, under dead coral.	€ 2,00 t/m € 2,50
Conus striatus L., 1758.	Tanzania, Zanzibar. East Africa. Indian Ocean.	€ 2,00
Conus striatus L., 1758.	Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.	€ 1,00 t/m € 5,00
Conus striatus L., 1758.	India, Tamil Nadu (state), Ramanathapuram district, Kilakarai. Dived.	€ 2,50 t/m € 5,00
Conus striolatus Kiener, 1854.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 5,00
Conus sulcatus f. bocki Sowerby III, 1881.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 0,90 t/m € 2,25
Conus sulcatus Hwass, 1792.	Philippines.	€ 2,50
Conus sulcatus f. samiae da Motta, 1982.	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 2,00
Conus sulcocastaneus Kosuge, 1981.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 5,00
Conus sulcocastaneus Kosuge, 1981.	Philippines, Mindanao (region), Balut Island.	€ 1,50 t/m € 3,00
Conus suratensis Hwass, 1792.	Philippines, Central Visayas (region), Cebu (island).	€ 3,80 t/m € 9,00
Conus suturatus Reeve, 1844.	Australia, Queensland.	€ 3,00
Conus telatus Reeve, 1848.	Philippines, Palawan (province), Coron Island. Trawled.	€ 6,00
Conus terebra terebra Born, 1778.	India, Pamban.	€ 3,00
Conus terebra terebra Born, 1778.	Kenya, Coast Province, Mombasa County, Mombasa.	€ 4,00
Conus terebra terebra Born, 1778.	Australia, Queensland, Cape Tribulation.	€ 3,00 t/m € 4,00
Conus terebra terebra Born, 1778.	India, Pamban. Dived	€ 2,50
Conus terebra terebra Born, 1778.	Philippines, Mimaropa (Region IV-B), Marinduque (island).	€ 3,00
Conus terebra terebra Born, 1778.	Thailand, Phuket (island), Raya Island. 25-30 metres deep.	€ 1,00 t/m € 2,30
Conus tessulatus Born, 1778.	Thailand, Changwat Phuket (province), Phuket (island).	€ 1,00 t/m € 2,50
Conus tessulatus Born, 1778.	Sri Lanka, Eastern Province, Trincomalee.	€ 2,50
Conus tessulatus Born, 1778.	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,50 t/m € 4,00
Conus tessulatus Born, 1778.	Philippines.	€ 3,00
Conus tessulatus Born, 1778.	Philippines, Central Visayas (region), Cebu (island).	€ 2,00 t/m € 4,50
Conus tessulatus Born, 1778.	Kenya, Coast Province, Mombasa County, Mombasa. East Africa. Indian Ocean.	€ 1,50 t/m € 2,50
Conus tessulatus Born, 1778.	Philippines.	€ 3,50
Conus tessulatus Born, 1778.	Japan, Okinawa, Tsuken-jima (island). From 10 metres, in sand among corals	€ 3,00

		<b>Price Range</b>
Conus tessulatus Born, 1778.	Egypt, Safaga. Red Sea.	€ 1,00 t/m € 1,30
Conus tessulatus Born, 1778.	California, Santa Barbara County, Santa Cruz Island. In sand, 50' deep.	€ 3,50
Conus textile f. archiepiscopus Hwass, 1792.	Madagascar, Fort Dauphin. 3-5 metres.	€ 7,00
Conus textile f. cholmondeleyi Melville, 1900.	Tanzania, Zanzibar, Nungwi. By local fisherman, shallow water.	€ 5,00 t/m € 15,00
Conus textile L., 1758.	Australia, Queensland, Cape Tribulation. Shallow water, under stones.	€ 1,00 t/m € 2,50
Conus textile L., 1758.	Taiwan, south-west. South China Sea.	€ 2,50
Conus textile L., 1758.	Thailand, Phuket (island), Raya Island. 25-30 metres deep.	€ 0,50 t/m € 7,50
Conus thalassiarachus Sowerby I, 1834.	Philippines, Palawan (province), Palawan (island).	€ 2,50 t/m € 4,00
Conus thalassiarachus Sowerby I, 1834.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 2,00 t/m € 5,50
Conus thalassiarachus Sowerby I, 1834.	Philippines, Palawan (province), Palawan (island).	€ 3,50
Conus tinianus Hwass, 1792.	South Africa, Cape Province, Jeffreys Bay.	€ 12,50
Conus tribblei tribblei Walls, 1977. Granulated form.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 1,00 t/m € 9,50
Conus tulipa L., 1758.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 2,00
Conus varius L., 1758.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 1,50 t/m € 2,00
Conus ventricosus Gmelin, 1791.	Tunisia, Jerba Island.	€ 0,50
Conus venulatus v. ateralbus Kiener, 1845.	Cape Verde, Sal (island). Nightdiving, 2-15 metres deep.	€ 12,50
Conus venulatus v. ateralbus Kiener, 1845.	Cape Verde, Sal(island). Nightdiving at 2-15 metres deep.	€ 9,00 t/m € 10,00
Conus vexillum vexillum Gmelin, 1791.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 2,00 t/m € 6,50
Conus vexillum vexillum Gmelin, 1791.	Thailand, Changwat Phuket (province), Phuket (island).	€ 3,00
Conus vexillum vexillum Gmelin, 1791.	Philippines.	€ 3,50 t/m € 7,50
Conus vexillum vexillum Gmelin, 1791.	Indonesia, South Sulawesi, Palau Samalona (isl.). Live on reef, shallow.	€ 4,00
Conus vexillum vexillum Gmelin, 1791.	Philippines, Central Visayas (region), Bohol (island).	€ 6,50
Conus victoriae victoriae Reeve, 1843.	Australia, Western Australia, Broome. At night at low tide.	€ 3,50
Conus victoriae victoriae Reeve, 1843.	Australia, W. Australia, Port Hedland, in shallow water on muddy bottom.	€ 3,80
Conus virgatus Reeve, 1849.	Mexico, Sonora, Guaymas, San Carlos Bay. Gulf of California. Shallow.	€ 3,00 t/m € 5,00
Conus virgo L., 1758.	Indonesia, West Java (province).	€ 5,00
Conus virgo L., 1758.	Tanzania, Zanzibar, Nungwi.	€ 2,00 t/m € 2,50
Conus virgo L., 1758.	Thailand, Phuket (island), Raya Island. 25-30 metres deep.	€ 1,00 t/m € 3,00
Conus virgo L., 1758.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 1,50 t/m € 4,50
Conus virgo L., 1758.	Malaysia, Sabah (state), Semporna. Live, on sea grass, among dead coral.	€ 0,50 t/m € 2,50
Conus voluminalis Reeve, 1843. Colour form.	Philippines, Bohol island, Balicasag island. Tangle nets, 130-230 m deep.	€ 1,50
Conus voluminalis Reeve, 1843.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 0,50 t/m € 2,50
Conus wakayamaensis f. nereis Petuch, 1979.	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,00
Conus ximenes Gray, 1839.	Mexico, Baja California Sur (state), Loreto. Gulf of California.	€ 3,00
Conus zeylanicus Gmelin, 1791.	Tanzania, Zanzibar, Unguja North Region, Pongwe. East Africa.	€ 5,00



Conus zeylanicus Gmelin, 1791.  
 Conus zeylanicus Gmelin, 1791.  
 Conus zeylanicus Gmelin, 1791.  
 Conus zonatus Hwass, 1792.  
 Conus zonatus Hwass, 1792.

## Cooperellidae

Chicoreus axicornis (Lamarck, 1822).

## Coralliophilidae

Babelomurex armatus (Sowerby III, 1912).  
 Babelomurex armatus (Sowerby III, 1912).  
 Coralliophila bulbiformis (Conrad, 1837).  
 Babelomurex cariniferus (Sowerby, 1834).  
 Coralliophila costularis (Lamarck, 1816).  
 Coralliophila costularis (Lamarck, 1816).  
 Babelomurex diadema (A. Adams, 1854).  
 Babelomurex diadema (A. Adams, 1854).  
 Coralliophila erosa (Röding, 1798).  
 Mipus eugeniae (Bernardi, 1853).  
 Mipus eugeniae (Bernardi, 1853).  
 Babelomurex fearnleyi (Emerson & d'Attilio, 1965).  
 Babelomurex fearnleyi (Emerson & d'Attilio, 1965).  
 Babelomurex fearnleyi (Emerson & d'Attilio, 1965).  
 Babelomurex finchii (Fulton, 1930).  
 Babelomurex gemmatus (Shikama, 1966).  
 Babelomurex gemmatus (Shikama, 1966).  
 Babelomurex gemmatus (Shikama, 1966).  
 Mipus gyratus (Hinds, 1844).  
 Mipus gyratus (Hinds, 1844).  
 Mipus gyratus (Hinds, 1844).  
 Mipus gyratus (Hinds, 1844).  
 Rapa incurva (Dunker, 1852).  
 Babelomurex indicus (Smith, 1899).  
 Babelomurex japonicus (Dunker, 1882).  
 Babelomurex japonicus (Dunker, 1882).  
 Babelomurex japonicus (Dunker, 1882).

Thailand, Ranong Province, Ranong (city). Andaman Sea.  
 India, Tamil Nadu (state), Rameswaram. Gulf of Mannar. Trawled.  
 Madagascar.  
 Thailand, Phuket (island), Raya Island. 25-30 metres deep.  
 Indonesia, Atjeh, Pulau Weh, Iboih. Live among dead coral.

Indonesia, Greater Sundra Islands, East Java (province), Madura Island.

Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.  
 Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.  
 Philippines, Visayas (region), Samar (island).  
 Greece, Alonissos Island. Aegean Sea. Dived live, 12 m deep on white coral  
 Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.  
 Philippines, Visayas (region), Samar (island).  
 Philippines, Bohol (province), close to Panglao Island, Balicasag Island.  
 Japan, Honshu (island), Kansai (region), Kyoto.  
 Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.  
 Philippines, Bohol (province), close to Panglao Island, Balicasag Island.  
 Japan.  
 Philippines.  
 Philippines, Cebu (province), Mactan (island), Punta Engaño.  
 Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.  
 Japan.  
 Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.  
 Philippines, Central Visayas (region), Bohol (island).  
 Philippines, Central Visayas (region), Bohol (island). 30 mm  
 India, Tamil Nadu (state), Madras [Chennai].  
 India, Tamil Nadu (state), off Madras [Chennai]. Trawled.  
 Japan.  
 Taiwan. East China Sea.  
 Philippines. Collected dead on coral.  
 Philippines, Bohol (province), close to Panglao Island, Balicasag Island.  
 Philippines, Central Visayas (region), Cebu (province), Mactan (island).  
 Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.  
 Taiwan. East China Sea.

## Price Range

€ 3,50

€ 6,00

€ 3,00

€ 1,50 t/m € 2,00

€ 2,00

€ 2,50

€ 2,00 t/m € 3,00

€ 2,00

€ 2,00 t/m € 4,80

€ 12,50

€ 1,00 t/m € 2,50

€ 6,00

€ 2,50 t/m € 3,80

€ 4,00

€ 2,00

€ 1,00 t/m € 2,00

€ 9,50

€ 6,00

€ 1,50 t/m € 3,00

€ 1,00 t/m € 5,00

€ 10,00

€ 3,00 t/m € 3,80

€ 5,00

€ 8,00

€ 14,50

€ 4,00

€ 5,00

€ 3,00 t/m € 5,00

€ 4,00

€ 7,50

€ 12,50

€ 1,50 t/m € 7,50

€ 12,50 t/m € 17,50

		<b>Price Range</b>
Babelomurex lischkeanus (Dunker, 1882).	Japan, Honshu (island), Hyōgo Prefecture, off Kobe.	€ 2,50 t/m € 12,00
Coralliophila madreporarum (Sowerby, 1832).	French Polynesia, Marquesas Islands, Nuku Hiva Island. 1-3 metres deep.	€ 4,00
Latiaxis mawae (Griffith & Pidgeon, 1834).	Japan. Fished.	€ 4,00 t/m € 5,00
Latiaxis mawae (Griffith & Pidgeon, 1834).	South Japan, near Amami, Tokara area. Off Gajashima Island, 180-200 m.	€ 7,00 t/m € 9,50
Babelomurex nakayasui (Shikama, 1970).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 7,50 t/m € 12,50
Babelomurex princeps (Melvill, 1912).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 4,50
Babelomurex princeps (Melvill, 1912).	Taiwan, from fisherman of Kaoshiung. Very interesting shells.	€ 9,50
Coralliophila radula (A. Adams, 1855).	Philippines, Central Visayas (region), Cebu (island).	€ 2,50 t/m € 5,00
Coralliophila radula (A. Adams, 1855).	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 2,50 t/m € 5,00
Coralliophila radula (A. Adams, 1855).	Philippines, Bohol (province), Panglao Island.	€ 3,80 t/m € 5,00
Coralliophila radula (A. Adams, 1855).	Philippines, Bohol (province), Panglao Island.	€ 3,80 t/m € 5,00
Rapa rapa (L., 1758).	Philippines, Negros. Trawled at 20-25 metres deep.	€ 5,50
Rapa rapa (L., 1758).	Philippines.	€ 5,00
Coralliophila rubrococcinea Melvill & Standen, 1901.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 1,00
Babelomurex spinosus (Hirase, 1908).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 3,80 t/m € 9,00
Babelomurex spinosus (Hirase, 1908).	Taiwan. East China Sea. Fished off the south-western coast.	€ 3,00 t/m € 6,00
Babelomurex takahashii (Kosuge, 1979).	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 3,00 t/m € 5,00
Coralliophila violacea (Kiener, 1836).	Thailand, Phuket (island), Raya Island. 25-30 metres deep.	€ 1,00
Coralliophila violacea (Kiener, 1836).	French Polynesia, Society Islands, Tahiti. 20 km east of Papeete.	€ 0,50
Coralliophila violacea (Kiener, 1836).	Japan, Honshu (island), Wakayama Prefecture, Minabe.	€ 2,50
Coralliophila violacea (Kiener, 1836).	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 1,50 t/m € 2,50
Coralliophila violacea (Kiener, 1836).	Taiwan, south-west. South China Sea.	€ 1,00 t/m € 1,80
Coralliophila violacea (Kiener, 1836).	Australia, Queensland. From Torres Strait. On coral. 47 mm	€ 3,00
Coralliophila violacea (Kiener, 1836).	Mozambique, Nampula Province, Nacala Bay. Local women, shallow water.	€ 1,30
<b>Corbiculidae</b>		
Polymesoda bengalensis Lamarck, 1818.	Philippines, Central Visayas (region), Bohol (island).	€ 0,80
Polymesoda coaxans (Gmelin, 1791).	Papua New Guinea, Morobe Prov., Eipa River Mouth.	€ 3,00
Corbicula fluminea (Müller, 1774).	The Netherlands, Amersfoort, Juliana canal.	€ 1,00
Batissa violacea (Lamarck, 1818).	Indonesia, West coast Sumatra, Padang, Putih Beach. In mangrove.	€ 1,50 t/m € 3,00
<b>Corbulidae</b>		
Corbula barrattiana C.B. Adams, 1852.	USA, Florida, off Bradenton. Trawled at 100 feet.	€ 2,50
Corbula erythrodon Lamarck, 1818.	Japan.	€ 3,30
Corbula gibba (Olivi, 1792).	Italy, Province of Ravenna, Cérvia.	€ 0,30
Corbula gibba (Olivi, 1792).	France, Brittany, Les Rosaires.	€ 0,80
Corbula gibba f. rosea Brown, 1844.	Italy, Emilia-Romagna (region), Rimini. Adriatic Sea.	€ 0,40

Corbula sulcata Lamarck, 1801.  
 Corbula tumaca (Olsson, 1961).  
 Corbula tumaca (Olsson, 1961).  
 Corbula zelandica (Quoy & Gaimard, 1835).

## Costellariidae

Vexillum acuminatum (Gmelin, 1791).  
 Vexillum acuminatum (Gmelin, 1791).  
 Vexillum albofulvum Herrmann, 2007.  
 Vexillum angustissimum (E.A. Smith, 1903).  
 Vexillum citrinum (Gmelin, 1791).  
 Vexillum citrinum (Gmelin, 1791).  
 Vexillum citrinum (Gmelin, 1791).  
 Vexillum citrinum (Gmelin, 1791).  
 Vexillum coccineum (Reeve, 1844).  
 Vexillum coccineum (Reeve, 1844).  
 Vexillum costatum (Gmelin, 1791).  
 Vexillum crocatum (Lamarck, 1811).  
 Vexillum crocatum (Lamarck, 1811).  
 Vexillum curviliratum (Sowerby, 1874).  
 Vexillum dennisoni (Reeve, 1844).  
 Vexillum exasperatum (Gmelin, 1791).  
 Vexillum exasperatum (Gmelin, 1791).  
 Vexillum formosense (Sowerby III, 1889).  
 Vexillum formosense (Sowerby III, 1889).  
 Vexillum granosum (Gmelin, 1791).  
 Vexillum granosum (Gmelin, 1791).  
 Vexillum granosum (Gmelin, 1791).  
 Vexillum gruneri (Reeve, 1844).  
 Vexillum microzonias (Lamarck, 1811).  
 Vexillum microzonias (Lamarck, 1811).  
 Vexillum mirabile (Adams, 1853).  
 Zierliana oleacea (Reeve, 1844).  
 Vexillum pacificum (Reeve, 1845).  
 Vexillum patriarchalis (Gmelin, 1791).  
 Vexillum patriarchalis (Gmelin, 1791).

Senegal, Dakar Region, Dakar, off Hann. West Africa. 5-10 metres deep.  
 Panama, Kativa Island. Trawled, 120-240 feet deep.  
 Panama. Pacific Ocean.  
 New Zealand, North Island, Thames Estuary. In mud, low tide.

Thailand, Changwat Phuket (province), Phuket (island).  
 Taiwan. East China Sea.  
 Philippines.  
 Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 meters deep.  
 Philippines, Mindanao (island), Davao Region, Davao City.  
 Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.  
 Madagascar, Anosy Region, Tôlanaro (Fort Dauphin) region. Shallow water.  
 Philippines.  
 Taiwan, Kaoshiung. Fished.  
 Taiwan, south-west. South China Sea.  
 India, Tamil Nadu (state), off Madras [Chennai]. Trawled, from fishery.  
 Philippines, Bohol (province), Calituban Island. Dived at ±30 metres deep.  
 Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.  
 Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.  
 Philippines, Luzon, Bicol Region, Sorsogon, Bulan. From local fisherman. 46 mm  
 Philippines, Central Visayas (region), Cebu (province), Mactan (island).  
 Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.  
 Philippines.  
 Taiwan. East China Sea.  
 Indonesia, Lesser Sunda Islands, Flores (island), Maumere.  
 Philippines.  
 Indonesia, Borneo, North Kalimantan, Palau Tarakan, Tarakan. Live.  
 Philippines.  
 Philippines, Bohol (province), close to Panglao Island, Balicasag Island.  
 Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.  
 Philippines.  
 Philippines, Bohol (province), close to Panglao Island.  
 Mozambique, Nampula Province, Nacala Bay area. In shallow water. 13 mm  
 Philippines.  
 Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.

## Price Range

€ 4,30  
 € 3,80  
 € 3,00  
 € 2,50

€ 1,50  
 € 1,60  
 € 2,50  
 € 3,00  
 € 4,00  
 € 3,50 t/m € 8,50  
 € 8,50 t/m € 9,50  
 € 2,50  
 € 4,00  
 € 1,50 t/m € 3,00  
 € 2,50  
 € 5,50  
 € 3,00 t/m € 4,00  
 € 2,50 t/m € 5,00  
 € 5,50 t/m € 9,50  
 € 1,80  
 € 0,50 t/m € 2,50  
 € 2,50  
 € 2,50  
 € 1,30  
 € 0,25  
 € 1,50  
 € 1,50  
 € 6,00  
 € 6,00  
 € 3,00  
 € 4,00  
 € 2,50  
 € 3,50  
 € 5,00 t/m € 7,50

		<b>Price Range</b>
Vexillum plicarium (L., 1758).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,00 t/m € 2,00
Vexillum plicarium (L., 1758).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,50
Vexillum plicarium (L., 1758).	Indonesia, Greater Sundra Islands, East Java (province), Madura Island.	€ 0,80
Vexillum plicarium (L., 1758).	Philippines, Central Visayas (region), Cebu (island).	€ 1,50
Vexillum pyropus Turner & Marrow, 2001.	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,00
Vexillum radix (Sowerby, 1874).	Philippines.	€ 0,80
Vexillum radix (Sowerby, 1874).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 4,00
Vexillum rubrocostatum (Habe & Kosuge, 1966).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 3,00
Vexillum rubrum (Broderip, 1836).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 2,50
Vexillum rugosum (Gmelin, 1791).	Philippines.	€ 1,50 t/m € 1,80
Vexillum rugosum (Gmelin, 1791).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,00
Vexillum rugosum (Gmelin, 1791).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 0,50
Vexillum sanguisuga (L., 1758).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,50
Vexillum sanguisuga (L., 1758).	Philippines, Central Visayas (region), Cebu (isl.). From local fisherman. 25 mm - 29 mm	€ 5,00
Vexillum sanguisuga (L., 1758).	Philippines.	€ 1,80
Vexillum sanguisuga (L., 1758).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,50 t/m € 3,00
Vexillum sculptile Reeve, 1845.	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 2,00 t/m € 4,50
Vexillum subdivisum (Gmelin, 1791).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 4,00 t/m € 6,00
Vexillum takakuwai Cernohorsky & Azuma, 1974.	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 5,00
Vexillum unifasciale (Lamarck, 1811).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 2,00
Vexillum vulpecula (L., 1758).	Thailand. Southeast Asia.	€ 1,60
Vexillum vulpecula (L., 1758).	Philippines.	€ 1,50
Vexillum vulpecula (L., 1758).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,50
Vexillum vulpecula (L., 1758).	Philippines.	€ 1,50 t/m € 3,80
Vexillum vulpecula (L., 1758).	Australia, Western Australia, Broome.	€ 1,00
Zierliana woldemarii (Kiener, 1838).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 2,00
Vexillum xenium Pilsbry, 1921.	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 4,00
Zierliana ziervogelii (Gmelin, 1791).	Philippines, Cebu (province), Mactan (island), Punta Engaño.	€ 5,00 t/m € 6,50
Zierliana ziervogelii (Gmelin, 1791).	Philippines, Mindanao (region), Balut Island, by tangle net. 25 mm	€ 5,00 t/m € 11,00
<b>Crepidulidae</b>		
Crepidula adunca Sowerby, 1825.	USA, California, Monterey County, Pacific Grove. On beach.	€ 0,60
Calyptraea chinensis (L., 1758).	Spain, Andalusia, Málaga. Trawled at 30-40 metres deep, on scallops. 14 mm	€ 1,80
Calyptraea chinensis (L., 1758).	Spain, between Estepona and San Carlos de la Rápita.	€ 1,00
Calyptraea chinensis (L., 1758).	France, Brittany, Roscoff.	€ 1,00

*Calyptraea chinensis* (L., 1758).

*Cheilea equestris* (L., 1758).

*Calyptraea extintorium* v. *morbidum* Lamarck, 1822.

*Calyptraea extintorium* Lamarck, 1822.

*Crepidula fornicata* (L., 1758).

*Sigapatella novaezelandiae* (Lesson, 1831).

*Crepidula porcellana* Lamarck, 1801.

*Crucibulum scutellatum* (Wood, 1828).

*Crucibulum spinosum* (Sowerby, 1824).

*Crucibulum spinosum* (Sowerby, 1824).

## Cucullaeidae

*Cucullaea labiata* (Lightfoot, 1786).

## Cultellidae

*Ensis arcuatus* (Jeffreys, 1865).

*Ensis arcuatus* (Jeffreys, 1865).

*Ensis arcuatus* (Jeffreys, 1865).

*Siliqua costata* Say, 1822.

*Ensis directus* (Conrad, 1843).

*Ensis ensis* f. *phaxoides* van Urk, 1964.

*Ensis minor* (Chenu, 1843).

*Ensis minor* (Chenu, 1843).

*Siliqua patula* (Dixon, 1788).

*Siliqua radiata* (L., 1758).

*Siliqua radiata* (L., 1758).

*Ensis siliqua* (L., 1758).

## Cypraeidae

*Schilderia achatidea* (Sowerby, 1837).

*Erosaria acicularis acicularis* (Gmelin, 1791).

*Erosaria acicularis acicularis* (Gmelin, 1791).

*Erosaria acicularis acicularis* (Gmelin, 1791).

*Palmadusta androyensis* Blöcher & Lorenz, 1999.

*Palmadusta androyensis* Blöcher & Lorenz, 1999.

*Notocypraea angustata* (Gmelin, 1791).

*Zonaria annettae annettae* (Dall, 1909).

*Zonaria annettae annettae* (Dall, 1909).

Spain, Andalusia (region), Province of Málaga, Marbella.

Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.

Thailand, Changwat Phuket (province), Phuket (island).

Thailand, Penant (?).

The Netherlands, Zeeland, Yerseke.

New Zealand, Martin's Bay.

South Africa, Western Cape, Simonstown. False Bay. Scuba, kelp, ±6 m.

Mexico, Zihuatanejo. 3 metres deep.

Mexico, Baja California Sur (state), Loreto. Gulf of California.

Panama, Bay of Chiriqui. Coiba Island. Dived at 3 metres deep.

Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.

North Sea, Black Bank.

The Netherlands, Scheveningen.

UK, Scotland, Strathclyde, Oban.

USA, Massachusetts. Atlantic Ocean.

The Netherlands, Ameland.

North Sea, Black Bank.

Italy, Vibo Valentia.

The Netherlands, Texel Island.

Pacific Ocean, Mineral Beach. Extreme low tide, 5-12 inches deep in sand.

Thailand, Changwat Phuket (province), Phuket (island).

Thailand, Krabi Province, Ao Nang. Strait of Malacca. On beach.

UK, Scotland, Isle of Skye, Broadford Bay.

Senegal, Cap-Vert, N'Gor Island, Pointe des Almadies. Fishing harbour.

Florida, off Boca Raton, 2 mile N. of Boca Inlet. Scuba, 55 feet deep.

USA, Florida Keys, Pickles reef. Under rocks.

Brazil, Ceará (state), Camocim. Collected on octopus at 25-35 metres.

Madagascar, Anosy Region, near Tôlanaro (Fort Dauphin).

Southern Madagascar, Adroy.

Australia, S.A., Great Australian Bight, Pt. Mac Donald.

Mexico, La Paz, 5 km from Playa Pichilingue. 2 metres deep, under stones.

Mexico, Baja California Sur, 1 km S. of Santa Rosalía. Under stones, 1 m.

## Price Range

€ 1,00

€ 2,50

€ 1,00

€ 1,00

€ 0,80 t/m € 3,00

€ 0,50

€ 0,80 t/m € 1,80

€ 1,30

€ 0,80 t/m € 1,30

€ 4,00

€ 3,50

€ 1,30

€ 1,30

€ 1,00 t/m € 1,30

€ 1,00

€ 1,30

€ 1,30

€ 0,50

€ 0,70

€ 5,00

€ 1,50 t/m € 2,50

€ 3,80

€ 2,00

€ 4,00

€ 2,50 t/m € 7,50

€ 4,00

€ 4,00

€ 5,00

€ 7,50

€ 2,00

€ 4,00 t/m € 4,80

€ 5,00

		<b>Price Range</b>
Zonaria annettae annettae (Dall, 1909).	Mexico, Baja California Sur, 5 km N. of Mulegé. Gulf of California. 2 m .	€ 4,00
Erosaria annulus (L., 1758).	Kenya, Coast Province, Mombasa County, Mombasa, Leven Reef.	€ 0,50 t/m € 0,80
Erosaria annulus (L., 1758).	Thailand, Changwat Phuket (province), Phuket (island).	€ 0,80
Erosaria annulus (L., 1758).	Indonesia, Bali (province), Bali (island), Sanur Beach.	€ 0,20 t/m € 0,40
Erosaria annulus (L., 1758).	Tanzania, Zanzibar , Unguja South Region, Uroa Beach. Indian Ocean.	€ 0,80
Erosaria annulus (L., 1758).	South Africa, Natal.	€ 0,50
Erosaria annulus (L., 1758).	Australia, Queensland, Double Island. Great Barrier Reef.	€ 1,00
Mauritia arabica arabica (L., 1758).	Philippines.	€ 1,00 t/m € 1,80
Mauritia arabica arabica (L., 1758).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 0,50 t/m € 2,50
Mauritia arabica arabica (L., 1758).	Madagascar island. East Africa. Indian Ocean.	€ 7,50
Mauritia arabica arabica (L., 1758).	Indonesia, West Papua (province), Manokwari, Cenderawasih Bay.	€ 1,00
Mauritia arabica asiatica Schilder & Schilder, 1939.	Northern Sri Lanka.	€ 1,50 t/m € 1,80
Mauritia arabica asiatica Schilder & Schilder, 1939.	Thailand, Phuket (island), Raya Island. 25-30 metres deep.	€ 1,50
Mauritia arabica grayana Schilder, 1930.	Egypt, South Sinai, Dahab. Gulf of Aqaba. Live under stones.	€ 1,50
Mauritia arabica immanis Schilder & Schilder, 1939.	Mozambique, Nampula Province, Nacala Bay area. Shallow water.	€ 4,00
Mauritia arabica immanis Schilder & Schilder, 1939.	Tanzania, Zanzibar, Nungwi (village). East Africa. From local fisherman.	€ 5,50
Mauritia arabica immanis Schilder & Schilder, 1939.	Madagascar Island. East Africa. Indian Ocean.	€ 7,50
Zonaria arabicula (Lamarck, 1810).	Panama, Pearl Islands. Pacific Ocean. Shallow water.	€ 1,50
Zonaria arabicula (Lamarck, 1810).	Mexico, Colima, Manzanillo.	€ 2,50
Lyncina argus argus (L., 1758).	Philippines.	€ 2,50
Lyncina argus argus (L., 1758).	Philippines, East Samar island, in shallow water under dead coral.	€ 3,30
Lyncina argus contrastriata (Perry, 1811).	Madagascar Island. East Africa. Indian Ocean.	€ 3,50
Umbilia armeniaca (Verco, 1912). and 128° E. Trawled at 150-170m	Australia, Great Australian Bight, 60-70 km south of cliffs, between 127°	€ 85,00
Palmadusta asellus (L., 1758).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,00 t/m € 2,00
Palmadusta asellus (L., 1758).	Indonesia, Greater Sunda Islands, East Java (province), Madura Island.	€ 1,50
Palmadusta asellus (L., 1758).	Philippines, Samar (island). Northeast coast. From divers. 14 mm	€ 1,00 t/m € 2,00
Erosaria beckii (Gaskoin, 1836).	Philippines, Sulu Archipelago.	€ 4,00
Pustularia bistrinotata bistrinotata Schilder & Schilder, 1937.	Philippines, Samar. East coast. Shallow: ½ metre deep, ebb, rock holes.	€ 4,00
Pustularia bistrinotata bistrinotata Schilder & Schilder, 1937.	Philippines.	€ 3,80
Pustularia bistrinotata mediocris Schilder & Schilder, 1938.	Solomon Islands, Malaita (island), Ata'a (village). Pacific Ocean.	€ 1,50
Erosaria boivinii (Kiener, 1843).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,50
Erosaria boivinii (Kiener, 1843).	Philippines.	€ 1,30
Lyncina camelopardalis (Perry, 1811).	Red Sea.	€ 2,50
Cypraeovula capensis (Gray, 1828).	South Africa, Eastern Cape Province, East London beach.	€ 2,50
Erosaria caputdraconis (Melvill, 1888).	Chile, Easter Island, Hanga Roa. Surge area, shallow water.	€ 7,00 t/m € 11,00

		<b>Price Range</b>
Erosaria caputserpentis caputserpentis (L., 1758).	Philippines, Visayas (region), Samar (island).	€ 0,50
Erosaria caputserpentis caputserpentis (L., 1758).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 0,75
Erosaria caputserpentis caputserpentis (L., 1758).	Thailand, Phuket (island), Raya Island. 25-30 metres deep.	€ 1,00
Erosaria caputserpentis caputserpentis (L., 1758).	Australia, Western Australia, N. of Exmouth, Cape Range National Park.	€ 0,60
Erosaria caputserpentis caputserpentis (L., 1758).	Tanzania, Zanzibar , Unguja South Region, Uroa. East Africa. Indian Ocean.	€ 1,30
Erosaria caputserpentis caputserpentis (L., 1758).	Tanzania, Zanzibar. East Africa. Indian Ocean. From local fisherman.	€ 1,00
Erosaria caputserpentis caputserpentis (L., 1758).	Tanzania, Zanzibar, Uroa Beach. East Africa. Local fisherman.	€ 1,00
Erosaria caputserpentis caputserpentis (L., 1758).	India, Laccadive Islands. Arabian Sea.	€ 0,50 t/m € 0,80
Erosaria caputserpentis caputserpentis (L., 1758).	Australia, New South Wales, North of Iluka.	€ 1,20
Lyncina carneola carneola (L., 1758).	Egypt, Hurghada. Red Sea.	€ 0,80
Lyncina carneola carneola (L., 1758).	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 0,50 t/m € 3,00
Lyncina carneola carneola (L., 1758).	Tanzania, Zanzibar, Nungwi (village). East Africa. From local fisherman.	€ 1,50
Lyncina carneola carneola (L., 1758).	Thailand, Phuket (island), Raya Island. 25-30 metres deep.	€ 0,80 t/m € 1,30
Lyncina carneola carneola (L., 1758).	Tanzania, Zanzibar , Unguja South Region, Uroa. East Africa. Indian Ocean.	€ 1,50
Lyncina carneola carneola (L., 1758).	Republic of Djibouti. Northeast Africa.	€ 1,60 t/m € 2,00
Lyncina carneola carneola (L., 1758).	India, Tamil Nadu (state), Tuticorin.	€ 1,80
Lyncina carneola carneola (L., 1758).	Seychelles. Indian Ocean.	€ 0,80
Erronea caurica caurica (L., 1758).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 0,50
Erronea caurica caurica (L., 1758).	Philippines.	€ 0,50 t/m € 1,50
Erronea caurica dracaena (Born, 1778).	Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.	€ 1,00 t/m € 2,00
Erronea caurica dracaena (Born, 1778).	N. Sri Lanka.	€ 1,50
Erronea caurica elongata (Perry, 1811).	Tanzania, Dar Es Salaam. East Africa.	€ 2,00
Erronea caurica elongata (Perry, 1811).	Tanzania, Mafia Island. East Africa. From local fisherman.	€ 2,00
Erronea caurica quinquefasciata (Röding, 1798).	Egypt, Safaga. Red Sea.	€ 2,50
Macrocypraea cervinetta (Kiener, 1843).	Panama, off Gobernadora Island. Low tide.	€ 12,50 t/m € 17,50
Macrocypraea cervinetta (Kiener, 1843).	Ecuador, Manabi Province, off Isote Pedernales. Local diver, 10-20 metre.	€ 10,00
Macrocypraea cervinetta (Kiener, 1843).	Ecuador, Galápagos Islands, Santa Cruz Island, Academy Bay. Ebb, stones.	€ 7,00 t/m € 10,00
Macrocypraea cervinetta (Kiener, 1843).	Ecuador, Galápagos Islands. Pacific Ocean.	€ 6,00
Macrocypraea cervinetta (Kiener, 1843).	Panama, Cebaco Island. Pacific Ocean.	€ 8,50
Macrocypraea cervinetta (Kiener, 1843).	Mexico.	€ 7,00
Macrocypraea cervus (L., 1771).	USA, Florida Keys, Bahia Honda Channel. Under rock ledge, 10-15 feet deep.	€ 30,00
Macrocypraea cervus (L., 1771).	USA, Florida, Big Pine Key.	€ 10,00
Macrocypraea cervus (L., 1771).	Cuba, Sabana-Camagüey Archipelago. Live, shallow water, by mangroves.	€ 7,00 t/m € 12,00
Erronea chinensis chinensis (Gmelin, 1791).	Philippines, Mindanao (island), Zamboanga.	€ 0,50 t/m € 1,00
Erronea chinensis chinensis (Gmelin, 1791).	Philippines, Sulu Sea.	€ 2,50

		<b>Price Range</b>
<i>Pustularia cicercula</i> (L., 1758).	Thailand, Southeast Asia.	€ 2,50
<i>Pustularia cicercula</i> (L., 1758).	Philippines, Philippines, Samar (island). East coast.	€ 1,50
<i>Luria cinerea brasiliensis</i> Lorenz, 2002.	Brazil, Ceará (state), Camocim. Collected on octopus at 25-35 metres.	€ 3,00 t/m € 4,00
<i>Luria cinerea</i> (Gmelin, 1791).	USA, Florida, off Ocean Ridge. Scuba, 10 fathoms deep, under rock rubble.	€ 4,50
<i>Luria cinerea</i> (Gmelin, 1791).	Florida, Pompano Beach, 2 miles S. of Hillsboro Light. Scuba, 10 fathoms.	€ 3,00 t/m € 7,00
<i>Luria cinerea</i> (Gmelin, 1791).	Martinique, Lesser Antilles. Caribbean Sea. By diver.	€ 4,50 t/m € 7,50
<i>Luria cinerea</i> (Gmelin, 1791).	Florida, off Boca Raton, 3 miles NE Boca Inlet. Scuba, 20 metres deep.	€ 5,00
<i>Palmadusta clandestina clandestina</i> (L., 1767).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 0,80
<i>Palmadusta clandestina clandestina</i> (L., 1767).	Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.	€ 1,30
<i>Palmadusta clandestina clandestina</i> (L., 1767).	Philippines.	€ 0,80
<i>Palmadusta clandestina passerina</i> (Melvill, 1888).	Tanzania, Zanzibar, Nungwi (village). East Africa. From local fisherman.	€ 1,00
<i>Notocypraea comptonii mayi</i> (Beddome, 1898).	Australia, South Australia, Port MacDonnell. Around reefedges 6 ft.	€ 3,00 t/m € 5,00
<i>Palmadusta contaminata</i> (Sowerby, 1832).	Philippines, Sulu (province), Siasi Isl.	€ 2,00 t/m € 3,50
<i>Blasicrura coxeni coxeni</i> (Cox, 1873).	Solomon Islands. Pacific Ocean.	€ 3,50
<i>Blasicrura coxeni hesperina</i> Schilder & Summers, 1963.	Papua New Guinea, Port Moresby.	€ 3,00
<i>Cribrarula cribraria comma</i> (Perry, 1811).	Tanzania, Mtwara.	€ 4,50
<i>Cribrarula cribraria cribraria</i> (L., 1758).	Philippines.	€ 2,00 t/m € 5,00
<i>Cribrarula cribraria cribraria</i> (L., 1758).	Philippines, Bohol (province), Calituban Island. 20-25 m deep, night dive.	€ 2,00 t/m € 3,00
<i>Cribrarula cribraria zadela</i> (Iredale, 1939).	Philippines, Cebu Island, from local fishermen.	€ 4,00
<i>Erronea cylindrica cylindrica</i> (Born, 1778).	Philippines.	€ 0,80
<i>Erronea cylindrica cylindrica</i> (Born, 1778).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,00
<i>Blasicrura dayritiana</i> (Cate, 1963).	Philippines, Palawan (prov.), Coron.	€ 2,00
<i>Mauritia depressa</i> (Gray, 1824).	French Polynesia, Tuamotu Archipelago. 9 metres deep, under stones.	€ 4,50 t/m € 6,00
<i>Mauritia depressa</i> (Gray, 1824).	India, Laccadive Islands. Arabian Sea.	€ 2,50
<i>Palmadusta diluculum diluculum</i> (Reeve, 1845).	Tanzania, Zanzibar. East Africa. Indian Ocean.	€ 1,00
<i>Palmadusta diluculum diluculum</i> (Reeve, 1845).	Tanzania, Zanzibar, Kendwa. From local fisherman.	€ 1,00
<i>Palmadusta diluculum diluculum</i> (Reeve, 1845).	Kenya, Coast Province, Mombasa County, Mombasa. East Africa.	€ 1,20
<i>Cypraeovula edentula edentula</i> (Gray, 1825).	South Africa, Cape Province, Jeffrey's Bay.	€ 6,00
<i>Mauritia eglantina</i> f. <i>griseoviridis</i> (Duclos, 1833)Raybaudi, 1987.	Philippines. Cebu.	€ 3,50
<i>Mauritia eglantina</i> (Duclos, 1833).	Australia, Western Australia, Cardabia, Nigaloo Marine Park.	€ 1,00
<i>Mauritia eglantina</i> (Duclos, 1833).	Philippines.	€ 1,00 t/m € 1,50
<i>Mauritia eglantina</i> (Duclos, 1833).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 0,50 t/m € 1,50
<i>Erosaria englerti</i> (Summers & Burgess, 1965).	Easter Island, Hangaroa. Night snorkeling, 5-10 metres, on rocks.	€ 8,00
<i>Erosaria erosa</i> (L., 1758).	Australia, northeastern Queensland, Darnley.	€ 0,80
<i>Erosaria erosa</i> (L., 1758).	Tanzania, Mafia Island. East Africa. Indian Ocean. From local fisherman.	€ 0,50



		<b>Price Range</b>
<i>Erosaria erosa</i> (L., 1758).	Indonesia, West Papua (province), Manokwari.	€ 1,00
<i>Erosaria erosa</i> (L., 1758).	Republic of Djibouti. Northeast Africa.	€ 2,30
<i>Erosaria erosa</i> (L., 1758).	India, Tamil Nadu (state), Rameswaram. Gulf of Mannar.	€ 1,80
<i>Erosaria erosa</i> (L., 1758).	Tanzania, Zanzibar , Unguja South Region, Uroa. East Africa.	€ 1,80
<i>Erosaria erosa</i> (L., 1758).	Thailand, Phuket (island), Raya Island. 25-30 metres deep.	€ 0,50 t/m € 1,00
<i>Erosaria erosa</i> (L., 1758).	Australia, Western Australia, Pilbara region, Point Samson.	€ 1,50
<i>Erosaria erosa</i> (L., 1758).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 0,50
<i>Erosaria erosa</i> (L., 1758).	Taiwan, south-west. South China Sea.	€ 1,50
<i>Erronea errone</i> f. <i>bimaculata</i> Gray, 1824.	India, Tamil Nadu (state), Rameswaram. By diver.	€ 2,50
<i>Erronea errone</i> f. <i>caerulescens</i> Schröter, 1804.	Solomon Islands. Pacific Ocean. By diver.	€ 1,00
<i>Erronea errone</i> (L., 1758).	Thailand, Phuket, North Patong, Thavorn Beach.	€ 2,00
<i>Erronea errone</i> (L., 1758).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 0,50
<i>Erronea errone</i> (L., 1758).	Australia, Queensland, Double Island.	€ 0,40
<i>Erronea errone</i> (L., 1758).	India.	€ 0,50
<i>Erronea errone</i> (L., 1758).	Thailand, Phuket (island), Raya Island. 25-30 metres deep.	€ 0,50
<i>Erronea errone</i> (L., 1758).	Australia, Western Australia, Pilbara region, Point Samson.	€ 0,60
<i>Erronea errone</i> (L., 1758).	Australia, New South Wales, 1 km north of Iluka.	€ 0,70
<i>Erronea errone</i> (L., 1758).	Australia, Western Australia, Port Hedland. On reef.	€ 0,80 t/m € 1,00
<i>Erronea errone</i> (L., 1758).	Australia, Western Australia, Broome. In littoral zone.	€ 0,75
<i>Cribrarula exmouthensis rotnnestensis</i> Raybaudi, 1987.	Australia, West. Austr., Rottnest Isl. By scuba diver, 25 metres deep.	€ 40,00
<i>Erronea felina fabula</i> (Kiener, 1843).	Oman, Muscat. Middle East. Gulf of Oman.	€ 2,50
<i>Erronea felina felina</i> (Gmelin, 1791).	Tanzania, Zanzibar, Nungwi. Local fisherman.	€ 2,00
<i>Erronea felina felina</i> (Gmelin, 1791).	Tanzania, Mafia Island. East Africa. Indian Ocean. From local fisherman.	€ 1,00
<i>Purpuradusta fimbriata durbanensis</i> (Schilder & Schilder, 1938).	Kenya, Coast Province, Mombasa County, Mombasa. East Africa.	€ 1,00
<i>Purpuradusta fimbriata durbanensis</i> (Schilder & Schilder, 1938).	Tanzania, Zanzibar, Michamvi. East Africa. From local fisherman.	€ 1,00
<i>Purpuradusta fimbriata durbanensis</i> (Schilder & Schilder, 1938).	Tanzania, Zanzibar, Bawe Island. Low tide under coral boulders.	€ 1,20
<i>Purpuradusta fimbriata fimbriata</i> (Gmelin, 1791).	Tanzania, Zanzibar, Nungwi (village). East Africa. From local fisherman.	€ 1,00
<i>Purpuradusta fimbriata fimbriata</i> (Gmelin, 1791).	Tanzania, Zanzibar, Nungwi (village). East Africa. From local fisherman.	€ 1,30
<i>Purpuradusta fimbriata fimbriata</i> (Gmelin, 1791).	Philippines, Central Visayas (region), Cebu (province), Mactan (island).	€ 1,30 t/m € 1,80
<i>Purpuradusta fimbriata fimbriata</i> (Gmelin, 1791).	South Africa, Transkei Bantu Homeland, Coffee Bay.	€ 0,80 t/m € 1,30
<i>Cypraeovula fuscudentata</i> (Gray, 1825).	South Africa, Cape Province, Jeffreys Bay.	€ 7,50
<i>Cypraeovula fuscorubra</i> (Shaw, 1909).	South Africa, West Coast of Cape Peninsula. Dived at 40 metres, on a reef.	€ 7,00
<i>Erosaria gangranosa gangranosa</i> (Dillwyn, 1817).	Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.	€ 1,00
<i>Pustularia globulus globulus</i> f. <i>sphaeridium</i> Schilder & Schilder, 1938.	Philippines, Palawan (province), Palawan (island).	€ 4,00

		<b>Price Range</b>
Pustularia globulus globulus f. sphaeridium Schilder & Schilder, 1938.	Solomon Islands, Guadalcanal, Marau Sound. Pacific Ocean.	€ 3,50
Purpuradusta gracilis gracilis (Gaskoin, 1849).	Indonesia, Greater Sundra Islands, East Java (province), Madura Island.	€ 1,50
Purpuradusta gracilis gracilis (Gaskoin, 1849).	Japan.	€ 2,00
Purpuradusta gracilis gracilis (Gaskoin, 1849).	Philippines.	€ 1,30
Purpuradusta gracilis gracilis (Gaskoin, 1849).	Japan, Wakayama prefecture, Nada. Low tide, 2 fathoms.	€ 1,30
Erosaria guttata guttata (Gmelin, 1791).	Philippines, Central Visayas (region), Bohol (island).	€ 9,00 t/m € 40,00
Erosaria guttata guttata (Gmelin, 1791).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 19,00
Purpuradusta hammondae raysummersi Schilder, 1960.	Philippines, off Bohol. Under coral slabs at 5-15 feet deep.	€ 6,00
Erosaria helvola argella (Melvill, 1888).	Tanzania, Zanzibar, Nungwi (village). East Africa. From local fisherman.	€ 1,00
Erosaria helvola callista (Shaw, 1909).	French Polynesia, Marquesas Islands.	€ 2,00
Erosaria helvola helvola (L., 1758).	Philippines.	€ 1,30 t/m € 2,30
Erosaria helvola helvola (L., 1758).	Australia, Western Australia, Pilbara region, Point Samson.	€ 1,00
Erosaria helvola helvola (L., 1758).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 0,75
Erosaria helvola helvola (L., 1758).	Tanzania, Zanzibar, Chwaka Beach. East Africa. In seaweed at low tide.	€ 1,50
Erosaria helvola meridionalis Schilder & Schilder, 1938.	Mozambique, Maputo Province, off Maputo (city). East Africa. Indian Ocean.	€ 1,50 t/m € 2,00
Umbilia hesitata hesitata (Iredale, 1916).	Australia, Victoria, Lakes Entrance. Fished.	€ 17,00 t/m € 20,00
Mauritia histrio (Gmelin, 1791).	Tanzania, Zanzibar, Nungwi. East Africa. Found by local diver.	€ 3,00
Mauritia histrio (Gmelin, 1791).	Tanzania, Zanzibar, Nungwi (village). East Africa. Indian Ocean.	€ 1,50
Mauritia histrio (Gmelin, 1791).	Kenya, Mombasa. Leven Reef. Collected live under dead corals.	€ 2,00 t/m € 5,00
Mauritia histrio (Gmelin, 1791).	Mozambique, Bazaruta Island.	€ 3,50
Mauritia histrio (Gmelin, 1791).	Tanzania, Zanzibar, Uroa. East Africa. From local fisherman. 58 mm	€ 3,00
Mauritia histrio (Gmelin, 1791).	Tanzania, Zanzibar. East Africa. Indian Ocean. Littoral zone.	€ 2,00
Erronea hungerfordi hungerfordi (Sowerby, 1888).	Japan.	€ 6,00
Erronea hungerfordi hungerfordi (Sowerby, 1888).	China. East China Sea. Trawled at 120 metres deep.	€ 6,00
Erronea hungerfordi hungerfordi (Sowerby, 1888).	Taiwan. South-west coast. East China Sea.	€ 3,80
Erronea hungerfordi hungerfordi (Sowerby, 1888).	Japan, Honshu (island), Wakayama Prefecture. Trawled at 50 metres.	€ 5,00
Blasicrura interrupta (Gray, 1824).	Sri Lanka, South-West.	€ 0,50
Luria isabella controversa f. atriceps Schilder & Schilder, 1938. Deep water in coral reef.	USA, Hawaii, Oahu Island, Fort Kamehameha. Pacific Ocean.	€ 2,50
Luria isabella isabella (L., 1758).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 0,75
Luria isabella isabella (L., 1758).	India, Tamil Nadu (state), Tuticorin.	€ 1,50
Luria isabella isabella (L., 1758).	Thailand, Changwat Phuket (province), Phuket (island).	€ 1,00 t/m € 1,30
Luria isabella isabella (L., 1758).	Mozambique. East Africa. Indian Ocean.	€ 1,30
Luria isabella isabella (L., 1758).	India.	€ 1,00
Luria isabella isabella (L., 1758).	Tanzania, Zanzibar, Nungwi (village). East Africa. From local fisherman.	€ 1,00

	<b>Price Range</b>
Luria isabella isabella (L., 1758).	€ 0,50 t/m € 1,00
Luria isabella isabella (L., 1758).	€ 1,25
Bistolida kieneri depriesteri (Schilder, 1933).	€ 0,80
Bistolida kieneri kieneri Hidalgo, 1906.	€ 1,00
Bistolida kieneri kieneri Hidalgo, 1906.	€ 1,00
Erosaria labrolineata (Gaskoin, 1849).	€ 3,00
Erosaria labrolineata (Gaskoin, 1849).	€ 2,20
Erosaria labrolineata (Gaskoin, 1849).	€ 2,50
Erosaria labrolineata (Gaskoin, 1849).	€ 2,00
Erosaria labrolineata (Gaskoin, 1849).	€ 2,80
Erosaria lamarckii (Gray, 1825).	€ 2,00
Erosaria lamarckii (Gray, 1825).	€ 1,30
Erosaria lamarckii (Gray, 1825).	€ 2,20 t/m € 3,20
Erosaria lamarckii (Gray, 1825).	€ 2,50
Erosaria lamarckii (Gray, 1825).	€ 2,00
Erosaria lamarckii (Gray, 1825).	€ 1,80
Erosaria lamarckii (Gray, 1825).	€ 4,50
Erosaria lamarckii f. redimita Melvill, 1888.	€ 2,50 t/m € 3,50
Palmadusta lentiginosa lentiginosa (Gray, 1825).	€ 9,00
Lyncina leviathan titan (Schilder & Schilder, 1962).	€ 5,00 t/m € 7,00
Lyncina leviathan titan (Schilder & Schilder, 1962).	€ 6,00
Lyncina leviathan titan (Schilder & Schilder, 1962).	€ 4,00
Staphylaea limacina limacina (Lamarck, 1810).	€ 1,00
Staphylaea limacina limacina (Lamarck, 1810).	€ 0,80
Erronea listeri (Gray, 1824).	€ 1,60
Erronea listeri (Gray, 1824).	€ 1,80
Erronea listeri (Gray, 1824).	€ 1,80
Luria lurida lurida (L., 1758).	€ 6,00
Luria lurida lurida (L., 1758).	€ 5,00
Luria lurida lurida (L., 1758).	€ 3,00
Luria lurida lurida (L., 1758).	€ 4,00 t/m € 7,50
Luria lurida lurida (L., 1758).	€ 7,00 t/m € 9,50
Palmadusta lutea (Gmelin, 1791).	€ 2,50
Palmadusta lutea (Gmelin, 1791).	€ 1,50
Palmadusta lutea (Gmelin, 1791).	€ 1,50
Philippines.	
Egypt, Safaga. Red Sea.	
Philippines.	
Tanzania, Zanzibar, Michamvi. East Africa. From local fisherman.	
Tanzania, Mafia Island. East Africa. Indian Ocean. From local fisherman.	
Thailand, Changwat Phuket (province), Phuket (island).	
Philippines, Palawan.	
Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	
Indonesia, Greater Sundra Islands, East Java (province), Madura Island.	
Papua New Guinea, East New Britain Province, Rabaul.	
Tanzania, Mafia Island. East Africa. Indian Ocean. From fishermen.	
Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.	
Madagascar, Antsiranana (Diego-Suarez).	
Tanzania, Mafia Island. East Africa. Indian Ocean. Via fish market.	
Tanzania, Zanzibar. East Africa. Indian Ocean.	
Kenya, Mombasa.	
Tanzania, Mafia Island. East Africa. Indian Ocean. From local fisherman.	
Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.	
Philippines.	
Kenya, Coast Province, Mombasa County, Mombasa. East Africa.	
Tanzania, Zanzibar, Nungwi (village). Indian Ocean.	
Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	
Taiwan, south-west. South China Sea.	
Taiwan. East China Sea.	
Solomon Islands, Malaita (island), Ata'a (village). Pacific Ocean.	
Philippines.	
Italy, Liguria, Province of Savona, Finale Ligure. 20-30 m deep, scuba.	
Malta.	
Mediterranean Sea.	
Italy, Sicilian (regio), Province of Trapani, Mazara del Vallo.	
Italy, Liguria, Province of Savona, Bergoggi Island, 30-35 m.	
Philippines, Sulu.	
Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	
Philippines, Sulu Archipelago.	

		<b>Price Range</b>
Lyncina lynx (L., 1758).	Taiwan. East China Sea.	€ 1,30
Lyncina lynx (L., 1758).	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 0,50 t/m € 2,50
Lyncina lynx (L., 1758).	Tanzania, Zanzibar, Pemba, Kisiwa Panza Island. East Africa.	€ 3,00
Lyncina lynx (L., 1758).	Tanzania, Zanzibar, Sume Island near Fumba (village). East Africa.	€ 1,50
Lyncina lynx (L., 1758).	Indonesia, Papua (province).	€ 0,80 t/m € 1,00
Lyncina lynx (L., 1758).	Solomon Islands, Malaita (island), Ata'a (village). Pacific Ocean. 22 mm - 38 mm	€ 1,00 t/m € 2,00
Lyncina lynx (L., 1758).	Australia, Queensland, Double Island.	€ 1,00
Lyncina lynx (L., 1758).	Tanzania, Mafia Island. East Africa. Indian Ocean. From local fisherman.	€ 1,50
Lyncina lynx (L., 1758).	Egypt, 17 km south of Hurghada. Red Sea.	€ 1,00 t/m € 1,30
Lyncina lynx (L., 1758).	Philippines, Mindanao (island), Zamboanga.	€ 0,50
Lyncina lynx (L., 1758).	Tanzania, Zanzibar, Uroa. East Africa. From local fisherman.	€ 1,50
Lyncina lynx (L., 1758).	Tanzania, Zanzibar, Uroa Beach. East Africa. Local fisherman.	€ 0,80 t/m € 1,30
Lyncina lynx (L., 1758).	Kenya, Mombasa Reef. East Africa. Indian Ocean.	€ 0,30 t/m € 0,80
Mauritia maculifera (Schilder, 1932).	USA, Hawaii, Oahu Island. Pacific Ocean.	€ 11,00
Mauritia maculifera (Schilder, 1932).	Philippines, Visayas (region), Samar (island).	€ 4,00
Leporicypraea mappa geographica (Schilder & Schilder, 1933).	Tanzania, Zanzibar. East Africa. Indian Ocean. By local fisherman.	€ 5,00
Leporicypraea mappa mappa (L., 1758).	Philippines, Palawan (island), Cuyo island. On coral reef, 15-22 m deep.	€ 3,50
Leporicypraea mappa mappa (L., 1758).	Philippines.	€ 2,50 t/m € 3,50
Leporicypraea mappa mappa v. panerythra Melvill, 1888.	Philippines, Central Visayas (region), Cebu (province), Mactan (island).	€ 2,50 t/m € 5,00
Leporicypraea mappa rosea Gray, 1824.	Mauritius. Indian Ocean.	€ 6,00
Erosaria marginalis marginalis (Dillwyn, 1827).	Somalia. East Africa. Indian Ocean.	€ 4,50
Mauritia mauritiana (L., 1758).	Thailand, Changwat Phuket (province), Phuket (island).	€ 1,00 t/m € 3,00
Mauritia mauritiana (L., 1758).	Tanzania, Pemba, Makangale. East Africa. Indian Ocean.	€ 4,50 t/m € 6,00
Erosaria miliaris (Gmelin, 1791).	Taiwan, South-West. Collected in 20-40 fathoms.	€ 2,00
Erosaria miliaris (Gmelin, 1791).	Australia, Queensland, Great Barrier Reef.	€ 1,50 t/m € 2,50
Erosaria miliaris (Gmelin, 1791).	Philippines, Manila Bay.	€ 2,50
Erosaria miliaris (Gmelin, 1791).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 2,00
Erosaria moneta (L., 1758).	Tanzania, East Zanzibar, Chwaka. On sand. From local fisherman.	€ 1,50
Erosaria moneta (L., 1758).	Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.	€ 0,80 t/m € 1,00
Erosaria moneta (L., 1758).	Indonesia, West Papua (province), Manokwari, Cenderawasih Bay.	€ 0,30
Erosaria moneta (L., 1758).	Philippines.	€ 0,90
Erosaria moneta (L., 1758).	Republic of Djibouti. Northeast Africa.	€ 2,00
Erosaria moneta (L., 1758).	South Africa, Natal.	€ 0,50
Erosaria moneta (L., 1758).	India, Tamil Nadu (state), Tuticorin.	€ 1,30
Erosaria moneta (L., 1758).	India, Tamil Nadu (state), Rameswaram. Gulf of Mannar.	€ 1,75

		<b>Price Range</b>
Erosaria moneta (L., 1758).	French Polynesia, Tuamotu Archipelago, Takapoto atoll.	€ 1,30 t/m € 1,80
Erosaria moneta (L., 1758).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,20
Erosaria nebrites (Melvill, 1888).	South East Arabia. Gulf of Oman.	€ 1,50
Erosaria nebrites (Melvill, 1888).	Egypt, Ras Burka. Red Sea. Under coral slabs during low tide.	€ 1,80
Erosaria nebrites (Melvill, 1888).	Egypt, South Sinai, Dahab. Gulf of Aqaba. Under coral boulders.	€ 2,00
Erosaria nebrites (Melvill, 1888).	Egypt, South Sinai, Dahab. Gulf of Aqaba. Under coral boulders.	€ 2,00
Erosaria nebrites (Melvill, 1888).	Egypt, Ras Gemsa. Red Sea. Under coral slabs.	€ 2,20
Lyncina nivosa (Broderip, 1827).	India, Tamil Nadu (state), Tuticorin.	€ 5,00 t/m € 10,00
Lyncina nivosa (Broderip, 1827).	Malaysia, fished west of Langkawi Island. Bought from Singapore fishery.	€ 3,00
Lyncina nivosa (Broderip, 1827).	Thailand, Changwat Phuket (province), Phuket (island).	€ 3,50 t/m € 5,00
Staphylaea nucleus nucleus (L., 1758).	Philippines, Visayas (region), Samar (island).	€ 1,20
Erosaria ocellata (L., 1758).	India, Tamil Nadu (state), South of Cuddalore. Bay of Bengal.	€ 1,40
Erosaria ocellata (L., 1758).	Sri Lanka, Eastern Province, Trincomalee.	€ 1,50
Erosaria ocellata (L., 1758).	Sri Lanka.	€ 1,50
Erosaria ocellata (L., 1758).	India, Dwarka.	€ 1,30
Erronea onyx (L., 1758).	Philippines, Central Visayas (region), Cebu (island).	€ 1,80 t/m € 2,50
Erronea onyx (L., 1758).	Taiwan, Taiwan Channel.	€ 1,50
Erronea ovum ovum (Gmelin, 1791).	Philippines.	€ 2,00
Erronea pallida (Gray, 1824).	India, Maharashtra (state), Bombay. At low tide.	€ 2,50
Blasicrura pallidula pallidula (Gaskoin, 1849).	Philippines.	€ 0,80
Blasicrura pallidula pallidula (Gaskoin, 1849).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 0,50
Cypraea pantherina Lightfoot, 1786.	Yemen, Sarif. Under coral rubble at 3-5 metres deep.	€ 8,50
Cypraea pantherina Lightfoot, 1786.	Egypt, Hurghada. Red Sea.	€ 6,00
Cypraea pantherina Lightfoot, 1786.	Somalia. East Africa. Indian Ocean.	€ 5,00
Cypraea pantherina Lightfoot, 1786.	Eritrea, Dahalk Island. East Africa. Red Sea.	€ 14,50
Zonaria picta (Gray, 1824).	Cape Verde, Sal (island), Santa Maria. Atlantic. In front Aeroflot Hotel.	€ 6,00
Zonaria picta (Gray, 1824).	Cape Verde, Boavista Island, Sal Rei. Amongst coral, shallow.	€ 5,00
Erosaria poraria (L., 1758).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,00
Erosaria poraria (L., 1758).	Philippines.	€ 1,30
Erronea pulchella pericalles (Melvill & Standen, 1904).	Gulf of Oman.	€ 6,50
Erronea pulchella pericalles (Melvill & Standen, 1904).	India, Tamil Nadu (state), Tuticorin.	€ 3,80
Erronea pulchella pulchella (Swainson, 1823).	Taiwan, Pescadores Islands. Taiwan Strait.	€ 4,00 t/m € 6,00
Notadusta punctata berinii (Dautzenberg, 1906).	Tanzania, Zanzibar, Nungwi (village). East Africa. From local fisherman.	€ 3,50
Notadusta punctata punctata (L., 1771).	Taiwan, south-west. South China Sea. 20-40 fathoms deep.	€ 2,00
Erronea pyriformis (Gray, 1824).	Philippines, Sulu (province), Siasi. Sulu Sea. From fisherman.	€ 1,80

		<b>Price Range</b>
Erronea pyriformis (Gray, 1824).	Australia, Queensland, Port Douglas. Under dead coral on mud.	€ 2,30
Erronea pyriformis (Gray, 1824).	India, Tamil Nadu (state), Rameswaram. Gulf of Mannar. Dredged off coast.	€ 6,00
Erronea pyriformis (Gray, 1824).	Malaysia, Straits of Malacca. Dredged, 60 feet deep.	€ 3,00 t/m € 5,00
Erronea pyriformis (Gray, 1824).	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 2,50
Zonaria pyrum petitiانا (Crosse, 1872).	Senegal, Petite Côte, Joal-Fadiouth (village). West Africa.	€ 5,00 t/m € 6,50
Zonaria pyrum petitiانا (Crosse, 1872).	Senegal, Cap-Vert, N'Gor Island, Pointe des Almadies. Fishing harbour.	€ 2,50
Zonaria pyrum pyrum (Gmelin, 1791).	Mediterranean Sea.	€ 3,50
Zonaria pyrum pyrum (Gmelin, 1791).	Italy, Sicily (region), Sicily.	€ 6,00
Zonaria pyrum pyrum (Gmelin, 1791).	Tunesia, Sfax Governorate, Sfax. From fishermen.	€ 4,00
Zonaria pyrum pyrum (Gmelin, 1791).	Tunisia, Mahdia Governorate, Mahdia. Mediterranean Sea. From fishermen.	€ 5,00
Zonaria pyrum pyrum (Gmelin, 1791).	Greece, South Aegean (region), Rhodes. From fishing nets.	€ 4,00
Blasicrura quadrimaculata (Gray, 1824).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,50
Blasicrura quadrimaculata (Gray, 1824).	Philippines, Visayas (region), Samar (island). East coast.	€ 2,00
Zonaria robertsi (Hidalgo, 1906).	Gulf of California.	€ 2,00 t/m € 4,00
Palmadusta saulae (Gaskoin, 1843).	Philippines, Visayas (region), Samar (island).	€ 9,50
Palmadusta saulae (Gaskoin, 1843).	Philippines.	€ 3,50
Palmadusta saulae (Gaskoin, 1843).	Taiwan, Pescadores Islands. Southwestern region. Taiwan Strait.	€ 9,00
Palmadusta saulae (Gaskoin, 1843).	Philippines, Panai Island. From divers. Superb species, freshly fished, mostly with a light pink shine, good dorsums with chocolate blotch. A must for cowry collectors. 21 mm	€ 9,00
Mauritia scurra indica (Gmelin, 1791).	Solomon Islands, Guadalcanal, Marau Sound. Pacific Ocean.	€ 4,00 t/m € 7,00
Mauritia scurra indica (Gmelin, 1791).	Philippines.	€ 10,00
Mauritia scurra indica f. vono Steadman & Cotton, 1943.	French Polynesia, Tahiti, Pueu. Snorkel, 0.8-1½ m, under rock rubble.	€ 9,50
Mauritia scurra scurra (Gmelin, 1791). depth.	Mozambique, Nampula Province, Nacala Bay area. Snorkeling, 2 metres deep	€ 7,00
Mauritia scurra scurra (Gmelin, 1791).	Republic of Djibouti. NorthEast Africa.	€ 6,25
Mauritia scurra scurra (Gmelin, 1791).	Tanzania, Zanzibar, Tumbatu Island. From local fisherman.	€ 5,00
Mauritia scurra scurra (Gmelin, 1791).	Kenya, Coast Province, Mombasa County, Mombasa. East Africa.	€ 3,00 t/m € 4,50
Neobernaya spadicea (Swainson, 1823).	USA, California, off San Clemente Island. By scuba diver, 20-25 m deep.	€ 4,00
Neobernaya spadicea (Swainson, 1823).	USA, California, San Catalina Rock. Dived at 10-15 metres deep.	€ 3,50 t/m € 7,50
Erosaria spurca (L., 1758).	Italy, Sicily (region), Sicily. Collected by a diver.	€ 5,50
Erosaria spurca (L., 1758).	Italy, Liguria, Province of Savona, Bergeggi Island, 30-35 m.	€ 12,50
Erosaria spurca (L., 1758).	Italy, Sicily (region), Sicily.	€ 4,00 t/m € 7,50
Erosaria spurca (L., 1758).	Maltese archipelago, Comino Island. On sand & rocky bottom, 10-15 feet.	€ 5,00 t/m € 7,50
Erosaria spurca (L., 1758).	Italy, Sicily (region), Province of Trapani, Mazara del Vallo.	€ 9,50
Erosaria spurca (L., 1758).	Tunisia.	€ 2,00
Erosaria spurca (L., 1758).	Italy, Liguria, Province of Savona, Finale Ligure. 20-30 m deep, scuba.	€ 5,00 t/m € 6,00

		<b>Price Range</b>
Erosaria spurca (L., 1758).	Spain, Canary Islands, Fuerteventura.	€ 6,50
Erosaria spurca f. verdensium Melvill, 1888.	Cape Verde, São Vicente, Porto Grande. Atlantic Ocean.	€ 7,50
Staphylaea staphylaea consobrina (Garrett, 1879).	Solomon Islands, Guadalcanal, Marau Sound. Pacific Ocean.	€ 4,00
Staphylaea staphylaea laevigata (Dautzenberg, 1932).	Somalia. East Africa. Indian Ocean.	€ 1,00 t/m € 2,00
Staphylaea staphylaea laevigata (Dautzenberg, 1932).	Tanzania, Zanzibar, Nungwi (village). East Africa. From local fisherman.	€ 2,00
Staphylaea staphylaea staphylaea (L., 1758).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 0,50 t/m € 0,80
Trona stercoraria (L., 1758).	Republic of Cameroon. Gulf of Guínea. Dived, ±10 m deep on rocks.	€ 9,50
Trona stercoraria (L., 1758). Dwarf.	West Africa.	€ 7,50
Bistolida stolidia stolidia (L., 1758).	Malaysia, Sabah, Borneo, Semporna.	€ 8,00
Bistolida stolidia stolidia (L., 1758).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 7,50
Bistolida stolidia stolidia (L., 1758).	Philippines, Visayas (region), Samar (island).	€ 12,50 t/m € 14,50
Bistolida stolidia stolidia (L., 1758).	Philippines, Visayas (region), Eastern Samar, Borongan. Snorkeling.	€ 10,00 t/m € 12,00
Bistolida stolidia stolidia (L., 1758).	Philippines, Samar, Borongan. Dived, 3-5 metres in dead finger coral.	€ 12,50
Erronea subviridis dorsalis Schilder & Schilder, 1938.	Australia, Western Australia, Port Hedland, under rocks.	€ 1,50 t/m € 2,00
Erronea subviridis dorsalis Schilder & Schilder, 1938.	Australia, Western Australia. On reef during low tide.	€ 3,00 t/m € 4,50
Erronea succincta adusta (Lamarck, 1810).	Tanzania, Dar es Salaam. East Africa. Indian Ocean.	€ 2,50
Erronea succincta adusta (Lamarck, 1810).	Thailand, Changwat Phuket (province), Phuket (island).	€ 2,50
Lyncina sulcidentata (Gray, 1824).	Hawaii.	€ 10,00
Talparia talpa (L., 1758).	Thailand, Changwat Phuket (province), Phuket (island).	€ 2,00 t/m € 3,00
Talparia talpa (L., 1758).	Kenya, Mombasa. East Africa. Indian Ocean.	€ 1,00 t/m € 3,00
Talparia talpa (L., 1758).	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 2,00 t/m € 4,00
Talparia talpa (L., 1758).	Tanzania, Zanzibar, Unguja South Region, Uroa. East Africa. Indian Ocean.	€ 2,80
Talparia talpa (L., 1758).	Philippines.	€ 1,80
Talparia talpa (L., 1758).	Tanzania, Zanzibar, Uroa. Indian Ocean. Feeding on seagrass.	€ 5,00
Blasicrura teres teres (Gmelin, 1791).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 0,75
Blasicrura teres teres (Gmelin, 1791).	Somalia. East Africa. Indian Ocean. Beach.	€ 1,50
Blasicrura teres teres (Gmelin, 1791).	Philippines.	€ 1,00
Blasicrura teres teres (Gmelin, 1791).	Papua New Guinea, East New Britain Province, Rabaul.	€ 2,20
Blasicrura teres teres (Gmelin, 1791).	Mozambique, Inhambane, Massinga. East Africa. Indian Ocean.	€ 2,50
Blasicrura teres teres (Gmelin, 1791).	Philippines, Central Visayas (region), Bohol (island).	€ 2,00
Chelycypraea testudinaria (L., 1758).	Tanzania, Mainland, Dar es Salaam. East Africa. From local fisherman.	€ 7,50 t/m € 9,50
Chelycypraea testudinaria (L., 1758).	Philippines.	€ 3,80 t/m € 5,00
Chelycypraea testudinaria (L., 1758).	Tanzania, Zanzibar. East Africa. Indian Ocean.	€ 4,50
Cypraea tigris L., 1758.	Tanzania, Zanzibar, Unguja South Region, Uroa. East Africa.	€ 4,00 t/m € 6,00
Cypraea tigris L., 1758.	Australia, Queensland, Cape Tribulation. Under rocks, about 2 metres deep.	€ 2,25

		<b>Price Range</b>
Cypraea tigris L., 1758.	Philippines, Visayas (region), Samar (island).	€ 1,50 t/m € 3,50
Cypraea tigris L., 1758.	Indonesia, Greater Sundra Islands, East Java (province), Madura Island.	€ 3,00 t/m € 3,00
Cypraea tigris L., 1758. Dwarf.	Philippines.	€ 3,50
Cypraea tigris L., 1758.	Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.	€ 3,50
Cypraea tigris L., 1758. Dwarf.	Philippines.	€ 3,50
Erosaria turdus (Lamarck, 1810).	Tunisia. Mediterranean. 3-15 metres deep.	€ 6,50 t/m € 7,50
Erosaria turdus (Lamarck, 1810).	Eritrea, off Massawa, Dahlak Archipelago.	€ 3,50
Erosaria turdus (Lamarck, 1810).	Oman. Middle East.	€ 3,50
Bistolida ursellus (Gmelin, 1791).	Philippines.	€ 1,00
Lyncina ventriculus (Lamarck, 1810).	Philippines.	€ 9,50
Lyncina ventriculus (Lamarck, 1810).	Philippines, Sulu Archipelago, Siasi Island.	€ 9,50
Lyncina vitellus (L., 1758).	Australia, Western Australia, Myora Beach.	€ 2,50
Lyncina vitellus (L., 1758).	Taiwan, south-west. South China Sea.	€ 0,80 t/m € 1,30
Lyncina vitellus (L., 1758).	India, Tamil Nadu (state), Ramanathapuram district, Kilakarai. Trawled.	€ 1,50 t/m € 2,00
Lyncina vitellus (L., 1758).	Madagascar, Toliara (Tulear). East Africa. Indian Ocean.	€ 1,50 t/m € 3,50
Lyncina vitellus (L., 1758).	Philippines, Central Visayas (region), Cebu (island).	€ 1,50
Lyncina vitellus (L., 1758).	Indonesia, Bali (province), Bali (island), Sanur Beach.	€ 1,60
Lyncina vitellus (L., 1758).	Kenya, Coast Province, Mombasa County, Mombasa. At low tide under coral.	€ 0,50
Lyncina vitellus (L., 1758).	Sri Lanka.	€ 1,50
Lyncina vitellus (L., 1758).	Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.	€ 0,50 t/m € 3,00
Lyncina vitellus (L., 1758).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,00 t/m € 1,50
Erronea vredenburgi Schilder, 1927.	Indonesia, Java (isl.), East Java (prov.), Surabaya. At night, 30' deep.	€ 9,00
Erronea walkeri surabajensis Schilder, 1937.	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 2,00
Erronea walkeri surabajensis Schilder, 1937.	Philippines, Sulu Sea.	€ 2,50
Erronea walkeri surabajensis Schilder, 1937.		€ 3,00
Erronea walkeri surabajensis Schilder, 1937.	Taiwan, Penghu County, off Magong City. Trawled in deep water.	€ 4,00
Erronea xanthodon (Sowerby, 1832).	Australia.	€ 2,50
Macrocypraea zebra (L., 1758).	USA, Florida, Ohio Key. Between finger coral.	€ 3,50
Macrocypraea zebra (L., 1758).	USA, Florida Keys.	€ 6,00
Macrocypraea zebra (L., 1758).	Brazil, Rio de Janeiro, Cabo Frio. Coll. by lobster divers at 20-35 m.	€ 4,50
Macrocypraea zebra (L., 1758).	Brazil, Santa Caterina (state), Porto Belo. Atlantic Ocean.	€ 5,00 t/m € 8,00
Palmadusta ziczac f. misella Perry, 1811.	South Africa, Natal (province).	€ 2,50
Palmadusta ziczac (L., 1758).	Thailand, Changwat Phuket (province), Phuket (island).	€ 1,00
Palmadusta ziczac (L., 1758).	Tanzania, Zanzibar, Nungwi (village). East Africa. From local fisherman.	€ 2,00
Palmadusta ziczac (L., 1758).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 2,50



		<b>Price Range</b>
Palmadusta ziczac (L., 1758).	Philippines, Visayas (region), Samar (island). From divers.	€ 1,70
Zonaria zonaria (Gmelin, 1791).	Senegal, Cap-Vert, Pointe des Almadies. 10-15 metres deep, by diver.	€ 4,00
Zonaria zonaria (Gmelin, 1791).	Senegal, Petite Côte, Joal-Fadiouth (village). West Africa.	€ 4,00
Zonaria zonaria (Gmelin, 1791).	Senegal, Dakar Region, Dakar. West Africa. Atlantic Ocean.	€ 2,50
<b>Cystiscidae</b>		
Persicula cingulata (Dillwyn, 1817).	Senegal, Dakar Region, Dakar, Bay of Gorée. West Africa. 3 metres deep.	€ 3,50
Persicula cornea (Lamarck, 1822).	Senegal, Dakar Region, Dakar, Hann Bay (beach). West Africa.	€ 1,30
Persicula persicula (L., 1758).	Senegal. West Africa. Atlantic Ocean.	€ 3,50
Persicula persicula (L., 1758).	Senegal, Casamance. West Africa. Atlantic Ocean.	€ 1,30
Persicula persicula (L., 1758).	Senegal. West Africa. Atlantic Ocean.	€ 2,00
Persicula tessellata f. accola Roth & Coan, 1968.	Panama.	€ 3,50
<b>Dentaliidae</b>		
Dentalium aprinum L., 1767.		€ 1,50
Dentalium aprinum L., 1767.	Philippines, Mindanao (island), Davao Region, Davao City.	€ 2,80
Antalis dentalis (L., 1766).	Tunisia, Djerba Island, Ajim. Gulf of Gabès. 2 metres deep.	€ 0,50
Antalis dentalis (L., 1766).		€ 0,50
Fissidentalium lima Kuroda & Habe, 1963.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 3,50
Fissidentalium magnificum (Smith, 1896).	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 2,00 t/m € 5,00
Fissidentalium metivieri Scarabino, 1995.	Madagascar Island. East Africa. Indian Ocean.	€ 9,50
Fissidentalium metivieri Scarabino, 1995.	Madagascar, Toliara (Tulear) region. East Africa. Indian Ocean. Trawled.	€ 9,00
Fissidentalium metivieri Scarabino, 1995.	Madagascar Island. East Africa. Indian Ocean. 300 metres deep.	€ 6,50 t/m € 9,50
Dentalium octangulatum Donovan, 1804.	India.	€ 1,50 t/m € 2,00
Pictodentalium vernedei (Sowerby, 1860).	Taiwan. East China Sea.	€ 5,00
Pictodentalium vernedei (Sowerby, 1860).	Philippines, Palawan (province), Palawan (island).	€ 4,00 t/m € 6,00
Antalis vulgaris (da Costa, 1778).	France, Brittany, Saint-Jacut-de-la-Mer.	€ 0,25
Antalis weinkauffi (Dunker, 1877).	Japan, Honshu (island), Chubu region, Aichi Prefecture. 5-10 fathoms deep.	€ 2,20
<b>Donacidae</b>		
Donax cuneatus L., 1758.	Malaysia, Pulau Lang Tenga Island.	€ 0,50
Donax cuneatus L., 1758.	Malaysia, Terengganu (state), Merang.	€ 0,50
Donax cuneatus L., 1758.	Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.	€ 1,30
Donax deltoides Lamarck, 1818.	Australia, South Australia, Adelaide, St. Kilda. Intertidal, in mud.	€ 3,50
Donax deltoides Lamarck, 1818.	South Australia.	€ 0,80 t/m € 1,80
Donax denticulatus L., 1758.	Venezuela, Nueva Esparta (state), Isla El Coche.	€ 1,00
Donax denticulatus L., 1758.	Suriname, South America.	€ 0,30
Donax denticulatus L., 1758.	Venezuela, Miranda, Higuerote.	€ 0,50 t/m € 1,00

		<b>Price Range</b>
Donax faba Gmelin, 1791.	Kenya, Mombasa Reef. East Africa. Indian Ocean.	€ 0,30
Donax faba Gmelin, 1791.	Malaysia, Pulau Lang Tenga Island.	€ 0,50
Donax faba Gmelin, 1791.	Thailand, Phuket (island), Chalong Bay, Vigkit bungalows.	€ 0,50
Donax faba Gmelin, 1791.	Thailand, Changwat Phuket (province), Phuket (island).	€ 0,50
Donax rugosus L., 1758.	Senegal, Saint Louis. West Africa. From fisherman, shallow, in mud/sand.	€ 0,80
Hecuba scortum (L., 1758).	Thailand, Changwat Phuket (province), Phuket (island).	€ 2,00 t/m € 4,00
Donax serra Dillwyn, 1817.	South Africa, Cape Province, False Bay, Muizenberg Beach.	€ 2,00
Donax serra Dillwyn, 1817.	South Africa.	€ 1,80
Donax striatus L., 1767.	Suriname, South America.	€ 0,30
Donax striatus L., 1767.	Venezuela, Nueva Esparta (state), Isla El Coche.	€ 0,50
Donax trunculus f. anatinus Payraudeau, 1826.	France, Brittany, Finistère (department), Penmarch (commune). Beach.	€ 0,25
Donax trunculus f. anatinus Payraudeau, 1826.	Portugal, Algarve (region), Quarteira.	€ 0,20
Donax trunculus L., 1758.	Greece, Marathón beach. 1-1½ metres deep.	€ 0,25
Donax trunculus L., 1758.	France, Brittany, Finistère (department), Point Penmarc'h.	€ 0,50
Donax trunculus L., 1758.	France, Brittany, Finistère (department), Point Penmarc'h.	€ 0,50
Donax trunculus L., 1758.	France, Lot (department), Martel.	€ 0,30
Donax trunculus L., 1758.	Spain, Andalusia (region), Province of Málaga, Marbella.	€ 0,20
Donax variabilis Say, 1822. 5 colour variations.	USA, Florida, Gulf of Mexico, Sanibel Island.	€ 0,90
Donax variabilis Say, 1822.	USA, Florida, Gulf of Mexico, Fort Myers Beach.	€ 0,40
Donax vittatus (da Costa, 1778).	North Sea fishery.	€ 0,15
Donax vittatus (da Costa, 1778).	France, Brittany, Finistère (department), Point Penmarc'h.	€ 0,40
<b>Ellobiidae</b>		
Cassidula aurisfelis (Bruguère, 1789).	Thailand, Changwat Phuket (province), Phuket (island).	€ 1,00 t/m € 1,50
Ellobium aurisjudae (L., 1758).	Thailand, Changwat Phuket (province), Phuket (island).	€ 1,00 t/m € 3,00
Melampus coffeus (L., 1758).	USA, Florida, near Fort Myers, Pineland, Pine Island.	€ 2,00
Melampus flavus (Gmelin, 1791).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,00
Melampus flavus (Gmelin, 1791).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 0,50
Melampus flavus f. nuxcastaneus Kuroda, 1947.	Taiwan. East China Sea.	€ 1,50
Cassidula nucleus (Gmelin, 1791).	Thailand, Changwat Phuket (province), Phuket (island).	€ 1,00
Cassidula nucleus (Gmelin, 1791).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,00
Cassidula nucleus (Gmelin, 1791).	Philippines.	€ 1,50
Melampus olivaceus Carpenter, 1857.	USA, California, Orange County, Laguna Beach, in lagoon region.	€ 0,30
Pythia scabraeus (L., 1758).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 2,00
Pythia scarabaeus (L., 1758).	Philippines, Central Visayas (region), Cebu (island), Bantayan Island.	€ 2,00
Pythia scarabaeus (L., 1758).	Philippines, Palawan (province), Palawan (island).	€ 2,00

		<b>Price Range</b>
Melampus tabogensis C.B. Adams, 1852.	Panama, Taboga Island. Under leaves.	€ 2,00
<b>Epitoniidae</b>		
Epitonium clathrum (L., 1758).	The Netherlands, Scheveningen.	€ 0,30 t/m € 0,50
Epitonium clathrum (L., 1758).	Spain.	€ 4,00
Epitonium clathrum (L., 1758).	The Netherlands, Scheveningen.	€ 0,50
Boreoscala greenlandica (Perry, 1811).	Canada, Nova Scotia, Bay of Fundy, near Digby. Trawl, 55 fathoms.	€ 3,50 t/m € 4,50
Gyroscala lamellosa (Lamarck, 1822).	Spain, Canary Islands. Trawled at 3-4 metres.	€ 2,50
Gyroscala lamellosa (Lamarck, 1822).	Greece, Marathón beach. 1-1½ metres deep.	€ 2,60 t/m € 4,80
Gyroscala lamellosa (Lamarck, 1822).	Italy, Savona. Scuba diving in shallow water, 3-5 metres deep.	€ 3,00 t/m € 9,00
Gyroscala lamellosa (Lamarck, 1822).	Canary Islands, Playa Blanca Lanzarote. In tidal pools.	€ 2,30
Gyroscala lamellosa (Lamarck, 1822).	Spain, Oropesa del Mar, Mediterranean Sea.	€ 1,50
Gyroscala lamellosa (Lamarck, 1822).	Japan.	€ 2,50
Gyroscala lamellosa (Lamarck, 1822).	Japan.	€ 2,50
Amaea magnifica (Sowerby, 1844).	Japan.	€ 15,00
Epitonium pallasi neglectum (Adams & Reeve, 1850).	India, Tamil Nadu (state), off Madras [Chennai]. Trawled.	€ 6,00
Epitonium pallasi pallasi (Kiener, 1838).	Australia, Queensland, Yeppoon. On beach.	€ 3,50
Epitonium scalare (L., 1758).	Philippines, Cebu (province), Mactan (island), Punta Engaño.	€ 6,50 t/m € 12,50
Epitonium scalare (L., 1758).	Philippines, Luzon (island), Manila Bay.	€ 3,50 t/m € 6,00
Amaea splendidum (de Boury, 1913).	Philippines, Bohol Island, close to Panglao Island, Balicasag Island.	€ 2,00
Cirsotrema varicosum (Lamarck, 1822). Special offer.	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 5,00 t/m € 6,50
Cirsotrema varicosum (Lamarck, 1822).	Taiwan. South-west coast. East China Sea. Trawled by local fisherman.	€ 4,50
Cirsotrema varicosum (Lamarck, 1822).	Philippines, Cebu (province), Mactan (island), Punta Engaño.	€ 4,00
Boreoscala zeleari (Dunker, 1866).	New Zealand, North Island, Bay of Plenty, Tauranga Beach.	€ 3,00
Boreoscala zeleari (Dunker, 1866).	New Zealand, North Island, Orewa Beach.	€ 2,00
<b>Fasciolaridae</b>		
Fusinus ambustus (Gould, 1853).	Mexico, Baja California (state). Dredged, 40-50 metres deep.	€ 5,00
Fusinus ansatus (Gmelin, 1791).	Suriname, South America. From shrimp fisherman.	€ 6,00
Pleuroploca australasia (Perry, 1811).	Australia, Victoria, Port Fairy. In mud between stones.	€ 4,50
Fusinus australis (Quoy & Gaimard, 1833).	Australia, South Australia. Port Adelaide. After storm live on beach.	€ 3,00
Fasciolaria bakeri Gatlif & Gabriel, 1912.	Australia, New South Wales, Port Jackson. Fished.	€ 4,00
Latirus balicasagensis Bozzetti, 1997.	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 5,00 t/m € 9,50
Latirus belcheri (Reeve, 1847).	Philippines.	€ 1,50
Latirus carinifer (Lamarck, 1816).	USA, Florida, Palm Beach.	€ 6,00
Fusinus colus (L., 1758).	Philippines, Manilla Bay. From fisherman.	€ 2,50
Fusinus colus (L., 1758).	Japan, Honshu (island), Wakayama Prefecture, Nada-Cho. 20-40 fathoms deep.	€ 3,00

		<b>Price Range</b>
Fusinus colus (L., 1758).	Indian Ocean.	€ 2,50 t/m € 4,00
Fusinus colus (L., 1758).	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 0,50 t/m € 2,50
Fusinus colus (L., 1758).	Thailand, Phuket (island), Raya Island. 25-30 metres deep.	€ 0,80 t/m € 2,50
Granulifusus consimilis Garrard, 1966.	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 4,50 t/m € 6,50
Latirus constrictus (Koch, 1845).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,00 t/m € 5,00
Latirus craticulatus (L., 1758).	Mozambique, Nampula (prov.), Quissimajulo (city). 1-2 m, on mud and algae.	€ 6,00
Latirus craticulatus (L., 1758).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 2,00 t/m € 6,50
Latirus deynzerorum Emerson & Cage, 1990.	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 3,50 t/m € 4,00
Pleuroploca filamentosa (Röding, 1798).	Thailand, Changwat Phuket (province), Phuket (island).	€ 1,00 t/m € 3,00
Pleuroploca filamentosa (Röding, 1798).	Philippines, Palawan (island). On coral reef, 15-20 metres deep.	€ 4,00
Pleuroploca filamentosa (Röding, 1798).	Philippines.	€ 2,00
Pleuroploca gigantea (Kiener, 1840). Juvenile.	USA, Florida, Boca Raton.	€ 0,80 t/m € 1,80
Pleuroploca gigantea (Kiener, 1840).	USA, Florida, off Marco Island, Pompano Flat. Low tide, sand/grass.	€ 45,00 t/m € 95,00
Latirus hemphilli Hertlein & Strong, 1951.	Panama, Gobernadora Island. Pacific Ocean.	€ 3,00
Latirus kandai Kuroda, 1950.	Philippines, Central Visayas (region), Cebu (island).	€ 2,50
Granulifusus kiranus Shuto, 1958.	Philippines, Bohol (province), Balicasag Island. 180 metres deep, nets. 46 mm	€ 4,00 t/m € 6,00
Dolicholatirus lancea (Gmelin, 1791).	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 1,50 t/m € 4,00
Latirus lanceolatus (Reeve, 1847).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 2,50 t/m € 4,00
Fasciolaria lignaria (L., 1758).	Italy, Apulia, Gallipoli. Low tide, under rocks, 2-3 metres deep.	€ 2,00
Fasciolaria lilium hunteria (Perry, 1811).	USA, Florida, Gulf of Mexico.	€ 2,80
Fusinus meyeri (Dunker, 1869).	Ivory Coast, Lagunes Region, Abidjan. Trawled offshore, 30-50 metres deep.	€ 29,50
Fusinus meyeri (Dunker, 1869).	Ivory Coast, Lagunes Region, Abidjan.	€ 15,00
Latirus nagasakiensis Smith, 1880.	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 2,30 t/m € 3,80
Leucozonia nassa (Gmelin, 1791).	Bonaire, Lesser Antilles Islands, Playa.	€ 0,50 t/m € 1,30
Peristernia nassatula (Lamarck, 1822).	Thailand, Phuket (island), Raya Island. 25-30 metres deep.	€ 1,30
Peristernia nassatula (Lamarck, 1822).	Kenya, Mombasa Reef. East Africa.	€ 2,00
Peristernia nassatula (Lamarck, 1822).	Marshall Islands, Majuro. On rocks north of Gateway Hotel.	€ 2,50
Fusinus nicobaricus (Röding, 1798).	Thailand, Changwat Phuket (province), Phuket (island).	€ 1,80 t/m € 2,80
Fusinus nicobaricus (Röding, 1798).	Indo-Pacific.	€ 1,80 t/m € 2,80
Granulifusus nipponicus (Smith, 1879).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 2,00
Granulifusus nipponicus (Smith, 1879).	Taiwan, south-west. South China Sea.	€ 0,80 t/m € 1,30
Fusinus novaehollandiae (Reeve, 1847).	Australia, Victoria, Lakes Entrance.	€ 4,00 t/m € 5,00
Latirus paetelianus (Küster & Kobelt, 1879).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,25 t/m € 2,30
Fusinus panamensis Dall, 1908.	Panama.	€ 5,00
Latirus pearsoni Snyder, 2002.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 2,30

		<b>Price Range</b>
Peristernia philberti (Récluz, 1844).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,00
Latirus polygonus (Gmelin, 1791).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 0,50 t/m € 2,50
Latirus polygonus (Gmelin, 1791).	Philippines.	€ 5,00
Opeatostoma pseudodon (Burrow, 1815).	Panama, off Gobernadora Island. Low tide, on sand and grass.	€ 7,50
Opeatostoma pseudodon (Burrow, 1815).	Western Panama.	€ 2,00 t/m € 3,50
Opeatostoma pseudodon (Burrow, 1815).	Mexico, Oaxaca, Puerto Angel. On rock, 40-150 metres deep.	€ 10,00 t/m € 15,00
Opeatostoma pseudodon (Burrow, 1815).	Panama, Taboga Island. Pacific Ocean.	€ 1,50 t/m € 2,00
Opeatostoma pseudodon (Burrow, 1815).	Panama, off Cebaco Island. Dredged, 60-100 feet on sand and grass.	€ 5,00 t/m € 7,00
Opeatostoma pseudodon (Burrow, 1815).	Mexico, west coast. Pacific Ocean.	€ 4,50
Latirus recurvirostris (Schubert & Wagner, 1829).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,50 t/m € 3,00
Peristernia reincarnata Snyder, 2000.	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 2,00
Fusinus rostratus (Olivi, 1792).	Spain, Province of Málaga, Fuengirola.	€ 2,50
Latirus sarinae Snyder, 2003.	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 2,00
Latirolagena smaragdula (L., 1758).	Thailand, Phuket (island), Raya Island. 25-30 metres deep.	€ 5,00 t/m € 6,25
Latirolagena smaragdula (L., 1758).	Philippines, Cebu (province), Mactan (island), Punta Engaño.	€ 4,00
Pleuroploca trapezium (L., 1758).	Indonesia, Greater Sunda Islands, East Java (province), Madura Island.	€ 3,50 t/m € 4,50
Pleuroploca trapezium (L., 1758).	Kenya, Mombasa Reef. East Africa. Indian Ocean.	€ 1,80 t/m € 6,25
Pleuroploca trapezium (L., 1758).	Gulf of Thailand.	€ 7,50
Fasciolaria tulipa (L., 1758).	USA, Florida, Marco Island, Pompano Flat. Very low tide, shallow.	€ 6,50
Fasciolaria tulipa (L., 1758).	Venezuela, eastern coastal region. From beach.	€ 1,80
Latirus turritus (Gmelin, 1791).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,00 t/m € 2,00
Fusinus undatus (Gmelin, 1791).	Philippines, Central Visayas (region), Cebu (province), Mactan (island).	€ 7,50
Peristernia ustulata (Reeve, 1847).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,50
Peristernia ustulata (Reeve, 1847).	Philippines, Cebu (province), Mactan (island), Punta Engaño.	€ 1,80
Latirus walleri Ladd, 1976.	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 3,50 t/m € 5,00
<b>Ficidae</b>		
Ficus ficus (L., 1758).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,00 t/m € 2,50
Ficus ficus (L., 1758).	Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.	€ 2,50
Ficus ficus (L., 1758).	Taiwan. East China Sea. Fished.	€ 1,50
Ficus ficus (L., 1758).	Philippines, Manilla, Bay.	€ 2,20
Ficus filosa (Sowerby, 1892).	Philippines, Cebu (province), Mactan (island).	€ 4,00
Ficus filosa (Sowerby, 1892).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 2,50 t/m € 6,50
Ficus gracilis (Sowerby, 1825).	Philippines, Palawan (island).	€ 2,00
Ficus gracilis (Sowerby, 1825).	Indonesia, Djakart, Pasar Ikan. Fishery.	€ 2,50 t/m € 4,00
Ficus gracilis (Sowerby, 1825).	Indonesia. 8 cm - 9 cm	€ 4,00 t/m € 6,00

		Price Range
<b>Fimbriidae</b>		
Fimbria fimbriata (L., 1758).	Philippines.	€ 2,50
Fimbria fimbriata (L., 1758).	Australia, Queensland, Great Barrier Reef.	€ 2,00 t/m € 3,00
Fimbria fimbriata (L., 1758).	Solomon Islands. Pacific Ocean.	€ 2,20
<b>Fissurellidae</b>		
Fissurella barbadensis (Gmelin, 1791).	Curaçao, Lesser Antilles Islands.	€ 1,00
Fissurella barbadensis (Gmelin, 1791).	Barbados, West Indies.	€ 0,75 t/m € 1,25
Fissurella barbadensis (Gmelin, 1791).	The Grenadines Islands, Windward Islands, Caribbean.	€ 1,00
Fissurella barbadensis (Gmelin, 1791).	St. Maarten, Caribbean Sea.	€ 0,70
Fissurella bridgesi (Reeve, 1849).	Chile, Choapa Province, Los Vilos. On and under rocks, intertidal. 65 mm	€ 6,50
Fissurella costata Lesson, 1830.	Chile, IV Región, Coquimbo. Scuba diver, on rocks at 5-10 metres deep.	€ 14,50
Fissurella crassa Lamarck, 1822.	Chile, IV Región, Coquimbo. Scuba diver, on rocks at 5-10 metres deep.	€ 9,50
Megathura crenulata (Sowerby, 1825).	USA, California, Newport Beach.	€ 2,80 t/m € 3,80
Megathura crenulata (Sowerby, 1825).	USA, California, Channel Islands, San Clemente Island.	€ 3,50
Fissurella cumingi Reeve, 1849.	Chile, IV Región, Coquimbo. Scuba diver, on rocks at 5-10 metres deep.	€ 10,00
Diodora graeca (L., 1758).	Spain, Sitges, Dosta Dorada, Playa Terramar.	€ 1,00
Fissurella latimarginata Sowerby, 1835.	Chile, Choapa Province, Los Vilos. Taken on rocks by local fisherman.	€ 4,50 t/m € 9,50
Fissurella latimarginata Sowerby, 1835.	Chile, IV Región, Coquimbo. Scuba diver, on rocks at 5-10 metres deep.	€ 10,00
Fissurella limbata Sowerby, 1834.	Chile, IV Región, Coquimbo. Scuba diver, on rocks at 5-10 metres deep.	€ 9,50
Fissurella maxima Sowerby, 1835.	Chile, IV Región, Coquimbo. Scuba diver, on rocks at 5-10 metres deep.	€ 10,00
Fissurella maxima Sowerby, 1835.	Chile.	€ 7,50
Fissurella natalensis Krauss, 1848.	South-Africa.	€ 1,20
Fissurella nubecula (L., 1758).	Italy, Aspera.	€ 0,50
Fissurella nubecula (L., 1758).	Spain, Sitges, Playa Terramar.	€ 3,00
Fissurella pulchra Sowerby, 1834.	Chile, III Región de Atacama, Huasco, 3 Playitas. Intertidal on rocks.	€ 14,50
<b>Glossidae</b>		
Glossus humanus (L., 1758).	Italy, Emilia-Romagna (region), Rimini. Adriatic Sea.	€ 12,50
Glossus humanus (L., 1758).	Spain, between Palamós and Benicarló.	€ 12,50
Glossus lamarckii Reeve, 1845.	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 7,50
Meiocardia moltkiana (Gmelin, 1791).	Philippines, Tayabas Bay.	€ 6,00
Meiocardia vulgaris (Reeve, 1845).	Philippines, Cebu (province), Mactan (island), Punta Engaño.	€ 3,00
<b>Glycymerididae</b>		
Glycymeris americana (De France, 1829).	Panama, Bay of Portobelo, Caribbean. Trawled, 120-240 feet.	€ 2,30
Glycymeris americana (De France, 1829).	Panama, Nombre de Dios. Caribbean. In sand, 20 fathoms deep.	€ 2,30

		<b>Price Range</b>
Glycymeris canoa Pilsbry & Olsson, 1941.	Panama, Kativa Island.	€ 2,30
Glycymeris canoa Pilsbry & Olsson, 1941.	Panama, Bay of Chiriqui. Pacific Ocean. Trawled, 120-240 feet deep.	€ 2,50
Glycymeris gigantea (Reeve, 1843).	Mexico, Baja California Sur, Mulegé. 8 metres deep, half-buried in sand.	€ 3,00
Glycymeris gigantea (Reeve, 1843).	Mexico, Baja California Sur (state), San Carlos. 6-12 metres deep.	€ 5,00 t/m € 9,00
Glycymeris glycymeris (L., 1758).	France, Brittany, Saint-Malo.	€ 0,80
Glycymeris glycymeris (L., 1758).	France, Brittany, Côtes-d'Armor (department), Erquy Plages.	€ 0,20 t/m € 0,80
Glycymeris glycymeris (L., 1758).	English Channel fishery.	€ 0,80
Glycymeris glycymeris (L., 1758).	France, Brittany, Ile de Cézembre.	€ 0,30
Glycymeris glycymeris (L., 1758).	France, Brittany, St. Briac sur Mer. In small harbour.	€ 0,80
Glycymeris glycymeris (L., 1758).	France. Off the coast of Brittany. From fisherman.	€ 0,80
Glycymeris insubrica (Brocchi, 1814).	Spain, Province of Málaga, Benajárfé.	€ 0,50 t/m € 1,30
Glycymeris insubrica (Brocchi, 1814).	Spain, Andalusia, off Málaga. 20-30 m, trawled by local fishermen.	€ 2,30 t/m € 2,50
Tucetona laticostata (Quoy & Gaimard, 1835).	New Zealand, N.I. North Island, Waipu Cove.	€ 1,30 t/m € 2,30
Tucetona multicostata (Sowerby, 1833).	Panama, Canal de Afuera Island. Trawled between 120-240 feet.	€ 2,80
Glycymeris pectinata (Gmelin, 1791).	Panama, Bay of Porto Bello.	€ 2,80
Glycymeris pectinata (Gmelin, 1791).	Bahamas, Green Turtle Cay (island).	€ 0,30
Glycymeris pectinata (Gmelin, 1791).	Panama, Nombre de Dios. Caribbean. 20 fathoms deep, sand.	€ 1,00
Tucetona pectunculus (L., 1758).	Philippines.	€ 0,80
Tucetona pectunculus (L., 1758).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 0,50 t/m € 2,50
Tucetona pectunculus (L., 1758).	Philippines, Central Visayas (region), Cebu (province), Mactan (island).	€ 0,50
Tucetona pectunculus (L., 1758).	Malaysia, Sabah, Pulau Bohey Dulang, Telukan Lahad Datu.	€ 0,50 t/m € 1,00
Glycymeris reevei (Mayer, 1868).	South-western Pacific Ocean.	€ 2,00
Glycymeris reevei (Mayer, 1868).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 0,50 t/m € 0,75
Glycymeris reevei (Mayer, 1868).	Philippines, Central Visayas (region), Cebu (island). In shallow water.	€ 1,00
Glycymeris reevei (Mayer, 1868).	Indonesia, East Nusa Tenggara, off Kupang, Pulau Semau. Alive in sand.	€ 2,00
Tucetona strigilata (Sowerby, 1833).	Mexico, Baja California Sur (state), Bahía de Concepción.	€ 1,00
Tucetona strigilata (Sowerby, 1833).	Panama, Bay of Chiriqui. Pacific Ocean. Trawled, 120-240 feet deep.	€ 2,30
Tucetona strigilata (Sowerby, 1833).	Panama, Bay of Chiriqui. Pacific Ocean. Trawled at 120-240 feet deep.	€ 2,30
<b>Haliotidae</b>		
Haliotis asinina L., 1758.	Indonesia, Sumatra.	€ 1,25
Haliotis asinina L., 1758.	Malaysia, Sabah (state), Borneo. Dead, in shallow water.	€ 1,00 t/m € 3,00
Haliotis asinina L., 1758.	Thailand, Changwat Phuket (province), Phuket (island).	€ 1,00 t/m € 2,50
Haliotis coccinea Reeve, 1846.	Spain, Canary Islands, Fuerteventura, Corralejo. Live, ±2 metres deep.	€ 2,50 t/m € 3,00
Haliotis coccinea Reeve, 1846.	Spain, Canary Islands, Fuerteventura, Gran Tarajal. Live, ebb, ±2 m deep.	€ 1,00
Haliotis cyclobates Péron, 1816.	Australia, S.A., Edithburg. Attached to smooth rocks, under jetty at 10 m.	€ 10,00 t/m € 12,50

		<b>Price Range</b>
Haliotis cyclobates	Péron, 1816.	Australia, South Australia, Edithburg. Under rocks at 12 feet, reef area. € 7,00
Haliotis diversicolor	Reeve, 1846.	Indonesia, Java (island). € 5,00
Haliotis diversicolor	Reeve, 1846.	Japan, Mie Prefecture, Shima Peninsula. 10 meters deep. € 2,50
Haliotis fulgens	Philippi, 1845. kelp near shore 5-15 metres.	USA, Southern California, by commercial abalone divers on rocks among € 32,50
Haliotis glabra	Gmelin, 1791.	Philippines, Mindanao (island), Zamboanga. € 1,00
Haliotis glabra	Gmelin, 1791.	Indonesia, Greater Sundra Islands, East Java (province), Madura Island. € 1,00
Haliotis iris	Martyn, 1784.	New Zealand. € 2,50 t/m € 35,00
Haliotis kamtschatkana assimilis	Dall, 1878. Live by Mexican hookah diver.	Near Santo Tomas, west coast of Baja California, Mexico. 20-30 m deep. € 7,50 t/m € 22,50
Haliotis kamtschatkana assimilis	Dall, 1878.	Mexico, Baja California. On rocks. € 10,00
Haliotis laevigata	Donovan, 1808. Very unusual colouring.	Australia, East Victoria. € 10,00
Haliotis laevigata	Donovan, 1808. rocks, among kelp at 3-5 m.	Australia, Western Australia, Augusta, Sarge Bay. On the side of granite € 35,00
Haliotis laevigata	Donovan, 1808.	Australia, South Australia, Eyre Peninsula, ±1 km west of Point Labatt. € 4,50
Haliotis mariae mariae	Wood, 1828.	Oman, Sadah (Şadh). Middle East. Arabian Sea. € 4,00
Haliotis midae	L., 1758.	South Africa, Cape Province, Jeffreys Bay. € 6,00 t/m € 10,00
Haliotis ovina	Gmelin, 1791.	Thailand, Changwat Phuket (province), Phuket (island). € 1,50 t/m € 3,50
Haliotis planata	G.B. Sowerby II, 1882.	Thailand, Changwat Phuket (province), Phuket (island). € 1,50 t/m € 2,00
Haliotis pustulata	Reeve, 1846.	Mozambique. East Africa. Indian Ocean. Under rocks. € 2,00
Haliotis rubra conicopora	Péron, 1816. commercial abalone divers.	Australia, W.A., Esperance, Cape Le Grande. Under boulders at 15-20 m. by € 38,00
Haliotis scalaris emmae	Reeve, 1846.	Australia, South Australia, Port Lincoln. On reef, low tide, under rocks. € 3,00
Haliotis squamata	Reeve, 1846.	Australia, Western Australia, Pilbara (region), Point Samson. € 1,80
Haliotis squamata	Reeve, 1846.	Australia, Western Australia, Port Hedland. Low tide. € 3,50
Haliotis tuberculata tuberculata	L., 1758.	France, Brittany. € 9,50
Haliotis tuberculata tuberculata	L., 1758.	Southeast Spain, San José. € 0,50 t/m € 1,00
Haliotis varia	L., 1758.	Australia, Western Australia, Pilbara (region), Point Samson. Litoral. € 2,00
Haliotis varia	L., 1758.	Thailand, Changwat Phuket (province), Phuket (island). € 1,00 t/m € 2,00
Haliotis varia	L., 1758.	Sri Lanka, Eastern Province, Trincomalee, Dutch Point. € 1,00
<b>Hamineidae</b>		
Atys cylindricus	(Helbling, 1779).	Philippines, Bohol (province), Calituban Island, night dive, 20-25 m deep. 15 mm € 7,50
Atys cylindricus	(Helbling, 1779).	Philippines. € 0,80
Atys naucum	(L., 1758).	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep. € 3,50
Atys naucum	(L., 1758).	Philippines, Visayas (region), Samar (island). € 1,30 t/m € 3,30
Atys naucum	(L., 1758).	Philippines, Luzon, Tayabas Bay. From fisherman. 18 mm - 20 mm € 2,00
<b>Harpidae</b>		
Harpa amouretta	f. crassa Krauss, 1818.	Tanzania, Zanzibar, Uroa. East Africa. Indian Ocean. On sand. € 3,50



		<b>Price Range</b>
Harpa amouretta f. crassa Krauss, 1818.	Tanzania, Zanzibar. East Africa. Indian Ocean.	€ 3,50
Harpa amouretta Röding, 1798.	Tanzania, Zanzibar, Kizimkazi. Low tide, in sandpockets.	€ 4,00
Harpa amouretta Röding, 1798.	Philippines, Sulu Archipelago, Jolo (island). Sulu Sea. 45 mm	€ 3,80 t/m € 4,50
Harpa amouretta Röding, 1798.	Philippines, Central Visayas (region), Bohol (island).	€ 1,50 t/m € 3,00
Harpa amouretta Röding, 1798.	Seychelles, W. coast Mahé Island, Anse Boilean Bay. Low tide, muddy sand.	€ 3,50
Harpa amouretta Röding, 1798.	Madagascar, Toliara (Tulear). East Africa. Indian Ocean. From fishermen.	€ 2,50
Harpa articularis Lamarck, 1822.	Indonesia, Greater Sundra Islands, East Java (province), Madura Island.	€ 3,50
Harpa articularis Lamarck, 1822.	Philippines, Bicol Region, Masbate Island.	€ 2,75
Harpa articularis Lamarck, 1822.	Philippines, Luzon (island), Manila Bay.	€ 3,80
Harpa articularis Lamarck, 1822.	Indonesia, South Sulawesi, Pabbiring Archipel, off Ujung Pandang.	€ 4,00
Harpa articularis Lamarck, 1822.	Philippines, Mindanao (island), Zamboanga.	€ 7,50
Harpa articularis Lamarck, 1822.	Philippines, Cebu (province), Olanga Island. Night dive, 8-15 metres deep.	€ 1,50 t/m € 2,00
Harpa articularis Lamarck, 1822.	Thailand, Changwat Phuket (province), Phuket (island).	€ 3,50
Harpa cabriti Lamarck, 1816. Special colour.	Madagascar Island. East Africa. Indian Ocean.	€ 7,50
Harpa cabriti Lamarck, 1816.	Madagascar, Toliara (Tulear) region. East Africa. Collected by local.	€ 9,00 t/m € 12,50
Harpa cabriti Lamarck, 1816.	Tanzania, Zanzibar. East Africa. Indian Ocean.	€ 10,00
Harpa cabriti Lamarck, 1816.	Madagascar, Anosy Region, Fort Dauphin. East Africa. Indian Ocean.	€ 2,50 t/m € 8,50
Morum cancellatum (Sowerby, 1824).	Taiwan. East China Sea.	€ 6,50
Harpa davidis Röding, 1798.	India, Tamil Nadu (state), Tuticorin. Trawled by local fisherman.	€ 9,00
Harpa davidis Röding, 1798.	India, Tamil Nadu (state), Cuddalore. Bay of Bengal. Collected by a diver.	€ 8,50
Morum grande (A. Adams, 1855).	Philippines, N. Mindanao, N. of Dipolog, Aliguay Island. 340 metres deep. 55 mm	€ 17,00
Morum grande (A. Adams, 1855).	Japan, southern Japan.	€ 16,00
Morum grande (A. Adams, 1855).	Philippines.	€ 8,00
Morum grande (A. Adams, 1855).	Taiwan, south-west. South China Sea.	€ 10,00 t/m € 19,00
Harpa harpa L., 1758.	Philippines, Sulu (province), Siasi Island. Sulu Sea.	€ 7,50
Harpa harpa L., 1758.	Indonesia, Moluccas Islands, Banda Sea.	€ 5,00 t/m € 8,00
Harpa harpa L., 1758.		€ 9,50
Harpa harpa L., 1758.	Philippines, Batayan Island. Found by diver on reef, 10 metres deep.	€ 8,00
Harpa harpa L., 1758.	Philippines, Sulu (province), Siasi. Sulu Sea. During low tide in sand.	€ 10,00
Harpa harpa L., 1758.	Philippines, Bicol Region, Masbate Island.	€ 10,00
Harpa harpa L., 1758.	Philippines, Siasi Island, Laminusa Island. Sulu Sea. From divers, shallow 42 mm	€ 10,00
Morum kurzi Petuch, 1979.	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 2,50
Harpa major Röding, 1798.	Philippines, Mindanao (island), Zamboanga.	€ 7,00
Harpa major Röding, 1798.	Taiwan. East China Sea.	€ 2,50

Harpa major Röding, 1798.  
 Morum oniscus (L., 1767).  
 Morum oniscus (L., 1767).  
 Morum tuberculosum (Reeve, 1842).  
 Morum tuberculosum (Reeve, 1842).  
 Morum watanabei Kosuge, 1981.

## Hemidonacidae

Hemidonax pictus (Tyron, 1870).

## Hiatellidae

Panopea abbreviata Valenciennes, 1839.

## Hydatinidae

Hydatina albocincta (v.d. Hoeven, 1839).  
 Hydatina albocincta (v.d. Hoeven, 1839).  
 Hydatina amplustre (L., 1758).  
 Hydatina amplustre (L., 1758).  
 Hydatina physis (L., 1758).

## Hydrobiidae

Hydrobia acuta (Draparnaud, 1805).  
 Hydrobia ulvae (Pennant, 1777).  
 Hydrobia ulvae (Pennant, 1777).

## Isognomonidae

Isognomon alatus (Gmelin, 1791).  
 Isognomon alatus (Gmelin, 1791).  
 Isognomon isognomum (L., 1758).  
 Isognomon isognomum (L., 1758).  
 Isognomon recognitus (Mabille, 1895).

## Janthinidae

Janthina globosa Swainson, 1822.  
 Janthina globosa Swainson, 1822.  
 Janthina janthina (L., 1758).  
 Janthina janthina (L., 1758).  
 Janthina janthina (L., 1758).  
 Janthina janthina (L., 1758).  
 Janthina janthina (L., 1758).

Madagascar, Toliara (Tulear), south-west coast. In shallow water.  
 Bahamas, New Providence, Lyford Cay. Dead on beach.  
 Dominican Republic, Puerto Plata province, Playa Dorada. Dead.  
 Mexico, Baja California Sur, Mulegé. Gulf of California. Dead, littoral.  
 Panama, Gobernadora Island, extreme low tide in muddy sand.  
 Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.

Australia, Central Queensland. Trawled.

Argentina, Rio Negro Province, San Antonio Este. Dived at 10 metres, By extraction bomb, buried in sand.

Philippines, Mindanao (island), Zamboanga.

Philippines.

Madagascar, Anosy Region, Tôlanaro (Fort Dauphin). Indian Ocean.

Madagascar, Anosy Region, Tôlanaro (Fort Dauphin). Indian Ocean.

Philippines, Visayas (region), Samar (island).

Tunisia. Gulf of Tunis, Mediterranean Sea.

The Netherlands, Schiermonnikoog. Paal 2.

The Netherlands, Groningen, Delfzijl, Eemshaven, Spoelhoek I.

USA, Florida Keys.

Curaçao, Spaanse Water, Lesser Antilles Islands.

Australia, Western Australia, Broome. Alive, littoral zone under stones.

Thailand, Changwat Phuket (province), Phuket (island).

Mexico, Bay of California, Mulegé. Under stones.

Australia.  
 Australia.

Australia.

Kenya, Mombasa, Lyali beach. East Africa. Live by low water line.

South Africa, Cape Province, False Bay, between Muizenberg and Fishoek.

Madagascar, Sainte-Marie. East side of island. East Africa. Indian Ocean.

Australia, W.A., Cape Leeuwin, Augusta, washed ashore after storms.

## Price Range

€ 4,50 t/m € 6,50

€ 0,70

€ 0,80

€ 4,00

€ 7,50

€ 5,00

€ 2,50

€ 10,00

€ 5,00

€ 6,25

€ 4,50

€ 9,50

€ 2,50 t/m € 3,50

€ 0,50

€ 0,80

€ 2,50

€ 2,00

€ 1,50 t/m € 3,00

€ 1,50 t/m € 2,50

€ 1,00 t/m € 2,00

€ 1,00 t/m € 2,20

€ 4,00

€ 1,50

€ 3,30

€ 3,00 t/m € 5,00

€ 3,00 t/m € 4,50

€ 2,00

€ 6,50

		<b>Price Range</b>
Janthina janthina (L., 1758).	South Africa, Jeffrey's Bay.	€ 0,50
Janthina janthina (L., 1758).	Kenya, Mombasa, Lagoon Reef, Diana Beach. Collected live.	€ 3,00 t/m € 5,00
Janthina janthina (L., 1758).		€ 2,50
Janthina pallida Harvey in Thompson, 1840.	Thailand, Ko Samui. Gulf of Thailand.	€ 1,00 t/m € 2,00
<b>Lamellariidae</b>		
Velutina velutina (O.F. Müller, 1776).	France, Brittany, Saint-Jacut-de-la-Mer. Off shore.	€ 2,00
Velutina velutina (O.F. Müller, 1776).	France, Vildé-la-Mavine. In tide line.	€ 1,00
Velutina velutina (O.F. Müller, 1776).	France, Brittany, Les Rosaires.	€ 0,40
<b>Lasaeidae</b>		
Lasaea rubra (Montagu, 1803).	France, Brittany, Ille-et-Vilaine (departement), Dinard.	€ 1,80
<b>Laternulidae</b>		
Laternula anatina (L., 1758).	Australia, Western Australia, Broome. Dead on mudflats.	€ 6,00
<b>Limidae</b>		
Lima lima (L., 1758).	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 1,00 t/m € 4,50
Lima lima (L., 1758).	Thailand, Phuket (island), Raya Island. 25-30 metres deep.	€ 1,00 t/m € 2,80
Acesta rathbuni (Bartsch, 1913).	Philippines, Central Visayas (region), Cebu (island).	€ 6,00 t/m € 9,00
Lima scabra f. tenera Sowerby, 1843.	USA, Florida.	€ 2,00
Lima vulgaris (Link, 1807).	Japan, Honshu (island), Chiba Prefecture, Bōsō Peninsula. 20 metres deep.	€ 3,00
Lima vulgaris (Link, 1807).	Philippines, Central Visayas (region), Bohol (island).	€ 6,50 t/m € 10,00
<b>Limopsidae</b>		
Limopsis tokaiensis Yokoyama, 1910.	Japan, Honshu (island), Aichi pref., off Mikawa. 80-100 fathoms deep.	€ 1,30
Limopsis tokaiensis Yokoyama, 1910.	Japan, Honshu (island), Aichi Prefecture, Mikawa. 50-80 fathoms deep.	€ 1,50
<b>Littorinidae</b>		
Littorina brevicula (Philippi, 1844).	Japan, Honshu (island), Mei Prefecture, Toba.	€ 0,70
Tectarius coronatus Valenciennes, 1832.	Philippines, Central Visayas (region), Bohol (island).	€ 1,50
Tectarius coronatus Valenciennes, 1832.	Philippines.	€ 1,30
Echininus cumingi spinulosus (Philippi, 1847).	Philippines, Central Visayas (region), Cebu (island).	€ 0,80
Echininus cumingi spinulosus (Philippi, 1847).	Philippines, Sulu Archipelago, Siasi Island. Sulu Sea.	€ 0,20
Littorina fasciata Gray, 1839.	Panama, Gulf of Panamá, San Carlos. On mangrove roots.	€ 0,50
Littorina littorea (L., 1758).	France, Brittany.	€ 1,00
Littorina littorea (L., 1758).	The Netherlands, Zeeland, Yerseke.	€ 0,30
Littorina littorea (L., 1758).	France, Brittany.	€ 0,25
Littorina littorea (L., 1758).	France, Brittany, Côtes-d'Armor (departement), Erquy.	€ 0,50
Nodilittorina millegrana (Philippi, 1848).	Japan, Aitsu.	€ 0,10

		<b>Price Range</b>
Nodilittorina millegrana (Philippi, 1848).	Japan, Honshu (island), Wakayama Prefecture, Shirahama.	€ 0,20
Tectarius muricatus (L., 1758).	USA, Florida, Key Largo, Harris Harris Park. On rocks.	€ 0,40
Tectarius muricatus (L., 1758).	Panama, Isla Margarita (Colon), live on stones & mangroves.	€ 0,70
Tectarius muricatus (L., 1758).	USA, Florida, Caribbean.	€ 0,50
Tectarius muricatus (L., 1758).	Bahamas, Green Turtle Cay (island).	€ 0,70
Bembicium nanum (Lamarck, 1822).	Australia, Queensland, Gladstone Region, Agnes Waters.	€ 0,50
Bembicium nanum (Lamarck, 1822).	Australia, Queensland, Great Keppel Island.	€ 40,00
Echininus nodulosus (Pfeiffer, 1839).	USA, Florida, Fishing Pier, Boca Raton, Dear Field Beach.	€ 0,50
Littorina obtusata f. citrina Dautzenberg & Fischer, 1915.	France, Brittany, Saint-Jacut-de-la-Mer.	€ 0,30
Littorina obtusata (L., 1758).	France, Brittany, Saint-Jacut-de-la-Mer.	€ 0,30
Littorina obtusata f. olivacea Dautzenberg & Fischer, 1915.	France, Brittany, Les Rosaires.	€ 0,30
Littorina obtusata f. olivacea Dautzenberg & Fischer, 1915.	France, Brittany, Quiberon, Pointe du Conguel. Intertidal. 7 mm	€ 0,80
Tectarius pagodus (L., 1758).	Indonesia, Greater Sundra Islands, East Java (province), Madura Island.	€ 2,00 t/m € 3,00
Littoraria pallescens (Philippi, 1846).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,00
Lacuna pallidula (da Costa, 1778).	France, Brittany, Saint-Malo.	€ 1,30
Littorina planaxis Philippi, 1847.	Mexico. Gulf of California, Punta Banda.	€ 0,30
Littorina punctata (Gmelin, 1791).	Spain, Valencian Community, Province of Alicante, Alicante.	€ 0,30
Littorina punctata (Gmelin, 1791).	Morocco, Marrakesh-Tensift-El Haouz, Essaouira.	€ 0,10
Nodilittorina pyramidalis (Quoy & Gaimard, 1833).	Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.	€ 1,80
Littorina saxatilis (Olivi, 1792).	France, Brittany, Côtes-d'Armor (department), Erquy.	€ 0,30
Littorina saxatilis (Olivi, 1792).	France, Brittany, Côtes-d'Armor (department), Tréburden.	€ 0,20
Littorina saxatilis (Olivi, 1792).	The Netherlands, Zeeland, Tholen.	€ 0,20
Littorina saxatilis (Olivi, 1792).	France, Charente-Maritime (department), Fouras.	€ 0,20
Littorina saxatilis (Olivi, 1792).	France, Brittany, Saint-Jacut-de-la-Mer.	€ 0,20
Littorina saxatilis (Olivi, 1792).	France, Brittany, Saint-Jacut-de-la-Mer.	€ 0,20
Littorina scabra angulifera (Lamarck, 1822).	Panama, Isla Margarita (Colon), Caribbean, live on mangroves.	€ 0,40
Littorina scabra scabra (L., 1758).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,00
Littorina scabra scabra (L., 1758).	Tanzania, Zanzibar. East Africa. Indian Ocean.	€ 0,60
Littorina scabra scabra (L., 1758).	Indonesia, West Papua (province), Manokwari.	€ 1,00
Littorina sitkana Philippi, 1846.	S.E. Alaska, Baranof Island, W. Sitka, W. Japonsky Island. 1.6' tide.	€ 1,50
Nodilittorina tuberculata (Menke, 1828).	The Grenadines Islands, Windward Islands, Caribbean.	€ 0,80 t/m € 1,80
Littorina unifasciata unifasciata Gray, 1826.	Australia, New South Wales, Sydney, Clovelly.	€ 1,00
Littorina zebra Donovan, 1825.	Panama (South), Pacific.	€ 4,00
Littorina ziczac (Gmelin, 1791).	The Grenadines Islands, Windward Islands, Caribbean.	€ 1,50

## Lottiidae

		<b>Price Range</b>
Patelloida saccharina (L., 1758).	Japan, Honshu (island), Wakayama Prefecture, Nada. At low tide.	€ 0,30
Patelloida saccharina (L., 1758).	Philippines.	€ 0,30
<b>Lucinidae</b>		
Anodontia alba Link, 1807.	Aruba, Malmok, Lesser Antilles Islands, between seaweed and sand.	€ 1,30
Anodontia alba Link, 1807.	USA, Florida.	€ 1,00
Loripes clausus (Philippi, 1894).	South Africa, Mosselbaai.	€ 0,70
Loripes clausus (Philippi, 1894).	South Africa, Western Cape Province, Plettenberg Bay.	€ 1,20
Divaricella dentata (Wood, 1815).	Jamaica, Ocho Rios.	€ 2,00 t/m € 2,50
Anodontia edentula (L., 1758).	Thailand, Changwat Phuket (province), Phuket (island).	€ 3,00
Anodontia edentula (L., 1758).	Mauritius, Ile aux Cerfs. Indian Ocean.	€ 1,50
Loripes lucinalis (Lamarck, 1818).	Tunisia, Monastir.	€ 0,30
Loripes lucinalis (Lamarck, 1818).	France, Brittany, Saint-Jacut-de-la-Mer.	€ 0,20
Codakia orbicularis (L., 1758).	USA, Florida, Key West.	€ 2,00 t/m € 2,50
Codakia paytenorum (Iredale, 1937).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,50 t/m € 2,50
Lucina pectinata (Gmelin, 1791).	USA, Florida, Gulf of Mexico, Sanibel Island.	€ 3,00
Lucina pectinata (Gmelin, 1791).	East Mexico, Yucatan, Mujeres Island. Dived, 5 m, muddy sand.	€ 5,50
Lucina pectinata (Gmelin, 1791).	Venezuela, Isla Margarita.	€ 1,00
Linga pensylvanica (L., 1758).	USA, Florida, Upper Harbour Key.	€ 1,70
Linga pensylvanica (L., 1758).	Bahamas, Eleuthera Island.	€ 1,00 t/m € 2,00
Linga pensylvanica (L., 1758).	USA, Florida, Gulf of Mexico, Sanibel Island.	€ 0,80
Linga pensylvanica (L., 1758).	The Grenadines Islands, Windward Islands, Caribbean.	€ 1,00 t/m € 1,30
Linga pensylvanica (L., 1758).	Bahamas, Green Turtle Cay (island).	€ 1,30 t/m € 1,80
Linga pensylvanica (L., 1758).	Bahamas, Green Turtle Cay (island).	€ 1,30 t/m € 1,80
Codakia punctata (L., 1758).	Australia, Queensland. Northern coast.	€ 1,80
Codakia tigerina (L., 1758).	Kenya, Mombasa Reef. East Africa. Indian Ocean.	€ 0,80
Codakia tigerina (L., 1758).	Solomon Islands. Pacific Ocean.	€ 2,50
Codakia tigerina (L., 1758).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,00 t/m € 3,00
Codakia tigerina (L., 1758).	Tanzania, Zanzibar. East Africa. Indian Ocean.	€ 0,80 t/m € 1,00
<b>Mactridae</b>		
Spisula aequilateralis (Deshayes, 1854).	New Zealand, North Island, Nelson Beach.	€ 2,50
Mactra antecedens Iredale, 1930.	Australia, New South Wales, south of Sydney, Cronulla.	€ 1,60
Mactra australis Lamarck, 1819.	Australia, South Australia, Adelaide.	€ 1,30
Mactra australis Lamarck, 1819.	Australia, South Australia, Point Sinclair.	€ 1,30
Mactra cumingii Reeve, 1854.	Australia, W.A., Fremantle, Cockburn Sound. 25 metres deep.	€ 5,00
Rangia cuneata (Sowerby, 1831).	USA, North Carolina. Atlantic Ocean.	€ 3,50

		<b>Price Range</b>
Rangia cuneata (Sowerby, 1831).	USA, Florida.	€ 3,00
Spisula discors (Gray, 1837).	New Zealand, Auckland, off Long Bay. On beach after storm.	€ 3,00
Longimactra elongata (Quoy & Gaimard, 1835).	New Zealand, Auckland, Waiheke Island, Oneroa Beach. In sand. 95 mm	€ 7,50
Mactrotoma explanata (Reeve, 1854).	Australia, Queensland, Cardwell.	€ 1,00 t/m € 2,00
Mactra fragilis Gmelin, 1791.	Venezuela, Isla Margarita, Guayacancito.	€ 1,00
Mactra fragilis Gmelin, 1791.	Venezuela, Margarita Island, Porlamar region. Scuba, 3 metres deep. 37 mm	€ 3,00
Mactra glabrata L., 1767.	Cape Verde, Santiago, Tarrafal Bay. About 8 m deep on sand.	€ 1,50
Mactra glauca (Born, 1778).	France, Brittany, Côtes-d'Armor (department), Tréburden.	€ 3,00 t/m € 7,00
Mactra glauca (Born, 1778).	France, Brittany, near Ploubazlanec. In sand at low tide. 80 mm - 95 mm	€ 4,00 t/m € 7,00
Mactra isabelleana Orbigny, 1846.	Argentina, Chubut, Golfo San Marias. Dived at 5 metres on sand.	€ 1,30
Mactra isabelleana Orbigny, 1846.	Uruguay, La Coronilla.	€ 2,00
Mactra lilacea Lamarck, 1818.	Egypt, Ras Gemsa. Red Sea.	€ 2,00
Mactra lilacea Lamarck, 1818.	N. Oman, Batinah coast. In sand in shallow water.	€ 1,30
Mactra lilacea Lamarck, 1818.	Egypt, South Sinai, Dahab. Gulf of Aqaba. Shallow water, on muddy bottom.	€ 2,00
Mactra lilacea Lamarck, 1818.	Egypt, Dahab, Sinai, 80 km N. of Sharm El Sheikh. Live, sand, littoral.	€ 0,80
Mactra lilacea Lamarck, 1818.	Egypt, South Sinai, Dahab. Gulf of Aqaba.	€ 1,00
Lutraria lutraria (L., 1758).	S. Portugal, Algarve (region), S. of Lagos, Maya Playa. On beach.	€ 0,50 t/m € 0,80
Lutraria lutraria (L., 1758).	France, Brittany, Saint-Jacut-de-la-Mer.	€ 2,50
Lutraria lutraria (L., 1758).	France, Brittany, Côtes-d'Armor (department), Tréburden.	€ 3,00
Lutraria lutraria (L., 1758).	France, Brittany, Morbihan (department), Carnac.	€ 1,30
Mactra luzonica Reeve, 1854.	Thailand, Krabi Province, Koh Lanta Yai (island), Koa Kwang Beach.	€ 0,50 t/m € 0,80
Mactra luzonica Reeve, 1854.	Malaysia, Terengganu (state), Merang.	€ 1,00
Mactra luzonica Reeve, 1854.	Gulf of Thailand, Ban Hua Hin.	€ 0,80
Mactra luzonica Reeve, 1854.	Thailand, Changwat Phuket (province), Phuket (island), Chalong Bay.	€ 0,50
Tresus nuttalli Conrad, 1837.	USA, California, Ventura County, Mugu Bay.	€ 2,50
Mactra olorina Philippi, 1846.	Egypt, South Sinai, Dahab. Gulf of Aqaba. Shallow water, in mud.	€ 1,30
Mactra pura Reeve, 1854.	Australia, South Australia, Port Adelaide.	€ 2,00
Mactra pura Reeve, 1854.	Australia, Western Australia, Dunsborough. In sand, 30 feet deep.	€ 1,80
Lutraria rhynchaena Jonas, 1844.	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 2,00
Mactra rufescens Lamarck, 1819.	Australia, Tasmania, Stanley, intertidal, in sand.	€ 1,80 t/m € 2,30
Mactra rufescens Lamarck, 1819.	Australia, N.S.W., Twofold Bay, Boyds Beach. Collected on the beach.	€ 3,00
Spisula solida (L., 1758).	North Sea, Terschelling Vuurschip, HD7.	€ 0,80
Spisula solida (L., 1758).	The Netherlands, Texel Island. Near the coast.	€ 0,80
Spisula solida (L., 1758).	France, Brittany, Saint-Lunaire.	€ 0,50
Spisula solidissima (Dillwyn, 1817).	USA, New Jersey, Monmouth County, Middletown Township, Sandy Hook.	€ 2,00 t/m € 3,00

		<b>Price Range</b>
Mactra stultorum (L., 1758).	France, Brittany, Les Rosaires.	€ 0,80
Mactra stultorum (L., 1758).	Spain, Province of Málaga, Fuengirola. Fishery.	€ 0,20
Mactra stultorum (L., 1758).	France, Brittany, Finistère (department), Point Penmarc'h.	€ 0,40 t/m € 0,50
Mactra stultorum (L., 1758).	Greece, Marathón beach. 1-1½ metres deep.	€ 0,30
Spisula subtruncata (da Costa, 1778).	The Netherlands, Scheveningen.	€ 0,40
Spisula subtruncata (da Costa, 1778).	Belgium, Westende-Bad. North Sea. In tidal pools, low tide, in heavy wind.	€ 0,25
Spisula subtruncata (da Costa, 1778).	The Netherlands, Schiermonnikoog. Paal 15.	€ 0,30
Spisula trigonella (Lamarck, 1819).	Australia, Western Australia, Swan River.	€ 1,00
<b>Malleidae</b>		
Malleus malleus (L., 1758).	Philippines.	€ 1,00 t/m € 3,50
Malleus malleus (L., 1758).	Japan , Kagoshima Prefecture, Amami Islands.	€ 6,00
Vulsella minor Röding, 1798.	Australia, New South Wales, Shoalhaven City, Ulladulla.	€ 2,50
<b>Marginellidae</b>		
Glabella adansoni (Kiener, 1834).	Senegal, Dakar Region, Dakar, Hann Bay (beach). West Africa.	€ 3,50 t/m € 6,50
Bullata analuciae de Souza & Coover, 2001.	Brazil, Espirito Santo (state), off Vitória. Trawled, 45 metres deep.	€ 8,50
Cryptospira angustata (Sowerby, 1846).	Sri Lanka.	€ 3,50
Cryptospira angustata (Sowerby, 1846).	Singapore.	€ 4,50
Cryptospira angustata (Sowerby, 1846).	Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.	€ 1,30
Cryptospira angustata (Sowerby, 1846).	Singapore.	€ 2,00
Cryptospira angustata (Sowerby, 1846).	India, Tamil Nadu (state), Rameswaram. Gulf of Mannar.	€ 1,50 t/m € 4,00
Prunum apicinum (Menke, 1828).	USA, Florida.	€ 1,30
Prunum apicinum (Menke, 1828).	Caribbean Islands.	€ 0,50
Volvarina avena (Kiener, 1834).	Panama, Bay of Porto Bello.	€ 1,80
Bullata bullata (Born, 1778).	Brazil, Bahai (state), Staparica Island. Atlantic Ocean.	€ 11,00
Prunum cinctum (Kiener, 1834).	Senegal, Cap-Vert, N'Gor Island, Pointe des Almadies. Fishing harbour.	€ 1,00
Marginella desjardini Marche-Marchad, 1957.	Senegal. West Africa. Atlantic Ocean. 100 metres deep.	€ 15,00
Marginella desjardini Marche-Marchad, 1957.	Senegal. West Africa. Atlantic Ocean.	€ 6,50
Marginella desjardini Marche-Marchad, 1957.	Senegal. West Africa. Atlantic Ocean.	€ 3,80 t/m € 11,50
Marginella desjardini Marche-Marchad, 1957.	Ivory Coast, Lagunes Region, Abidjan. Bought from local fisherman.	€ 5,00
Marginella desjardini Marche-Marchad, 1957.	Senegal, Cap-Vert, N'Gor, Pointe des Almadies. Alive on beach, low tide.	€ 2,50
Cryptospira elegans (Gmelin, 1791).	Thailand, Changwat Phuket (province), Phuket (island).	€ 6,00 t/m € 8,00
Marginella glabella (L., 1758).	Spain, Canary Islands.	€ 4,50
Marginella glabella (L., 1758).	Spain, Canary Islands, Fuerteventura, Cortilla. Between rocks.	€ 3,00 t/m € 4,00
Marginella glabella (L., 1758). B quality.	Senegal, Casamance. West Africa. Atlantic Ocean.	€ 1,00
Marginella glabella (L., 1758).	Senegal, N'Gor. West Africa. Atlantic Ocean.	€ 3,80

		<b>Price Range</b>
Prunum guttatum (Dillwyn, 1817).	Venezuela, Falcón, Paraguaná Peninsula.	€ 2,00
Marginella irrorata Menke, 1828.	Senegal, Petite Côte, near Dakar. West Africa. Trawled at 30 metres.	€ 8,50
Bullata lilacina (Sowerby, 1846).	Brazil, Ceará, Camocim. Collected on octopus pots at 20-25 metres deep.	€ 4,25
Bullata lilacina (Sowerby, 1846).	Brazil, Rio Grande do Norte, off Natal. On sand, 6 metres deep.	€ 5,00
Cryptospira mabellae (Melvill & Standen, 1901).	India, Tamil Nadu (state), Tuticorin.	€ 3,00
Prunum marginata (Born, 1778).	Aruba, Malmok, Lesser Antilles Islands.	€ 2,30
Prunum marginata (Born, 1778).	Caribbean Sea.	€ 1,50 t/m € 2,00
Bullata matthewsi van Mol & Tursch, 1967.	Brazil, Ceará, Camocim. Collected on octopus at 25-35 metres.	€ 4,00
Gibberula miliaria (L., 1758).	Spain, Andalusia (region), Province of Málaga, Marbella, Calypso.	€ 1,50
Marginella ornata Redfield, 1870.	South Africa, Ciskei.	€ 4,50
Marginella rosea Lamarck, 1822.	South Africa, Western Cape, Cape Agulhas. Fished.	€ 3,00
Marginella rosea Lamarck, 1822.	South Africa, Eastern False Bay, Cape Hangklip. In sand at low water.	€ 6,00
Prunum sapotilla (Hinds, 1844).	Venezuela, Caracas (provincie), Calabozo (stad).	€ 0,50
Prunum sapotilla (Hinds, 1844).	Panama. Pacific Ocean.	€ 1,50
Marginella sebastiani Marche & Rosso, 1979.	Senegal. West Africa. Atlantic Ocean. 100 metres deep.	€ 15,00
Marginella sebastiani Marche & Rosso, 1979.	Senegal. West Africa. Atlantic Ocean.	€ 5,00
Marginella sebastiani Marche & Rosso, 1979.	Senegal, Cayar. West Africa. Atlantic Ocean. 100 metres deep.	€ 6,50
Marginella sebastiani Marche & Rosso, 1979.	Senegal, Thiès Region, Kayar. West Africa.	€ 3,80 t/m € 4,80
Cryptospira strigata (Dillwyn, 1817).	Singapore.	€ 3,50
Cryptospira strigata (Dillwyn, 1817).	Malaysia, Langkawi (archipelago), Langkawi Island, Tanjung Rhu.	€ 10,00
Cryptospira tricineta (Hinds, 1844).	Thailand, Changwat Prachuap Khiri Khan, Ban Hua Hin. Gulf of Thailand.	€ 2,50
Cryptospira tricineta (Hinds, 1844).	Taiwan. East China Sea.	€ 2,00
Cryptospira tricineta (Hinds, 1844).	Indian Ocean.	€ 2,00
Cryptospira ventricosa (von Waldheim, 1807).	Singapore.	€ 1,00
Cryptospira ventricosa (von Waldheim, 1807).	Indonesia, Greater Sunda Islands, East Java (province), Madura Island.	€ 2,50
Cryptospira ventricosa (von Waldheim, 1807).	Malaysia, Langkawi (archipelago), Langkawi Island. Andaman Sea.	€ 2,00
<b>Melongenidae</b>		
Syrinx aruanus (L., 1758).	Papua New Guinea.	€ 100,00
Busycon carica eliceans (Montfort, 1810).	USA, Florida.	€ 4,50 t/m € 7,50
Pugilina cochlidium (L., 1758).	Philippines.	€ 4,00
Pugilina cochlidium (L., 1758).	Sri Lanka, Southern Province, Koggala.	€ 1,50
Pugilina cochlidium (L., 1758).	Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.	€ 1,80
Pugilina cochlidium (L., 1758).	India, Tamil Nadu (state), Madras [Chennai].	€ 4,00
Pugilina cochlidium (L., 1758). night, at low tide line.	Malaysia, Borneo, Sarawak, Bako National Park, Headquarters. Live, at	€ 3,50
Hemifusus colosseus (Lamarck, 1816).	Taiwan. Fished.	€ 10,00



		<b>Price Range</b>
Busycon contrarium (Conrad, 1840).	USA, Florida, Boca Ciega Bay. On grass flats in shallow water.	€ 2,00 t/m € 7,00
Busycon contrarium (Conrad, 1840).	USA, Florida, Marco Island. Low tide on mud flat.	€ 3,50 t/m € 4,50
Busycon contrarium (Conrad, 1840). Juvenile.	USA, Florida, Gulf of Mexico, Boca Grande.	€ 1,30 t/m € 1,80
Busycon contrarium (Conrad, 1840).	USA, Florida Keys.	€ 3,00
Melongena corona bicolor (Say, 1827).	USA, Florida, Miami. Minus tides, on exposed mud flats.	€ 0,80 t/m € 1,30
Melongena corona corona (Gmelin, 1791).	USA, Florida.	€ 0,75 t/m € 4,50
Melongena corona corona (Gmelin, 1791).	USA, Florida, Marco Island, minus low tide, sand and grass flats.	€ 1,50 t/m € 6,50
Melongena corona corona (Gmelin, 1791).	USA, NW Florida. Alive in mangrove area.	€ 0,50 t/m € 2,50
Melongena corona corona (Gmelin, 1791).	USA, Florida.	€ 4,00 t/m € 5,00
Melongena melongena (L., 1758).	Cuba, about 5 km. East of Guardalavaca. In mud near mangrove.	€ 3,00 t/m € 4,50
Melongena melongena (L., 1758).	Panama, San Blas Archipel, Rio Azucar, Caribbean, tide line.	€ 1,00 t/m € 1,80
Melongena melongena (L., 1758).	Dominican Republic.	€ 14,50
Pugilina morio (L., 1758).	Brazil, Bahai (state), Itaparica. Atlantic Ocean.	€ 0,50 t/m € 1,50
Pugilina morio (L., 1758).	Brazil, Alagoas, Maragogi. From a local fisherman.	€ 5,00
Pugilina morio (L., 1758).	Senegal, Dakar, Bel Air.	€ 7,00
Volema myristica Röding, 1798.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 0,50 t/m € 1,00
Volema myristica Röding, 1798.	Eritrea, off Massawa, Dahlak Archipelago. S. Red Sea.	€ 0,50 t/m € 1,00
Volema paradisiaca Röding, 1798.	Tanzania, Zanzibar. East Africa. Indian Ocean.	€ 0,40
Volema paradisiaca Röding, 1798.	Tanzania. East Africa. Indian Ocean.	€ 0,80
Volema paradisiaca Röding, 1798.	Tanzania, Zanzibar. East Africa. Indian Ocean	€ 0,50
Volema paradisiaca nodosa (Lamarck, 1822).	Egypt, Safaga. Red Sea.	€ 1,30 t/m € 2,30
Melongena patula (Broderip & Sowerby, 1829).	Mexico, west coast. Pacific Ocean.	€ 22,50
Busycon spiratum (Lamarck, 1816).	USA, Florida, Gulf of Mexico, Sanibel Island. In sand.	€ 5,00
Busycon spiratum (Lamarck, 1816).	USA, Florida, off Chokoloskee. On sand and mud flats, low tide.	€ 3,80 t/m € 5,50
Busycon spiratum (Lamarck, 1816).	USA, Florida, Marco Island. Mud flats.	€ 3,30
Busycon spiratum (Lamarck, 1816).	USA, Florida, off Chokoloskee. On sand and mud flats, low tide.	€ 4,00
Hemifusus ternatanus (Gmelin, 1791).	Indonesia, West Java (province).	€ 2,00 t/m € 3,00
Hemifusus ternatanus (Gmelin, 1791).	Philippines.	€ 1,80 t/m € 3,80
<b>Mesodesmatidae</b>		
Paphies australis (Gmelin, 1790).	New Zealand, North Island, Ninety Mile Beach.	€ 1,00 t/m € 2,50
Caecella chinensis Deshayes, 1855.	Japan, Honshu (island), Fukushima Prefecture, Tomioka.	€ 0,30
Paphies cuneata (Lamarck, 1818).	Australia, Queensland, Great Barrier Reef, Heron Island.	€ 1,80
Mesodesma donacium (Lamarck, 1818).	Chile, Tarapacá Region, Iquique, Playa Aguila.	€ 6,00
Mesodesma donacium (Lamarck, 1818).	Chile, Tarapacá Region, Iquique, Playa Aguila.	€ 4,30
Paphies elongata (Reeve, 1854).	South Australia, Henley Beach.	€ 1,30

Mesodesma mactroides Deshayes, 1854.  
 Paphies striata (Gmelin, 1791).  
 Paphies striata (Gmelin, 1791).  
 Paphies striata (Gmelin, 1791).  
 Paphies subtriangulata subtriangulata (Wood, 1828).

## Mitridae

Mitra acuminata Swainson, 1824.  
 Mitra ambigua Swainson, 1829.  
 Mitra aurantia (Gmelin, 1791).  
 Mitra aurantia (Gmelin, 1791).  
 Ziba bacillum (Lamarck, 1811).  
 Subcancilla calodinota (Berry, 1960).  
 Mitra cardinalis (Gmelin, 1791).  
 Mitra cardinalis (Gmelin, 1791).  
 Neocancilla circula (Kiener, 1838).  
 Neocancilla clathrus (Gmelin, 1791).  
 Neocancilla clathrus (Gmelin, 1791).  
 Neocancilla clathrus (Gmelin, 1791).  
 Mitra contracta Swainson, 1820.  
 Mitra contracta Swainson, 1820.  
 Imbricaria conularis (Lamarck, 1811).  
 Pterygia crenulata (Gmelin, 1791).  
 Pterygia crenulata (Gmelin, 1791).  
 Pterygia crenulata (Gmelin, 1791).  
 Mitra cucumerina Lamarck, 1811.  
 Mitra cucumerina Lamarck, 1811.  
 Pterygia dactylus (L., 1767).  
 Pterygia dactylus (L., 1767).  
 Mitra decurtata Reeve, 1844.  
 Mitra decurtata Reeve, 1844.  
 Scabricola desetangsii (Kiener, 1838).  
 Mitra eremitarum Röding, 1798.  
 Mitra eremitarum Röding, 1798.  
 Mitra eremitarum Röding, 1798.  
 Mitra eremitarum Röding, 1798.

Argentina, Mar del Plata, Punta Mogotes. Dived, on sand, ebb.  
 Indonesia, West coast Sumatra, Padang.  
 Philippines.  
 Indonesia, Bali (province), Bali (island).  
 New Zealand, Auckland, Brown's Bay. Buried in sand, low tide.

Philippines, Bohol (province), close to Panglao Island, Balicasag Island.  
 Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.  
 Philippines, Bohol (province), close to Panglao Island, Balicasag Island.  
 South-west Pacific.  
 Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.  
 Panama, Bay of Panama. Gulf of Panama. Dredged at 250 metres deep.  
 Philippines.  
 Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.  
 Thailand, Phuket (island), Raya Island. 25-30 metres deep.  
 Philippines, Bohol (province), close to Panglao Island, Balicasag Island.  
 Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.  
 Thailand, Changwat Phuket (province), Phuket (island).  
 Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.  
 Philippines.  
 Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.  
 Philippines, Cebu (province), Caubian Island. Dived, 15-20 m deep.  
 Philippines, Sulu (province), Siasi. Sulu Sea. From fisherman. 16 mm  
 Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.  
 Philippines, Bohol (province), close to Panglao Island, Balicasag Island.  
 Philippines, Bicol Region, Masbate Island.  
 Indonesia, Greater Sundra Islands, East Java (province), Madura Island.  
 Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.  
 Taiwan, south-west. South China Sea.  
 Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.  
 Philippines.  
 Thailand, Changwat Phuket (province), Phuket (island).  
 Indonesia, Borneo, North Kalimantan, Palau Tarakan, Tarakan. Live.  
 Philippines.

## Price Range

€ 2,30  
 € 1,80  
 € 0,20  
 € 0,50  
 € 0,80 t/m € 1,30  
 € 2,00  
 € 2,50 t/m € 5,00  
 € 1,80  
 € 2,00  
 € 1,00  
 € 5,00 t/m € 7,00  
 € 4,50  
 € 3,50  
 € 2,00  
 € 1,80  
 € 2,50  
 € 2,00  
 € 1,00  
 € 2,50 t/m € 4,00  
 € 0,50  
 € 1,00 t/m € 2,50  
 € 5,00  
 € 2,50  
 € 1,50 t/m € 2,50  
 € 1,30  
 € 2,00  
 € 1,50  
 € 1,50 t/m € 2,00  
 € 1,00  
 € 1,00  
 € 1,00 t/m € 2,00  
 € 1,30 t/m € 1,80  
 € 2,00  
 € 1,80

		<b>Price Range</b>
Mitra eremitarum Röding, 1798.	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 0,50 t/m € 2,00
Subcancilla erythrogramma (Tomlin, 1931).	Panama, Cebaco Island. Pacific Ocean.	€ 4,50
Mitra fastigium Reeve, 1845.	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 2,50 t/m € 4,00
Mitra ferruginea Lamarck, 1811.	Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.	€ 3,00
Cancilla filaris (L., 1771).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,50
Subcancilla flammea (Quoy & Gaimard, 1833).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 3,50
Mitra fraga Quoy & Gaimard, 1833.	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 2,00
Mitra fulvescens Broderip, 1836.	Philippines, Cebu (province), Caubian Island. Dived, 15 m deep, on sand.	€ 7,50
Scabricola fusca (Swainson, 1824).	Spain, Canary Islands, Fuerteventura, Morro Jable. Live, below water mark	€ 2,00
Mitra glabra Swainson, 1821.	Australia, South Australia, Port Adelaide.	€ 3,00
Cancilla gloriola Cernohorsky, 1970.	Philippines, Sulu Sea. Fished.	€ 4,00
Cancilla gloriola Cernohorsky, 1970.	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 3,00 t/m € 4,50
Cancilla granatina (Lamarck, 1811).	Philippines.	€ 1,00
Cancilla granatina (Lamarck, 1811).	Philippines.	€ 2,00
Cancilla granatina (Lamarck, 1811).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,00 t/m € 2,00
Cancilla granatina (Lamarck, 1811).	Indonesia, Flores (island), north of Maumere. Shallow, in sand.	€ 0,50 t/m € 1,00
Cancilla granatina (Lamarck, 1811).	India, Tamil Nadu (state), off Madras [Chennai]. Trawled.	€ 2,50
Mitra imperialis Röding, 1798.	Madagascar, Anosy Region, Tôlanaro (Fort Dauphin) region. Shallow water.	€ 4,00
Mitra incompta (Lightfoot, 1786).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 5,00 t/m € 12,50
Mitra incompta (Lightfoot, 1786).	Mozambique, Sanculo Beach. Shallow water, low tide, in sand.	€ 12,50
Mitra incompta (Lightfoot, 1786).	Tanzania, Zanzibar, Nungwi (village). East Africa. Indian Ocean.	€ 4,00 t/m € 7,50
Ziba interlirata (Reeve, 1844). Juvenile.	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 2,00
Ziba interlirata (Reeve, 1844).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 2,00 t/m € 3,50
Cancilla isabella (Swainson, 1831).	Taiwan, off southwest coast. East China Sea. Fished.	€ 4,50
Mitra lienardi Sowerby, 1874.	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 6,00
Mitra litterata Lamarck, 1811.	Taiwan, south-west. South China Sea.	€ 1,30 t/m € 1,80
Mitra luctuosa A. Adams, 1853.	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 2,50 t/m € 4,00
Ziba millepunctata Schepman, 1913.	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 2,00
Mitra mitra (L., 1758).	Malaysia, Sabah (state), Borneo, reef off Semporna. Live in sand, on reef.	€ 7,00
Mitra mitra (L., 1758).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,50 t/m € 5,00
Mitra mitra (L., 1758).	Kenya, north of Mombasa. East Africa. Live, on coral reef.	€ 5,00
Mitra mitra (L., 1758).	Madagascar, off Toliara (Tulear). East Africa. Scuba diver, shallow water.	€ 9,50
Mitra mitra (L., 1758).	Philippines.	€ 4,00
Pterygia nucea (Gmelin, 1791).	Philippines, Central Visayas, Cebu, Bantayan Island. Tangle nets, 80 m.	€ 7,00
Scabricola ocellata (Swainson, 1831).	Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.	€ 2,30

		<b>Price Range</b>
Imbricaria olivaeformis (Swainson, 1821).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 2,50
Mitra papalis (L., 1758).	Madagascar, off Toliara (Tulear). East Africa. Collected by a local.	€ 6,50
Mitra papalis (L., 1758).	Philippines, Eastern Visayas (region), Leyte (island).	€ 3,80 t/m € 6,90
Mitra papalis (L., 1758).	Tanzania, Zanzibar, Nungwi (village). East Africa. Indian Ocean.	€ 6,00
Neocancilla papilio (Link, 1807).	French Polynesia, Society Islands, Tahiti. In sand flats.	€ 2,80
Neocancilla papilio (Link, 1807).	Mozambique, Nampula Province, Nacala. Shallow water.	€ 5,00
Neocancilla papilio (Link, 1807).	Philippines, Visayas (region), Samar (island).	€ 2,30 t/m € 3,30
Neocancilla papilio (Link, 1807).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,50 t/m € 3,00
Mitra paupercula (L., 1758).	Indonesia, Lesser Sunda Islands, Flores (island), ±5 km east of Gelinting.	€ 2,20
Mitra paupercula (L., 1758).	Japan.	€ 2,00 t/m € 6,50
Mitra paupercula (L., 1758).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 2,50
Mitra pele (Cernohorsky, 1970).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 3,00 t/m € 6,00
Cancilla praestantissima (Röding, 1798).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,00
Cancilla praestantissima (Röding, 1798).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,00 t/m € 2,50
Imbricaria punctata (Swainson, 1821).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,00
Mitra puncticulata Lamarck, 1811.	Philippines.	€ 2,00 t/m € 2,50
Mitra puncticulata Lamarck, 1811.	Philippines, Sulu (province), Siasi. Sulu Sea. From fisherman.	€ 2,00 t/m € 3,00
Mitra puncticulata Lamarck, 1811.	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,50 t/m € 2,00
Mitra retusa Lamarck, 1811.	Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.	€ 2,30
Mitra retusa Lamarck, 1811.	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,50
Mitra retusa Lamarck, 1811.	Indonesia, Moluccas Islands, Ambon Island, Latuhalat.	€ 0,70
Mitra rosacea Reeve, 1845.	Philippines, Cebu (province), Caubian Island. Dived, ±30 metres deep.	€ 5,50
Mitra rubiginosa Reeve, 1844. Dived, 25-30 m.	Philippines, Central Visayas (region), Bohol (island), Calituban.	€ 7,00
Cancilla scrobiculata crosnieri Cernohorsky, 1970.	Senegal, Cap-Vert, N'Gor Island, Pointe des Almadies. Fishing harbour.	€ 2,00
Mitra scutulata (Gmelin, 1791).	Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.	€ 1,50 t/m € 1,80
Mitra scutulata (Gmelin, 1791).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 0,50 t/m € 1,50
Mitra stictica (Link, 1807).	Tanzania, Zanzibar, Bawé Island. East Africa. Indian Ocean.	€ 1,50 t/m € 2,00
Mitra stictica (Link, 1807).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,00 t/m € 2,00
Mitra stictica (Link, 1807).	Tanzania, Zanzibar, Nungwi (village). East Africa. Indian Ocean.	€ 1,00 t/m € 2,00
Mitra swainsonii Broderip, 1836.	Mexico, Baja California Sur (state), Pichilingue. Bay of La Paz. Fished.	€ 7,00 t/m € 12,50
Mitra swainsonii Broderip, 1836.	Panama.	€ 20,00
Mitra tabanula Lamarck, 1811.	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,00
Mitra telescopium Reeve, 1844.	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 3,00 t/m € 5,00
Mitra ticaonica Reeve, 1844.	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 2,50
Mitra ticaonica Reeve, 1844.	Australia, Western Australia, Coral Bay. Indian Ocean.	€ 1,00 t/m € 2,00

Mitra turgida Reeve, 1845.  
Mitra vexillum Reeve, 1844.

**Modulidae**

Modulus catenulatus (Philippi, 1849).  
Modulus disculus (Philippi, 1846).  
Modulus modulus (L., 1758).  
Modulus tectum (Gmelin, 1791).  
Modulus tectum (Gmelin, 1791).

**Muricidae**

Thais aculeata Deshayes, 1844.  
Chicoreus aculeatus (Lamarck, 1822). Synonym: artemis.  
Chicoreus alabaster (Reeve, 1845).  
Pterynotus alatus (Röding, 1798).  
Hexaplex angularis (Lamarck, 1822).  
Thais armigera (Link, 1807).  
Chicoreus axicornis (Lamarck, 1822).  
Chicoreus axicornis (Lamarck, 1822).  
Chicoreus axicornis (Lamarck, 1822).  
Naquetia barclayi (Reeve, 1858).  
Naquetia barclayi (Reeve, 1858).  
Chicoreus beauforti (Fischer & Bernardi, 1857). fathoms by captain.  
Rapana bezoar (L., 1758).  
Stramonita biserialis (Blainville, 1832).  
Stramonita biserialis (Blainville, 1832).  
Stramonita biserialis (Blainville, 1832).  
Favartia bojadorensis (Locard, 1897).  
Murex brandaris (L., 1758).  
Murex brandaris (L., 1758).  
Murex brandaris (L., 1758).  
Murex brandaris (L., 1758).  
Murex brandaris (L., 1758).  
Murex brandaris (L., 1758).  
Murex brandaris (L., 1758).  
Murex brandaris (L., 1758).  
Murex brandaris (L., 1758).  
Murex brandaris (L., 1758).

Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep. € 2,50  
Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep. € 2,50

Costa Rica, Bahia Rineau. In mud at low tide. 11 mm € 4,50  
Mexico, Baja California Sur (state), La Paz. € 2,80  
Martinique, Anse d'Arlet. In shallow water. 11 mm € 1,50  
Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep. € 1,50  
Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep. € 1,50

€ 1,50

Philippines, Bohol (province), close to Panglao Island, Balicasag Island. € 1,30  
Philippines. € 7,00  
Philippines, Mindanao (island), Davao Region, Davao City. € 6,50 t/m € 10,00  
Senegal, Cap-Vert, N'Gor Island, Pointe des Almadies. Fishing harbour. € 1,00  
Australia, North Western Australia, Christmas Isl., dived 5-6 m. on rocks. € 3,00  
Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep. € 1,00 t/m € 2,50  
Philippines, Mindanao (island), Davao Region, Davao City. € 1,50 t/m € 2,50  
Philippines, Bohol (province), close to Panglao Island, Balicasag Island. € 2,50 t/m € 3,80  
Philippines, Bohol Island. € 7,50  
Philippines, Bohol (province), close to Panglao Island, Balicasag Island. € 3,30 t/m € 6,00  
USA, Florida, Dry Tortugas, Riley Black. Gulf of Mexico. Dredged 80 € 14,50  
Taiwan. East China Sea. € 1,30  
USA, California, Cedros Island. € 1,50 t/m € 2,50  
Panama, Panamá City, Punta Calafata. Pacific Ocean. € 0,80  
Chile, Tarapacá Region, Iquique, Chorrillos beach. € 2,50  
Senegal, Cap-Vert, N'Gor Island, Pointe des Almadies. Fishing harbour. € 5,00  
Italy, offshore Savona. Trawled by local fishermen. € 6,50  
Spain, Andalusia (region), Province of Málaga, Marbella. € 2,50  
Italy, Sardinia. Live on nets, 20 metres deep. € 6,50  
Italy, Tarente province, Castellaneta. Collected live. € 1,00  
Italy, Cosenza, Amantea. In nets, from fishermen. € 1,00  
Tunisia, Djerba Island, Aghir. In and on egg capsules on beach. € 1,00  
Spain, San Carlos de la Rápita. € 1,00  
Spain, Tarragona (province), Cambrils (city). Fished. € 2,00  
Greece, Lesbos, Bay of Kalloni. Live, ±1 metre deep. € 1,50

**Price Range**

		<b>Price Range</b>
Stramonita brasiliensis (Claremont & D.G. Reid, 2011. W/O. Dwarf form).	Uruguay, Rocha Department, Punta del Diablo. Dived at 1-2 metres deep.	€ 10,00
Phyllonotus brassica (Lamarck, 1822).	Peru, Departamento de Tumbes, Puerto Pizarro. Trawled near shore.	€ 5,00 t/m € 6,50
Acanthina brevidentata (Wood, 1828).	Panama, Bay of Panamá, Boca la Caja. Pacific Ocean.	€ 1,00
Chicoreus brevifrons (Lamarck, 1822).	Curaçao, Spaanse Water, Lesser Antilles Islands.	€ 4,00
Chicoreus brevifrons (Lamarck, 1822).	Aruba, Lesser Antilles Islands.	€ 10,00
Chicoreus brevifrons (Lamarck, 1822).	Mexico.	€ 3,50
Murex brevispina macgillivrayi Dohrn, 1862.	Australia.	€ 4,00
Murex brevispina macgillivrayi Dohrn, 1862.	Australia, Queensland, Windy Bay.	€ 1,30 t/m € 2,30
Murex brevispina macgillivrayi Dohrn, 1862.	Australia, Queensland, Bundaberg.	€ 2,50
Murex brevispina macgillivrayi Dohrn, 1862.	Australia, Western Australia, Cape Keroudren. 8 metres deep in sand. 50 mm	€ 2,50 t/m € 3,80
Chicoreus brunneus (Link, 1807).	Sri Lanka.	€ 3,00 t/m € 6,00
Chicoreus brunneus (Link, 1807). Dark form.	Philippines, Central Visayas (region), Cebu (island).	€ 5,00
Chicoreus brunneus (Link, 1807). Orange form.	New Caledonia. Pacific Ocean.	€ 14,00
Chicoreus brunneus (Link, 1807).	Philippines.	€ 4,50
Chicoreus brunneus (Link, 1807).	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 1,00 t/m € 2,00
Chicoreus brunneus (Link, 1807).	Malaysia, Pulau Perhentian Besar (Big Perhentian Island). By dead coral.	€ 2,00
Chicoreus brunneus (Link, 1807).	Indonesia, Riau Islands, Pulau Sore. Live, under dead coral, shallow.	€ 1,00
Chicoreus brunneus (Link, 1807).	Thailand, Changwat Phuket (province), Phuket (island).	€ 6,50
Chicoreus brunneus (Link, 1807).	Philippines.	€ 6,50
Chicoreus brunneus (Link, 1807).	Mayotte Island (overseas department of France), Téal. Indian Ocean.	€ 3,00
Thais bufo (Lamarck, 1822).	Australia, Queensland, Sarina, Arrmstrong Beach.	€ 2,50
Thais bufo (Lamarck, 1822).	Malaysia, Johor, Big Island (Babi Besar Island). South China Sea.	€ 5,00
Thais bufo (Lamarck, 1822).	Philippines.	€ 1,50 t/m € 3,00
Siratus cailleti (Petit de la Saussaye, 1856).	Barbados, dredged off St. James at 125 m. deep.	€ 9,00
Chicoreus capucinus (Lamarck, 1822).	Philippines.	€ 1,30
Chicoreus capucinus (Lamarck, 1822).	Philippines.	€ 2,50
Chicoreus capucinus (Lamarck, 1822).	Australia, Queensland.	€ 3,30
Hexaplex cichoreum f. depressospinosus Dunker, 1869.	Philippines, Palawan, Puerto Princesa.	€ 2,80
Hexaplex cichoreum (Gmelin, 1791).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 2,00
Hexaplex cichoreum (Gmelin, 1791).	Philippines.	€ 2,00 t/m € 10,00
Hexaplex cichoreum (Gmelin, 1791).	Malaysia, Sabah (state), Borneo, off Semporna. Live in sea grass.	€ 2,50
Hexaplex cichoreum (Gmelin, 1791).	Philippines, Camotes, Pacijan Islands. On coral reef, 15-22 metres deep.	€ 3,00 t/m € 5,00
Urosalpinx cinerea (Say, 1822).	USA, Florida, Fernandina Beach.	€ 2,30
Nucella cingulata (L., 1771).	South Africa, Port Elizabeth area. In shallow water by diver.	€ 5,00
Drupa clathrata (Lamarck, 1816).	Indian Ocean.	€ 2,50

		<b>Price Range</b>
Thais clavigera (Küster, 1858).	Japan, Aitsu.	€ 0,40
Thais clavigera (Küster, 1858).	Japan, Honshu (island), Wakayama Prefecture, Shirahama.	€ 0,30
Chicoreus cnissodus (Euthyme, 1889).	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 2,50 t/m € 7,50
Concholepas concholepas (Bruguère, 1792).	Chile.	€ 15,00
Ergalatax constrictus Reeve, 1847.	Japan.	€ 0,30
Siratus consuelae (Verrill, 1950).	Brazil, All Saint's Bay, Itaparica Island. 5 metres deep, muddy sand.	€ 2,50
Ergalatax contracta (Reeve, 1846).	Thailand, Changwat Phuket (province), Phuket (island).	€ 0,50
Ergalatax contracta (Reeve, 1846).	Gulf of Thailand, Ban Hua Hin.	€ 1,80 t/m € 2,50
Ergalatax contracta (Reeve, 1846).	Philippines.	€ 1,50
Drupella cornus (Röding, 1798).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,00
Drupella cornus (Röding, 1798).	Australia, W.A., Houtman Abrolhos. On rocks between coral.	€ 1,80 t/m € 2,30
Drupella cornus (Röding, 1798).	Taiwan. East China Sea.	€ 0,40
Bolinus cornutus (L., 1758).	Senegal. West Africa. Atlantic Ocean.	€ 8,00
Nucella crassilabrum (Lamarck, 1789).	Chile, Arica. Intertidal, in pools.	€ 1,40
Chicoreus damicornis (Hedley, 1903).	Philippines.	€ 7,50
Jaton decussatus (Gmelin, 1791).	Senegal, Dakar Region, Dakar, Gorée Island. West Africa. 5 metres deep.	€ 5,50
Thais deltoidea (Lamarck, 1822).	USA, Florida, Big Pine Key.	€ 2,50
Vokesimurex dentifer (Watson, 1883). A quality.	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 2,00 t/m € 6,00
Vokesimurex dentifer (Watson, 1883).	Philippines.	€ 1,50 t/m € 3,50
Murex djarianensis poppei Houart, 1979.	Thailand, Changwat Phuket (province), Phuket (island).	€ 2,50 t/m € 10,00
Vokesimurex dolichorus (Ponder & Vokes, 1988).	Japan, Shikoku (island), Kochi Prefecture, Tosa Bay.	€ 1,30
Vokesimurex dolichorus (Ponder & Vokes, 1988).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 2,00
Hexaplex duplex (Röding, 1798).	Senegal.	€ 5,00
Hexaplex duplex (Röding, 1798).	Senegal, Dakar Region, Dakar, Hann. West Africa. 15 metres deep.	€ 29,50
Thais echinata (Blainville, 1832).	Taiwan, south-west. South China Sea.	€ 0,80
Thais echinata (Blainville, 1832).	Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.	€ 1,30 t/m € 1,80
Thais echinulata (Lamarck, 1822).	Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.	€ 0,80 t/m € 1,30
Pterynotus elongatus (Lightfoot, 1786).	Philippines, Cebu, Mactan, Olonga Island. Dived on sandy bottom, 10-15 m.	€ 7,00 t/m € 9,50
Nucella emarginata (Deshayes, 1839).	USA, California, San Simeon.	€ 0,30
Ocenebra erinaceus (L., 1758).	France, Brittany, Côtes-d'Armor (department), Tréburden.	€ 2,50
Ocenebra erinaceus (L., 1758).	Spain.	€ 0,50 t/m € 2,30
Ocenebra erinaceus (L., 1758).	Golf de Mobinan, Locmiquel.	€ 2,00
Ocenebra erinaceus (L., 1758).	France, Brittany, Saint-Lunaire.	€ 0,30 t/m € 1,00
Phyllonotus erythrostomus Swainson, 1831.	Mexico. Gulf of California.	€ 2,00 t/m € 4,50
Phyllonotus erythrostomus Swainson, 1831.	Mexico, Baja California Sur, Mulegé. 10-15 ft.	€ 3,50

		<b>Price Range</b>
Lataxiena fimbriata (Hinds, 1844).	Philippines, Central Visayas (region), Cebu (island).	€ 3,80
Lataxiena fimbriata (Hinds, 1844).	Gulf of Thailand, Ban Hua Hin.	€ 0,80
Lataxiena fimbriata (Hinds, 1844).	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 2,00 t/m € 3,00
Muricodrupa fiscella (Gmelin, 1791).	Egypt, Safaga. Red Sea.	€ 0,40 t/m € 1,00
Chicoreus florifer dilectus (A. Adams, 1855).	USA, Florida.	€ 1,50 t/m € 4,00
Ceratostoma foliatum (Gmelin, 1791).	USA, California. Pacific Ocean.	€ 11,00
Chicoreus formosus (Sowerby II, 1841).	Brazil, All Saint's Bay, Itaparica Island. Atlantic Ocean. Muddy sand.	€ 1,00 t/m € 2,50
Murex forskåli Röding, 1798.	Egypt, Hurghada. Red Sea.	€ 3,50
Nassa francolina (Bruguière, 1789).	Egypt, Safaga. Red Sea.	€ 0,50 t/m € 2,50
Nassa francolina (Bruguière, 1789).	Philippines, Central Visayas (region), Cebu (island).	€ 0,80 t/m € 2,30
Vokesimurex gallinago (Sowerby III, 1903).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,30 t/m € 2,00
Pterynotus gambiensis (Reeve, 1845).	Senegal, Casamance. West Africa. Atlantic Ocean.	€ 2,00 t/m € 4,00
Trophon geversianus v. lamellosa Castellanos, 1993.	Argentina, Chubut Province, Golfo San José. Scuba, 5-10 metres deep.	€ 12,00
Trophon geversianus (Pallas, 1774). On mussels, 10-15 m deep.	Chile, XII Región, Magallanes Strait, Gente Grande Bay. By diver.	€ 25,00
Trophon geversianus (Pallas, 1774).	Brazil, Bahia (state), Salvador. Atlantic Ocean.	€ 4,80
Trophon geversianus (Pallas, 1774).	Argentina, The Valdes Peninsula, Golfo Nuevo. Low tide on rocks. 28 mm	€ 6,00 t/m € 9,50
Trophon geversianus (Pallas, 1774). Mesolitoral inferior.	Argentina, Tierra del Fuego Prov., Canal Beagle, Punta Maria. Tidal pools.	€ 9,50
Trophon geversianus (Pallas, 1774).	Argentina, Tierra del Fuego, Ushuaia. At low tide on beach. 48 mm	€ 25,00
Chorus giganteus (Lesson, 1831).	Chile, XIV Los Ríos Region, Valdivia (province), Valdivia (city).	€ 17,50
Morula granulata (Duclos, 1832).	French Polynesia, Society Islands, Tahiti, 20 km east of Papeete.	€ 0,80
Morula granulata (Duclos, 1832).	Egypt, Hurghada. Red Sea.	€ 0,25
Morula granulata (Duclos, 1832).	Kenya, Mombasa Reef. East Africa. Indian Ocean.	€ 0,30
Morula granulata (Duclos, 1832).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 2,00
Morula granulata (Duclos, 1832).	Thailand, Phuket (island), Raya Island. 25-30 metres deep.	€ 0,50 t/m € 0,80
Morula granulata (Duclos, 1832).	Taiwan. East China Sea.	€ 0,50
Cytharomorula grayi (Dall, 1889).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,50
Drupa grossularia Röding, 1798.	French Polynesia, Society Islands, Tahiti, 20 km east of Papeete.	€ 1,50
Drupa grossularia Röding, 1798.	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,50
Drupa grossularia Röding, 1798.	Philippines, Cebu (province), Mactan (island), Punta Engaño.	€ 1,80
Drupa grossularia Röding, 1798.	Philippines.	€ 0,80
Stramonita haemastoma floridana (Conrad, 1837).	USA, Florida, South Miami. On rocks.	€ 2,30
Stramonita haemastoma (L., 1767).	Tunisia, Lac de Bizerte.	€ 0,80 t/m € 1,30
Stramonita haemastoma (L., 1767).	Spain, Balearic Islands, Ibiza (island), Cala Vedella.	€ 0,50
Stramonita haemastoma (L., 1767).	Cape Verde, Santiago (island), Praia (city).	€ 1,50
Stramonita haemastoma (L., 1767).	Morocco, Torres de Alealá.	€ 1,00 t/m € 2,00



		<b>Price Range</b>
Stramonita haemastoma (L., 1767).	Spain, Andalusia (region), Almeria.	€ 0,50 t/m € 0,80
Stramonita haemastoma (L., 1767).	Spain, Canary Islands, Fuerteventura.	€ 1,00 t/m € 2,00
Stramonita haemastoma (L., 1767).	Spain, Province of Málaga, Fuengirola.	€ 1,00 t/m € 1,50
Stramonita haemastoma (L., 1767).	Spain, Tarragona, Sant Carles de la Ràpita .	€ 2,00
Stramonita haemastoma (L., 1767).	Cape Verde, Sal (island), Santa Maria.	€ 1,00 t/m € 1,50
Stramonita haemastoma (L., 1767).	Spain, Mallorca Island, Palma.	€ 1,00 t/m € 2,50
Haustellum haustellum (L., 1758).	Indonesia.	€ 3,50
Haustellum haustellum (L., 1758).	Vietnam, South Central Coast (region), Da Nang (Đà Nẵng)	€ 5,00
Haustellum haustellum (L., 1758).	Indonesia, Mid Java, south coast.	€ 2,50
Haustellum haustellum (L., 1758).	Vietnam, South Central Coast (region), Da Nang (Đà Nẵng)	€ 2,50
Haustellum haustellum (L., 1758).	Philippines, Visayas (region), Samar (island).	€ 1,50 t/m € 5,00
Haustellum haustellum (L., 1758).	Philippines, Visayas (region), Samar (island).	€ 5,00
Haustellum haustellum (L., 1758).	Indonesia, Jakarta, Pasar Ikan fishmarket. From fishery.	€ 4,00 t/m € 5,00
Haustellum haustellum (L., 1758).	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 0,50
Thais hippocastanum (L., 1758).		€ 2,00
Murexiella judithae (Attilio & Bertsch, 1980).	Philippines, Cebu, Mactan Island, Punta Engano, tangle nets at 100-120 m.	€ 9,50
Thais kieneri (Deshayes, 1844).	Australia, Queensland, Port Douglas.	€ 2,00
Thais kieneri (Deshayes, 1844).	Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.	€ 1,00 t/m € 1,80
Cronia konkanensis (Melville, 1893).	Red Sea.	€ 1,30
Thais lacera (Born, 1778).	Thailand, Ban Hua Hin. Southeast Asia. Gulf of Thailand.	€ 0,80 t/m € 1,30
Chicomurex laciniatus (Sowerby, 1841).	Indonesia, Banka.	€ 3,80 t/m € 6,50
Chicomurex laciniatus (Sowerby, 1841).	Philippines, Palawan (province), Palawan (island).	€ 1,00 t/m € 3,00
Chicomurex laciniatus (Sowerby, 1841).	Philippines, Batan Island, Albay province. On coral reef, 15-20 m deep.	€ 1,50 t/m € 2,00
Chicomurex laciniatus (Sowerby, 1841).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,30 t/m € 3,50
Nucella lamellosa (Gmelin, 1791).	USA, S.E. Alaska, Mitkof Island, 2 miles N of Petersburg. Sandy Beach.	€ 8,50
Nucella lapillus (L., 1758).	USA, Massachusetts, Swampscott. Atlantic Ocean.	€ 0,80
Nucella lapillus (L., 1758). Yellow variation.	France, Brittany, Les Rosaires.	€ 0,30
Nucella lapillus (L., 1758).	UK, Wales.	€ 0,40
Nucella lapillus (L., 1758).	England, Cornwall, Holywell Bay.	€ 0,40
Nucella lapillus (L., 1758).	USA, Washington, Puget Sound.	€ 1,00
Nucella lapillus (L., 1758).	Ile Verdelet.	€ 0,40
Nucella lima (Gmelin, 1791).	SE Alaska, S. of Wowodski Island & Kah Sheets, Whisky Pass, at a 3' tide.	€ 3,50
Drupa lobata (Blainville, 1832).	Indonesia, Atjeh, Pulau We, Pantai Sumur Tiga. Live, sublittoral.	€ 2,00
Drupa lobata (Blainville, 1832).	Tanzania, Zanzibar, Nungwi (village). East Africa. Live, sublittoral.	€ 1,50 t/m € 2,00
Haustellum longicaudum (Baker, 1891).	Philippines, Cebu, Mactan, Olonga Island. Dived on sandy bottom, 10-15 m.	€ 5,00

		<b>Price Range</b>
Acanthina lugubris (Sowerby, 1821).	Mexico, Baja California (state), Punta Banda Beach. Gulf of California.	€ 1,00
Thais luteostoma (Holten, 1802).	Taiwan, south-west. South China Sea.	€ 0,90
Thais mancinella (L., 1758).	Malaysia, Malacca (state), Malacca City	€ 1,30
Thais mancinella (L., 1758).	Philippines.	€ 1,00
Phyllonotus margaritensis (Abbott, 1958).	Venezuela, Isla Margarita.	€ 6,00
Cronia margariticola (Broderip, 1831).	Japan, Honshu (island), Wakayama Prefecture, Shirahama.	€ 0,30
Cronia margariticola (Broderip, 1831).	French Polynesia, Society Islands, Tahiti, 20 km east of Papeete.	€ 0,80
Cronia margariticola (Broderip, 1831).	Thailand, Phuket (island), Raya Island. 25-30 metres deep.	€ 0,80
Murexiella martini Shikama, 1977.	Philippines, Bohol, Panglao Island. By tangle nets in 100 m.	€ 6,00
Thais melones (Duclos, 1832).	Panama, Gulf of Panamá, San Carlos. Live, Littoral zone, on rocks.	€ 1,00
Chicoreus microphyllus (Lamarck, 1822).	Malaysia, Johor, Big Island (Babi Besar). W.coast, live under dead coral.	€ 0,50
Vitularia miliaris (Gmelin, 1791).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 2,00 t/m € 3,00
Vitularia miliaris (Gmelin, 1791).	Philippines, Visayas (region), Samar (island).	€ 3,80
Vokesimurex mindanaoensis (Sowerby II, 1841).	Philippines, Luzon (island), Tayabas Bay.	€ 3,00
Vokesimurex mindanaoensis (Sowerby II, 1841).	Philippines, Luzon (island), Tayabas Bay. From fisherman.	€ 6,00
Vokesimurex mindanaoensis (Sowerby II, 1841).	Philippines, Central Visayas (region), Bohol (province), Panglao Island.	€ 3,50
Pterynotus miyokoae Kosuge, 1979.	Philippines, Central Visayas (region), Bohol (island).	€ 7,50
Drupa morum iodostoma (Lesson, 1840).	French Polynesia, Marquesas Islands, Nuku Hiva Island. 1-3 metres deep.	€ 5,00 t/m € 6,50
Drupa morum Röding, 1798.	Philippines, Central Visayas (region), Cebu (island).	€ 1,50 t/m € 1,80
Drupa morum Röding, 1798.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 0,50 t/m € 3,00
Drupa morum Röding, 1798.	French Polynesia, south of Raiatea. 1 metre deep, on rocks.	€ 1,30
Drupa morum Röding, 1798.	Thailand, Phuket (island), Raya Island. 25-30 metres deep.	€ 1,50
Drupa morum Röding, 1798.	S. Taiwan, Kending. Live, on high tidal flat between coral.	€ 2,00
Drupa morum Röding, 1798.	Mozambique, Bazaruto Island region. Shallow water.	€ 1,00 t/m € 2,50
Morula musiva (Kiener, 1835).	Japan, Honshu (island), Wakayama Prefecture, Shirahama.	€ 0,20
Murex nigrispinosus Reeve, 1845.	Indonesia, Greater Sunda Islands, East Java (province), Madura Island.	€ 2,50
Murex nigrispinosus Reeve, 1845.	Philippines, Visayas (region), Samar (island).	€ 3,00
Eupleura nitida (Broderip, 1833).	Panama, Bay of Chiriqui, dredged in 120-240 feet depth.	€ 3,00
Chicoreus nobilis Shikama, 1977.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 0,50 t/m € 2,50
Purpura nodosa (L., 1758).	Cape Verde, Sal (island), Murdeira Bay. Atlantic Ocean.	€ 3,00 t/m € 5,00
Attiliosa nodulifera (Sowerby, 1841).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 3,00
Cronia ochrostoma (Blainville, 1832).	Solomon Islands, Guadalcanal, Honiara area. Pacific Ocean.	€ 5,00
Thais orbita (Gmelin, 1791).	New Zealand, North Island, Ti Point, Cape Rodney. Amongst rock oysters.	€ 3,50
Thais orbita (Gmelin, 1791).	Australia, New South Wales. Royal National Park, Garie Beach. Littoral.	€ 2,00 t/m € 3,50
Thais orbita (Gmelin, 1791).	Australia, Victoria, Port Fairy. Littoral zone.	€ 3,00

		<b>Price Range</b>
Thais orbita (Gmelin, 1791).	Australia, Western Australia, Port Denison. Collected live.	€ 2,50
Chicoreus orchidiflorus (Shikama, 1973).	Philippines, Mindanao, Balut Island. From tangle nets at 100-150 m.	€ 7,00
Orania pacifica (Nakayama, 1988).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 2,50
Bedeva paivae (Crosse, 1864).	Thailand, Phuket (island), Raya Island. 25-30 metres deep.	€ 2,30
Chicoreus palmarosae (Lamarck, 1822).	Philippines.	€ 7,50
Chicoreus palmarosae (Lamarck, 1822).	Thailand, Phuket (island), Raya Island. 25-30 metres deep.	€ 7,50 t/m € 22,50
Chicoreus palmarosae (Lamarck, 1822).	Thailand, Changwat Phuket (province), Phuket (island).	€ 7,50 t/m € 17,50
Chicoreus palmarosae (Lamarck, 1822).	Gulf of Mannar. Indian Ocean. Fished.	€ 7,00
Purpura pansa Gould, 1853.	Mexico.	€ 5,00
Purpura patula (L., 1758).	Cuba, María la Gorda. Live, on pier.	€ 1,00 t/m € 2,50
Purpura patula (L., 1758).		€ 0,50 t/m € 1,80
Purpura patula (L., 1758).	USA, Florida. South Florida region.	€ 2,50
Murex pecten Lightfoot, 1786.	Philippines.	€ 1,50 t/m € 2,50
Murex pecten Lightfoot, 1786.	Indonesia, off the northeastern coast of Java (island), Madura island.	€ 2,50 t/m € 3,00
Murexiella pelepili (Athilio & Bertsch, 1980).	Philippines, Bohol, Panglao island, tangle nets -150 m.	€ 19,50
Murexiella peregrina Olivera, 1980.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 6,00
Purpura persica (L., 1758).	Indonesia.	€ 2,50
Purpura planospira Lamarck, 1822.	Ecuador, Galápagos Islands. Pacific Ocean.	€ 3,00
Siratus pliciferoides (Kuroda, 1942).	Philippines.	€ 7,50 t/m € 12,50
Phyllonotus pomum (Gmelin, 1791).	USA, Florida, Marco Island. On oyster bars at extreme low tide.	€ 6,50
Phyllonotus pomum (Gmelin, 1791).	USA, Florida, Gulf of Mexico, Sanibel Island.	€ 1,00 t/m € 2,50
Phyllonotus pomum (Gmelin, 1791).	Bahamas, Green Turtle Cay (island).	€ 2,50 t/m € 3,80
Phyllonotus pomum (Gmelin, 1791).	USA, Florida, Gulf of Mexico, Sanibel Island. Shallow water.	€ 1,00 t/m € 2,50
Phyllonotus pomum f. oculatus Reeve, 1845.	Brazil, Ceará, Camocin. Collected in lobster nets at 25-30 metres deep.	€ 12,50
Ocenebra poulsoni (Carpenter, 1864).	USA, California, Orange County, Laguna Beach.	€ 0,30
Hexaplex princeps (Broderip, 1833).	Mexico, Guaymas, Cape Haro. Coll. At low tide on sea grass area.	€ 3,00
Chicomurex problematicus (Lan, 1981).	Philippines, Talikud Island. Davao Gulf. Tangle net, 100 metres deep.	€ 2,00 t/m € 7,50
Chicomurex problematicus (Lan, 1981).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 2,00 t/m € 7,50
Hexaplex radix (Gmelin, 1791).	Panama.	€ 6,00
Chicoreus ramosus (L., 1758).	Philippines, Central Visayas (region), Cebu (province), Mactan (island).	€ 5,00 t/m € 15,00
Chicoreus ramosus (L., 1758).	Indonesia, Borneo (island), Kalimantan.	€ 3,00 t/m € 20,00
Chicoreus ramosus (L., 1758).	Thailand, Changwat Phuket (province), Phuket (island).	€ 1,30 t/m € 5,00
Rapana rapiformis (Born, 1778).	Thailand. Southeast Asia.	€ 2,50
Rapana rapiformis (Born, 1778).	India, Tamil Nadu (state), Rameswaram. Gulf of Mannar.	€ 2,50
Rapana rapiformis (Born, 1778).	West Pacific Ocean.	€ 3,00 t/m € 4,00

		<b>Price Range</b>
Vokesimurex rectirostris (Sowerby II, 1841).	Thailand, Phuket (island), Raya Island, 100 metres deep.	€ 2,50 t/m € 3,40
Vokesimurex rectirostris (Sowerby II, 1841).	Indonesia, Greater Sundra Islands, East Java (province), Madura Island.	€ 5,00
Vokesimurex rectirostris (Sowerby II, 1841).	Taiwan. East China Sea.	€ 1,00 t/m € 2,50
Vokesimurex rectirostris (Sowerby II, 1841).	Philippines, Central Visayas (region), Cebu (island).	€ 1,50 t/m € 2,30
Phyllonotus regius (Swainson, 1821).	Panama.	€ 3,00 t/m € 6,00
Phyllonotus regius (Swainson, 1821).	Mexico. Gulf of California.	€ 5,00
Drupa ricinus hadari Emerson & Cernohorsky, 1973.	Egypt, South Sinai, Dahab. Gulf of Aqaba.	€ 1,30 t/m € 1,80
Drupa ricinus (L., 1758).	French Polynesia, Society Islands, Tahiti, 20 km east of Papeete.	€ 0,80
Drupa ricinus (L., 1758).	Gulf of Aqaba. Blue Hole.	€ 1,50 t/m € 3,50
Drupa ricinus (L., 1758).	Thailand, Changwat Phuket (province), Phuket (island).	€ 0,50 t/m € 1,00
Drupa ricinus (L., 1758).	Philippines, Cebu (province), Mactan (island), Punta Engaño.	€ 1,30 t/m € 1,80
Drupa ricinus (L., 1758).	Taiwan, south-west. South China Sea.	€ 0,50 t/m € 0,80
Drupa ricinus (L., 1758).	Tanzania, Zanzibar, Kizamkazi. East Africa. On coralblocks.	€ 1,80
Hexaplex rosarium (Röding, 1798).	Senegal, Cap-Vert, N'Gor Island, Pointe des Almadies. Fishing harbour.	€ 2,00 t/m € 3,00
Drupa rubusidaeus Röding, 1798.	Thailand, Changwat Phuket (province), Phuket (island).	€ 2,50
Drupa rubusidaeus Röding, 1798.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 2,00 t/m € 2,50
Drupa rubusidaeus Röding, 1798.	Philippines.	€ 2,50
Drupa rubusidaeus Röding, 1798.	Thailand, Changwat Phuket (province), Phuket (island).	€ 2,00 t/m € 2,50
Drupa rubusidaeus Röding, 1798.	Taiwan, south-west. South China Sea.	€ 0,80 t/m € 1,00
Drupella rugosa (Born, 1778).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,00
Thais rugosa (Born, 1778).	Thailand, Changwat Phuket (province), Phuket (island).	€ 3,00
Stramonita rustica (Lamarck, 1822).	Brazil, Espírito Santo (state), Meaipe. On rocks, intertidal.	€ 6,50
Stramonita rustica (Lamarck, 1822).	Bahamas, Tarpon Bay.	€ 2,50
Stramonita rustica (Lamarck, 1822).	Bahamas, Eleuthera Island, Tarpon Bay. On rocks, water line.	€ 1,50
Chicoreus saharicus (Locard, 1897). tidingpools.	Senegal, Cap-Vert, N'Gor Island, Pointe des Almadies. Alive in	€ 1,50 t/m € 2,50
Chicoreus saulii (Sowerby, 1834).	Philippines, Sulu Archipelago, Siasi. Fished.	€ 4,00 t/m € 8,00
Thais savignyi (Deshayes, 1844).	Taiwan. East China Sea.	€ 1,00 t/m € 1,50
Thais savignyi (Deshayes, 1844).	Egypt, Safaga. Red Sea.	€ 2,50 t/m € 4,50
Thais savignyi (Deshayes, 1844).	Eritrea, off Massawa, Dahlak Archipelago. On rocks at low tide.	€ 0,25
Thais savignyi (Deshayes, 1844).	Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.	€ 0,50 t/m € 1,00
Thais savignyi (Deshayes, 1844).	Egypt., beach north of Safaga, Red Sea. Near pier, sand/stone.	€ 0,50 t/m € 0,80
Homalocantha scorpio (L., 1758).	Philippines, Albay province, Batan Island. On coral reef, 15-22 m deep.	€ 4,50
Homalocantha scorpio (L., 1758).	Philippines, Central Visayas (region), Cebu (island).	€ 5,00
Chicoreus senegalensis (Gmelin, 1791).	Brazil, Espírito Santo, Guarapari. On sand at low tide.	€ 10,00
Phos senticosus (L., 1758).	Japan, Honshu (island), Wakayama Prefecture, Inami-Cho. 20-30 fathoms.	€ 1,20

		<b>Price Range</b>
Murex serratospinosus Dunker, 1883.	Bay of Bengal, fished.	€ 6,00
Murex serratospinosus Dunker, 1883.	Sri Lanka.	€ 7,50
Thais siro (Kuroda, 1931).	Taiwan, south-west. South China Sea.	€ 0,50
Muricopsis spec. .	Gulf of Thailand.	€ 2,00
Muricopsis spec. .	Thailand, Changwat Phuket (province), Phuket (island).	€ 1,00
Morula spinosa (H. Adams & A. Adams, 1953).	Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.	€ 1,30
Morula spinosa (H. Adams & A. Adams, 1953).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,50 t/m € 2,00
Hexaplex stainforthi (Reeve, 1843).	Australia, Western Australia, Dampier, Dampier Back Beach, muddy reef.	€ 7,50
Hexaplex stainforthi (Reeve, 1843). On rock oysters, exposed rocks	Australia, W.A., off Port Hedland, Finucane Island. Extreme low tide.	€ 12,50
Hexaplex stainforthi (Reeve, 1843).	Australia, Western Australia, North West Cape.	€ 2,50 t/m € 3,50
Hexaplex stainforthi (Reeve, 1843).	Australia, Western Australia, Broome. In Littoral zone.	€ 3,00 t/m € 3,50
Hexaplex stainforthi (Reeve, 1843).	Australia, Qld., off Townsville. By fisherman, deep water.	€ 3,00 t/m € 4,00
Hexaplex stainforthi (Reeve, 1843).	Australia, W.A., Exmouth Gulf, Giralia Station. On mud-covered oysters.	€ 7,50
Chicoreus strigatus (Reeve, 1849).	Philippines, Mindanao, Balut Island. Coll. at 2-3 m on coral reef.	€ 3,80
Eupleura sulcidentata Dall, 1890.	USA, Florida, Gulf of Mexico, Sanibel Island.	€ 1,50
Chicomurex superbus (Sowerby, 1889).	Philippines, Mindanao (island).	€ 9,50 t/m € 11,50
Urosalpinx tampaensis (Conrad, 1846).	USA, Florida, off Everglade City.	€ 1,30
Chicoreus torrefactus (Sowerby, 1841).	Philippines, Camotes, Ponson Island. Taken on coral reef, 15-20 metres.	€ 2,50 t/m € 4,50
Chicoreus torrefactus (Sowerby, 1841).	Thailand, Changwat Phuket (province), Phuket (island).	€ 3,50 t/m € 6,00
Chicoreus torrefactus (Sowerby, 1841).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,00 t/m € 3,50
Chicoreus torrefactus (Sowerby, 1841).	Indonesia, Greater Sundra Islands, East Java (province), Madura Island.	€ 5,50 t/m € 6,50
Chicoreus torrefactus (Sowerby, 1841).	Japan, Wakayama Prefecture, Minabe. From fisherman, 10-20 metres deep. 68 mm	€ 7,50
Chicoreus torrefactus (Sowerby, 1841).	Philippines.	€ 7,50
Murex trapa Röding, 1798.	Philippines.	€ 5,00
Murex trapa Röding, 1798.	Malaysia, Langkawi (archipelago), Langkawi Island. Ebb, in muddy bottom.	€ 5,00
Murex trapa Röding, 1798.	Indonesia, East Java (province). South coast.	€ 3,00
Murex tribulus L., 1758.	Philippines.	€ 8,50
Murex tribulus L., 1758.	Philippines, Luzon (island), Tayabas Bay, Quezon City.	€ 7,00
Murex tribulus L., 1758.	Indonesia, Mid Java, south coast.	€ 4,00
Murex tribulus L., 1758.	Indonesia, Flores (island), Geliting, ±12 km east of Maumere.	€ 3,00
Pterynotus tripterus (Born, 1778).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 3,50
Naquetia triqueter (Born, 1778).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 4,00 t/m € 6,00
Murex troscheli Lischke, 1868.	Philippines, Davao.	€ 6,00
Hexaplex trunculus (L., 1758).	Italy, Pedaso, Adriatic Sea.	€ 2,30
Hexaplex trunculus (L., 1758).	Croatia, Istrië, Bay of Poreč.	€ 0,40

		<b>Price Range</b>
Hexaplex trunculus (L., 1758).	Tunisia, Djerba Island, Ajim. Gulf of Gabès.	€ 2,50
Hexaplex trunculus (L., 1758).	Yugoslavia, Vrsar.	€ 1,80
Hexaplex trunculus (L., 1758).	Spain, Andalusia (region), Province of Málaga, Marbella.	€ 1,30 t/m € 2,30
Thais tuberosa Röding, 1798.	Philippines.	€ 2,50
Thais tuberosa Röding, 1798.	Taiwan. East China Sea. In coral rubble.	€ 1,50
Thais tuberosa Röding, 1798.	Taiwan, south-west. South China Sea.	€ 1,60
Thais tuberosa Röding, 1798.	Thailand, Phuket (island), Raya Island. 25-30 metres deep.	€ 0,80 t/m € 2,00
Thais tuberosa Röding, 1798.	Taiwan. East China Sea.	€ 0,80
Hexaplex varius (Sowerby I, 1834).	Gabon, Libreville. Collected from 'Razel'.	€ 3,00
Rapana venosa (Valenciennes, 1846).	Japan, Aichi Prefecture, Miyacho. 50 m. deep.	€ 3,50
Rapana venosa (Valenciennes, 1846).	Black Sea.	€ 4,00
Chicomurex venustulus (Rehder & Wilson, 1975).	Philippines, Mindanao (island), Davao Region, Davao City.	€ 2,50
Chicomurex venustulus (Rehder & Wilson, 1975).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,30
Chicomurex venustulus (Rehder & Wilson, 1975).	Philippines, Central Visayas (region), Cebu (island), Camotes Sea.	€ 1,30
Vexilla vexillum (Gmelin, 1791).	Madagascar, Anosy Region, Tôlanaro (Fort Dauphin).	€ 3,00
Haustellum vicdani Kosuge, 1980.	Philippines.	€ 8,50
Chicoreus virgineus (Röding, 1798).	Sri Lanka, Southern Province, Galle.	€ 5,00
Chicoreus virgineus (Röding, 1798).	India.	€ 2,50 t/m € 7,00
Boreotrophon xestra Dall, 1918.	Japan, Hokkaido, caught in gill nets at 150-200 m., off Cape Erimo.	€ 12,50
Homalocantha zamboi (Burch & Burch, 1960).	Indonesia, Greater Sunda Islands, East Java (province), Madura Island.	€ 2,00 t/m € 5,00
Homalocantha zamboi (Burch & Burch, 1960).	Philippines.	€ 5,00
Homalocantha zamboi (Burch & Burch, 1960).	Philippines, Central Visayas (region), Cebu (province), Mactan (island).	€ 3,80
Homalocantha zamboi (Burch & Burch, 1960).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 4,80
<b>Myidae</b>		
Mya arenaria L., 1758.	Mudyug Island, White Sea, Russia.	€ 1,00
Mya arenaria L., 1758.	The Netherlands, Ijmuiden. Collected between the piers.	€ 0,70 t/m € 1,30
Mya arenaria L., 1758.	Iceland, Gufunes. Atlantic Ocean.	€ 1,00 t/m € 1,50
Mya arenaria L., 1758.	Netherlands, between Bloemendaal & Ijmuiden. On the beach.	€ 1,50 t/m € 2,50
Mya arenaria L., 1758.	USA, Massachusetts, Boston. From fisherman. Atlantic Ocean. 60 mm	€ 2,00
Cryptomya californica (Conrad, 1837).	USA, California, San Pedro, Terminal Island.	€ 2,80
Cryptomya californica (Conrad, 1837).	W. Canada, Br. Columbia, Tsawassen, Tsawassen Beach, 6" deep, sand.	€ 2,30
<b>Mytilidae</b>		
Modiolus areolatus (Gould, 1850).	Australia, South Australia, Port Adelaide.	€ 1,50
Modiolus areolatus (Gould, 1850).	Australia, Western Australia, near Perth, Rockingham.	€ 1,50
Modiolus areolatus (Gould, 1850).	Australia, South Australia. Port Adelaide.	€ 2,50

		<b>Price Range</b>
Modiolus auriculatus (Krauss, 1848).	Egypt, Safaga. Red Sea.	€ 0,30 t/m € 0,80
Modiolus auriculatus (Krauss, 1848).	Egypt, South Sinai, Dahab. Gulf of Aqaba.	€ 0,50
Modiolus barbatus (L., 1758).	Yugoslavia, Grado.	€ 0,30
Modiolus barbatus (L., 1758).	France, Charente-Maritime (department), La Rochelle. Bay of Biscay.	€ 0,50
Modiolus barbatus (L., 1758).	Tunisia, Guellala.	€ 0,30
Modiolus barbatus (L., 1758).	Ireland, Galway Bay.	€ 1,50
Modiolus barbatus (L., 1758).	France, Brittany, Saint-Jacut-de-la-Mer.	€ 0,50
Septifer bilocularis (L., 1758).	Thailand, Phuket (island), Raya Island. 25-30 metres deep.	€ 0,80 t/m € 1,00
Septifer bilocularis (L., 1758).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,50 t/m € 2,00
Septifer bilocularis (L., 1758).	Thailand. From seagypsies, taken in shallow water around Phuket.	€ 1,50 t/m € 2,00
Modiolus capax (Conrad, 1837).	Mexico, Baja California Sur, Mulegé. Gulf of California. Dead on beach.	€ 1,50
Geukensia demissa (Dillwyn, 1817).	USA, California, Newport Bay.	€ 1,00
Mytilus edulis f. galloprovincialis Lamarck, 1819.	North Sea, Markham's Hole.	€ 0,50
Mytilus edulis f. galloprovincialis Lamarck, 1819.	Spain, Costa Brava.	€ 0,20 t/m € 1,00
Mytilus edulis L., 1758.	Sri Lanka, Southern Province, Koggala.	€ 1,00
Mytilus edulis L., 1758.	Japan	€ 0,50
Mytilus edulis L., 1758.	The Netherlands, west of Terschelling. 13 fathoms deep.	€ 1,00 t/m € 1,80
Brachidontes erosus (Lamarck, 1819).	Australia, South Australia, Port Adelaide.	€ 0,10
Brachidontes exustus (L., 1758).	USA, Florida, Big Pine Key.	€ 1,00
Trichomya hirsuta Lamarck, 1819.	Australia, Queensland, Townsville, Pallarenda.	€ 1,20
Lithophaga lithophaga (L., 1758).	Croatia, Istria, Dalja, north of Pelegrin. Cut from rocks by a fisherman.	€ 0,50 t/m € 2,00
Brachidontes modiolus (L., 1767).	Grenada. Caribbean Sea.	€ 1,00
Modiolus modiolus (L., 1758).	UK, Scotland, Isle of Arran, Corrie.	€ 2,00 t/m € 2,50
Modiolus modiolus (L., 1758).	USA, Massachusetts, Essex County, Marble Head. Atlantic Ocean.	€ 1,80
Brachidontes modiolus (L., 1767).	Cuba, Saetia. Caribbean.	€ 1,80 t/m € 2,00
Modiolus modiolus (L., 1758).	North Sea fishery.	€ 1,80
Brachidontes modiolus (L., 1767).	Aruba, near the Hilton Hotel, Lesser Antilles Islands. In sea grass.	€ 1,50
Brachidontes modiolus (L., 1767).	Bonaire, Lesser Antilles Islands.	€ 1,50
Modiolus modiolus (L., 1758).	The Netherlands, north of Terschelling. Fished.	€ 2,00 t/m € 3,50
Modiolus modiolus squamosus Beuperthuy, 1967.	USA, Florida.	€ 0,25 t/m € 0,50
Modiolus nipponicus (Oyama, 1947).	Japan, Aitsu.	€ 2,50
Perna perna (L., 1758).	South Africa, Cape Province, False Bay, bet. Muizenberg & Fishhoek. Beach	€ 1,50
Modiolus philippinarum (Hanley, 1843).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 5,50
Perna picta (Born, 1780).	Oman, Raysūt. Middle East. Arabian Sea.	€ 0,50
Brachidontes variabilis (Krauss, 1848).	Egypt. Suez Canal. Cutter dredger 'Edax'.	€ 1,00

*Perna viridis* (L., 1758).

*Perna viridis* (L., 1758).

*Perna viridis* (L., 1758).

## Nassariidae

*Nassarius albescens albescens* (Dunker, 1846).

*Nassarius albescens albescens* (Dunker, 1846).

*Nassarius albescens albescens* (Dunker, 1846).

*Nassarius arcularius* (L., 1758).

*Nassarius arcularius plicatus* (Röding, 1798).

*Nassarius bimaculosus* (A. Adams, 1852).

*Nassarius canaliculatus* (Lamarck, 1822).

*Nassarius canaliculatus* (Lamarck, 1822).

*Nassarius conoidalis* (Deshayes, 1832).

*Nassarius corniculus* (Olivi, 1792).

*Nassarius corniculus* (Olivi, 1792).

*Nassarius corniculus* (Olivi, 1792).

*Nassarius coronatus* (Bruguière, 1798).

*Nassarius coronatus* (Bruguière, 1798).

*Nassarius coronatus* (Bruguière, 1798).

*Nassarius coronatus* (Bruguière, 1798).

*Nassarius coronatus* (Bruguière, 1798).

*Nassarius coronatus* (Bruguière, 1798).

*Nassarius crematus* (Hinds, 1844).

*Buccinanops duartei* Klappenbach, 1961.

*Nassarius excellens* (Kuroda & Habe, 1961).

*Nassarius globosus* Quoy & Gaimard, 1833.

*Nassarius globosus* Quoy & Gaimard, 1833.

*Nassarius globosus* Quoy & Gaimard, 1833.

*Nassarius globosus* Quoy & Gaimard, 1833.

*Nassarius globosus* Quoy & Gaimard, 1833. Set of 10.

*Buccinanops globulosum* (Kiener, 1834).

*Buccinanops gradatum* (Deshayes, 1844).

*Naytiopsis granum* (Lamarck, 1822).

*Nassarius incrassatus* (Ström, 1768).

*Nassarius incrassatus* (Ström, 1768).

Taiwan. East China Sea.

Indonesia, Greater Sundra Islands, East Java (province), Madura Island.

Thailand, Changwat Phuket (province), Phuket (island), Rawai Beach.

Philippines, Bohol (province), close to Panglao Island, Balicasag Island.

Australia, Queensland.

New Caledonia, near the Isle of Pines. In deep water. 17 mm

Philippines, Central Visayas (region), Cebu (island).

Pacific Ocean.

Philippines, Bohol (province), close to Panglao Island, Balicasag Island.

Indonesia, Java.

Philippines, Bohol (province), close to Panglao Island, Balicasag Island.

Japan, Honshu (island), Aichi Prefecture, Mikawa. 40 metres deep.

Tunisia, Lac de Bizerte.

Croatia, Istrië, Bay of Poreč.

Spain, Valencian Community, Province of Alicante, Alicante.

Egypt, Safaga. Red Sea.

Tanzania, Zanzibar, Bwejuu. East Africa.

Philippines, Bohol (province), close to Panglao Island, Balicasag Island.

Philippines.

Egypt, South Sinai, Dahab. Gulf of Aqaba.

Philippines.

Gulf of Thailand, Ban Hua Hin.

Brazil. Atlantic Ocean.

Philippines, Bohol (province), close to Panglao Island, Balicasag Island.

Philippines, Bohol (province), close to Panglao Island, Balicasag Island.

Thailand, Changwat Phuket (province), Phuket (island), Rawai Beach.

Western Samoa Islands, west of Apria. Pacific Ocean.

Vanuatu, Malapoa Vila, Pacific Ocean.

Philippines, Mindanao (island), Zamboanga.

Argentina, Rio Negro Province, Golfo San Matías. Dived at 10 m, on sand.

Argentina, Chubut Province, Golfo San José, Playa Larraldo. 6-10 metres.

Spain, Province of Málaga, Fuengirola. Fished.

Spain, Andalusia (region), Province of Málaga, Marbella.

France, Brittany, Roscoff.

## Price Range

€ 1,20

€ 1,50 t/m € 2,00

€ 2,00

€ 1,00

€ 1,00

€ 1,30

€ 1,30

€ 0,30

€ 2,00

€ 2,00

€ 2,50

€ 1,50

€ 0,50

€ 0,50

€ 0,50

€ 0,75

€ 1,00

€ 1,00

€ 0,20

€ 1,50

€ 2,00

€ 0,80

€ 2,00

€ 2,00

€ 1,00

€ 0,50

€ 2,30

€ 1,00

€ 0,75

€ 6,00

€ 9,50

€ 1,50

€ 0,80

€ 1,00



		<b>Price Range</b>
Nassarius kooli Dekker & Dekkers, 2009.	Philippines, Balicasag island, near Panglao, Bohol.	€ 2,00
Nassarius livescens (Philippi, 1849).	Malaysia, Terengganu, Aryani Resort.	€ 0,50
Nassarius luridus (Gould, 1850).	Philippines.	€ 0,20
Nassarius luridus (Gould, 1850).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 2,00
Nassarius luteostoma (Broderip & Sowerby, 1829).	Mexico, Baja California, Bahía de los Ángeles. Gulf of California.	€ 0,30
Bullia mauritiana (Gray, 1839).	Oman, Şalālah. Middle East. Arabian Sea.	€ 0,50
Bullia miran (Bruguière, 1789).	The Gambia, Sanyang. Atlantic Ocean.	€ 0,80
Nassarius mutabilis (L., 1758).	Italy, Province of Latina, Formia.	€ 0,20
Nassarius mutabilis (L., 1758).	Greece, Marathón beach. 1-1½ metres deep.	€ 0,80
Nassarius mutabilis (L., 1758).	Greece, 200 km northeast of Athens, Évvoia Island, Kimi.	€ 0,30
Nassarius mutabilis (L., 1758).	Spain, Balearic Islands, Ibiza (island).	€ 0,75
Nassarius mutabilis (L., 1758).	Spain, San Carlos de la Rápita.	€ 0,50
Cyclope neritea (L., 1758).	Mediterranean Sea.	€ 0,50
Cyclope neritea (L., 1758).	Italy, Province of Ravenna, Cérvia.	€ 0,20
Nassarius obvelatus (Deshayes in Laborde, 1844).	Tanzania, Zanzibar, Bwejuu. East Africa.	€ 1,00
Nassarius obvelatus (Deshayes in Laborde, 1844).	Rode Zee.	€ 1,50
Nassarius olivaceus (Bruguière, 1789).	Thailand, Krabi Province, Noppharat Thara (beach). Strait of Malacca.	€ 1,50
Nassarius pullus (L., 1758).	Indonesia, Bali, Turtle Island.	€ 0,40
Nassarius pullus (L., 1758).	Philippines.	€ 0,20
Nassarius pullus (L., 1758).	Thailand, Changwat Phuket (province), Phuket (island), Chalong Bay.	€ 0,50
Nassarius pullus (L., 1758).	Thailand, Changwat Phuket (province), Phuket (island), Rawai Beach.	€ 1,50
Nassarius pullus (L., 1758).	Thailand, Krabi Province, Koh Lanta Yai (island), west of Ban Sala Dan.	€ 0,50
Nassarius pullus (L., 1758).	Thailand, Changwat Phuket (province), Phuket (island), Chalong Bay.	€ 0,50
Nassarius pullus (L., 1758).	Thailand, Changwat Phuket (province), Phuket (island).	€ 0,30
Nassarius pygmaeus (Lamarck, 1822).	Spain, Andalusia (region), Province of Málaga, Marbella.	€ 0,80
Nassarius reticulatus (L., 1758).	Portugal, Algarve (region), Faro.	€ 0,30
Nassarius reticulatus (L., 1758).	Morocco, Marrakesh-Tensift-El Haouz, Essaouira.	€ 0,30
Nassarius reticulatus (L., 1758).	France, Brittany, Les Rosaires.	€ 0,30
Nassarius reticulatus (L., 1758).	The Netherlands, Zeeland. Canal through Zuid-Beverland.	€ 1,00
Nassarius reticulatus (L., 1758).	Spain, Province of Málaga, Fuengirola.	€ 0,20
Nassarius reticulatus (L., 1758).	Spain, Province of Málaga, Fuengirola, Mediterranean Sea.	€ 0,50
Nassarius reticulatus (L., 1758).	Greece, northern. In sand.	€ 0,80
Nassarius reticulatus (L., 1758).	France, Cap d'Agde, Golfe du Lion.	€ 0,20
Nassarius semisulcatus (Rousseau, 1854).	Philippines.	€ 0,30
Nassarius stolatus Gmelin, 1791.	Indonesia.	€ 1,00

Nassarius stolatus Gmelin, 1791.  
 Nassarius stolatus Gmelin, 1791.  
 Nassarius stolatus Gmelin, 1791.  
 Hebra subspinosa (Lamarck, 1822).  
 Hebra subspinosa (Lamarck, 1822).  
 Bullia vittata (L., 1767).  
 Nassarius wolffi (Knudsen, 1916). In tidal pools.

## Naticidae

Polinices aurantius (Röding, 1798).  
 Natica bibalteata Sowerby, 1914.  
 Lunatia catena (da Costa, 1778).  
 Sinum concavum (Lamarck, 1822).  
 Polinices cumingianus (Récluz, 1844).  
 Polinices didyma (Röding, 1798).  
 Polinices didyma (Röding, 1798).  
 Polinices didyma (Röding, 1798).  
 Polinices duplicatus (Say, 1822).  
 Polinices duplicatus (Say, 1822).  
 Natica fasciata (Röding, 1798).  
 Natica fasciata (Röding, 1798).  
 Natica fasciata (Röding, 1798).  
 Natica fasciata (Röding, 1798).  
 Polinices fibrosa (Souleyet, 1852).  
 Natica gualtieriana Récluz, 1844.  
 Lunatia guillemini (Payraudeau, 1826).  
 Naticarius hebraeus (Martyn, 1786).  
 Naticarius hebraeus (Martyn, 1786).  
 Naticarius hebraeus (Martyn, 1786).  
 Neverita josephina Risso, 1826.  
 Neverita josephina Risso, 1826.  
 Lunatia lewisi (Gould, 1847).  
 Natica lineata (Röding, 1798).  
 Natica lineata (Röding, 1798).  
 Polinices mammilla (L., 1758).  
 Polinices mammilla (L., 1758).

Thailand, Changwat Phuket (province), Phuket (island).  
 Thailand, Changwat Phuket (province), Phuket (island).  
 India. Southern coastal region.  
 India.  
 Philippines, Bohol (province), close to Panglao Island, Balicasag Island.  
 India, Tamil Nadu (state), Cuddalore. Bay of Bengal.  
 Senegal, Cap-Vert, N'Gor Island, Pointe des Almadies. Fishing harbour.

Philippines. € 0,80 t/m € 1,30  
 Philippines, Bohol (province), close to Panglao Island, Balicasag Island. € 1,50  
 The Netherlands, 5 miles west of Texel. On rocks. € 1,50  
 Angola. Dredged off Lobito. Atlantic Ocean. € 4,00  
 Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep. € 1,00 t/m € 2,00  
 Philippines. € 0,80  
 Japan, Miye-ken, Ise Bay. 50 metres deep. € 4,50  
 Australia, Queensland, Armstrong Beach. € 0,75 t/m € 1,50  
 Venezuela, Margarita Island. € 0,50 t/m € 0,80  
 USA, Florida. € 1,30 t/m € 3,80  
 Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 m € 1,00  
 Indonesia, Greater Sundra Islands, East Java (province), Madura Island. € 1,00  
 Philippines. € 2,00  
 Philippines, Palawan (province), Palawan (island). € 2,00  
 Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep. € 2,00 t/m € 4,50  
 Philippines, Bohol (province), close to Panglao Island, Balicasag Island. € 0,50  
 Greece, Marathón beach. 1-1½ metres deep. € 3,30  
 Italy, Lampedusa Island. Fished. € 2,00  
 Mediterranean Sea. € 0,50 t/m € 1,30  
 Greece, Marathón beach. 1-1½ metres deep. € 1,30  
 Mediterranean Sea. € 1,50  
 Mediterranean Sea. € 2,00  
 USA, Washington State. In extreme low tide, in mud. € 12,50  
 India, Laccadive Islands. Arabian Sea. € 0,80 t/m € 1,20  
 Indonesia, Greater Sundra Islands, East Java (province), Madura Island. € 1,00  
 Japan, southern Honshu (island). € 0,50  
 Philippines, Visayas (region), Samar (island). € 0,80

## Price Range

		<b>Price Range</b>
Polinices mammilla (L., 1758).	Thailand, Changwat Phuket (province), Phuket (island).	€ 1,50
Polinices mammilla (L., 1758).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 0,25 t/m € 0,50
Polinices mammilla (L., 1758).	Indonesia, Bali (province), Bali (island).	€ 0,50 t/m € 1,30
Polinices mammilla (L., 1758).	Egypt, South Sinai, Dahab. Gulf of Aqaba.	€ 1,50 t/m € 2,50
Polinices mammilla (L., 1758).	Malaysia, Pulau Lang Tenga Island.	€ 0,50
Polinices melanostomus (Gmelin, 1791).	Mozambique. East Africa. Indian Ocean.	€ 2,00 t/m € 3,00
Polinices melanostomus (Gmelin, 1791).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 2,50
Polinices melanostomus (Gmelin, 1791).	Philippines, Visayas (region), Samar (island).	€ 1,80 t/m € 3,80
Natica multipunctata Blainville, 1825.	Senegal, Cap-Vert, N'Gor Island, Pointe des Almadies. Fishing harbour.	€ 2,50
Natica nipponensis Kuroda, 1961.	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 0,80
Natica onca (Röding, 1798).	Philippines, Visayas (region), Samar (island).	€ 2,30 t/m € 3,30
Natica onca (Röding, 1798).	Philippines.	€ 1,00
Natica orientalis Gmelin, 1791.	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 3,00
Sinum perspectivum (Say, 1831).	USA, Florida Keys.	€ 1,80
Polinices sagamiensis Pilsbry, 1904.	Philippines, Visayas (region), Samar (island).	€ 3,30
Polinices sordidus (Swainson, 1821).	Australia, Queensland, Armstrong Beach.	€ 1,00 t/m € 2,00
Natica spec. .	Philippines, Visayas (region), Samar (island).	€ 2,50
Natica stellata Chenu, 1845.	Philippines, Visayas (region), Samar (island).	€ 2,00
Natica tigrina (Röding, 1798).	India, Tamil Nadu (state), Gulf of Mannar.	€ 0,80 t/m € 1,00
Natica tigrina (Röding, 1798).	Indonesia, Greater Sundra Islands, East Java (province), Madura Island.	€ 1,00
Sinum undulatum (Lischke, 1872).	Indonesia, Greater Sundra Islands, East Java (province), Madura Island.	€ 2,00
Natica vitellus (L., 1758).	Philippines, Central Visayas (region), Cebu (island).	€ 0,80 t/m € 2,50
Natica vitellus (L., 1758).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,00
<b>Neritidae</b>		
Nerita albicilla L., 1758.	Tanzania, Zanzibar, Bawé Island. East Africa. Indian Ocean	€ 0,20
Nerita albicilla L., 1758.	Philippines.	€ 0,25
Nerita albicilla L., 1758.	Sri Lanka, Southern Province, Weligama. Intertidal on rocks. 20 mm	€ 0,30
Nerita albicilla L., 1758.	Taiwan, south-west. South China Sea.	€ 0,20
Nerita albicilla L., 1758.	Thailand, Phuket (island), Raya Island. 25-30 metres deep.	€ 0,50 t/m € 1,30
Nerita atramentosa Reeve, 1855.	New Zealand, Auckland, Waiheke Island. Hauraki Gulf.	€ 1,10
Nerita chamaeleon L., 1758.	Philippines.	€ 0,40
Nerita chamaeleon L., 1758.	Thailand, Phuket (island), Raya Island. 25-30 metres deep.	€ 1,00
Nerita chamaeleon L., 1758.	Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.	€ 0,50 t/m € 1,00
Neritina communis (Quoy & Gaimard, 1832).	Philippines. Among mangroves.	€ 0,75
Neritodryas cornea (L., 1758).	Philippines.	€ 5,00

		<b>Price Range</b>
Neritina coromandeliana Sowerby, 1832.	Philippines, Central Visayas (region), Bohol (island).	€ 1,50
Neritina coromandeliana Sowerby, 1832.	Philippines, Visayas (region), Samar (island).	€ 0,80
Nerita costata Gmelin, 1791.	Thailand, Changwat Phuket (province), Phuket (island), Rawai Beach.	€ 0,50
Nerita costata Gmelin, 1791.	Indonesia, Greater Sundra Islands, East Java (province), Madura Island.	€ 0,50
Nerita exuvia L., 1758.	Malaysia, Sabah (state), Borneo, Pulau Tetagan. Littoral on rocks.	€ 2,00
Nerita exuvia L., 1758.	Philippines, southern Luzon (island), Bantangas.	€ 2,00
Nerita exuvia L., 1758.	Philippines, Luzon (island), Batangas (province), Batangas City.	€ 2,30
Nerita fulgurans Gmelin, 1791.	Caribbean Sea.	€ 0,80
Nerita grossa L., 1758.	Indonesia, Greater Sundra Islands, East Java (province), Madura Island.	€ 2,00
Nerita incerta Philippi, 1844.	Indonesia, Greater Sundra Islands, East Java (province), Madura Island.	€ 1,00
Nerita oryzae Récluz, 1841.	India.	€ 0,30
Theodoxus oualaniensis (Lesson, 1831).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,50
Theodoxus oualaniensis (Lesson, 1831).	India.	€ 0,80
Theodoxus oualaniensis (Lesson, 1831).	Philippines.	€ 3,00
Nerita peloronta (L., 1758).	Bahamas, Green Turtle Cay (island).	€ 0,50 t/m € 1,30
Nerita peloronta (L., 1758).	Curaçao, Lesser Antilles Islands.	€ 0,80 t/m € 1,50
Nerita planospira Anton, 1839.	Philippines.	€ 0,20
Nerita plicata L., 1758.	Tanzania, Zanzibar, Coconut Beach. At low tide on coral cliffs.	€ 0,50
Nerita polita L., 1758.	Philippines, Visayas (region), Samar (island).	€ 0,60
Nerita polita L., 1758.	Indonesia, Greater Sundra Islands, East Java (province), Madura Island.	€ 1,00
Nerita polita L., 1758.	Japan, Okinawa Prefecture, The Cape of Zampa. At low tide.	€ 0,50
Nerita polita L., 1758.	Egypt, Safaga. Red Sea.	€ 0,50
Nerita polita L., 1758.	Thailand, Changwat Phuket (province), Phuket (island).	€ 0,25
Nerita polita L., 1758.	Tanzania, Zanzibar, Unguja Ukuu. Coral beach with mangroves.	€ 1,00
Septaria porcellana (L., 1758).	Indonesia, Bali (province), Bali (island). Eastern coastal region.	€ 1,50
Neritina punctulata Lamarck, 1822.	The Grenadines Islands, Windward Islands, Caribbean.	€ 2,50
Puperita pupa (L., 1767).	Curaçao, Lesser Antilles Islands.	€ 1,30
Smaragdia rangiana (Récluz, 1843).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,50
Nerita reticulata Karsten, 1789.	Philippines.	€ 0,25
Nerita scabricosta Lamarck, 1822.	Mexico, Sinaloa (state), Mazatlán.	€ 1,30 t/m € 2,30
Nerita senegalensis Gmelin, 1791.	Senegal, N'Gor Island, Dahau. West Africa.	€ 3,00
Nerita spengleriana Récluz, 1843.	Indonesia, Greater Sundra Islands, East Java (province), Madura Island.	€ 1,00
Nerita squamulata Le Guillon, 1841.	Philippines.	€ 0,20
Nerita tessellata Gmelin, 1791.	USA, Florida, Key Largo	€ 0,30
Nerita textilis Gmelin, 1791.		€ 1,50 t/m € 2,00

	<b>Price Range</b>
Nerita textilis Gmelin, 1791.	€ 0,40
Neritina turrata (Gmelin, 1791).	€ 1,00
Nerita undata L., 1758.	€ 0,20
Nerita versicolor Gmelin, 1791.	€ 0,50
Nerita versicolor Gmelin, 1791.	€ 0,50
Dostia violacea (Gmelin, 1790).	€ 1,50 t/m € 2,50
Neritina virginea (L., 1758).	€ 3,00
Smaragdia viridis (L., 1758).	€ 1,30
<b>Noetiidae</b>	
Striarca lactea (L., 1758). Single valves.	€ 0,50
Noetia ponderosa (Say, 1822).	€ 1,00 t/m € 1,50
Arcopsis solida (Sowerby, 1833).	€ 0,35
Arcopsis solida (Sowerby, 1833).	€ 1,20
<b>Nuculanidae</b>	
Nuculana minuta (O.F. Müller, 1776).	€ 1,80
Adrana patagonica (Orbigny, 1842).	€ 9,50
<b>Nuculidae</b>	
Acila divaricata (Hinds, 1843).	€ 1,00 t/m € 2,00
Acila divaricata (Hinds, 1843).	€ 1,50
Nucula nitidosa Winkworth, 1930.	€ 0,30
<b>Olividae</b>	
Amalda albocallosa (Lischke, 1873)).	€ 7,50 t/m € 12,50
Oliva amethystina (Röding, 1798).	€ 0,50 t/m € 0,80
Oliva amethystina (Röding, 1798).	€ 1,50
Oliva amethystina (Röding, 1798).	€ 1,30
Oliva annulata f. carnicolor Dautzenberg, 1927.	€ 1,30 t/m € 1,80
Oliva annulata Gmelin, 1791.	€ 1,30
Oliva australis Duclos, 1835.	€ 1,00
Ancilla balteata (Sowerby, 1823).	€ 2,00 t/m € 3,00
Olivella biplicata (Sowerby, 1825).	€ 0,75 t/m € 1,00
Olivella biplicata (Sowerby, 1825).	€ 0,80
Oliva bretteinghami Bridgman, 1909.	€ 0,50
Oliva buelowi Sowerby III, 1889.	€ 1,00
Oliva bulbiformis Duclos, 1835.	€ 1,00
Tanzania, Zanzibar, Fumba (village). On rocks, at low tide.	€ 0,40
Philippines, Visayas (region), Samar (island).	€ 1,00
Philippines.	€ 0,20
Bahamas, Green Turtle Cay (island).	€ 0,50
Bonaire, Lesser Antilles Islands.	€ 0,50
Indonesia, Kota Bharu, Pantai Cinta Berahi.	€ 1,50 t/m € 2,50
	€ 3,00
Aruba, Malmok, Boca Catalina, Lesser Antilles Islands.	€ 1,30
France, Brittany, Côtes-d'Armor (department), Tréburden.	€ 0,50
USA, Florida.	€ 1,00 t/m € 1,50
Mexico, Baja California, Bahía de los Ángeles. Gulf of California.	€ 0,35
Panama, Panamá City, Punta Calafata, live under stones.	€ 1,20
Canada, Nova Scotia, W. Digby Co., St. Mary's Bay, 40-45 fathoms, trawl.	€ 1,80
Uruguay, Rocha Department, La Paloma. From fisherman.	€ 9,50
Japan, Honshu (island), Aichi Prefecture, Mikawa.	€ 1,00 t/m € 2,00
Japan, Honshu (island), Aichi Prefecture, Mikawa. 30-50 fathoms deep.	€ 1,50
Germany, Helgoland Island.	€ 0,30
China. From East China Sea. Trawled, 140 metres deep.	€ 7,50 t/m € 12,50
Australia.	€ 0,50 t/m € 0,80
Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,50
Philippines, Palawan (province), Palawan (island).	€ 1,30
Philippines.	€ 1,30 t/m € 1,80
Philippines.	€ 1,30
Australia, Western Australia, Rottneest Island, Salmon Bay.	€ 1,00
Aruba, Malmok, Lesser Antilles Islands.	€ 2,00 t/m € 3,00
USA, California, Catalina Island.	€ 0,75 t/m € 1,00
USA, Alaska, Sitka. About 57° N-135°W	€ 0,80
Australia, Western Australia, Broome.	€ 0,50
Thailand, Phuket (island), Raya Island. 25-30 metres deep.	€ 1,00
Philippines, Mimaropa (Region IV-B), Marinduque (island).	€ 1,00

		<b>Price Range</b>
Oliva bulbosa f. inflata Lamarck, 1811.	Kenya, Coast Province, Mombasa County, Mombasa, Diani beach.	€ 1,80 t/m € 2,00
Oliva bulbosa (Röding, 1798).	Egypt, Hurghada, Red Sea.	€ 0,75
Oliva bulbosa (Röding, 1798).		€ 0,80
Oliva bulbosa (Röding, 1798).	Egypt, Hurghada. Red Sea.	€ 1,00
Oliva bulbosa (Röding, 1798).	East Africa. Indian Ocean.	€ 0,80 t/m € 1,00
Oliva caerulea (Röding, 1798).	Thailand, Changwat Phuket (province), Phuket (island), Southeast Asia.	€ 1,30
Oliva caerulea (Röding, 1798).	Philippines, Cebu (province), Mactan (island).	€ 1,20
Oliva carneola (Gmelin, 1791).	Philippines.	€ 0,80
Oliva carneola (Gmelin, 1791).	Solomon Islands, Pacific Ocean.	€ 0,50
Ancilla castanea (Sowerby, 1830).	Saudi Arabia, Al Khobar. Persian Gulf.	€ 1,80
Ancilla castanea (Sowerby, 1830).	Z.E. Arabian Sea, Gulf of Oman. Undeep in sand.	€ 3,00
Olivella dama (Wood, 1828).	Mexico, Baja California, Bahía de los Ángeles.	€ 0,90
Oliva elegans Lamarck, 1811.	Indonesia.	€ 1,80
Oliva elegans Lamarck, 1811.	Indonesia, East Java (province). On sand.	€ 2,00
Agaronia gibbosa (Born, 1778).	India, Cuddalore. Dredged.	€ 2,50
Agaronia gibbosa (Born, 1778).	India.	€ 2,00
Agaronia gibbosa (Born, 1778).	Thailand, Changwat Phuket (province), Phuket (island).	€ 2,00
Ancilla glabrata (L., 1758).	Colombia, trawled off Guajira Peninsula. 10-20 fathoms deep, mud/sand.	€ 3,30
Agaronia hiatula (Gmelin, 1791).	Senegal, Dakar.	€ 1,00
Amalda hinomotoensis (Yokoyama, 1922). W/O.	Vietnam.	€ 2,50
Oliva hirasei Kira, 1959.	Indo-Pacific.	€ 1,30
Oliva hirasei Kira, 1959.	Thailand, Phuket (island), Raya Island. 25-30 metres deep.	€ 2,80
Oliva incrassata (Lightfoot, 1786).	Mexico, Baja California, San Felipe.	€ 1,30 t/m € 2,00
Oliva irisans Lamarck, 1811.	Philippines.	€ 1,00
Agaronia johnkochi Voskuil, 2006.	Indonesia, West Java (province), Pangadaran.	€ 5,00
Oliva keenii Marrat, 1870.	Philippines.	€ 1,30 t/m € 1,80
Ancilla lienardi (Bernardi, 1821).	Brazil, Ceará, Camocin. From lobster divers at 25-40 m on a rocky bottom.	€ 6,00 t/m € 12,00
Ancilla lienardi (Bernardi, 1821).	Brazil. 15 metres deep.	€ 5,00
Ancilla lienardi (Bernardi, 1821).	Brazil, Ceará, Camocin. Collected by local divers at 15-25 metres deep.	€ 9,00 t/m € 12,50
Agaronia lutaria Röding, 1798.	Indonesia, Lesser Sunda Islands, Flores (island), Maumere.	€ 1,50
Amalda mamillata Hinds, 1844).	South-west Pacific Ocean.	€ 0,80
Amalda mamillata Hinds, 1844).	Taiwan, Taiwan Channel.	€ 1,50
Oliva mantichora Duclos, 1835.	Thailand, Phuket (island), Raya Island. 25-30 metres deep.	€ 1,20
Oliva mantichora Duclos, 1835.	Philippines.	€ 0,50 t/m € 1,30
Oliva miniacea miniacea Röding, 1798.	Madagascar Island. East Africa. Indian Ocean.	€ 3,50

		<b>Price Range</b>
Oliva miniacea miniacea Röding, 1798.	Philippines.	€ 0,50 t/m € 1,00
Oliva miniacea miniacea Röding, 1798.	Thailand, Phuket (island), Raya Island. 25-30 metres deep.	€ 1,00
Oliva miniacea tremulina Lamarck, 1811.	Philippines, Palawan (province), Palawan (island).	€ 0,80
Oliva mustelina Lamarck, 1811.	Taiwan, south-west. South China Sea.	€ 1,50
Olivella nivea (Gmelin, 1791).	Bonaire, Lesser Antilles Islands.	€ 1,00
Olivella nivea (Gmelin, 1791).	Antilles. Caribbean Sea.	€ 0,50
Oliva oliva (L., 1758).	Philippines.	€ 0,40 t/m € 1,00
Oliva oliva (L., 1758).	Philippines.	€ 0,70
Oliva oliva (L., 1758).	Thailand, Phuket (island), Raya Island. 25-30 metres deep.	€ 0,50 t/m € 0,80
Oliva oliva (L., 1758).	Indonesia, Bali (province), Bali (island), Kuta Beach.	€ 0,70
Oliva oliva (L., 1758).	Brunei State, Borneo, Seria, Southeast Asia.	€ 0,50
Oliva oliva (L., 1758).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 0,50
Oliva ornata Marrat, 1867.	Australia, Western Australia, Broome.	€ 1,00
Oliva ornata Marrat, 1867.	Australia, Western Australia, Broome. Live, on sandbank.	€ 0,90
Oliva ornata Marrat, 1867.	Taiwan, south-west. South China Sea.	€ 1,00
Oliva pacifica Marrat, 1870.	Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.	€ 2,50
Oliva peruviana f. fulgurata von Martens, 1869.	Chile.	€ 1,50 t/m € 3,00
Oliva polpasta Duclos, 1833.	Mexico, Guaymas.	€ 2,00
Oliva reticularis Lamarck, 1811.	Bahamas, Green Turtle Cay (island).	€ 1,80
Oliva reticularis Lamarck, 1811.	Aruba, Lesser Antilles Islands.	€ 1,00
Oliva reticulata (Röding, 1798).	Philippines.	€ 1,00
Oliva reticulata (Röding, 1798).	Indonesia, Bali (province), Bali (island).	€ 0,80
Oliva reticulata (Röding, 1798).	Indonesia, Lesser Sunda Islands, Flores (island), Gelinting.	€ 0,75
Oliva reticulata (Röding, 1798).	Indonesia, Flores (island), Labuhanbajo, Waerana Beach. On coral.	€ 0,75
Oliva rufula Duclos, 1835.	Philippines.	€ 1,50
Oliva sayana Ravenel, 1834.	USA, Florida.	€ 1,30
Oliva sericea (Röding, 1798).	Philippines.	€ 2,50
Oliva spicata (Röding, 1798). spots, with sea grass around.	Mexico, about 2 km. N.E. of Pichilique. Live, about 4 m. deep in sandy	€ 0,50 t/m € 1,00
Oliva splendidula Sowerby I, 1825.	Panama.	€ 3,50
Ancilla suavis Yokoyama, 1922.	Taiwan. East China Sea.	€ 2,00
Oliva tessellata Lamarck, 1811. scattered coral.	Malaysia, Sabah (state), Semporna. Live on deas reef in sandy spots among	€ 1,00
Oliva tessellata Lamarck, 1811.	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,00
Oliva tricolor Lamarck, 1811.	Indonesia, Sulawesi (island), South Sulawesi (province), Bira.	€ 1,30
Oliva tricolor Lamarck, 1811.	Philippines.	€ 0,80 t/m € 1,30
Oliva tricolor Lamarck, 1811.	Sri Lanka.	€ 1,50

Olivancillaria urceus (Röding, 1798).  
 Oliva venulata Lamarck, 1811.  
 Oliva vidua (Röding, 1798).  
 Oliva vidua (Röding, 1798).  
 Oliva vidua (Röding, 1798).  
 Oliva vidua (Röding, 1798).  
 Oliva vidua (Röding, 1798).  
 Olivella volutella (Lamarck, 1811).

## Ostreidae

Crassostrea gigas (Thunberg, 1793).  
 Crassostrea gigas (Thunberg, 1793).  
 Ostrea palmula Carpenter, 1857.

## Ovulidae

Aperiovula adriatica (Sowerby, 1828).  
 Phenacovolva angasi (Reeve, 1865).  
 Phenacovolva brevirostris (Schumacher, 1817).  
 Pseudosimnia carnea (Poiret, 1789).  
 Ovula costellata Lamarck, 1810.  
 Cyphoma gibbosum (L., 1758).  
 Cyphoma gibbosum (L., 1758).  
 Cyphoma gibbosum (L., 1758).  
 Cyphoma gibbosum (L., 1758).  
 Cyphoma gibbosum (L., 1758).  
 Cyphoma gibbosum (L., 1758).  
 Cyphoma gibbosum (L., 1758).  
 Phenacovolva longirostrata (Sowerby, 1828).  
 Phenacovolva longirostrata (Sowerby, 1828).  
 Pseudosimnia marginata (Sowerby, 1828).  
 Pseudosimnia marginata (Sowerby, 1828).  
 Pseudosimnia marginata (Sowerby, 1828).  
 Ovula ovum (L., 1758).  
 Ovula ovum (L., 1758).  
 Phenacovolva rosea (A. Adams, 1854).  
 Pseudosimnia sinensis (Sowerby, 1874).

Brazil, Santa Catarina (state), off Itajai. Fisherman, 20-30 metres deep.  
 Mexico, Pacific Ocean.  
 Sri Lanka, Eastern Province, Trincomalee.  
 Australia, Queensland, Dunk Island. Alive, in sand.  
 Indonesia, Greater Sundra Islands, East Java (province), Madura Island.  
 Philippines, Central Visayas (region), Cebu (province), Mactan (island).  
 Indonesia, Greater Sundra Islands, East Java (province), Madura Island.  
 India, Tamil Nadu (state), Madras [Chennai].  
 Panama.

The Netherlands, Zeeland, Yerseke.  
 Nederland, Scheveningen. On beach by breakwater, some live.  
 West Panama. Pacific Ocean.

Italy, Santa Marinella.  
 Japan, Honshu (island), Wakayama Prefecture, Nada.  
 Japan, Honshu (island), Chubu region, Aichi Prefecture, Mikawa.  
 Tunisia, Jendouba Governorate, near Tabarka. On coral.  
 Australia, Qld., Cairns, Great Barrier Reef. Dived at 10 metres, coral. 34 mm  
 USA, Florida. On gorgonians.  
 USA, Florida, Big Pine Key.  
 Curaçao, Lesser Antilles Islands.  
 Haiti. Caribbean Sea.  
 Bahamas, Abaco Cays, Manjack Cay.  
 The Grenadines Islands, Windward Islands, Caribbean.  
 Curaçao, Lesser Antilles Islands.  
 Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.  
 Taiwan. East China Sea.  
 Japan.  
 Taiwan, south-west. South China Sea.  
 Taiwan, south-west. South China Sea.  
 Philippines.  
 Tanzania, Zanzibar. East Africa. Indian Ocean.  
 Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.  
 Taiwan. East China Sea.

## Price Range

€ 1,00 t/m € 2,00  
 € 0,80 t/m € 2,00  
 € 1,25  
 € 1,70  
 € 2,00  
 € 1,50 t/m € 2,00  
 € 2,00  
 € 2,00  
 € 0,30  
 € 1,50  
 € 0,80 t/m € 1,30  
 € 2,00  
 € 2,00  
 € 2,50  
 € 1,80  
 € 0,80  
 € 12,50  
 € 0,50  
 € 0,40  
 € 0,80  
 € 1,70  
 € 1,80  
 € 1,00 t/m € 2,00  
 € 0,25  
 € 6,50  
 € 10,00  
 € 4,00  
 € 2,00  
 € 1,30  
 € 1,30 t/m € 2,30  
 € 1,30  
 € 2,00  
 € 1,40



Phenacovolva subreflexa (Adams & Reeve, 1848).  
 Calpurnus verrucosus (L., 1758).  
 Calpurnus verrucosus (L., 1758).  
 Calpurnus verrucosus (L., 1758).  
 Calpurnus verrucosus (L., 1758).  
 Calpurnus verrucosus (L., 1758).  
 Volva volva (L., 1758).  
 Volva volva (L., 1758).  
 Volva volva (L., 1758).

## Pandoridae

Pandora inaequalis (L., 1758).  
 Pandora inaequalis (L., 1758).  
 Pandora inaequalis (L., 1758).

## Patellidae

Patella aspera Röding, 1798.  
 Patella barbara L., 1758.  
 Patella caerulea L., 1758.  
 Patella caerulea L., 1758.  
 Patella caerulea L., 1758.  
 Patella caerulea L., 1758.  
 Patella candei Orbigny, 1839. Washed ashore, alive.  
 Patella candei Orbigny, 1839.  
 Patella candei Orbigny, 1839.  
 Patella candei Orbigny, 1839.  
 Patella compressa L., 1758.  
 Nacella deaurata (Gmelin, 1791).  
 Cellana denticulata (Martyn, 1784).  
 Helcion dunkeri (Krauss, 1848).  
 Cellana eucosmia (Pilsbry, 1891).  
 Patella granatina L., 1758.  
 Patella granatina L., 1758.  
 Patella granatina L., 1758.  
 Patella granatina L., 1758.  
 Patella intermedia Murray, 1857.  
 Patella intermedia Murray, 1857.

Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.  
 Philippines, Bohol (province), close to Panglao Island, Balicasag Island.  
 Papua New Guinea, East New Britain Province, Rabaul.  
 Philippines.  
 Solomon Islands, Guadalcanal. Pacific Ocean.  
 Mozambique, Bazaruta Island region. In shallow water. 20 mm - 23 mm  
 India, Tamil Nadu (state), off Madras [Chennai]. Trawled.  
 Philippines.

France, Brittany, Ille-et-Vilaine (departement), Dinard.  
 Spain, San Carlos de la Rápita. Trawled by fisherman 26 mm - 32 mm  
 France, Brittany, Saint-Jacut-de-la-Mer, Côtes-du-Nord

Portugal, Azores, Lajes do Pico. Between rocks, in seaweed.  
 South Africa, Cape Point.  
 Italy, Savona, Vado Ligure harbour. 1-5 metres deep.  
 Spain, Andalusia (region), Province of Málaga, Marbella.  
 Turkey, Alanya.  
 Tunisia, Nabeul.  
 Portugal, Azores, Santa Cruz des Flores, Porto das Pocas.  
 Canary Islands, Lanzarote, Isla Graciosa. Fished, in waste heaps.  
 Portugal, Azores, Ponto del Gada from fishermen, from Madeira rocks.  
 Portugal, Madeira (autonomous region), Madeira (island). Atlantic Ocean.  
 South Africa, Western Cape, Simonstown. False Bay. Scuba, kelp, ±6 m.  
 Argentina, Tierra del Fuego, Canal Beagle, Puerto Almanza. On rocks, ebb.  
 New Zealand, Kaikoura. Intertidal on rocks. 26 mm  
 South Africa, Eastern Cape Province, Port Alfred.  
 Israel, Elat. Gulf of Aqaba.  
 Namibia, Erongo (region), Swakopmund. Atlantic Ocean.  
 South Africa, South of Cape Town, Hout Bay, Kommetjie. Atlantic Ocean.  
 South Africa, Western Cape, Olifantsbos point. Sand beach, by reefs & kelp  
 South Africa, Western Cape, Hout Bay. Low water mark, live on rocks.  
 Spain, San Carlos de la Rápita.  
 Morocco, West Sahara, Tan Tan.

## Price Range

€ 3,50  
 € 0,50  
 € 0,50  
 € 0,60  
 € 0,50  
 € 1,00  
 € 4,00 t/m € 6,00  
 € 3,00  
 € 6,00  
 € 0,20 t/m € 0,50  
 € 1,00  
 € 0,50  
 € 2,00 t/m € 2,50  
 € 3,50  
 € 3,50  
 € 0,20 t/m € 0,80  
 € 0,50 t/m € 1,00  
 € 1,00  
 € 0,80 t/m € 1,30  
 € 2,00  
 € 1,00  
 € 2,50  
 € 2,00 t/m € 3,50  
 € 3,00 t/m € 5,00  
 € 2,30  
 € 1,70  
 € 1,80 t/m € 2,30  
 € 3,50 t/m € 4,00  
 € 2,00 t/m € 3,00  
 € 1,00 t/m € 2,00  
 € 3,00  
 € 1,00  
 € 0,80 t/m € 1,30

		<b>Price Range</b>
Patella intermedia Murray, 1857.	France, Brittany, Rothéneuf.	€ 0,40
Patella laticostata Blainville, 1825.	Australia, Western Australia, Augusta.	€ 4,00
Patella laticostata Blainville, 1825.	Australia, Western Australia, Cape le Grand, Rossiter Bay.	€ 4,50 t/m € 7,00
Patella longicosta Lamarck, 1819.	South Africa, Cape Province, Cape Town.	€ 2,50
Patella longicosta Lamarck, 1819.	South Africa, False Bay area, Buffels Bay. Live on rocks at low tide.	€ 4,50
Patella lugubris Gmelin, 1791.	Cape Verde, Sal(island). Live on rocks.	€ 1,00 t/m € 2,00
Patella lugubris Gmelin, 1791.	Cape Verde. Atlantic Ocean.	€ 0,80
Nacella magellanica (Gmelin, 1791). Mesolitoral.	Argentina, Tierra del Fuego, Canal Beagle, Punta Maria. On rocks.	€ 4,00
Patella miniata Born, 1778.	South Africa, Western Cape, Simonstown. False Bay. Scuba, 6 m, rock bott.	€ 2,00
Patella oculus Born, 1778.	South Africa, Cape Province, Jeffreys Bay.	€ 0,80 t/m € 1,30
Patella oculus Born, 1778.	South Africa, Transkei.	€ 6,50
Patella oculus Born, 1778.	South Africa, False Bay. Mid-tide level, live, collected from rocks.	€ 5,00
Helcion pectunculus (Gmelin, 1791).	South Africa, Western Cape, Olifantsbos point. Sand beach, by reefs & kelp	€ 0,75
Helcion pectunculus (Gmelin, 1791).	South Africa, Eastern Cape Province, near East London, Gonoubie.	€ 0,80
Cellana radiata radiata (Born, 1778).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,00
Cellana radiata radiata (Born, 1778).	Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.	€ 1,00 t/m € 1,30
Patella rustica L., 1758.	Spain, Province of Málaga, Fuengirola.	€ 0,30 t/m € 0,50
Patella rustica L., 1758.	Morocco, Marrakesh-Tensift-El Haouz, Essaouira.	€ 0,70
Patella tabularis Krauss, 1848.	South Africa, Cape Province, False Bay. 15 metres deep on reef.	€ 7,00 t/m € 9,00
Cellana testudinaria (L., 1758).	Thailand, Changwat Phuket (province), Phuket (island).	€ 1,00 t/m € 2,50
Cellana testudinaria (L., 1758).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 0,50
Cellana tramoserica (Holten, 1802).	Australia.	€ 1,00
Patella ulyssiponensis Gmelin, 1791.	Portugal, Madeira (island), Porto Santo. Atlantic Ocean.	€ 0,75
Patella ulyssiponensis Gmelin, 1791.	France, Brittany, Rothéneuf.	€ 0,20 t/m € 0,30
Patella ulyssiponensis Gmelin, 1791.	Portugal, Algarve (region), Quarteira.	€ 0,50
Patella ulyssiponensis Gmelin, 1791.	Canary Islands, Lanzarote, Isla Graciosa. Fished, in waste heaps.	€ 0,80 t/m € 1,50
Patella vulgata L., 1758.	France, Brittany, Ille-et-Vilaine (departement), Dinard.	€ 0,80 t/m € 1,00
Patella vulgata L., 1758.	Ireland, Dublin, Dún Laoghaire.	€ 1,00
Patella vulgata L., 1758.	England, Cornwall.	€ 1,00
Patella vulgata L., 1758.	France, Brittany, Côtes-d'Armor (departement), Côtes d'Armorique.	€ 1,80
Patella vulgata L., 1758.	UK, Wales, South Wales (region), Cower Peninsula. Live, littoral, rocks.	€ 0,50 t/m € 1,00
<b>Pectinidae</b>		
Semipallium aktinos (Petterd, 1886).	Australia, Western Australia, dived off Forrest Beach.	€ 6,00
Pecten albicans (Schröter, 1802).	Taiwan. East China Sea.	€ 2,30
Mimachlamys albolineata (Sowerby II, 1842).	Thailand, Changwat Phuket (province), Phuket (island).	€ 2,00

		<b>Price Range</b>
Decatopecten amiculum (Philippi, 1851). 60 m. deep.	Thailand, Phuket (island), Raya Island. Dredged on sandy bottom at ca.	€ 3,00
Mimachlamys asperrima (Lamarck, 1819).	Australia.	€ 4,00
Mimachlamys asperrima (Lamarck, 1819).	Australia, South Australia, Edithburg, under rocks.	€ 1,50 t/m € 2,30
Mimachlamys asperrima (Lamarck, 1819).	Australia, South Australia, Port Giles Jetty. 45 feet deep.	€ 2,50 t/m € 4,00
Amusium balloti (Bernardi, 1861).	Australia, New South Wales, Brunswick Heads.	€ 4,00 t/m € 6,50
Equichlamys bifrons (Lamarck, 1819).	Australia, Tasmania.	€ 3,50
Equichlamys bifrons (Lamarck, 1819).	Australia, South Australia, Port Adelaide. On beach, alive, after storm.	€ 1,50 t/m € 2,00
Chlamys chosenica Kuroda, 1932.	Sea of Japan, trawled at 200 m. 45°19'N - 137°28'E.	€ 14,50
Mimachlamys cloacata (Reeve, 1853).	Philippines. Sulu Sea. Fished.	€ 3,00
Aequipecten commutatus commutatus (Monterosato, 1875).	Senegal, Baie de Hann.	€ 3,00
Aequipecten commutatus commutatus (Monterosato, 1875).	Senegal, Cap-Vert, N'Gor Island, Pointe des Almadies. Fishing harbour.	€ 3,00
Mesopeplum convexum (Quoy & Gaimard, 1835).	New Zealand, south of Stewart Island. Trawled 30 fathoms.	€ 4,30 t/m € 5,00
Mimachlamys crassicostata (Sowerby II, 1842).		€ 6,50
Psychrochlamys delicatula (Hutten, 1873).	New Zealand, near Jackson Head. Trawled 15-18 metres deep.	€ 1,80 t/m € 2,50
Semipallium diana (Crandall, 1979).	Japan, Okinawa, Bolo Point, dived at 35 m. deep, under rock.	€ 9,00
Euvola diegensis (Dall, 1898).	Mexico, Sonora (state), Moro Colorado. Gulf of California. Fished.	€ 2,00 t/m € 5,00
Euvola diegensis (Dall, 1898).	USA, California, Sante Barbara, dived, 70 feet deep.	€ 4,00
Pecten erythraeensis Sowerby II, 1842.	Egypt, south of Safaga. Red Sea. From fishery.	€ 4,00
Lissochlamys exotica (Dillwyn, 1817).	Gabon. Port-Gentil. West Africa. Atlantic Ocean.	€ 4,50
Lissochlamys exotica (Dillwyn, 1817).	Senegal, Casamance, Kafountine, 10 metres deep.	€ 4,00
Scaechlamys farreri (Jones & Preston, 1904).	Japan.	€ 3,00 t/m € 4,50
Scaechlamys farreri (Jones & Preston, 1904).	Japan.	€ 5,00
Flexopecten felipponei (Dall, 1922).	Argentina, Chubut Province, Golfo San José. Scuba, 15-25 metres deep.	€ 12,00
Annachlamys flabellata (Lamarck, 1819).	Australia, Western Australia, Broome, in sand.	€ 5,00
Annachlamys flabellata (Lamarck, 1819).	Australia, Western Australia, Carnarvon.	€ 7,50
Annachlamys flabellata (Lamarck, 1819).	Australia, Queensland, Cape Manifold.	€ 4,00
Annachlamys flabellata (Lamarck, 1819).	Australia, Queensland, Fraser Coast, Tin Can Bay.	€ 6,50
Aequipecten flabellum (Gmelin, 1791). Special offer.	Senegal, Dakar Region, Dakar, north side N'Gor. Diving, 1-8 metres deep.	€ 3,30
Aequipecten flabellum (Gmelin, 1791).	Angola, Luanda province. West Africa. Atlantic Ocean.	€ 1,30
Aequipecten flabellum (Gmelin, 1791).	Senegal, Cape Verde Peninsula. West Africa. Trawled at 30-50 feet deep.	€ 3,50
Aequipecten flabellum (Gmelin, 1791).	Senegal, Casamance. West Africa. Gulf of Guinea.	€ 3,75 t/m € 5,00
Aequipecten flabellum (Gmelin, 1791).	Senegal, Cap-Vert, N'Gor Island, Pointe des Almadies. Fishing harbour.	€ 2,50
Semipallium flavicans (Lamarck, 1819).	Philippines, Central Visayas (region), Cebu (island), Mactan Channel.	€ 5,00
Serratovola gardineri (E.A. Smith, 1903).	Taiwan. East China Sea.	€ 2,00
Talochlamys gemmulata (Reeve, 1853).	New Zealand, Stewart Island, Paterson Inlet. Dived 10 meters, sand.	€ 4,50

		<b>Price Range</b>
Argopecten gibbus (L., 1758).	USA, Florida, Gulf of Mexico, Sanibel Island.	€ 1,30
Argopecten gibbus (L., 1758).	USA, Florida, Fort Pierce.	€ 1,50
Crassadoma gigantea (Gray, 1825).	USA, California. Pacific Ocean.	€ 12,00
Flexopecten glaber (L., 1758).	Turkey.	€ 2,00 t/m € 6,00
Flexopecten glaber (L., 1758).	Italy, Sicily (region), Sicily.	€ 3,80 t/m € 4,50
Flexopecten glaber (L., 1758).	Italy, Grado. Trawled by fishermen, 15 metres deep on sand, live.	€ 1,50 t/m € 2,50
Flexopecten glaber (L., 1758).	Italy, Sicily (region), Sicily.	€ 3,50
Flexopecten glaber (L., 1758).	Mediterranean Sea.	€ 2,00
Flexopecten glaber (L., 1758).	Italië, Genua, Mediterranean Sea.	€ 5,50
Flexopecten glaber (L., 1758).	Greece, 200 km northeast of Athens, Évvoia Island, Kimi.	€ 1,30 t/m € 1,80
Mimachlamys gloriosa (Reeve, 1853).	Australia, Queensland.	€ 4,00
Mimachlamys gloriosa (Reeve, 1853).	Thailand, Changwat Phuket (province), Phuket (island).	€ 4,00 t/m € 5,00
Chlamys hastata hericius (Gould, 1850).	USA, Washington, Puget Sound.	€ 4,50
Chlamys hastata hericius (Gould, 1850).	Canada, Vancouver Island, Union Bay.	€ 2,30
Notochlamys hexactes (Péron in Lamarck, 1819). shells, among ribbon weed.	Australia, WA, Albany, Frenchman's Bay. Dived at 15-20 m., att. to Pinna	€ 10,00
Excellichlamys histrionica (Gmelin, 1791).	Thailand, Changwat Phuket (province), Phuket (island).	€ 2,00 t/m € 3,00
Excellichlamys histrionica (Gmelin, 1791).	Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.	€ 3,00 t/m € 4,80
Argopecten irradians irradians (Lamarck, 1819).	USA, Florida.	€ 2,50
Argopecten irradians irradians (Lamarck, 1819).	USA, Massachusetts. Atlantic Ocean.	€ 1,50 t/m € 3,50
Chlamys islandica (Müller, 1776).	Iceland, Breidafjordhur. Atlantic Ocean. Trawled, 36 metres deep.	€ 5,00
Chlamys islandica (Müller, 1776).	Canada, Nova Scotia, Digby.	€ 3,80 t/m € 6,25
Chlamys islandica (Müller, 1776).	Norway, Nordland (province), Lofoten Islands.	€ 5,00
Chlamys islandica (Müller, 1776).	Barents Sea, 68°34' N., 39°14' O., 70-78 metres deep.	€ 3,80 t/m € 5,00
Chlamys islandica (Müller, 1776).	Denmark Strait, between Iceland and Greenland. Fished.	€ 4,00
Chlamys islandica (Müller, 1776).	Russia. 68°34'N, 39°14 E. Barents Sea, Arctic Ocean. Fished, 80 m deep.	€ 3,00 t/m € 5,00
Pecten jacobaeus (L., 1758).	Italy, Veneto (region), Province of Venice, Caorle (city). Adriatic Sea.	€ 4,00
Pecten jacobaeus (L., 1758).	Italy, Chioggia. Adriatic Sea. Fished.	€ 2,50
Pecten jacobaeus (L., 1758).	Italy. Mediterranean Sea.	€ 6,50
Amusium japonicum japonicum (Gmelin, 1791).	Japan.	€ 5,00
Mimachlamys lentiginosa (Reeve, 1853).	Philippines, Mindanao (island), Zamboanga.	€ 2,00
Mimachlamys lentiginosa (Reeve, 1853).	Philippines.	€ 1,00
Mimachlamys lentiginosa (Reeve, 1853).	Philippines.	€ 2,50
Mimachlamys lentiginosa (Reeve, 1853).	Philippines, Mindanao (island), Zamboanga.	€ 2,00
Scaechlamys livida (Lamarck, 1819).	Australia, New South Wales, Ulladulla Harbour. Littoral, live and dead.	€ 0,20 t/m € 1,00
Scaechlamys livida (Lamarck, 1819).	Australia, New South Wales, 3 km from Iluka. Littoral zone, under stones.	€ 1,00 t/m € 2,50

		<b>Price Range</b>
<i>Scaechlamys livida</i> (Lamarck, 1819).	Australia, Western Australia, near Rockingham. Scuba, attached on mussels.	€ 2,00
<i>Placopecten magellanicus</i> (Gmelin, 1791).	Canada, Vancouver Island. Trawled 110-145 m, fishermen.	€ 5,00 t/m € 7,50
<i>Nodipecten magnificus</i> (Sowerby I, 1835).	Ecuador, Galápagos Islands, Fernandina Island, Bahia Isabel. Taken in sand between rocks at 15-20 metres, by dive.	€ 595,00
<i>Pecten maximus</i> (L., 1758).	UK, Wales, 40 km north of the Great Ormes Head. 37 mm - 70 mm	€ 1,50 t/m € 2,50
<i>Pecten maximus</i> (L., 1758).	France, Brittany, Côtes-d'Armor (department), Erquy.	€ 1,00 t/m € 2,80
<i>Pecten maximus</i> (L., 1758).	Ireland, Dundalk Bay, Irish Sea.	€ 1,00 t/m € 3,00
<i>Pecten maximus</i> (L., 1758). sand at 20-30 metres.	France, Morbihan, Belle Ile sur Mer. Trawled north of Le Palais on silty	€ 5,00
<i>Pecten maximus</i> (L., 1758).	North Sea fishery.	€ 3,50
<i>Mirapecten mirificus</i> (Reeve, 1853).	Philippines, Palawan island.	€ 6,00
<i>Mirapecten mirificus</i> (Reeve, 1853). Special offer.	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,00 t/m € 5,00
<i>Mirapecten mirificus</i> (Reeve, 1853).	Philippines, Mindanao (island), Zamboanga.	€ 12,50
<i>Talochlamys multistriata</i> (Poli, 1795).	South Africa, False Bay, dived at 25 m., under coral heads.	€ 3,50
<i>Aequipecten muscosus</i> (Wood, 1828).	USA, Florida.	€ 3,50
<i>Nodipecten nodosus</i> (L., 1758).	Venezuela, SW of Islas Las Monjes. Gulf of Venezuela. ±25 fathoms deep.	€ 4,30 t/m € 6,50
<i>Nodipecten nodosus</i> (L., 1758).	Venezuela, Isla Margarita, El Coche.	€ 1,50 t/m € 2,50
<i>Nodipecten nodosus</i> (L., 1758).	Brazil, Espírito Santo (state), Guarapari. Flat bottom, 20-25 metres deep.	€ 5,00
<i>Nodipecten nodosus</i> (L., 1758).	USA, Florida, Cape Canaveral. Trawled.	€ 2,00 t/m € 3,00
<i>Pecten novaezelandiae</i> Reeve, 1852.	New Zealand, N.I., Jackson's Bay. 60 metres deep.	€ 1,30
<i>Aequipecten opercularis</i> (L., 1758). 20-30 m. Collected alive.	France, Morbihan, Belle Ile sur Mer, N. of Le Palais. Trawled, silty sand.	€ 1,50
<i>Aequipecten opercularis</i> (L., 1758).	Spain, Province of Málaga, Fuengirola.	€ 0,50
<i>Aequipecten opercularis</i> (L., 1758). 75-80 m. Trawled, silty sand.	North Sea, Outer Silver Pit (station 18-19). 54°06'20" N 2°16'-2°13'50" E.	€ 2,00
<i>Aequipecten opercularis</i> (L., 1758).	France, Brittany, St. Quay-Portrieux.	€ 0,80 t/m € 1,50
<i>Aequipecten opercularis</i> (L., 1758).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,50
<i>Aequipecten opercularis</i> (L., 1758). sand at 20-30 metres. Live.	France, Belle Ile sur Mer, Morbihan. Trawled north of Le Palais on silty	€ 1,00 t/m € 1,75
<i>Aequipecten opercularis</i> (L., 1758). silty sand.	North Sea, Outer Silver Pit (station 1). 53°59'50"N. 2°28'E. 75-80 m on 43 mm - 70 mm	€ 1,50 t/m € 2,50
<i>Aequipecten opercularis</i> (L., 1758).	Italy, Chioggia, fishery.	€ 0,80
<i>Aequipecten opercularis</i> (L., 1758).	France, Brittany.	€ 2,50
<i>Aequipecten opercularis</i> (L., 1758).	France, Brittany, Bay of Morbihan. Trawled by commercial scallop boats.	€ 1,50
<i>Bractechlamys oweni</i> (De Gregorio, 1884).	Philippines, Cebu, Olango Island, dived off Caw-oy, at 25-30 m.	€ 14,00
<i>Gloripallium pallium</i> (L., 1758).	Thailand, Changwat Phuket (province), Phuket (island).	€ 1,50 t/m € 3,00
<i>Caribachlamys pellucens</i> (L., 1758).	USA, Lower Florida Keys, Looe Key. Between coral on sponges. 29 mm - 40 mm	€ 6,50 t/m € 7,50
<i>Euvola perulus</i> (Olsson, 1961).	Panama, Bay of Chiriqui. Pacific Ocean	€ 3,00
<i>Pseudamussium peslutrae</i> (L., 1771).	Scotland, Kintyre peninsula, Argyll and Bute, Campbeltown.	€ 5,50
<i>Amusium pleuronectes</i> (L., 1758).	Indonesia, Mollucan Islands.	€ 12,50

		<b>Price Range</b>
Amusium pleuronectes (L., 1758).	Malaysia, Kuala Besut. Fishery.	€ 3,00
Amusium pleuronectes (L., 1758).	Taiwan.	€ 6,00
Amusium pleuronectes (L., 1758).	Indonesia.	€ 10,00
Amusium pleuronectes (L., 1758).	Philippines.	€ 4,00
Amusium pleuronectes (L., 1758).	Malaysaia, Borneo, Sabah, Kudat. Fishmarket.	€ 2,00 t/m € 2,80
Decatopecten plica (L., 1758).	Philippines, Cebu (island), Olango Island. Dived at 10 metres deep.	€ 2,00
Decatopecten plica (L., 1758).	Japan, Honshu (island), Wakayama Prefecture, Minabe.	€ 5,00
Decatopecten plica (L., 1758).	Japan.	€ 5,00
Decatopecten plica (L., 1758).	Philippines, Luzon (island), Cavite.	€ 5,00
Decatopecten plica (L., 1758).	Philippines, Visayas (region), Samar (island).	€ 3,30
Decatopecten plica (L., 1758).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 2,00
Talochlamys pusio (L., 1758).	UK, Scotland, Isle of Skye, Broadford. In fishing port, on plastic crates.	€ 2,50 t/m € 3,00
Minnivola pyxidata (Born, 1778).	Philippines, Luzon (island), Tabayas Bay.	€ 3,00
Minnivola pyxidata (Born, 1778).	Philippines.	€ 1,80 t/m € 2,30
Minnivola pyxidata (Born, 1778).	India, Tamil Nadu (state), Madras [Chennai].	€ 3,00
Decatopecten radula radula (L., 1758).	Philippines, Sulu (province), Siasi Island. Sulu Sea.	€ 1,30 t/m € 2,30
Decatopecten radula radula (L., 1758).	Vietnam, Quảng Ngãi, trawl, 30 metres.	€ 3,00
Decatopecten radula radula (L., 1758).	Philippines.	€ 2,50
Decatopecten radula radula (L., 1758).	Japan , Kagoshima Prefecture, Amami Islands , Amami Ōshima (island).	€ 2,50
Mirapecten rastellum (Lamarck, 1819).	Philippines, Cebu (island), Mactan Channel. 30 m deep, between dead coral.	€ 4,50
Mirapecten rastellum (Lamarck, 1819).	Philippines, Central Visayas (region), Bohol (island).	€ 5,00 t/m € 10,00
Mirapecten rastellum (Lamarck, 1819).	Philippines, Cebu (province), Mactan (island), Punta Engaño.	€ 0,80 t/m € 7,50
Euvola raveneli (Dall, 1898).	USA, Florida, Port Canaveral.	€ 1,80 t/m € 3,80
Serratovola rubicunda (Récluz in Chenu, 1843).	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 1,50 t/m € 2,00
Serratovola rubicunda (Récluz in Chenu, 1843).	Philippines.	€ 2,00
Chlamys rubida (Hinds, 1845).	USA, Washington, San Juan Islands.	€ 4,50
Mimachlamys sanguinea (L., 1758).	Philippines, Sulu Archipelago. Trawled, 75 metres deep.	€ 3,00
Mimachlamys sanguinea (L., 1758).	Philippines.	€ 5,00
Mimachlamys sanguinea (L., 1758).	Philippines.	€ 3,00
Mimachlamys sanguinea (L., 1758).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,80
Mimachlamys sanguinea (L., 1758). Brown form.	Thailand, Phuket (island), Raya Island. 25-30 metres deep.	€ 0,80 t/m € 1,50
Mimachlamys sanguinea (L., 1758).	Thailand, Changwat Phuket (province), Phuket (island).	€ 2,00 t/m € 5,50
Mimachlamys sanguinea (L., 1758).	Philippines, Basilan Island.	€ 3,30
Mimachlamys sanguinea (L., 1758).	Philippines.	€ 6,50
Mimachlamys sanguinea (L., 1758).	Red Sea.	€ 3,00

		<b>Price Range</b>
Mimachlamys sanguinea (L., 1758).	Philippines, Central Visayas (region), Cebu (province), Mactan (island).	€ 4,00
Mimachlamys sanguinea (L., 1758).	Philippines, Mindanao (island), Zamboanga. From fisherman.	€ 2,00 t/m € 3,80
Mimachlamys sanguinea (L., 1758).	Philippines.	€ 2,00
Mimachlamys sanguinea (L., 1758). Juvenile.	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,50
Caribachlamys sentis (Reeve, 1853).	Florida, Government Cut, Miami. Snorkel, 5-10 feet deep, under rubble.	€ 5,00
Caribachlamys sentis (Reeve, 1853).	USA, Florida, Big Pine Key.	€ 4,50
Caribachlamys sentis (Reeve, 1853).	Florida, Pompano Beach, 2 miles south of Hillsboro Light. 3 m deep.	€ 2,80
Euvola sericea (Hinds, 1845).	Panama, Gobernadora Island.	€ 10,00
Gloripallium speciosum (Reeve, 1853).	Japan.	€ 4,00
Pedum spondyloideum (Gmelin, 1791).	Philippines, Mactan (island). 7 m deep, embedded in braincorals, scuba.	€ 10,00
Scaechlamys squamata (Gmelin, 1791).	Taiwan, south-west of.	€ 1,00 t/m € 1,30
Laevichlamys squamosa (Gmelin, 1791).	Thailand, Changwat Phuket (province), Phuket (island).	€ 1,00 t/m € 2,00
Laevichlamys squamosa (Gmelin, 1791).	Malaysia, Straits of Malacca. From shrimp fishery.	€ 2,00 t/m € 3,50
Laevichlamys squamosa (Gmelin, 1791).	Philippines.	€ 1,30
Laevichlamys squamosa (Gmelin, 1791).	Thailand, Changwat Phuket (province), Phuket (island).	€ 1,00 t/m € 2,00
Laevichlamys squamosa (Gmelin, 1791).	Australia, Western Australia, Broome. Shallow, under rocks. 55 mm	€ 4,00
Laevichlamys squamosa (Gmelin, 1791).	Philippines.	€ 1,50
Laevichlamys squamosa (Gmelin, 1791).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,00 t/m € 2,00
Laevichlamys squamosa (Gmelin, 1791).	Thailand, Changwat Phuket (province), Phuket (island).	€ 1,00 t/m € 2,00
Annachlamys striatula (L., 1758).	Taiwan. East China Sea.	€ 2,50
Annachlamys striatula (L., 1758).	South China Sea.	€ 3,50
Annachlamys striatula (L., 1758).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 m	€ 1,00
Annachlamys striatula (L., 1758).	Philippines, Sibuguey Bay.	€ 1,80
Nodipecten subnodosus (Sowerby I, 1835).	Mexico, Baja California, Pichilingue. Fishing.	€ 5,00 t/m € 7,00
Swiftopecten swiftii (Bernardi, 1858).	Japan, Hokkaido.	€ 7,00
Swiftopecten swiftii (Bernardi, 1858).	Japan.	€ 10,00
Palliolum tigerinum (Müller, 1776).	North Sea, English, Klondyke, trawled at 30-40 metres deep.	€ 6,00
Mimachlamys varia (L., 1758).	France, Brittany, Le Pô. In oysterpit and waste heaps at an oysterfarm.	€ 1,50
Mimachlamys varia (L., 1758).	France, Brittany. Gulf of Morbihan.	€ 1,80 t/m € 2,30
Mimachlamys varia (L., 1758).	France, Brittany, Golfe du Morbihan, Locq Maria Quer.	€ 1,30
Mimachlamys varia (L., 1758).	France, Brittany, Golfe de Morbihan, Locmariaquer. Snorkling, 1-2 m deep.	€ 1,00
Mimachlamys varia (L., 1758).	France, Brittany.	€ 2,00
Mimachlamys varia (L., 1758).	Ireland, County Cork, Bantry.	€ 3,00
Mimachlamys varia (L., 1758).	France, Brittany, Morbihan (department), Carnac.	€ 1,00 t/m € 1,80
Mimachlamys varia (L., 1758). rocks; low tide.	France, Brittany, Saint-Jacut-de-la-Mer. Sand/mud flats;	€ 0,75

		<b>Price Range</b>
Mimachlamys varia (L., 1758).	Portugal. Olhao fishing village. In nets on the quays.	€ 0,75
Mimachlamys varia (L., 1758). sand at 20-30 metres. Live.	France, Belle Ile sur Mer, Morbihan. Trawled north of Le Palais on silty	€ 0,75
Mimachlamys varia (L., 1758). Meaban.	France, Morbihan, Baie de Quiberon. Live, low tide under stones at Rochers	€ 1,00
Mimachlamys varia (L., 1758).	Spain, Province of Málaga, Fuengirola.	€ 0,50
Argopecten ventricosus (Sowerby II, 1842).	Mexico, Baja California Sur (state), La Paz.	€ 3,50
Brachtechlamys vexillum (Reeve, 1853).	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 1,50 t/m € 3,50
Brachtechlamys vexillum (Reeve, 1853).	Philippines, Luzon, Bicol Region, Sorsogon. Dredged, 8-15 metres.	€ 3,00
Brachtechlamys vexillum (Reeve, 1853).	Philippines.	€ 1,30
Brachtechlamys vexillum (Reeve, 1853).	Philippines, Moro Gulf.	€ 2,50
Delectopecten vitreus (Gmelin, 1791).	Suriname, South America.	€ 2,50
Complicachlamys wardiana Iredale, 1939.	Philippines, off Masbate Island, dredged at 50-70 metres.	€ 4,00
Complicachlamys wardiana Iredale, 1939.	Philippines, Luzon, Sorsogon. In sand under rocks, 10-20 metres deep.	€ 2,50
Complicachlamys wardiana Iredale, 1939.	Australia, Western Australia, Broome. Extreme low tide.	€ 2,00
Mizuhopecten yessoensis (Jay, 1839).	Japan, Honshu (island), Chubu region, Aichi Prefecture, Mikawa Bay.	€ 9,50
Mizuhopecten yessoensis (Jay, 1839).	Japan, northern.	€ 3,80
Mizuhopecten yessoensis (Jay, 1839).	Russia, Primorskij Kraj, Posjet. Sea of Japan. 10 metres deep, trawled.	€ 27,50
Talochlamys zelandiae (Gray in Dieffenbach, 1843).	New Zealand, Foureaux Straits. Trawled at 60 metres by oyster fishermen.	€ 3,80
Talochlamys zelandiae (Gray in Dieffenbach, 1843).	New Zealand, South Island, Otago Peninsula, off Dunedin.	€ 2,50
Talochlamys zelandiae (Gray in Dieffenbach, 1843). m., amongst green mussels.	New Zealand, South Island, Stewart Island, Patterson Inlet. Dived at 10-20	€ 5,00
Euvola ziczac (L., 1758).	Honduras.	€ 7,50
<b>Penicillidae</b>		
Brechites spec. .	Australia, W.A., near Broome. Buried in sand, at extreme low tide.	€ 10,00
<b>Periplomatidae</b>		
Periploma margaritaceum (Lamarck, 1801).	Venezuela, Nueva Esparta (state), Isla El Coche.	€ 2,00
<b>Personidae</b>		
Distorsio anus (L., 1758).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 2,00
Distorsio anus (L., 1758).	Thailand, Changwat Phuket (province), Phuket (island).	€ 2,00 t/m € 3,00
Distorsio anus (L., 1758).	Philippines.	€ 2,75
Distorsio clathrata (Lamarck, 1816).	Bahamas, Green Turtle Cay (island).	€ 2,30
Distorsio clathrata (Lamarck, 1816).	Florida, W.S.W. off Ft. Myers Beach, 150 feet deep, dredged by trawler.	€ 1,30 t/m € 2,30
Distorsio decipiens (Reeve, 1844).	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 1,00 t/m € 6,00
Distorsio decipiens (Reeve, 1844).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,00 t/m € 2,80
Distorsio habei Lewis, 1972.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep. 44 mm	€ 4,00 t/m € 6,50
Distorsio habei Lewis, 1972.	Philippines.	€ 3,00



	<b>Price Range</b>
Distorsio kurzi Petuch & Harasewych, 1980.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep. € 2,50 t/m € 4,80
Distorsio kurzi Petuch & Harasewych, 1980.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep. € 1,00 t/m € 4,50
Distorsio perdistorta Fulton, 1938.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep. 53 mm € 6,00
Distorsio perdistorta Fulton, 1938.	Philippines, Bohol (province), Balicasag Island. 380 metres deep. € 3,50 t/m € 6,00
Distorsio reticularis (L., 1758).	Philippines, Luzon (island), Tayabas Bay. € 2,50 t/m € 3,80
Distorsio reticularis (L., 1758).	Taiwan, Taiwan Channel. € 1,50 t/m € 3,00
Distorsio reticularis (L., 1758).	Philippines, Cebu (province), Mactan (island), Punta Engaño. € 1,00 t/m € 2,50
Distorsio reticularis (L., 1758).	Japan. € 5,00
Distorsio smithi (von Maltzan, 1884).	Senegal, Cap-Vert, N'Gor Island, Pointe des Almadies. Fishing harbour.. € 2,00 t/m € 4,50
<b>Petricolidae</b>	
Petricola lithophaga (Retzius, 1786).	France, Charente-Maritime (department), La Rochelle. Bay of Biscay. € 0,80
Petricola pholadiformis Lamarck, 1818.	France, Brittany, Côtes-d'Armor (department), Erquy. € 1,00
Petricola pholadiformis Lamarck, 1818.	The Netherlands, Scheveningen. On the beach after a storm. € 1,30
<b>Phasianellidae</b>	
Phasianella australis (Gmelin, 1791).	Australia, Western Australia, Esperance. € 3,50
Phasianella australis (Gmelin, 1791).	Australia, W.A., east of Esperance, Lucky Bay. 2-3 m, at night. € 9,00
Phasianella australis (Gmelin, 1791).	Australia, W.A., E. of Esperance, Lucky Bay. 2-3 m, amongst ribbon weed. € 4,00 t/m € 7,50
Phasianella australis (Gmelin, 1791).	Australia, Tasmania. € 6,50
Phasianella australis (Gmelin, 1791). Amongst ribbon weed & sand.	Australia, Western Australia, east of Esperance, Lucky Bay. 2-3 m deep. € 6,50
Phasianella solida (Born, 1778).	New Caledonia, Nouméa, Anse Vatá. Beach, Chateau Royal. € 1,30
Phasianella solida (Born, 1778).	Japan, Honshu (island). € 1,50
Phasianella ventricosa Swainson, 1832.	Australia, Western Australia, Esperance. On sand, 3-5 m under Jetty. € 4,50
<b>Pholadidae</b>	
Barnea candida (L., 1758).	Spain, Playa Rio Mar. € 0,50 t/m € 1,00
Barnea candida (L., 1758).	North Sea fishery. € 2,00 t/m € 2,50
Barnea candida (L., 1758).	UK, Scotland, Fife, St Andrews. € 0,80 t/m € 1,00
Barnea candida (L., 1758).	France, Brittany, Saint-Jacut-de-la-Mer. Collected dead. € 0,70 t/m € 1,20
Cyrtopleura costata (L., 1758).	USA, Florida, Tampa Bay. Undeep in mud. € 3,50 t/m € 10,00
Pholas dactylus L., 1758.	France, Brittany, Ille-et-Vilaine, alive in front of Aquarium of Dinard. € 4,00
<b>Pinnidae</b>	
Pinna muricata L., 1758.	Tanzania, Zanzibar, Fumba (village). On the beach. € 2,00
Atrina vexillum (Born, 1778).	Tanzania, Zanzibar, Fumba (village). On the beach. € 3,00
<b>Placunidae</b>	
Placuna ephippium (Philipsson, 1788).	Philippines, Palawan (province), Palawan (island). € 3,50

		<b>Price Range</b>
Placuna placenta (L., 1758).	Philippines, Central Visayas (region), Bohol (island).	€ 2,30
<b>Planaxidae</b>		
Planaxis lineatus (da Costa, 1778).	Curacao, Lesser Antilles Islands, Playa Canoa	€ 0,50
Planaxis sulcatus (Born, 1780).	Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.	€ 0,80
Planaxis sulcatus (Born, 1780).	Vanuatu, Éfaté Island, Port-Vila, Pacific Ocean.	€ 0,40
Planaxis sulcatus (Born, 1780).	Philippines, Luzon (island), Batangas (province), Batangas City.	€ 1,50
Planaxis sulcatus (Born, 1780).	Tanzania, Zanzibar, south of Zanzibar Town, Coconut Beach.	€ 0,50
Planaxis sulcatus (Born, 1780).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,00
Planaxis sulcatus (Born, 1780).	Egypt, Safaga. Red Sea.	€ 0,30 t/m € 0,50
<b>Pleurotomariidae</b>		
Peretrochus hirasei (Pilsbry, 1903).	Taiwan, northern coast. East China Sea.	€ 30,00
Peretrochus hirasei (Pilsbry, 1903).	Japan, Shikoku (island), Kochi Prefecture, Tosa Bay. Fished.	€ 25,00
Peretrochus hirasei (Pilsbry, 1903).	E. China, Zhejiang, Hangzhou. East China Sea. Trawl, 200 m, sandy bottom.	€ 15,00 t/m € 25,00
Peretrochus hirasei (Pilsbry, 1903).	China, trawled off Litang. East China Sea. 80-150 metres deep.	€ 5,00 t/m € 7,50
Peretrochus teramachii Kuroda, 1955.	East China, Zhejiang Province, Hangzhou, off Zhoushan Qundao Archipelago. Eastern China Sea. Trawled at 400-500 m, on coarse gravel and sandy mud. W/O. 64½ mm - 100 mm	€ 19,50 t/m € 45,00
Peretrochus teramachii Kuroda, 1955.	Taiwan, from fisherman of Kaoshiung. Trawled in East China Sea.	€ 40,00
Peretrochus westralis (Whitehead, 1987).	Australia, W. Australia, Port Hedland, trawled off North West Shelf.	€ 9,00
<b>Plicatulidae</b>		
Plicatula gibbosa Lamarck, 1801.	USA, Florida, Gulf of Mexico, Sanibel Island.	€ 2,50
Plicatula gibbosa Lamarck, 1801.	Lower Florida Keys, Looe Key Reef. 6 feet deep, coral rubble, snorkel.	€ 1,30 t/m € 1,80
Plicatula gibbosa Lamarck, 1801.	USA, Florida, St. Petersburg. Boat ramp.	€ 0,50
Plicatula muricata Sowerby, 1873.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 0,50 t/m € 1,50
Plicatula muricata Sowerby, 1873.	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,80
<b>Potamididae</b>		
Cerithidea albonodosa Gould & Carpenter, 1857.	Mexico, Baja California, Bahía de los Ángeles. Gulf of California.	€ 0,40
Velacumantis australis Quoy & Gaimard, 1834.	Australia, N.S.W., Port Stephens, off Dutchman's Beach.	€ 1,00 t/m € 2,30
Cerithidea californica Haldeman, 1840.	USA, California, Orange County, Laguna Beach.	€ 0,40
Cerithidea cingulata (Gmelin, 1791).	Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.	€ 0,30 t/m € 1,50
Pirenella conica (de Blainville, 1826).	Tunisia, Monastir.	€ 0,30
Pirenella conica (de Blainville, 1826).	Italy, Sicily (region), Province of Trapani, Marsala. Ebb, taken alive.	€ 2,00
Pirenella conica (de Blainville, 1826).	Egypt, South Sinai, Dahab. Gulf of Aqaba.	€ 1,00
Tympanotonus fuscatus (L., 1758).	The Gambia, Lamin Lodge. Atlantic Ocean.	€ 0,30
Tympanotonus fuscatus (L., 1758).	Senegal. West Africa. Atlantic Ocean.	€ 0,75 t/m € 2,00

Tympanotonus fuscatus f. radula (L., 1758).  
 Rhynocoryne humboldti (Valenciennes, 1832).  
 Batillaria minima (Gmelin, 1791).  
 Batillaria minima (Gmelin, 1791).  
 Cerithidea obtusa (Lamarck, 1822).  
 Terebralia palustris (L., 1767).  
 Terebralia palustris (L., 1767).  
 Terebralia palustris (L., 1767).  
 Terebralia palustris (L., 1767).  
 Cerithidea reidi Houbriek, 1986.  
 Cerithidea scalariformis (Say, 1825).  
 Terebralia sulcata (Born, 1778).  
 Terebralia sulcata (Born, 1778).  
 Terebralia sulcata (Born, 1778).  
 Telescopium telescopium (L., 1758).

### Propeamussiidae

Propeamussium sibogai (Dautzenberg & Bavay, 1904). Damaged.

### Psammobiidae

Tagelus adansonii (Bosc, 1801).  
 Tagelus adansonii (Bosc, 1801).  
 Tagelus adansonii (Bosc, 1801).  
 Tagelus affinis (Adams, 1852).  
 Tagelus affinis (Adams, 1852).  
 Soletellina alba (Lamarck, 1818).  
 Psammotellina biradiata (Wood, 1815).  
 Tagelus californianus (Conrad, 1837).  
 Azorinus chamasolen (da Costa, 1778).  
 Hiatula chinensis (Mörch, 1854).  
 Asaphis deflorata (L., 1758).  
 Asaphis deflorata (L., 1758).  
 Asaphis deflorata (L., 1758).  
 Asaphis deflorata (L., 1758).  
 Gari depressa (Pennant, 1777).  
 Gari depressa (Pennant, 1777).

The Gambia, Bakau. Atlantic Ocean.  
 Panama, Bocas del Toro, Punta Icaco. Pacific Ocean. Low tide, on rocks.  
 USA, Florida, Key Largo.  
 USA, Florida, Marco Island, Tiger Tail Beach.  
 Philippines.  
 Tanzania, Zanzibar. East Africa. Indian Ocean.  
 Tanzania, Zanzibar, Unguja Ukuu (settlement).  
 Madagascar Island. East Africa. Indian Ocean. In mangrove area.  
 Australia, Western Australia, Port Hedland. Mangrove, mud flats.  
 Florida, Lee County, Estero Bay, C. E. Johnson State Park. Ebb, mangroves.  
 Philippines, Central Visayas (region), Cebu (island).  
 Australia, Western Australia, Carnarvon.  
 Australia, Western Australia, Port Hedland. Among mangroves.  
 Philippines.

Philippines, Samar (island). 100-200 metres deep, trawled.

The Gambia, Bakau. Atlantic Ocean.  
 Senegal, Saint Louis. West Africa. From fisherman, shallow, in sand/mud.  
 The Gambia, Tanji. Atlantic Ocean.  
 Mexico, Baja California Sur (state), Bahía Concepción. Gulf of California.  
 Mexico, Baja California Sur (state), Puerto San Carlos. Dead, mangroves.  
 Australia, New South Wales, Sydney, Frenchmans Beach.  
 Australia, Western Australia, near Albany, Oyster Bay, Coraki. Ebb.  
 Mexico, Baja California (state), Ensenada. Bahía de Todos Santos.  
 Spain, Andalusia (region), Province of Málaga, Marbella. Fished.  
 Indonesia, South Sulawesi, 5 km south off Makassar (city). On mud flats.  
 Curaçao, Lesser Antilles Islands.  
 USA, Florida Keys. Between mangroves.  
 Suriname, South America.  
 Curaçao, Spaanse Water, Lesser Antilles Islands.  
 Aruba, Aruba, Lesser Antilles Islands.  
 France, Brittany, Côtes-d'Armor (department), Tréburden.  
 UK, Scotland, Aultbea.

### Price Range

€ 0,50  
 € 4,00  
 € 1,50  
 € 0,50  
 € 0,50 t/m € 1,00  
 € 7,50  
 € 8,00  
 € 1,80 t/m € 3,30  
 € 3,50 t/m € 4,50  
 € 5,00  
 € 2,00  
 € 1,00  
 € 2,50  
 € 1,50  
 € 2,80 t/m € 3,60  
 € 5,00  
 € 1,00  
 € 2,30  
 € 0,50  
 € 2,50  
 € 3,00  
 € 1,00 t/m € 2,00  
 € 1,30  
 € 2,50 t/m € 3,50  
 € 2,00  
 € 0,80  
 € 1,00 t/m € 2,30  
 € 0,70 t/m € 0,80  
 € 2,50 t/m € 3,30  
 € 0,80 t/m € 1,50  
 € 0,40 t/m € 0,80  
 € 0,80 t/m € 1,50  
 € 0,80 t/m € 1,50

		<b>Price Range</b>
Gari depressa (Pennant, 1777).	France, Brittany.	€ 0,80
Gari depressa (Pennant, 1777).	Ireland, Clare, Ballyvaghan.	€ 0,80 t/m € 1,30
Soletellina diphos (L., 1771).	Philippines, Central Visayas (region), Cebu (island).	€ 3,50
Soletellina diphos (L., 1771).	Malaysia, Sarawak, Santubong. In mud.	€ 2,00
Soletellina diphos (L., 1771).	Australia, Queensland, Keppel Bay.	€ 2,00
Solecurtus divaricatus (Lischke, 1869).	Taiwan. East China Sea.	€ 7,50
Solecurtus divaricatus (Lischke, 1869).	Japan, Honshu (island), Kansai (region), Kyoto.	€ 3,50
Solecurtus divaricatus (Lischke, 1869).	China, Yellow Sea. Trawled at about 20 metres, on a sand&mud bottom.	€ 9,00
Tagelus divisus (Spengler, 1794).	Bonaire, Lesser Antilles Islands, Playa Lechi.	€ 1,30
Gari elongata (Lamarck, 1818).	Indonesia, Oost-Nusa Tenggara, Lembata (island), Lewoleba. On beach.	€ 1,50 t/m € 2,50
Gari elongata (Lamarck, 1818).	Singapore, from Kranji Park. Collected on a mudflat.	€ 3,00
Gari elongata (Lamarck, 1818).	Indonesia, Moluccas Islands, Ambon Island, Natsepa.	€ 3,50
Gari fervensis (Gmelin, 1791).	Spain, Andalusia (region), Province of Málaga, Marbella.	€ 1,20
Gari fervensis (Gmelin, 1791).	UK, Scotland, Aultbea.	€ 1,50 t/m € 2,00
Gari fervensis (Gmelin, 1791). Halves.	Spain, Andalusia (region), Province of Málaga, Marbella.	€ 0,40
Gari inflata (Bertin, 1880).	Indonesia, Oost-Nusa Tenggara, Lembata (island), Lewoleba. Dead on beach.	€ 2,00 t/m € 3,00
Pharus legumen (L., 1758).	France, Brittany, Finistère (department), Point Penmarc'h.	€ 2,30
Pharus legumen (L., 1758).	France, Brittany, Finistre, St. Anne de la Palud.	€ 2,30
Pharus legumen (L., 1758).	UK, Wales, North Wales (region), Merionethshire (county), Harleck.	€ 1,00 t/m € 2,00
Gari maculosa (Lamarck, 1818).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,50
Gari maculosa (Lamarck, 1818).	Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.	€ 0,80 t/m € 1,30
Azorinus minutus (Dunker, 1862).	Australia, Queensland, Kurrimine Beach. Dead, on a muddy bottom.	€ 2,50
Tagelus plebeius (Lightfoot, 1786).	Brazil, Bahai (state). Atlantic Ocean.	€ 3,80 t/m € 4,80
Tagelus plebeius (Lightfoot, 1786).	USA, Virginia, Northampton County, Cape Charles.	€ 3,00 t/m € 4,00
Gari radiata (Dunker, 1845).	Indonesia, Oost-Nusa Tenggara, Lembata (island), Lewoleba. On beach.	€ 2,00
Solecurtus scopula (Turton, 1822).	Spain, Andalusia (region), Province of Málaga, Marbella. Fished.	€ 2,00 t/m € 3,00
Gari spec. .	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 2,50
Gari stangeri Gray, 1843.	New Zealand, Auckland, Takapuna Beach. In sand/mud, shallow.	€ 1,00 t/m € 1,80
Gari stangeri Gray, 1843.	New Zealand, Auckland, Rangitoto Island. In sand at 25 feet deep.	€ 1,00 t/m € 1,50
Solecurtus strigilatus (L., 1758).		€ 5,00
Solecurtus strigilatus (L., 1758).	Italy, Province of Latina, Formia. Fished.	€ 2,00 t/m € 4,00
Gari truncata (L., 1767).	Taiwan, south-west. South China Sea.	€ 2,50
Gari truncata (L., 1767).	Australia, Queensland, Kurrimine Beach. Dead on beach.	€ 2,25
Asaphis violascens (Forskål, 1775).	Philippines, Palawan (province), Palawan (island).	€ 2,50
Asaphis violascens (Forskål, 1775).	Mauritius. Indian Ocean. In mangrove area.	€ 0,50 t/m € 0,75

Asaphis violascens (Forskål, 1775).  
 Asaphis violascens (Forskål, 1775).  
 Asaphis violascens (Forskål, 1775).  
 Gari virescens (Deshayes, 1855).

## Pteriidae

Pteria colymbus (Röding, 1798).  
 Pinctada maculata (Gould, 1850).  
 Pinctada radiata (Leach, 1814).  
 Pinctada radiata (Leach, 1814).  
 Pteria sterna (Gould, 1851).

## Pyramidellidae

Otopleura auriscati (Holten, 1802).  
 Pyramidella ventricosa (Guerin, 1831).

## Ranellidae

Cymatium aquatile (Reeve, 1844).  
 Cymatium aquatile (Reeve, 1844).  
 Cymatium aquatile (Reeve, 1844).  
 Cymatium comptum (Adams, 1855).  
 Cymatium comptum (Adams, 1855).  
 Gyryneum cuspidatum (Reeve, 1844).  
 Cabestana cutacea dolaria (L., 1767).  
 Cymatium encausticum (Reeve, 1844).  
 Cymatium encausticum (Reeve, 1844).  
 Cymatium exile (Reeve, 1844).  
 Cymatium gutturnium (Röding, 1798).  
 Cymatium gutturnium (Röding, 1798).  
 Cymatium gutturnium (Röding, 1798).  
 Cymatium gutturnium (Röding, 1798).  
 Cymatium gutturnium (Röding, 1798).  
 Gyryneum gyrynum gyrynum (L., 1758).  
 Gyryneum gyrynum gyrynum (L., 1758).  
 Cymatium hepaticum (Röding, 1798).  
 Cymatium labiosum (Wood, 1828).  
 Gyryneum lacunatum (Mighels, 1845).  
 Charonia lampas lampas (L., 1758).

West Samoa Island, Upolu (island), Apia.  
 Egypt, South Sinai, Dahab. Gulf of Aqaba.  
 Indonesia, Greater Sunda Islands, East Java (province), Madura Island.  
 Indonesia, Oost-Nusa Tenggara, Lembata (island), Lewoleba. On beach.

Aruba, Punta Brabo.  
 Malaysia, Pulau Perhentian Besar. Dead, beach.  
 Egypt, Dahab. Gulf of Aqaba. About 5 m., attached to stone in lagoon.  
 Mexico, Baja California (state), Todos Santos. Dead, beach.

Philippines.  
 Philippines, Palawan (province), Palawan (island).

Egypt, Safaga. Red Sea.  
 Solomon Islands, Pacific Ocean.  
 Thailand, Changwat Phuket (province), Phuket (island).  
 Philippines, Central Visayas (region), Bohol (island).  
 Philippines, Bohol (province), close to Panglao Island, Balicasag Island.  
 Philippines, Bohol (province), close to Panglao Island, Balicasag Island.  
 Morocco, M'diq. Mediterranean Sea. Trawled by local fishermen.  
 Philippines, Caldoban Island, Bohol (island). From divers. 50 mm  
 Philippines, Central Visayas (region), Cebu (island).  
 Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.  
 Philippines, Manila Bay. From fisherman. 50 mm  
 Philippines, Mindanao (island), Davao Region, Davao City.  
 Philippines, Bohol (province), close to Panglao Island, Balicasag Island.  
 Philippines, Central Visayas (region), Bohol (province), Panglao Island.  
 Philippines, Sulu Archipelago.  
 Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.  
 Philippines, Visayas (region), Samar (island).  
 Philippines, Visayas (region), Samar (island).  
 Madagascar, Anosy Region, Tôlanaro (Fort Dauphin).  
 Philippines, Bohol, bij Panglao, Balicasag Island. Tangle net, 160 metres.  
 Spain, Province of Málaga, Fuengirola.

## Price Range

€ 0,50 t/m € 0,75  
 € 0,50  
 € 1,50  
 € 1,50  
 € 3,50  
 € 2,50  
 € 3,00  
 € 2,50  
 € 2,00  
 € 0,50  
 € 1,50  
 € 1,30  
 € 2,00  
 € 1,00 t/m € 2,00  
 € 2,00  
 € 2,50 t/m € 2,80  
 € 0,50 t/m € 2,30  
 € 3,50  
 € 4,80  
 € 1,50  
 € 5,00  
 € 4,80  
 € 3,50  
 € 1,00 t/m € 4,80  
 € 4,50 t/m € 6,50  
 € 3,00 t/m € 6,50  
 € 0,50  
 € 1,30 t/m € 1,80  
 € 1,00 t/m € 1,30  
 € 4,50  
 € 2,30  
 € 12,50

		<b>Price Range</b>
Charonia lampas rubicunda (Perry, 1811).	Australia, New South Wales, Port Jackson. Fished. Dead.	€ 3,50
Gyrineum longicaudatum Beu, 1998.	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,00
Cymatium lotorium (L., 1758).	Philippines, Central Visayas (region), Cebu (island).	€ 4,00 t/m € 6,00
Cymatium lotorium (L., 1758).	Thailand, Changwat Phuket (province), Phuket (island).	€ 4,00 t/m € 7,50
Fusitriton magellanicus laudanus Finlay, 1927.	New Zealand, S.I., Otago Peninsula, off Dunedin. 160-190 metres deep.	€ 5,00 t/m € 6,50
Fusitriton magellanicus magellanicus (Röding, 1798).	Argentina, offshore, 45°00'-45°40'S & 60°07'W, 140 metres, on mud.	€ 2,50 t/m € 6,50
Fusitriton magellanicus magellanicus (Röding, 1798).	Uruguay.	€ 11,50
Fusitriton magellanicus magellanicus (Röding, 1798).	Argentina, offshore, 45°00'-45°40'S & 60°07'W, 140 metres deep. 77 mm	€ 10,00 t/m € 12,50
Cymatium mundum (Gould, 1849).	Philippines, Panglao, Bohol. From tangle net fisherman. 21 mm	€ 3,00
Cymatium muricinum (Röding, 1798).	Tanzania, Zanzibar. East Africa. Indian Ocean.	€ 1,30
Cymatium nicobaricum (Röding, 1798).	Bahamas, Green Turtle Cay (island).	€ 2,30 t/m € 3,00
Cymatium nicobaricum (Röding, 1798).	The Grenadines Islands, Windward Islands. Caribbean.	€ 1,30 t/m € 1,50
Ranella olearia (L., 1758).	Spain, Valencian Community, Province of Alicante, Santa Pola. Fished.	€ 6,00
Ranella olearia (L., 1758).	Spain, Andalusia (region), Málaga. Mediterranean Sea. Fished.	€ 5,00
Cymatium parthenopeum parthenopeum (von Salis, 1793). beach after storm.	Australia, New South Wales, Kurnell, Botany Bay. Live and littoral and on	€ 3,50
Cymatium parthenopeum parthenopeum (von Salis, 1793).	New Zealand, South Island, Otago Peninsula.	€ 3,00 t/m € 7,50
Cymatium parthenopeum parthenopeum (von Salis, 1793).	Brazil. Atlantic Ocean.	€ 5,00 t/m € 11,50
Gyrineum perca (Perry, 1811).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,00 t/m € 3,50
Cymatium perryi Emerson & Old, 1963.	Thailand, Changwat Phuket (province), Phuket (island).	€ 3,50 t/m € 10,00
Cymatium perryi Emerson & Old, 1963.	Sri Lanka, Southern Province, Koggala.	€ 3,00
Cymatium pileare (L., 1758).	Philippines, Camotes, Pacijan Islands. 8 metres deep, by hooka divers.	€ 1,00
Cymatium pileare (L., 1758).	Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.	€ 1,30 t/m € 2,30
Cymatium pileare (L., 1758).	Australia, northern Queensland, Undine Reef.	€ 0,80 t/m € 8,75
Cymatium pileare (L., 1758).	French Polynesia, Marquesas Islands, Nuku Hiva Island. 1-3 metres deep.	€ 1,30 t/m € 2,30
Cymatium pileare (L., 1758).	The Grenadines Islands, Windward Islands, Caribbean.	€ 1,80
Cymatium pileare (L., 1758).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,00
Cymatium pileare (L., 1758).	Indonesia, Greater Sundra Islands, East Java (province), Madura Island.	€ 1,00 t/m € 1,50
Gyrineum pulchrum (Gray, 1836).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,50
Argobuccinum pustulosum tumidum (Dunker, 1862).	New Zealand, South Island, Otago Peninsula, off Dunedin.	€ 1,80 t/m € 2,30
Cymatium pyrum (L., 1758).	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 2,00 t/m € 6,00
Cymatium pyrum (L., 1758).	Philippines, Central Visayas (region), Bohol (island).	€ 2,30 t/m € 6,50
Cymatium pyrum (L., 1758).	Philippines, Central Visayas (region), Bohol (island).	€ 3,50
Gyrineum roseum (Reeve, 1844).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 2,50
Cymatium rubeculum (L., 1758).	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 1,00 t/m € 2,00
Cymatium rubeculum (L., 1758).	Philippines, Cebu (province), Mactan (island), Punta Engaño.	€ 1,00 t/m € 1,80

Cymatium sarcostomus (Reeve, 1844).  
 Cymatium sarcostomus (Reeve, 1844).  
 Cymatium sarcostomus (Reeve, 1844).  
 Sassia semitorta (Kuroda & Habe, 1952).  
 Cabestana spengleri (Perry, 1811).  
 Cabestana spengleri (Perry, 1811).  
 Linatella succincta (L., 1771).  
 Cymatium tenuiliratum (Lischke, 1873).  
 Cymatium testudinarium (A. Adams & Reeve, 1850).  
 Cymatium testudinarium (A. Adams & Reeve, 1850).  
 Cymatium trigonum (Gmelin, 1791). Dredged.  
 Charonia tritonis tritonis (L., 1758).  
 Charonia tritonis variegata (Lamarck, 1816).  
 Charonia tritonis variegata (Lamarck, 1816).  
 Charonia tritonis variegata (Lamarck, 1816).

## Ringiculidae

Ringicula conformis Monterosato, 1877.

## Rissoidae

Alvania lactea (Michaud, 1830).  
 Rissoa variabilis (von Mühlfeldt, 1824).  
 Rissoina zonata Suter, 1909.

## Semelidae

Abra alba (W. Wood, 1802).  
 Abra alba (W. Wood, 1802).  
 Semele jukesii (Reeve, 1853).  
 Cumingia lamellosa Sowerby, 1833.  
 Scrobicularia plana (da Costa, 1778).  
 Scrobicularia plana (da Costa, 1778).  
 Semele sinensis Adams, 1853.  
 Semele zebuensis (Hanley).

## Siliquariidae

Siliquaria anguina (L., 1758).  
 Siliquaria cumingi Mörch, 1860.

## Siphonariidae

Thailand, Phuket, ±2 hours by boat from Rawai, Raya Island.  
 Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.  
 Philippines, Central Visayas (region), Cebu (island).  
 Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.  
 Australia, South Australia.  
 Australia, New South Wales, Garie Beach. Live, littoral.  
 Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.  
 Philippines, Bohol (province), close to Panglao Island, Balicasag Island.  
 Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.  
 Philippines, Mindanao (island), Davao Region, Davao City.  
 Senegal, Cap-Vert, N'Gor Island, Pointe des Almadies. Fishing harbour.  
 Philippines, Central Visayas (region), Bohol (island).  
 Brazil, Bahai (state), Porto Seguro. Atlantic Ocean.  
 Caribbean area.  
 Cuba, Punta Covarrubias, Hotel Villa Covarrubias. Snorkeling, 15 m deep.

N.W. Spain, Laredo, bij Santander, Bay of Biscay.

France, Brittany, Saint-Malo.  
 France, Var (department), Toulon, le Brusuc.  
 New Zealand, north Island, Doubtless Bay. Under stones, ebb. 9 mm

The Netherlands, Zandvoort.  
 The Netherlands, Scheveningen.  
 Thailand, Changwat Phuket (province), Phuket (island).  
 USA, California, La Jolla.  
 France, Brittany, Baie de la Frênaye. In mud.  
 The Netherlands, Zeeland.  
 Thailand. Gulf of Thailand. Southeast Asia.  
 Japan, Honshu (island).

Australia, Western Australia, off Port Hedland. From fisherman. 31 mm  
 Japan.

## Price Range

€ 4,30  
 € 4,00  
 € 1,20 t/m € 3,00  
 € 2,50 t/m € 5,00  
 € 3,50  
 € 2,50 t/m € 3,00  
 € 2,50 t/m € 4,00  
 € 0,50 t/m € 2,50  
 € 2,00 t/m € 3,00  
 € 2,00 t/m € 3,50  
 € 3,00  
 € 15,00 t/m € 100,00  
 € 85,00  
 € 19,00  
 € 45,00  
  
 € 1,80  
  
 € 0,50  
 € 0,50  
 € 4,00  
  
 € 1,00  
 € 0,50  
 € 1,00  
 € 1,80  
 € 0,30 t/m € 0,70  
 € 0,50  
 € 2,50  
 € 1,30  
  
 € 0,50  
 € 1,30 t/m € 4,30

		<b>Price Range</b>
Siphonaria javanica (Lamarck, 1819).	Thailand, Changwat Phuket (province), Phuket (island).	€ 1,30
Siphonaria javanica (Lamarck, 1819).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 0,50
Siphonaria laciniosa (L., 1758).	Thailand, Coral Island, offshore Phuket (island). 1 metres deep on rocks.	€ 2,30
Siphonaria lessoni (Blainville, 1824).	Argentina, The Valdes Pen., Golfo Nuevo. Low tide on rocks.	€ 2,50
Siphonaria pectinata (L., 1758).	Portugal, Ile de Calatra.	€ 0,40
Siphonaria pectinata (L., 1758).	Spain, Andalusia (region), Barbate.	€ 1,00
Siphonaria pectinata (L., 1758).	USA, Florida.	€ 0,50
Siphonaria pectinata (L., 1758).	Cape Verde, Sal(island). Atlantic Ocean.	€ 0,40
Siphonaria pectinata (L., 1758).	Tunisia, Jendouba Governorate, Tabarka. Mediteranean Sea.	€ 0,70
Siphonaria pectinata (L., 1758).	Spain, Andalusia (region), Province of Málaga, Marbella.	€ 1,00
Siphonaria pectinata (L., 1758).	Spain, Gran Canaria, Las Palmas.	€ 1,00
Siphonaria pectinata (L., 1758).	Portugal, Paredes.	€ 0,50
Siphonaria pectinata (L., 1758).	Morocco. North Africa.	€ 0,50
<b>Solenidae</b>		
Solen gordonis Yokoyama, 1920.	Japan, Wakayama prefecture, Nada.	€ 2,25
Solen marginatus Pulteney, 1799.	France, Brittany, Ille-et-Vilaine (departement), Bay of Dinard.	€ 0,80
<b>Spirulidae</b>		
Spirula spirula L., 1758.	Spain, Canary Islands, Fuerteventura.	€ 0,25
Spirula spirula L., 1758.	Australia, Western Australia, Geraldton. Floating in surf.	€ 1,90
Spirula spirula L., 1758.	Sri Lanka, Southern Province, Kosgoda.	€ 2,00
Spirula spirula L., 1758.	Australia, Western Australia, Shark Bay.	€ 1,50 t/m € 2,30
Spirula spirula L., 1758.	Egypt, Charm El Naja, Red Sea, at ebb, Littoral zone.	€ 1,00 t/m € 2,30
<b>Spondylidae</b>		
Spondylus americanus Hermann, 1781.	Venezuela, Margarita Island. Offshore by Cubagnay Island. 20-25 m deep.	€ 6,50 t/m € 20,00
Spondylus americanus Hermann, 1781.	Caribbean area.	€ 9,00 t/m € 17,50
Spondylus barbatus Reeve, 1856.	Japan, Honshu (island), Kansai (region), Kyoto.	€ 4,00
Spondylus barbatus Reeve, 1856.	Eastern Thailand, Talokapo.	€ 4,00
Spondylus barbatus Reeve, 1856.	Philippines, Sulu Archipelago.	€ 3,00 t/m € 4,50
Spondylus croceus Schreibers, 1793.	Philippines.	€ 2,50 t/m € 4,50
Spondylus croceus Schreibers, 1793.	Philippines.	€ 4,50
Spondylus echinatus f. albibarbatus Reeve, 1856.	Philippines, N. of Cebu (island), Gato Island. Dived at 10-15 metres deep. 99 mm - 105 mm	€ 10,00 t/m € 15,00
Spondylus echinatus f. albibarbatus Reeve, 1856.	Philippines.	€ 8,50 t/m € 12,50
Spondylus echinatus Schreibers, 1793.	Philippines.	€ 6,50
Spondylus gaederopus L., 1758.	Mediterranean Sea.	€ 8,00 t/m € 15,00



		<b>Price Range</b>
Spondylus gaederopus L., 1758.	Greece, Leipsoi. Near Turkey.	€ 19,50
Spondylus gaederopus L., 1758.	Greece, Central Macedonia (region), Halkidiki. Dived, ±8 metres deep.	€ 4,50 t/m € 10,00
Spondylus gloriosus visayensis Poppe & Tagaro, 2010.	Philippines, Camotes islands. 30-45 metres deep.	€ 22,50 t/m € 27,50
Spondylus limbatus Sowerby II, 1847.	USA, California.	€ 4,00
Spondylus occidens Sowerby, 1902.	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 5,00 t/m € 10,00
Spondylus sinensis Schreibers, 1793.	Philippines.	€ 5,00
Spondylus sinensis Schreibers, 1793.	Philippines, Central Visayas (region), Cebu (island), Bantayan Island.	€ 6,00 t/m € 8,00
Spondylus sinensis Schreibers, 1793.	Philippines.	€ 3,80
Spondylus spec. .		€ 4,00
Spondylus squamosus Schreibers, 1793.	Solomon Islands. Pacific Ocean.	€ 8,00
Spondylus squamosus Schreibers, 1793.	Philippines.	€ 5,00
Spondylus tenuis Schreibers, 1793.	Brazil, Espírito Santo (state), Meaibe. On reef by lobster nets.	€ 12,50 t/m € 17,50
Spondylus tenuis Schreibers, 1793.	Curaçao, Lesser Antilles Islands.	€ 9,00
Spondylus tenuis Schreibers, 1793.	Brazil. Atlantic Ocean.	€ 15,00
Spondylus varius Sowerby, 1829.	Philippines, Albay province, Batan Island. On coral reef, 15-24 m deep.	€ 12,50 t/m € 15,00
Spondylus violaceus Reeve, 1856.	Philippines.	€ 4,50 t/m € 7,50
Spondylus zonalis Lamarck, 1819.	Thailand, Phuket, near Raya Island. Scuba diver, on rocks and dead coral.	€ 5,00 t/m € 8,00
<b>Stomatellidae</b>		
Stomatella imbricata Lamarck, 1822.	Australia, New South Wales, Botany Bay.	€ 0,80 t/m € 1,50
Pseudostomatella papyracea (Gmelin, 1791).	Philippines, Sulu (province), Siasi. Sulu Sea. From fisherman. 22 mm	€ 6,00
Pseudostomatella papyracea (Gmelin, 1791).	Indonesia, Nusu Tenggara Islands (Lesser Sunda Islands).	€ 4,00
<b>Strombidae</b>		
Strombus alatus Gmelin, 1791.	USA, Florida, Sanibel. Low tide, exposed on sand bars, snorkeling.	€ 2,80
Strombus alatus Gmelin, 1791.	USA, Florida, Big Pine Key.	€ 2,50
Strombus aratrum (Röding, 1798).	Vietnam.	€ 7,50
Strombus aratrum (Röding, 1798).		€ 7,50
Strombus aratrum (Röding, 1798).	Australia, Queensland, Dingo Beach. On sand bar at low tide.	€ 5,00
Strombus aurisdianae L., 1758.	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,00
Strombus aurisdianae L., 1758.	Philippines.	€ 1,00
Strombus bulla (Röding, 1798).	Philippines, Visayas (region), Samar (island).	€ 2,00
Strombus bulla (Röding, 1798).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,50
Strombus bulla (Röding, 1798).		€ 2,50
Strombus bulla (Röding, 1798).	New Guinea.	€ 1,50
Strombus campbelli Griffith & Pidgeon, 1834.	Australia, Western Australia, Shark Bay.	€ 2,00
Strombus campbelli Griffith & Pidgeon, 1834.	Australia, Queensland, Keppel Bay.	€ 4,00

		<b>Price Range</b>
Strombus canarium L., 1758.	India, Tamil Nadu (state), Madras [Chennai].	€ 2,50
Strombus canarium L., 1758.	Philippines.	€ 1,50
Strombus canarium L., 1758.	Indonesia.	€ 1,25
Strombus canarium L., 1758.	India, Tamil Nadu, Rameswaram. Gulf of Mannar. Trawled.	€ 2,80
Lambis chiragra arthritica Röding, 1798.	Kenya, Coast Province, Mombasa County, Mombasa. East Africa.	€ 10,00
Lambis chiragra chiragra (L., 1758). Juvenile.	Sri Lanka, Southern Province, Kosgoda.	€ 5,00
Lambis chiragra chiragra (L., 1758).	Philippines, Central Visayas (region), Bohol (island).	€ 3,50
Lambis chiragra chiragra (L., 1758).	Indonesia, Greater Sunda Islands, East Java (province), Madura Island.	€ 5,00 t/m € 9,50
Strombus chrysostomus (Kuroda, 1942).	Philippines, Cebu (province), Mactan (island), Punta Engaño.	€ 6,50
Strombus costatus Gmelin, 1791.	Aruba, Lesser Antilles Islands.	€ 5,00 t/m € 12,50
Strombus costatus Gmelin, 1791.	USA, Florida, Big Pine Key, 7 Mile Bridge.	€ 25,00
Rimella crispata (Sowerby, 1842).	Philippines, Bohol (province), close to Pangalo, Balicasag island.	€ 4,00
Lambis crocata crocata (Link, 1807).	Vietnam.	€ 4,00 t/m € 7,50
Lambis crocata crocata (Link, 1807).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 4,00 t/m € 5,50
Lambis crocata crocata (Link, 1807).	Madagascar, Anosy Region, Tôlanaro (Fort Dauphin).	€ 4,00 t/m € 7,50
Lambis crocata crocata (Link, 1807).	Kenya. East Africa. Indian Ocean.	€ 4,00
Strombus decorus decorus (Röding, 1798).	Thailand, Phuket (island), Raya Island. 25-30 metres deep.	€ 0,50 t/m € 0,80
Tibia delicatula Nevill, 1881.	India, Madras. Dredged.	€ 4,00
Strombus dentatus L., 1758.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 1,50
Strombus dentatus L., 1758.	Mozambique. East Africa. Indian Ocean.	€ 2,00
Lambis digitata (Perry, 1811).	Tanzania, Zanzibar.	€ 5,00
Strombus dilatatus dilatatus Swainson, 1821.	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 2,00
Strombus dilatatus swainsoni Reeve, 1850.	Vietnam, South Central Coast (region), Da Nang (Đà Nẵng). By fisherman.	€ 3,00
Strombus epidromis L., 1758.	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 2,50
Strombus epidromis L., 1758.	Philippines, Cebu (province), Mactan (island), Punta Engaño.	€ 4,00
Strombus erythrinus Dillwyn, 1817. In shallow water.	Philippines, Cebu (province), Caubian Island. Dived, 20-30 m deep.	€ 1,50
Strombus erythrinus Dillwyn, 1817.	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 2,00
Strombus erythrinus Dillwyn, 1817.	Philippines, Visayas (region), Samar (island).	€ 1,00
Strombus erythrinus Dillwyn, 1817.	Thailand, Changwat Phuket (province), Phuket (island).	€ 1,00
Strombus fasciatus Born, 1778.	Egypt, Safaga. Red Sea.	€ 1,80
Strombus fasciatus Born, 1778.	Tarabin, Beduin village. Gulf of Aqaba.	€ 1,00 t/m € 2,00
Strombus fasciatus Born, 1778.	Egypt, Safaga. Red Sea. In mud.	€ 1,50
Tibia fusus (L., 1758).	Philippines, Luzon (island). South China Sea.	€ 7,50 t/m € 10,00
Strombus galeatus Swainson, 1823.	Mexico, Baja California Sur, 5 km north of Mulegé. Gulf of California. Between algae covered rocks.	€ 35,00 t/m € 45,00
Strombus galeatus Swainson, 1823.	Mexico, Baja California Sur, La Paz, Pichilingue. Fished.	€ 29,50

		<b>Price Range</b>
Strombus gallus L., 1758.	Isla Guadalupe. Pacific Ocean.	€ 8,00
Strombus gallus L., 1758.	Brazil, S. Bahia, off Corumbau, in sand at 15-20 m, dived.	€ 8,50
Strombus gallus L., 1758.	Martinique, Cap Salomon. 8 metres deep between huge rocks.	€ 12,50
Strombus gallus L., 1758.	Haiti. Caribbean Sea.	€ 9,50 t/m € 15,00
Strombus gibberulus albus Mörch, 1850.	Egypt, Safaga, Sand Island. Red Sea. Live in sand and seaweed.	€ 1,80
Strombus gibberulus albus Mörch, 1850.	Egypt, Ras Burka. Red Sea. In sand.	€ 2,00
Strombus gibberulus albus Mörch, 1850.	Egypt, Red Sea.	€ 0,50 t/m € 1,00
Strombus gibberulus gibberulus L., 1758.	Madagascar, Foulpointe. East Africa. Indian Ocean. In algae.	€ 2,50
Strombus gibberulus gibberulus L., 1758.	Tanzania, East Zanzibar, Chwaka Beach. East Africa.	€ 2,00
Strombus gibberulus gibberulus L., 1758.	Kenya, Mombasa Reef. Low tide.	€ 0,50 t/m € 1,00
Strombus gibberulus gibberulus L., 1758.	Philippines, Cebu.	€ 2,00
Strombus gibberulus gibbosus (Röding, 1798). Dwarf.	Philippines.	€ 3,00
Strombus gibberulus gibbosus (Röding, 1798).	Philippines, Visayas (region), Samar (island).	€ 1,20
Strombus goliath Schröter, 1805.	Brazil, Pernambuco (state), Recife. Atlantic Ocean.	€ 67,50 t/m € 195,00
Strombus gracilior Sowerby, 1825.	Mexico, Baja California Sur, Mulegé. Undeep, among sand and weeds.	€ 2,00
Strombus granulatus Swainson, 1822.	Mexico, Baja California Sur, Mulegé. At a depth of 10 m. on sand.	€ 3,00
Strombus granulatus Swainson, 1822.	Mexico. Gulf of California.	€ 5,00
Strombus hickeyi (Willan, 2000).	Indonesia.	€ 3,50
Tibia insulaechorab f. curta Sowerby I, 1842.	India.	€ 5,00
Tibia insulaechorab f. curta Sowerby I, 1842.	India, Tamil Nadu (state), Rameswaram.	€ 4,00 t/m € 7,00
Tibia insulaechorab Röding, 1798.	Ethiopia. 18 m. deep.	€ 5,00 t/m € 7,00
Strombus iredalei Abbott, 1960.	Australia, Western Australia, Desault Bay. Low tide on sand/reef.	€ 5,00
Strombus kleckhamae boholensis Mühlhauser, 1981.	Philippines, Bohol (province), Panglao Island. From tangle net fisherman. 57 mm	€ 10,00 t/m € 15,00
Strombus kleckhamae boholensis Mühlhauser, 1981.	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 7,50 t/m € 10,00
Strombus labiatus labiatus (Röding, 1798). On exposed sand flats. ORANGE.	Philippines, Visayas (region), Samar (island). Found by local fisherman.	€ 2,50
Strombus labiatus labiatus (Röding, 1798).		€ 0,75
Strombus labiatus labiatus (Röding, 1798).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 0,50 t/m € 1,50
Strombus labiatus labiatus (Röding, 1798).	Philippines.	€ 0,50
Strombus labiatus olydius Duclos, 1844.	Mozambique, Nampula Province, Nacala Bay. Dived at 5-10 m.	€ 4,00
Strombus labiosus Wood, 1828.	Madagascar, Toliara (Tulear). East Africa. Indian Ocean. From fishermen.	€ 6,00
Lambis lambis (L., 1758).	Philippines.	€ 3,00
Strombus latus Gmelin, 1791.	Senegal, Dakar Region, Dakar. West Africa. Atlantic Ocean.	€ 10,00
Strombus latus Gmelin, 1791.	Senegal. West Africa. Atlantic Ocean.	€ 6,50 t/m € 9,50
Strombus latus Gmelin, 1791.	West Africa.	€ 10,00

		<b>Price Range</b>
Strombus lentiginosus L., 1758.	Thailand, Changwat Phuket (province), Phuket (island).	€ 1,80
Strombus lentiginosus L., 1758.	Malaysia, Sabah (state), N.E. Borneo. Live between dead coral on sand.	€ 2,00
Strombus lentiginosus L., 1758.	Philippines.	€ 1,50
Strombus lentiginosus L., 1758.	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,50
Strombus lentiginosus L., 1758.	Tanzania, Zanzibar, Nungwi.	€ 1,80
Strombus listeri Gray, 1852.	Philippines.	€ 6,50
Strombus listeri Gray, 1852.	India.	€ 6,50
Strombus listeri Gray, 1852.	India, Andaman Sea. South of Myanmar. Trawled.	€ 4,50
Strombus listeri Gray, 1852.	India, Madras. Fished.	€ 4,50
Strombus luhuanus L., 1758.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 0,50
Strombus luhuanus L., 1758.	Indonesia, Moluccas Islands, Ambon Island, Pulau Pombo.	€ 1,00
Strombus luhuanus L., 1758.	Thailand, Changwat Phuket (province), Phuket (island).	€ 0,50
Strombus maculatus Sowerby, 1842.	Marshall Islands, Kwajalein Atoll.	€ 3,00
Strombus marginatus marginatus L., 1758.	India.	€ 2,00
Strombus marginatus marginatus L., 1758.	Thailand, Phuket (island), Raya Island. 25-30 metres deep.	€ 0,80
Strombus marginatus robustus Sowerby, 1874.	Indonesia.	€ 1,50
Strombus marginatus septimus Duclos, 1844.	Thailand, Krabi Province, Koh Lanta Yai (island), Koa Kwang Beach.	€ 1,00
Strombus marginatus septimus Duclos, 1844.	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 3,00
Strombus marginatus succinctus L., 1767.	India, Tamil Nadu, South Rameswaram. Gulf of Mannar. From fishermen.	€ 2,00
Tibia martinii (Marratt, 1877).		€ 4,00
Tibia martinii (Marratt, 1877).	Philippines, Luzon (island), Tayabas Bay.	€ 7,50 t/m € 12,50
Strombus microurceus Kira, 1959.	Philippines, Bohol (province), Calituban Island. Dived at ±30 metres deep.	€ 7,00
Lambis millepeda (L., 1758).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 3,50 t/m € 4,50
Lambis millepeda (L., 1758).	Indonesia, Java (island).	€ 4,50
Strombus mutabilis Swainson, 1821.	Egypt, Safaga. Red Sea. In coral sand.	€ 0,50
Strombus mutabilis Swainson, 1821.	Egypt, Safaga. Red Sea.	€ 0,50
Strombus mutabilis Swainson, 1821.	Tanzania, Zanzibar, Bwejuu. On rocks with hermitkrab.	€ 1,80
Strombus mutabilis Swainson, 1821.	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 0,50
Strombus mutabilis Swainson, 1821.	Philippines.	€ 0,50
Strombus mutabilis Swainson, 1821.	Kenya, Mombasa Reef. East Africa. Indian Ocean.	€ 1,80
Strombus mutabilis Swainson, 1821.	Indonesia.	€ 0,50
Strombus mutabilis f. zebriolatus Adams & Leloup, 1938.	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 2,50
Strombus oldi Emerson, 1965.	Somalia, Mogadishu. Bajuni Islands.	€ 70,00
Strombus oldi Emerson, 1965.	Somalia, Berbera. East Africa. Indian Ocean.	€ 25,00
Strombus peruvianus Swainson, 1823.	Mexico, Sinaloa (state), off Mazatlán. Trawled. 130 mm	€ 10,00 t/m € 22,50

		<b>Price Range</b>
Strombus pipus Röding, 1798.	Malaysia, Sabah (state), Semporna. Live, fished Sulu Sea.	€ 2,50
Strombus pipus Röding, 1798.	Philippines, Batayan Island, N. of Cebu. From pearl fisherman. 58 mm	€ 4,80
Strombus pipus Röding, 1798.	Philippines, Mindanao (island), Zamboanga.	€ 1,50 t/m € 3,00
Strombus plicatus columba Lamarck, 1822.	Mozambique. East Africa. Indian Ocean.	€ 3,50
Strombus plicatus plicatus (Röding, 1798).	Northern Somalian Coast. Trawled off-shore.	€ 5,00
Strombus plicatus pulchellus Reeve, 1851.	Solomon Islands. Pacific Ocean.	€ 3,00
Strombus plicatus pulchellus Reeve, 1851.	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 3,00
Strombus plicatus pulchellus Reeve, 1851.	Philippines, Cebu, Santa Rosa Island. Dived, 30-40 m, sand.	€ 2,00
Strombus plicatus siboldi Sowerby, 1842.	India, Tamil Nadu (state), off Madras [Chennai]. Trawled.	€ 5,00
Strombus plicatus siboldi Sowerby, 1842.	India, Tamil Nadu (state), Madras [Chennai]. Trawled.	€ 6,50
Tibia powisi f. laurenti Duchamps, 1992.	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 2,50
Tibia powisi (Petit, 1842).	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 2,00
Tibia powisi (Petit, 1842).	Taiwan. East China Sea.	€ 3,00
Strombus pugilis pugilis L., 1758.	USA, Florida, Boca Raton. Scuba, 45 feet deep, on sand and algae bottom.	€ 4,50
Strombus pugilis pugilis L., 1758.	Venezuela, Margarita Island, Porlamar region. By diver, 2-15 metres deep.	€ 2,80 t/m € 6,50
Strombus pugilis pugilis L., 1758.	Caribbean Sea.	€ 5,00
Strombus raninus Gmelin, 1791.	USA, Florida, Key West.	€ 3,50
Strombus raninus Gmelin, 1791.	Cuba. Caribbean.	€ 5,00
Strombus raninus Gmelin, 1791.	USA, Florida, S. of Marathon. On sand & grass flats in 3-6 feet.	€ 3,80
Strombus raninus Gmelin, 1791.	Dominican Republic. Collected by local diver.	€ 5,00
Strombus raninus Gmelin, 1791.	Saint Vincent and the Grenadines. Lesser Antilles. 6 metres deep.	€ 4,50
Strombus raninus Gmelin, 1791.		€ 3,50 t/m € 6,00
Lambis scorpius indomaris Abbott, 1961.	Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.	€ 4,50
Lambis scorpius indomaris Abbott, 1961.	Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.	€ 3,00
Lambis scorpius indomaris Abbott, 1961.	Sri Lanka, Southern Province, Kosgoda.	€ 4,00 t/m € 7,50
Lambis scorpius scorpius (L., 1758).	Philippines.	€ 3,50 t/m € 4,50
Lambis scorpius scorpius (L., 1758).	Thailand, Changwat Phuket (province), Phuket (island).	€ 2,50 t/m € 5,00
Strombus taurus Reeve, 1857. Bag of five.	Marshall Islands. Dived 15 m. in coral sand.	€ 40,00
Strombus terebellatus terebellatus Sowerby, 1842.	Philippines, Cebu (province), Caubian Island. Dived, ±30 metres deep.	€ 2,50
Terebellum terebellum (L., 1758).	Thailand, Phuket (island). Southeast Asia. 25-30 metres deep.	€ 0,80 t/m € 1,30
Terebellum terebellum (L., 1758).	Philippines.	€ 0,80
Terebellum terebellum (L., 1758).	Philippines, Bohol (province), close to Panglao, Balicasag island.	€ 1,00 t/m € 1,50
Strombus thersites Swainson, 1823.	New Caledonia Island, Prony Bay. Night time scuba dive, on reef.	€ 20,00 t/m € 40,00
Strombus tricornis Humphrey, 1786.	Red Sea.	€ 4,50 t/m € 12,00
Strombus tricornis Humphrey, 1786.	Republic of Djibouti, Sept Freres Island. Northeast Africa.	€ 10,00 t/m € 15,00

		<b>Price Range</b>
Strombus tricornis Humphrey, 1786. Dark form.	Somalia. East Africa. Indian Ocean.	€ 5,00 t/m € 15,00
Strombus tricornis Humphrey, 1786.	Eritrea, Dahlak Archipelago. Red Sea.	€ 4,50 t/m € 8,00
Lambis truncata truncata Humphrey, 1786.	Kenya, Coast Province, Mombasa County, Mombasa. In shallow water.	€ 12,50
Strombus turturella (Röding, 1798).	Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.	€ 1,00 t/m € 2,00
Strombus turturella (Röding, 1798).	Thailand, Changwat Phuket (province), Phuket (island).	€ 3,50
Strombus urceus urceus L., 1758.	Philippines.	€ 0,50 t/m € 0,80
Strombus urceus urceus L., 1758.	Thailand, Phuket, Wayai Island, Qhgng Nga Bay. By local fisherman.	€ 4,50
Strombus urceus urceus L., 1758. Colour form.	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,00
Strombus urceus urceus L., 1758.	Thailand, Changwat Phuket (province), Phuket (island).	€ 0,50
Strombus urceus urceus f. ustulatus Schumacher, 1817.	Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.	€ 1,00
Strombus urceus urceus f. ustulatus Schumacher, 1817.	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,00
Strombus variabilis athenius Duclos, 1844.	Philippines, Palawan (island). Coral reef, by diver.	€ 6,50
Strombus variabilis variabilis Swainson, 1820.	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,50
Strombus variabilis variabilis Swainson, 1820.		€ 1,00
Strombus variabilis variabilis Swainson, 1820.	Thailand. Southeast Asia.	€ 1,50 t/m € 2,50
Strombus variabilis variabilis Swainson, 1820.	Philippines.	€ 1,00 t/m € 1,80
Strombus variabilis variabilis Swainson, 1820.	Indonesia, Greater Sundra Islands, East Java (province), Madura Island.	€ 1,30
Strombus variabilis variabilis Swainson, 1820.	Malaysia, Sabah (state), Borneo, off Semporna. Live on sea grass.	€ 2,00
Strombus vittatus apicatus Man in't Veld & Visser, 1993.	Philippines, N. of Cebu, Bantayan Island, pearl fisherman. 52 mm	€ 3,80
Strombus vittatus apicatus Man in't Veld & Visser, 1993.	Thailand, Krabi Province, Ao Nang. Strait of Malacca.	€ 3,00
Strombus vittatus apicatus Man in't Veld & Visser, 1993.	Thailand, Changwat Phuket (province), Phuket (island).	€ 2,50
Strombus vittatus entropi Man in't Veld & Visser, 1993.	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 3,00
Strombus vittatus entropi Man in't Veld & Visser, 1993.	Philippines, Manilla Bay.	€ 3,50
Strombus vittatus entropi Man in't Veld & Visser, 1993.	Philippines, Central Visayas (region), Cebu (island).	€ 1,80
Strombus vittatus vittatus L., 1758.	Southern Philippines.	€ 1,00
Lambis wheelwright Green, 1978.	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 20,00
<b>Struthiolariidae</b>		
Struthiolaria papulosa (Martyn, 1784).	New Zealand, Auckland, Takapuna Beach. Washed up after storm.	€ 2,30 t/m € 4,50
Struthiolaria papulosa (Martyn, 1784).	New Zealand, North Island, Leigh. Dived.	€ 3,30
Struthiolaria papulosa (Martyn, 1784).	New Zealand, Stewart Island, Paterson Inlet. Trawled.	€ 4,00
Tylospira scutulata (Gmelin 1791).	Australia, New South Wales, Eden.	€ 1,50 t/m € 2,50
Struthiolaria vermis (Martyn, 1784).	New Zealand, North Auckland.	€ 1,00 t/m € 2,50
<b>Tellinidae</b>		
Tellina albinella Lamarck, 1818.	Australia, South Australia, Goolwa Beach.	€ 2,00
Tellina albinella Lamarck, 1818.	Australia, northern New South Wales.	€ 2,00

		<b>Price Range</b>
Tellina albinella Lamarck, 1818.	Australia, New South Wales, Twofold Bay, Boyds Beach.	€ 1,80
Tellina angulosa Gmelin, 1791.	Venezuela, Nueva Esparta (state), Isla El Coche.	€ 2,50
Macoma balthica (L., 1758).	Netherlands, Oostvoorne.	€ 0,50
Macoma balthica (L., 1758).	The Netherlands, Scheveningen.	€ 0,20
Macoma balthica (L., 1758).	France, Brittany, Baie de la Frênaye. Ebb, mud.	€ 0,20
Strigilla carnaria (L., 1758).	USA, Florida.	€ 2,00
Macoma constricta (Bruguière, 1792).	Brazil, Bahai (state). Atlantic Ocean.	€ 2,00
Arcopagia crassa (Pennant, 1777).	France, Brittany, Côtes-d'Armor (department), Erquy.	€ 2,30
Tellidora cristata (Récluz, 1842).	USA, Florida, Marco Island. On sand, mud flat, on seagrass at low tide.	€ 3,50
Tellina fabula Gmelin, 1791.	The Netherlands, Wijk aan Zee.	€ 0,80
Tellina fabula Gmelin, 1791.	North Sea, Black Sand, HD7.	€ 0,50
Tellina fausta Pulteney, 1799.	Venezuela. 3 metres deep.	€ 1,50
Tellina fausta Pulteney, 1799.	Curaçao, San Juan, Lesser Antilles Islands.	€ 0,80 t/m € 2,00
Tellina foliacea L., 1758.	Philippines.	€ 1,80 t/m € 3,00
Tellina foliacea L., 1758.	Australia, Queensland, Keppel Bay.	€ 2,50
Tellina foliacea L., 1758.	Gulf of Oman. South East Arabia.	€ 5,00
Gastrana fragilis (L., 1758).	Spain, Valencian Community, Province of Alicante, Alicante.	€ 0,80
Gastrana fragilis (L., 1758).	Southern France, Banyuls.	€ 1,00
Tellina gaimardi Iredale, 1915.	New Zealand, Auckland, Browns Bay. In sandy mud, spring ebb.	€ 1,30 t/m € 1,80
Nitidotellina hokkaidoensis (Habe, 1961).	Japan, Honshu (island), Aichi Prefecture, Mikawa. 40 metres deep.	€ 1,75
Tellina incarnata L., 1758.	France, Brittany, Finistère (department), Point Penmarc'h.	€ 1,80
Tellina incarnata L., 1758.	Italy, Adria, Lignano Pineta.	€ 1,30
Tellina incarnata L., 1758.	France, Brittany, Saint-Jacut-de-la-Mer.	€ 1,00
Tellina inflata Gmelin, 1791.	Australia, Queensland, Keppel Bay. Trawled.	€ 1,80 t/m € 2,30
Tellina lineata Turton, 1819.	Suriname, South America.	€ 0,80
Tellina lineata Turton, 1819.	Mexico, Yucatan. Golf of Mexico.	€ 1,00
Tellina lineata Turton, 1819.	USA, Florida, Gulf of Mexico, Fort Myers, Carl Johnson Park.	€ 0,50
Tellina listeri Röding, 1798.	Curaçao, Barbara Beach, Lesser Antilles Islands.	€ 1,30 t/m € 2,30
Tellina listeri Röding, 1798.	Aruba, Spanish Lagoon. Lesser Antilles Islands.	€ 2,00
Tellina listeri Röding, 1798.	Bahamas, Eleuthera Island. 2-3 metres deep, snorkeling.	€ 2,30 t/m € 3,30
Macoma nasuta (Conrad, 1837).	USA, California, Sunset Bay.	€ 1,25
Macoma nasuta (Conrad, 1837).	USA, California, Sunset Bay, Seal Beach.	€ 0,80
Tellina nitida Poli, 1791.	Spain, Valencian Community, Province of Alicante, Alicante, Los Molinos.	€ 0,80
Tellina nitida Poli, 1791.	France, Var (department), Bandol. Mediterranean Sea.	€ 0,50
Tellina nitida Poli, 1791.	Spain, San Carlos de la Rápita.	€ 0,80 t/m € 1,50

		<b>Price Range</b>
Tellina palatum (Iredale, 1929).	Mauritius, Ile aux Cerfs. Indian Ocean.	€ 1,30 t/m € 2,00
Tellina palatum (Iredale, 1929).	Tanzania, East Zanzibar, Chwaka Bay. East Africa.	€ 1,30
Tellina palatum (Iredale, 1929).	Tanzania, Zanzibar , Unguja South Region, Uroa Beach.	€ 0,50
Tellina perna Spengler, 1798.	Australia, Queensland, Swain Reefs.	€ 2,50
Tellina perna Spengler, 1798.		€ 2,00
Strigilla pisiformis (L., 1758).	Caribbean Sea.	€ 0,30
Tellina planata L., 1758.	Spain, Mallorca Island, Arenal.	€ 0,30
Tellina planata L., 1758.	Greece, Marathón beach. 1-1½ metres deep.	€ 0,30 t/m € 1,00
Strigilla pseudocarnaria Boss, 1969.	Caribbean area.	€ 2,00
Tellina pulcherrima Sowerby, 1825.	Australia, northern Queensland, Torres Strait.	€ 1,80
Tellina pulcherrima Sowerby, 1825.	Taiwan. East China Sea.	€ 1,80
Tellina pulcherrima Sowerby, 1825.	Taiwan, southern region. East China Sea.	€ 1,70
Tellina radiata L., 1758.	Caribbean area.	€ 2,00
Tellina radiata L., 1758.	Aruba, Malmok, Lesser Antilles Islands. Dived, 3 metres in sand.	€ 1,80 t/m € 2,30
Tellina radiata L., 1758.	Bahamas.	€ 1,30 t/m € 2,00
Tellina radiata L., 1758.	Cuba, Playa Santa Lucia, 4 metres deep on eelgrass.	€ 1,00 t/m € 2,00
Tellina rastellum Hanley, 1844.	Australia, Queensland. Dredged in Fitzroy Lagoon.	€ 1,30 t/m € 2,30
Tellina remies L., 1758.	Solomon Islands, Malaita (island), Ata'a (village). Pacific Ocean.	€ 1,00
Tellina remies L., 1758.	Fiji, Fiji Island. Pacific Ocean.	€ 1,30 t/m € 1,80
Tellina rostrata L., 1758.	Australia.	€ 2,50
Tellina spec. .	Madagascar. East Africa. Indian Ocean.	€ 8,50
Tellina spec. .	Thailand, Changwat Phuket (province), Phuket (island), Rawai, Chalong Bay.	€ 1,00
Tellina spec. .	Thailand, Changwat Phuket (province), Phuket (island), Rawai, Chalong Bay.	€ 1,00
Tellina staurella Lamarck, 1818.	Australia, Western Australia, Broome.	€ 2,00
Tellina staurella Lamarck, 1818.	Philippines, Sulu Sea. Trawled by local fishermen.	€ 1,30 t/m € 1,50
Tellina staurella Lamarck, 1818.	Solomon Islands, Pacific Ocean.	€ 0,80
Tellina tenuis da Costa, 1778.	Spain, Torremolinos.	€ 0,20
Tellina tenuis da Costa, 1778.	Greece, Epanomi.	€ 0,20
Tellina tenuis da Costa, 1778.	France, Brittany, Côtes-d'Armor (department), Tréburden.	€ 0,40
Tellina tenuis da Costa, 1778.	Netherlands, Oostvoorne.	€ 0,50
Tellina tenuis da Costa, 1778.	Spain, Playa Rio Mar.	€ 0,50
Tellina tenuis da Costa, 1778.	Southern Europe. Adriatic Sea.	€ 0,20
Tellina tenuis da Costa, 1778.	France, Brittany, Les Rosaires.	€ 0,15 t/m € 0,20
Tellina trilatera Gmelin, 1791.	South Africa, Cape Province, False Bay.	€ 3,00
Tellina victoriae Gatliff & Gabriel, 1914.	Australia, Western Australia, Albany, 3 metres deep, in sand.	€ 1,50



Tellina virgata L., 1758.  
 Tellina virgata L., 1758.  
 Tellina virgata L., 1758.  
 Tellina virgata L., 1758.

## Terebridae

Terebra adamsii E.A. Smith, 1873.  
 Terebra affinis Gray, 1834.  
 Terebra affinis Gray, 1834.  
 Terebra affinis Gray, 1834.  
 Hastula albula (Menke, 1843).  
 Hastula albula (Menke, 1843).  
 Terebra amanda Hinds, 1844.  
 Terebra amanda Hinds, 1844.  
 Terebra amoena (Deshayes, 1859).  
 Terebra areolata (Link, 1807).  
 Terebra areolata (Link, 1807).  
 Terebra areolata (Link, 1807).  
 Terebra areolata (Link, 1807).  
 Terebra areolata (Link, 1807).  
 Terebra argus Hinds, 1844.  
 Terebra argus Hinds, 1844.  
 Hastula bacillus (Deshayes, 1859).  
 Duplicaria badia (Deshayes, 1859).  
 Terebra boucheti Bratcher, 1981.  
 Terebra cerithina Lamarck, 1822.  
 Terebra chlorata Lamarck, 1822.  
 Terebra chlorata Lamarck, 1822.  
 Terebra chlorata Lamarck, 1822.  
 Terebra cinerea (Born, 1778).  
 Terebra commaculata (Gmelin, 1791).  
 Terebra commaculata (Gmelin, 1791).  
 Terebra crenulata (L., 1758).  
 Terebra crenulata (L., 1758).  
 Terebra crenulata (L., 1758).  
 Terebra crenulata (L., 1758).

Australia, Western Australia, Broome.  
 Philippines, Mindanao (island), Zamboanga.  
 Australia, Western Australia, Broome.  
 Australia, Queensland, Kurrimine Beach. Snorkel.

Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.  
 Philippines.  
 Indo-Pacific.  
 Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.  
 Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.  
 Thailand, Phuket (island), Raya Island. 25-30 metres deep.  
 Thailand. Southeast Asia.  
 Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.  
 Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.  
 Philippines, Visayas (region), Samar (island).  
 Philippines, Bohol (province), close to Panglao Island, Balicasag Island.  
 Australia, Queensland, Low Isles, Low Island. Snorkeling.  
 Philippines.  
 Madagascar, off Toliara (Tulear). East Africa. Collected by a local.  
 Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.  
 Philippines, Bohol (province), close to Panglao Island, Balicasag Island.  
 Thailand, Phuket (island), Raya Island. 25-30 metres deep.  
 Taiwan. Dredged.  
 Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.  
 Japan, Okinawa (island). Shallow water.  
 Mozambique, Nampula Province, Nacala Bay area. Dived.  
 Philippines, Bohol (province), close to Panglao Island, Balicasag Island.  
 Philippines, Sulu (province), Siasi. Sulu Sea. From fisherman.  
 Brazil, Maceió.  
 Indonesia, Java (island), North Jakarta city, Jakarta Bay.  
 India, Tamil Nadu (state), Madras [Chennai].  
 Egypt, Safaga. Red Sea.  
 Philippines, Central Visayas (region), Cebu (province), Mactan (island).  
 Indonesia, West Papua (province), Manokwari, Cenderawasih Bay.  
 Philippines.

## Price Range

€ 3,50  
 € 0,50 t/m € 1,00  
 € 1,50  
 € 1,20  
 € 4,00  
 € 0,50  
 € 2,30  
 € 2,00  
 € 1,00  
 € 1,80  
 € 4,00  
 € 6,00  
 € 2,00 t/m € 2,50  
 € 7,50  
 € 0,50 t/m € 2,80  
 € 3,50  
 € 1,00 t/m € 2,30  
 € 6,00  
 € 3,00  
 € 2,50 t/m € 3,80  
 € 0,50  
 € 2,50  
 € 2,50  
 € 2,80 t/m € 3,30  
 € 2,00  
 € 2,50  
 € 2,00  
 € 2,00  
 € 2,50  
 € 3,00 t/m € 6,50  
 € 1,30 t/m € 2,80  
 € 1,30 t/m € 2,30  
 € 1,50  
 € 2,00 t/m € 6,00

		<b>Price Range</b>
Terebra crenulata (L., 1758).	Thailand, Changwat Phuket (province), Phuket (island).	€ 2,50
Terebra crenulata (L., 1758).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,00 t/m € 2,30
Terebra cumingii Deshayes, 1857.	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 2,00
Terebra dimidiata (L., 1758).	Madagascar, off Toliara (Tulear). East Africa. Collected by a local.	€ 6,00
Terebra dimidiata (L., 1758).	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 1,00 t/m € 3,00
Terebra dimidiata (L., 1758).	Indo-Pacific.	€ 1,30 t/m € 2,30
Terebra dislocata (Say, 1822).	Bahamas.	€ 1,80
Terebra dislocata (Say, 1822).	USA, Florida, Marco Island. Low water on sands.	€ 3,80
Duplicaria duplicata (L., 1758).	Malaysia, Pulau Sibiu. "Gypsy Village Beach" 2-4 m. deep on sand.	€ 2,00 t/m € 3,00
Duplicaria duplicata (L., 1758).	India, Madras. Dredged.	€ 1,50 t/m € 3,00
Duplicaria dussumierii (Kiener, 1839).	Taiwan. Fished.	€ 2,00 t/m € 3,00
Terebra felina (Dillwyn, 1817).	Thailand, Changwat Phuket (province), Phuket (island).	€ 2,00
Terebra felina (Dillwyn, 1817).	Mozambique, Nampula Province, Nacala Bay area, shallow water.	€ 3,80
Terebra felina (Dillwyn, 1817).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,80 t/m € 3,30
Terebra fenestrata Hinds, 1844.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 0,50 t/m € 3,00
Hastula hastata (Gmelin, 1791).	Bahamas.	€ 1,00 t/m € 1,30
Hastula hastata (Gmelin, 1791).	Martinique, near la Pointe du Bouc. 2 metres deep, on the beach. 18 mm	€ 3,00
Hastula hectica (L., 1758).	Indonesia, Bali (province), Bali (island), N. of Sanur, sandy beach.	€ 2,00
Hastula hectica (L., 1758).	Philippines, Luzon (island), Batangas (province), Batangas City.	€ 3,00
Hastula hectica (L., 1758).	Tanzania, Zanzibar, Uroa. East Africa. Collected by snorkeling.	€ 1,80 t/m € 3,30
Hastula lanceata (L., 1767).	Thailand, Changwat Phuket (province), Phuket (island).	€ 1,00 t/m € 2,50
Hastula lanceata (L., 1767).	Solomon Islands, Pacific Ocean.	€ 2,50
Terebra lima Deshayes, 1857.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 0,50 t/m € 1,50
Terebra mactanensis Bratcher & Cernohorsky, 1982.	Philippines, Mactan (island), Punta Engano.	€ 2,00
Terebra mactanensis Bratcher & Cernohorsky, 1982.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 1,00 t/m € 4,00
Terebra maculata (L., 1758).	Philippines, Mindanao (island), Davao Region, Davao City.	€ 3,00 t/m € 9,00
Terebra maculata (L., 1758).	Red Sea. Beach.	€ 3,00 t/m € 5,00
Terebra maculata (L., 1758).	Indonesia, West Papua (province), Manokwari, Cenderawasih Bay.	€ 1,00 t/m € 2,50
Terebra maculata (L., 1758).	Thailand, Changwat Phuket (province), Phuket (island).	€ 3,00
Terebra mariesi (E.A. Smith, 1880).		€ 1,50
Terebra nebulosa Sowerby, 1825.	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 2,00 t/m € 3,00
Terebra nebulosa Sowerby, 1825.	Thailand, Phuket (island), Raya Island. 25-30 metres deep.	€ 1,00 t/m € 1,80
Terebra ornata Gray, 1834.	Mexico. North of Manzanillo. By diver 30 metres deep, in sand.	€ 5,00
Terebra pertusa (Born, 1778).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 2,00 t/m € 8,50
Terebra plumbea Quoy & Gaimard, 1833. Set of 5.	Australia, Queensland, Mission Beach. In sand, about 1.5 metres deep.	€ 1,50

Terebra pretiosa Reeve, 1842.  
 Terebra quoygaimardi Cernohorsky & Bratcher, 1976.  
 Terebra robusta Hinds, 1844.  
 Hastula strigilata (L., 1758).  
 Terebra subulata (L., 1767).  
 Terebra succincta (Gmelin, 1791).  
 Terebra taurina (Lightfoot, 1786).  
 Duplicaria teramachii Burch, 1965.  
 Terebra textilis Hinds, 1844.  
 Terebra triseriata Gray, 1834.  
 Terebra triseriata Gray, 1834.  
 Terebra undulata Gray, 1834.  
 Terebra variegata Gray, 1834.  
 Terebra waikikiensis Pilsbry, 1921.

## Thiaridae

Faunus ater (L., 1758). A fresh water shell.  
 Faunus ater (L., 1758).  
 Faunus ater (L., 1758).  
 Faunus ater (L., 1758).  
 Pachymelania aurita (O.F. Müller, 1774).

## Thyasiridae

Thyasira flexuosa (Montagu, 1803).

## Tonnidae

Tonna allium (Dillwyn, 1817).  
 Tonna allium (Dillwyn, 1817).  
 Tonna canaliculata (L., 1758).  
 Eudolium crosseanum (Monterosato, 1869).  
 Tonna dolium (L., 1758).  
 Tonna dolium (L., 1758).  
 Tonna galea (L., 1758).  
 Tonna galea (L., 1758).  
 Tonna lischkeana (Küster, 1857).  
 Tonna oentoengi Vos, 2005.  
 Tonna perdix (L., 1758).  
 Tonna perdix (L., 1758).

Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.  
 Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.  
 Panama, Gobernadora Island.  
 India, Tamil Nadu (state), Madras [Chennai].  
 Philippines.  
 Philippines, Bohol (province), close to Panglao Island, Balicasag island.  
 Brazil, Bahia (state), Salvador. By diver, 10 metres deep, in sand.  
 Solomon Islands, Malaita (island), Ata'a (village). Pacific Ocean.  
 Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.  
 Taiwan, off An Ping Island. Alive, dredged.  
 Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.  
 Indonesia, Flores, Bidadari Island. Undeep in sand.  
 Mexico, Baja California Sur (state), 5 km. n. of Loreto. Alive in sand.  
 Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.

Thailand, Changwat Phuket (province), Phuket (island).  
 Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.  
 Philippines, Palawan (province), Palawan (island).  
 Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.  
 West Africa.

France, Brittany, Saint-Lunaire.

Australia, Queensland, Mission Beach. Live in sand, at about 4 metres.  
 Mexico, Sinaloa (state), off Mazatlán.  
 Tanzania, Zanzibar, Unguja South Region, Uroa. East Africa. Indian Ocean.  
 Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.  
 Indonesia.  
 Thailand, Krabi Province. Strait of Malacca. On beach.  
 Malaysia, Langkawi Island, Tanjung Rhu. Fished.  
 Brazil. Atlantic Ocean.  
 Thailand, Changwat Phuket (province), Phuket (island).  
 Indonesia, East Java (province), south of Madura Island, Sapekan Island.  
 Philippines.  
 Madagascar, Toliara (Tulear). East Africa. Indian Ocean. In shallow water.

## Price Range

€ 3,00 t/m € 8,00  
 € 1,50 t/m € 2,00  
 € 7,50  
 € 2,00  
 € 0,80 t/m € 3,50  
 € 2,50 t/m € 3,80  
 € 10,00  
 € 2,50  
 € 4,00 t/m € 5,00  
 € 2,00 t/m € 4,00  
 € 1,50 t/m € 3,00  
 € 2,00  
 € 1,00 t/m € 2,00  
 € 5,00 t/m € 7,50

€ 1,00 t/m € 2,50  
 € 1,00  
 € 1,00  
 € 2,50  
 € 1,00

€ 0,20

€ 2,50  
 € 3,00  
 € 3,00  
 € 2,00 t/m € 4,50  
 € 3,00  
 € 3,00  
 € 4,00  
 € 2,00 t/m € 4,50  
 € 0,75 t/m € 2,00  
 € 5,00  
 € 2,50 t/m € 6,50  
 € 7,50 t/m € 8,50

		<b>Price Range</b>
Malea pomum (L., 1758).	Southern Madagascar. East Africa. Indian Ocean.	€ 4,50
Malea pomum (L., 1758).	Philippines, Camotes, Ponson Island. Taken on coral reef, 8-15 metres.	€ 3,50
Malea pomum (L., 1758).	Madagascar, Toliara (Tulear). East Africa. Indian Ocean.	€ 2,50 t/m € 3,30
Malea pomum (L., 1758).	Mozambique. East Africa. Indian Ocean.	€ 0,50 t/m € 3,00
Malea pomum (L., 1758).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 0,75
Malea pomum (L., 1758).	Egypt, Safaga. Red Sea.	€ 0,50 t/m € 2,30
Malea pomum (L., 1758).	Egypt, Abu Mingar island, 5 km off Hurghada. Red Sea. Dead on reef.	€ 2,50
Tonna sulcosa (Born, 1778).	Taiwan. East China Sea.	€ 2,00 t/m € 3,50
Tonna sulcosa (Born, 1778).	Philippines. Sulu Sea.	€ 6,00
Tonna sulcosa (Born, 1778).	Indonesia, East Java (state), Probolinggo. Northeastern coast.	€ 2,50
Tonna tessellata (Lamarck, 1816).		€ 2,00
Tonna tessellata (Lamarck, 1816).	Indonesia, West coast Sumatra, 6 km. N. of Padang, Pasir Putih. Trawled.	€ 1,50
<b>Tornidae</b>		
Tornus subcarinatus (Montagu, 1803).	France, Brittany.	€ 0,50
<b>Trichotropidae</b>		
Trichotropis cancellata (Hinds, 1843).	USA, SE Alaska, Mitkof Island, Petersburg Harbour. At a 4 foot tide.	€ 4,50
Trichotropis cancellata (Hinds, 1843).	Canada, Vancouver Island, Departure Bay, Jessica Island.	€ 6,50
<b>Tricoliidae</b>		
Tricolia pullus (L., 1758).	Portugal, Algarve (region), between dry seaweed in harbour.	€ 2,50
Tricolia pullus (L., 1758).	Spain, Andalusia (region), Province of Málaga, Marbella.	€ 0,50
<b>Trigoniidae</b>		
Neotrigonia bednalli Verco, 1907.	Australia, South Australia, 1 km off Port Stanvac. Dredged, 15 m deep.	€ 5,50
Neotrigonia bednalli Verco, 1907.	Australia, South Australia, off port Lincoln. On sandy mud, 20 m deep.	€ 5,00 t/m € 6,50
Neotrigonia margaritacea (Lamarck, 1804).	Australia, South Australia, Port Lincoln. Dredged, 30-40 m. deep.	€ 3,00
<b>Triphoridae</b>		
Tetraphora princeps (Sowerby, 1904).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 4,00
<b>Triviidae</b>		
Triviella aperta aperta (Swainson, 1822).	South Africa, Ciskei.	€ 3,00
Triviella aperta aperta (Swainson, 1822).	South Africa, Kinnibaj.	€ 3,50
Triviella aperta neglecta (Schilder, 1930).	South Africa, Cape Province, Jeffreys Bay.	€ 3,50
Trivia arctica (Solander in Humphrey, 1797).	France, Brittany, Saint-Lunaire.	€ 0,30
Trivia maltbiana McGintry, 1942.	Brazil, Espírito Santo (state), off Guarapari. Dived at 20-25 metres deep.	€ 3,00
Trivia monacha (da Costa, 1778).	France, Brittany, Saint-Lunaire.	€ 0,30
Niveria pediculus pediculus (L., 1758).	Aruba, Malmok, Boca Catalina, Lesser Antilles Islands.	€ 0,80

Niveria pediculus pediculus (L., 1758).  
 Niveria pediculus pediculus (L., 1758).  
 Niveria pediculus pediculus (L., 1758).  
 Niveria pediculus pediculus (L., 1758).  
 Triviella phalacra Schilder, 1930.  
 Niveria quadripunctata quadripunctata (Gray, 1827).

## Trochidae

Gibbula albida (Gmelin, 1791).  
 Ginebis argenteonitens (Lischke, 1872).  
 Calliostoma armillata (Wood, 1828). On rubble, under rocks.  
 Monodonta articulata Lamarck, 1822.  
 Monodonta articulata Lamarck, 1822.  
 Tegula atra (Lesson, 1830).  
 Tegula atra (Lesson, 1830).  
 Monodonta atrata (Wood, 1828).  
 Euchelus atratus (Gmelin, 1791).  
 Euchelus atratus (Gmelin, 1791).  
 Euchelus atratus (Gmelin, 1791).  
 Clanculus atropurpureus (Gould, 1849).  
 Bathybembix bairdii (Dall, 1889).  
 Calliostoma blacki (Powell, 1950).  
 Monilea callifera (Lamarck, 1822).  
 Monodonta canalifera Lamarck, 1816.  
 Monodonta canalifera Lamarck, 1816.  
 Hybochelus cancellatus orientalis (Pilsbry, 1904).  
 Thalotia chlorostoma (Menke, 1843).  
 Thalotia chlorostoma (Menke, 1843).  
 Thalotia chlorostoma (Menke, 1843). Colour form.  
 Gibbula cineraria (L., 1758).  
 Gibbula cineraria (L., 1758).  
 Gibbula cineraria (L., 1758).  
 Monodonta constricta (Lamarck, 1822).  
 Trochus conus (Gmelin, 1791).  
 Clanculus cruciatus (L., 1758).  
 Tectus dentatus (Forskål, 1775).

Bahamas, Green Turtle Cay (island).  
 Palm Beach Co. to Broward Co. Scuba, 17 m deep, under rock rubble.  
 Curaçao, Lesser Antilles Islands.  
 USA, Lower Florida Keys, Lone Key Reef. 3-6 feet deep in seaweed.  
 South Africa.  
 Aruba, Lesser Antilles Islands.

Spain, Province of Málaga, Estepona.  
 Japan, Honshu (island), Aichi Prefecture, Mikawa. 30-50 fathoms deep.  
 Australia, N. Tasmania, eastern side of Rocky Cape. 8-12 metres deep.  
 Tunisia, Monastir.  
 Malta, Bay of Salina.  
 Chile, Tarapacá Region, Iquique, Chucumata. On beach  
 Chile, Choapa Province, Los Vilos. Local diver, on rocks in shallow water.  
 Spain, Canary Islands, Fuerteventura.  
 Australia, Western Australia, off Port Hedland. From divers. 18 mm  
 Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.  
 Philippines, Cebu (province), Mactan (island). 20 m deep, on coral/rocks.  
 Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.  
 USA, Washington, Astoria Canyon, 46°15'N, 400 fathoms, brown mud.  
 New Zealand, South Island, Otago Peninsula, off Dunedin.  
 Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.  
 Thailand, Changwat Phuket (province), Phuket (island).  
 Indonesia, Sumatra.  
 Philippines, Bohol (province), close to Panglao Island, Balicasag Island.  
 Australia, W.A., Cape Naturaliste. Fish nets at 4-50 m, on ribbon weed.  
 Australia, W.A., Perth, Two Rocks. 80-100 m, in fish nets, with weeds.  
 Australia, W.A., Cape Naturaliste, 40-50 m, on ribbon weed, in fish nets.  
 France, Brittany, Ille-et-Vilaine (departement), Dinard.  
 France, Brittany, Finistère, Point Penmarc'h, Porte de Kerity.  
 Portugal, near Lagos harbour. In dry seaweed.  
 Australia, New South Wales, Kurnell, Botany Bay. Littoral.  
 Philippines, Central Visayas (region), Bohol (island).  
 Tunisia, Zarzis.  
 Egypt, Kalau. Red Sea.

## Price Range

€ 0,50 t/m € 1,00  
 € 2,30  
 € 1,00 t/m € 2,00  
 € 0,80  
 € 5,00  
 € 0,50  
 € 0,50  
 € 8,50  
 € 10,00  
 € 0,10  
 € 0,50  
 € 3,50  
 € 3,00  
 € 0,50  
 € 2,30 t/m € 5,00  
 € 2,00 t/m € 3,00  
 € 2,00  
 € 1,30  
 € 12,50  
 € 8,00 t/m € 9,50  
 € 1,50 t/m € 2,00  
 € 1,20  
 € 4,00  
 € 3,80  
 € 6,50  
 € 6,50  
 € 6,50  
 € 0,20  
 € 0,80  
 € 7,50  
 € 2,50  
 € 6,50  
 € 0,80  
 € 0,50 t/m € 6,50

		<b>Price Range</b>
Tectus dentatus (Forskål, 1775).	Egypt, Safaga. Red Sea. Shallow, on reef.	€ 1,00 t/m € 2,00
Clanculus denticulatus (Gray, 1827).	Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.	€ 2,00
Trochus erythraeus Brocchi, 1821.	Israel, Elat. Gulf of Aqaba.	€ 1,30 t/m € 1,80
Trochus erythraeus Brocchi, 1821.	Egypt, Ras Gemsa. Red Sea.	€ 2,30
Danilia eucheliformis (Nomura & Hatai).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,50 t/m € 2,30
Jujubinus exasperatus (Pennant, 1777).	Portugal, Algarve (region).	€ 2,50
Cantharidus eximius (Perry, 1811).	Australia, New South Wales, Nambucca Shire, Nambucca Heads.	€ 1,00
Tegula fasciata (Born, 1778).	Bonaire, Lesser Antilles Islands.	€ 1,00
Tegula fasciata (Born, 1778).	Honduras, Roatan Island. On rocks, 2 metres deep. 13 mm	€ 3,80
Tectus fenestratus (Gmelin, 1791).	Australia, Western Australia, Dampier Reef.	€ 1,00 t/m € 2,00
Tectus fenestratus (Gmelin, 1791).	Philippines, Bohol (province), Calituban Island. 9 m, live under stones.	€ 1,50
Tectus fenestratus (Gmelin, 1791).	Australia, Western Australia, off Port Hedland. From fisherman. 33 mm	€ 7,50
Trochus ferreirai Bozzetti, 1996.	Philippines, Northern Samar, Capul Island. From divers, ±25 metres deep.	€ 4,00
Calliostoma formosense Smith, 1907.	Taiwan, off northern coast. East China Sea. Fished.	€ 4,00
Calliostoma formosense Smith, 1907.	Taiwan. East China Sea. Fished.	€ 4,00 t/m € 5,50
Calliostoma formosense Smith, 1907. Some polished.	Taiwan. East China Sea.	€ 1,80
Calliostoma formosense Smith, 1907.	Japan. Southern region.	€ 2,50 t/m € 4,00
Calliostoma foveauxanum (Dell, 1950).	New Zealand, South Island, Otago Peninsula, off Dunedin. 180 m deep.	€ 7,50
Tegula funebris (A. Adams, 1855).	USA, California, Newport Beach.	€ 1,00
Tegula funebris (A. Adams, 1855).	Chile, southern region.	€ 1,50
Tegula funebris (A. Adams, 1855).	Mexico, Baja California (state), Ensenada.	€ 1,30
Tegula gallina Forbes, 1850.	Mexico, Baja California, San Felipe.	€ 3,00
Umbonium giganteum (Lesson, 1831).	Japan, Honshu (island), Aichi Prefecture, Mikawa, Hazu District.	€ 2,00
Cantharidus gilberti (Montrouzier, 1878).	Philippines.	€ 0,80
Calliostoma granulatum (Born, 1778).	France, Charente-Maritime (dep.), near La Rochelle. Bay of Biscay. Fished.	€ 1,00
Calliostoma granulatum (Born, 1778).	Spain, Province of Málaga, Fuengirola. Fished.	€ 1,00 t/m € 2,50
Calliostoma granulatum (Born, 1778).	Irish Sea.	€ 1,50
Calliostoma granulatum (Born, 1778).	Spain, Andalusia (region), off Málaga. Trawled in 30 metres. Mud bottom.	€ 1,50 t/m € 2,50
Calliostoma granulatum (Born, 1778).	S.E. Spain, Peniscola.	€ 0,50
Calliostoma haliarchus (Melvill, 1889).	Japan, Honshu (island), Kansai (region), Kyoto. Fished, ±100 metres deep.	€ 10,00
Trochus hanleyanus Reeve, 1843.	Australia, Western Australia, Pilbara region, Point Samson. Live.	€ 2,00
Calliostoma javanicum (Gmelin, 1791).	Florida, Palm Beach County. Scuba in 10 fathoms deep, under rock rubble.	€ 1,50
Calliostoma jujubinum (Gmelin, 1791).	Florida, Pompano Beach, 2 miles S. of Hillsboro Light. 15 feet deep.	€ 4,50
Calliostoma jujubinum (Gmelin, 1791).	USA, Florida, 2 miles S. of Hillsboro Light. 15 feet deep, scuba.	€ 6,50
Clanculus jussieui (Payraudeau, 1826).	Spain, Andalusia (region), Province of Málaga, Marbella, Calypso.	€ 0,50

		<b>Price Range</b>
Trochus kochi Philippi, 1844.	Oman, Sadah (Şadh). Middle East. Arabian Sea.	€ 4,50
Monodonta labio (L., 1758).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,00
Monodonta labio (L., 1758).	Australia, Queensland, Mission Beach. Alive, Littoral zone.	€ 3,50
Monodonta labio (L., 1758).	Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.	€ 0,80 t/m € 1,30
Monodonta labio (L., 1758).	Australia, W.A., Exmouth Gulf. On algae covered rocks at low tide.	€ 4,50
Monodonta labio (L., 1758).	Philippines, Samar (island), Calbayog area. Intertidal. 27 mm	€ 1,50 t/m € 2,50
Monodonta labio (L., 1758).	Australia, Western Australia, Dampier.	€ 1,30
Monodonta labio (L., 1758).	Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.	€ 0,80 t/m € 1,30
Prothalotia lehmanni (Menke, 1843).	Australia, Western Australia, near Perth, Rockingham. Shoalhaven Bight.	€ 1,00
Calliostoma ligatum (Gould, 1849).	USA, California, Monterey County, Pacific Grove. On beach.	€ 2,50
Monodonta lineata (da Costa, 1778).	Portugal, Algarve (region), Faro.	€ 0,20
Monodonta lineata (da Costa, 1778).	Morocco. North Africa.	€ 1,30
Monodonta lineata (da Costa, 1778).	Morocco, Marrakesh-Tensift-El Haouz, Essaouira.	€ 0,20
Monodonta lineata (da Costa, 1778).	France, Brittany, Saint-Lunaire.	€ 0,80
Chlorostoma lischkei (Tapparone Canefri, 1874).	Japan, Hokkaido.	€ 2,00 t/m € 4,00
Tegula lividomaculata (C.B. Adams, 1845).	Bonaire, Lesser Antilles Islands.	€ 1,00
Turcica maculata (Brazier, 1877).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 4,50
Trochus maculatus L., 1758.	Malaysia, Terengganu (state), Pulau Kapas. Littoral on stones. Shallow.	€ 1,00 t/m € 1,50
Trochus maculatus L., 1758.	Malaysia, Kapar Peninsula.	€ 1,00 t/m € 2,00
Trochus maculatus L., 1758.	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,00
Trochus maculatus L., 1758.	Gabon, Olongo Island. West Africa. Atlantic Ocean. 3 metres deep.	€ 1,30 t/m € 1,80
Gibbula magus (L., 1767).	Southern Europe. Adriatic Sea.	€ 1,30
Gibbula magus (L., 1767).	France, Brittany, Ille-et-Vilaine (departement), Dinard.	€ 0,30
Tegula melaleucus (Jonas, 1844).	Peru, Piura Province, Perachique. Trawled in shallow water, from locals.	€ 2,50
Calliostoma monile (Reeve, 1863).	Australia, Western Australia, Broome.	€ 3,00
Umbonium moniliferum (Lamarck, 1822).	Japan.	€ 0,80
Umbonium moniliferum (Lamarck, 1822).	Japan.	€ 0,80
Monodonta nebulosa (Forskåål, 1775).	Oman, Sadah (Şadh). Middle East. Arabian Sea.	€ 1,00
Tegula nigerrimum (Gmelin).	Chile, Tarapacá Region, Iquique. On rocks at intertidal level.	€ 2,00
Trochus niloticus L., 1767.	Australia, North Queensland, Low Isles. Sublittoral.	€ 2,00
Gaza olivacea Quinn, 1992.	Colombia, dredged off Guajira Peninsula by a research vessel.	€ 20,00
Gibbula pennanti (Philippi, 1836).	France, Brittany, Ille-et-Vilaine (departement), Dinard.	€ 0,20
Gibbula pennanti (Philippi, 1836).	France, Brittany, Finistère, Point Penmarc'h, Porte de Kerity.	€ 0,80
Gibbula pennanti (Philippi, 1836).	Spain, Andalusia (region), Málaga. Under stones, 2-3 metres deep. 10 mm	€ 2,00
Clanculus pharaonius (L., 1758).	Egypt, South Sinai, Dahab. Gulf of Aqaba.	€ 1,80

		<b>Price Range</b>
Cittarium pica (L., 1758).	Dominican Republic. Live in surfzone on rocky island off Playa Dorada.	€ 2,00
Cittarium pica (L., 1758).	Dominican Republic. Greater Antilles archipelago, Caribbean region.	€ 8,50 t/m € 17,50
Cittarium pica (L., 1758).	Bahamas, Abaco Cays. On rocks in intertidal and splash zone.	€ 4,50 t/m € 9,50
Calliostoma punctulatum (Martyn, 1784).	New Zealand, southeast, Otago Peninsula. 110 metres deep.	€ 1,30
Clanculus puniceus (Philippi, 1846).	Zanzibar, Pongwe. Live on reef.	€ 1,00
Tectus pyramis (Born, 1778).	Philippines, Central Visayas (region), Cebu (province), Mactan (island).	€ 3,80
Tectus pyramis (Born, 1778).	Indo-Pacific.	€ 2,50 t/m € 3,50
Tectus pyramis (Born, 1778).	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 1,00 t/m € 3,00
Euchelus quadricarinatus (Holten, 1802).	Thailand, Phuket (island), Raya Island, about 2 hours by boat from Rawai.	€ 1,00
Trochus radiatus Gmelin, 1791.	Sri Lanka, Southern Province, Kosgoda. Low tide.	€ 0,50
Gibbula rarilineata (Michaud, 1829).	Cyprus, Bay of Garnaca.	€ 0,50
Tegula regina Stearns, 1892.	Mexico, Pacific Ocean.	€ 3,50
Gibbula richardi (Payraudeau, 1826).	Spain, Andalusia (region), Province of Málaga, Marbella.	€ 0,30
Euchelus rubra (Adams, 1853).	Philippines, Mactan (island), Punta Engano. Tangle net, 10-35 metres deep. 6 mm	€ 6,50 t/m € 7,50
Tegula rugosa (A. Adams, 1853).	Mexico, Baja California, Bahía de los Ángeles. Gulf of California.	€ 0,50
Tegula rustica (Gmelin).	Japan.	€ 3,50
Pseudotalopia sakuraii Habe, 1961.	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 3,00
Calliostoma scotti Kilburn, 1973.	Somalia, S. of Mogadishu. East Africa. Trawled on Continental Shelf. 28 mm	€ 6,00
Calliostoma selectum (Dillwyn, 1817).	New Zealand, North Island, 60 kilometres north of Wellington, Waikanae.	€ 12,50
Calliostoma selectum (Dillwyn, 1817).	New Zealand, North Island, Auckland Harbour.	€ 6,00
Oxysteles sinensis (Gmelin, 1791).	South Africa, Eastern Cape (prov.), Gonubie. Low tide, on exposed rocks.	€ 2,00 t/m € 2,50
Trochus stellatus Gmelin, 1791.	Thailand, Phuket (island), Raya Island. 25-30 metres deep.	€ 0,80 t/m € 1,30
Trochus stellatus Gmelin, 1791. Polished.	Philippines.	€ 0,80 t/m € 1,30
Gibbula stoliczkana (Nevill, 1869).	Philippines.	€ 2,30
Jujubinus striatus (L., 1767).	Portugal, Algarve (region).	€ 2,50
Jujubinus striatus (L., 1767).	France, Brittany, St. Cast, live in seaweed.	€ 0,30
Jujubinus striatus (L., 1767).	Spain, Province of Málaga, Fuengirola, Mediterranean Sea.	€ 1,00
Oxysteles tigrina (Dillwyn, 1817).	South Africa, Western Cape, Olifantsbos point. Sand beach, by reefs & kelp	€ 2,00
Calliostoma tigris (Gmelin, 1791).	New Zealand, North Island, Bay of Plenty, Maketu.	€ 4,00
Calliostoma tranquebaricum (Röding, 1798).	Thailand, Changwat Phuket (province), Phuket (island).	€ 2,50
Tectus triserialis (Lamarck, 1822).	Philippines, Central Visayas (region), Cebu (island).	€ 4,00
Monodonta turbinata (Born, 1780).	Tunisia, Djerba Island, Ajim. Gulf of Gabès.	€ 0,30
Monodonta turbinata (Born, 1780).	Cyprus, Paphos.	€ 0,50
Gibbula umbilicalis (da Costa, 1778).	France, Brittany, Ille-et-Vilaine (departement), Dinard.	€ 0,20
Umbonium vestiarum (L., 1758).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 0,20



Umbonium vestiarum (L., 1758).  
 Umbonium vestiarum (L., 1758).  
 Calliostoma waikanae Oliver, 1926.  
 Tegula xanthostigma (Adams, 1853).  
 Umbonium zelandicum (Hombron & Jacquinot, 1855).  
 Calliostoma zizyphinum (L., 1758).  
 Calliostoma zizyphinum (L., 1758).  
 Calliostoma zizyphinum (L., 1758).  
 Calliostoma zizyphinum (L., 1758).

## Turbinidae

Turbo argyrostoma argyrostoma L., 1758.  
 Turbo aurantius Kiener, 1847.  
 Turbo bruneus (Röding, 1798).  
 Astraea caelata (Gmelin, 1791).  
 Astralium calcar (L., 1758).  
 Astralium calcar (L., 1758).  
 Astralium calcar (L., 1758).  
 Turbo castanea Gmelin, 1791.  
 Turbo castanea Gmelin, 1791.  
 Turbo chrysostoma L., 1758.  
 Turbo chrysostoma L., 1758.  
 Turbo chrysostoma L., 1758.  
 Turbo cinereus Born, 1778.  
 Turbo cinereus Born, 1778.  
 Turbo cinereus Born, 1778.  
 Turbo cinereus Born, 1778.  
 Turbo cornutus cornutus Lightfoot, 1786.  
 Turbo cornutus cornutus Lightfoot, 1786.  
 Turbo cornutus cornutus Lightfoot, 1786.  
 Turbo coronatus Gmelin, 1791.  
 Arene cruentata Mühlfeld, 1829.  
 Turbo fluctuosus Wood, 1828.  
 Turbo fluctuosus Wood, 1828.  
 Bolma girgylla (Reeve, 1843).  
 Bolma girgylla (Reeve, 1843).

Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.  
 Japan.  
 New Zealand, South Island, Otago Peninsula, off Dunedin.  
 Japan, Honshu (island), Fukushima Prefecture, Tomioka.  
 New Zealand, Auckland Harbour.  
 France, Brittany, Saint-Jacut-de-la-Mer.  
 France, Brittany, Côtes-d'Armor (department), Tréburden.  
 UK, Scotland, Inner Hebrides, Isle of Mull, Loch Scridain.  
 France, Brittany, Saint-Lunaire, Pointe du Décollé.

Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.  
 Philippines, Bohol (province), close to Panglao Island, Balicasag Island.  
 Philippines, Bohol (province), close to Panglao Island, Balicasag Island.  
 USA, Florida, Big Pine Key. On coral reef.  
 Indonesia, Greater Sunda Islands, East Java (province), Madura Island.  
 Philippines.  
 Philippines, Bohol (province), Calituban Island. 20-25 m, night dive.  
 Bahamas, Green Turtle Cay (island).  
 Bahamas, South Bimini, Turtle Rocks. 8-10 feet deep.  
 Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.  
 Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.  
 Malaysia, Pulau Kapas (island). South China Sea. Shallow, littoral zone.  
 Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.  
 Fiji, Mamanuca Groep, Mana Island. At ebb under coral.  
 Australia, Western Australia, Port Hedland. From fisherman. 16 mm  
 Philippines, Bohol (province), close to Panglao Island, Balicasag Island.  
 Japan, Honshu (island), Wakayama Prefecture, Nada-Cho. 2-5 fathoms deep.  
 Japan, Honshu (island), Wakayama Prefecture, Shirahama.  
 North Korea.  
 Oman, Sadah (Ṣaḍḥ). Middle East. Arabian Sea.  
 Martinique, Grande Anse. 8 metres deep, scuba. 8 mm  
 Mexico, Baja California (state).  
 Mexico, Baja California Sur (state), Bahía Concepción. Gulf of California.  
 Philippines, Central Visayas (region), Cebu (island).  
 Philippines, Bohol (province), close to Panglao Island, Balicasag Island.

## Price Range

€ 0,50  
 € 0,40  
 € 5,00 t/m € 7,50  
 € 1,50 t/m € 3,00  
 € 0,50  
 € 0,50  
 € 0,40  
 € 1,30  
 € 0,50  
 € 1,00 t/m € 4,50  
 € 3,50  
 € 3,50  
 € 2,00 t/m € 4,50  
 € 2,00  
 € 3,00  
 € 1,00 t/m € 3,00  
 € 0,50 t/m € 1,30  
 € 2,30  
 € 2,50  
 € 2,50 t/m € 3,50  
 € 3,00  
 € 0,50 t/m € 3,00  
 € 1,00 t/m € 1,30  
 € 2,00  
 € 8,50  
 € 2,00  
 € 17,50 t/m € 35,00  
 € 2,50  
 € 3,00  
 € 7,50  
 € 7,50  
 € 10,00  
 € 1,00 t/m € 4,00

Bolma girgylla (Reeve, 1843).  
 Bolma girgylla (Reeve, 1843).  
 Astraea haematraga (Menke, 1829).  
 Astraea haematraga (Menke, 1829).  
 Astraea heliotropium (Martyn, 1784).  
 Turbo intercostalis Menke, 1846.  
 Turbo laminiferus Reeve, 1848.  
 Turbo marmoratus L., 1758. Polished.  
 Turbo marmoratus L., 1758.  
 Turbo marmoratus L., 1758. Operculum.  
 Bolma modesta (Reeve, 1843).  
 Liotina peronii (Kiener, 1839).  
 Bolma persica (Dall, 1907).  
 Turbo petholatus L., 1758.  
 Turbo petholatus L., 1758.  
 Astraea phoebia Röding, 1798.  
 Astraea phoebia Röding, 1798.  
 Astralium pileola Reeve, 1842.  
 Turbo pulcher Reeve, 1842.  
 Turbo radiatus Gmelin, 1791.  
 Turbo radiatus Gmelin, 1791.  
 Turbo reevei Philippi, 1847.  
 Turbo reevei Philippi, 1847.  
 Astraea rhodostoma (Lamarck, 1822).  
 Astraea rhodostoma (Lamarck, 1822).  
 Astraea rugosa (L., 1767).  
 Astraea rugosa (L., 1767). W/O.  
 Astraea rugosa (L., 1767).  
 Astraea rugosa (L., 1767).  
 Astraea rugosa (L., 1767).  
 Astraea rugosa (L., 1767).  
 Turbo sarmaticus L., 1758.  
 Turbo sarmaticus L., 1758. Polished.  
 Astralium saturnum Chino, 1999.

Philippines, Mindanao (region), Balut Island.  
 Philippines.  
 Philippines, Central Visayas (region), Cebu (island).  
 Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.  
 New Zealand, by Jackson Bay near Haast River. 25 metres deep, trawled.  
 Philippines, Bohol (province), close to Panglao Island, Balicasag Island.  
 Australia, Western Australia, Pilbara region, Point Samson. Littoral.  
 Philippines, Eastern Visayas (region), Leyte (island). In deep water.  
 Kenya, Mombasa Reef. East Africa. Indian Ocean.  
 Japan, Honshu, Kii Province, Kii Peninsula.  
 Philippines, Bohol (province), close to Panglao Island, Balicasag Island.  
 Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.  
 Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.  
 Philippines, Cebu (island), Bantayan Island. On corals, 15-20 metres deep.  
 Madagascar Island. East Africa. Indian Ocean.  
 Guadeloupe, near Pigeon. Caribbean Sea. 5 metres deep.  
 Australia, Western Australia, Pilbara (region), Point Samson. Littoral.  
 Australia, Western Australia, Albany, Frenchman's Bay. 5-8 metres deep.  
 Egypt, Safaga. Red Sea.  
 Egypt, Safaga. Red Sea.  
 Philippines, Central Visayas (region), Cebu (island).  
 Japan.  
 Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.  
 Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.  
 Greece, Kos Island. Mediterranean Sea.  
 Croatia, Istria, Umag. Adriatic Sea. Collected live, 3 metres deep.  
 Spain, Andalusia (region), Province of Málaga, Marbella.  
 Italy, Liguria, Province of Savona, Savona.  
 Portugal, Algarve (region), Quarteira.  
 Italy, offshore Savona. Trawled by local fishermen.  
 Spain, Province of Málaga, Fuengirola.  
 South Africa, Simonstown. False Bay. Scuba, ±6 m, in sand/shell debris.  
 South Africa, Natal (province).  
 Philippines, Bohol (province), close to Panglao Island, Balicasag Island.

#### Price Range

€ 2,00 t/m € 3,50  
 € 7,50  
 € 5,00  
 € 3,00 t/m € 4,00  
 € 2,50  
 € 1,00  
 € 3,00  
 € 75,00 t/m € 95,00  
 € 15,00 t/m € 29,50  
 € 2,00 t/m € 5,00  
 € 3,00 t/m € 4,00  
 € 1,00  
 € 2,50  
 € 2,00 t/m € 3,50  
 € 4,50  
 € 2,00 t/m € 3,00  
 € 3,50  
 € 2,50  
 € 5,00  
 € 1,00 t/m € 2,80  
 € 0,50 t/m € 4,50  
 € 2,00 t/m € 3,00  
 € 0,80 t/m € 2,30  
 € 2,00  
 € 4,00  
 € 12,00  
 € 2,50  
 € 1,00 t/m € 2,00  
 € 8,50  
 € 6,00  
 € 9,50  
 € 1,50 t/m € 2,00  
 € 3,00  
 € 6,50 t/m € 14,50  
 € 2,50

Astraea stellare (Gmelin, 1791).  
 Astraea stellare (Gmelin, 1791).  
 Astralium tentorium (Thiele, 1930).  
 Turbo torquatus Gmelin, 1791.  
 Turbo torquatus Gmelin, 1791.  
 Turbo undulatus Lightfoot, 1786. Among kelp on boulders.  
 Turbo undulatus Lightfoot, 1786.  
 Guildfordia yoka Jousseume, 1888.  
 Guildfordia yoka Jousseume, 1888.

## Turridae

Lophiotoma acuta (Perry, 1811).  
 Lophiotoma acuta (Perry, 1811).  
 Lophiotoma acuta (Perry, 1811).  
 Lophiotoma acuta (Perry, 1811).  
 Lophiotoma acuta (Perry, 1811).  
 Inquisitor alabastes (Reeve, 1843).  
 Inquisitor angustus (Kuroda & Oyama, 1971).  
 Turris annulata Reeve, 1843.  
 Turris babylonia (L., 1758).  
 Turris babylonia (L., 1758).  
 Gemmula butonensis (Martin, 1933).  
 Clavus canicularis (Röding, 1798).  
 Turridrupa cerithina (Anton, 1838).  
 Turridrupa cerithina (Anton, 1838).  
 Xenoturris cingulifera (Lamarck, 1822).  
 Gemmula congener congener (E.A. Smith, 1894).  
 Gemmula congener cosmoi (Sykes, 1930).  
 Turris crispa (Lamarck, 1816).  
 Turris crispa (Lamarck, 1816).  
 Cochlespira elegans (Dall, 1881).  
 Clavus enna (Dall, 1918).  
 Clathrodrillia flavidula (Lamarck, 1822).  
 Clathrodrillia flavidula (Lamarck, 1822).  
 Clathrodrillia flavidula (Lamarck, 1822).  
 Lophiotoma indica (Röding, 1798).

Australia, Western Australia, Pilbara (region), Point Samson. Littoral.  
 Australia, Western Australia, Broome.  
 Australia, W.A., Broome. Under rocks and coral at extreme low tide.  
 Australia, W.A., Cape Le Grand National Park. Live, sublittoral.  
 Australia.  
 Australia, Tasman Peninsula, Port Arthur, near Dead Man's Island.  
 Australia, Victoria, Phillip Island, Cowes.  
 Taiwan. East China Sea.  
 Philippines, Bohol, Panglao Island, Balicasag Island. 130-230 metres deep.

Australia, Queensland, North West Island. Capricornia Cays National Park.  
 Andaman Sea, Bay of Bengal.  
 Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.  
 Japan.  
 Fiji, Fiji Island Bay. Pacific Ocean.  
 Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.  
 Philippines, Bohol (province), close to Panglao Island, Balicasag Island.  
 Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.  
 Indonesia, Greater Sundra Islands, East Java (province), Madura Island.  
 Indonesia, Greater Sundra Islands, East Java (province), Madura Island.  
 Philippines, Bohol (province), close to Panglao Island, Balicasag Island.  
 Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.  
 Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.  
 Philippines, Bohol Island, Balicasag Island. Tangle nets, 130-230 metres.  
 Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.  
 Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.  
 Philippines, Bohol (province), close to Panglao Island, Balicasag Island.  
 Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.  
 Philippines, Cebu (province), Mactan (island), Punta Engaño.  
 Brazil, northern coast. Atlantic Ocean.  
 Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.  
 Philippines, Bohol (province), close to Panglao Island, Balicasag Island.  
 Japan.  
 Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.  
 Philippines, Bohol (province), close to Panglao Island, Balicasag Island.

## Price Range

€ 1,00 t/m € 2,00  
 € 7,00  
 € 12,50  
 € 4,00 t/m € 7,00  
 € 12,50  
 € 7,00 t/m € 9,00  
 € 3,00  
 € 5,00 t/m € 6,50  
 € 2,50 t/m € 6,50  
 € 2,00  
 € 1,30 t/m € 2,50  
 € 1,30 t/m € 2,80  
 € 1,50  
 € 0,50  
 € 3,50  
 € 3,50  
 € 3,00 t/m € 4,00  
 € 1,50 t/m € 3,50  
 € 1,00 t/m € 2,00  
 € 2,00 t/m € 3,50  
 € 2,00 t/m € 4,00  
 € 1,50 t/m € 5,00  
 € 1,50 t/m € 3,50  
 € 4,00 t/m € 7,00  
 € 4,00 t/m € 6,50  
 € 2,50  
 € 1,00 t/m € 2,50  
 € 2,30 t/m € 3,80  
 € 12,00  
 € 2,00 t/m € 5,00  
 € 1,50 t/m € 3,50  
 € 2,50  
 € 2,50 t/m € 3,50  
 € 2,00

		<b>Price Range</b>
Lophiotoma indica (Röding, 1798).	Indonesia, Greater Sundra Islands, East Java (province), Madura Island.	€ 2,00
Lophiotoma indica (Röding, 1798).	Thailand, Phuket (island), Raya Island. 25-30 metres deep.	€ 1,00 t/m € 2,50
Lophiotoma indica (Röding, 1798).	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 1,50 t/m € 3,00
Inquisitor intercincta (Smith, 1877).	Philippines, Bohol Island, Balicasag Island. Tangle nets, 130-230 metres.	€ 1,00
Turricula javana (L., 1767).	Thailand, Changwat Phuket (province), Phuket (island).	€ 1,50
Comitas kamakurana (Pilsbry, 1895).	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 3,00 t/m € 5,00
Gemmula kieneri Doumet, 1840.	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 0,50 t/m € 2,00
Thatcheria mirabilis Angas, 1877.	Japan.	€ 10,00
Turris nadaensis Azuma, 1973.	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 3,00 t/m € 6,00
Daphnella nobilis Kira, 1959.	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 5,00 t/m € 9,50
Glyphostoma otohimaia Kosuge, 1981.	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 7,50
Nauderdrillia perardua Kilburn, 1988.	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,50
Cochlespira pulchella fossata Powell, 1969.	Philippines, Mindanao, Davao. Tangle nets, 120 m. deep.	€ 3,50
Cochlespira pulchella fossata Powell, 1969.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 3,00
Drillia roseola (Hertlein & Strong, 1955).	Panama.	€ 2,30
Inquisitor rufovaricosa (Kuroda & Oyama, 1971).	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 1,00 t/m € 4,50
Fusiturris similis (Bivona, 1838).	Gabon, Port-Gentil. West Africa. Atlantic Ocean.	€ 9,50
Conorbis spec. .	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 2,00
Clavus spec. .	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 3,00
Glyphostoma spec. .	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 3,50
Turris spec. .	Indonesia, Greater Sundra Islands, East Java (province), Madura Island.	€ 1,00
Turris spectabilis (Reeve, 1843).	Philippines, Balicasag island, near Panglao, Bohol.	€ 4,00
Turris spectabilis (Reeve, 1843).	Mexico.	€ 5,00
Conopleura striata (Hinds, 1844).	Philippines, Bohol Island, close to Panglao Island, Balicasag Island.	€ 2,00
Aguilaria subochracea (E.A. Smith, 1877).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 7,50
Knefastia tuberculifera (Broderip & Sowerby, 1829).	Mexico, Sonora, Guaymas. Dredged 70 metres.	€ 4,00
Gemmula unedo (Kiener, 1839).	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 2,50 t/m € 4,00
Inquisitor varicosa (Reeve, 1843).	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 3,00 t/m € 6,50
Ptychobela vexillum (Habe & Kosuge, 1966).	Gulf of Thailand, Ban Hua Hin.	€ 1,30
Turris yeddoensis (Jousseaume, 1883).	Japan, Wakayama Prefecture, Nada-Cho, Kusui. Trawled at 30-50 fathoms.	€ 5,00
<b>Turritellidae</b>		
Turritella banksi Reeve, 1849.	Panama, Gulf of Panamá, San Carlos, El Palmar. Pacific Ocean.	€ 1,30
Haustator bicingulata (Lamarck, 1822).	Cape Verde, Santiago (island), Praia (city). On beach.	€ 1,00
Turritella cingulata Sowerby, 1825.	Chile, IV Región, off Coquimbo. Trawled at 20-40 metres deep. `	€ 3,00
Turritella communis Risso, 1826.	Italy, Province of Latina, Formia. From fishery.	€ 0,40 t/m € 0,80

		<b>Price Range</b>
Turritella communis Risso, 1826.	France, Brittany, Côtes-d'Armor (department), Tréburden. Live.	€ 1,30 t/m € 1,80
Turritella communis Risso, 1826.	Spain, Playa Rio Mar.	€ 0,50
Turritella duplicata (L., 1758).	Thailand, Changwat Phuket (province), Phuket (island).	€ 1,50
Vermicularia fargoi Olsson, 1951.	USA, Florida, Gulf of Mexico, Fort Myers, Carl Johnson Park.	€ 1,30
Turritella maculata Reeve, 1849.	Egypt, South Sinai, Dahab. Gulf of Aqaba.	€ 1,30
Turritella maculata Reeve, 1849.	Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.	€ 1,30
Turritella maculata Reeve, 1849.	Oman, Muscat. Middle East. Arabian Sea.	€ 2,50
Turritella mariana Dall, 1908.	Panama, Canal de Afuera Island. Pacific Ocean. Trawled at 240 feet deep.	€ 2,50
Mesalia mesal (Deshayes in Lamarck, 1843).	Spain, Province of Málaga, Estepona.	€ 0,40
Mesalia mesal (Deshayes in Lamarck, 1843).	Spain, San Carlos de la Rápita.	€ 0,80
Mesalia mesal (Deshayes in Lamarck, 1843).	Spain, Province of Málaga, Fuengirola.	€ 0,40
Mesalia mesal (Deshayes in Lamarck, 1843).	Morocco, Agadir. Atlantic Ocean.	€ 0,80
Maoricolpus roseus roseus (Quoy & Gaimard, 1834).	New Zealand, Auckland Harbour. 20 feet deep on shelly bottom.	€ 2,00 t/m € 2,50
Turritella sanguinea Reeve, 1849.	South Africa, Cape Province.	€ 2,80
Turritella terebra (L., 1758).	Thailand, Phuket (island), Raya Island. 25-30 metres deep.	€ 2,80
Turritella terebra (L., 1758).	Philippines.	€ 2,50
Turritella terebra (L., 1758). Juvenile.	Indonesië.	€ 1,00
Turritella variegata (L., 1758).	Martinique Island, Ste. Luce, Lesser Antilles. 3 metres deep.	€ 1,20
<b>Vanikoridae</b>		
Vanikoro cancellata (Lamarck, 1822).	Australia, Queensland, Port Douglas.	€ 2,20
Vanikoro cancellata (Lamarck, 1822).	Australia, Queensland, Cape Tribulation.	€ 2,50
Vanikora helicoidea (Le Guillou, 1842).	Indonesia, West Lombok. Dead, beach about 2 km. north of Senggigi Beach.	€ 0,50
<b>Vasidae</b>		
Turbinella angulata (Lightfoot, 1786).	Bahamas, Green Turtle Cay (island).	€ 12,00 t/m € 18,00
Vasum capitellum (L., 1758).	Bonaire, Lesser Antilles Islands.	€ 0,50 t/m € 2,30
Vasum cassiforme (Kiener, 1841).	Brazil, Espírito Santo (state), Guarapari. Atlantic Ocean. 70 mm	€ 3,00 t/m € 4,00
Vasum cassiforme (Kiener, 1841).	Brazil, Guarapari. Scuba, 10-15 m, on sand & grass bottom.	€ 6,50
Vasum cassiforme (Kiener, 1841).	Brazil, Pernambuco (state), Recife. Atlantic Ocean.	€ 4,00 t/m € 9,00
Vasum ceramicum (L., 1758).	Indonesia.	€ 5,00 t/m € 9,50
Tudivasum cumingii (Reeve, 1844).	Taiwan. East China Sea. Fished off the coast.	€ 2,50
Turbinella laevigata Anton, 1839.	Brazil. Atlantic Ocean.	€ 15,00
Turbinella laevigata Anton, 1839.	Brazil. Atlantic Ocean.	€ 6,00
Turbinella laevigata Anton, 1839.	USA, Florida.	€ 14,50
Turbinella pyrum (L., 1758).	Bay of Bengal.	€ 27,00 t/m € 32,50
Turbinella pyrum (L., 1758).	Sri Lanka.	€ 20,00

		<b>Price Range</b>
Vasum rhinoceros (Gmelin, 1791).	Kenya, Mombasa Reef. East Africa. Indian Ocean.	€ 1,80 t/m € 3,80
Vasum tubiferum (Anton, 1839).	Philippines, Palawan (province), Coron Island. Local collector.	€ 3,50
Vasum turbinellus (L., 1758).	Philippines.	€ 0,50 t/m € 1,50
Vasum turbinellus (L., 1758).	Philippines.	€ 2,50 t/m € 3,50
Vasum turbinellus (L., 1758).	Thailand, Changwat Phuket (province), Phuket (island).	€ 0,80 t/m € 3,00
Vasum turbinellus (L., 1758).	Kenya, Mombasa Reef. On reef.	€ 1,50 t/m € 1,80
Vasum turbinellus (L., 1758).	Philippines, Mindanao (island), Zamboanga.	€ 1,00
Vasum turbinellus (L., 1758).	Egypt, Red Sea, Gifâtin Islands. Coastal reef, sand.	€ 1,50 t/m € 2,80
Vasum turbinellus (L., 1758).	Egypt, Safaga. Red Sea.	€ 2,80
Vasum turbinellus (L., 1758).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 0,75 t/m € 1,50
<b>Veneridae</b>		
Paphia alapapilionis Röding, 1798.	India.	€ 1,80
Pitar albidus (Gmelin, 1791).	Venezuela, Nueva Esparta (state), Isla El Coche.	€ 1,50
Paphia amabilis (Philippi, 1847).	Taiwan, south-west. South China Sea.	€ 0,70
Chione amathusia (Philippi, 1844).	Mexico, Baja California, Bahía de los Ángeles. Gulf of California.	€ 0,80 t/m € 1,30
Dosinia anus (Philippi, 1848).	New Zealand, North Island, Auckland Harbour.	€ 1,50 t/m € 2,50
Dosinia anus (Philippi, 1848).	New Zealand, Piha Beach.	€ 1,00 t/m € 2,00
Protothaca asperrima (Sowerby, 1835).	Panama, Canal de Afuera Island. Pacific Ocean.	€ 1,30
Meretrix astricta (Reeve, 1864).	Thailand, Changwat Phuket (province), Phuket (island).	€ 0,75 t/m € 1,00
Megapitaria aurantiaca (Sowerby, 1831).	Mexico, Bahia de la Paz.	€ 7,00
Paphia aurea f. mabiliei (Locard, 1886).	Italy, Grado. 1-2 metres deep on sandflats. 24 mm - 27 mm	€ 1,00
Polititapes aureus (Gmelin, 1791).	Italy, Grado. In sand, ½-1 metre deep. 17 mm - 32 mm	€ 0,50
Polititapes aureus (Gmelin, 1791).	Portugal, Algarve (region), Faro.	€ 0,40
Polititapes aureus (Gmelin, 1791).	Italy, Grado. In sand, ½-1 metre deep. 20 mm - 30 mm	€ 0,50
Placamen berrii (Wood, 1828).	Australia, Western Australia, Broome.	€ 3,00
Anomalocardia brasiliiana (Gmelin, 1791).	Leeward Islands, Antigua Island, Indian Creek.	€ 1,00
Chione californiensis (Broderip, 1835).	Mexico, Baja California Sur (state), La Paz. 1-6 metres deep.	€ 2,00 t/m € 3,00
Circentia callipyga (Born, 1778).	Egypte, Hurghada, Gebel Esh. Red Sea. Under stones at low tide. 24 mm - 33 mm	€ 3,00 t/m € 4,00
Circentia callipyga (Born, 1778).	Egypt, South Sinai, Dahab. Gulf of Aqaba.	€ 0,75
Circentia callipyga (Born, 1778).	Egypt, Safaga. Red Sea.	€ 0,80
Placamen calophyllum (Philippi, 1836).	Singapore, Changi Coast. Collected on a sandy mudflat.	€ 2,00
Mercenaria campechiensis (Gmelin, 1791).	USA, Florida, Tampa Bay.	€ 1,00 t/m € 2,00
Chione cancellata (L., 1767).	USA, Florida, Gulf of Mexico, Boca Grande.	€ 0,70
Venus casina L., 1758.	France, Brittany, Pors Even-Ploubazlanec, fishery.	€ 2,30 t/m € 2,80

		<b>Price Range</b>
Venus casina L., 1758.	France, Brittany, Baie de St. Brieuc.	€ 3,80
Lioconcha castrensis (L., 1758).	Philippines, Central Visayas (region), Bohol (island).	€ 2,50
Lioconcha castrensis (L., 1758).	Malaysia, Sabah, Borneo, Semporna. On dead reef with sand and seagrass.	€ 1,00 t/m € 2,50
Lioconcha castrensis (L., 1758). amidst seagrass and dead coral	Indonesia, Flores (island), Labuhanbajo, Waerana Beach. In muddy sand	€ 2,00
Callista chione (L., 1758).	Greece, 200 km northeast of Athens, Évvoia Island, Kimi.	€ 1,00 t/m € 2,00
Callista chione (L., 1758).	Spain, Province of Málaga, Benajarafe.	€ 1,00 t/m € 1,50
Callista chione (L., 1758).	France, Brittany, Ile Grande. Low tide, live, dug up.	€ 1,50 t/m € 2,00
Pitar citrinus (Lamarck, 1818).	Australia, Western Australia, Shark Bay, Monkey Mia.	€ 2,00
Pitar citrinus (Lamarck, 1818).	Singapore, Changi Beach Park. Low tide, buried under sand.	€ 2,00
Pitar citrinus (Lamarck, 1818).	Australia, Western Australia, Shark Bay. Subtidal sand.	€ 1,30
Antigona clathrata (Deshayes, 1854).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,00 t/m € 2,00
Dosinia concentrica (Born, 1778).	Venezuela, Isla El Cocha, Nueva Esparta.	€ 2,00
Dosinia contusa (Reeve, 1850).	Australia, Western Australia, Port Hedland. In littoral sand. 22 mm	€ 1,30
Venerupis corrugata (Gmelin, 1791).	Portugal, Algarve (region), Olhao.	€ 0,70
Venerupis corrugata (Gmelin, 1791).	France, Brittany, Côtes-d'Armor (department), Tréburden.	€ 0,50 t/m € 0,70
Circe corrugata (Dillwyn, 1817).	Egypt, South Sinai, Dahab. Gulf of Aqaba.	€ 0,75
Venerupis corrugata (Gmelin, 1791).	France, Brittany, Saint-Jacut-de-la-Mer.	€ 0,50
Venerupis corrugata (Gmelin, 1791).	The Netherlands, Scheveningen.	€ 0,70
Paphia crassisulca (Lamarck, 1818).	Australia, W.A., Cockburn Sound, between seaweed and sand.	€ 1,30 t/m € 1,80
Irus crebrelamellatus (Tate, 1887).	Australia, Western Australia, Albany, intertidal. 27 mm	€ 1,80
Circe crocea (Gray, 1838).	Egypt, South Sinai, Dahab. Gulf of Aqaba.	€ 0,75
Venerupis decussata (L., 1758).	Spain, Andalusia (region), Province of Málaga, Marbella.	€ 0,50
Venerupis decussata (L., 1758).	Morocco, Moulay.	€ 0,20
Venerupis decussata (L., 1758).	The Netherlands, Zeeland, Yerseke, oesterput.	€ 0,50 t/m € 1,00
Dosinia discus (Reeve, 1850).	USA, Florida, Gulf of Mexico.	€ 2,50
Bassina disjecta (Perry, 1811).	Australia, Western Australia, Albany. On beach.	€ 4,00
Gafrarium dispar (Holten, 1802).	Thailand, Phuket (island), Raya Island. 25-30 metres deep.	€ 0,80
Gafrarium divaricatum (Gmelin, 1791).	Singapore, Changi Coast. Attached under a small rock.	€ 1,00
Gafrarium divaricatum (Gmelin, 1791).	Thailand, Changwat Phuket (province), Phuket (island).	€ 1,50
Tapes dorsatus (Lamarck, 1818).	Thailand, Changwat Phuket (province), Phuket (island).	€ 0,50 t/m € 1,00
Tapes dorsatus (Lamarck, 1818).	Australia, Western Australia, King Bay.	€ 0,50 t/m € 1,00
Polititapes durus (Gmelin, 1791).	Senegal. West Africa. Atlantic Ocean.	€ 1,50
Dosinia elegans Conrad, 1846.	USA, Florida.	€ 0,30 t/m € 1,50
Callista erycina (L., 1758).	India.	€ 3,00
Callista erycina (L., 1758).	Gulf of Oman, NW of Muscat, Batinakcoast.	€ 3,00

		<b>Price Range</b>
Dosinia erythraea Römer, 1860.	Egypt, South Sinai, Dahab. Gulf of Aqaba.	€ 1,00
Dosinia erythraea Römer, 1860.	Egypt, South Sinai, Dahab. Gulf of Aqaba.	€ 0,80 t/m € 1,30
Paphia euglypta (Philippi, 1847).	Japan.	€ 0,50
Dosinia exoleta (L., 1758).	Greece, Makrónisos - Kéa Island.	€ 0,30 t/m € 0,50
Dosinia exoleta (L., 1758).	France, Brittany, Finistre, St. Anne de la Palud.	€ 0,30
Dosinia exoleta (L., 1758).	France, Brittany, Côtes-d'Armor (department), Tréburden.	€ 0,50 t/m € 1,00
Clausinella fasciata (da Costa, 1778).	Great Britain, Herm Island, Shell Beach. Low tide, sand/mud. 16 mm - 23 mm	€ 3,80
Clausinella fasciata (da Costa, 1778).	UK, Scotland, Inner Hebrides, Isle of Mull.	€ 2,50
Lioconcha fastigiata (Sowerby, 1832).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,00
Lioconcha fastigiata (Sowerby, 1832).	Malaysia, Sabah (state), Borneo, sandbank Semporna.	€ 2,00
Placamen flindersi (Cotton & Godfrey, 1938).	Australia, South Australia, Adelaide, Brighton Reef. Buried in sand. 14 mm	€ 2,50
Callista florida (Lamarck, 1818).	Egypt, Dahab. Gulf of Aqaba. Low tide in mud.	€ 1,00 t/m € 2,00
Callista florida (Lamarck, 1818).	Egypt, South Sinai, Dahab. Gulf of Aqaba.	€ 1,00
Pitar floridella Gray, 1838.	Congo, Brazzaville, Pointe Noire. At low tide on the beach. 17 mm - 25 mm	€ 1,30
Pitar floridella Gray, 1838.	Senegal, Hann. West Africa. 5-10 metres deep, from fisherman. 24 mm	€ 1,30
Chione fluctifraga (Sowerby, 1835).	USA, California. Pacific Ocean.	€ 0,70
Circomphalus foliaceolamellosus (Dillwyn, 1817).	Senegal, Dakar, Bay of Gorée. West Africa. Atlantic Ocean. 5 metres deep.	€ 9,00
Pitar fulminatus (Menke, 1828).	Brazil, Bahai (state), Itaparica. Atlantic Ocean.	€ 4,00
Venerupis galactites (Lamarck, 1818).	Australia, Western Australia, Albany, 3 metres deep in sand.	€ 1,30
Chamelea gallina (L., 1758).	Spain, Province of Málaga, Fuengirola.	€ 0,25
Chamelea gallina (L., 1758).	Cyprus, Limassol.	€ 0,50
Chamelea gallina (L., 1758).	Spain, San Carlos de la Rápita.	€ 0,30
Chamelea gallina (L., 1758).	Greece, Makrónisos - Kéa Island.	€ 0,40 t/m € 0,80
Tawera gallinula (Lamarck, 1818).	Australia, Tasmania, Devonport, intertidal, sand/mud.	€ 1,50
Paphia gallus (Gmelin, 1791).	Australia, Queensland, Gladstone. In muddy sand.	€ 1,50
Clausinella gayi (Hupé, 1854).	Argentina, Tierra del Fuego, Ushuaia. At low tide in mud. 22 mm	€ 2,30
Placamen gravescens (Menke, 1843).	Australia, Western Australia, Shark Bay, Denham. Dead on beach.	€ 3,60
Marcia hiantina (Lamarck, 1818).	Thailand, Changwat Phuket (province), Phuket (island).	€ 2,00 t/m € 2,50
Marcia hiantina (Lamarck, 1818).	Indonesia, South Sulawesi, S. of Makassar (city). Live in muddy bottom.	€ 3,00
Marcia hiantina (Lamarck, 1818).	Indonesia.	€ 2,50
Callista impar (Lamarck, 1818).	Australia, Western Australia, Shark Bay. Intertidal, in sand.	€ 1,30 t/m € 1,80
Callista impar (Lamarck, 1818).	Australia, Western Australia, Monkey Mia.	€ 1,00
Irus irus (L., 1758).	Spain, Valencian Community, Province of Alicante, Alicante.	€ 0,40
Ventricolaria isocardia (Verrill, 1870).	Mexico, Baja California Sur (state), Pichilique. Bay of La Paz. Fishery.	€ 3,80
Marcia japonica (Gmelin, 1791).	Singapore, Changi Coast. On sandy bottom.	€ 2,00



		<b>Price Range</b>
Marcia japonica (Gmelin, 1791).	Indonesia, Bali (province), Bali (island).	€ 1,50
Marcia japonica (Gmelin, 1791).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,00 t/m € 1,75
Marcia japonica (Gmelin, 1791).	Thailand, Krabi Province, Koh Lanta Yai (island), Koa Kwang Beach.	€ 0,80
Tapes japonica Deshayes.	Japan, Honshu (island), Fukuoka Prefecture, Tsuyazaki.	€ 0,40 t/m € 0,70
Chione kellestii (Hinds, 1845).	Mexico, Baja California (state), Todos Santos.	€ 3,50
Tawera lagopus (Lamarck, 1818).	Australia, Western Australia, Dunsborough, 10 metres deep in sand.	€ 1,30
Antigona lamellaris Schumacher, 1817.	Philippines, Batayan Island, north of Cebu. Pearl fisherman. 33 mm - 40 mm	€ 2,00 t/m € 3,00
Antigona lamellaris Schumacher, 1817.	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 2,50
Placamen lamellosum (Chemnitz, Sowerby I, 1825).	Australia, Western Australia, Broome. In sand at extreme low tide.	€ 3,50
Placamen lamellosum (Chemnitz, Sowerby I, 1825).	Australia, Western Australia, Broome. Dead, ebb, on sandbank.	€ 3,00 t/m € 4,00
Callista lilacina (Lamarck, 1818).	Australia, Queensland, Kurrimine Beach.	€ 2,00 t/m € 3,50
Tapes literatus (L., 1758).	Indonesia, Papua (province), Yapen Island, Serui.	€ 2,25
Tapes literatus (L., 1758).	Philippines.	€ 1,00 t/m € 1,50
Psephidia lordi W.baird, 1863.	Oregon, W. off Tillamook Bay. 43°30'N 124°23'W. 230 m, on mud. 3 mm	€ 3,80
Dosinia lupinus (L., 1758).	North Sea, Botneygat.	€ 0,70 t/m € 0,80
Dosinia lupinus (L., 1758).	Italy, Emilia-Romagna (region), Rimini. Adriatic Sea.	€ 0,50
Dosinia lupinus (L., 1758).	Greece, Makrónisos - Kéa Island.	€ 2,00
Dosinia lupinus (L., 1758).	Greece, Marathón beach. 1-1½ metres deep.	€ 0,80 t/m € 1,00
Dosinia lupinus (L., 1758).	Spain, Rio Mar, Ebra delta.	€ 0,40
Meretrix lusoria (Röding, 1798).	Philippines.	€ 2,50
Meretrix lusoria (Röding, 1798).	Japan, Honshu (island), Wakayama Prefecture, Minabe.	€ 2,50
Tivela mactroides (Born, 1778).	Venezuela, Isla Margarita, Playa el Saco, La Restinga. In zand.	€ 0,50 t/m € 1,00
Tivela mactroides (Born, 1778).	Venezuela, Isla Margarita, Playa el Saco, La Restinga.	€ 1,00
Tivela mactroides (Born, 1778).	Venezuela, Miranda, Higuero.	€ 0,80
Tivela mactroides (Born, 1778).	Venezuela, Margarita Island.	€ 1,00
Macrocallista maculata (L., 1758).	USA, Florida.	€ 1,30
Macrocallista maculata (L., 1758).	Florida, 12 miles west of Sanibel Island. Scuba, 52 feet deep in sand.	€ 1,50 t/m € 2,50
Meretrix meretrix Gmelin, 1791.	Singapore, Changi Coast. Collected fresh on sandbed.	€ 2,00
Gouldia minima (Montagu, 1803).	Italy, Isola Gorgona, 30 metres deep. 6 mm	€ 1,80
Macrocallista nimbosa (Lightfoot, 1786).	USA, Florida, Marco Island. In shallow water at extreme low tide.	€ 2,50 t/m € 2,80
Venus nux Gmelin, 1791.	Spain, San Carlos de la Rápita.	€ 1,50
Marcia opima (Gmelin, 1791).	Oman, Muscat. Middle East. Arabian Sea.	€ 2,00
Marcia opima (Gmelin, 1791).	Thailand, Krabi Province, Koh Lanta Yai (island), west of Ban Sala Dan.	€ 1,00
Marcia opima (Gmelin, 1791).	Thailand, Changwat Phuket (province), Phuket (island).	€ 1,50 t/m € 3,00
Timoclea ovata (Pennant, 1777).	Angola, Ambuz. Trawled at a depth of 50 metres deep. 9 mm - 10 mm	€ 2,50

		<b>Price Range</b>
Gafrarium pectinatum (L., 1758).	Mauritius, Ile aux Cerfs. Indian Ocean.	€ 0,75
Gafrarium pectinatum (L., 1758).	Australia. Queensland, Cairns, Koombal Point. Intertidal. 25 mm	€ 0,80
Gafrarium pectinatum (L., 1758).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 0,80
Gafrarium pectinatum (L., 1758).	Egypt, Safaga. Red Sea.	€ 0,80
Katylisia peronii (Lamarck, 1818).	South Australia. On sandy open beach, dug from sand. 26 mm	€ 0,80
Meretrix petechialis (Lamarck, 1818).	China, Yellow Sea. Along coast, local fisherman, low tide. ½-1 m diep.	€ 4,00 t/m € 4,50
Venerupis philippinarum (Adams & Reeve, 1850).	Italy, Emilia-Romagna, Rimini. Adriatic Sea. Artificially cultivated.	€ 0,80
Placamen placidum (Philippi, 1844).	Australia, Western Australia, Albany. 7 metres deep on sand. 19 mm	€ 2,30
Dosinia ponderosa (Gray, 1838).	Mexico, Baja California Sur (state), Puerto San Carlos. Dead.	€ 2,00 t/m € 7,50
Antigona puerpera (L., 1771).	Thailand, Changwat Phuket (province), Phuket (island).	€ 2,00
Antigona puerpera (L., 1771).	Philippines.	€ 1,80 t/m € 3,80
Amiantis purpuratus purpuratus (Lamarck, 1818).	Argentina, San Antonio Este, Rio Negro. 3-5 metres deep, low tide.	€ 3,30
Timoclea recognita (Smith, 1885).	Australia, Queensland, Palm Island. Trawled. 14 mm	€ 1,50
Katylisia rhytiphora (Lamy, 1937).	Australia, Western Australia, Albany, intertidal on sand bar. 31 mm	€ 0,80 t/m € 1,00
Katylisia rhytiphora (Lamy, 1937).	Australia, Western Australia, King Bay.	€ 0,30
Venus rosalina (Rang, 1843).	Senegal, Dakar, Bay of Gorée. West Africa. 20 metres deep, scuba.	€ 2,00 t/m € 2,30
Katylisia scalarina (Lamarck, 1818).	South Australia, Semaphore. Dug from sand at low tide. 26 mm	€ 0,80
Paphia schnelliana (Dunker, 1866).	Philippines.	€ 2,30
Circe scripta (L., 1758).	Australia, Western Australia, Shark Bay, Cape Peron.	€ 1,30
Circe scripta (L., 1758).	Philippines.	€ 1,00
Circe scripta (L., 1758).	Philippines.	€ 0,80
Paphia semirugata (Philippi, 1847).	Australia, Western Australia, off Port Hedland. In sand at low tide. 38 mm	€ 1,30
Callista semisulcata (Sowerby, 1851).	Australia, Queensland, Palm Island. Trawled. 30 mm	€ 2,00
Placamen spec. .	Indonesia, Greater Sundra Islands, East Java (province), Madura Island.	€ 2,50
Meretrix spec. .	Sri Lanka, Southern Province, Unawatuna.	€ 2,00
Megapitaria squalida (Sowerby, 1835).	Mexico, Baja California, Bahía de los Ángeles. Gulf of California.	€ 3,00
Megapitaria squalida (Sowerby, 1835).	Panama, Gulf of Panamá, San Carlos, El Palmar, live/shallows.	€ 1,00
Megapitaria squalida (Sowerby, 1835).	Mexico, Baja California, Bahía de los Ángeles. Gulf of California.	€ 1,30 t/m € 1,80
Anomalocardia squamosa (L., 1758).	Singapore, Changi Coast. On sand bed.	€ 0,75
Anomalocardia squamosa (L., 1758).	Philippines, near Cebu (island), Bantayan Island. By local fisherman.	€ 35,00
Anomalocardia squamosa (L., 1758).	Australia, Western Australia, Shark Bay, Monkey Mia.	€ 1,50
Anomalocardia squamosa (L., 1758).	Australia, Western Australia, Shark Bay. Intertidal, in sand.	€ 1,30
Anomalocardia squamosa (L., 1758).	Australia, Western Australia, Wickham. In sand, 3 metres deep. 22 mm	€ 1,00 t/m € 1,30
Anomalocardia squamosa (L., 1758).	Philippines, Panay (eiland), Iloilo (provincie), Iloilo City.	€ 1,50
Protothaca staminea (Conrad, 1837).	Venezuela, Isla Margarita, Manglillo.	€ 0,50

		<b>Price Range</b>
Protothaca staminea (Conrad, 1837).	USA, California, Bolsa Bay, Sunset Beach, E.of Coast Highway.	€ 0,80
Chamelea striatula (da Costa, 1778).	North Sea, Klaverbank.	€ 0,30 t/m € 0,50
Chamelea striatula (da Costa, 1778).	France, Brittany, Finistère (department), Point Penmarc'h.	€ 0,80
Chamelea striatula (da Costa, 1778).	Spain, Province of Málaga, Fuengirola.	€ 0,20
Chione stutchburyi (Wood, 1828).	New Zealand, North Island, Coromandel Ranges.	€ 0,50
Chione subimbricata (Sowerby, 1835).	Panama, Bay of Panamá, Isla de Melones. Live, dredged.	€ 1,00
Dosinia subrosea (Gray, 1835).	New Zealand, near Nelson, Tapananui beach.	€ 2,00 t/m € 3,00
Dosinia subrosea (Gray, 1835).	New Zealand, Martins Bay.	€ 1,00 t/m € 2,50
Tapes sulcarius (Lamarck, 1818).	Egypt, South Sinai, Dahab. Gulf of Aqaba.	€ 0,50
Tapes sulcarius (Lamarck, 1818).	Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.	€ 0,50 t/m € 1,00
Placamen tiara (Dillwyn, 1817).	Philippines.	€ 1,30
Venus toreuma (Gould, 1850).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,50
Tivela tripla (L., 1777).	The Gambia, Kololi. Atlantic Ocean.	€ 1,50
Tivela tripla (L., 1777).	Senegal, Cambarene. West Africa.	€ 3,80
Sunetta truncata (Deshayes, 1854).	Malaysia, Terengganu (state), Merang.	€ 0,50
Gafrarium tumidum Röding, 1798.	Thailand, Phuket (island), Raya Island. 25-30 metres deep.	€ 0,50
Gafrarium tumidum Röding, 1798.	Thailand, Krabi Province. Strait of Malacca.	€ 1,00
Gafrarium tumidum Röding, 1798.	Indonesia, Jakarta Bay, Pari Island. ½-2 metres deep, buried in sand.	€ 2,00
Callista umbonella (Lamarck, 1818).	Saudi Arabia, Al Khobar.	€ 1,50
Chione undatella (Sowerby, 1835).	Mexico, Baja California, Pichilingue. Dead on beach.	€ 1,80
Paphia undulata (Born, 1778).	Thailand, Southeast Asia. Andaman Sea.	€ 1,00
Paphia undulata (Born, 1778).	Thailand, Changwat Phuket (province), Phuket (island).	€ 2,00 t/m € 3,00
Paphia undulata (Born, 1778).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 0,50 t/m € 1,50
Paphia undulata (Born, 1778).	Philippines.	€ 1,80 t/m € 2,30
Gomphina undulosa (Lamarck, 1818).	Australia, Western Australia, Cockburn Sound, 1 metres deep in sand.	€ 1,00
Tapes variegatus Sowerby, 1852.	Thailand, Phuket (island), Raya Island. 25-30 metres deep.	€ 0,80
Venus verrucosa L., 1758.	Italy, Grado. Trawled by fisherman, 12-15 metres deep. 46 mm - 55 mm	€ 1,80
Venus verrucosa L., 1758.	France, Brittany, Roscoff.	€ 1,75
Venus verrucosa L., 1758. with sand and shell debris	South Africa, Simonstown. False Bay. 6 m deep, scuba, rocky bottom.	€ 1,00 t/m € 2,00
Venus verrucosa L., 1758.	France, Brittany, Côtes-d'Armor (department), Tréburden.	€ 1,00
Venus verrucosa L., 1758.	France, Brittany, Ile Grande.	€ 1,50
Polititapes virgineus (L., 1767).	Spain, Andalusia (region), Province of Málaga, Marbella, Calypso.	€ 0,50
Polititapes virgineus (L., 1767).	Spain, Province of Málaga, Fuengirola.	€ 0,70
Polititapes virgineus (L., 1767).	France, Brittany, St. Cast.	€ 0,80
Polititapes virgineus (L., 1767).	Spain, Andalusia (region), Province of Málaga, Marbella, Calypso.	€ 0,70

*Polititapes virgineus* (L., 1767).

## Vermetidae

*Serpulorbis colubrinus* (Röding, 1798).

*Vermetus spec.* .

*Serpulorbis xenophorus* Habe, 1961.

## Volutidae

*Athleta abyssicola* (Adams & Reeve, 1848).

*Festilyria africana* (Reeve, 1856).

*Adelomelon americana* (Reeve, 1856).

*Odontocymbiola americana* (Reeve, 1856).

*Melo amphora* (Lightfoot, 1786).

*Melo amphora* (Lightfoot, 1786).

*Melo amphora* (Lightfoot, 1786).

*Adelomelon ancilla* (Lightfoot, 1786).

*Alcithoe arabica* (Gmelin, 1791).

*Alcithoe arabica* f. *swainsoni* Marwick, 1926.

*Harpulina arausiaca* (Lightfoot, 1786).

*Cymbiola aulica* (Sowerby, 1825).

*Cymbiola aulica* (Sowerby, 1825).

*Adelomelon beckii* (Broderip, 1836).

*Adelomelon beckii* (Broderip, 1836).

*Volutoconus bednalli* (Brazier, 1878).

*Melo broderipii* (Griffith & Pidgeon, 1834).

*Melo broderipii* (Griffith & Pidgeon, 1834).

*Callipara bullatiana* Weaver & Du Pont, 1967.

*Amoria canaliculata* (McCoy, 1869).

*Amoria canaliculata* (McCoy, 1869).

*Amoria canaliculata* (McCoy, 1869).

*Fulgoraria cancellata* Kuroda & Habe, 1950.

*Cymbiola cathcartiae* (Reeve, 1856).

*Cymbiola chrysostoma* (Swainson, 1824).

*Fulgoraria clara* (Sowerby, 1914).

*Fulgoraria clara* (Sowerby, 1914).

*Fusivoluta clarkei* Rehder, 1969.

*Lyrta cloveriana* Weaver, 1963.

France, Brittany, Côtes-d'Armor (department), Tréburden.

Philippines.

Spain, Canary Islands, Fuerteventura, Corralejo. Tidal pools.

Japan, Honshu (island), Wakayama Prefecture, Minabe. 30-50 fathoms deep.

South Africa, Western Cape, Agulhas Bank. Fished. 100 fathoms deep.

South Africa, Transkei Bantu Homeland, Coffee Bay. Dived in 35 m.

Brazil, off Espírito Santo (state). Atlantic Ocean.

Brazil, Espírito Santo, São Mateus. By shrimp boats at 35-50 m. deep.

Indonesia, Greater Sunda Islands, East Java (province), Madura Island.

Australia, Western Australia, Carnarvon. Fished.

Australia, Western Australia, Monkey Mia. Low tide, collected live.

Uruguay, La Coronilla, off Coronella Beach. 20-50 deep fathoms in mud.

New Zealand.

New Zealand.

Sri Lanka, northern region. Fished, 30 fathoms deep.

Philippines, Davao.

Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.

Uruguay, Montevideo Department, Montevideo. Fished.

Brazil. Atlantic Ocean.

Indonesia, Arafura Sea S. of Tanimbar Isand. 60-80 metres deep.

Indonesia, Greater Sunda Islands, East Java (province), Madura Island.

Philippines, Sulu (province), Siasi Island. Sulu Sea.

South Africa, Cape Province, Jeffreys Bay.

Australia, Queensland, Lady Musgrave Island. Great Barrier Reef. Fished.

Australia, Queensland, Cairns.

Australia, Queensland, off Bundaberg. Fished, ±70 metres deep.

Japan, fished off East Shikoku.

Philippines, Mindanao (island), Zamboanga. Trawled, 110 metres deep.

Indonesia, East Java (province), south of Madura Island, Sapekan Island.

Japan.

Japan, Honshu (island), Aichi Prefecture, Mikawa. 200 metres.

Mozambique, off San Martinho. East Africa. Indian Ocean. 140 fathoms deep.

Sri Lanka. Along the south-west coast.

## Price Range

€ 0,70 t/m € 1,30

€ 9,50

€ 0,50

€ 3,50

€ 4,00 t/m € 9,00

€ 29,50

€ 8,50

€ 10,00

€ 12,50 t/m € 150,00

€ 2,50 t/m € 20,00

€ 15,00

€ 12,50

€ 15,00

€ 7,00

€ 10,00

€ 5,00

€ 5,00 t/m € 9,00

€ 10,00

€ 37,50

€ 25,00 t/m € 35,00

€ 3,50 t/m € 25,00

€ 3,00 t/m € 4,00

€ 3,50 t/m € 6,00

€ 7,00

€ 3,00 t/m € 5,00

€ 8,00

€ 3,50 t/m € 5,00

€ 9,00

€ 7,50

€ 7,50

€ 2,00 t/m € 4,00

€ 5,00

€ 5,00

		<b>Price Range</b>
Fulgoraria concinna (Broderip, 1836).	Japan.	€ 4,00
Enaeta cumingii (Broderip, 1832).	Mexico, Baja California, Bahía de los Ángeles. Gulf of California.	€ 0,80 t/m € 1,00
Cymbiola cymbiola (Gmelin, 1791).	Indonesia, Moluccas Islands, Ambon Island.	€ 5,00 t/m € 12,50
Cymbium cymbium (L., 1758). fishermen.	The Gambia, between Kololi and Fajara. In tideline and from shell	€ 2,50 t/m € 3,00
Cymbium cymbium (L., 1758). fishermen, alive.	Senegal, Fatick, Joal. Between fishing boats on the beach. From	€ 6,00
Cymbium cymbium (L., 1758). the beach. Sometimes alive.	The Gambia, Western, Ghana Town near Brufut. Between fishing boats on the	€ 3,50
Cymbium cymbium (L., 1758).	Senegal, Dakar. West Africa. On sandy bottom at 5-10 metres deep.	€ 4,00 t/m € 6,00
Cymbium cymbium (L., 1758).	Gambia, Serekunda, Bijilo. From fishermen on the beach in Bakau, alive.	€ 3,50
Amoria damonii damonii Gray, 1864.	Australia, Northern Territory, Darwin. Sand, 40 metres deep.	€ 11,00 t/m € 15,00
Amoria damonii damonii Gray, 1864.	Australia, Western Australia, Geraldton.	€ 2,00 t/m € 4,00
Amoria damonii damonii Gray, 1864.	Australia, Western Australia, Broome. On sand bars.	€ 6,50 t/m € 17,50
Amoria damonii damonii Gray, 1864.	Australia, Western Australia, Port Hedland. Dead on beach.	€ 5,00 t/m € 12,50
Amoria dampieria Weaver, 1960.	Australia, Western Australia, Weld Island. On sandbank, ebb.	€ 9,00
Lyria delessertiana (Petit de la Saussaye, 1842).	Madagascar, Nosy Be. Live, shallow water, on sand bank, at rising tide.	€ 10,00
Cymbiola deshayesi (Reeve, 1855).	New Caledonia, Balabio Island.	€ 15,00
Zidona dufresnei (Donovan, 1823).	Brazil, off southern coast. Atlantic Ocean. Fished.	€ 4,00 t/m € 7,50
Zidona dufresnei (Donovan, 1823).	Brazil, off southern coast. Fished. Atlantic Ocean.	€ 15,00 t/m € 20,00
Voluta ebraea L., 1758.	Brazil, Rio Grande do Norte, Natal. 10-20 m, on sand & coral.	€ 10,00 t/m € 65,00
Voluta ebraea L., 1758.	Brazil, Ceará (state), Fortaleza. Atlantic Ocean.	€ 6,00 t/m € 12,00
Voluta ebraea L., 1758.	Brazil. Atlantic Ocean.	€ 15,00
Voluta ebraea L., 1758.	Brazil, Ceará (state), Fortaleza. Atlantic Ocean.	€ 9,00 t/m € 17,00
Amoria elliotti (Sowerby, 1864).	Australia, off Port Hedland, on sand, at low tide.	€ 15,00
Amoria exoptanda (Reeve, 1849).	Australia, South Australia, Port Lincoln. Dived about 15 m. deep in sand.	€ 17,50
Alcithoe fissurata (Dell, 1963).	New Zealand, South Island, west coast. 400 metres deep.	€ 35,00
Cymbiola flavicans (Gmelin, 1791).	Australia, Northern Territory, about 20 km NW of Darwin.	€ 2,00 t/m € 3,00
Fulgoraria formosana Azuma, 1967.	Taiwan, Formosa Strait.	€ 1,50 t/m € 5,00
Fulgoraria formosana Azuma, 1967.	Taiwan Straits, about 100 metres deep.	€ 10,00
Ericusa fulgetrum (Sowerby, 1825).	Australia, South Australia, Tumby Bay. Low water.	€ 21,00
Alcithoe fusus (Quoy & Gaimard, 1833).	New Zealand, S. Island, 12 km from Tasman Bay. 30 metres, fishery. 56 mm - 69 mm	€ 10,00
Neptuneopsis gilchristi Sowerby, 1898.	South Africa, Cape Province, Cape Town, Constantia. 80 fathoms deep.	€ 7,00 t/m € 20,00
Neptuneopsis gilchristi Sowerby, 1898.	South Africa, Western Cape, Agulhas Bank. Fished.	€ 25,00
Neptuneopsis gilchristi Sowerby, 1898.	South Africa, Cape, Mossel Bay.	€ 17,50
Cymbium glans (Gmelin, 1791). boats. Sometimes alive.	The Gambia, Sanyang, Paradise Beach. From fishermen between the	€ 6,00 t/m € 8,00
Cymbium glans (Gmelin, 1791).	Senegal. West Africa. Atlantic Ocean.	€ 6,50 t/m € 17,50
Amoria grayi Ludbrook, 1953.	Australia, Western Australia, Broome. Live on mudflats at low tide.	€ 6,00 t/m € 12,50

		<b>Price Range</b>
Amoria grayi (Ludbrook, 1953).	Australia, Western Australia, Carnarvon. Fished.	€ 7,50
Paramoria guntheri (Smith, 1886).	Australia, Western Australia, Esperance. 25 meter deep by diver.	€ 10,00
Amoria hunteri (Iredale, 1931).	Australia, New South Wales, Iluka. Fished, 20 metres deep.	€ 5,00 t/m € 10,00
Amoria hunteri (Iredale, 1931).	Australia, Queensland.	€ 5,00
Cymbiola imperialis (Lightfoot, 1786).	Philippines, Bohol Island, close to Panglao Island, Balicasag Island.	€ 12,50 t/m € 47,50
Cymbiola imperialis (Lightfoot, 1786).	Philippines, Mindanao (island), Zamboanga.	€ 17,50 t/m € 30,00
Cymbiola imperialis f. robinsona (Burch, 1954).	Philippines, Mindanao (island), Zamboanga.	€ 17,50
Cymbiola innexa (Reeve, 1849).	Indonesia, Java. Trawled, shrimper, 20-40 fathoms.	€ 10,00
Cymbiola innexa (Reeve, 1849).	Indonesia, southern Java. In depths between 20 & 30 metre on sandy bottom.	€ 17,50
Cymbiola innexa (Reeve, 1849).	Indonesia, southern Java (island).	€ 3,00 t/m € 5,00
Teramachia johnsoni (Bartsch, 1942).	Philippines, Central Visayas (region), Bohol. Trawled in deep water.	€ 30,00
Teramachia johnsoni (Bartsch, 1942).	Australia, W.A. Trawled by fishery off Scott Reef, ±450 metres deep.	€ 35,00
Teramachia johnsoni (Bartsch, 1942).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 17,50
Lyria kurodai (Kawamura, 1964).	Vietnam, off Nha Trang. Trawled at 30 metres, on sand.	€ 7,50 t/m € 19,50
Harpulina lapponica (L., 1767).	India, Thumpura.	€ 5,00
Harpulina lapponica (L., 1767).	Sri Lanka.	€ 5,00
Harpulina lapponica (L., 1767).	India, Tamil Nadu (state), Tuticorin. With nets at 20-25 metres.	€ 6,00
Harpulina lapponica (L., 1767).	India, Tamil Nadu (state), Rameswaram. Gulf of Mannar.	€ 7,50 t/m € 12,50
Alcithoe larochei (Marwick, 1926).	New Zealand, North Island, Bay of Plenty, Alderman Island. Trawled, 300 m.	€ 9,00
Harpulina larochei (Valenciennes, 1863).	India (South).	€ 12,00
Harpulina larochei (Valenciennes, 1863).	Sri Lanka.	€ 17,50
Amoria maculata (Swainson, 1822).	Australia, Queensland, Capricorn Channel, trawled in up to 70 fathoms.	€ 6,50
Amoria maculata (Swainson, 1822).	Australia, Queensland, off Townsville. 20 fathoms deep.	€ 2,50
Amoria maculata (Swainson, 1822).	Australia, Queensland, Keppel Bay.	€ 14,00
Amoria maculata (Swainson, 1822).	Australia, Queensland, Lady Musgrove Island.	€ 5,00 t/m € 10,00
Amoria maculata (Swainson, 1822).	Australia, Queensland, Keppel Bay.	€ 6,00
Amoria maculata (Swainson, 1822).	Australia, Queensland, Great Barrier reef before Kurrimine Beach.	€ 4,00 t/m € 6,00
Cymbiola magnifica (Gebauer, 1802).	Australia, New South Wales, off Iluka. Fished.	€ 15,00 t/m € 67,50
Cymbiola magnifica (Gebauer, 1802).	Australia, New South Wales, Currarong, Crookhaven Bight.	€ 5,00
Livonia mammilla (Sowerby I, 1844).	Australia, Victoria, Lakes Entrance. Fished.	€ 10,00 t/m € 35,00
Cymbium marmoratum (Link, 1807).	Senegal, Dakar Region, Dakar, Hann. West Africa. 15 metres deep.	€ 2,50 t/m € 10,00
Melo melo (Lightfoot, 1786).	Thailand, Ko Samui. Shallow water, ±0 metres deep, on a muddy bottom.	€ 5,50
Melo melo (Lightfoot, 1786).	Malaysia, Sabah (state), Kota Kinabalu. Fished live.	€ 5,00 t/m € 7,00
Melo melo tessellata (Lamarck, 1811).	Malaysia, Sabah (state), Borneo, Semporna. Fished.	€ 5,00
Melo miltonis (Griffith & Pidgeon, 1834).	Australia, Western Australia, Shark Bay.	€ 9,50

		<b>Price Range</b>
<i>Lyria mitraeformis</i> (Lamarck, 1811).	Australia, South Australia, Port Lincoln. Live, shallow water, sandbank.	€ 5,50
<i>Lyria mitraeformis</i> (Lamarck, 1811).	Australia, South Australia, Edithburg.	€ 5,00
<i>Lyria mitraeformis</i> (Lamarck, 1811).	Australia, South Australia, Corny Point.	€ 6,50
<i>Amoria mollerii</i> (Iredale, 1936).	Australia, Queensland, trawled Capricorn channel.	€ 7,00
<i>Amoria mollerii</i> (Iredale, 1936).	Australia, Queensland, Moreton Bay.	€ 6,50
<i>Voluta musica</i> L., 1758.	Curaçao, St. Michiel Bay, Lesser Antilles Islands.	€ 1,00 t/m € 2,00
<i>Voluta musica</i> L., 1758.	Bonaire, Lesser Antilles Islands.	€ 4,00 t/m € 7,00
<i>Voluta musica</i> L., 1758.	Venezuela, Isla Margarita. Dived, 20 metres deep.	€ 10,00
<i>Voluta musica</i> L., 1758.	Aruba, Lesser Antilles Islands.	€ 2,50 t/m € 6,00
<i>Voluta musica</i> L., 1758.	Venezuela, Margarita Island, offshore near Cubagnay Island, 2-8 m deep.	€ 6,00 t/m € 12,50
<i>Cymbiola nivosa</i> (Lamarck, 1804).	Australia, Western Australia, Shire of Shark Bay, Denham.	€ 4,00
<i>Cymbiola nivosa oblita</i> (Smith, 1909).	Australia, Western Australia, Shire of Shark Bay, Denham.	€ 6,50 t/m € 8,50
<i>Cymbiola nobilis</i> (Lightfoot, 1786).	Philippines.	€ 7,50
<i>Cymbiola nobilis</i> (Lightfoot, 1786).	Thailand, Changwat Chonburi (province), Pattaya. Southeast Asia.	€ 20,00
<i>Cymbiola nobilis</i> (Lightfoot, 1786).	Indonesia, Ambon. Dived at 10-20 metres, by local fisherman.	€ 8,00
<i>Cymbiola nobilis octogonalis</i> (Senders, 1995).	Indonesia, East Java (province), south of Madura Island, Sapekan Island.	€ 12,00
<i>Cymbium olla</i> (L., 1758).	Spain, Province of Málaga, Estepona.	€ 0,50 t/m € 3,80
<i>Cymbium olla</i> (L., 1758).		€ 2,50 t/m € 6,50
<i>Cymbium olla</i> (L., 1758).	Portugal, Algarve (region).	€ 2,00 t/m € 6,50
<i>Ericusa papillosa</i> (Swainson, 1822).	Australia, Victoria, Lakes Entrance. By scallop fishers.	€ 10,00
<i>Lyria patbaili</i> Bouchet, 1999.	Madagascar, Manambato. By local fishermen.	€ 25,00
<i>Cymbium pepo</i> (Lightfoot, 1786).	Senegal, Dakar Region, Dakar. West Africa. Atlantic Ocean.	€ 13,00 t/m € 17,50
<i>Lyria planicostata boholensis</i> Kosuge, 1980.	Philippines. Fishing industry.	€ 2,00 t/m € 3,50
<i>Lyria planicostata planicostata</i> (Sowerby, 1903).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 5,00
<i>Voluta polypleura</i> Crosse, 1876.	Honduras.	€ 10,00
<i>Cymbiola pulchra peristicta</i> McMichael, 1963.	Australia, Queensland, Swain Reef, Big Sandy Cay. From fisherman.	€ 10,00
<i>Cymbiola pulchra pulchra</i> (Sowerby I, 1825).	Australia, Queensland, Lady Musgrave Island. 150 metres deep.	€ 2,00 t/m € 7,00
<i>Cymbiola pulchra pulchra</i> (Sowerby I, 1825).	Australia, Queensland, Swain Reefs.	€ 6,50 t/m € 12,50
<i>Livonia roadnightae</i> (McCoy, 1881). Near 127°E longitude.	Australia, S.A., Great Australian Bight. Trawled, sand/rubble. 150-170 m.	€ 55,00
<i>Livonia roadnightae</i> (McCoy, 1881).	Australia, New South Wales, South Coast region, Eden.	€ 27,50
<i>Fulgoraria rupestris</i> (Gmelin, 1791).	Taiwan. East China Sea.	€ 6,50
<i>Fulgoraria rupestris</i> (Gmelin, 1791).	Philippines.	€ 7,50
<i>Fulgoraria rupestris</i> (Gmelin, 1791).	Taiwan. East China Sea.	€ 3,00
<i>Cymbiola rutila</i> (Broderip, 1826).	Papua New Guinea, Louisiade Archipelago. ±5 m deep, on sand with coral.	€ 6,00
<i>Cymbiola rutila</i> (Broderip, 1826).	Australia, N. Queensland, Thursday Island. Torres Strait. Dived. ±4 m.	€ 15,00

Cymbiola rutila (Broderip, 1826).  
 Cymbiola rutila (Broderip, 1826).  
 Notopeplum sericatum Thornley, 1951.  
 Ericusa sowerbyi (Kiener, 1839).  
 Ericusa sowerbyi (Kiener, 1839).  
 Athleta studeri (Martens, 1897).  
 Cymbiola thatcheri (McCoy, 1868).  
 Lyria tulearensis Cosel & Blöcher, 1977.  
 Amoria turneri (Griffith & Pidgeon, 1834).  
 Amoria turneri (Griffith & Pidgeon, 1834).  
 Melo umbilicatus Broderip, 1826.  
 Melo umbilicatus Broderip, 1826.  
 Amoria undulata (Lamarck, 1804).  
 Amoria undulata (Lamarck, 1804).  
 Cymbiola vespertilio (L., 1758).  
 Cymbiola vespertilio (L., 1758).  
 Alcithoe wilsonae f. smithi (Powell, 1950).  
 Amoria zebra (Leach, 1814).  
 Amoria zebra (Leach, 1814).

## Xenophoridae

Onustus caribaeus (Petit de la Saussaye, 1857).  
 Xenophora cerea (Reeve, 1845).  
 Xenophora cerea f. torrida Kuroda & Ito, 1961.  
 Stellaria chinensis chinensis (Philippi, 1841).  
 Xenophora crispa (König, 1825).  
 Xenophora crispa (König, 1825).  
 Xenophora crispa (König, 1825).  
 Xenophora crispa (König, 1825).  
 Stellaria gigantea Schepman, 1909.  
 Xenophora japonica Kuroda & Habe, 1971.  
 Xenophora japonica Kuroda & Habe, 1971.  
 Xenophora pallidula (Reeve, 1842).  
 Stellaria solaris (L., 1764).  
 Stellaria solaris (L., 1764).

Australia, Queensland, off Cooktown.  
 Australia, Queensland, Cairns. In tangle net of fisherman.  
 Australia, Queensland, Moreton Bay. Fished.  
 Australia, New South Wales, Sydney.  
 Australia, New South Wales, Eden. Fished.  
 Australia, Queensland, Moreton Island, Cape Moreton. Fished.  
 New Caledonia, Chesterfield Reefs, Coral Sea.  
 Madagascar, Tulear area. By local fishermen.  
 Australia, Queensland, Friday Island. Torres Strait. Coral sand, low tide.  
 Indonesia, Greater Sundra Islands, East Java (province), Madura Island.  
 Australia, Queensland, Keppel Bay.  
 Indonesia, Greater Sundra Islands, East Java (province), Madura Island.  
 Australia, South Australia, Eyre Peninsula, Port Lincoln.  
 Australia, Victoria, Lakes Entrance.  
 Philippines.  
 Philippines, Central Visayas (region), Bohol (island).  
 New Zealand, South Island, Otago Peninsula, off Dunedin.  
 Australia, New South Wales, Laurieton. Trawled.  
 Australia, Queensland.

USA, Florida, SW. of Dry Tortugas, Riley Black. Trawled, 100 fathoms  
 Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.  
 Philippines.  
 Italy, Sicily (region), Sicily.  
 Italy, Sicily (region), Sicily.  
 Tunisia, Calite island. Fished at about 80 metres.  
 Spain, Estepona.  
 Madagascar Island. East Africa. Indian Ocean.  
 Philippines, Mindanao (island), Davao Region, Davao City.  
 Philippines.  
 Philippines.  
 Indonesia, Moluccas Islands, Ambon Island.  
 Indonesia, South of East Java.

## Price Range

€ 12,00  
 € 10,00  
 € 8,00  
 € 14,00  
 € 3,00 t/m € 6,50  
 € 4,50  
 € 60,00  
 € 17,00  
 € 10,00  
 € 14,00  
 € 19,00  
 € 15,00  
 € 15,00 t/m € 19,50  
 € 8,50  
 € 1,80 t/m € 2,50  
 € 2,00 t/m € 3,50  
 € 4,50 t/m € 12,50  
 € 4,50  
 € 5,00  
 € 9,00 t/m € 11,50  
 € 5,00 t/m € 7,50  
 € 7,50  
 € 6,00  
 € 3,50  
 € 3,50  
 € 1,50  
 € 3,00  
 € 17,50  
 € 2,50 t/m € 3,80  
 € 3,50  
 € 6,50 t/m € 11,50  
 € 1,00 t/m € 3,00  
 € 3,50