

Muzee Scheveningen World-wide Shell Shop Price list

		Price Range
Acmaeidae		
Acmaea instabilis (Gould, 1846).	USA, California, Monterey County, Pacific Grove. On beach.	€ 1,00 t/m € 2,50
Acmaea mitra Rathke, 1833.	USA, California, Monterey County, Pacific Grove. On beach.	€ 1,00
Acteonidae		
Acteon eloisae Abbott, 1973.	Oman, Gulf of Oman, Masirah Island.	€ 20,00
Acteon fabreanus (Crosse, 1874).	Sri Lanka, Western Province, Negombo, Waikkal.	€ 1,00
Pupa solidula (L., 1758).	Thailand, Phuket (island), Raya Island. 25-30 metres deep.	€ 1,30
Acteon tornatilis (L., 1758).	Italy, Province of Ravenna, Cérvia.	€ 1,00
Acteon tornatilis (L., 1758).	France, Brittany, Finistère (department), Point Penmarc'h.	€ 1,30
Akeridae		
Akera soluta (Gmelin, 1791).	Australia, Western Australia, Rockingham. Live on beach, after storm.	€ 2,50
Amphibolidae		
Amphibola crenata (Gmelin, 1791).	New Zealand, North Island, Russell Island.	€ 4,50
Angariidae		
Angaria delphinus (L., 1758).	Australia, Western Australia.	€ 3,00
Angaria delphinus (L., 1758).	Philippines, Central Visayas (region), Cebu (island).	€ 3,50
Angaria delphinus (L., 1758).	Malaysia, Johor, Pulau Babi Besar, "South Cape". Littoral on rocks.	€ 1,50
Angaria delphinus (L., 1758).	Philippines, Bohol, bij Panglao, Balicasag Island. Tangle net, 160 metres.	€ 0,80 t/m € 1,50
Angaria melanacantha (Reeve, 1842).	Madagascar Island. East Africa. Indian Ocean.	€ 4,50
Angaria sphaerula (Kiener, 1873).	Philippines, Mindanao (region), Balut Island.	€ 7,50 t/m € 9,50
Angaria sphaerula (Kiener, 1873).	Philippines, Mindanao (island), Zamboanga.	€ 2,00 t/m € 5,00
Angaria sphaerula (Kiener, 1873).	Philippines, Central Visayas (region), Cebu (island).	€ 5,00
Angaria sphaerula (Kiener, 1873).	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 1,00 t/m € 2,00
Angaria tyria (Reeve, 1842).	Australia, W.A., Abrolhos Island group, N. of West Wallaby Island. 15-20 m	€ 2,50 t/m € 9,00
Angaria tyria (Reeve, 1842).	Australia, Western Australia, near Port Denison, Dongara. On reef.	€ 4,00
Angaria vicdani Kosuge, 1980.	Philippines, Mindanao (region), Balut Island.	€ 4,50 t/m € 9,50
Angaria vicdani Kosuge, 1980.	Philippines, Mindanao (island).	€ 5,00 t/m € 7,50
Anomiidae		
Anomia ephippium L., 1758.	France, Brittany, Saint-Jacut-de-la-Mer.	€ 1,30
Anomia ephippium L., 1758.	France, Brittany, Côtes-d'Armor (department), Erquy.	€ 1,25
Anomia ephippium L., 1758.	Spain, Province of Málaga, Puerto de Marbella. From fishermen.	€ 0,50 t/m € 1,50
Anomia ephippium L., 1758.	France, Brittany, Ille-et-Vilaine (departement), Dinard.	€ 0,50 t/m € 0,80
Anomia ephippium L., 1758.	Ireland, Kerry, Kenmare River. Low water, Littoral zone.	€ 2,50
Anomia ephippium L., 1758.	France, Brittany, Saint-Malo.	€ 0,80

Anomia ephippium L., 1758.
 Anomia ephippium L., 1758.
 Anomia ephippium L., 1758.
 Anomia simplex Orbigny, 1842.

Aplysiidae

Dolabella auriculata (Lightfoot, 1786).

Aporrhaidae

Aporrhais pesgallinae Barnard, 1963.
 Aporrhais pespelecani (L., 1758).
 Aporrhais pespelecani (L., 1758).
 Aporrhais pespelecani (L., 1758).
 Aporrhais pespelecani (L., 1758).
 Aporrhais pespelecani (L., 1758).
 Aporrhais pespelecani (L., 1758).
 Aporrhais pespelecani (L., 1758).
 Aporrhais pespelecani (L., 1758).
 Aporrhais pespelecani (L., 1758).
 Aporrhais pespelecani (L., 1758).
 Aporrhais serresianus (Michaud, 1828).

Architectonicidae

Discotectonica acutissima (Sowerby, 1914).
 Architectonica gualtierii (Bieler, 1993).
 Architectonica maxima (Philippi, 1849).
 Architectonica perdix Hinds, 1844.
 Architectonica perspectiva (L., 1758).
 Architectonica perspectiva (L., 1758).
 Architectonica perspectiva (L., 1758).
 Architectonica perspectiva (L., 1758).
 Architectonica perspectiva (L., 1758).
 Architectonica perspectiva (L., 1758).
 Architectonica picta (Philippi, 1849).
 Psilaxis radiatus (Röding, 1798).
 Heliacus stramineus (Gmelin, 1791).
 Architectonica taylori (Hanley, 1962).
 Architectonica trochlearis (Hinds, 1844).

Spain, off Fuengirola. Trawled by local fisherman.
 France, Brittany, Côtes-d'Armor (department), Tréburden.
 France, Brittany, Côtes-d'Armor (department), Erquy.
 USA, Texas, Aransas Bay.

West Samoa, Upolu (island), Apia, Mulinuu.

Senegal, Cap-Vert, N'Gor Island, Pointe des Almadies. Fishing harbour.
 Portugal, Algarve (region), Praia de Rocha.
 France, Brittany, Cap Coz. Collected live.
 Spain, Province of Málaga, Fuengirola.
 Greece, 200 km northeast of Athens, Évvoia Island, Kimi.
 Spain, Andalusia (region), Province of Málaga, Marbella.
 Portugal, Algarve (region), Praya da Rocha.
 Spain, Province of Málaga, Benajazafe, San Carlos.
 Italy, Liguria, Province of Savona, Savona.
 Italy, Lazio (region), Anzio.
 The Channel. From fishery.
 Italy, Liguria, Province of Savona. From fishing boats.

Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.
 Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.
 Philippines.
 Australia, Queensland, Keppel Bay.
 Malaysia, Langkawi (archipelago), Langkawi Island, Kuah. Collected dead.
 Australia, New South Wales, Iluka. Fished.
 Australia, Queensland, Port Douglas, Four Mile Beach. 4 m, mud & seaweed.
 Philippines.
 Indonesia, Greater Sundra Islands, East Java (province), Madura Island.
 Indonesia, East Java (state), Probolinggo. Northeastern coast.
 Indonesia, Greater Sundra Islands, East Java (province), Madura Island.
 Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.
 Taiwan. East China Sea. Fished.
 Indonesia.
 Japan, Shikoku (island), Kochi Prefecture, Tosa Bay. Fished.

Price Range

€ 0,30 t/m € 0,50
 € 2,00
 € 0,50
 € 2,30
 € 3,50 t/m € 5,00
 € 0,80
 € 1,00
 € 3,30
 € 2,50
 € 1,00 t/m € 2,00
 € 2,00
 € 1,30
 € 1,30 t/m € 2,00
 € 1,00
 € 2,00
 € 2,00
 € 4,50
 € 1,00 t/m € 2,00
 € 0,50 t/m € 4,00
 € 4,95
 € 2,50
 € 2,00
 € 2,50
 € 0,50 t/m € 3,00
 € 2,00 t/m € 2,30
 € 1,50 t/m € 4,00
 € 1,30
 € 2,50
 € 2,00
 € 2,50 t/m € 4,50
 € 2,00 t/m € 3,00
 € 2,00 t/m € 3,50

Heliacus variegatus (Gmelin, 1791).

Heliacus variegatus (Gmelin, 1791).

Arcidae

Barbatia amygdalumtosum (Röding, 1798).

Barbatia amygdalumtosum (Röding, 1798).

Barbatia amygdalumtosum (Röding, 1798).

Anadara antiquata (L., 1758).

Anadara antiquata (L., 1758).

Anadara antiquata (L., 1758).

Barbatia barbata (L., 1758).

Barbatia foliata (Forskål, 1775).

Anadara granosa (L., 1758).

Anadara granosa (L., 1758).

Barbatia helblingii (Bruguière, 1789).

Anadara inaequalis (Bruguière, 1789).

Anadara nodifera (von Martens, 1860).

Anadara ovalis (Bruguière, 1789).

Anadara ovalis (Bruguière, 1789).

Trisidos semitorta (Lamarck, 1819).

Trisidos semitorta (Lamarck, 1819).

Trisidos semitorta (Lamarck, 1819).

Trisidos semitorta (Lamarck, 1819).

Arca senilis (L., 1758).

Anadara similis (Adams, 1852).

Trisidos tortuosa (L., 1758).

Anadara transversa (Say, 1822). Stormy weather, live.

Barbatia trapezina (Lamarck, 1819).

Arca ventricosa Lamarck, 1819.

Arcticidae

Arctica islandica (L., 1767).

Arctica islandica (L., 1767). Trawled, 75-80 m, silty sand.

Argonautidae

Argonauta hians Lightfoot, 1786.

Argonauta hians Lightfoot, 1786.

French Polynesia, Society Islands, Tahiti, 20 km east of Papeete.

Philippines.

Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.

Thailand, Phuket (island). Under corals in shallow water.

Thailand, Phuket (island), Raya Island. 25-30 metres deep.

Madagascar Island. East Africa. Indian Ocean.

West Samoa Island, Upolu (island), Apia, Malinuu Peninsula, east coast.

Philippines, Bohol (province), close to Panglao Island, Balicasag Island.

Tunisia, Djerba Island, Ajim.

Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.

Thailand, Krabi Province, Koh Lanta Yai (island), Koa Kwang Beach.

Taiwan, south-west. South China Sea.

Oman, Muscat. Middle East. Arabian Sea.

Australia, Queensland, between Townsville and Pallarenda.

Thailand, Changwat Phuket (province), Phuket (island).

Venezuela, Isla Margarita, Piedros strand, Negros.

Venezuela, Isla Margarita, Nueva Esparta, Robledal, Macanao.

Japan.

Philippines, Central Visayas (region), Bohol (island).

Thailand, Changwat Phuket (province), Phuket (island).

Thailand. Southeast Asia.

The Gambia, Banjul. Atlantic Ocean.

Panama, Gulf of Panamá, San Carlos, Pacific, live.

Indonesia, East Java (province). South coast.

Florida, near Blind Pass Jetty, Captiva Island, Turner Beach. Ebb, beach.

Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.

Indonesia, Greater Sunda Islands, East Java (province), Madura Island.

North Sea, Klaverbank.

North Sea, Outer Silver Pit (station 18-19). 54°06'20"N, 2°16' -2°13'50E.

Indonesia, Bali (province), Bali (island).

Warm oceans worldwide.

Price Range

€ 1,50

€ 0,80

€ 0,50 t/m € 1,50

€ 2,50

€ 0,80 t/m € 1,30

€ 0,50

€ 2,00

€ 0,75

€ 1,00

€ 0,25 t/m € 1,30

€ 1,00

€ 0,80

€ 0,50

€ 1,00 t/m € 3,50

€ 1,00 t/m € 2,00

€ 0,50

€ 0,75

€ 9,00

€ 10,00

€ 1,00 t/m € 2,50

€ 5,00

€ 1,00

€ 1,30

€ 3,00

€ 1,00

€ 1,00 t/m € 1,50

€ 0,50 t/m € 2,50

€ 2,30 t/m € 5,00

€ 1,00 t/m € 2,50

€ 2,00 t/m € 3,00

€ 6,50

Assimineidae

Assimineea spec. .

Astartidae

Astarte sulcata (da Costa, 1778).

Babyloniidae

Babylonia areolata f. areolata (Link, 1807).

Babylonia areolata f. areolata (Link, 1807).

Babylonia areolata f. areolata (Link, 1807).

Babylonia borneensis (Sowerby II, 1864).

Babylonia borneensis (Sowerby II, 1864).

Babylonia formosae formosae (Sowerby II, 1866).

Babylonia formosae formosae (Sowerby II, 1866).

Babylonia japonica (Reeve, 1842).

Babylonia japonica (Reeve, 1842).

Babylonia spirata f. spirata (L., 1758).

Babylonia spirata f. spirata (L., 1758).

Babylonia spirata f. spirata (L., 1758).

Babylonia spirata f. spirata (L., 1758).

Babylonia spirata f. spirata (L., 1758).

Babylonia spirata f. spirata (L., 1758).

Babylonia spirata f. spirata (L., 1758).

Babylonia spirata f. spirata (L., 1758).

Babylonia spirata f. spirata (L., 1758).

Babylonia zeylanica (Bruguière, 1789).

Babylonia zeylanica (Bruguière, 1789).

Babylonia zeylanica (Bruguière, 1789).

Buccinidae

Nassaria acuminata (Reeve, 1844).

Nassaria acuminata (Reeve, 1844).

Japelion adelphicus (Dall, 1907).

Japelion adelphicus (Dall, 1907).

Kanamarua adonis (Dall, 1919).

Kanamarua adonis (Dall, 1919).

Cominella adspersa (Bruguière, 1789).

Philippines.

Scotland, British Isles.

Taiwan. East China Sea.

Vietnam, South Central Coast (region), Da Nang (Đà Nẵng).

Taiwan, northern region. East China Sea. Fished, 20 fathoms deep.

Malaysia, Borneo, Sarawak, Bako National Park, Headquarters Beach. Ebb.

Indonesia, N.W. Sumatra, Sibolga. Indian Ocean

Taiwan. East China Sea. Fished.

Taiwan. East China Sea.

Japan.

Japan, Tōhoku (region), Yamagata Prefecture, Toya-saki (island).

Indonesia, Java (island), North Jakarta city, Jakarta Bay.

India, Tamil Nadu (state), Cuddalore. Bay of Bengal.

Thailand, Changwat Phuket (province), Phuket (island).

Sri Lanka, Chamianpatta.

Thailand, Changwat Phuket (province), Phuket (island).

Thailand, Ranong Province, Ranong (city). Deep water, >70 m deep.

Indonesia, East Java (province). From local fishermen.

India, Tamil Nadu (state), Cuddalore. Bay of Bengal. Trawled.

India, Bay of Bannar, Kilakarai. Collected below low tide level.

India, Tamil Nadu (state), Cuddalore. Bay of Bengal.

India.

India, Tamil Nadu (state), Ramanathapuram district, Kilakarai.

Gulf of Thailand, Ban Hua Hin.

Japan, Honshu (island), Kansai (region), Kyoto. Fished at 70 fathoms deep.

China, Zhejiang province, Dong Tou. East China Sea. Trawl, 80-120 metres.

Japan, Honshu (island), Aichi Prefecture, Mikawa. 50-80 fathoms deep.

Japan, Sea of Enshu-nada.

New Zealand.

Price Range

€ 2,00

€ 1,50

€ 4,50

€ 9,50

€ 4,50

€ 1,00 t/m € 3,00

€ 11,00

€ 2,00

€ 4,00

€ 1,50 t/m € 2,00

€ 3,00

€ 2,50

€ 1,25 t/m € 1,75

€ 1,00 t/m € 2,00

€ 2,50

€ 1,00 t/m € 3,00

€ 2,00

€ 3,50

€ 3,00 t/m € 4,00

€ 2,00

€ 6,00

€ 2,80

€ 5,50

€ 2,50

€ 0,80

€ 8,00

€ 5,00

€ 2,50

€ 4,00

€ 1,30 t/m € 1,85

		Price Range
Cominella adspersa (Bruguère, 1789).	New Zealand, North Island, North Shore City, Takapuna, Milford Beach.	€ 2,50
Nassaria amboynensis Watson, 1881.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 0,50 t/m € 1,00
Neptunea amianta (Dall, 1890).	Canada, Juan de Fuca Canyon, W. of Sea Lion Rock, at 500 fms.	€ 6,50
Neptunea amianta (Dall, 1890).	Alaska, off Prince of Wales Island, Noyes Island, Steamboot Bay. 150' deep	€ 10,00 t/m € 25,00
Metula amosi Vanatta, 1913.	Panama, Bay of Chiriqui, dredged in 80 m.	€ 6,00
Volutharpa ampullacea perryi (Jay, 1855).	Japan, Hokkaido.	€ 6,00 t/m € 12,50
Neptunea antiqua (L., 1758).	UK, Scotland, Aultbea.	€ 3,50 t/m € 6,00
Neptunea arthritica (Bernardi, 1857).	East China Sea, fished.	€ 3,50
Pisania auritula (Link, 1807).	St. Maarten, Caribbean Sea.	€ 1,50
Neptunea bulbacea (Bernardi, 1858).	Japan, Hokkaido, Cape Erimo. 20-30 metres deep in fishnets.	€ 10,00
Cantharus cancellarius (Conrad, 1846).	USA, Florida, Seahorse Key.	€ 1,80
Siphonalia cassidariaeformis f. funerea Pilsbry, 1895.	Japan, Honshu (island), Wakayama Prefecture, Inami-Cho.	€ 3,00
Siphonalia cassidariaeformis (Reeve, 1843).	Japan, Honshu (island), Chubu region, Aichi Prefecture, Mikawa.	€ 2,50
Siphonalia cassidariaeformis (Reeve, 1843).	Japan, Honshu (island), Wakayama Prefecture, Inami-Cho. 10-30 fathoms.	€ 3,00
Siphonofusus chrysodomoides (Schepman, 1911).	Australia, Western Australia, off Rottneest Island. Trawled.	€ 9,00
Burnupena cincta (Röding, 1798).	South Africa, Western Cape, Olifantsbos point. Sand beach, by reefs & kelp	€ 2,50
Burnupena cincta (Röding, 1798).	South Africa.	€ 1,50
Burnupena cincta (Röding, 1798).	South Africa, Transkei, Mazeppa Bay.	€ 2,00
Neptunea contraria (L., 1771).	Belgium, Antwerp, 5 Haven Dok.	€ 3,00 t/m € 4,00
Neptunea contraria (L., 1771).	Spain, Galicia, La Coruña. Fished.	€ 3,50
Buccinulum corneum (L., 1758).	Italy, Apulia, Gallipoli. 2 metres deep, on rocks.	€ 6,00
Buccinulum corneum (L., 1758).	Greece, Island of Kyra, Panagia. Aegean Sea. Dived live, 8 metres deep.	€ 8,00
Buccinulum corneum (L., 1758).	Spain, Baleric Islands, Ibiza (island).	€ 2,50
Metula cumingii Adams, 1853. Low tide. Alive.	Senegal, Cap-Vert, N'Gor Island, Pointe des Almadies. Fishing harbour.	€ 1,00 t/m € 2,50
Neptunea decemcostata (Say, 1826).	Canada, off Halifax.	€ 4,00
Cantharus dorbignyi (Payraudeau, 1826).	Malta.	€ 0,80
Cantharus dorbignyi (Payraudeau, 1826).	Italy, Sardegna, off Calasetta. 6 metres deep, at low tide.	€ 1,50
Pisania fasciculata (Reeve, 1846).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 2,50
Pisania ferrea (Reeve).	Japan, Honshu (island), Wakayama Prefecture, Nada. Low tide.	€ 2,00
Cantharus fumosus (Dillwyn, 1817).	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 0,50 t/m € 1,00
Cantharus fumosus (Dillwyn, 1817).	Mozambique, Nampula Province, Nacala Bay area. Shallow water.	€ 1,30
Cantharus fumosus (Dillwyn, 1817).	American Samoa, Pago Pago Bay, Pacific, under dead coral.	€ 0,80
Nassaria fusiformis Sowerby, 1859.	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,30
Siphonalia fusoides (Reeve, 1846).	Japan, Shikoku (island), Kochi Prefecture, Tosa Bay.	€ 4,50
Siphonalia fusoides (Reeve, 1846).	Japan.	€ 4,00

		Price Range
Cominella glandiformis (Reeve, 1847).	New Zealand, North Island, North Shore City, Takapuna, Milford Beach.	€ 1,00
Cominella glandiformis (Reeve, 1847).	New Zealand, N.I., Bay of Islands, off Paitria, ebb, 30 metres deep.	€ 1,80
Colus gracilis (da Costa, 1778).	North Sea, Klaverbank. From fisherman.	€ 2,50
Colus gracilis (da Costa, 1778).	France, Bretngé, Roscoff, live on bottom harbour.	€ 3,00
Colus gracilis (da Costa, 1778).		€ 0,50 t/m € 1,00
Colus gracilis (da Costa, 1778).	North Sea, Scate Hole, Well Bank. 22-24 fathoms.	€ 2,30 t/m € 2,30
Colus hallii (Dall, 1873).	Bering Sea. From Japanese fisherman. Deep water.	€ 8,00
Pisania ignea (Gmelin, 1791).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,80 t/m € 4,00
Engina incarnata (Deshayes & Linart, 1834).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,50
Prodotia iostoma (Gray, 1834).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,00
Prodotia iostoma (Gray, 1834).	Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.	€ 1,30
Neptunea kuroshio Oyama, 1958.	Japan, Honshu (island), Chubu region, Aichi Prefecture, Mikawa.	€ 7,50
Neptunea kuroshio Oyama, 1958.	Japan, Honshu (island), Chubu region, Aichi Prefecture, Mikawa.	€ 7,50 t/m € 12,50
Neptunea kuroshio Oyama, 1958.	Japan, Shikoku (isl.), Kochi Prefecture, Tosa Bay. Fished at 70 fathoms.	€ 3,00 t/m € 6,00
Engina lanceolata (Kuroda & Habe, 1971).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,80
Buccinum leucostoma Lischke, 1872.	Japan, Shikoku (island), Kochi Prefecture, Tosa Bay. Fished.	€ 4,00
Buccinum leucostoma Lischke, 1872.	Japan, Honshu (island), Aichi Prefecture, Mikawa. Fished, 50 fathoms.	€ 11,00
Buccinum leucostoma Lischke, 1872.	Japan, Honshu (island), Aichi Prefecture, Mikawa. 30 fathoms.	€ 4,00
Neptunea lyrata (Gmelin, 1791). W/O.	USA, S.E Alaska, Mitkof Island, Petersburg Harbour. At a 4.0 foot tide.	€ 9,00 t/m € 12,00
Penion maximus (Tryon, 1881).	Australia, New South Wales, Eden. Fished.	€ 8,00
Cantharus melanostomus (Sowerby I, 1825).	India.	€ 2,80
Engina mendicaria (L., 1758).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 0,50
Engina mendicaria (L., 1758).	Tanzania, Zanzibar, Bawé Island. East Africa. Indian Ocean	€ 1,00
Engina mendicaria (L., 1758).	Egypt, Safaga. Red Sea.	€ 0,50
Engina mendicaria (L., 1758).	Philippines.	€ 0,80 t/m € 1,00
Engina mendicaria (L., 1758).	Ethiopia, Dissei Island. East Africa. Indian Ocean.	€ 0,50
Buccinum middendorffi Verkrutzen, 1882.	Japan, Hokkaido, Monbetsu.	€ 4,00
Cominella nassoides nassoides (Reeve, 1846).	New Zealand.	€ 3,00
Phos naucratoros (Watson, 1882).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,00
Northia northiae (Griffith & Pidgeon, 1834).	Panama.	€ 3,00 t/m € 4,00
Northia northiae (Griffith & Pidgeon, 1834).	Gulf of California.	€ 4,00
Cantharus pallidus (Broderip & Sowerby, 1829).	Mexico, Baja California (state), San Felipe, Laguna de Percebu. Beach.	€ 1,00
Zemiropsis papillaris (Sowerby I, 1825).	South Africa, Cape Province, Jeffreys Bay. Dived, 25 metres deep.	€ 10,00
Burnupena papyracea (Bruguère, 1789).	South Africa, Western Cape, Simonstown. False Bay. Scuba, kelp, ±6 m.	€ 2,50
Siphonalia pfefferi Sowerby, 1900.	Japan, Honshu (island), Chubu region, Aichi Prefecture, Mikawa.	€ 5,00

		Price Range
<i>Plicifusus plicatus</i> (A. Adams, 1864).	Japan, Hokkaido, Cape Erimo. 30-40 metres deep, by nets.	€ 5,00
<i>Neptunea pribiloffensis</i> (Dall, 1919).	USA, Washington, W.S.W off Juan de Fuca Canyon. 48°23'N, 135 W. 250 faths.	€ 25,00
<i>Afer pseudofusinus</i> Fraussen & Hadorn, 2000.	Senegal, Cap-Vert, N'Gor Island, Pointe des Almadies. Fishing harbour.	€ 5,00
<i>Cantharus pulcher</i> (Reeve, 1846).	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 0,50
<i>Nassaria pusilla</i> (Röding, 1798).	Gulf of Thailand, Ban Hua Hin.	€ 0,80
<i>Nassaria pusilla</i> (Röding, 1798).	Malaysia, Terengganu, Aryani Resort.	€ 0,50
<i>Nassaria pusilla</i> (Röding, 1798).	Indonesia, Greater Sundra Islands, East Java (province), Madura Island.	€ 1,00
<i>Pisania pusio</i> (L., 1758).	Venezuela, Margarita Island.	€ 1,00
<i>Pisania pusio</i> (L., 1758).	Bonaire, Lesser Antilles Islands.	€ 0,80
<i>Pisania pusio</i> (L., 1758).	USA, Lower Florida Keys, Lone Key Reef. 3-5 feet deep in coral rubble.	€ 2,50
<i>Colus pygmaeus</i> (Gould, 1841).	Canada, Nova Scotia, near Digby Co., St. Mary's Bay, 40-45 fathoms, trawl.	€ 3,80
<i>Nassaria recurva</i> Sowerby, 1859.	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 2,00
<i>Cantharus ringens</i> (Reeve, 1846).	Panama, Cebaco Island. Pacific Ocean.	€ 1,00
<i>Phos roseatus</i> (Hinds, 1844).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,00
<i>Buccinum sakhalinense</i> Dall, 1907.	Japan, Hokkaido, Cape Erimo. 100 fathoms.	€ 9,00
<i>Buccinum sakhalinense</i> Dall, 1907.	Japan, east of Hokkaido at a depth of 200 m.	€ 6,00
<i>Cantharus scacchianus</i> (Philippi, 1844).	Tunisia. Gulf of Tunis, Mediterranean Sea.	€ 0,20
<i>Phos senticosus</i> (L., 1758).	Taiwan. East China Sea.	€ 2,50
<i>Phos senticosus</i> (L., 1758).	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 0,50 t/m € 2,00
<i>Phos senticosus</i> (L., 1758).	Malaysia, Terengganu, Aryani Resort.	€ 0,50
<i>Phos senticosus</i> (L., 1758).	Philippines, Luzon (island), Manila Bay.	€ 1,00 t/m € 1,50
<i>Phos spec.</i> .	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 1,00
<i>Nassaria spec.</i> .	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,00
<i>Cantharus spiralis</i> (Gray, 1839).	India.	€ 1,30
<i>Colus stimpsoni</i> (Mörch, 1867).	Canada, Nova Scotia. Fished.	€ 4,00
<i>Pisania striata</i> (Gmelin, 1791).	Malta, Ghallis Rocks. Intertidal on rocks.	€ 0,50
<i>Pisania striata</i> (Gmelin, 1791).	Tunisia. Gulf of Tunis, Mediterranean Sea.	€ 0,50
<i>Pisania striata</i> (Gmelin, 1791).	Tunisia, Zarzis.	€ 0,50
<i>Pisania striata</i> (Gmelin, 1791).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 2,00
<i>Pisania striata</i> (Gmelin, 1791).	Greece, Marathón beach. 1-1½ metres deep.	€ 0,50
<i>Pisania striata</i> (Gmelin, 1791).	Spain, Cabo Ras.	€ 0,50
<i>Phos textum</i> (Gmelin, 1791).	Thailand, Phuket (island), Raya Island. 25-30 metres deep.	€ 0,80
<i>Pisania tinctoria</i> (Conrad, 1846).	Bonaire, Lesser Antilles Islands.	€ 2,00
<i>Cantharus tranquebaricus</i> (Gmelin, 1791).	Thailand, Changwat Phuket (province), Phuket (island).	€ 1,50
<i>Cantharus tranquebaricus</i> (Gmelin, 1791).	Southern Asia.	€ 1,30 t/m € 1,80

		Price Range
Pisania tritonoides (Reeve, 1846).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,50 t/m € 2,50
Siphonalia trochulus (Reeve, 1843).	Japan, Honshu (island), Chubu region, Aichi Prefecture, Astumi Bay.	€ 4,00
Siphonalia trochulus (Reeve, 1843).	Japan.	€ 5,00
Buccinum tsubai Kuroda, 1933.	Japan, Toyama Pref., Toyama Bay. 300 metres deep.	€ 12,00
Buccinum undatum L., 1758.	North Sea, Terschellinger Bank.	€ 1,00 t/m € 4,50
Buccinum undatum L., 1758.	UK, Scotland, Airowsaig.	€ 1,00
Buccinum undatum L., 1758. Juvenile.	The Netherlands, Maasvlakte, Slufterdam. From eggs.	€ 1,00
Buccinum undatum L., 1758.	UK, Scotland, Shetland Islands area. Most northern North Sea.	€ 1,00 t/m € 3,80
Buccinum undatum L., 1758.	France, Brittany. Gulf of Morbihan.	€ 1,00 t/m € 1,50
Buccinum undatum L., 1758.	English Channel.	€ 1,00 t/m € 3,50
Cantharus undosus (L., 1758).	Taiwan, south-west, in direction of Japan.	€ 0,80
Cantharus undosus (L., 1758).	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 0,25 t/m € 0,50
Cantharus undosus (L., 1758).	Philippines, Central Visayas (region), Cebu (island).	€ 1,00 t/m € 2,80
Pseudoneptunea varicosa (Röding, 1798).	Indonesia, Greater Sundra Islands, East Java (province), Madura Island.	€ 1,50 t/m € 2,50
Buccinulum vittatum vittatum f. heteromorphum Powell, 1929. Multiple lines.	New Zealand, North Island, Bay of Plenty, Maketu. 16 mm	€ 9,00
Cantharus viverratus Kiener, 1834.	Senegal. West Africa. Atlantic Ocean.	€ 3,00
Cantharus wagneri (Anton, 1839).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 0,75 t/m € 1,50
Cantharus wagneri (Anton, 1839).	Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.	€ 2,50 t/m € 1,30
Nassaria wanneri visayensis Fraussen & Poppe, 2007.	Philippines, Central Visayas (region), Bohol (island).	€ 2,25
Engina zonalis (Lamarck, 1822).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,00
Engina zonalis (Lamarck, 1822).	Thailand, Phuket (island), Raya Island. 25-30 metres deep.	€ 1,30
Bullidae		
Bulla ampulla L., 1758.	Tanzania, Zanzibar, Nungwi (village). East Africa.	€ 0,80 t/m € 1,30
Bulla ampulla L., 1758.	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 0,50
Bulla ampulla L., 1758.	India.	€ 0,70 t/m € 0,80
Bulla striata Bruguière, 1792.	Spain, 3 km south of Alicante.	€ 1,00
Bulla striata Bruguière, 1792.	Tunisia, Skanis, near Monastia.	€ 0,50
Bulla striata Bruguière, 1792.	Portugal, O. Algarve (region), 2 km W. of Fabrica, ebb, lagoon region.	€ 1,30
Bulla striata Bruguière, 1792.	USA, Florida, Gulf of Mexico, Fort Myers Beach.	€ 0,40
Bulla striata Bruguière, 1792.	The Grenadines Islands, Windward Islands, Caribbean.	€ 1,00 t/m € 1,30
Bulla vernicosa Gould, 1859.	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 0,50
Bursidae		
Bursa awatii Ray, 1949.	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 2,00 t/m € 3,00
Tutufa boholica Beu, 1987.	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 2,00 t/m € 7,50

		Price Range
Tutufa boholica Beu, 1987.	Philippines.	€ 14,50
Bufo bufo (Bruguière, 1792).	French Guiana, Salvation Islands (The Îles du Salut). Atlantic Ocean.	€ 1,50 t/m € 6,00
Tutufa bufo (Röding, 1798). Juvenile.	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 0,50
Bursa bufonia (Gmelin, 1791).	Taiwan, south-west. South China Sea.	€ 1,30 t/m € 2,00
Bursa bufonia (Gmelin, 1791).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,30 t/m € 2,00
Bursa bufonia (Gmelin, 1791).	Indonesia, Greater Sunda Islands, East Java (province), Madura Island.	€ 3,50
Bursa bufonia (Gmelin, 1791).	Taiwan. East China Sea.	€ 3,00
Bursa bufonia (Gmelin, 1791).	Japan, Kagoshima (prefecture). Fished.	€ 2,80
Bursa cruentata (Sowerby, 1835).	Indonesia, Atjeh, Pulau Weh, Kampong Iboih. Alive under dead coral.	€ 1,00 t/m € 3,00
Bufo crumenata (Lamarck, 1816).	Taiwan, south-west. South China Sea.	€ 1,30 t/m € 1,50
Bufo crumenata (Lamarck, 1816).	South Africa, live off Durban area. Trawled at 250 metres.	€ 6,00
Bufo crumenata (Lamarck, 1816).	India.	€ 2,30
Bufo crumenata (Lamarck, 1816).		€ 2,00
Bufo echinata (Link, 1807).	India, Tamil Nadu (state), Cuddalore. Bay of Bengal. Dived.	€ 3,50
Bufo gnorima (Melvill, 1918).	Philippines.	€ 1,80
Bufo gnorima (Melvill, 1918).	Philippines.	€ 3,75
Bursa granularis cubaniana (Orbigny, 1842).	USA, Florida, Pompano Beach. Dived, 3 metres deep.	€ 3,80
Bursa granularis cubaniana (Orbigny, 1842).	USA, Florida, Hollywood. 55 feet deep, under rocks.	€ 1,50
Bursa granularis granularis (Röding, 1798).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 0,50
Bursa granularis granularis (Röding, 1798).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 0,80
Bursa granularis granularis (Röding, 1798).	Taiwan, south-west. South China Sea.	€ 1,00
Bursa granularis granularis (Röding, 1798).	Thailand, Phuket (island), Raya Island. 25-30 metres deep.	€ 0,80 t/m € 1,80
Bursa granularis granularis (Röding, 1798).	Tanzania, Zanzibar, Mchanga Mle. East Africa. Indian Ocean.	€ 1,00
Bursa granularis (Röding, 1798).	Egypt, Safaga. Red Sea.	€ 1,00 t/m € 3,50
Bufo ignobilis Beu, 1987.	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,00 t/m € 7,50
Bursa lamarckii (Deshayes, 1853).	Philippines, Bohol (province), Calituban Island. Dived, 15-20 m deep. 25 mm - 34 mm	€ 3,00 t/m € 4,00
Bursa lamarckii (Deshayes, 1853).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,00 t/m € 8,50
Bursa lamarckii (Deshayes, 1853).	Philippines, Central Visayas (region), Cebu (island).	€ 8,00
Bursa latitudo wolfei Beu, 1981.	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 3,50 t/m € 5,00
Bursa leo Shikama, 1964.	Philippines.	€ 3,00 t/m € 5,00
Bursa leo Shikama, 1964.	Philippines, Mindanao (island).	€ 2,00 t/m € 3,50
Bursa leo Shikama, 1964.	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 2,50 t/m € 5,00
Bufo margaritula (Deshayes, 1832).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 4,50
Bufo margaritula (Deshayes, 1832).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 2,00 t/m € 3,50
Bufo margaritula (Deshayes, 1832).	Thailand, Phuket (island), Raya Island. 25-30 metres deep.	€ 1,80 t/m € 2,30

		Price Range
Aspa marginata (Gmelin, 1791).	Morocco, south of Agadir. Live, fished.	€ 2,00
Bursa muehlhaeusseri Parth, 1990.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 3,00 t/m € 4,50
Bufonaria nobilis (Reeve, 1844).		€ 8,00
Tutufa oyamai Habe, 1973.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 2,00 t/m € 2,50
Tutufa oyamai Habe, 1973.	Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.	€ 1,80 t/m € 4,80
Tutufa oyamai Habe, 1973.	Vietnam.	€ 5,00
Bufonaria perelegans Beu, 1987.	Philippines.	€ 5,00 t/m € 7,50
Bursa quirihorai Beu, 1987.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 4,50 t/m € 7,50
Bufonaria rana (L., 1758).	Taiwan, south-west. South China Sea.	€ 1,00 t/m € 2,00
Bufonaria rana (L., 1758).	Thailand, Changwat Phuket (province), Phuket (island).	€ 1,00
Bufonaria rana (L., 1758).	Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.	€ 1,00
Bursa rhodostoma rhodostoma (Beck, 1835).	Thailand, Phuket (island), Raya Island. 25-30 metres deep.	€ 1,00
Bursa rhodostoma thomae (Orbigny, 1842).	Cuba, María la Gorda, at a depth of 4 metres. Alive, under stones.	€ 2,00 t/m € 2,50
Bursa rhodostoma thomae (Orbigny, 1842). W/O.	USA, Florida, Boca Raton. Dived. 22 mm - 27 mm	€ 5,00
Bursa rhodostoma thomae (Orbigny, 1842).	USA, Florida, 2 miles NE Boca Raton Inlet. Scuba, 10 fms, on reef.	€ 6,50
Tutufa rubeta (L., 1758).	Malaysia, Sabah (state), Borneo, Semporna. Live under dead coral on reef.	€ 3,00
Tutufa rubeta (L., 1758).	Thailand. Southeast Asia.	€ 2,00
Tutufa rubeta (L., 1758).	Thailand, Changwat Phuket (province), Phuket (island).	€ 1,00 t/m € 3,00
Tutufa rubeta (L., 1758).	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 1,00 t/m € 4,00
Tutufa rubeta (L., 1758).	Philippines.	€ 2,50
Bufonaria subgranosa (Sowerby, 1836).	Philippines.	€ 6,00
Bursa tuberosissima (Reeve, 1844).	South China Sea.	€ 4,50 t/m € 5,50
Bursa tuberosissima (Reeve, 1844).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 5,00 t/m € 8,50
Cancellariidae		
Cancellaria cancellata (L., 1767).	Spain, San Carlos de la Rápita.	€ 0,50 t/m € 2,30
Cancellaria cancellata (L., 1767).	Spain, Andalusia (region), Málaga. Mediterranean Sea.	€ 3,80
Cancellaria cancellata (L., 1767).	Mediterranean Sea.	€ 0,50 t/m € 1,00
Merica ektyphos Petit & Harasewych, 2000.	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,50 t/m € 2,50
Merica elegans (Sowerby, 1822).	Indonesia, Nusa Tenggara Timur.	€ 3,00
Cancellaria laticosta (Löbbecke).	Japan, Honshu, Kii Province, Kii Peninsula. Trawled, 10 fathoms deep.	€ 3,00 t/m € 5,00
Cancellaria mercadoi Old, 1968. using sud-sud nets, 150-300 m.	Philippines, N. Mindanao, N. of Dipolog, Aliguay Isl. Trawled by Pan-boats	€ 10,00
Cancellaria mercadoi Old, 1968.	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 2,50
Cancellaria reticulata (L., 1767).	USA, Florida, 210° S.W. Sanibel, 125 feet deep, dredged by shrimp trawler.	€ 1,80 t/m € 2,30
Trigonostoma scalariformis (Lamarck, 1822).	Thailand, Changwat Phuket (province), Phuket (island).	€ 0,50
Trigonostoma scalariformis (Lamarck, 1822).	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 3,00 t/m € 5,00

Trigonostoma scalariformis (Lamarck, 1822).
 Trigonostoma scalariformis (Lamarck, 1822).
 Cancellaria spengleriana Deshayes, 1830.
 Trigonostoma thysthlon Petit & Harasewych, 1987.
 Pisanella viva (Habe & Okutani, 1981).

Capulidae

Capulus ungaricus (L., 1758).
 Capulus ungaricus (L., 1758).

Cardiidae

Acanthocardia aculeata (L., 1758).
 Acanthocardia aculeata (L., 1758).
 Vasticardium angulatum (Lamarck, 1819).
 Vasticardium angulatum (Lamarck, 1819).
 Vasticardium assimile (Reeve, 1844).
 Laevicardium attenuatum (Sowerby, 1841).
 Fulvia australe (Sowerby, 1841).
 Fulvia australe (Sowerby, 1841).
 Laevicardium biradiatum (Bruguère, 1789).
 Fulvia boholensis Vidal, 1994.
 Acrosterigma burchardi (Dunker, 1877).
 Corculum cardissa (L., 1758).
 Cardium costatum L., 1758.
 Cardium costatum L., 1758.
 Cardium costatum L., 1758.
 Laevicardium crassum (Gmelin, 1791).
 Laevicardium crassum (Gmelin, 1791).
 Laevicardium crassum (Gmelin, 1791).
 Acrosterigma cygnora (Deshayes, 1855).
 Vasticardium dupuchense (Reeve, 1845).
 Acanthocardia echinata (L., 1758).
 Acanthocardia echinata (L., 1758).
 Acanthocardia echinata (L., 1758).
 Acanthocardia echinata (L., 1758).
 Cerastoderma edule (L., 1758).
 Cerastoderma edule (L., 1758).

Malaysia, Terengganu, Aryani Resort.
 Indonesia, Greater Sundra Islands, East Java (province), Madura Island.
 Japan, Aichi Ken, Mikawa Bay. Fished 40 m.
 Philippines, Balicasag. Dredged.
 Philippines, Bohol (province), close to Panglao Island, Balicasag Island.

France, Port-Vendres.
 Spain, Province of Málaga, Fuengirola. Trawled by a local fisherman.

Italy. Gulf of Napels.
 France, Finistère (department), Douarmenez Bay, Morgat.
 Philippines, Bohol (province), close to Panglao Island, Balicasag Island.
 Philippines.
 Tanzania, Zanzibar, South of Stone Town, on waste heap.
 India.
 Philippines, Central Visayas (region), Bohol (province), Panglao Island.
 Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.
 Philippines, Sulu (province), Siasi. Sulu Sea. From fisherman. 35 mm
 Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.
 Japan.
 Philippines, Palawan (province), Palawan (island).
 Senegal, off Dakar, trawled by fishermen, nets.
 The Gambia, Western Division, Solifor Point. Low tide, on beach.
 Senegal, Joal-Fadiouth at 30 metres deep.
 North Sea, Klaverbank.
 The Netherlands, Texel. 5 miles from the coast on stones, 12 fathoms deep.
 Senegal, Cap-Vert, N'Gor Island, Pointe des Almadies. Fishing harbour.
 Australia, South Australia. Port Adelaide. Beach.
 Australia, Western Australia, Exmouth. Snorkel, ebb, in shallow water.
 North Sea, Black Sand.
 Italy, Lazio (region), Anzio.
 Spain, Fuengirola. Fished.
 North Sea, Klaverbank.
 Scotland, Loch Broom.
 France, Aude, Etang de Leucate ou de Salses, Port Leucate. ½-1 metres.

Price Range

€ 0,50
 € 0,50
 € 3,50
 € 2,00
 € 1,50 t/m € 4,00
 € 1,50 t/m € 3,50
 € 1,50 t/m € 4,50
 € 2,30 t/m € 3,00
 € 2,50
 € 1,00 t/m € 3,00
 € 3,00 t/m € 3,50
 € 1,50
 € 5,00
 € 1,50
 € 1,50
 € 6,00
 € 3,00
 € 9,50
 € 1,00 t/m € 3,50
 € 19,00
 € 21,00
 € 20,00
 € 0,80 t/m € 1,30
 € 0,50
 € 1,00
 € 2,00
 € 1,50 t/m € 2,00
 € 1,30 t/m € 2,00
 € 1,30
 € 1,20
 € 0,50
 € 1,20
 € 0,25

		Price Range
Cerastoderma edule (L., 1758).	The Netherlands, Zeeland, Yerseke.	€ 0,20
Cerastoderma edule (L., 1758).	France, Brittany, Les Rosaires.	€ 0,20
Cerastoderma edule (L., 1758).	Spain, Province of Málaga, Estepona.	€ 0,40
Trachycardium egmontianum (Shuttleworth, 1856).	USA, Florida, Tampa Bay.	€ 2,00 t/m € 3,00
Laevicardium elatum (Sowerby, 1833).	Mexico, Bahia de la Paz.	€ 9,50
Vasticardium elongatum (Bruguère, 1789).	Philippines.	€ 4,00 t/m € 9,50
Vasticardium enode (Sowerby II, 1840).		€ 3,00
Vasticardium flavum (L., 1758).	Kenya, Coast Province, Mombasa County, Mombasa.	€ 0,50 t/m € 1,00
Vasticardium flavum (L., 1758).	Thailand, Phuket (island), Raya Island. 25-30 metres deep.	€ 1,00 t/m € 1,50
Vasticardium flavum (L., 1758).	Indonesia.	€ 1,50
Vasticardium flavum (L., 1758).	Thailand, Changwat Phuket (province), Phuket (island), Chalong Bay.	€ 1,00
Vasticardium flavum (L., 1758).	Thailand, Krabi Province, Koh Lanta Yai (island), Koa Kwang Beach.	€ 1,00
Vasticardium flavum (L., 1758).	Philippines, Sulu (province), Siasi. Sulu Sea. From fisherman. 30 mm - 43 mm	€ 1,00 t/m € 1,50
Vasticardium flavum (L., 1758).	Thailand, Krabi Province. Strait of Malacca.	€ 1,30
Vasticardium flavum subrugosum (Sowerby II, 1839).	Indonesia, Riau Islands, Pulau Terkulai.	€ 1,30 t/m € 1,80
Vasticardium flavum subrugosum (Sowerby II, 1839).	Indonesia, Atjeh, Pulau Weh, Iboih. Shallow on sand.	€ 2,80
Vasticardium flavum subrugosum (Sowerby II, 1839). reef, sandbank off Semporana.	Malaysia, Sabah, Borneo, Semporna. Alive, about -1 m. on sandy spots. From	€ 2,00
Fragum fragum (L., 1758).	Indonesia, Molluc Islands.	€ 1,00 t/m € 2,50
Lunulicardia hemicardium (L., 1767).	Philippines, Bogo. From fisherman, 10-25 metres deep.	€ 3,50
Lunulicardia hemicardium (L., 1767).	Philippines.	€ 1,30 t/m € 2,30
Lunulicardia hemicardium (L., 1767).	Australia, Western Australia, Shire of Shark Bay, Denham. On beach, dead.	€ 1,20
Lunulicardia hemicardium (L., 1767).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,00 t/m € 1,50
Corculum impressum (Lightfoot, 1786).	Philippines.	€ 1,80
Vepricardium incarnatum (Reeve, 1844).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 5,00
Vasticardium indioceanum (Vidal, 1993).	Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.	€ 1,80 t/m € 3,50
Vasticardium indioceanum (Vidal, 1993).	Tanzania, Zanzibar, Nungwi. Dead in lagoon.	€ 3,80
Vasticardium indioceanum (Vidal, 1993). Juvenile.	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 3,50
Laevicardium laevigatum (L., 1758).	Bahamas, Paradise Isl., Arawak Beach, dead on seagrass. Shallow.	€ 1,00
Laevicardium laevigatum (L., 1758).	Venezuela, Margarita Island, Porlamar region.	€ 3,00
Laevicardium laevigatum (L., 1758).	Bahamas.	€ 0,80 t/m € 2,30
Laevicardium laevigatum (L., 1758).	USA, Florida, Brevard Coast. Trawled 20 fathoms by scallop boat.	€ 0,50 t/m € 1,80
Vasticardium luteomarginatum (Voskuil & Onverwagt, 1991). coral.	Indonesia, Sumatra, off Aceh, between P. Rabai and P. Weh. On sand between	€ 2,50 t/m € 4,00
Lyrocardium lyratum (Sowerby, 1841).	Japan, Kii.	€ 4,00
Lyrocardium lyratum (Sowerby, 1841).	Indo-Pacific.	€ 5,00
Lyrocardium lyratum (Sowerby, 1841).	Philippines, Mindanao (island), Zamboanga. Fishery.	€ 1,00 t/m € 3,00

		Price Range
Acrosterigma magna (L., 1758).	Bahamas, New Providence, Lyford Cay.	€ 2,00
Acrosterigma magna (L., 1758).	Curacao, Lesser Antilles Islands.	€ 3,00
Ctenocardia media (L., 1758).	Aruba, harbour, sand replenishment.	€ 0,50 t/m € 1,50
Trachycardium mindanense (Reeve, 1844). Albino.	USA, Florida, Marco Island. Low tide, on exposed sand flats.	€ 3,00
Trachycardium mindanense (Reeve, 1844).	USA, Florida, Gulf of Mexico, Sanibel Island.	€ 1,80
Vepricardium multispinosum (Sowerby, 1841).	Indo-Pacific.	€ 4,50
Vepricardium multispinosum (Sowerby, 1841).	Taiwan, south-west. South China Sea.	€ 3,50 t/m € 4,00
Vepricardium multispinosum (Sowerby, 1841).	Thailand, Changwat Phuket (province), Phuket (island).	€ 5,00
Dallocardia muricata (L., 1758).	Bahamas.	€ 1,30
Dallocardia muricata (L., 1758).	Brazil, Ilha Bella, São Paulo. Snorkeling in shallow water. 40 mm	€ 1,80 t/m € 2,50
Dallocardia muricata (L., 1758).	Venezuela, Nueva Esparta (state), Isla El Coche, San Pedro.	€ 2,00
Dallocardia muricata (L., 1758).	Curaçao, Lesser Antilles Islands.	€ 0,80 t/m € 1,30
Dallocardia muricata (L., 1758).	USA, Florida.	€ 0,80
Laevicardium oblongum (Gmelin, 1791).	Spain, Costa del Sol, Marbella. Fished.	€ 1,00 t/m € 2,50
Trachycardium panamense (Sowerby, 1833).	Mexico, Baja California Sur (state), Puerto San Carlos. Dead on waste tip.	€ 2,00 t/m € 5,00
Acanthocardia paucicostata (Sowerby II, 1841).	Spain, Tarragona, Sant Carles de la Ràpita. Fished.	€ 2,00
Acanthocardia paucicostata (Sowerby II, 1841).	Italy, Province of Latina, Formia. Fished.	€ 1,50
Acanthocardia paucicostata (Sowerby II, 1841).	Portugal, Algarve (region), Culatra Island. Atlantic Ocean.	€ 1,50
Acanthocardia paucicostata (Sowerby II, 1841).	France, Etang de Thau. Fished 6 m. deep.	€ 1,80
Acanthocardia paucicostata (Sowerby II, 1841).	Croatia, Šibenik-Knin County, Pirovac (village). Adriatic Sea.	€ 1,20
Vasticardium pectiniforme (Born, 1780).	Malaysia, Sabah, Borneo, Semporna.	€ 1,50
Vasticardium pectiniforme (Born, 1780).	Sri Lanka, Passekudah. Dead near "crab caves?".	€ 2,50
Vasticardium pectiniforme (Born, 1780).	Tanzania, Zanzibar, beach S. of Stone Stown.	€ 1,00
Vasticardium pectiniforme (Born, 1780).	Australia, Queensland, Port Douglas. Dead.	€ 2,00
Vasticardium pectiniforme (Born, 1780).	Thailand, Changwat Phuket (province), Phuket (island), Chalong Bay.	€ 2,50
Maoricardium pseudolima (Lamarck, 1819).	Tanzania. East Africa. Indian Ocean.	€ 3,50
Lunulicardia retusa (L., 1767).	Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.	€ 0,50 t/m € 0,80
Bucardium ringens (Bruguère, 1789).	Senegal, Casamance. West Africa. Atlantic Ocean.	€ 3,00
Dinocardium robustum vanhyningi Clench & Smith, 1944.	USA, Florida, Tampa Bay.	€ 2,00 t/m € 5,00
Vasticardium rubicundum (Reeve, 1844).	Philippines, Visayas (region), Samar (island).	€ 2,00
Vasticardium rubicundum (Reeve, 1844).	India.	€ 1,50
Vasticardium rubicundum (Reeve, 1844).	Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.	€ 1,30
Acanthocardia spinosa (Lightfoot, 1786).	Portugal, Algarve, East of Sagres. Trawled, 30-50 m, sandy bottom.	€ 2,50
Fulvia tenuicostata (Lamarck, 1819).	Australia, Victoria.	€ 3,00
Fulvia tenuicostata (Lamarck, 1819).	Australia, South Australia. Port Adelaide. Beach.	€ 3,00

Fulvia tenuicostata (Lamarck, 1819).
 Acanthocardia tuberculata (L., 1758).
 Acanthocardia tuberculata (L., 1758).
 Acanthocardia tuberculata (L., 1758).
 Fragum unedo (L., 1758).
 Fragum unedo (L., 1758).
 Fragum unedo (L., 1758).
 Fragum unedo (L., 1758).
 Acrosterigma unicolor (Sowerby, 1834).
 Vasticardium vertebratum (Jonas, 1844).
 Vasticardium vertebratum (Jonas, 1844).
 Ctenocardia virgo (Reeve, 1845).

Carditidae

Cardita affinis Sowerby, 1833.
 Cardites antiquata (L., 1758).
 Cardites antiquata (L., 1758).
 Cardites antiquata (L., 1758).
 Cardites bicolor (Lamarck, 1819).
 Cardites bicolor (Lamarck, 1819).
 Cardita calyculata (L., 1758).
 Cardita calyculata (L., 1758).
 Cardita calyculata (L., 1758).
 Carditamera floridana Conrad, 1838.
 Carditamera floridana Conrad, 1838. Shallow lagoon.
 Carditamera floridana Conrad, 1838.
 Carditamera floridana Conrad, 1838.
 Cardita incrassata Sowerby, 1825.
 Cardita incrassata Sowerby, 1825.
 Cardita megastropa (Gray, 1825).
 Megacardita nodulosa (Lamarck, 1816).
 Beguina semiorbiculata (L., 1758). coastal reef.
 Cardiocardita tankervillei (Wood, 1828).
 Cardiocardita tankervillei (Wood, 1828).
 Cardiocardita tankervillei (Wood, 1828).

Australia, Western Australia, Albany.
 Spain, San Carlos de la Rápita.
 France, Dahouete, Bay of St. Brieux. Trawled.
 Spain, Province of Málaga, Estepona.
 Australia, Western Australia, Shark Bay, Denham. Beached, dead.
 Indonesia, Flores, Labuhanbajo, Waerana Beach. Alive in muddy sand.
 Australia, Queensland, King's Bay.
 Australia, Western Australia, King Bay.
 Malaysia, P. Tioman, Tekek, Ayer Batam Bay. Dead near crab caves.
 Indonesia, South Sulawesi, off Ujung Pandang, P. Samalona. Dead, shallow.
 Australia, Queensland, Moreton Bay, Mydra Banks.
 Australia, Queensland, Tannum Sands.
 Malaysia, Sabah (state), Borneo, reef off Semporna. Fished.

Mexico, Baja California, Bahía de los Ángeles. Gulf of California. € 0,80
 Tunisia, Djerba Island, Ajim. Gulf of Gabès. € 0,70
 Greece, Lesbos, Kolpos Geras, Ntipi. € 1,20
 Greece, Makrónisos - Kéa Island. € 2,30
 Philippines, Manila Bay. in muddy sand at ±60 feet depth. € 1,00
 Philippines. € 0,80 t/m € 1,80
 Spain, Canary Islands, Fuerteventura, Corralejo. Under rocks. € 0,50
 Italy, Sicily (region), Province of Syracuse, Siracusa. € 0,50
 Tunisia, El Kantara. € 0,20
 USA, Florida, Gulf of Mexico, Sanibel Island. € 2,00
 USA, Florida, Marco Island, Tigertail Beach. Live in mud on algae bottom. € 1,00
 USA, Florida, Marco Island. € 1,80
 USA, Florida, Carl Johnson Park. € 1,00
 Australia, Western Australia, Rockingham. € 2,00
 Australia, Western Australia, Cockburn Sound, intertidal sand. € 2,30
 Panama, Bay of Panama, Islas Las Perlas, dredged at -18 m. € 3,50
 Australia, Western Australia, Shark Bay. 6-10 feet deep, in sand. € 1,30 t/m € 1,80
 Malaysia, Johor, Tinggi Island (Pulau Tinggi), W. coast, just behind € 3,00
 The Gambia, Bakau. Atlantic Ocean. € 1,00
 The Gambia, Koldi. Atlantic Ocean. € 2,00
 Senegal, off Casamance. Trawled. € 2,50

Price Range

€ 2,30
 € 1,20
 € 1,00 t/m € 1,30
 € 1,30 t/m € 2,30
 € 1,00 t/m € 2,00
 € 1,50 t/m € 2,00
 € 1,00
 € 0,50 t/m € 1,00
 € 1,00 t/m € 2,20
 € 1,80
 € 4,50
 € 3,50 t/m € 4,00
 € 2,00

Cardiocardita tankervillei (Wood, 1828).

Glans trapezia (L., 1767).

Cardita variegata Bruguière, 1792.

Cassidae

Phalium areola (L., 1758).

Phalium areola (L., 1758).

Phalium areola (L., 1758).

Phalium areola (L., 1758).

Phalium bandatum bandatum (Perry, 1811).

Phalium bandatum bandatum (Perry, 1811).

Semicassis bisulcata f. diuturna (Iredale, 1927).

Semicassis bisulcata f. japonica (Reeve, 1848).

Semicassis bisulcata f. japonica (Reeve, 1848).

Semicassis bisulcata f. japonica (Reeve, 1848).

Semicassis bisulcata (Schubert & Wagner, 1829).

Semicassis bisulcata (Schubert & Wagner, 1829).

Semicassis bisulcata (Schubert & Wagner, 1829).

Semicassis bisulcata (Schubert & Wagner, 1829).

Semicassis bisulcata (Schubert & Wagner, 1829).

Semicassis bisulcata (Schubert & Wagner, 1829).

Semicassis bisulcata (Schubert & Wagner, 1829).

Semicassis bisulcata (Schubert & Wagner, 1829).

Semicassis bulla bulla Habe, 1961.

Semicassis craticulata (Euthyme, 1885).

Phalium decussatum (L., 1758).

Galeodea echinophora (L., 1758). W/O.

Galeodea echinophora (L., 1758).

Galeodea echinophora (L., 1758).

Galeodea echinophora (L., 1758).

Casmaria erinacea erinacea (L., 1758).

Casmaria erinacea erinacea (L., 1758).

Casmaria erinacea erinacea (L., 1758).

Casmaria erinacea erinacea (L., 1758).

Casmaria erinacea erinacea f. vibex (L., 1758).

Casmaria erinacea erinacea f. vibex (L., 1758).

Senegal, Cap-Vert, N'Gor Island, Pointe des Almadies. Fishing harbour.

Spain, off Malaga, dredged 10-15 metres.

Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.

Indonesia, Greater Sundra Islands, East Java (province), Madura Island.

Philippines, Central Visayas (region), Cebu (island).

Philippines.

Madagascar, Sainte Marie Island. East Africa. Indian Ocean. Dived. 41 mm

Philippines.

Australia, Queensland, Keppel Bay.

Thailand, Changwat Phuket (province), Phuket (island).

Philippines, Bohol (province), close to Panglao Island, Balicasag Island.

Philippines, Sulu (province), Siasi. Sulu Sea. From fisherman. 25 mm - 30 mm

Japan.

Philippines, Bohol (province), close to Panglao Island, Balicasag Island.

Taiwan, south-west. 20-40 fathoms deep.

Philippines.

Philippines.

Japan, Honshu (island), Chubu region, Aichi Prefecture, Mikawa.

Fiji, Fiji Island. Pacific Ocean.

Philippines, Palawan (province), Palawan (island).

India, Tamil Nadu (state), Tuticorin.

Japan, Honshu (island), Aichi Prefecture, Mikawa. 30-50 fathoms deep.

East Africa. Indian Ocean.

Taiwan. Fished.

Italy, Lazio (region), Anzio.

Spain, Valencian Community, Province of Alicante, Santa Pola. Fished.

Italy, Lazio (region), Anzio. Fished.

Italy, Province of Latina, Formia.

W. Zanzibar, M'Changa Mle. At low tide in sand pockets.

Thailand, Changwat Phuket (province), Phuket (island).

Philippines, Central Visayas (region), Bohol (island).

Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.

Tanzania, Zanzibar. East Africa. Indian Ocean.

Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.

Price Range

€ 1,50 t/m € 2,00

€ 1,50

€ 0,80 t/m € 2,50

€ 2,50 t/m € 3,50

€ 3,50

€ 3,50

€ 2,00

€ 3,80 t/m € 4,80

€ 3,00 t/m € 5,00

€ 1,00 t/m € 2,50

€ 1,50 t/m € 2,80

€ 3,30

€ 2,00

€ 1,00 t/m € 2,00

€ 2,50

€ 1,30 t/m € 1,80

€ 2,00 t/m € 3,00

€ 1,30

€ 3,00

€ 2,30

€ 1,80

€ 4,00

€ 3,50

€ 2,00 t/m € 2,50

€ 4,00

€ 1,70

€ 2,00

€ 3,50

€ 1,30

€ 2,50

€ 2,30

€ 2,00

€ 1,50

€ 0,70 t/m € 3,00

		Price Range
Casmaria erinacea erinacea f. vibex (L., 1758).	Philippines.	€ 0,75 t/m € 1,50
Semicassis faurotis (Jousseaume, 1888).	Somalia. East Africa. Indian Ocean.	€ 8,00
Semicassis faurotis (Jousseaume, 1888).	Somalia, Banaadir (region), Mogadishu. East Africa. Trawled in deep water.	€ 10,00
Cassis fimbriata Quoy & Gaimard, 1833.	Australia, South Australia, Edinburgh. In sand low tide.	€ 30,00
Cassis fimbriata Quoy & Gaimard, 1833.	Australia, South Australia, Victor Harbour.	€ 17,50
Cassis fimbriata Quoy & Gaimard, 1833.	Australia, Western Australia, Albany. Dead on beach.	€ 2,50 t/m € 7,00
Cassis fimbriata Quoy & Gaimard, 1833.	Australia, Western Australia, Albany. On sand and weeds at 3 m deep.	€ 29,50
Phalium flammiferum (Röding, 1798).	Japan / Taiwan.	€ 2,50 t/m € 6,00
Phalium flammiferum (Röding, 1798).		€ 6,50
Phalium flammiferum (Röding, 1798).	Japan.	€ 7,50
Phalium glaucum (L., 1758).	Philippines.	€ 1,50 t/m € 2,50
Phalium glaucum (L., 1758).	Malaysia, Pulau Sibiu. Sand beach, 2-3 m. deep, live.	€ 3,20
Phalium glaucum (L., 1758).	Thailand, Changwat Phuket (province), Phuket (island).	€ 1,00 t/m € 2,50
Phalium glaucum (L., 1758).	India.	€ 4,00
Semicassis granulata granulata (Born, 1778).	Bahamas, Green Turtle Cay (island).	€ 2,50 t/m € 3,80
Semicassis granulata granulata (Born, 1778).	Panama, Medidora Island. 240 feet deep, dredged.	€ 3,80
Semicassis granulata granulata (Born, 1778).		€ 2,00
Semicassis granulata granulata (Born, 1778).	Gulf of Mexico.	€ 2,30
Semicassis granulata granulata (Born, 1778).	Venezuela, Falcón, Paraguaná Peninsula, El Pico, 1 metres deep.	€ 3,80
Semicassis granulata undulata (Gmelin, 1791).	Italy, Lazio (region), Anzio. Fished.	€ 3,50
Semicassis granulata undulata (Gmelin, 1791).	Spain, Andalusia (region), Province of Málaga, Marbella.	€ 2,00 t/m € 3,80
Semicassis granulata undulata (Gmelin, 1791).	Spain, Canary Islands, Tenerife.	€ 3,80
Semicassis granulata undulata (Gmelin, 1791).	Spain, Benicarló. Trawled by fisherman.	€ 2,50
Echinophoria kurodai (Abbott, 1968).	Australia, Western Australia, off Scott Reef. By fisherman, ± 450 m deep.	€ 10,00
Echinophoria kurodai (Abbott, 1968). W/O.	East China Sea. Trawled at 380-500 metres deep, on sand bottom.	€ 17,00
Semicassis labiata zeylanica f. iredalei (Bayer, 1935).	South Africa, KwaZulu-Natal (province), Durban.	€ 12,50
Semicassis labiata zeylanica f. iredalei (Bayer, 1935).	South Africa, Cape Province, False Bay.	€ 5,00
Semicassis pyrum (Lamarck, 1822).	New Zealand, Leigh. Offshore, 24 m deep, on a rock and gravel bottom.	€ 7,50
Semicassis pyrum (Lamarck, 1822).	Australia, New South Wales, Port Jackson. Fished.	€ 5,50
Semicassis pyrum (Lamarck, 1822).	New Zealand, South Island, Otago Peninsula, off Dunedin.	€ 1,50 t/m € 3,00
Cypraecassis rufa (L., 1758). Juvenile.	Kenya.	€ 2,00
Cypraecassis rufa (L., 1758).	Madagascar, Toliara (Tulear) region, south-west coast.	€ 7,50 t/m € 22,50
Galeodea rugosa (L., 1758).	Mediterranean Sea.	€ 5,00
Galeodea rugosa (L., 1758).	Portugal, Algarve (region).	€ 3,50
Cassis tessellata (Gmelin, 1791).	Senegal, trawled off Dakar by local fishermen. West Africa. 43 mm	€ 7,00

		Price Range
Cypraecassis testiculus testiculus (L., 1758).	Barbados, West Indies. 3-6 feet deep, on coral/rubble.	€ 6,50
Semicassis thomsoni (Brazier, 1875).	Australia, New South Wales, Port Jackson. Fished.	€ 3,00
Echinophoria wyvillei (Watson, 1886).		€ 15,00
Cerithiidae		
Pseudovertagus aluco (L., 1758).	Indonesia, Bali (province), Bali (island).	€ 1,20
Pseudovertagus aluco (L., 1758).	Philippines.	€ 0,80
Pseudovertagus aluco (L., 1758).	Indonesia, West Papua (province), Manokwari.	€ 1,50
Rhinoclavis aspera (L., 1758).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 0,50
Rhinoclavis aspera (L., 1758).	Solomon Islands, Malaita (island), Ata'a (village). Pacific Ocean.	€ 0,80
Rhinoclavis aspera (L., 1758).	Australia, Queensland. Dredged in lagoon.	€ 1,30
Rhinoclavis aspera (L., 1758).	Thailand, Phuket (island), Raya Island. 25-30 metres deep.	€ 0,80 t/m € 1,30
Cerithium atratum (Born, 1778).	USA, Florida, Palm Beach, Phil Foster Park. 6-10 feet deep, sand/mud.	€ 1,30
Clypeomorus batillariaeformis Habe & Kosuge, 1966.	Mozambique, Nampula Province, Nacala Bay area. Shallow water. 13 mm	€ 2,00
Clypeomorus bifasciata (Sowerby II, 1855).	Egypt, Safaga. Red Sea.	€ 0,80
Clypeomorus bifasciata (Sowerby II, 1855).	Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.	€ 1,50
Clypeomorus bifasciata (Sowerby II, 1855).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 0,50
Clypeomorus bifasciata (Sowerby II, 1855).	Malaysia, Negeri Sembilan (state), Port Dickson.	€ 0,80
Clypeomorus bifasciata (Sowerby II, 1855).	Indonesia, Java (island), Tandjong Priok.	€ 0,80
Clypeomorus bifasciata (Sowerby II, 1855).	Indonesia, West Papua (province), Manokwari.	€ 0,70
Cerithium caeruleum Sowerby, 1855.	Egypt, 17 km south of Hurghada. Red Sea.	€ 0,50 t/m € 1,30
Cerithium caeruleum Sowerby, 1855.	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 0,50
Cerithium caeruleum Sowerby, 1855.	Tanzania, Zanzibar, Bawé Island. At low tide by the millions.	€ 0,80
Cerithium caeruleum Sowerby, 1855.	Kenya, Mombasa Reef. East Africa. Indian Ocean.	€ 1,30
Cerithium citrinum Sowerby, 1855.	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 2,00
Cerithium columna Sowerby, 1834.	Indonesia, West Papua (province), Manokwari.	€ 1,80
Clypeomorus coralium (Kiener, 1841).	Philippines, Mindanao (island), Zamboanga.	€ 1,30 t/m € 1,80
Clypeomorus coralium (Kiener, 1841).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 0,50
Cerithium eburneum Bruguière, 1792.	Bahamas, Eleuthera Island, Cape Eleuthera. 3-20 feet deep, dived.	€ 1,30
Cerithium echinatum (Lamarck, 1822).	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 2,50
Cerithium echinatum (Lamarck, 1822).	Thailand, Changwat Phuket (province), Phuket (island).	€ 1,50
Cerithium echinatum (Lamarck, 1822).	Thailand, Changwat Phuket (province), Phuket (island).	€ 1,50
Cerithium echinatum (Lamarck, 1822).	French Polynesia, Society Islands, Tahiti.	€ 1,50
Rhinoclavis fasciata (Bruguière, 1792).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,00 t/m € 2,50
Rhinoclavis fasciata (Bruguière, 1792).	Mozambique, Baixo Pinda, caught by local fishermen.	€ 1,30 t/m € 2,50
Rhinoclavis kochi (Philippi, 1848).	Japan, Honshu (island), Fukuoka Prefecture, Tsuyazaki.	€ 0,30

		Price Range
Cerithium litteratum (Born, 1778).	Bahamas, Green Turtle Cay (island).	€ 0,50 t/m € 1,00
Rhinoclavis matukense (Watson, 1880).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,30
Cerithium muscarum Say, 1832.	USA, Florida, Gulf of Mexico, Sanibel Island.	€ 1,00
Pseudovertagus nobilis (Reeve, 1855).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 7,50 t/m € 9,00
Cerithium nodulosum (Bruguère, 1792).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 2,50
Cerithium nodulosum (Bruguère, 1792).	Thailand, Phuket (island), Raya Island. 25-30 metres deep.	€ 1,30
Cerithium nodulosum (Bruguère, 1792).	Fiji, Mamanuca Groep, Mana Island. Ebb, seaweed/coral/sand.	€ 2,80
Cerithium nodulosum (Bruguère, 1792).	Egypt, South Sinai, Dahab. Gulf of Aqaba.	€ 2,00
Cerithium rupestre Risso, 1826.	France, Cannes.	€ 0,80
Cerithium rupestre Risso, 1826.	Yugoslavia.	€ 0,80
Cerithium rupestre Risso, 1826.	Greece, Cyclad Archipelago.	€ 0,40
Rhinoclavis sinensis (Gmelin, 1791).	Indonesia, West Papua (province), Numfor.	€ 1,00
Rhinoclavis sinensis (Gmelin, 1791).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 0,50
Rhinoclavis sinensis (Gmelin, 1791).	Thailand, Phuket (island), Raya Island. 25-30 metres deep.	€ 0,50 t/m € 1,00
Cerithium stercusmuscarum Valenciennes, 1833.	Panama, Bay of Panamá, Boca la Caja. Pacific Ocean.	€ 0,30
Cerithium stercusmuscarum Valenciennes, 1833.	Mexico, west coast. Pacific Ocean.	€ 0,80
Rhinoclavis vertagus (L., 1758).	Australia, Western Australia, Houtman Abrolhos.	€ 1,50
Rhinoclavis vertagus (L., 1758).	Taiwan. East China Sea.	€ 1,00
Rhinoclavis vertagus (L., 1758).	Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.	€ 1,00 t/m € 1,30
Rhinoclavis vertagus (L., 1758).	Philippines, Mindanao, Davao Region, Davao City. Dived at 5-10 metres.	€ 3,00
Rhinoclavis vertagus (L., 1758).	Thailand, Changwat Phuket (province), Phuket (island), Rawai Beach.	€ 1,00
Rhinoclavis vertagus (L., 1758).	Thailand, Changwat Phuket (province), Phuket, Chalong Bay, Vighit.	€ 0,50
Rhinoclavis vertagus (L., 1758).	Indonesia, West Papua (province), Manokwari.	€ 1,20
Cerithium vulgatum (Bruguère, 1792).	Spain, Baleric Islands, Ibiza (island).	€ 2,00
Cerithium vulgatum (Bruguère, 1792).	Southern France, Banyuls.	€ 0,50
Cerithium vulgatum (Bruguère, 1792).	Morocco, Marrakesh-Tensift-El Haouz, Essaouira.	€ 0,40
Cerithium vulgatum (Bruguère, 1792).	Portugal, Algarve (region), Faro.	€ 0,50
Cerithium vulgatum (Bruguère, 1792).	Tunisia, Djerba Island, Ajim. Gulf of Gabès.	€ 0,40
Cerithium vulgatum (Bruguère, 1792).	Tunisia, Houmt Souk.	€ 0,50
Cerithium vulgatum (Bruguère, 1792).	Spain, San Carlos de la Rápita.	€ 0,40
Cerithium vulgatum (Bruguère, 1792).	Italy, Livorno, Tipico. Dived at 2-5 metres.	€ 3,30
Chamidae		
Chama brassica Reeve, 1846.	Malaysia, Johor, Tinggi Island (Pulau Tinggi). ±2 m deep, on dead coral.	€ 5,00
Arcinella cornuta Conrad, 1866.	USA, Florida, Key West.	€ 1,30 t/m € 2,50
Arcinella cornuta Conrad, 1866.	USA, Florida, Big Pine Key.	€ 1,00 t/m € 2,50

Pseudochama gryphina (Lamarck, 1819).
 Chama gryphoides L., 1758.
 Chama lazarus L., 1758.
 Chama lazarus L., 1758.
 Chama lazarus L., 1758.
 Chama lazarus L., 1758. Beautiful colours.
 Chama limbula Lamarck, 1819.
 Chama macerophylla (Gmelin, 1791).
 Chama pacifica Broderip, 1835.
 Diverse spec. .

Chitonidae

Chiton pelliserpentis Quoy & Gaimard, 1835.

Colubrariidae

Colubraria castanea Kuroda & Habe, 1952.
 Colubraria muricata (Lightfoot, 1786).
 Colubraria muricata (Lightfoot, 1786).
 Colubraria muricata (Lightfoot, 1786).
 Colubraria muricata (Lightfoot, 1786).
 Colubraria nitidula (Sowerby, 1833).
 Colubraria sowerbyi (Reeve, 1844).
 Colubraria sowerbyi (Reeve, 1844).
 Colubraria tortuosa (Reeve, 1844).

Columbariidae

Columbarium pagoda (Lesson, 1831).
 Columbarium pagoda (Lesson, 1831).

Columbellidae

Mitrella acuminata (Menke, 1843).
 Columbella aureomexicana (Howard, 1963).
 Euplica bidentata (Menke, 1843). Set of 5.
 Amphissa columbiana Dall, 1916.
 Pseudomycla dermestoidea (Lamarck, 1822). Tube.
 Strombina dorsata (Sowerby, 1832).
 Strombina elegans (Sowerby, 1832).
 Strombina elegans (Sowerby, 1832).

Greece, Saronikos. Attached on rocks, 7 metres deep.
 Spain, Province of Málaga, Fuengirola. Fished live, on stone.
 Philippines, Cebu (island), Bantayan Island.
 Philippines.
 Thailand. Southeast Asia.
 Philippines, Cebu (province), Mactan (island), Punta Engaño.
 Philippines.
 Bonaire, Lesser Antilles Islands.
 Philippines.
 Philippines, Bohol (province), close to Panglao Island, Balicasag Island.

New Zealand.

Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.
 Thailand, Changwat Phuket (province), Phuket (island).
 Philippines, Visayas (region), Samar (island).
 Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.
 Philippines.
 Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.
 Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.
 Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.
 Philippines, Palawan (prov.), Coron Island. Dived, 15-20 m deep.

Japan, Shikoku (island), Kochi Prefecture, Tosa Bay. Fished.
 Taiwan. East China Sea.

Australia, Port Adelaide, Semaphore.
 Mexico, Baja California Sur, 1 km S. of Santa Rosalía. Alive under stones.
 Australia, Western Australia, Rockingham, Shoalwater Beach.
 USA, S.E. Alaska, Mitkof Island, Petersburg Harbour. At a 4 foot tide.
 Australia, NSWales, Kurnell, Capt. Cook's Landing Place, Botany Bay.
 Panama.
 Panama.
 Panama, Bay of Chiriqui. Dredged, 120 feet deep.

Price Range

€ 2,00
 € 2,50
 € 7,50
 € 2,50 t/m € 5,00
 € 10,00 t/m € 12,00
 € 1,20 t/m € 3,20
 € 1,80
 € 1,50
 € 5,00
 € 1,00 t/m € 2,00

€ 1,50

€ 2,00 t/m € 2,50
 € 6,00 t/m € 8,00
 € 2,50 t/m € 5,00
 € 5,00 t/m € 12,50
 € 7,50
 € 4,00
 € 4,00
 € 2,00
 € 8,00

€ 4,50
 € 6,00

€ 2,00
 € 1,00
 € 1,50
 € 2,50
 € 4,00
 € 3,20
 € 5,00
 € 4,50

	Price Range
Pyrene epamella (Duclos, 1846).	€ 1,50
Pyrene fasciata (Sowerby I, 1825).	€ 1,50
Pyrene flava filmerae (Sowerby, 1900).	€ 1,00
Pyrene flava filmerae (Sowerby, 1900).	€ 1,00
Pyrene flava (Bruguère, 1789).	€ 1,00
Pyrene flava (Bruguère, 1789).	€ 0,80
Anachis fluctuata (Sowerby, 1832).	€ 1,30
Mazatlanian fulgurata (Philippi, 1846).	€ 3,00
Columbella fuscata Sowerby, 1832.	€ 1,75 t/m € 2,50
Columbella fuscata Sowerby, 1832.	€ 1,50
Strombina fusinoidea Dall, 1916.	€ 6,50
Strombina fusinoidea Dall, 1916.	€ 5,00
Columbella haemastoma Sowerby, 1832.	€ 3,50
Mitrella ligula (Duclos, 1840).	€ 0,50
Mitrella ligula (Duclos, 1840).	€ 0,80
Anachis lyrata (Sowerby, 1832).	€ 2,00
Strombina maculosa (Sowerby, 1832).	€ 1,50
Columbella major Sowerby, 1832.	€ 1,00
Columbella major Sowerby, 1832. W/O.	€ 1,50
Columbella major Sowerby, 1832.	€ 2,00
Columbella mercatoria (L., 1758).	€ 2,00
Columbella mercatoria (L., 1758).	€ 2,80
Columbella mercatoria (L., 1758).	€ 2,00
Anachis miser (Sowerby, 1844).	€ 2,50
Anachis miser (Sowerby, 1844).	€ 1,00
Nitidella nitida (Lamarck, 1822).	€ 2,00 t/m € 2,30
Nitidella nitida (Lamarck, 1822).	€ 1,30
Mitrella ocellata (Gmelin, 1791). Tube.	€ 3,00
Mitrella ocellata (Gmelin, 1791).	€ 2,80
Mitrella ocellata (Gmelin, 1791).	€ 1,30
Pyrene ocellata (Link, 1807).	€ 1,50
Pyrene ocellata (Link, 1807).	€ 0,20
Pyrene punctata (Bruguère, 1789).	€ 1,50
Pyrene punctata (Bruguère, 1789).	€ 1,00
Pyrene punctata (Bruguère, 1789).	€ 1,00 t/m € 2,00
Philippines, Bohol (province), Panglao Island.	€ 1,50
Indonesia, Greater Sunda Islands, East Java (province), Madura Island.	€ 1,50
South Africa, Cape Province, Cape Town.	€ 1,00
South Africa, Transkei Bantu Homeland, Coffee Bay.	€ 1,00
Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,00
Thailand, Changwat Phuket (province), Phuket (island).	€ 0,80
Panama, Punta Calafata.	€ 1,30
Panama, Gobernadora Island, Veraguas Prov. Sand, low tide. 15 mm	€ 3,00
Ecuador, Galápagos Islands, Fernandina Island.	€ 1,75 t/m € 2,50
Ecuador, Galápagos Islands. Pacific Ocean.	€ 1,50
Panama, Secas Island. Pacific Ocean. Dredged at 60-120 feet deep.	€ 6,50
Mexico, Baja California Sur (state), San José del Cabo.	€ 5,00
Mexico, Baja California, Bahía de los Ángeles. Gulf of California.	€ 3,50
Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 0,50
Philippines.	€ 0,80
Panama, Gulf of Panamá, San Carlos.	€ 2,00
Mexico, Baja California Sur (state), San José del Cabo.	€ 1,50
Panama. Dived, 6 feet deep.	€ 1,00
Panama, Chirquí Bay, Coiba Island. Dived, 3-4 metres deep, on rocks.	€ 1,50
Mexico, Baja California (state). Gulf of California.	€ 2,00
Caribbean area.	€ 2,00
The Grenadines Islands, Windward Islands, Caribbean.	€ 2,80
Venezuela.	€ 2,00
Australia, Queensland.	€ 2,50
Philippines.	€ 1,00
The Grenadines Islands, Windward Islands, Caribbean.	€ 2,00 t/m € 2,30
Bonaire, Lesser Antilles Islands.	€ 1,30
Senegal, Cap-Vert, N'Gor.	€ 3,00
The Grenadines Islands, Windward Islands, Caribbean.	€ 2,80
Thailand, Phuket (island), Raya Island. 25-30 metres deep.	€ 1,30
Indonesia, Papua (province).	€ 1,50
Philippines.	€ 0,20
Philippines, Central Visayas (region), Cebu (island).	€ 1,50
Malaysia, P. Tioman, Tekek, Ayer Batam Bay. Alive between/under dead coral	€ 1,00
Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,00 t/m € 2,00

		Price Range
Columbella rustica (L., 1758).	Italy, Sardinia, C. Sferracavallo.	€ 1,00
Columbella rustica (L., 1758).	Tunisia, Lac de Bizerte.	€ 1,30
Columbella rustica f. striata Duclos.	Spain, Canary Islands, Fuerteventura.	€ 1,30
Mitrella scripta (L., 1758).	Indonesia, Papua (province), Biak (island). Cenderawasih Bay.	€ 0,20
Mitrella scripta (L., 1758).	Philippines.	€ 1,00
Mitrella scripta (L., 1758). Set of 5.	Australia, Queensland, Cape Tribulation.	€ 1,00
Mitrella scripta (L., 1758).	Philippines.	€ 0,20
Mitrella scripta (L., 1758).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,00
Pyrene splendidula (Sowerby III, 1894).	Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.	€ 0,50 t/m € 2,00
Pyrene splendidula (Sowerby III, 1894).	Philippines, Bohol (province), close to Panglao Island, Balicasag island.	€ 1,00
Pyrene splendidula (Sowerby III, 1894).	Thailand, Changwat Phuket (province), Phuket (island).	€ 3,00
Mitrella tayloriana (Reeve, 1859).	Australia, South Australia. Port Adelaide.	€ 2,20
Anachis terpsichore (Sowerby II, 1822).	Australia, Queensland, Cape Tribulation.	€ 1,50
Pyrene testudinaria (Link, 1807).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,00
Pyrene testudinaria (Link, 1807).	Australia, Queensland, Gladstone Harbour.	€ 1,30
Strombina turrita (Sowerby, 1832).	Panama.	€ 4,50
Pyrene turturina (Lamarck, 1822).	Australia, Western Australia, Coral Bay. Indian Ocean.	€ 2,00
Anachis varia (Sowerby, 1832).	Panama, Pearl Islands. Pacific Ocean. Under stones in shallow water. 18 mm	€ 2,50 t/m € 3,30
Anachis varia (Sowerby, 1832).	Panama, Gulf of Panamá, San Carlos, El Palmar.	€ 2,50
Anachis varia (Sowerby, 1832).	Panama, Panamá City, Punta Calafata. Pacific Ocean.	€ 0,80
Conidae		
Conus achatinus Gmelin, 1791.	Australia, Western Australia. In shallow water.	€ 3,50
Conus achatinus Gmelin, 1791.	Australia, Western Australia, Dampier Archipelago. In shallow water.	€ 5,00
Conus amadis f. castaneofasciata Dautzenberg, 1937.	Bay of Bengal, trawled at 35 fathoms.	€ 3,00
Conus amadis f. castaneofasciata Dautzenberg, 1937.	Thailand, Ranong Province, Ranong (city). Deep water, > 70 m deep.	€ 0,75 t/m € 4,25
Conus amadis f. castaneofasciata Dautzenberg, 1937.	Thailand, Changwat Phuket (province), Phuket (island).	€ 1,00 t/m € 5,00
Conus amadis Gmelin, 1791.	India, Tamil Nadu (state), Rameswaram. Gulf of Mannar. Dived.	€ 7,50
Conus amadis Gmelin, 1791.	India, off Madras. Trawled by fishing boat, 20-40 metres deep, on sand.	€ 5,00
Conus amadis Gmelin, 1791.	Sri Lanka, Southern Province, Galle.	€ 2,00
Conus ammiralis ammiralis L., 1758.	Philippines, Mindanao (island), Davao Region, Davao City.	€ 1,50 t/m € 5,00
Conus anemone f. carmeli Tenison-Woods, 1877.	Australia, South.	€ 9,00
Conus anemone Lamarck, 1810.	Australia, Victoria, west of Port Fairy. Littoral, in mud.	€ 3,50
Conus anemone Lamarck, 1810.	Australia, South Australia. Port Adelaide.	€ 2,50
Conus anemone f. novaehollandiae A. Adams, 1854.	Australia, Western Australia, Broome.	€ 1,80
Conus aphrodite Petuch, 1979.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 9,50

		Price Range
Conus araneosus araneosus Solander, 1786.	India, Tamil Nadu (state), Rameswaram. Gulf of Mannar.	€ 9,50
Conus araneosus nicobaricus Hwass, 1792.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 3,00 t/m € 6,50
Conus arenatus Hwass, 1792.	Indonesia, Bali (province), Bali (island).	€ 1,00
Conus arenatus Hwass, 1792.	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,50 t/m € 2,50
Conus arenatus Hwass, 1792.	Thailand, Changwat Phuket (province), Phuket (island).	€ 1,00 t/m € 2,50
Conus arenatus Hwass, 1792.	Indonesia, Greater Sunda Islands, East Java (province), Madura Island.	€ 0,60
Conus arenatus Hwass, 1792.	Egypt, South Sinai, Dahab. Gulf of Aqaba. In sand.	€ 0,50 t/m € 2,50
Conus arenatus Hwass, 1792.	Australia, Queensland, Beaver Reef. Alive in sand between coral.	€ 1,00
Conus arenatus Hwass, 1792.	Indonesia, West Papua (province), Manokwari, in direction of Pasir Putih.	€ 1,20
Conus arenatus Hwass, 1792.	Egypt, Sand Island. Red Sea.	€ 0,50 t/m € 3,50
Conus armadillo Shikama, 1971.	Philippines, Central Visayas (region), Bohol (island).	€ 10,00
Conus asiaticus asiaticus da Motta, 1985.	Taiwan. East China Sea.	€ 2,30
Conus augur Solander, 1786.	Madagascar Island. East Africa. Indian Ocean.	€ 3,50
Conus augur Solander, 1786.	Mozambique. East Africa. Indian Ocean.	€ 4,00 t/m € 5,00
Conus aulicus L., 1758.	Thailand, Changwat Phuket (province), Phuket (island).	€ 4,00 t/m € 12,50
Conus aulicus L., 1758.	Phillipines.	€ 7,50
Conus aurisiacus L., 1758.	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230metres.	€ 3,00 t/m € 7,50
Conus australis australis Holten, 1802.	Japan.	€ 3,50
Conus australis australis Holten, 1802.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 2,50 t/m € 4,00
Conus australis australis Holten, 1802.	Japan, Honshu (island), Kansai (region), Kyoto. Fished.	€ 1,50 t/m € 3,00
Conus bandanus Hwass, 1792.	Tanzania, Zanzibar.	€ 3,00 t/m € 4,00
Conus bandanus f. vidua Reeve, 1843.	Madagascar, Toliara (Tulear). East Africa. Indian Ocean.	€ 4,50 t/m € 5,00
Conus bandanus f. vidua Reeve, 1843.	Thailand, Changwat Phuket (province), Phuket (island).	€ 2,00 t/m € 5,00
Conus barbieri Raybaudi Massilia, 1995.	Philippines, Samar, Calbayog area. From divers, 25 metres deep.	€ 2,50
Conus barbieri Raybaudi Massilia, 1995.	Philippines, Eastern Visayas (region), Leyte (island), Carigara Bay. 30 mm - 33 mm	€ 5,00
Conus bengalensis (Okutani, 1968).	India.	€ 40,00
Conus bengalensis (Okutani, 1968).	Thailand, Gulf of Thailand. Deep water.	€ 39,50
Conus bengalensis (Okutani, 1968).	Gulf of Thailand. Trawled at a depth of 200 metres deep. 116 mm	€ 85,00 t/m € 95,00
Conus betulinus L., 1758.	Indonesia, Moluccas Islands, Ambon Island.	€ 2,00 t/m € 5,50
Conus betulinus L., 1758.	India, Tamil Nadu (state), Cuddalore. Bay of Bengal.	€ 5,00
Conus betulinus L., 1758.	Tanzania, Zanzibar, Nungwi (village). East Africa. Indian Ocean.	€ 5,00
Conus betulinus L., 1758.	Philippines.	€ 3,50
Conus betulinus L., 1758.	Malaysia, Pulau Perhentian Besar (Big Perhentian Isl.). Live on seagrass.	€ 8,00
Conus biliosus (Röding, 1798).	India, Tamil Nadu (state), Ramanathapuram district, Kilakarai. Dived.	€ 6,00
Conus biliosus (Röding, 1798).	Australia, Queensland, Cape Tribulation. Alive, Littoral zone.	€ 3,00 t/m € 4,00

		Price Range
Conus blanfordianus Crosse, 1867.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 2,00 t/m € 3,00
Conus bruguieresi Kiener, 1845.	Senegal, Dakar Region, Dakar, north side of N'Gor. Diving, 1-8 m deep.	€ 11,50 t/m € 15,00
Conus bullatus L., 1758.	Philippines. Bohol. On reef, 20-25 metres deep.	€ 6,00 t/m € 14,00
Conus bullatus L., 1758.	Philippines, Visayas (region), Samar (island).	€ 12,50
Conus bullatus L., 1758.	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 5,00
Conus capitaneus Fulton, 1938.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 2,00 t/m € 3,50
Conus capitaneus f. ceciliae Crosse, 1858.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 7,00 t/m € 9,50
Conus capitaneus L., 1758.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 1,80
Conus capitaneus L., 1758.	Tanzania. East Africa. Indian Ocean.	€ 2,00
Conus capitaneus L., 1758.	Thailand, Changwat Phuket (province), Phuket (island).	€ 0,75 t/m € 2,00
Conus characteristicus Fischer, 1807.	Philippines.	€ 4,50
Conus characteristicus Fischer, 1807.	India, Tamil Nadu (state), Cuddalore. Trawled in 20 m deep, muddy sand.	€ 6,00
Conus characteristicus Fischer, 1807.	Thailand, Phuket (island), Raya Island. 25-30 metres deep.	€ 0,50 t/m € 6,00
Conus characteristicus Fischer, 1807.	Taiwan.	€ 3,50
Conus characteristicus Fischer, 1807.	India, Tamil Nadu (state), Madras [Chennai]. Dived.	€ 2,50
Conus characteristicus Fischer, 1807. Growth series.	Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.	€ 1,30 t/m € 2,50
Conus catus Hwass, 1792.	Philippines, Balicasag island, Bohol.	€ 4,00
Conus catus Hwass, 1792.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 1,50
Conus catus Hwass, 1792.	French Polynesia, Marquesas Islands, Nuku Hiva Island. 1-3 metres deep.	€ 2,30 t/m € 3,30
Conus catus Hwass, 1792.	Taiwan. East China Sea.	€ 3,00
Conus chaldaeus (Röding, 1798).	Taiwan. East China Sea.	€ 0,50 t/m € 0,70
Conus chiangi (Azuma, 1972).	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 5,00
Conus cinereus Hwass, 1792.	Indonesia, Flores (island), ±12 km east of Maumere. Live, 8 m, black sand.	€ 1,00 t/m € 2,00
Conus circumactus Iredale, 1929.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 8,50 t/m € 12,50
Conus circumciscus Born, 1778.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 1,25 t/m € 6,25
Conus circumciscus Born, 1778.	Philippines, Mindanao (island), Davao Region, Davao City.	€ 3,00 t/m € 9,00
Conus circumciscus Born, 1778.	Philippines, Central Visayas (region), Cebu (island).	€ 3,50 t/m € 12,50
Conus cloveri Walls, 1978. Synonym: C. soaresi.	Senegal, Dakar, north side N'Gor. West Africa. Diving, 1-8 metres deep.	€ 5,50 t/m € 9,00
Conus coccineus Gmelin, 1791.	Philippines.	€ 2,50 t/m € 3,80
Conus coccineus Gmelin, 1791.	Philippines, Cebu, Mactan, Olanga Island. Dived, coral reef, 15-20 metres.	€ 3,50
Conus coffeae Gmelin, 1791.	Philippines.	€ 2,00
Conus collisus Reeve, 1849.	Thailand, Ranong.	€ 2,00
Conus comatosa Pilsbry, 1904. 2nd choice.	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 2,50
Conus consors Sowerby I, 1833.	Thailand, Phuket Island.	€ 3,00
Conus consors Sowerby I, 1833.	Philippines.	€ 3,50

		Price Range
Conus consors Sowerby I, 1833.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 2,50 t/m € 4,00
Conus corallinus Kiener, 1845.	Philippines, Central Visayas (region), Bohol (island).	€ 5,00
Conus corallinus Kiener, 1845.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 6,00 t/m € 7,50
Conus cordigera Sowerby II, 1866.	Philippines, Sulu.	€ 3,00 t/m € 6,00
Conus cordigera Sowerby II, 1866.	Philippines, Palawan (province), Coron Island. Divers from Cebu, ±25 m. 26 mm	€ 6,00
Conus coronatus Gmelin, 1791.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 1,00
Conus coronatus Gmelin, 1791.	Kenya, Mombasa Reef. East Africa. Indian Ocean.	€ 1,00
Conus couderti Bernardi, 1860.	The Grenadines Islands, Windward Islands, Caribbean.	€ 12,50
Conus crocatus f. thailandis da Motta, 1978.	Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.	€ 3,00 t/m € 27,50
Conus cuneolus Reeve, 1843.	Cape Verde, Sal(island), Santa Maria. Atlantic Ocean. At low tide.	€ 4,80
Conus dalli Stearns, 1873.	Panama, Pearl Islands, Isla Pedro Gonzalez. Gulf of Panama. Pacific Ocean.	€ 3,50
Conus daucus Hwass, 1792.	Aruba, Lesser Antilles Islands.	€ 6,00 t/m € 12,00
Conus dayriti Röckel & da Motta, 1983.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 6,50 t/m € 12,50
Conus distans Hwass, 1792.	Thailand, Changwat Phuket (province), Phuket (island).	€ 2,00 t/m € 4,00
Conus distans Hwass, 1792. among dead coral.	Indonesia, Timor, Tenau Harbour, 6 km. south west of Kupang. Shallow water	€ 3,50
Conus distans Hwass, 1792.	Taiwan. Fished.	€ 4,00
Conus distans Hwass, 1792.	Philippines.	€ 2,00 t/m € 3,80
Conus dorreensis Peron, 1807.	Australia, Western Australia, Port Denison. Live, on reef.	€ 1,00 t/m € 3,00
Conus dusaveli (Adams, 1872).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 10,00
Conus dusaveli (Adams, 1872).	Philippines, Luzon (island), Polillo Island. On coral reef, 20 metres.	€ 20,00
Conus ebraeus L., 1758.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 0,50 t/m € 2,00
Conus ebraeus L., 1758.	Indonesia, Moluccas Islands, Ambon Island, Latuhalat.	€ 1,00
Conus ebraeus L., 1758.	Thailand, Phuket (island), Raya Island. 25-30 metres deep.	€ 0,80 t/m € 1,30
Conus ebraeus L., 1758.	Kenya, near Mombasa. East Africa. Indian Ocean.	€ 0,80
Conus eburneus Hwass, 1792.	Thailand, Phuket (island), Raya Island. 25-30 metres deep.	€ 0,80 t/m € 1,30
Conus eburneus Hwass, 1792.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 1,50 t/m € 4,00
Conus eburneus Hwass, 1792.	New-Guinea, East New Britain.	€ 4,50
Conus eburneus Hwass, 1792.	India, Tamil Nadu (state), Tuticorin.	€ 2,00 t/m € 3,00
Conus eburneus Hwass, 1792.	Malaysia, Pulau Tioman, Tekek, Ayer Batam Bay. Alive, 4 metres deep.	€ 1,50 t/m € 2,00
Conus eburneus Hwass, 1792.	Philippines, Sulu Archipelago.	€ 2,40
Conus eburneus Hwass, 1792.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 1,00 t/m € 2,00
Conus eburneus Hwass, 1792.	Indonesia, Greater Sunda Islands, East Java (province), Madura Island.	€ 1,50
Conus eburneus f. polyglotta Weinkauff, 1874.	Philippines, Mindanao (island), Davao Region, Davao City.	€ 1,30 t/m € 2,50
Conus eburneus f. polyglotta Weinkauff, 1874.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 1,30 t/m € 2,50
Conus echinophilus Petuch, 1975.	Senegal, Ngor.	€ 2,00

		Price Range
Conus episcopatus da Motta, 1982.	Thailand, Changwat Phuket (province), Phuket (island).	€ 1,00 t/m € 10,00
Conus episcopatus da Motta, 1982.	Malaysia, Pulau Perhentian Besar. Between dead coral, shallow, live.	€ 3,00 t/m € 5,50
Conus ermineus Born, 1778.	Senegal. Deep water.	€ 4,00
Conus ermineus Born, 1778.	Cape Verde, Santiago (island), Tarrafel. 2-8 metres deep, under stones.	€ 3,80 t/m € 4,80
Conus ermineus Born, 1778.	Senegal, Dakar, Yoff. Littoral under stone.	€ 4,50
Conus eximius Reeve, 1849.	India, Tamil Nadu (state), Madras [Chennai]. Dredged.	€ 3,00
Conus ferrugineus Hwass, 1792.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 2,00 t/m € 3,00
Conus figulinus L., 1758.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 0,50 t/m € 1,50
Conus figulinus L., 1758.	Malaysia, Sabah (state), Borneo, Kota Kinabalu, Tanjung Aru Beach. Live.	€ 3,00
Conus figulinus L., 1758.	Indonesia, Sumatra, Aceh (province), Lhokseumawe. Above tideline.	€ 1,50
Conus figulinus L., 1758.	Madagascar, Anosy Region, Tôlanaro (Fort Dauphin).	€ 9,50
Conus flavidus Lamarck, 1810.	Egypt, Hurghada. Red Sea.	€ 0,50 t/m € 1,00
Conus flavidus Lamarck, 1810.	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,50
Conus flavidus Lamarck, 1810.	Solomon Islands. Pacific Ocean.	€ 3,00
Conus flavidus Lamarck, 1810.	Egypt, Hurghada. Red Sea.	€ 0,80 t/m € 2,50
Conus flavidus Lamarck, 1810.	Thailand, Phuket (island), Raya Island. 25-30 metres deep.	€ 1,00 t/m € 2,50
Conus floridulus Adams & Reeve, 1848.	Philippines, Cebu (province), Mactan (island), Punta Engaño.	€ 4,80 t/m € 6,50
Conus floridulus Adams & Reeve, 1848.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 3,00 t/m € 4,00
Conus frigidus Reeve, 1848.	Thailand, Changwat Phuket (province), Phuket (island).	€ 2,50
Conus furvus f. aegrotus Reeve, 1849.	Philippines. Sulu Sea.	€ 3,00
Conus furvus Reeve, 1843.	Philippines.	€ 0,80 t/m € 1,30
Conus furvus Reeve, 1843.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 1,00 t/m € 2,00
Conus generalis f. krabiensis da Motta, 1982.	Thailand, Phuket (island), Raya Island. 25-30 metres deep.	€ 2,00
Conus generalis L., 1767.	Philippines, Cebu (province), Mactan (island), Punta Engaño.	€ 2,00 t/m € 4,00
Conus genuanus L., 1758.	Cape Verde, Boavista Island, Sal Rei. Nightdiving, 2-15 metre deep.	€ 4,00 t/m € 7,50
Conus genuanus L., 1758.	Senegal, Cap-Vert, N'Gor Island, Pointe des Almadies. Fishing harbour..	€ 2,50
Conus genuanus L., 1758.	Gabon.	€ 6,00
Conus genuanus L., 1758.	Senegal, Dakar Region, Dakar, Hann Bay (beach). West Africa.	€ 5,00 t/m € 10,00
Conus geographus L., 1758.	Philippines, Central Visayas (region), Cebu (island).	€ 2,30
Conus geographus L., 1758.	Papua New Guinea, Manus Province, Manus Island.	€ 7,00
Conus glans Hwass, 1792.	Malaysia, Pulau Tioman, Tekek, Ayer Batam Bay.	€ 2,00
Conus gloriamaris Chemnitz, 1777.	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 5,00 t/m € 30,00
Conus granum Röckel & Fischroder, 1985.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 2,50
Conus gubernator Hwass, 1792.	Madagascar, Toliara (Tulear). East Africa. Indian Ocean.	€ 9,50
Conus guinaicus Hwass, 1792.	Senegal, N'Gor. West Africa. Atlantic Ocean.	€ 5,00

		Price Range
Conus hyaena hyaena Hwass, 1792.	India, Maharashtra (state), Bombay. At low tide.	€ 4,00
Conus hyaena hyaena Hwass, 1792.	India, Maharashtra (state), near Bombay.	€ 5,00
Conus hybridus Kiener, 1845.	Senegal, Dakar, north side N'Gor. West Africa. Diving, 1-8 metres deep.	€ 2,00 t/m € 5,00
Conus ichinoseana (Kuroda, 1956).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 9,50
Conus imperialis L., 1758.	Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.	€ 2,00
Conus imperialis L., 1758.	Tanzania, Zanzibar.	€ 3,50
Conus imperialis L., 1758.	Philippines.	€ 2,50 t/m € 3,50
Conus imperialis L., 1758.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 1,00 t/m € 5,50
Conus inscriptus inscriptus Reeve, 1843.	India, Tamil Nadu (state), off Madras [Chennai]. Dived.	€ 2,00 t/m € 5,00
Conus ione Fulton, 1938.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 4,00 t/m € 10,00
Conus janus Hwass, 1792.	Madagascar. East Africa. Indian Ocean.	€ 3,25 t/m € 4,25
Conus janus Hwass, 1792.	Mozambique. East Africa. Indian Ocean.	€ 12,50
Conus janus Hwass, 1792.	Mozambique, North coast.	€ 10,00
Conus kinoshitai (Kuroda, 1956).	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 5,00 t/m € 8,00
Conus kinoshitai (Kuroda, 1956).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 5,00 t/m € 8,00
Conus kintoki Habe & Kosuge, 1970.	Malaysia, Sabah (state). South China Sea. Trawled at 30-40 feet deep.	€ 4,00
Conus kintoki Habe & Kosuge, 1970.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 3,50 t/m € 7,50
Conus kintoki Habe & Kosuge, 1970.	Philippines, Central Visayas (region), Bohol (province), Panglao Island. 62 mm	€ 9,00
Conus lenavati da Motta & Röckel, 1982.	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 2,50 t/m € 7,50
Conus lentiginosus Reeve, 1844.	India, Bombay. At low tide.	€ 4,00
Conus leopardus (Röding, 1798).	Zanzibar, Nungwi, live in laguna.	€ 3,00
Conus leopardus (Röding, 1798).	Indonesia, Moluccas Islands, Ambon Island.	€ 3,00 t/m € 6,00
Conus lithoglyphus Hwass, 1792.	Thailand, Changwat Phuket (province), Phuket (island).	€ 1,00 t/m € 2,00
Conus lithoglyphus Hwass, 1792.	Tanzania, Zanzibar, Nungwi.	€ 0,50 t/m € 1,50
Conus litteratus L., 1758.	Thailand, Phuket, ±2 hours by boat from Rawai, Raya Island. 25-30 m deep.	€ 1,50 t/m € 4,80
Conus litteratus L., 1758.	Indonesia, Sulawesi, 5 km. south of Parepare, Pulau Dutungan, 3 m. deep.	€ 2,00 t/m € 4,00
Conus lividus Hwass, 1792.	Indonesia, Moluccas Islands, Ambon Island.	€ 1,30
Conus lividus Hwass, 1792.	Philippines.	€ 0,50
Conus lividus Hwass, 1792.	Thailand, Changwat Phuket (province), Phuket (island).	€ 2,00 t/m € 3,50
Conus lividus Hwass, 1792.	Réunion Island, Indian Ocean.	€ 2,00
Conus lividus Hwass, 1792.	Solomon Islands. Pacific Ocean.	€ 1,50
Conus lividus Hwass, 1792.	Kenya, Kikambala. On sandy mud in shallow water.	€ 1,30
Conus longurionis Kiener, 1845.	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 5,00
Conus lorioisii Kiener, 1845.	India, Tamil Nadu (state), Cuddalore. Bay of Bengal. Dived.	€ 3,00 t/m € 4,50
Conus magus L., 1758.	Malaysia, Sabah (state), Semporna. Live, shallow, on seaweed, dead coral.	€ 1,00 t/m € 2,00

		Price Range
Conus magus L., 1758.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 2,50 t/m € 2,80
Conus magus L., 1758.	Philippines.	€ 1,80 t/m € 2,80
Conus malacanus Hwass, 1792.	India, Tamil Nadu (state), Cuddalore.	€ 3,50
Conus maldivus Hwass, 1792.	Mozambique. East Africa. Indian Ocean.	€ 2,00
Conus marmoreus L., 1758.	Philippines.	€ 2,50 t/m € 4,50
Conus memiae (Habe & Kosuge, 1970).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 2,50
Conus memiae (Habe & Kosuge, 1970).	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 2,50
Conus mercator L., 1758.	Senegal, Dakar Region, Dakar, Gorée Island. West Africa. Atlantic Ocean.	€ 6,50
Conus mercator L., 1758.	Senegal, Dakar Region, Dakar, north side N'Gor. Diving, 1-8 metres deep.	€ 2,00 t/m € 6,50
Conus miles L., 1758.	Tanzania, Zanzibar, Mawe Island. East Africa. Indian Ocean	€ 3,50
Conus miles L., 1758.	Solomon Islands, Pacific Ocean.	€ 2,50
Conus miles L., 1758.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 1,00 t/m € 2,00
Conus miles L., 1758.	Thailand, Changwat Phuket (province), Phuket (island).	€ 1,00 t/m € 4,00
Conus miles L., 1758.	Indonesia, Borneo, East Kalimantan, Tarakan (island). Shallow, live.	€ 3,00
Conus milneedwardsi clytospira Melvill & Standen, 1899.	Southern India, dredged by Russian trawler. Deep water.	€ 85,00
Conus monile Hwass, 1792.	India, Tamil Nadu (state), Cuddalore. Bay of Bengal.	€ 3,50 t/m € 4,50
Conus monile Hwass, 1792.	India, Tamil Nadu (state), Cuddalore. Bay of Bengal. Dived.	€ 3,80
Conus monile Hwass, 1792.	Thailand, Phuket (island), Raya Island. 25-30 metres deep.	€ 1,30 t/m € 4,30
Conus mucronatus Reeve, 1843.	Philippines, Luzon (island), Tayabas Bay.	€ 2,00
Conus mucronatus Reeve, 1843.	Philippines, Cebu (province), Mactan (island), Punta Engaño.	€ 3,00
Conus muriculatus Sowerby I, 1833.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 1,50 t/m € 2,50
Conus mus Hwass, 1792.	Bonaire, Playa, Lesser Antilles.	€ 1,00 t/m € 2,00
Conus musicus Hwass, 1792.	Taiwan. East China Sea.	€ 1,00
Conus mustelinus Hwass, 1792.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 1,00 t/m € 2,50
Conus mustelinus Hwass, 1792.	Malaysia, Pulau Perhentian Besar. Between dead coral, shallow, live.	€ 1,00 t/m € 2,00
Conus namocanus Hwass, 1792.	Tanzania, Zanzibar.	€ 2,00 t/m € 4,00
Conus natalis Sowerby II, 1857.	South Africa, Eastern Cape, near Glengarriff, Glen Eden.	€ 3,00
Conus neptunus Reeve, 1843.	Philippines, Central Visayas (region), Cebu (island).	€ 1,50 t/m € 5,00
Conus neptunus Reeve, 1843.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 3,00 t/m € 8,50
Conus nussatella L., 1758.	Thailand, Changwat Phuket (province), Phuket (island).	€ 0,80 t/m € 2,00
Conus nussatella L., 1758.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 2,00
Conus obscurus Sowerby I, 1833.	Solomon Islands, Malaita (island), Ata'a (village). Pacific Ocean.	€ 4,00
Conus omaria Hwass, 1792.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 1,50 t/m € 4,50
Conus omaria Hwass, 1792.	Philippines.	€ 2,50 t/m € 4,30
Conus omaria Hwass, 1792.	Malaysia, Tioman (isl.), Kampung Juara. Live, ±1 m, under dead coral.	€ 1,00 t/m € 3,00

		Price Range
Conus omaria Hwass, 1792.	Solomon Islands, Malaita (island), Ata'a (village). Pacific Ocean.	€ 1,50 t/m € 5,00
Conus orbignyi orbignyi Audouin, 1831.	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,50
Conus orbignyi orbignyi Audouin, 1831.	Japan. North China Sea. Fished off coast.	€ 2,50
Conus patricius Hinds, 1843.	Mexico, Baja California Sur (state), San José del Cabo.	€ 3,50
Conus pennaceus Born, 1778.	Mozambique.	€ 5,00
Conus pertusus Hwass, 1792.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 1,50 t/m € 4,50
Conus planorbis Born, 1778.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 0,50 t/m € 4,00
Conus planorbis Born, 1778.	Philippines.	€ 2,50
Conus planorbis Born, 1778.	Mozambique. East Africa. Indian Ocean.	€ 2,50
Conus praecellens A. Adams, 1854.	Philippines, Central Visayas (region), Cebu (island).	€ 1,00
Conus praecellens A. Adams, 1854.	Philippines, Luzon (island), Tayabas Bay.	€ 1,00 t/m € 1,80
Conus praecellens A. Adams, 1854.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 1,00 t/m € 2,00
Conus princeps v. lineolatus Valenciennes, 1832.	Panama, Pearl Islands, Isla Pedro Gonzalez. Gulf of Panama. Pacific Ocean.	€ 5,00
Conus princeps v. lineolatus Valenciennes, 1832.	Panama, Taboga Island. Pacific Ocean.	€ 5,00
Conus pulcher Lightfoot, 1786.	Senegal. West Africa. Atlantic Ocean.	€ 17,50 t/m € 30,00
Conus pulcher Lightfoot, 1786.	S.W. Africa.	€ 7,00 t/m € 10,00
Conus pulcher Lightfoot, 1786.	Senegal, Dakar Region, Dakar. West Africa. 5 m deep, in sand, under rock.	€ 6,00 t/m € 12,50
Conus pulcher Lightfoot, 1786.	West Africa.	€ 17,50
Conus pulcarius pulcarius Hwass, 1792.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 1,00
Conus pulcarius pulcarius Hwass, 1792.	Malaysia, Pahang (state), Tioman (island), Teluk Berus Dalam. Live in sand	€ 1,20
Conus pulcarius pulcarius Hwass, 1792.	Indonesia, Flores, Bidadari Island. Littoral, in sand between coral.	€ 0,80
Conus pulcarius pulcarius Hwass, 1792.	Philippines, Samar.	€ 3,00
Conus purpurascens Sowerby I, 1833.	Mexico. West coast. Pacific Ocean.	€ 6,50
Conus purpurascens Sowerby I, 1833.	Panama, Panama Bay. Pacific Ocean.	€ 2,50
Conus quercinus (Lightfoot, 1786). deep between sea grass.	Malaysia, Pulau Perhentian Besar (Big Perhentian Island). Alive, 4- 6 m.	€ 1,00 t/m € 3,00
Conus quercinus (Lightfoot, 1786).	French Polynesia, Marquesas Islands, Nuku Hiva Island. 1-3 metres deep.	€ 1,80 t/m € 3,00
Conus quercinus (Lightfoot, 1786).	Philippines, Sulu (province), Siasi. Sulu Sea. From fisherman.	€ 2,00
Conus rattus Hwass, 1792.	Thailand, Changwat Phuket (province), Phuket (island).	€ 1,20
Conus rattus Hwass, 1792.	Kenya, Coast Province, Mombasa County, Mombasa. East Africa.	€ 7,50
Conus rattus Hwass, 1792.	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,30 t/m € 3,50
Conus rattus Hwass, 1792.	Thailand, Phuket (island), Raya Island. 25-30 metres deep.	€ 1,00 t/m € 1,30
Conus rattus Hwass, 1792.	Taiwan, south-west. South China Sea.	€ 1,30
Conus rattus f. taitensis Hwass, 1792.	French Polynesia, Marquesas Islands, Nuku Hiva Island. 1-3 metres deep.	€ 1,50
Conus regius Gmelin, 1791.	Brazil, Ceará, Camocin. Collected at 25-40 metres on rocky bottom.	€ 12,50
Conus regius Gmelin, 1791.	Mexico, Baja California Sur (state), San José del Cabo. 5 metre deep.	€ 3,50

		Price Range
Conus retifer Menke, 1829.	Philippines, Visayas (region), Samar (island). East coast.	€ 3,00 t/m € 7,50
Conus retifer Menke, 1829.	Philippines, Cebu.	€ 3,50 t/m € 6,00
Conus rufimaculosus Macpherson, 1959.	Australia, Queensland, Moreton Bay. Fished.	€ 3,00 t/m € 5,00
Conus saecularis Melvill, 1898.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 4,00 t/m € 7,50
Conus sanguinolentus Quoy & Gaimard, 1834.	Egypt, west coast Gulf of Suez, Marsa Abu. Red Sea. Lagoon.	€ 0,80
Conus sanguinolentus Quoy & Gaimard, 1834.	Egypt, Safaga. Red Sea.	€ 0,80 t/m € 1,80
Conus spirofilis Habe & Kosuge, 1970.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 10,00
Conus sponsalis Hwass, 1792.	Philippines.	€ 0,70 t/m € 0,90
Conus sponsalis Hwass, 1792.	Taiwan, south-west. South China Sea.	€ 0,90
Conus sponsalis Hwass, 1792.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 0,50
Conus sponsalis Hwass, 1792.	Philippines, Sulu (province), Siasi. Sulu Sea. From fisherman. 14 mm	€ 3,00
Conus spurius Gmelin, 1791.	USA, Florida.	€ 2,50 t/m € 4,00
Conus spurius Gmelin, 1791.	Off Colombia, South America, 80 feet deep, dredged by trawler.	€ 3,00
Conus striatus f. floridus Sowerby, 1858.	Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.	€ 2,00 t/m € 3,50
Conus striatus L., 1758.	Tanzania, Zanzibar. East Africa. Indian Ocean.	€ 2,00
Conus striatus L., 1758.	Malaysia, Tioman (island), Kampung Juara Beach. Live, under dead coral.	€ 2,00 t/m € 2,50
Conus striatus L., 1758.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 1,50 t/m € 7,50
Conus striatus L., 1758.	Indonesia, Flores (island), Angel Island (Pulau Bidadari). Dead, shallow.	€ 2,75
Conus striatus L., 1758.	Malaysia, Sabah (state), Borneo, reef off Semporna. Live under dead coral.	€ 3,50
Conus striatus L., 1758.	Philippines.	€ 3,00
Conus striatus L., 1758.	India, Tamil Nadu (state), Ramanathapuram district, Kilakarai. Dived.	€ 2,50 t/m € 5,00
Conus striatus L., 1758.	Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.	€ 1,00 t/m € 5,00
Conus striatus L., 1758.	Madagascar, Anosy Region, Tôlanaro (Fort Dauphin). In shallow water.	€ 4,50 t/m € 6,50
Conus striolatus Kiener, 1854.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 5,00
Conus sulcatus f. bocki Sowerby III, 1881.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 0,90 t/m € 2,25
Conus sulcatus Hwass, 1792.	Philippines.	€ 2,50
Conus sulcatus f. samiae da Motta, 1982.	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 2,00
Conus sulcocastaneus Kosuge, 1981.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 5,00
Conus sulcocastaneus Kosuge, 1981.	Philippines, Mindanao (region), Balut Island.	€ 1,50 t/m € 3,00
Conus suratensis Hwass, 1792.	Philippines, Central Visayas (region), Cebu (island).	€ 3,80 t/m € 9,00
Conus suturatus Reeve, 1844.	Australia, Queensland.	€ 3,00
Conus telatus Reeve, 1848.	Philippines, Palawan (province), Coron Island. Trawled.	€ 6,00
Conus terebra terebra Born, 1778.	Kenya, Coast Province, Mombasa County, Mombasa.	€ 4,00
Conus terebra terebra Born, 1778.	Australia, Queensland, Cape Tribulation.	€ 3,00 t/m € 4,00
Conus terebra terebra Born, 1778.	Philippines, Mimaropa (Region IV-B), Marinduque (island).	€ 3,00

		Price Range
Conus terebra terebra Born, 1778.	Thailand, Phuket (island), Raya Island. 25-30 metres deep.	€ 1,00 t/m € 2,30
Conus terebra terebra Born, 1778.	India, Pamban. Dived	€ 2,50
Conus tessulatus Born, 1778.	Egypt, Safaga. Red Sea.	€ 1,00 t/m € 1,30
Conus tessulatus Born, 1778.	California, Santa Barbara County, Santa Cruz Island. In sand, 50' deep.	€ 3,50
Conus tessulatus Born, 1778.	Thailand, Changwat Phuket (province), Phuket (island).	€ 1,00 t/m € 2,50
Conus tessulatus Born, 1778.	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,50 t/m € 4,00
Conus tessulatus Born, 1778.	Philippines.	€ 3,00
Conus tessulatus Born, 1778.	Philippines, Central Visayas (region), Cebu (island).	€ 2,00 t/m € 4,50
Conus tessulatus Born, 1778.	Kenya, Coast Province, Mombasa County, Mombasa. East Africa. Indian Ocean.	€ 1,50 t/m € 2,50
Conus tessulatus Born, 1778.	Sri Lanka, Eastern Province, Trincomalee.	€ 2,50
Conus tessulatus Born, 1778.	Philippines.	€ 3,50
Conus textile f. archiepiscopus Hwass, 1792.	Madagascar, Fort Dauphin. 3-5 metres.	€ 7,00
Conus textile f. cholmondeleyi Melville, 1900.	Tanzania, Zanzibar, Nungwi. By local fisherman, shallow water.	€ 5,00 t/m € 15,00
Conus textile L., 1758.	Taiwan, south-west. South China Sea.	€ 2,50
Conus textile L., 1758.	Thailand, Phuket (island), Raya Island. 25-30 metres deep.	€ 0,50 t/m € 7,50
Conus thalassiarachus Sowerby I, 1834.	Philippines, Palawan (province), Palawan (island).	€ 3,50
Conus thalassiarachus Sowerby I, 1834.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 2,00 t/m € 5,50
Conus thalassiarachus Sowerby I, 1834.	Philippines, Palawan (province), Palawan (island).	€ 2,50 t/m € 4,00
Conus tribblei tribblei Walls, 1977. Granulated form.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 1,00 t/m € 9,50
Conus tulipa L., 1758.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 2,00
Conus varius L., 1758.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 1,50 t/m € 2,00
Conus ventricosus Gmelin, 1791.	Tunisia, Jerba Island.	€ 0,50
Conus venulatus v. ateralbus Kiener, 1845.	Cape Verde, Sal(island). Nightdiving at 2-15 metres deep.	€ 9,00 t/m € 10,00
Conus venulatus v. ateralbus Kiener, 1845.	Cape Verde, Sal (island). Nightdiving, 2-15 metres deep.	€ 12,50
Conus vexillum vexillum Gmelin, 1791.	Philippines, Central Visayas (region), Bohol (island).	€ 6,50
Conus vexillum vexillum Gmelin, 1791.	Thailand, Changwat Phuket (province), Phuket (island).	€ 3,00
Conus vexillum vexillum Gmelin, 1791.	Indonesia, South Sulawesi, Palau Samalona (isl.). Live on reef, shallow.	€ 4,00
Conus vexillum vexillum Gmelin, 1791.	Philippines.	€ 3,50 t/m € 7,50
Conus vexillum vexillum Gmelin, 1791.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 2,00 t/m € 6,50
Conus victoriae victoriae Reeve, 1843.	Australia, Western Australia, Broome. At night at low tide.	€ 3,50
Conus victoriae victoriae Reeve, 1843.	Australia, W. Australia, Port Hedland, in shallow water on muddy bottom.	€ 3,80
Conus virgatus Reeve, 1849.	Mexico, Sonora, Guaymas, San Carlos Bay. Gulf of California. Shallow.	€ 3,00 t/m € 5,00
Conus virgo L., 1758.	Malaysia, Sabah (state), Semporna. Live, on sea grass, among dead coral.	€ 0,50 t/m € 2,50
Conus virgo L., 1758.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 1,50 t/m € 4,50
Conus virgo L., 1758.	Indonesia, West Java (province).	€ 5,00

Conus virgo L., 1758.
Conus virgo L., 1758.
Conus voluminalis Reeve, 1843.
Conus voluminalis Reeve, 1843. Colour form.
Conus wakayamaensis f. *nereis* Petuch, 1979.
Conus ximenes Gray, 1839.
Conus zeylanicus Gmelin, 1791.
Conus zeylanicus Gmelin, 1791.
Conus zeylanicus Gmelin, 1791.
Conus zeylanicus Gmelin, 1791.
Conus zonatus Hwass, 1792.
Conus zonatus Hwass, 1792.

Coralliophilidae

Babelomurex armatus (Sowerby III, 1912).
Babelomurex armatus (Sowerby III, 1912).
Coralliophila bulbiformis (Conrad, 1837).
Babelomurex cariniferus (Sowerby, 1834).
Coralliophila costularis (Lamarck, 1816).
Coralliophila costularis (Lamarck, 1816).
Babelomurex diadema (A. Adams, 1854).
Babelomurex diadema (A. Adams, 1854).
Coralliophila erosa (Röding, 1798).
Mipus eugeniae (Bernardi, 1853).
Mipus eugeniae (Bernardi, 1853).
Babelomurex fearnleyi (Emerson & d'Attilio, 1965).
Babelomurex fearnleyi (Emerson & d'Attilio, 1965).
Babelomurex fearnleyi (Emerson & d'Attilio, 1965).
Babelomurex finchii (Fulton, 1930).
Babelomurex gemmatus (Shikama, 1966).
Babelomurex gemmatus (Shikama, 1966).
Babelomurex gemmatus (Shikama, 1966).
Mipus gyratus (Hinds, 1844).
Mipus gyratus (Hinds, 1844).
Mipus gyratus (Hinds, 1844).
Mipus gyratus (Hinds, 1844).

Tanzania, Zanzibar, Nungwi.
 Thailand, Phuket (island), Raya Island. 25-30 metres deep.
 Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.
 Philippines, Bohol island, Balicasag island. Tangle nets, 130-230 m deep.
 Philippines, Bohol (province), close to Panglao Island, Balicasag Island.
 Mexico, Baja California Sur (state), Loreto. Gulf of California.
 Thailand, Ranong Province, Ranong (city). Andaman Sea.
 Tanzania, Zanzibar, Unguja North Region, Pongwe. East Africa.
 India, Tamil Nadu (state), Rameswaram. Gulf of Mannar. Trawled.
 Madagascar.
 Thailand, Phuket (island), Raya Island. 25-30 metres deep.
 Indonesia, Atjeh, Pulau Weh, Iboih. Live among dead coral.

Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep. € 2,00
 Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep. € 2,00 t/m € 3,00
 Philippines, Visayas (region), Samar (island). € 2,00 t/m € 4,80
 Greece, Alonissos Island. Aegeon Sea. Dived live, 12 m deep on white coral € 12,50
 Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep. € 1,00 t/m € 2,50
 Philippines, Visayas (region), Samar (island). € 6,00
 Japan, Honshu (island), Kansai (region), Kyoto. € 4,00
 Philippines, Bohol (province), close to Panglao Island, Balicasag Island. € 2,50 t/m € 3,80
 Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep. € 2,00
 Philippines, Bohol (province), close to Panglao Island, Balicasag Island. € 1,00 t/m € 2,00
 Japan. € 9,50
 Philippines. € 6,00
 Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep. € 1,00 t/m € 5,00
 Philippines, Cebu (province), Mactan (island), Punta Engaño. € 1,50 t/m € 3,00
 Japan. € 10,00
 Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep. € 3,00 t/m € 3,80
 Philippines, Central Visayas (region), Bohol (island). € 5,00
 Philippines, Central Visayas (region), Bohol (island). 30 mm € 8,00
 India, Tamil Nadu (state), off Madras [Chennai]. Trawled. € 4,00
 Taiwan. East China Sea. € 3,00 t/m € 5,00
 India, Tamil Nadu (state), Madras [Chennai]. € 14,50
 Japan. € 5,00

Price Range

		Price Range
Rapa incurva (Dunker, 1852).	Philippines. Collected dead on coral.	€ 4,00
Babelomurex indicus (Smith, 1899).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 7,50
Babelomurex japonicus (Dunker, 1882).	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 1,50 t/m € 7,50
Babelomurex japonicus (Dunker, 1882).	Philippines, Central Visayas (region), Cebu (province), Mactan (island).	€ 8,00
Babelomurex japonicus (Dunker, 1882).	Taiwan. East China Sea.	€ 4,00 t/m € 6,00
Babelomurex lischkeanus (Dunker, 1882).	Japan, Honshu (island), Hyōgo Prefecture, off Kobe.	€ 2,50 t/m € 12,00
Coralliophila madreporarum (Sowerby, 1832).	French Polynesia, Marquesas Islands, Nuku Hiva Island. 1-3 metres deep.	€ 4,00
Latiaxis mawae (Griffith & Pidgeon, 1834).	South Japan, near Amami, Tokara area. Off Gajashima Island, 180-200 m.	€ 7,00 t/m € 9,50
Latiaxis mawae (Griffith & Pidgeon, 1834).	Taiwan.	€ 4,50
Latiaxis mawae (Griffith & Pidgeon, 1834).	Japan. Fished.	€ 4,00 t/m € 5,00
Babelomurex nakayasui (Shikama, 1970).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 7,50 t/m € 12,50
Babelomurex princeps (Melvill, 1912).	Taiwan, from fisherman of Kaoshiung. Very interesting shells.	€ 9,50
Babelomurex princeps (Melvill, 1912).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 4,50
Coralliophila radula (A. Adams, 1855).	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 2,50 t/m € 5,00
Coralliophila radula (A. Adams, 1855).	Philippines, Bohol (province), Panglao Island.	€ 3,80 t/m € 5,00
Coralliophila radula (A. Adams, 1855).	Philippines, Bohol (province), Panglao Island.	€ 3,80 t/m € 5,00
Coralliophila radula (A. Adams, 1855).	Philippines, Central Visayas (region), Cebu (island).	€ 2,50 t/m € 5,00
Rapa rapa (L., 1758).	Philippines.	€ 5,00
Rapa rapa (L., 1758).	Philippines, Negros. Trawled at 20-25 metres deep.	€ 5,50
Coralliophila rubrococcinea Melvill & Standen, 1901.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 1,00
Babelomurex spinosus (Hirase, 1908).	Taiwan. East China Sea. Fished off the south-western coast.	€ 3,00 t/m € 6,00
Babelomurex spinosus (Hirase, 1908).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 3,80 t/m € 9,00
Babelomurex takahashii (Kosuge, 1979).	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 3,00 t/m € 5,00
Coralliophila violacea (Kiener, 1836).	Taiwan, south-west. South China Sea.	€ 1,00 t/m € 1,80
Coralliophila violacea (Kiener, 1836).	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 1,50 t/m € 2,50
Coralliophila violacea (Kiener, 1836).	Thailand, Phuket (island), Raya Island. 25-30 metres deep.	€ 1,00
Coralliophila violacea (Kiener, 1836).	Japan, Honshu (island), Wakayama Prefecture, Minabe.	€ 2,50
Coralliophila violacea (Kiener, 1836).	Mozambique, Nampula Province, Nacala Bay. Local women, shallow water.	€ 1,30
Coralliophila violacea (Kiener, 1836).	Australia, Queensland. From Torres Strait. On coral. 47 mm	€ 3,00
Coralliophila violacea (Kiener, 1836).	French Polynesia, Society Islands, Tahiti. 20 km east of Papeete.	€ 0,50
Corbiculidae		
Polymesoda bengalensis Lamarck, 1818.	Philippines, Central Visayas (region), Bohol (island).	€ 0,80
Corbicula fluminea (Müller, 1774).	The Netherlands, Amersfoort, Juliana canal.	€ 1,00
Corbulidae		
Corbula barrattiana C.B. Adams, 1852.	USA, Florida, off Bradenton. Trawled at 100 feet.	€ 2,50

Corbula erythrodon Lamarck, 1818.
 Corbula gibba (Olivi, 1792).
 Corbula gibba (Olivi, 1792).
 Corbula gibba f. rosea Brown, 1844.
 Corbula sulcata Lamarck, 1801.
 Corbula tumaca (Olsson, 1961).
 Corbula tumaca (Olsson, 1961).
 Corbula zelandica (Quoy & Gaimard, 1835).

Costellariidae

Vexillum acuminatum (Gmelin, 1791).
 Vexillum acuminatum (Gmelin, 1791).
 Vexillum albofulvum Herrmann, 2007.
 Vexillum angustissimum (E.A. Smith, 1903).
 Vexillum citrinum (Gmelin, 1791).
 Vexillum citrinum (Gmelin, 1791).
 Vexillum citrinum (Gmelin, 1791).
 Vexillum citrinum (Gmelin, 1791).
 Vexillum coccineum (Reeve, 1844).
 Vexillum coccineum (Reeve, 1844).
 Vexillum crocatum (Lamarck, 1811).
 Vexillum crocatum (Lamarck, 1811).
 Vexillum curviliratum (Sowerby, 1874).
 Vexillum dennisoni (Reeve, 1844).
 Vexillum exasperatum (Gmelin, 1791).
 Vexillum exasperatum (Gmelin, 1791).
 Vexillum formosense (Sowerby III, 1889).
 Vexillum formosense (Sowerby III, 1889).
 Vexillum granosum (Gmelin, 1791).
 Vexillum granosum (Gmelin, 1791).
 Vexillum granosum (Gmelin, 1791).
 Vexillum gruneri (Reeve, 1844).
 Vexillum microzonias (Lamarck, 1811).
 Vexillum microzonias (Lamarck, 1811).
 Vexillum mirabile (Adams, 1853).
 Zierliana oleacea (Reeve, 1844).

Japan.
 Italy, Province of Ravenna, Cérvia.
 France, Brittany, Les Rosaires.
 Italy, Emilia-Romagna (region), Rimini. Adriatic Sea.
 Senegal, Dakar Region, Dakar, off Hann. West Africa. 5-10 metres deep.
 Panama. Pacific Ocean.
 Panama, Kativa Island. Trawled, 120-240 feet deep.
 New Zealand, North Island, Thames Estuary. In mud, low tide.

Taiwan. East China Sea.
 Thailand, Changwat Phuket (province), Phuket (island).
 Philippines.
 Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 meters deep.
 Madagascar, Anosy Region, Tôlanaro (Fort Dauphin) region. Shallow water.
 Philippines, Mindanao (island), Davao Region, Davao City.
 Philippines.
 Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.
 Taiwan, Kaoshiung. Fished.
 Taiwan, south-west. South China Sea.
 Philippines, Bohol (province), Calituban Island. Dived at ±30 metres deep.
 Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.
 Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.
 Philippines, Luzon, Bicol Region, Sorsogon, Bulan. From local fisherman. 46 mm
 Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.
 Philippines, Central Visayas (region), Cebu (province), Mactan (island).
 Taiwan. East China Sea.
 Philippines.
 Philippines.
 Indonesia, Lesser Sunda Islands, Flores (island), Maumere.
 Indonesia, Borneo, North Kalimantan, Palau Tarakan, Tarakan. Live.
 Philippines.
 Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.
 Philippines, Bohol (province), close to Panglao Island, Balicasag Island.
 Philippines.
 Philippines, Bohol (province), close to Panglao Island.

Price Range

€ 3,30
 € 0,30
 € 0,80
 € 0,40
 € 4,30
 € 3,00
 € 3,80
 € 2,50

€ 1,60
 € 1,50
 € 2,50
 € 3,00
 € 8,50 t/m € 9,50
 € 4,00
 € 2,50
 € 3,50 t/m € 8,50
 € 4,00
 € 1,50 t/m € 3,00
 € 5,50
 € 3,00 t/m € 4,00
 € 2,50 t/m € 5,00
 € 5,50 t/m € 9,50
 € 0,50 t/m € 2,50
 € 1,80
 € 2,50
 € 2,50
 € 0,25
 € 1,30
 € 1,50
 € 1,50
 € 6,00
 € 6,00
 € 3,00
 € 4,00

		Price Range
Vexillum pacificum (Reeve, 1845).	Mozambique, Nampula Province, Nacala Bay area. In shallow water. 13 mm	€ 2,50
Vexillum patriarchalis (Gmelin, 1791).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 5,00 t/m € 7,50
Vexillum patriarchalis (Gmelin, 1791).	Philippines.	€ 3,50
Vexillum plicarium (L., 1758).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,50
Vexillum plicarium (L., 1758).	Philippines, Central Visayas (region), Cebu (island).	€ 1,50
Vexillum plicarium (L., 1758).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,00 t/m € 2,00
Vexillum plicarium (L., 1758).	Indonesia, Greater Sundra Islands, East Java (province), Madura Island.	€ 0,80
Vexillum pyropus Turner & Marrow, 2001.	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,00
Vexillum radix (Sowerby, 1874).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 4,00
Vexillum radix (Sowerby, 1874).	Philippines.	€ 0,80
Vexillum rubrum (Broderip, 1836).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 2,50
Vexillum rugosum (Gmelin, 1791).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,00
Vexillum rugosum (Gmelin, 1791).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 0,50
Vexillum rugosum (Gmelin, 1791).	Philippines.	€ 1,50 t/m € 1,80
Vexillum sanguisuga (L., 1758).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,50 t/m € 3,00
Vexillum sanguisuga (L., 1758).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,50
Vexillum sanguisuga (L., 1758).	Philippines.	€ 1,80
Vexillum sanguisuga (L., 1758).	Philippines, Central Visayas (region), Cebu (isl.). From local fisherman. 25 mm - 29 mm	€ 5,00
Vexillum sculptile Reeve, 1845.	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 2,00 t/m € 4,50
Vexillum subdivisum (Gmelin, 1791).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 4,00 t/m € 6,00
Vexillum takakuwai Cernohorsky & Azuma, 1974.	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 5,00
Vexillum unifasciale (Lamarck, 1811).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 2,00
Vexillum vulpecula (L., 1758).	Philippines.	€ 1,50 t/m € 3,80
Vexillum vulpecula (L., 1758).	Australia, Western Australia, Broome.	€ 1,00
Vexillum vulpecula (L., 1758).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,50
Vexillum vulpecula (L., 1758).	Thailand. Southeast Asia.	€ 1,60
Vexillum vulpecula (L., 1758).	Philippines.	€ 1,50
Zierliana woldemarii (Kiener, 1838).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 2,00
Vexillum xenium Pilsbry, 1921.	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 4,00
Zierliana ziervogelii (Gmelin, 1791).	Philippines, Mindanao (region), Balut Island, by tangle net. 25 mm	€ 5,00 t/m € 11,00
Zierliana ziervogelii (Gmelin, 1791).	Philippines, Cebu (province), Mactan (island), Punta Engaño.	€ 5,00 t/m € 6,50
Crepidulidae		
Crepidula adunca Sowerby, 1825.	USA, California, Monterey County, Pacific Grove. On beach.	€ 0,60
Calyptrea chinensis (L., 1758).	Spain, between Estepona and San Carlos de la Rápita.	€ 1,00

		Price Range
Calyptraea chinensis (L., 1758).	Spain, Andalusia, Málaga. Trawled at 30-40 metres deep, on scallops. 14 mm	€ 1,80
Calyptraea chinensis (L., 1758).	Spain, Andalusia (region), Province of Málaga, Marbella.	€ 1,00
Calyptraea chinensis (L., 1758).	France, Brittany, Roscoff.	€ 1,00
Cheilea equestris (L., 1758).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 2,50
Calyptraea extintorium v. morbidum Lamarck, 1822.	Thailand, Changwat Phuket (province), Phuket (island).	€ 1,00
Calyptraea extintorium Lamarck, 1822.	Thailand, Penant (?).	€ 1,00
Crepidula fornicata (L., 1758).	The Netherlands, Zeeland, Yerseke.	€ 0,80 t/m € 3,00
Sigapatella novaezelandiae (Lesson, 1831).	New Zealand, Martin's Bay.	€ 0,50
Crepidula porcellana Lamarck, 1801.	South Africa, Western Cape, Simonstown. False Bay. Scuba, kelp, ±6 m.	€ 0,80 t/m € 1,80
Crucibulum spinosum (Sowerby, 1824).	Panama, Bay of Chiriqui. Coiba Island. Dived at 3 metres deep.	€ 4,00
Crucibulum spinosum (Sowerby, 1824).	Mexico, Baja California Sur (state), Loreto. Gulf of California.	€ 0,80 t/m € 1,30
Cucullaeidae		
Cucullaea labiata (Lightfoot, 1786).	Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.	€ 3,50
Cultellidae		
Ensis arcuatus (Jeffreys, 1865).	The Netherlands, Scheveningen.	€ 1,30
Ensis arcuatus (Jeffreys, 1865).	UK, Scotland, Strathclyde, Oban.	€ 1,00 t/m € 1,30
Ensis arcuatus (Jeffreys, 1865).	North Sea, Black Bank.	€ 1,30
Ensis arcuatus (Jeffreys, 1865).	France, Bretagne, St. Jacut-de-la-Mer.	€ 1,30
Siliqua costata Say, 1822.	USA, Massachusetts. Atlantic Ocean.	€ 1,00
Ensis directus (Conrad, 1843).	The Netherlands, Ameland.	€ 1,30
Ensis ensis f. phaxoides van Urk, 1964.	North Sea, Black Bank.	€ 1,30
Ensis minor (Chenu, 1843).	Italy, Vibo Valentia.	€ 0,50
Ensis minor (Chenu, 1843).	The Netherlands, Texel Island.	€ 0,70
Siliqua patula (Dixon, 1788).	Pacific Ocean, Mineral Beach. Extreme low tide, 5-12 inches deep in sand.	€ 5,00
Siliqua radiata (L., 1758).	Thailand, Krabi Province, Ao Nang. Strait of Malacca. On beach.	€ 3,80
Siliqua radiata (L., 1758).	Thailand, Changwat Phuket (province), Phuket (island).	€ 1,50 t/m € 2,50
Ensis siliqua (L., 1758).	UK, Scotland, Isle of Skye, Broadford Bay.	€ 2,00
Cypraeidae		
Schilderia achatidea (Sowerby, 1837).	Senegal, Cap-Vert, N'Gor Island, Pointe des Almadies. Fishing harbour.	€ 4,00
Schilderia achatidea (Sowerby, 1837).	Spain, Malaga.	€ 4,00
Erosaria acicularis acicularis (Gmelin, 1791).	Brazil, Ceará (state), Camocim. Collected on octopus at 25-35 metres.	€ 4,00
Erosaria acicularis acicularis (Gmelin, 1791).	Florida, off Boca Raton, 2 mile N. of Boca Inlet. Scuba, 55 feet deep.	€ 2,50 t/m € 7,50
Erosaria acicularis acicularis (Gmelin, 1791).	USA, Florida Keys, Pickles reef. Under rocks.	€ 4,00
Palmadusta androyensis Blöcher & Lorenz, 1999.	Madagascar, Anosy Region, near Tôlanaro (Fort Dauphin).	€ 5,00
Palmadusta androyensis Blöcher & Lorenz, 1999.	Southern Madagascar, Adroy.	€ 7,50

		Price Range
Zonaria annettae annettae (Dall, 1909).	Mexico, La Paz, 5 km from Playa Pichilingue. 2 metres deep, under stones.	€ 4,00 t/m € 4,80
Zonaria annettae annettae (Dall, 1909).	Mexico, Baja California Sur, 5 km N. of Mulegé. Gulf of California. 2 m .	€ 4,00
Zonaria annettae annettae (Dall, 1909).	Mexico, Baja California Sur, 1 km S. of Santa Rosalía. Under stones, 1 m.	€ 5,00
Erosaria annulus (L., 1758).	Thailand, Changwat Phuket (province), Phuket (island).	€ 0,80
Erosaria annulus (L., 1758).	Indonesia, Bali (province), Bali (island), Sanur Beach.	€ 0,20 t/m € 0,40
Erosaria annulus (L., 1758).	Kenya, Coast Province, Mombasa County, Mombasa, Leven Reef.	€ 0,50 t/m € 0,80
Erosaria annulus (L., 1758).	Australia, Queensland, Double Island. Great Barrier Reef.	€ 1,00
Erosaria annulus (L., 1758).	South Africa, Natal.	€ 0,50
Erosaria annulus (L., 1758).	Tanzania, Zanzibar , Unguja South Region, Uroa Beach. Indian Ocean.	€ 0,80
Mauritia arabica arabica (L., 1758).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 0,50 t/m € 2,50
Mauritia arabica arabica (L., 1758).	Philippines.	€ 1,00 t/m € 1,80
Mauritia arabica arabica (L., 1758).	Indonesia, Sulawesi Selatan, Makassar.	€ 1,50
Mauritia arabica arabica (L., 1758).	Indonesia, West Papua (province), Manokwari, Cenderawasih Bay.	€ 1,00
Mauritia arabica asiatica Schilder & Schilder, 1939.	Sri Lanka, Eastern Province, Trincomalee.	€ 1,70
Mauritia arabica asiatica Schilder & Schilder, 1939.	Thailand, Phuket (island), Raya Island. 25-30 metres deep.	€ 1,50
Mauritia arabica asiatica Schilder & Schilder, 1939.	Northern Sri Lanka.	€ 1,50 t/m € 1,80
Mauritia arabica grayana Schilder, 1930.	Egypt, South Sinai, Dahab. Gulf of Aqaba. Live under stones.	€ 2,50
Mauritia arabica grayana Schilder, 1930.	Egypt, Hurghada, Red Sea.	€ 2,00
Mauritia arabica grayana Schilder, 1930.	Israel, Eilat, Gulf of Aqaba. Under corals.	€ 1,50 t/m € 2,00
Mauritia arabica grayana Schilder, 1930.	Egypt, Sinai, 10 km N. of Sharm El Sheikh, Fisherman's holes.	€ 2,00
Mauritia arabica grayana Schilder, 1930.	Egypt, Nuweiba, Ras Burqua, Red Sea. On reef under dead corals.	€ 1,80 t/m € 2,80
Mauritia arabica immanis Schilder & Schilder, 1939.	Kenya, Mombasa.	€ 2,00
Mauritia arabica immanis Schilder & Schilder, 1939.	Mozambique, Nampula Province, Nacala Bay area. Shallow water.	€ 4,00
Mauritia arabica immanis Schilder & Schilder, 1939.	Madagascar Island. East Africa. Indian Ocean.	€ 7,50
Zonaria arabicula (Lamarck, 1810).	Panama, Pearl Islands. Pacific Ocean. Shallow water.	€ 1,50
Zonaria arabicula (Lamarck, 1810).	Mexico, Colima, Manzanillo.	€ 2,50
Zonaria arabicula (Lamarck, 1810).	Panama.	€ 1,50
Lyncina argus argus (L., 1758).	Philippines.	€ 2,50
Lyncina argus argus (L., 1758).	Solomon Islands, Guadalcanal, Marau Sound.	€ 3,00
Lyncina argus contrastriata (Perry, 1811).	Tanzania, Zanzibar, Kizimkazi.	€ 4,00
Lyncina argus contrastriata (Perry, 1811).	Kenya, Coast Province, Mombasa County, Mombasa, Diani beach.	€ 3,50
Lyncina argus contrastriata (Perry, 1811).	Madagascar Island. East Africa. Indian Ocean.	€ 3,50
Palmadusta asellus (L., 1758).	Samoa, Pacific Ocean.	€ 1,30
Palmadusta asellus (L., 1758).	Indonesia, Greater Sundra Islands, East Java (province), Madura Island.	€ 1,50
Palmadusta asellus (L., 1758).	India, Laccadive Islands. Collected by local divers.	€ 1,00

	Price Range
Palmadusta asellus (L., 1758).	€ 1,00 t/m € 2,00
Palmadusta asellus (L., 1758).	€ 1,00 t/m € 2,00
Erosaria beckii (Gaskoin, 1836).	€ 4,00
Erosaria beckii (Gaskoin, 1836).	€ 5,00
Pustularia bistrinotata bistrinotata Schilder & Schilder, 1937.	€ 3,80
Pustularia bistrinotata bistrinotata Schilder & Schilder, 1937.	€ 4,00
Pustularia bistrinotata mediocris Schilder & Schilder, 1938.	€ 1,50
Erosaria boivinii (Kiener, 1843).	€ 1,30
Erosaria boivinii (Kiener, 1843).	€ 1,50
Cypraeovula capensis (Gray, 1828).	€ 2,50
Erosaria caputdraconis (Melvill, 1888).	€ 7,00 t/m € 11,00
Erosaria caputserpentis caputserpentis (L., 1758).	€ 1,20
Erosaria caputserpentis caputserpentis (L., 1758).	€ 1,00
Erosaria caputserpentis caputserpentis (L., 1758).	€ 1,00
Erosaria caputserpentis caputserpentis (L., 1758).	€ 0,50 t/m € 0,80
Erosaria caputserpentis caputserpentis (L., 1758).	€ 0,60
Erosaria caputserpentis caputserpentis (L., 1758).	€ 0,75
Erosaria caputserpentis caputserpentis (L., 1758).	€ 1,30
Erosaria caputserpentis caputserpentis (L., 1758).	€ 0,50
Erosaria caputserpentis caputserpentis (L., 1758).	€ 1,00
Lyncina carneola carneola (L., 1758).	€ 0,80
Lyncina carneola carneola (L., 1758).	€ 1,50
Lyncina carneola carneola (L., 1758).	€ 0,80
Lyncina carneola carneola (L., 1758).	€ 1,60 t/m € 2,00
Lyncina carneola carneola (L., 1758).	€ 1,50
Lyncina carneola carneola (L., 1758).	€ 0,50 t/m € 3,00
Lyncina carneola carneola (L., 1758).	€ 1,80
Lyncina carneola carneola (L., 1758).	€ 0,80 t/m € 1,30
Lyncina carneola carneola (L., 1758).	€ 0,50 t/m € 1,50
Erronea caurica caurica (L., 1758).	€ 0,50
Erronea caurica caurica (L., 1758).	€ 1,50
Erronea caurica dracaena (Born, 1778).	€ 1,50
Erronea caurica dracaena (Born, 1778).	€ 1,00 t/m € 2,00
Erronea caurica elongata (Perry, 1811).	€ 2,00
Erronea caurica elongata (Perry, 1811).	€ 2,00
Macrocypraea cervinetta (Kiener, 1843).	€ 7,00 t/m € 10,00
Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,00 t/m € 2,00
Philippines, Samar (island). Northeast coast. From devers. 14 mm	€ 4,00
Philippines, Sulu Archipelago.	€ 5,00
Philippines, East Samar. 20-150 ft with muddy ground.	€ 3,80
Philippines.	€ 4,00
Philippines, Samar. East coast. Shallow: ½ metre deep, ebb, rock holes.	€ 1,50
Solomon Islands, Malaita (island), Ata'a (village). Pacific Ocean.	€ 1,30
Philippines.	€ 1,50
Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 2,50
South Africa, Eastern Cape Province, East London beach.	€ 7,00 t/m € 11,00
Chile, Easter Island, Hanga Roa. Surge area, shallow water.	€ 1,20
Australia, New South Wales, North of Iluka.	€ 1,00
Thailand, Phuket (island), Raya Island. 25-30 metres deep.	€ 1,00
Tanzania, Zanzibar, Uroa Beach. East Africa. Local fisherman.	€ 0,50 t/m € 0,80
India, Laccadive Islands. Arabian Sea.	€ 0,60
Australia, Western Australia, N. of Exmouth, Cape Range National Park.	€ 0,75
Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,30
Tanzania, Zanzibar, Unguja South Region, Uroa. East Africa. Indian Ocean.	€ 0,50
Philippines, Visayas (region), Samar (island).	€ 1,00
Tanzania, Zanzibar. East Africa. Indian Ocean. From local fisherman.	€ 0,80
Seychelles. Indian Ocean.	€ 1,50
Tanzania, Zanzibar, Unguja South Region, Uroa. East Africa. Indian Ocean.	€ 0,80
Egypt, Hurghada. Red Sea.	€ 1,60 t/m € 2,00
Republic of Djibouti. Northeast Africa.	€ 1,50
Tanzania, Zanzibar, Nungwi (village). East Africa. From local fisherman.	€ 0,50 t/m € 3,00
Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,80
India, Tamil Nadu (state), Tuticorin.	€ 0,80 t/m € 1,30
Thailand, Phuket (island), Raya Island. 25-30 metres deep.	€ 0,50 t/m € 1,50
Philippines.	€ 0,50
Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,50
N. Sri Lanka.	€ 1,50
Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.	€ 1,00 t/m € 2,00
Tanzania, Dar Es Salaam. East Africa.	€ 2,00
Tanzania, Mafia Island. East Africa. From local fisherman.	€ 2,00
Ecuador, Galápagos Islands, Santa Cruz Island, Academy Bay. Ebb, stones.	€ 7,00 t/m € 10,00

		Price Range
Macrocypraea cervinetta (Kiener, 1843).	Panama, Cebaco Island. Pacific Ocean.	€ 8,50
Macrocypraea cervinetta (Kiener, 1843).	Ecuador, Manabi Province, off Islote Pedernales. Local diver, 10-20 metre.	€ 10,00
Macrocypraea cervinetta (Kiener, 1843).	Mexico.	€ 7,00
Macrocypraea cervinetta (Kiener, 1843).	Panama, off Gobernadora Island. Low tide.	€ 12,50 t/m € 17,50
Macrocypraea cervinetta (Kiener, 1843).	Ecuador, Galápagos Islands. Pacific Ocean.	€ 6,00
Macrocypraea cervus (L., 1771).	USA, Florida, Big Pine Key.	€ 10,00
Macrocypraea cervus (L., 1771).	USA, Florida Keys, Bahia Honda Channel. Under rock ledge, 10-15 feet deep.	€ 30,00
Erronea chinensis chinensis (Gmelin, 1791).	Philippines, Sulu Sea.	€ 2,50
Erronea chinensis chinensis (Gmelin, 1791).	Philippines, Mindanao (island), Zamboanga.	€ 0,50 t/m € 1,00
Erronea chinensis variolaria (Lamarck, 1810).	Tanzania, in shallow water, from local collectors.	€ 2,00
Pustularia cicercula (L., 1758).	Philippines, Philippines, Samar (island). East coast.	€ 1,50
Pustularia cicercula (L., 1758).	Thailand, Southeast Asia.	€ 2,50
Luria cinerea brasilensis Lorenz, 2002.	Brazil, Ceará (state), Camocim. Collected on octopus at 25-35 metres.	€ 3,00 t/m € 4,00
Luria cinerea (Gmelin, 1791).	Florida, off Boca Raton, 3 miles NE Boca Inlet. Scuba, 20 metres deep.	€ 5,00
Luria cinerea (Gmelin, 1791).	Martinique, Lesser Antilles. Caribbean Sea. By diver.	€ 4,50 t/m € 7,50
Luria cinerea (Gmelin, 1791).	Florida, Pompano Beach, 2 miles S. of Hillsboro Light. Scuba, 10 fathoms.	€ 3,00 t/m € 7,00
Luria cinerea (Gmelin, 1791).	USA, Florida, off Ocean Ridge. Scuba, 10 fathoms deep, under rock rubble.	€ 4,50
Luria cinerea (Gmelin, 1791).	Bonair, Lesser Antilles Islands.	€ 2,50
Palmadusta clandestina clandestina (L., 1767).	Philippines.	€ 0,80
Palmadusta clandestina clandestina (L., 1767).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 0,80
Palmadusta clandestina clandestina (L., 1767).	Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.	€ 1,30
Palmadusta clandestina passerina (Melvill, 1888).	Tanzania, Zanzibar, Nungwi (village). East Africa. From local fisherman.	€ 1,00
Notocypraea comptonii mayi (Beddome, 1898).	Australia, South Australia, Port MacDonnell. Around reefedges 6 ft.	€ 3,00 t/m € 5,00
Palmadusta contaminata (Sowerby, 1832).	Philippines, Sulu (province), Siasi Isl.	€ 2,00 t/m € 3,50
Blasicrura coxeni coxeni (Cox, 1873).	Solomon Islands, Marovo Sound.	€ 3,00
Blasicrura coxeni coxeni (Cox, 1873).	Solomon Islands. Pacific Ocean.	€ 3,50
Blasicrura coxeni hesperina Schilder & Summers, 1963.	Papua New Guinea, Port Moresby.	€ 3,00
Cribrarula cribraria cribraria (L., 1758).	Philippines.	€ 2,00 t/m € 5,00
Cribrarula cribraria cribraria (L., 1758).	Philippines, Bohol (province), Calituban Island. 20-25 m deep, night dive.	€ 2,00 t/m € 3,00
Cribrarula cribraria zadela (Iredale, 1939).	Philippines, Cebu Island, from local fishermen.	€ 4,00
Erronea cylindrica cylindrica (Born, 1778).	Philippines.	€ 0,80
Blasicrura dayritiana (Cate, 1963).	Philippines, Palawan (prov.), Coron.	€ 2,00
Palmadusta diluculum diluculum (Reeve, 1845).	Tanzania, Zanzibar. East Africa. Indian Ocean.	€ 1,00
Palmadusta diluculum diluculum (Reeve, 1845).	Tanzania, Zanzibar, Kendwa. From local fisherman.	€ 1,00
Cypraeovula edentula edentula (Gray, 1825).	South Africa, Cape Province, Jeffrey's Bay.	€ 6,00

		Price Range
Mauritia eglantina f. griseoviridis (Duclos, 1833)Raybaudi, 1987.	Philippines. Cebu.	€ 3,50
Mauritia eglantina (Duclos, 1833).	Philippines.	€ 1,00 t/m € 1,50
Mauritia eglantina (Duclos, 1833).	Australia, Western Australia, Cardabia, Nigaloo Marine Park.	€ 1,00
Mauritia eglantina (Duclos, 1833).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 0,50 t/m € 1,50
Erosaria erosa (L., 1758).	Indonesia, West Papua (province), Manokwari.	€ 1,00
Erosaria erosa (L., 1758).	Australia, Western Australia, Pilbara region, Point Samson.	€ 1,50
Erosaria erosa (L., 1758).	Tanzania, Zanzibar , Unguja South Region, Uroa. East Africa.	€ 1,80
Erosaria erosa (L., 1758).	Thailand, Phuket (island), Raya Island. 25-30 metres deep.	€ 0,50 t/m € 1,00
Erosaria erosa (L., 1758).	Australia, northeastern Queensland, Darnley.	€ 0,80
Erosaria erosa (L., 1758).	Tanzania, Mafia Island. East Africa. Indian Ocean. From local fisherman.	€ 0,50
Erosaria erosa (L., 1758).	Republic of Djibouti. Northeast Africa.	€ 2,30
Erosaria erosa (L., 1758).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 0,50
Erosaria erosa (L., 1758).	Taiwan, south-west. South China Sea.	€ 1,50
Erosaria erosa (L., 1758).	India, Tamil Nadu (state), Rameswaram. Gulf of Mannar.	€ 1,80
Erronea errone erronees f. bimaculata Gray, 1824.	India, Tamil Nadu (state), Rameswaram. By diver.	€ 2,50
Erronea errone erronees f. caerulescens Schröter, 1804.	Solomon Islands. Pacific Ocean. By diver.	€ 1,00
Erronea errone erronees (L., 1758).	Australia, Queensland, Double Island.	€ 0,40
Erronea errone erronees (L., 1758).	Thailand, Phuket, North Patong, Thavorn Beach.	€ 2,00
Erronea errone erronees (L., 1758).	Thailand, Phuket (island), Raya Island. 25-30 metres deep.	€ 0,50
Erronea errone erronees (L., 1758).	India.	€ 0,50
Erronea errone erronees (L., 1758).	Australia, Western Australia, Broome. In littoral zone.	€ 0,75
Erronea errone erronees (L., 1758).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 0,50
Erronea errone erronees (L., 1758).	Australia, Western Australia, Pilbara region, Point Samson.	€ 0,60
Erronea errone erronees (L., 1758).	Australia, Western Australia, Port Hedland. On reef.	€ 0,80 t/m € 1,00
Erronea errone erronees (L., 1758).	Australia, New South Wales, 1 km north of Iluka.	€ 0,70
Cribrarula exmouthensis rotnnestensis Raybaudi, 1987.	Australia, West. Austr., Rottnest Isl. By scuba diver, 25 metres deep.	€ 40,00
Erronea felina fabula (Kiener, 1843).	Oman, Muscat. Middle East. Gulf of Oman.	€ 2,50
Erronea felina felina (Gmelin, 1791).	Tanzania, Zanzibar, Nungwi. Local fisherman.	€ 2,00
Erronea felina felina (Gmelin, 1791).	Tanzania, Mafia Island. East Africa. Indian Ocean. From local fisherman.	€ 1,00
Purpuradusta fimbriata durbanensis (Schilder & Schilder, 1938).	Tanzania, Zanzibar, Bawe Island. Low tide under coral boulders.	€ 1,20
Purpuradusta fimbriata durbanensis (Schilder & Schilder, 1938).	Kenya, Coast Province, Mombasa County, Mombasa. East Africa.	€ 1,00
Purpuradusta fimbriata fimbriata (Gmelin, 1791).	Tanzania, Zanzibar, Nungwi (village). East Africa. From local fisherman.	€ 1,00
Purpuradusta fimbriata fimbriata (Gmelin, 1791).	Philippines, Central Visayas (region), Cebu (province), Mactan (island).	€ 1,30 t/m € 1,80
Purpuradusta fimbriata fimbriata (Gmelin, 1791).	South Africa, Transkei Bantu Homeland, Coffee Bay.	€ 0,80 t/m € 1,30
Purpuradusta fimbriata fimbriata (Gmelin, 1791).	Tanzania, Zanzibar, Nungwi (village). East Africa. From local fisherman.	€ 1,30

		Price Range
<i>Cypraeovula fuscudentata</i> (Gray, 1825).	South Africa, Cape Province, Jeffreys Bay.	€ 7,50
<i>Erosaria gangranosa gangranosa</i> (Dillwyn, 1817).	Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.	€ 1,00
<i>Pustularia globulus globulus</i> f. <i>sphaeridium</i> Schilder & Schilder, 1938.	Solomon Islands, Guadalcanal, Marau Sound. Pacific Ocean.	€ 3,50
<i>Pustularia globulus globulus</i> f. <i>sphaeridium</i> Schilder & Schilder, 1938.	Philippines, Palawan (province), Palawan (island).	€ 4,00
<i>Purpuradusta gracilis gracilis</i> (Gaskoin, 1849).	Indonesia, Greater Sundra Islands, East Java (province), Madura Island.	€ 1,50
<i>Purpuradusta gracilis gracilis</i> (Gaskoin, 1849).	Japan, Wakayama prefecture, Nada. Low tide, 2 fathoms.	€ 1,30
<i>Purpuradusta gracilis gracilis</i> (Gaskoin, 1849).	Japan.	€ 2,00
<i>Purpuradusta gracilis gracilis</i> (Gaskoin, 1849).	Philippines.	€ 1,30
<i>Erosaria guttata surinensis</i> Raybaudi, 1978.	30 km off Phuket, Thailand, trawl, 80-120 m.	€ 20,00
<i>Purpuradusta hammondae raysummersi</i> Schilder, 1960.	Philippines, off Bohol. Under coral slabs at 5-15 feet deep.	€ 6,00
<i>Erosaria helvola argella</i> (Melvill, 1888).	Tanzania, Zanzibar, Nungwi (village). East Africa. From local fisherman.	€ 1,00
<i>Erosaria helvola callista</i> (Shaw, 1909).	French Polynesia, Marquesas Islands.	€ 2,00
<i>Erosaria helvola helvola</i> (L., 1758).	Tanzania, Zanzibar, Chwaka Beach. East Africa. In seaweed at low tide.	€ 1,50
<i>Erosaria helvola helvola</i> (L., 1758).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 0,75
<i>Erosaria helvola helvola</i> (L., 1758).	Philippines.	€ 1,30 t/m € 2,30
<i>Erosaria helvola helvola</i> (L., 1758).	Australia, Western Australia, Pilbara region, Point Samson.	€ 1,00
<i>Erosaria helvola meridionalis</i> Schilder & Schilder, 1938.	Mozambique, Maputo Province, off Maputo (city). East Africa. Indian Ocean.	€ 1,50 t/m € 2,00
<i>Umbilia hesitata hesitata</i> (Iredale, 1916).	Australia, Victoria, Lakes Entrance. Fished.	€ 17,00 t/m € 20,00
<i>Mauritia histrio</i> (Gmelin, 1791).	Kenya, Mombasa. Leven Reef. Collected live under dead corals.	€ 2,00 t/m € 5,00
<i>Mauritia histrio</i> (Gmelin, 1791).	Mozambique, Bazaruta Island.	€ 3,50
<i>Mauritia histrio</i> (Gmelin, 1791).	Tanzania, Zanzibar, Nungwi. East Africa. Found by local diver.	€ 3,00
<i>Mauritia histrio</i> (Gmelin, 1791).	Tanzania, Zanzibar, Uroa. East Africa. From local fisherman. 58 mm	€ 3,00
<i>Mauritia histrio</i> (Gmelin, 1791).	Tanzania, Zanzibar, Nungwi (village). East Africa. Indian Ocean.	€ 1,50
<i>Mauritia histrio</i> (Gmelin, 1791).	Tanzania, Zanzibar. East Africa. Indian Ocean. Littoral zone.	€ 2,00
<i>Erronea hungerfordi hungerfordi</i> (Sowerby, 1888).	Taiwan. South-west coast. East China Sea.	€ 3,80
<i>Erronea hungerfordi hungerfordi</i> (Sowerby, 1888).	Japan, Honshu (island), Wakayama Prefecture. Trawled at 50 metres.	€ 5,00
<i>Erronea hungerfordi hungerfordi</i> (Sowerby, 1888).	Japan.	€ 6,00
<i>Blasicrura interrupta</i> (Gray, 1824).	Sri Lanka, South-West.	€ 0,50
<i>Luria isabella isabella</i> (L., 1758).	India.	€ 1,00
<i>Luria isabella isabella</i> (L., 1758).	Mozambique. East Africa. Indian Ocean.	€ 1,30
<i>Luria isabella isabella</i> (L., 1758).	India, Tamil Nadu (state), Tuticorin.	€ 1,50
<i>Luria isabella isabella</i> (L., 1758).	Philippines.	€ 0,50 t/m € 1,00
<i>Luria isabella isabella</i> (L., 1758).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 0,75
<i>Luria isabella isabella</i> (L., 1758).	Tanzania, Zanzibar, Nungwi (village). East Africa. From local fisherman.	€ 1,00

		Price Range
Luria isabella isabella (L., 1758).	Thailand, Changwat Phuket (province), Phuket (island).	€ 1,00 t/m € 1,30
Bistolida kieneri kieneri Hidalgo, 1906.	Tanzania, Mafia Island. East Africa. Indian Ocean. From local fisherman.	€ 1,00
Bistolida kieneri kieneri Hidalgo, 1906.	Tanzania, Zanzibar, Michamvi. East Africa. From local fisherman.	€ 1,00
Erosaria labrolineata (Gaskoin, 1849).	Indonesia, Greater Sundra Islands, East Java (province), Madura Island.	€ 2,00
Erosaria labrolineata (Gaskoin, 1849).	Thailand, Changwat Phuket (province), Phuket (island).	€ 3,00
Erosaria labrolineata (Gaskoin, 1849).	Philippines, Palawan.	€ 2,20
Erosaria labrolineata (Gaskoin, 1849).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 2,50
Erosaria lamarckii (Gray, 1825).	Papua New Guinea, East New Britain Province, Rabaul.	€ 2,80
Erosaria lamarckii (Gray, 1825).	Tanzania, Mafia Island. East Africa. Indian Ocean. From local fisherman.	€ 4,50
Erosaria lamarckii (Gray, 1825).	Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.	€ 1,30
Erosaria lamarckii (Gray, 1825).	Tanzania, Mafia Island. East Africa. Indian Ocean. From fishermen.	€ 2,00
Erosaria lamarckii (Gray, 1825).	Madagascar, Antsiranana (Diego-Suarez).	€ 2,20 t/m € 3,20
Erosaria lamarckii (Gray, 1825).	Tanzania, Mafia Island. East Africa. Indian Ocean. Via fish market.	€ 2,50
Erosaria lamarckii (Gray, 1825).	Tanzania, Zanzibar. East Africa. Indian Ocean.	€ 2,00
Erosaria lamarckii (Gray, 1825).	India, Madras.	€ 3,00
Erosaria lamarckii f. redimita Melvill, 1888.	Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.	€ 2,50 t/m € 3,50
Palmadusta lentiginosa lentiginosa (Gray, 1825).		€ 9,00
Palmadusta lentiginosa lentiginosa (Gray, 1825).	India, Bombay. Beach.	€ 7,00
Lyncina leviathan titan (Schilder & Schilder, 1962).	Tanzania, Zanzibar, Nungwi (village). Indian Ocean.	€ 4,00
Lyncina leviathan titan (Schilder & Schilder, 1962).	Kenya, Coast Province, Mombasa County, Mombasa. East Africa.	€ 6,00
Lyncina leviathan titan (Schilder & Schilder, 1962).	Philippines.	€ 5,00 t/m € 7,00
Staphylaea limacina limacina (Lamarck, 1810).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,00
Staphylaea limacina limacina (Lamarck, 1810).	Taiwan, south-west. South China Sea.	€ 0,80
Erronea listeri (Gray, 1824).	Solomon Islands, Malaita (island), Ata'a (village). Pacific Ocean.	€ 1,80
Erronea listeri (Gray, 1824).	Taiwan. East China Sea.	€ 1,60
Erronea listeri (Gray, 1824).	Philippines.	€ 1,80
Blasicrura luchuana (Kuroda, 1960).	Japan, Okinawa, Boho Point, 15 m. deep.	€ 2,00
Luria lurida lurida (L., 1758).	Italy, Sicilian (regio), Province of Trapani, Mazara del Vallo.	€ 4,00 t/m € 7,50
Luria lurida lurida (L., 1758).	Malta.	€ 5,00
Luria lurida lurida (L., 1758).	Mediterranean Sea.	€ 3,00
Luria lurida lurida (L., 1758).	Italy, Liguria, Province of Savona, Finale Ligure. 20-30 m deep, scuba.	€ 6,00
Luria lurida lurida (L., 1758).	Italy, Liguria, Province of Savona, Bergeggi Island, 30-35 m.	€ 7,00 t/m € 9,50
Palmadusta lutea (Gmelin, 1791).	Philippines, Sulu Archipelago.	€ 1,50
Palmadusta lutea (Gmelin, 1791).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,50
Palmadusta lutea (Gmelin, 1791).	Philippines, Sulu.	€ 2,50

		Price Range
Lyncina lynx (L., 1758).	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 0,50 t/m € 2,50
Lyncina lynx (L., 1758).	Indonesia, Papua (province).	€ 0,80 t/m € 1,00
Lyncina lynx (L., 1758).	Egypt, 17 km south of Hurghada. Red Sea.	€ 1,00 t/m € 1,30
Lyncina lynx (L., 1758).	Philippines, Mindanao (island), Zamboanga.	€ 0,50
Lyncina lynx (L., 1758).	Solomon Islands, Malaita (island), Ata'a (village). Pacific Ocean. 22 mm - 38 mm	€ 1,00 t/m € 2,00
Lyncina lynx (L., 1758).	Australia, Queensland, Double Island.	€ 1,00
Lyncina lynx (L., 1758).	Tanzania, Zanzibar, Sume Island near Fumba (village). East Africa.	€ 1,50
Lyncina lynx (L., 1758).	Tanzania, Zanzibar, Uroa Beach. East Africa. Local fisherman.	€ 0,80 t/m € 1,30
Lyncina lynx (L., 1758).	Kenya, Mombasa Reef. East Africa. Indian Ocean.	€ 0,30 t/m € 0,80
Lyncina lynx (L., 1758).	Tanzania, Mafia Island. East Africa. Indian Ocean. From local fisherman.	€ 1,50
Lyncina lynx (L., 1758).	Taiwan. East China Sea.	€ 1,30
Lyncina lynx (L., 1758).	Tanzania, Zanzibar, Uroa. East Africa. From local fisherman.	€ 1,50
Lyncina lynx (L., 1758).	Tanzania, Zanzibar, Pemba, Kisiwa Panza Island. East Africa.	€ 3,00
Mauritia maculifera (Schilder, 1932).	Philippines, Visayas (region), Samar (island).	€ 4,00
Leporicypraea mappa geographica (Schilder & Schilder, 1933).	Tanzania, Zanzibar. East Africa. Indian Ocean. By local fisherman.	€ 5,00
Leporicypraea mappa mappa (L., 1758).	Philippines.	€ 2,50 t/m € 3,50
Leporicypraea mappa mappa (L., 1758).	Philippines, Palawan (island), Cuyo island. On coral reef, 15-22 m deep.	€ 3,50
Leporicypraea mappa mappa v. panerythra Melvill, 1888.	Philippines, Central Visayas (region), Cebu (province), Mactan (island).	€ 2,50 t/m € 5,00
Leporicypraea mappa rosea Gray, 1824.	Mauritius. Indian Ocean.	€ 6,00
Mauritia mauritiana (L., 1758).	Thailand, Changwat Phuket (province), Phuket (island).	€ 1,00 t/m € 3,00
Mauritia mauritiana (L., 1758).	Tanzania, Pemba, Makangale. East Africa. Indian Ocean.	€ 4,50 t/m € 6,00
Purpuradusta microdon (Gray, 1828).	Philippines, Bohol, Panglao Island, dived at 12-15 m.	€ 4,00
Erosaria miliaris (Gmelin, 1791).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 2,00
Erosaria miliaris (Gmelin, 1791).	Philippines, Manila Bay.	€ 2,50
Erosaria miliaris (Gmelin, 1791).	Australia, Queensland, Great Barrier Reef.	€ 1,50 t/m € 2,50
Erosaria miliaris (Gmelin, 1791).	Taiwan, South-West. Collected in 20-40 fathoms.	€ 2,00
Erosaria moneta (L., 1758).	Tanzania, East Zanzibar, Chwaka. On sand. From local fisherman.	€ 1,50
Erosaria moneta (L., 1758).	Philippines.	€ 0,90
Erosaria moneta (L., 1758).	Indonesia, West Papua (province), Manokwari, Cenderawasih Bay.	€ 0,30
Erosaria moneta (L., 1758).	South Africa, Natal.	€ 0,50
Erosaria moneta (L., 1758).	Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.	€ 0,80 t/m € 1,00
Erosaria moneta (L., 1758).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,20
Erosaria moneta (L., 1758).	India, Tamil Nadu (state), Rameswaram. Gulf of Mannar.	€ 1,75
Erosaria moneta (L., 1758).	French Polynesia, Tuamotu Archipelago, Takapoto atoll.	€ 1,30 t/m € 1,80
Erosaria moneta (L., 1758).	India, Tamil Nadu (state), Tuticorin.	€ 1,30

		Price Range
Erosaria moneta (L., 1758).	Republic of Djibouti. Northeast Africa.	€ 2,00
Siphocypraea mus mus (L., 1758).	Venezuela.	€ 4,00
Erosaria nebrates (Melvill, 1888).	Egypt, South Sinai, Dahab. Gulf of Aqaba. Under coral boulders.	€ 2,00
Erosaria nebrates (Melvill, 1888).	Egypt, South Sinai, Dahab. Gulf of Aqaba. Under coral boulders.	€ 2,00
Lyncina nivosa (Broderip, 1827).	India, Tamil Nadu (state), Tuticorin.	€ 5,00 t/m € 10,00
Lyncina nivosa (Broderip, 1827).	Thailand, Changwat Phuket (province), Phuket (island).	€ 3,50 t/m € 5,00
Staphylaea nucleus nucleus (L., 1758).	Philippines, Visayas (region), Samar (island).	€ 1,20
Erosaria ocellata (L., 1758).	India, Dwarka.	€ 1,30
Erosaria ocellata (L., 1758).	Sri Lanka, Eastern Province, Trincomalee.	€ 1,50
Erosaria ocellata (L., 1758).	Sri Lanka.	€ 1,50
Erosaria ocellata (L., 1758).	India, Tamil Nadu (state), South of Cuddalore. Bay of Bengal.	€ 1,40
Erronea onyx (L., 1758).	Taiwan, Taiwan Channel.	€ 1,50
Erronea onyx (L., 1758).	Philippines, Central Visayas (region), Cebu (island).	€ 1,80 t/m € 2,50
Erronea ovum chrysostoma Schilder, 1927. (dark)	Solomon Islands, Malaita.	€ 3,00
Erronea ovum chrysostoma Schilder, 1927.	Solomon Island, Guadalcanal, Marau Sound. Pacific Ocean.	€ 3,50
Erronea ovum ovum (Gmelin, 1791). under dead coral.	Malaysia, Sabah (state), N. of Kota Kinabalu, Likas Bay. Shallow water,	€ 2,00
Erronea ovum ovum (Gmelin, 1791).	Malaysia, Sabah (state), Semporna. Live, shallow, under dead coral.	€ 2,50
Erronea ovum ovum (Gmelin, 1791).	Philippines.	€ 2,00
Erronea pallida (Gray, 1824).	India, Maharashtra (state), Bombay. At low tide.	€ 2,50
Erronea pallida (Gray, 1824).	Philippines.	€ 3,00
Blasicrura pallidula pallidula (Gaskoin, 1849).	Philippines.	€ 0,80
Blasicrura pallidula pallidula (Gaskoin, 1849).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 0,50
Cypraea pantherina Lightfoot, 1786.	Egypt, South Sinai, Dahab. By local divers.	€ 6,50
Cypraea pantherina Lightfoot, 1786.	Eritrea, Dahalk Island. East Africa. Red Sea.	€ 14,50
Cypraea pantherina Lightfoot, 1786.	Yemen, Sarif. Under coral rubble at 3-5 metres deep.	€ 8,50
Cypraea pantherina Lightfoot, 1786.	Egypt, Hurghada. Red Sea.	€ 4,00 t/m € 6,00
Zonaria picta (Gray, 1824).	Cape Verde, Sal (island), Santa Maria. Atlantic. In front Aeroflot Hotel.	€ 6,00
Notocypraea piperita piperita (Gray, 1825).	Australia, South Australia, Eyre Peninsula, Port Lincoln.	€ 3,00
Erosaria poraria (L., 1758).	Philippines.	€ 1,30
Erosaria poraria (L., 1758).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,00
Erronea pulchella pericalles (Melvill & Standen, 1904).	Gulf of Oman.	€ 6,50
Erronea pulchella pericalles (Melvill & Standen, 1904).	India, Tamil Nadu (state), Tuticorin.	€ 3,80
Erronea pulchella pulchella (Swainson, 1823).	Taiwan, Pescadores Islands. Taiwan Strait.	€ 4,00 t/m € 6,00
Notadusta punctata punctata (L., 1771).	Taiwan, south-west. South China Sea. 20-40 fathoms deep.	€ 2,00
Erronea pyriformis (Gray, 1824).	Malaysia, Straits of Malacca. Dredged, 60 feet deep.	€ 3,00 t/m € 5,00

		Price Range
Erronea pyriformis (Gray, 1824).	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 2,50
Erronea pyriformis (Gray, 1824).	India, Tamil Nadu (state), Rameswaram. Gulf of Mannar. Dredged off coast.	€ 6,00
Erronea pyriformis (Gray, 1824).	Philippines, Sulu (province), Siasi. Sulu Sea. From fisherman.	€ 1,80
Zonaria pyrum petitiiana (Crosse, 1872).	Senegal, Petite Côte, Joal-Fadiouth (village). West Africa.	€ 5,00 t/m € 6,50
Zonaria pyrum petitiiana (Crosse, 1872).	Senegal, Cap-Vert, N'Gor Island, Pointe des Almadies. Fishing harbour.	€ 2,50
Zonaria pyrum pyrum (Gmelin, 1791).	Italy, Sicily (region), Sicily.	€ 6,00
Zonaria pyrum pyrum (Gmelin, 1791).	Greece, South Aegean (region), Rhodes. From fishing nets.	€ 4,00
Zonaria pyrum pyrum (Gmelin, 1791).	Mediterranean Sea.	€ 3,50
Zonaria pyrum pyrum (Gmelin, 1791).	Tunisia, Mahdia Governorate, Mahdia. Mediterranean Sea. From fishermen.	€ 5,00
Zonaria pyrum pyrum (Gmelin, 1791).	Tunesia, Sfax Governorate, Sfax. From fishermen.	€ 4,00
Blasicrura quadrimaculata (Gray, 1824).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,50
Blasicrura quadrimaculata (Gray, 1824).	Philippines, Visayas (region), Samar (island). East coast.	€ 2,00
Palmadusta saulae (Gaskoin, 1843).	Philippines, Visayas (region), Samar (island).	€ 9,50
Palmadusta saulae (Gaskoin, 1843).	Philippines.	€ 3,50
Palmadusta saulae (Gaskoin, 1843).	Philippines, Panai Island. From divers. Superb species, freshly fished, mostly with a light pink shine, good dorsums with chocolate blotch. A must for cowry collectors. 21 mm	€ 6,00
Mauritia scurra indica (Gmelin, 1791).	Solomon Islands, Guadalcanal, Marau Sound. Pacific Ocean.	€ 4,00 t/m € 7,00
Mauritia scurra indica (Gmelin, 1791).	Philippines.	€ 10,00
Mauritia scurra indica f. vono Steadman & Cotton, 1943.	French Polynesia, Tahiti, Pueu. Snorkel, 0.8-1½ m, under rock rubble.	€ 9,50
Mauritia scurra scurra (Gmelin, 1791).	Republic of Djibouti. NorthEast Africa.	€ 6,25
Mauritia scurra scurra (Gmelin, 1791). depth.	Mozambique, Nampula Province, Nacala Bay area. Snorkeling, 2 metres deep	€ 7,00
Mauritia scurra scurra (Gmelin, 1791).	Kenya, Coast Province, Mombasa County, Mombasa. East Africa.	€ 3,00 t/m € 4,50
Mauritia scurra scurra (Gmelin, 1791).	Tanzania, Zanzibar, Tumbatu Island. From local fisherman.	€ 5,00
Neobernaya spadicea (Swainson, 1823).	USA, California, off San Clemente Island. By scuba diver, 20-25 m deep.	€ 4,00
Neobernaya spadicea (Swainson, 1823).	USA, California, San Catalina Rock. Dived at 10-15 metres deep.	€ 3,50 t/m € 7,50
Erosaria spurca (L., 1758).	Italy, Liguria, Province of Savona, Finale Ligure. 20-30 m deep, scuba.	€ 5,00 t/m € 6,00
Erosaria spurca (L., 1758).	Italy, Liguria, Province of Savona, Bergeggi Island, 30-35 m.	€ 4,00
Erosaria spurca (L., 1758).	Italy, Sicily (region), Province of Trapani, Mazara del Vallo.	€ 5,00
Erosaria spurca (L., 1758).	Spain, Canary Islands, Fuerteventura.	€ 6,50
Erosaria spurca (L., 1758).	Tunisia.	€ 2,00
Erosaria spurca (L., 1758).	Italy, Sicily (region), Sicily.	€ 4,00
Erosaria spurca (L., 1758).	Maltese archipelago, Comino Island. On sand & rocky bottom, 10-15 feet.	€ 5,00 t/m € 7,50
Erosaria spurca f. verdensium Melvill, 1888.	Cape Verde, São Vicente, Porto Grande. Atlantic Ocean.	€ 7,50
Erosaria spurca f. verdensium Melvill, 1888.	Cape Verde, São Vicente, Mindelo, Porto Grande. Dredged dead in sand.	€ 3,50
Staphylaea staphylaea laevigata (Dautzenberg, 1932).	Tanzania, Zanzibar, Nungwi (village). East Africa. From local fisherman.	€ 2,00

Staphylaea staphylaea laevigata (Dautzenberg, 1932).
 Staphylaea staphylaea staphylaea (L., 1758).
 Trona stercoraria (L., 1758). Dwarf.
 Trona stercoraria (L., 1758).
 Trona stercoraria (L., 1758).
 Trona stercoraria (L., 1758).
 Bistolida stolidida stolidida (L., 1758).
 Bistolida stolidida stolidida (L., 1758).
 Bistolida stolidida stolidida (L., 1758).
 Bistolida stolidida stolidida (L., 1758).
 Bistolida stolidida stolidida (L., 1758).
 Erronea subviridis dorsalis Schilder & Schilder, 1938.
 Erronea subviridis dorsalis Schilder & Schilder, 1938.
 Erronea succincta adusta (Lamarck, 1810).
 Erronea succincta adusta (Lamarck, 1810).
 Erronea succincta succincta (L., 1758).
 Lyncina sulcidentata (Gray, 1824).
 Talparia talpa (L., 1758).
 Talparia talpa (L., 1758).
 Talparia talpa (L., 1758).
 Talparia talpa (L., 1758).
 Talparia talpa (L., 1758).
 Talparia talpa (L., 1758).
 Talparia talpa (L., 1758).
 Blasicrura teres pellucens (Melvill, 1888).
 Blasicrura teres teres (Gmelin, 1791).
 Blasicrura teres teres (Gmelin, 1791).
 Blasicrura teres teres (Gmelin, 1791).
 Blasicrura teres teres (Gmelin, 1791).
 Blasicrura teres teres (Gmelin, 1791).
 Blasicrura teres teres (Gmelin, 1791).
 Chelycypraea testudinaria (L., 1758).
 Chelycypraea testudinaria (L., 1758).
 Chelycypraea testudinaria (L., 1758).
 Bernaya teulerei (Cazenavette, 1846).
 Cypraea tigris L., 1758. Dwarf.

Somalia. East Africa. Indian Ocean.
 Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.
 West Africa.
 Republic of Cameroon. Gulf of Guínea. Dived, ±10 m deep on rocks.
 Senegal.
 Ghana, Ampenyi.
 Philippines, Visayas (region), Eastern Samar, Borongan. Snorkeling.
 Philippines, Samar, Borongon. Dived, 3-5 metres in dead finger coral.
 Philippines, Bohol (province), close to Panglao Island, Balicasag Island.
 Philippines, Visayas (region), Samar (island).
 Malaysia, Sabah, Borneo, Semporna.
 Australia, Western Australia. On reef during low tide.
 Australia, Western Australia, Port Hedland, under rocks.
 Tanzania, Dar es Salaam. East Africa. Indian Ocean.
 Thailand, Changwat Phuket (province), Phuket (island).
 India, Andaman Islands.
 Hawaii.
 Thailand, Changwat Phuket (province), Phuket (island).
 Kenya, Mombasa. East Africa. Indian Ocean.
 Tanzania, Zanzibar, Unguja South Region, Uroa. East Africa. Indian Ocean.
 Tanzania, Zanzibar, Uroa. Indian Ocean. Feeding on seagrass.
 Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.
 Philippines.
 Zanzibar, Nungwi, East Africa, from local fisherman.
 Somalia. East Africa. Indian Ocean. Beach.
 Mozambique, Inhambane, Massinga. East Africa. Indian Ocean.
 Papua New Guinea, East New Britain Province, Rabaul.
 Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.
 Philippines, Central Visayas (region), Bohol (island).
 Philippines.
 Tanzania, Zanzibar. East Africa. Indian Ocean.
 Philippines.
 Tanzania, Mainland, Dar es Salaam. East Africa. From local fisherman.
 Oman.
 Philippines.

Price Range

€ 1,00 t/m € 2,00
 € 0,50 t/m € 0,80
 € 7,50
 € 9,50
 € 7,00
 € 7,50
 € 10,00 t/m € 12,00
 € 12,50
 € 7,50
 € 12,50 t/m € 14,50
 € 8,00
 € 3,00 t/m € 4,50
 € 1,50 t/m € 2,00
 € 2,50
 € 2,50
 € 3,50
 € 10,00
 € 2,00 t/m € 3,00
 € 1,00 t/m € 3,00
 € 2,80
 € 5,00
 € 2,00 t/m € 4,00
 € 1,80
 € 2,50
 € 1,50
 € 2,50
 € 2,20
 € 0,75
 € 2,00
 € 1,00
 € 4,50
 € 3,80 t/m € 5,00
 € 7,50 t/m € 9,50
 € 3,50
 € 3,50

		Price Range
Cypraea tigris L., 1758.	Australia, Queensland, Cape Tribulation. Under rocks, about 2 metres deep.	€ 2,25
Cypraea tigris L., 1758.	India, Tamil Nadu, Peryapattinam.	€ 3,50
Cypraea tigris L., 1758. visible, on reef.	Malaysia, Sabah, Pulau Tatagan Tatagan, off P. Timbun Mata. Live, clearly	€ 3,00
Cypraea tigris L., 1758.	Philippines, Visayas (region), Samar (island).	€ 1,50 t/m € 3,50
Cypraea tigris L., 1758. Dwarf.	Philippines.	€ 3,50
Cypraea tigris L., 1758.	Tanzania, Zanzibar, Unguja South Region, Uroa. East Africa.	€ 4,00 t/m € 6,00
Cypraea tigris L., 1758.	Indonesia, Greater Sundra Islands, East Java (province), Madura Island.	€ 3,00 t/m € 3,00
Cypraea tigris L., 1758.	Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.	€ 3,50
Erosaria turdus (Lamarck, 1810).	Oman. Middle East.	€ 3,50
Erosaria turdus (Lamarck, 1810).	Eritrea, off Massawa, Dahlak Archipelago.	€ 3,50
Erosaria turdus (Lamarck, 1810).	Tunisia. Mediterranean. 3-15 metres deep.	€ 6,50 t/m € 7,50
Bistolida ursellus (Gmelin, 1791).	Philippines.	€ 1,00
Lyncina ventriculus (Lamarck, 1810).	Philippines, Sulu Archipelago, Siasi Island.	€ 9,50
Lyncina ventriculus (Lamarck, 1810).	Philippines.	€ 9,50
Lyncina vitellus (L., 1758).	Philippines, Central Visayas (region), Cebu (island).	€ 1,50
Lyncina vitellus (L., 1758).	Kenya, Coast Province, Mombasa County, Mombasa. At low tide under coral.	€ 0,50
Lyncina vitellus (L., 1758).	Taiwan, south-west. South China Sea.	€ 0,80 t/m € 1,30
Lyncina vitellus (L., 1758).	Australia, Western Australia, Myora Beach.	€ 2,50
Lyncina vitellus (L., 1758).	India, Tamil Nadu (state), Ramanathapuram district, Kilakarai. Trawled.	€ 1,50 t/m € 2,00
Lyncina vitellus (L., 1758).	Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.	€ 0,50 t/m € 3,00
Lyncina vitellus (L., 1758).	Sri Lanka.	€ 1,50
Lyncina vitellus (L., 1758).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,00 t/m € 1,50
Lyncina vitellus (L., 1758).	Madagascar, Toliara (Tulear). East Africa. Indian Ocean.	€ 1,50 t/m € 3,50
Lyncina vitellus (L., 1758).	Indonesia, Bali (province), Bali (island), Sanur Beach.	€ 1,60
Erronea walkeri surabajensis Schilder, 1937.	Philippines, Sulu Sea.	€ 2,50
Erronea walkeri surabajensis Schilder, 1937.		€ 3,00
Erronea walkeri surabajensis Schilder, 1937.	Taiwan, Penghu County, off Magong City. Trawled in deep water.	€ 4,00
Erronea walkeri surabajensis Schilder, 1937.	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 2,00
Erronea xanthodon (Sowerby, 1832).	Australia, Queensland, Cairns, Ellis Beach. Undeep under stones.	€ 3,00
Erronea xanthodon (Sowerby, 1832).	Australia.	€ 2,50
Macrocypraea zebra (L., 1758).	USA, Florida, Ohio Key. Between finger coral.	€ 3,50
Macrocypraea zebra (L., 1758).	Brazil, Rio de Janeiro, Cabo Frio. Coll. by lobster divers at 20-35 m.	€ 4,50
Palmadusta ziczac f. misella Perry, 1811.	South Africa, Natal (province).	€ 2,50
Palmadusta ziczac (L., 1758).	Tanzania, Zanzibar, Nungwi (village). East Africa. From local fisherman.	€ 2,00
Palmadusta ziczac (L., 1758).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 2,50

		Price Range
Palmadusta ziczac (L., 1758).	Thailand, Changwat Phuket (province), Phuket (island).	€ 1,00
Palmadusta ziczac (L., 1758).	Philippines, Visayas (region), Samar (island). From divers.	€ 1,70
Zonaria zonaria (Gmelin, 1791).	Senegal, Petite Côte, Joal-Fadiouth (village). West Africa.	€ 4,00
Zonaria zonaria (Gmelin, 1791).	Senegal, Cap-Vert, Pointe des Almadies. 10-15 metres deep, by diver.	€ 4,00
Cystiscidae		
Persicula cingulata (Dillwyn, 1817).	Senegal, Dakar Region, Dakar, Bay of Gorée. West Africa. 3 metres deep.	€ 3,50
Persicula cornea (Lamarck, 1822).	Senegal, Dakar Region, Dakar, Hann Bay (beach). West Africa.	€ 1,30
Persicula persicula (L., 1758).	Senegal, Casamance. West Africa. Atlantic Ocean.	€ 1,30
Persicula persicula (L., 1758).	Senegal. West Africa. Atlantic Ocean.	€ 3,50
Persicula persicula (L., 1758).	Senegal. West Africa. Atlantic Ocean.	€ 2,00
Persicula persicula (L., 1758).	Senegal, Niodior.	€ 3,50
Persicula tessellata f. accola Roth & Coan, 1968.	Panama.	€ 3,50
Dentaliidae		
Dentalium aprinum L., 1767.	Philippines, Mindanao (island), Davao Region, Davao City.	€ 2,80
Dentalium aprinum L., 1767.		€ 1,50
Antalis dentalis (L., 1766).		€ 0,50
Antalis dentalis (L., 1766).	Tunisia, Djerba Island, Ajim. Gulf of Gabès. 2 metres deep.	€ 0,50
Fissidentalium lima Kuroda & Habe, 1963.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 3,50
Fissidentalium magnificum (Smith, 1896).	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 2,00 t/m € 5,00
Fissidentalium metivieri Scarabino, 1995.	Madagascar Island. East Africa. Indian Ocean. 300 metres deep.	€ 6,50 t/m € 9,50
Fissidentalium metivieri Scarabino, 1995.	Madagascar Island. East Africa. Indian Ocean.	€ 9,50
Fissidentalium metivieri Scarabino, 1995.	Madagascar, Toliara (Tulear) region. East Africa. Indian Ocean. Trawled.	€ 9,00
Dentalium octangulatum Donovan, 1804.	India.	€ 1,50 t/m € 2,00
Pictodentalium vernedei (Sowerby, 1860).	Philippines, Palawan (province), Palawan (island).	€ 4,00 t/m € 6,00
Pictodentalium vernedei (Sowerby, 1860).	Taiwan. East China Sea.	€ 5,00
Antilis vulgaris (da Costa, 1778).	France, Brittany, Saint-Jacut-de-la-Mer.	€ 0,25
Donacidae		
Donax cuneatus L., 1758.	Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.	€ 1,30
Donax cuneatus L., 1758.	Malaysia, Pulau Lang Tenga Island.	€ 0,50
Donax cuneatus L., 1758.	Malaysia, Terengganu (state), Merang.	€ 0,50
Donax deltoides Lamarck, 1818.	South Australia.	€ 0,80 t/m € 1,80
Donax deltoides Lamarck, 1818.	Australia, South Australia, Adelaide, St. Kilda. Intertidal, in mud.	€ 3,50
Donax denticulatus L., 1758.	Venezuela, Nueva Esparta (state), Isla El Coche.	€ 1,00
Donax denticulatus L., 1758.	Suriname, South America.	€ 0,30
Donax denticulatus L., 1758.	Venezuela, Miranda, Higuerote.	€ 0,50 t/m € 1,00

		Price Range
Donax faba Gmelin, 1791.	Kenya, Mombasa Reef. East Africa. Indian Ocean.	€ 0,30
Donax faba Gmelin, 1791.	Thailand, Changwat Phuket (province), Phuket (island).	€ 0,50
Donax faba Gmelin, 1791.	Thailand, Phuket (island), Chalong Bay, Vigkit bungalows.	€ 0,50
Donax faba Gmelin, 1791.	Malaysia, Pulau Lang Tenga Island.	€ 0,50
Donax rugosus L., 1758.	Senegal, Saint Louis. West Africa. From fisherman, shallow, in mud/sand.	€ 0,80
Hecuba scortum (L., 1758).	Thailand, Changwat Phuket (province), Phuket (island).	€ 2,00 t/m € 4,00
Donax serra Dillwyn, 1817.	South Africa.	€ 1,80
Donax serra Dillwyn, 1817.	South Africa, Cape Province, False Bay, Muizenberg Beach.	€ 2,00
Donax striatus L., 1767.	Suriname, South America.	€ 0,30
Donax striatus L., 1767.	Venezuela, Nueva Esparta (state), Isla El Coche.	€ 0,50
Donax trunculus f. anatinus Payraudeau, 1826.	Portugal, Algarve (region), Quarteira.	€ 0,20
Donax trunculus f. anatinus Payraudeau, 1826.	France, Brittany, Finistère (department), Penmarch (commune). Beach.	€ 0,25
Donax trunculus L., 1758.	Spain, Andalusia (region), Province of Málaga, Marbella.	€ 0,20
Donax trunculus L., 1758.	France, Brittany, Finistère (department), Point Penmarc'h.	€ 0,50
Donax trunculus L., 1758.	France, Lot (department), Martel.	€ 0,30
Donax trunculus L., 1758.	Greece, Marathón beach. 1-1½ metres deep.	€ 0,25
Donax trunculus L., 1758.	France, Brittany, Finistère (department), Point Penmarc'h.	€ 0,50
Donax variabilis Say, 1822.	USA, Florida, Gulf of Mexico, Fort Myers Beach.	€ 0,40
Donax variabilis Say, 1822. 5 colour variations.	USA, Florida, Gulf of Mexico, Sanibel Island.	€ 0,90
Donax vittatus (da Costa, 1778).	France, Brittany, Finistère (department), Point Penmarc'h.	€ 0,40
Donax vittatus (da Costa, 1778).	North Sea fishery.	€ 0,15
Ellobiidae		
Cassidula aurisfelis (Bruguère, 1789).	Thailand, Changwat Phuket (province), Phuket (island).	€ 1,00 t/m € 1,50
Ellobium aurisjudae (L., 1758).	Thailand, Changwat Phuket (province), Phuket (island).	€ 1,00 t/m € 3,00
Melampus coffeus (L., 1758).	USA, Florida, near Fort Myers, Pineland, Pine Island.	€ 2,00
Melampus flavus (Gmelin, 1791).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,00
Melampus flavus (Gmelin, 1791).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 0,50
Melampus flavus f. nuxcastaneus Kuroda, 1947.	Taiwan. East China Sea.	€ 1,50
Cassidula nucleus (Gmelin, 1791).	Thailand, Changwat Phuket (province), Phuket (island).	€ 1,00
Cassidula nucleus (Gmelin, 1791).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,00
Cassidula nucleus (Gmelin, 1791).	Philippines.	€ 1,50
Melampus olivaceus Carpenter, 1857.	USA, California, Orange County, Laguna Beach, in lagoon region.	€ 0,30
Pythia scabraeus (L., 1758).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 2,00
Pythia scarabaeus (L., 1758).	Philippines, Palawan (province), Palawan (island).	€ 2,00
Pythia scarabaeus (L., 1758).	Philippines, Central Visayas (region), Cebu (island), Bantayan Island.	€ 2,00

		Price Range
Melampus tabogensis C.B. Adams, 1852.	Panama, Taboga Island. Under leaves.	€ 2,00
Epitoniidae		
Epitonium clathrum (L., 1758).	The Netherlands, Scheveningen.	€ 0,50
Epitonium clathrum (L., 1758).	The Netherlands, Scheveningen.	€ 0,50
Epitonium clathrum (L., 1758).	Spain.	€ 4,00
Gyroscala lamellosa (Lamarck, 1822).		€ 2,50
Gyroscala lamellosa (Lamarck, 1822).	Canary Islands, Playa Blanca Lanzarote. In tidal pools.	€ 2,30
Gyroscala lamellosa (Lamarck, 1822).	Spain, Oropesa del Mar, Mediterranean Sea.	€ 1,50
Gyroscala lamellosa (Lamarck, 1822).	Spain, Canary Islands. Trawled at 3-4 metres.	€ 2,50
Gyroscala lamellosa (Lamarck, 1822).	Italy, Savona. Scubadiving in shallow water, 3-5 metres deep.	€ 3,00 t/m € 9,00
Gyroscala lamellosa (Lamarck, 1822).	Japan.	€ 2,50
Amaea magnifica (Sowerby, 1844).	Japan.	€ 15,00
Epitonium scalare (L., 1758).	Philippines, Luzon (island), Manila Bay.	€ 3,50 t/m € 6,00
Epitonium scalare (L., 1758).	Philippines, Cebu (province), Mactan (island), Punta Engaño.	€ 6,50 t/m € 12,50
Amaea splendidum (de Boury, 1913).	Philippines, Bohol Island, close to Panglao Island, Balicasag Island.	€ 2,00
Cirsotrema varicosum (Lamarck, 1822). Special offer.	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 5,00 t/m € 6,50
Cirsotrema varicosum (Lamarck, 1822).	Philippines, Cebu (province), Mactan (island), Punta Engaño.	€ 4,00
Boreoscala zelebori (Dunker, 1866).	New Zealand, North Island, Orewa Beach.	€ 2,00
Fasciolaridae		
Fusinus ambustus (Gould, 1853).	Mexico, Baja California (state). Dredged, 40-50 metres deep.	€ 5,00
Fusinus ansatus (Gmelin, 1791).	Suriname, South America. From shrimp fisherman.	€ 6,00
Pleuroploca australasia (Perry, 1811).	Australia, Victoria, Port Fairy. In mud between stones.	€ 4,50
Fusinus australis (Quoy & Gaimard, 1833).	Australia, South Australia. Port Adelaide. After storm live on beach.	€ 3,00
Fasciolaria bakeri Gatlif & Gabriel, 1912.	Australia, New South Wales, Port Jackson. Fished.	€ 4,00
Latirus balicasagensis Bozzetti, 1997.	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 5,00 t/m € 9,50
Latirus belcheri (Reeve, 1847).	Philippines.	€ 1,50
Latirus carinifer (Lamarck, 1816).	USA, Florida, Palm Beach.	€ 6,00
Fusinus colus (L., 1758).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 0,50 t/m € 2,50
Fusinus colus (L., 1758).	Indian Ocean.	€ 2,50 t/m € 4,00
Fusinus colus (L., 1758).	Thailand, Phuket (island), Raya Island. 25-30 metres deep.	€ 0,80 t/m € 2,50
Fusinus colus (L., 1758).	Philippines, Manilla Bay. From fisherman.	€ 2,50
Fusinus colus (L., 1758).	Japan, Honshu (island), Wakayama Prefecture, Nada-Cho. 20-40 fathoms deep.	€ 3,00
Granulifusus consimilis Garrard, 1966.	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 4,50 t/m € 6,50
Latirus constrictus (Koch, 1845).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,00 t/m € 5,00
Latirus craticulatus (L., 1758).	Mozambique, Nampula (prov.), Quissimajulo (city). 1-2 m, on mud and algae.	€ 6,00

	Price Range
Latirus craticulatus (L., 1758).	€ 2,00 t/m € 6,50
Latirus deynzerorum Emerson & Cage, 1990.	€ 3,50 t/m € 4,00
Pleuroploca filamentosa (Röding, 1798).	€ 1,00 t/m € 3,00
Pleuroploca filamentosa (Röding, 1798).	€ 4,00
Pleuroploca filamentosa (Röding, 1798).	€ 2,00
Fusinus forceps (Perry, 1811).	€ 7,00
Pleuroploca gigantea (Kiener, 1840).	€ 45,00 t/m € 95,00
Pleuroploca gigantea (Kiener, 1840). Juvenile.	€ 0,80 t/m € 1,80
Latirus hemphilli Hertlein & Strong, 1951.	€ 3,00
Latirus kandai Kuroda, 1950.	€ 2,50
Granulifusus kiranus Shuto, 1958.	€ 4,00 t/m € 6,00
Dolicholatirus lancea (Gmelin, 1791).	€ 1,50 t/m € 4,00
Latirus lanceolatus (Reeve, 1847).	€ 2,50 t/m € 4,00
Fasciolaria lignaria (L., 1758).	€ 2,00
Fasciolaria lilium hunteria (Perry, 1811).	€ 2,80
Fusinus meyeri (Dunker, 1869).	€ 29,50
Latirus nagasakiensis Smith, 1880.	€ 2,30 t/m € 3,80
Leucozonia nassa (Gmelin, 1791).	€ 0,50 t/m € 1,30
Peristernia nassatula (Lamarck, 1822).	€ 2,00
Peristernia nassatula (Lamarck, 1822).	€ 1,30
Peristernia nassatula (Lamarck, 1822).	€ 2,50
Fusinus nicobaricus (Röding, 1798).	€ 1,80 t/m € 2,80
Fusinus nicobaricus (Röding, 1798).	€ 1,80 t/m € 2,80
Granulifusus nipponicus (Smith, 1879).	€ 0,80 t/m € 1,30
Granulifusus nipponicus (Smith, 1879).	€ 2,00
Latirus paetelianus (Küster & Kobelt, 1879).	€ 1,25 t/m € 2,30
Fusinus panamensis Dall, 1908.	€ 5,00
Latirus pearsoni Snyder, 2002.	€ 2,30
Peristernia philberti (Récluz, 1844).	€ 1,00
Latirus polygonus (Gmelin, 1791).	€ 0,50 t/m € 2,50
Latirus polygonus (Gmelin, 1791).	€ 5,00
Opeatostoma pseudodon (Burrow, 1815).	€ 1,50 t/m € 2,00
Opeatostoma pseudodon (Burrow, 1815).	€ 4,50
Opeatostoma pseudodon (Burrow, 1815).	€ 5,00 t/m € 7,00
Opeatostoma pseudodon (Burrow, 1815).	€ 10,00 t/m € 15,00
Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 2,00 t/m € 6,50
Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 3,50 t/m € 4,00
Thailand, Changwat Phuket (province), Phuket (island).	€ 1,00 t/m € 3,00
Philippines, Palawan (island). On coral reef, 15-20 metres deep.	€ 4,00
Philippines.	€ 2,00
Philippines.	€ 7,00
USA, Florida, off Marco Island, Pompano Flat. Low tide,sand/grass.	€ 45,00 t/m € 95,00
USA, Florida, Boca Raton.	€ 0,80 t/m € 1,80
Panama, Gobernadora Island. Pacific Ocean.	€ 3,00
Philippines, Central Visayas (region), Cebu (island).	€ 2,50
Philippines, Bohol (province), Balicasag Island. 180 metres deep, nets. 46 mm	€ 4,00 t/m € 6,00
Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 1,50 t/m € 4,00
Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 2,50 t/m € 4,00
Italy, Apulia, Gallipoli. Low tide, under rocks, 2-3 metres deep.	€ 2,00
USA, Florida, Gulf of Mexico.	€ 2,80
Ivory Coast, Lagunes Region, Abidjan. Trawled offshore, 30-50 metres deep.	€ 29,50
Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 2,30 t/m € 3,80
Bonaire, Lesser Antilles Islands, Playa.	€ 0,50 t/m € 1,30
Kenya, Mombasa Reef. East Africa.	€ 2,00
Thailand, Phuket (island), Raya Island. 25-30 metres deep.	€ 1,30
Marshall Islands, Majuro. On rocks north of Gateway Hotel.	€ 2,50
Indo-Pacific.	€ 1,80 t/m € 2,80
Thailand, Changwat Phuket (province), Phuket (island).	€ 1,80 t/m € 2,80
Taiwan, south-west. South China Sea.	€ 0,80 t/m € 1,30
Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 2,00
Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,25 t/m € 2,30
Panama.	€ 5,00
Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 2,30
Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,00
Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 0,50 t/m € 2,50
Philippines.	€ 5,00
Panama, Taboga Island. Pacific Ocean.	€ 1,50 t/m € 2,00
Mexico, west coast. Pacific Ocean.	€ 4,50
Panama, off Cebaco Island. Dredged, 60-100 feet on sand and grass.	€ 5,00 t/m € 7,00
Mexico, Oaxaca, Puerto Angel. On rock, 40-150 metres deep.	€ 10,00 t/m € 15,00

Opeatostoma pseudodon (Burrow, 1815).
 Latirus recurvirostris (Schubert & Wagner, 1829).
 Peristernia reincarnata Snyder, 2000.
 Fusinus rostratus (Olivi, 1792).
 Latirus sarinae Snyder, 2003.
 Latirolagena smaragdula (L., 1758).
 Latirolagena smaragdula (L., 1758).
 Pleuroploca trapezium (L., 1758).
 Pleuroploca trapezium (L., 1758).
 Pleuroploca trapezium (L., 1758).
 Fasciolaria tulipa (L., 1758).
 Fasciolaria tulipa (L., 1758).
 Fasciolaria tulipa (L., 1758).
 Latirus turritus (Gmelin, 1791).
 Fusinus undatus (Gmelin, 1791).
 Peristernia ustulata (Reeve, 1847).
 Peristernia ustulata (Reeve, 1847).
 Latirus walleri Ladd, 1976.

Ficidae

Ficus ficus (L., 1758).
 Ficus ficus (L., 1758).
 Ficus ficus (L., 1758).
 Ficus ficus (L., 1758).
 Ficus filosa (Sowerby, 1892).
 Ficus filosa (Sowerby, 1892).
 Ficus gracilis (Sowerby, 1825).
 Ficus gracilis (Sowerby, 1825).

Fimbriidae

Fimbria fimbriata (L., 1758).
 Fimbria fimbriata (L., 1758).
 Fimbria fimbriata (L., 1758).

Fissurellidae

Fissurella barbadensis (Gmelin, 1791).
 Fissurella barbadensis (Gmelin, 1791).
 Fissurella barbadensis (Gmelin, 1791).

Panama, off Gobernadora Island. Low tide, on sand and grass.
 Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.
 Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.
 Spain, Province of Málaga, Fuengirola.
 Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.
 Thailand, Phuket (island), Raya Island. 25-30 metres deep.
 Philippines, Cebu (province), Mactan (island), Punta Engaño.
 Kenya, Mombasa Reef. East Africa. Indian Ocean.
 Indonesia, Greater Sundra Islands, East Java (province), Madura Island.
 Gulf of Thailand.
 Venezuela, eastern coastal region. From beach.
 USA, Florida, Marco Island, Pompano Flat. Very low tide, shallow.
 USA, Florida Keys.
 Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.
 Philippines, Central Visayas (region), Cebu (province), Mactan (island).
 Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.
 Philippines, Cebu (province), Mactan (island), Punta Engaño.
 Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.

Philippines, Manilla, Bay.
 Taiwan. East China Sea. Fished.
 Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.
 Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.
 Philippines, Cebu (province), Mactan (island).
 Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.
 Indonesia. 8 cm - 9 cm
 Indonesia, Djakart, Pasar Ikan. Fishery.

Philippines.
 Australia, Queensland, Great Barrier Reef.
 Solomon Islands. Pacific Ocean.

St. Maarten, Caribbean Sea.
 Barbados, West Indies.
 Curaçao, Lesser Antilles Islands.

Price Range

€ 7,50
 € 1,50 t/m € 3,00
 € 2,00
 € 2,50
 € 2,00
 € 5,00 t/m € 6,25
 € 4,00
 € 1,80 t/m € 6,25
 € 3,50 t/m € 4,50
 € 7,50
 € 1,80
 € 6,50
 € 5,00
 € 1,00 t/m € 2,00
 € 7,50
 € 1,50
 € 1,80
 € 3,50 t/m € 5,00

 € 2,20
 € 1,50
 € 1,00 t/m € 2,50
 € 2,50
 € 4,00
 € 2,50 t/m € 6,50
 € 4,00 t/m € 6,00
 € 2,50 t/m € 4,00

 € 2,50
 € 2,00 t/m € 3,00
 € 2,20

 € 0,70
 € 0,75 t/m € 1,25
 € 1,00

Fissurella barbadensis (Gmelin, 1791).
 Fissurella bridgesi (Reeve, 1849).
 Fissurella costata Lesson, 1830.
 Fissurella crassa Lamarck, 1822.
 Megathura crenulata (Sowerby, 1825).
 Megathura crenulata (Sowerby, 1825).
 Fissurella cumingi Reeve, 1849.
 Diodora graeca (L., 1758).
 Fissurella latimarginata Sowerby, 1835.
 Fissurella latimarginata Sowerby, 1835.
 Fissurella limbata Sowerby, 1834.
 Fissurella maxima Sowerby, 1835.
 Fissurella maxima Sowerby, 1835.
 Fissurella natalensis Krauss, 1848.
 Fissurella nubecula (L., 1758).
 Fissurella nubecula (L., 1758).
 Fissurella pulchra Sowerby, 1834.

Glossidae

Glossus humanus (L., 1758).
 Glossus humanus (L., 1758).
 Glossus lamarckii Reeve, 1845.
 Meiocardia moltkiana (Gmelin, 1791).
 Meiocardia vulgaris (Reeve, 1845).

Glycymerididae

Glycymeris americana (De France, 1829).
 Glycymeris americana (De France, 1829).
 Glycymeris canoa Pilsbry & Olsson, 1941.
 Glycymeris canoa Pilsbry & Olsson, 1941.
 Glycymeris gigantea (Reeve, 1843).
 Glycymeris gigantea (Reeve, 1843).
 Glycymeris glycymeris (L., 1758).
 Glycymeris glycymeris (L., 1758).
 Glycymeris glycymeris (L., 1758).
 Glycymeris glycymeris (L., 1758).
 Glycymeris glycymeris (L., 1758).

The Grenadines Islands, Windward Islands, Caribbean.
 Chile, Choapa Province, Los Vilos. On and under rocks, intertidal. 65 mm
 Chile, IV Región, Coquimbo. Scuba diver, on rocks at 5-10 metres deep.
 Chile, IV Región, Coquimbo. Scuba diver, on rocks at 5-10 metres deep.
 USA, California, Newport Beach.
 USA, California, Channel Islands, San Clemente Island.
 Chile, IV Región, Coquimbo. Scuba diver, on rocks at 5-10 metres deep.
 Spain, Sitges, Dosta Dorada, Playa Terramar.
 Chile, IV Región, Coquimbo. Scuba diver, on rocks at 5-10 metres deep.
 Chile, Choapa Province, Los Vilos. Taken on rocks by local fisherman.
 Chile, IV Región, Coquimbo. Scuba diver, on rocks at 5-10 metres deep.
 Chile, IV Región, Coquimbo. Scuba diver, on rocks at 5-10 metres deep.
 Chile.
 South-Africa.
 Italy, Aspera.
 Spain, Sitges, Playa Terramar.
 Chile, III Región de Atacama, Huasco, 3 Playitas. Intertidal on rocks.

Italy, Emilia-Romagna (region), Rimini. Adriatic Sea.
 Spain, between Palamós and Benicarló.
 Philippines, Bohol (province), close to Panglao Island, Balicasag Island.
 Philippines, Tayabas Bay.
 Philippines, Cebu (province), Mactan (island), Punta Engaño.

Panama, Bay of Portobelo, Caribbean. Trawled, 120-240 feet.
 Panama, Nombre de Dios. Caribbean. In sand, 20 fathoms deep.
 Panama, Kativa Island.
 Panama, Bay of Chiriqui. Pacific Ocean. Trawled, 120-240 feet deep.
 Mexico, Baja California Sur (state), San Carlos. 6-12 metres deep.
 Mexico, Baja California Sur, Mulegé. 8 metres deep, half-buried in sand.
 France, Brittany, Côtes-d'Armor (department), Erquy Plages.
 English Channel fishery.
 France, Brittany, Ile de Cézembre.
 France, Brittany, Saint-Malo.
 France. Off the coast of Brittany. From fisherman.

Price Range

€ 1,00
 € 6,50
 € 14,50
 € 9,50
 € 2,80 t/m € 3,80
 € 3,50
 € 10,00
 € 1,00
 € 10,00
 € 4,50 t/m € 9,50
 € 9,50
 € 10,00
 € 7,50
 € 1,20
 € 0,50
 € 3,00
 € 14,50
 € 12,50
 € 6,00
 € 7,50
 € 6,00
 € 3,00
 € 2,30
 € 2,30
 € 2,30
 € 2,50
 € 5,00 t/m € 9,00
 € 3,00
 € 0,20 t/m € 0,80
 € 0,80
 € 0,30
 € 0,80
 € 0,80

		Price Range
Glycymeris insubrica (Brocchi, 1814).	Spain, Province of Málaga, Benajarafe.	€ 0,50 t/m € 1,30
Glycymeris insubrica (Brocchi, 1814).	Spain, Andalusia, off Málaga. 20-30 m, trawled by local fishermen.	€ 2,30 t/m € 2,50
Tucetona laticostata (Quoy & Gaimard, 1835).	New Zealand, N.I. North Island, Waipu Cove.	€ 1,30 t/m € 2,30
Tucetona multicostata (Sowerby, 1833).	Panama, Canal de Afuera Island. Trawled between 120-240 feet.	€ 2,80
Glycymeris pectinata (Gmelin, 1791).	Panama, Bay of Porto Bello.	€ 2,80
Glycymeris pectinata (Gmelin, 1791).	Bahamas, Green Turtle Cay (island).	€ 0,30
Glycymeris pectinata (Gmelin, 1791).	Panama, Nombre de Dias. Caribbean. 20 fathoms deep, sand.	€ 1,00
Tucetona pectunculus (L., 1758).	Philippines.	€ 0,80
Tucetona pectunculus (L., 1758).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 0,50 t/m € 2,50
Tucetona pectunculus (L., 1758).	Philippines, Central Visayas (region), Cebu (province), Mactan (island).	€ 0,50
Tucetona pectunculus (L., 1758).	Malaysia, Sabah, Pulau Bohey Dulang, Telukan Lahad Datu.	€ 0,50 t/m € 1,00
Glycymeris reevei (Mayer, 1868).	Philippines, Central Visayas (region), Cebu (island). In shallow water.	€ 1,00
Glycymeris reevei (Mayer, 1868).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 0,50 t/m € 0,75
Glycymeris reevei (Mayer, 1868).	Indonesia, East Nusa Tenggara, off Kupang, Pulau Semau. Alive in sand.	€ 2,00
Glycymeris reevei (Mayer, 1868).	South-western Pacific Ocean.	€ 2,00
Tucetona strigilata (Sowerby, 1833).	Mexico, Baja California Sur (state), Bahía de Concepción.	€ 1,00
Tucetona strigilata (Sowerby, 1833).	Panama, Bay of Chiriqui. Pacific Ocean. Trawled, 120-240 feet deep.	€ 2,30
Tucetona strigilata (Sowerby, 1833).	Panama, Bay of Chiriqui. Pacific Ocean. Trawled at 120-240 feet deep.	€ 2,30
Haliotidae		
Haliotis asinina L., 1758.	Indonesia, Sumatra.	€ 1,25
Haliotis asinina L., 1758.	Malaysia, Sabah (state), Borneo. Dead, in shallow water.	€ 1,00 t/m € 3,00
Haliotis asinina L., 1758.	Thailand, Changwat Phuket (province), Phuket (island).	€ 1,00 t/m € 2,50
Haliotis coccinea Reeve, 1846.	Spain, Canary Islands, Fuerteventura, Corralejo. Live, ±2 metres deep.	€ 2,50 t/m € 3,00
Haliotis coccinea Reeve, 1846.	Spain, Canary Islands, Fuerteventura, Gran Tarajal. Live, ebb, ±2 m deep.	€ 1,00
Haliotis cyclobates Péron, 1816.	Australia, South Australia, Edithburg. Under rocks at 12 feet, reef area.	€ 7,00
Haliotis cyclobates Péron, 1816.	Australia, S.A., Edithburg. Attached to smooth rocks, under jetty at 10 m.	€ 10,00 t/m € 12,50
Haliotis diversicolor Reeve, 1846.	Indonesia, Java (island).	€ 5,00
Haliotis diversicolor Reeve, 1846.	Japan, Mie Prefecture, Shima Peninsula. 10 meters deep.	€ 2,50
Haliotis fulgens Philippi, 1845. kelp near shore 5-15 metres.	USA, Southern California, by commercial abalone divers on rocks among	€ 32,50
Haliotis glabra Gmelin, 1791.	Indonesia, Greater Sunda Islands, East Java (province), Madura Island.	€ 1,00
Haliotis glabra Gmelin, 1791.	Philippines, Mindanao (island), Zamboanga.	€ 1,00
Haliotis iris Martyn, 1784.	New Zealand.	€ 2,50 t/m € 35,00
Haliotis kamtschatkana assimilis Dall, 1878.	Mexico, Baja California. On rocks.	€ 10,00
Haliotis kamtschatkana assimilis Dall, 1878. Live by Mexican hookah diver.	Near Santo Tomas, west coast of Baja California, Mexico. 20-30 m deep.	€ 7,50 t/m € 22,50

		Price Range
Haliotis laevigata	Donovan, 1808. rocks, among kelp at 3-5 m.	€ 35,00
Haliotis mariae mariae	Wood, 1828.	€ 4,00
Haliotis ovina	Gmelin, 1791.	€ 1,50 t/m € 3,50
Haliotis planata	G.B. Sowerby II, 1882.	€ 1,50 t/m € 2,00
Haliotis pustulata	Reeve, 1846.	€ 2,00
Haliotis rubra conicopora	Péron, 1816. commercial abalone divers.	€ 38,00
Haliotis squamata	Reeve, 1846.	€ 1,80
Haliotis squamata	Reeve, 1846.	€ 3,50
Haliotis tuberculata tuberculata	L., 1758.	€ 9,50
Haliotis tuberculata tuberculata	L., 1758.	€ 0,50 t/m € 1,00
Haliotis varia	L., 1758.	€ 1,00
Haliotis varia	L., 1758.	€ 1,00 t/m € 2,00
Haliotis varia	L., 1758.	€ 2,00
Hamineidae		
Atys cylindricus	(Helbling, 1779).	€ 0,80
Atys cylindricus	(Helbling, 1779).	€ 7,50
Atys naucum	(L., 1758).	€ 2,00
Atys naucum	(L., 1758).	€ 3,50
Atys naucum	(L., 1758).	€ 1,30 t/m € 3,30
Harpidae		
Harpa amouretta	f. crassa Krauss, 1818.	€ 3,50
Harpa amouretta	f. crassa Krauss, 1818.	€ 3,50
Harpa amouretta	Röding, 1798.	€ 4,00
Harpa amouretta	Röding, 1798.	€ 1,50 t/m € 3,00
Harpa amouretta	Röding, 1798.	€ 2,50
Harpa amouretta	Röding, 1798.	€ 3,80 t/m € 4,50
Harpa amouretta	Röding, 1798.	€ 3,50
Harpa articularis	Lamarck, 1822.	€ 3,50
Harpa articularis	Lamarck, 1822.	€ 3,80
Harpa articularis	Lamarck, 1822.	€ 3,50
Harpa articularis	Lamarck, 1822.	€ 2,75
Harpa articularis	Lamarck, 1822.	€ 4,00
Harpa articularis	Lamarck, 1822.	€ 1,50 t/m € 2,00
Harpa cabriti	Lamarck, 1816.	€ 2,50 t/m € 8,50
	Australia, Western Australia, Augusta, Sarge Bay. On the side of granite	
	Oman, Sadah (Şadh). Middle East. Arabian Sea.	
	Thailand, Changwat Phuket (province), Phuket (island).	
	Thailand, Changwat Phuket (province), Phuket (island).	
	Mozambique. East Africa. Indian Ocean. Under rocks.	
	Australia, W.A., Esperance, Cape Le Grande. Under boulders at 15-20 m. by	
	Australia, Western Australia, Pilbara (region), Point Samson.	
	Australia, Western Australia, Port Hedland. Low tide.	
	France, Brittany.	
	Southeast Spain, San José.	
	Sri Lanka, Eastern Province, Trincomalee, Dutch Point.	
	Thailand, Changwat Phuket (province), Phuket (island).	
	Australia, Western Australia, Pilbara (region), Point Samson. Litoral.	
	Philippines.	
	Philippines, Bohol (province), Calituban Island, night dive, 20-25 m deep. 15 mm	
	Philippines, Luzon, Tayabas Bay. From fisherman. 18 mm - 20 mm	
	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	
	Philippines, Visayas (region), Samar (island).	
	Tanzania, Zanzibar, Uroa. East Africa. Indian Ocean. On sand.	
	Tanzania, Zanzibar. East Africa. Indian Ocean.	
	Tanzania, Zanzibar, Kizimkazi. Low tide, in sandpockets.	
	Philippines, Central Visayas (region), Bohol (island).	
	Madagascar, Toliara (Tulear). East Africa. Indian Ocean. From fishermen.	
	Philippines, Sulu Archipelago, Jolo (island). Sulu Sea. 45 mm	
	Seychelles, W. coast Mahé Island, Anse Boilean Bay. Low tide, muddy sand.	
	Indonesia, Greater Sundra Islands, East Java (province), Madura Island.	
	Philippines, Luzon (island), Manila Bay.	
	Thailand, Changwat Phuket (province), Phuket (island).	
	Philippines, Bicol Region, Masbate Island.	
	Indonesia, South Sulawesi, Pabbiring Archipel, off Ujung Pandang.	
	Philippines, Cebu (province), Olanga Island. Night dive, 8-15 metres deep.	
	Madagascar, Anosy Region, Fort Dauphin. East Africa. Indian Ocean.	

		Price Range
Harpa cabriti Lamarck, 1816.	Tanzania, Zanzibar. East Africa. Indian Ocean.	€ 10,00
Harpa cabriti Lamarck, 1816.	Madagascar, Toliara (Tulear) region. East Africa. Collected by local.	€ 9,00 t/m € 12,50
Harpa cabriti Lamarck, 1816. Special colour.	Madagascar Island. East Africa. Indian Ocean.	€ 7,50
Morum cancellatum (Sowerby, 1824).	Taiwan. East China Sea.	€ 6,50
Harpa davidis Röding, 1798.	India, Tamil Nadu (state), Tuticorin. Trawled by local fisherman.	€ 9,00
Harpa davidis Röding, 1798.	India, Tamil Nadu (state), Cuddalore. Bay of Bengal. Collected by a diver.	€ 8,50
Harpa doris Röding, 1798.	Cape Verde.	€ 5,00
Morum grande (A. Adams, 1855).	Philippines, N. Mindanao, N. of Dipolog, Aliguay Island. 340 metres deep. 55 mm	€ 17,00
Morum grande (A. Adams, 1855).	Taiwan, south-west. South China Sea.	€ 10,00 t/m € 19,00
Morum grande (A. Adams, 1855).	Japan, southern Japan.	€ 16,00
Morum grande (A. Adams, 1855).	Philippines.	€ 8,00
Harpa harpa L., 1758.	Philippines, Bicol Region, Masbate Island.	€ 10,00
Harpa harpa L., 1758.	Philippines, Sulu (province), Siasi. Sulu Sea. During low tide in sand.	€ 4,50
Harpa harpa L., 1758.	Philippines, Siasi Island, Laminusa Island. Sulu Sea. From divers, shallow 42 mm	€ 10,00
Harpa harpa L., 1758.	Indonesia, Moluccas Islands, Banda Sea.	€ 5,00 t/m € 8,00
Harpa harpa L., 1758.		€ 9,50
Harpa harpa L., 1758.	Philippines, Batayan Island. Found by diver on reef, 10 metres deep.	€ 5,00
Harpa harpa L., 1758.	Philippines, Sulu (province), Siasi Island. Sulu Sea.	€ 7,50
Morum kurzi Petuch, 1979.	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 2,50
Harpa major Röding, 1798.	Philippines, Mindanao (island), Zamboanga.	€ 7,00
Harpa major Röding, 1798.	Madagascar, Toliara (Tulear), south-west coast. In shallow water.	€ 4,50 t/m € 6,50
Harpa major Röding, 1798.	Taiwan. East China Sea.	€ 2,50
Morum oniscus (L., 1767).	Bahamas, New Providence, Lyford Cay. Dead on beach.	€ 0,70
Morum oniscus (L., 1767).	Dominican Republic, Puerto Plata province, Playa Dorada. Dead.	€ 0,80
Morum tuberculosum (Reeve, 1842).	Mexico, Baja California Sur, Mulegé. Gulf of California. Dead, littoral.	€ 4,00
Morum tuberculosum (Reeve, 1842).	Panama, Gobernadora Island, extreme low tide in muddy sand.	€ 7,50
Morum watanabei Kosuge, 1981.	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 5,00
Hemidonacidae		
Hemidonax pictus (Tyron, 1870).	Australia, Central Queensland. Trawled.	€ 2,50
Hiatellidae		
Panopea abbreviata Valenciennes, 1839.	Argentina, Rio Negro Prov., San Antonio Este. Dived 10 m.	€ 5,00
Hydatinidae		
Hydatina albocincta (v.d. Hoeven, 1839).	Philippines.	€ 6,25
Hydatina albocincta (v.d. Hoeven, 1839).	Philippines, Mindanao (island), Zamboanga.	€ 5,00

Hydatina amplustre (L., 1758).

Hydatina amplustre (L., 1758).

Hydatina physis (L., 1758).

Hydrobiidae

Hydrobia acuta (Draparnaud, 1805).

Hydrobia ulvae (Pennant, 1777).

Hydrobia ulvae (Pennant, 1777).

Isognomonidae

Isognomon alatus (Gmelin, 1791).

Isognomon alatus (Gmelin, 1791).

Isognomon isognomum (L., 1758).

Isognomon isognomum (L., 1758).

Isognomon recognitus (Mabille, 1895).

Janthinidae

Janthina globosa Swainson, 1822.

Janthina globosa Swainson, 1822.

Janthina janthina (L., 1758).

Janthina janthina (L., 1758).

Janthina janthina (L., 1758).

Janthina janthina (L., 1758).

Janthina janthina (L., 1758).

Janthina janthina (L., 1758).

Janthina janthina (L., 1758).

Janthina janthina (L., 1758).

Janthina pallida Harvey in Thompson, 1840.

Lamellariidae

Velutina velutina (O.F. Müller, 1776).

Velutina velutina (O.F. Müller, 1776).

Velutina velutina (O.F. Müller, 1776).

Lasaeidae

Lasaea rubra (Montagu, 1803).

Laternulidae

Laternula anatina (L., 1758).

Limidae

Madagascar, Anosy Region, Tôlanaro (Fort Dauphin). Indian Ocean.

Madagascar, Anosy Region, Tôlanaro (Fort Dauphin). Indian Ocean.

Philippines, Visayas (region), Samar (island).

Tunisia. Gulf of Tunis, Mediterranean Sea.

The Netherlands, Groningen, Delfzijl, Eemshaven, Spoelhoek I.

The Netherlands, Schiermonnikoog. Paal 2.

USA, Florida Keys.

Curaçao, Spaanse Water, Lesser Antilles Islands.

Thailand, Changwat Phuket (province), Phuket (island).

Australia, Western Australia, Broome. Alive, littoral zone under stones.

Mexico, Bay of California, Mulegé. Under stones.

Australia.

Kenya, Mombasa, Lyali beach. East Africa. Live by low water line.

Madagascar, Sainte-Marie. East side of island. East Africa. Indian Ocean.

Kenya, Mombasa, Lagoon Reef, Diana Beach. Collected live.

South Africa, Jeffrey's Bay.

Australia, W.A., Cape Leeuwin, Augusta, washed ashore after storms.

Australia.

South Africa, Cape Province, False Bay, between Muizenberg and Fishoek.

Thailand, Ko Samui. Gulf of Thailand.

France, Vildé-la-Mavine. In tide line.

France, Brittany, Les Rosaires.

France, Brittany, Saint-Jacut-de-la-Mer. Off shore.

France, Brittany, Ille-et-Vilaine (departement), Dinard.

Australia, Western Australia, Broome. Dead on mudflats.

Price Range

€ 4,50

€ 9,50

€ 2,50 t/m € 3,50

€ 0,50

€ 2,50

€ 0,80

€ 2,00

€ 1,50 t/m € 3,00

€ 1,00 t/m € 2,00

€ 1,50 t/m € 2,50

€ 1,00 t/m € 2,20

€ 1,50

€ 4,00

€ 2,50

€ 3,00 t/m € 5,00

€ 2,00

€ 3,00 t/m € 5,00

€ 0,50

€ 6,50

€ 3,30

€ 3,00 t/m € 4,50

€ 1,00 t/m € 2,00

€ 1,00

€ 0,40

€ 1,00

€ 1,80

€ 6,00

Lima caribaea Orbigny, 1853.
 Acesta rathbuni (Bartsch, 1913).
 Lima scabra f. tenera Sowerby, 1843.
 Lima vulgaris (Link, 1807).
 Lima vulgaris (Link, 1807).
 Lima vulgaris (Link, 1807).
 Lima vulgaris (Link, 1807).

Limopsidae

Limopsis tokaiensis Yokoyama, 1910.
 Limopsis tokaiensis Yokoyama, 1910.

Littorinidae

Littorina brevicula (Philippi, 1844).
 Tectarius coronatus Valenciennes, 1832.
 Tectarius coronatus Valenciennes, 1832.
 Echininus cumingi spinulosus (Philippi, 1847).
 Echininus cumingi spinulosus (Philippi, 1847).
 Littorina fasciata Gray, 1839.
 Littorina littorea (L., 1758).
 Littorina littorea (L., 1758).
 Littorina littorea (L., 1758).
 Littorina littorea (L., 1758).
 Nodilittorina millegrana (Philippi, 1848).
 Nodilittorina millegrana (Philippi, 1848).
 Tectarius muricatus (L., 1758).
 Tectarius muricatus (L., 1758).
 Tectarius muricatus (L., 1758).
 Tectarius muricatus (L., 1758).
 Bembicium nanum (Lamarck, 1822).
 Bembicium nanum (Lamarck, 1822).
 Echininus nodulosus (Pfeiffer, 1839).
 Littorina obtusata f. citrina Dautzenberg & Fischer, 1915.
 Littorina obtusata (L., 1758).
 Littorina obtusata f. olivacea Dautzenberg & Fischer, 1915.
 Littorina obtusata f. olivacea Dautzenberg & Fischer, 1915.
 Tectarius pagodus (L., 1758).

USA, Florida.
 Philippines, Central Visayas (region), Cebu (island).
 USA, Florida.
 Japan, Honshu (island), Chiba Prefecture, Bōsō Peninsula. 20 metres deep.
 Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.
 Thailand, Phuket (island), Raya Island. 25-30 metres deep.
 Philippines, Central Visayas (region), Bohol (island).

Japan, Honshu (island), Aichi pref., off Mikawa. 80-100 fathoms deep.
 Japan, Honshu (island), Aichi Prefecture, Mikawa. 50-80 fathoms deep.

Japan, Honshu (island), Mei Prefecture, Toba. € 0,70
 Philippines, Central Visayas (region), Bohol (island). € 1,50
 Philippines. € 1,30
 Philippines, Central Visayas (region), Cebu (island). € 0,80
 Philippines, Sulu Archipelago, Siasi Island. Sulu Sea. € 0,20
 Panama, Gulf of Panamá, San Carlos. On mangrove roots. € 0,50
 The Netherlands, Zeeland, Yerseke. € 0,30
 France, Brittany, Côtes-d'Armor (department), Erquy. € 0,50
 France, Brittany. € 0,25
 France, Brittany. € 1,00
 Japan, Aitsu. € 0,10
 Japan, Honshu (island), Wakayama Prefecture, Shirahama. € 0,20
 Bahamas, Green Turtle Cay (island). € 0,70
 USA, Florida, Key Largo, Harris Harris Park. On rocks. € 0,40
 USA, Florida, Caribbean. € 0,50
 Panama, Isla Margarita (Colon), live on stones & mangroves. € 0,70
 Australia, Queensland, Gladstone Region, Agnes Waters. € 0,50
 Australia, Queensland, Great Keppel Island. € 40,00
 USA, Florida, Fishing Pier, Boca Raton, Dear Field Beach. € 0,50
 France, Brittany, Saint-Jacut-de-la-Mer. € 0,30
 France, Brittany, Saint-Jacut-de-la-Mer. € 0,30
 France, Brittany, Les Rosaires. € 0,30
 France, Brittany, Quiberon, Pointe du Conguel. Intertidal. 7 mm € 0,80
 Indonesia, Greater Sundra Islands, East Java (province), Madura Island. € 2,00 t/m € 3,00

Price Range

€ 2,80
 € 6,00 t/m € 9,00
 € 2,00
 € 3,00
 € 1,00 t/m € 4,50
 € 1,00 t/m € 2,80
 € 1,50 t/m € 6,00

		Price Range
Littoraria pallescens (Philippi, 1846).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,00
Lacuna pallidula (da Costa, 1778).	France, Brittany, Saint-Malo.	€ 1,30
Littorina planaxis Philippi, 1847.	Mexico. Gulf of California, Punta Banda.	€ 0,30
Littorina punctata (Gmelin, 1791).	Spain, Valencian Community, Province of Alicante, Alicante.	€ 0,30
Littorina punctata (Gmelin, 1791).	Morocco, Marrakesh-Tensift-El Haouz, Essaouira.	€ 0,10
Nodilittorina pyramidalis (Quoy & Gaimard, 1833).	Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.	€ 1,80
Littorina saxatilis (Olivi, 1792).	France, Brittany, Côtes-d'Armor (department), Erquy.	€ 0,30
Littorina saxatilis (Olivi, 1792).	France, Brittany, Saint-Jacut-de-la-Mer.	€ 0,20
Littorina saxatilis (Olivi, 1792).	The Netherlands, Zeeland, Tholen.	€ 0,20
Littorina saxatilis (Olivi, 1792).	France, Charente-Maritime (department), Fouras.	€ 0,20
Littorina saxatilis (Olivi, 1792).	France, Brittany, Côtes-d'Armor (department), Tréburden.	€ 0,20
Littorina saxatilis (Olivi, 1792).	France, Brittany, Saint-Jacut-de-la-Mer.	€ 0,20
Littorina scabra angulifera (Lamarck, 1822).	Panama, Isla Margarita (Colon), Caribbean, live on mangroves.	€ 0,40
Littorina scabra scabra (L., 1758).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,00
Littorina scabra scabra (L., 1758).	Indonesia, West Papua (province), Manokwari.	€ 1,00
Littorina sitkana Philippi, 1846.	S.E. Alaska, Baranof Island, W. Sitka, W. Japonsky Island. 1.6' tide.	€ 1,50
Nodilittorina tuberculata (Menke, 1828).	The Grenadines Islands, Windward Islands, Caribbean.	€ 0,80 t/m € 1,80
Littorina unifasciata unifasciata Gray, 1826.	Australia, New South Wales, Sydney, Clovelly.	€ 1,00
Littorina zebra Donovan, 1825.	Panama (South), Pacific.	€ 4,00
Littorina ziczac (Gmelin, 1791).	The Grenadines Islands, Windward Islands, Caribbean.	€ 1,50
Lottiidae		
Patelloida saccharina (L., 1758).	Japan, Honshu (island), Wakayama Prefecture, Nada. At low tide.	€ 0,30
Patelloida saccharina (L., 1758).	Philippines.	€ 0,30
Lucinidae		
Anodontia alba Link, 1807.	USA, Florida.	€ 1,00
Anodontia alba Link, 1807.	Aruba, Malmok, Lesser Antilles Islands, between seaweed and sand.	€ 1,30
Loripes clausus (Philippi, 1894).	South Africa, Western Cape Province, Plettenberg Bay.	€ 1,20
Loripes clausus (Philippi, 1894).	South Africa, Mosselbaai.	€ 0,70
Divaricella dentata (Wood, 1815).	Jamaica, Ocho Rios.	€ 2,00 t/m € 2,50
Anodontia edentula (L., 1758).	Thailand, Changwat Phuket (province), Phuket (island).	€ 3,00
Anodontia edentula (L., 1758).	Mauritius, Ile aux Cerfs. Indian Ocean.	€ 1,50
Loripes lucinalis (Lamarck, 1818).	France, Brittany, Saint-Jacut-de-la-Mer.	€ 0,20
Loripes lucinalis (Lamarck, 1818).	Tunisia, Monastir.	€ 0,30
Codakia orbicularis (L., 1758).	USA, Florida, Key West.	€ 2,00 t/m € 2,50
Codakia paytenorum (Iredale, 1937).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,50 t/m € 2,50

		Price Range
Lucina pectinata (Gmelin, 1791).	East Mexico, Yucatan, Mujeres Island. Dived, 5 m, muddy sand.	€ 5,50
Lucina pectinata (Gmelin, 1791).	Venezuela, Isla Margarita.	€ 1,00
Linga pensylvanica (L., 1758).	The Grenadines Islands, Windward Islands, Caribbean.	€ 1,00 t/m € 1,30
Linga pensylvanica (L., 1758).	Bahamas, Green Turtle Cay (island).	€ 1,30 t/m € 1,80
Linga pensylvanica (L., 1758).	Bahamas, Eleuthera Island.	€ 1,00 t/m € 2,00
Linga pensylvanica (L., 1758).	USA, Florida, Upper Harbour Key.	€ 1,70
Codakia punctata (L., 1758).	Australia, Queensland. Northern coast.	€ 1,80
Codakia tigerina (L., 1758).	Kenya, Mombasa Reef. East Africa. Indian Ocean.	€ 0,80
Codakia tigerina (L., 1758).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,00 t/m € 3,00
Codakia tigerina (L., 1758).	Tanzania, Zanzibar. East Africa. Indian Ocean.	€ 0,80 t/m € 1,00
Codakia tigerina (L., 1758).	Solomon Islands. Pacific Ocean.	€ 2,50
Mactridae		
Spisula aequilateralis (Deshayes, 1854).	New Zealand, North Island, Nelson Beach.	€ 2,50
Mactra antecedens Iredale, 1930.	Australia, New South Wales, south of Sydney, Cronulla.	€ 1,60
Mactra australis Lamarck, 1819.	Australia, South Australia, Point Sinclair.	€ 1,30
Mactra australis Lamarck, 1819.	Australia, South Australia, Adelaide.	€ 1,30
Mactra cumingii Reeve, 1854.	Australia, W.A., Fremantle, Cockburn Sound. 25 metres deep.	€ 5,00
Rangia cuneata (Sowerby, 1831).	USA, Florida.	€ 3,00
Rangia cuneata (Sowerby, 1831).	USA, North Carolina. Atlantic Ocean.	€ 3,50
Spisula discors (Gray, 1837).	New Zealand, Auckland, off Long Bay. On beach after storm.	€ 3,00
Longimactra elongata (Quoy & Gaimard, 1835).	New Zealand, Auckland, Waiheke Island, Oneroa Beach. In sand. 95 mm	€ 7,50
Mactrotoma explanata (Reeve, 1854).	Australia, Queensland, Cardwell.	€ 1,00 t/m € 2,00
Mactra fragilis Gmelin, 1791.	Venezuela, Isla Margarita, Guayacancito.	€ 1,00
Mactra fragilis Gmelin, 1791.	Venezuela, Margarita Island, Porlamar region. Scuba, 3 metres deep. 37 mm	€ 3,00
Mactra glabrata L., 1767.	Cape Verde, Santiago, Tarrafal Bay. About 8 m deep on sand.	€ 1,50
Mactra glauca (Born, 1778).	France, Brittany, near Ploubazlanec. In sand at low tide. 80 mm - 95 mm	€ 4,00 t/m € 7,00
Mactra glauca (Born, 1778).	France, Brittany, Côtes-d'Armor (department), Tréburden.	€ 3,00 t/m € 7,00
Mactra isabelleana Orbigny, 1846.	Uruguay, La Coronilla.	€ 2,00
Mactra isabelleana Orbigny, 1846.	Argentina, Chubut, Golfo San Marias. Dived at 5 metres on sand.	€ 1,30
Mactra lilacea Lamarck, 1818.	Egypt, Ras Gemsa. Red Sea.	€ 2,00
Mactra lilacea Lamarck, 1818.	Egypt, South Sinai, Dahab. Gulf of Aqaba. Shallow water, on muddy bottom.	€ 2,00
Mactra lilacea Lamarck, 1818.	Egypt, Dahab, Sinai, 80 km N. of Sharm El Sheikh. Live, sand, littoral.	€ 0,80
Mactra lilacea Lamarck, 1818.	N. Oman, Batinah coast. In sand in shallow water.	€ 1,30
Mactra lilacea Lamarck, 1818.	Egypt, South Sinai, Dahab. Gulf of Aqaba.	€ 1,00
Lutraria lutraria (L., 1758).	France, Brittany, Côtes-d'Armor (department), Tréburden.	€ 3,00

		Price Range
Lutraria lutraria (L., 1758).	France, Brittany, Saint-Jacut-de-la-Mer.	€ 2,50
Lutraria lutraria (L., 1758).	France, Brittany, Morbihan (department), Carnac.	€ 1,30
Lutraria lutraria (L., 1758).	S. Portugal, Algarve (region), S. of Lagos, Maya Playa. On beach.	€ 0,50 t/m € 0,80
Mactra luzonica Reeve, 1854.	Thailand, Krabi Province, Koh Lanta Yai (island), Koa Kwang Beach.	€ 0,50 t/m € 0,80
Mactra luzonica Reeve, 1854.	Malaysia, Terengganu (state), Merang.	€ 1,00
Mactra luzonica Reeve, 1854.	Thailand, Changwat Phuket (province), Phuket (island), Chalong Bay.	€ 0,50
Mactra luzonica Reeve, 1854.	Gulf of Thailand, Ban Hua Hin.	€ 0,80
Tresus nuttalli Conrad, 1837.	USA, California, Ventura County, Mugu Bay.	€ 2,50
Mactra olorina Philippi, 1846.	Egypt, South Sinai, Dahab. Gulf of Aqaba. Shallow water, in mud.	€ 1,30
Mactra pura Reeve, 1854.	Australia, South Australia, Port Adelaide.	€ 2,00
Mactra pura Reeve, 1854.	Australia, Western Australia, Dunsborough. In sand, 30 feet deep.	€ 1,80
Lutraria rhynchaena Jonas, 1844.	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 2,00
Mactra rufescens Lamarck, 1819.	Australia, Tasmania, Stanley, intertidal, in sand.	€ 1,80 t/m € 2,30
Mactra rufescens Lamarck, 1819.	Australia, N.S.W., Twofold Bay, Boyds Beach. Collected on the beach.	€ 3,00
Spisula solida (L., 1758).	North Sea, Terschelling Vuurschip, HD7.	€ 0,80
Spisula solida (L., 1758).	The Netherlands, Texel Island. Near the coast.	€ 0,80
Spisula solida (L., 1758).	France, Brittany, Saint-Lunaire.	€ 0,50
Spisula solidissima (Dillwyn, 1817).	USA, New Jersey, Monmouth County, Middletown Township, Sandy Hook.	€ 2,00 t/m € 3,00
Mactra stultorum (L., 1758).	France, Brittany, Les Rosaires.	€ 0,80
Mactra stultorum (L., 1758).	France, Brittany, Finistère (department), Point Penmarc'h.	€ 0,40 t/m € 0,50
Mactra stultorum (L., 1758).	Greece, Marathón beach. 1-1½ metres deep.	€ 0,30
Mactra stultorum (L., 1758).	Spain, Province of Málaga, Fuengirola. Fishery.	€ 0,20
Spisula subtruncata (da Costa, 1778).	The Netherlands, Scheveningen.	€ 0,40
Spisula subtruncata (da Costa, 1778).	Belgium, Westende-Bad. North Sea. In tidal pools, low tide, in heavy wind.	€ 0,25
Spisula subtruncata (da Costa, 1778).	The Netherlands, Schiermonnikoog. Paal 15.	€ 0,30
Spisula trigonella (Lamarck, 1819).	Australia, Western Australia, Swan River.	€ 1,00
Malleidae		
Malleus albus Lamarck, 1819.	Australia, Queensland, Kurrimine Beach. 1 m. deep, in mud.	€ 4,00
Malleus malleus (L., 1758).	Japan, Kagoshima Prefecture, Amami Islands.	€ 6,00
Malleus meridianus Cotton, 1930.	Australia, Western Australia, Rockingham. Live on beach after storm.	€ 3,00
Vulsella minor Röding, 1798.	Australia, New South Wales, Shoalhaven City, Ulladulla.	€ 2,50
Marginellidae		
Glabella adansonii (Kiener, 1834).	Senegal, Dakar Region, Dakar, Hann Bay (beach). West Africa.	€ 3,50 t/m € 6,50
Cryptospira angustata (Sowerby, 1846).	Singapore.	€ 2,00
Cryptospira angustata (Sowerby, 1846).	Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.	€ 1,30

		Price Range
Cryptospira angustata (Sowerby, 1846).	Singapore.	€ 4,50
Cryptospira angustata (Sowerby, 1846).	Sri Lanka.	€ 3,50
Cryptospira angustata (Sowerby, 1846).	India, Tamil Nadu (state), Rameswaram. Gulf of Mannar.	€ 1,50 t/m € 4,00
Prunum apicinum (Menke, 1828). Tube.	USA, Florida, Fort Myers. Some found alive.	€ 4,00
Prunum apicinum (Menke, 1828).	USA, Florida.	€ 1,30
Volvarina avena (Kiener, 1834).	Panama, Bay of Porto Bello.	€ 1,80
Bullata bullata (Born, 1778).	Brazil, Pará, Belém. Fished.	€ 4,50
Prunum cinctum (Kiener, 1834).	Senegal, Cap-Vert, N'Gor Island, Pointe des Almadies. Fishing harbour.	€ 1,00
Marginella desjardini Marche-Marchad, 1957.	Ivory Coast, Lagunes Region, Abidjan. Bought from local fisherman.	€ 5,00
Marginella desjardini Marche-Marchad, 1957.	Senegal. West Africa. Atlantic Ocean. 100 metres deep.	€ 15,00
Marginella desjardini Marche-Marchad, 1957.	Senegal. West Africa. Atlantic Ocean.	€ 6,50
Marginella desjardini Marche-Marchad, 1957.	Senegal. West Africa. Atlantic Ocean.	€ 3,80 t/m € 11,50
Marginella desjardini Marche-Marchad, 1957.	Senegal, Cap-Vert, N'Gor, Pointe des Almadies. Alive on beach, low tide.	€ 2,50
Cryptospira elegans (Gmelin, 1791).	Thailand, Changwat Phuket (province), Phuket (island).	€ 6,00 t/m € 8,00
Cryptospira elegans (Gmelin, 1791).	Thailand, Phuket.	€ 3,50
Marginella glabella (L., 1758).		€ 1,00
Marginella glabella (L., 1758).	Spain, Canary Islands.	€ 4,50
Marginella glabella (L., 1758).	Spain, Canary Islands, Lanzarote, Arrecife.	€ 1,50
Marginella glabella (L., 1758).	Senegal, N'Gor. West Africa. Atlantic Ocean.	€ 3,80
Marginella glabella (L., 1758). B quality.	Senegal, Casamance. West Africa. Atlantic Ocean.	€ 1,00
Prunum guttatum (Dillwyn, 1817).	Panama, Panama, San Blas Islands.	€ 2,50
Prunum guttatum (Dillwyn, 1817).	Venezuela, Falcón, Paraguaná Peninsula.	€ 2,00
Marginella irrorata Menke, 1828.	Senegal, Petite Côte, near Dakar. West Africa. Trawled at 30 metres.	€ 8,50
Prunum labiatum (Kiener, 1841).	Mexico, Yucata, El Cuyo, Gulf of Mexico. Fished.	€ 3,50
Bullata lilacina (Sowerby, 1846).	Brazil, Ceará, Camocim. Collected on octopus pots at 20-25 metres deep.	€ 4,25
Bullata lilacina (Sowerby, 1846).	Brazil, Rio Grande do Norte, off Natal. On sand, 6 metres deep.	€ 5,00
Cryptospira mabellae (Melvill & Standen, 1901).	India, Tamil Nadu (state), Tuticorin.	€ 3,00
Prunum marginata (Born, 1778).	Caribbean Sea.	€ 1,50 t/m € 2,00
Prunum marginata (Born, 1778).	Aruba, Malmok, Lesser Antilles Islands.	€ 2,30
Bullata matthewsi van Mol & Tursch, 1967.	Brazil, Ceará, Camocim. Collected on octopus at 25-35 metres.	€ 4,00
Gibberula miliaria (L., 1758).	Spain, Andalusia (region), Province of Málaga, Marbella, Calypso.	€ 1,50
Austroginella muscaria (Lamarck, 1822). Tube.	Australia, New South Wales, Eden, Aslings Beach.	€ 3,00
Marginella ornata Redfield, 1870.	South Africa, Ciskei.	€ 4,50
Marginella piperata Hinds, 1844.	South Africa, False Bay.	€ 3,00
Marginella rosea Lamarck, 1822.	South Africa, Eastern False Bay, Cape Hangklip. In sand at low water.	€ 6,00

		Price Range
Marginella rosea Lamarck, 1822.	South Africa, Western Cape, Cape Agulhas. Fished.	€ 3,00
Prunum sapotilla (Hinds, 1844).	Venezuela, Caracas (provincie), Calabozo (stad).	€ 0,50
Prunum sapotilla (Hinds, 1844).	Panama. Pacific Ocean.	€ 1,50
Marginella sebastiani Marche & Rosso, 1979.	Senegal. West Africa. Atlantic Ocean. 100 metres deep.	€ 15,00
Marginella sebastiani Marche & Rosso, 1979.	Senegal, Thiès Region, Kayar. West Africa.	€ 3,80 t/m € 4,80
Marginella sebastiani Marche & Rosso, 1979.	Senegal. West Africa. Atlantic Ocean.	€ 5,00
Marginella sebastiani Marche & Rosso, 1979.	Senegal, Cayar. West Africa. Atlantic Ocean. 100 metres deep.	€ 6,50
Cryptospira strigata (Dillwyn, 1817).	Malaysia, Langkawi (archipelago), Langkawi Island, Tanjung Rhu.	€ 6,00
Cryptospira strigata (Dillwyn, 1817).	Malaysia, Langkawi Island, Tanjung Rhu, beach.	€ 2,00 t/m € 3,00
Cryptospira tricincta (Hinds, 1844).	Taiwan. East China Sea.	€ 2,00
Cryptospira tricincta (Hinds, 1844).	Thailand, Changwat Prachuap Khiri Khan, Ban Hua Hin. Gulf of Thailand.	€ 2,50
Cryptospira ventricosa (von Waldheim, 1807).	Singapore.	€ 1,00
Cryptospira ventricosa (von Waldheim, 1807).	Malaysia, Langkawi (archipelago), Langkawi Island. Andaman Sea.	€ 2,00
Cryptospira ventricosa (von Waldheim, 1807).	Indonesia, Greater Sundra Islands, East Java (province), Madura Island.	€ 2,50
Melongenidae		
Syrinx aruanus (L., 1758). Juvenile.	Australia, Western Australia, Port Hedland.	€ 10,00
Syrinx aruanus (L., 1758).	Papua New Guinea.	€ 40,00 t/m € 65,00
Busycon canaliculatum (L., 1758).	USA, NE Florida. Trawled.	€ 3,00 t/m € 7,00
Busycon carica eliceans (Montfort, 1810).	USA, Florida.	€ 4,50 t/m € 7,50
Pugilina cochlidium (L., 1758).	India, Tamil Nadu (state), Madras [Chennai].	€ 4,00
Pugilina cochlidium (L., 1758). night, at low tide line.	Malaysia, Borneo, Sarawak, Bako National Park, Headquarters. Live, at	€ 3,50
Pugilina cochlidium (L., 1758).	Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.	€ 1,80
Pugilina cochlidium (L., 1758).	Sri Lanka, Southern Province, Koggala.	€ 1,50
Pugilina cochlidium (L., 1758).	Philippines.	€ 4,00
Hemifusus colosseus (Lamarck, 1816).	Taiwan. Fished.	€ 10,00
Busycon contrarium (Conrad, 1840).	USA, Florida, Big Pine Key.	€ 2,00 t/m € 3,50
Busycon contrarium (Conrad, 1840). Juvenile.	USA, Florida, Gulf of Mexico, Boca Grande.	€ 1,30 t/m € 1,80
Busycon contrarium (Conrad, 1840).	USA, Florida, Boca Ciega Bay. On grass flats in shallow water.	€ 2,00 t/m € 7,00
Melongena corona bicolor (Say, 1827).	USA, Florida, Miami. Minus tides, on exposed mud flats.	€ 0,80 t/m € 1,30
Melongena corona corona (Gmelin, 1791).	USA, NW Florida. Alive in mangrove area.	€ 0,50 t/m € 2,50
Melongena corona corona (Gmelin, 1791).	USA, Florida, Marco Island, minus low tide, sand and grass flats.	€ 1,50 t/m € 6,50
Melongena corona corona (Gmelin, 1791).	USA, Florida.	€ 4,00 t/m € 5,00
Melongena corona corona (Gmelin, 1791).	USA, Florida.	€ 0,75 t/m € 4,50
Melongena melongena (L., 1758).	Cuba, about 5 km. East of Guardalavaca. In mud near mangrove.	€ 3,00 t/m € 4,50
Melongena melongena (L., 1758).	Panama, San Blas Archipel, Rio Azucar, Caribbean, tide line.	€ 1,00 t/m € 1,80

Pugilina morio (L., 1758).
 Pugilina morio (L., 1758).
 Volema myristica Röding, 1798.
 Volema myristica Röding, 1798.
 Volema paradisiaca Röding, 1798.
 Volema paradisiaca Röding, 1798.
 Volema paradisiaca Röding, 1798.
 Volema paradisiaca nodosa (Lamarck, 1822).
 Busycon spiratum (Lamarck, 1816).
 Busycon spiratum (Lamarck, 1816).
 Busycon spiratum (Lamarck, 1816).
 Busycon spiratum (Lamarck, 1816).
 Hemifusus ternatanus (Gmelin, 1791).
 Hemifusus ternatanus (Gmelin, 1791).

Mesodesmatidae

Paphies australis (Gmelin, 1790).
 Caecella chinensis Deshayes, 1855.
 Paphies cuneata (Lamarck, 1818).
 Mesodesma donacium (Lamarck, 1818).
 Mesodesma donacium (Lamarck, 1818).
 Paphies elongata (Reeve, 1854).
 Mesodesma mactroides Deshayes, 1854.
 Paphies striata (Gmelin, 1791).
 Paphies striata (Gmelin, 1791).
 Paphies striata (Gmelin, 1791).
 Paphies subtriangulata subtriangulata (Wood, 1828).

Mitridae

Mitra acuminata Swainson, 1824.
 Mitra ambigua Swainson, 1829.
 Mitra aurantia (Gmelin, 1791).
 Mitra aurantia (Gmelin, 1791).
 Ziba bacillum (Lamarck, 1811).
 Subcancilla calodinota (Berry, 1960).
 Mitra cardinalis (Gmelin, 1791).
 Mitra cardinalis (Gmelin, 1791).

Brazil, Bahai (state), Itaparica. Atlantic Ocean.
 Brazil, Alagoas, Maragogi. From a local fisherman.
 Eritrea, off Massawa, Dahlak Archipelago. S. Red Sea.
 Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.
 Tanzania. East Africa. Indian Ocean.
 Tanzania, Zanzibar. East Africa. Indian Ocean
 Tanzania, Zanzibar. East Africa. Indian Ocean.
 Egypt, Safaga. Red Sea.
 USA, Florida, Gulf of Mexico, Sanibel Island. In sand.
 USA, Florida, Marco Island. Mud flats.
 USA, Florida, off Chokoloskee. On sand and mud flats, low tide.
 USA, Florida, off Chokoloskee. On sand and mud flats, low tide.
 Indonesia, West Java (province).
 Philippines.

New Zealand, North Island, Ninety Mile Beach.
 Japan, Honshu (island), Fukushima Prefecture, Tomioka.
 Australia, Queensland, Great Barrier Reef, Heron Island.
 Chile, Tarapacá Region, Iquique, Playa Aguila.
 Chile, Tarapacá Region, Iquique, Playa Aguila.
 South Australia, Henley Beach.
 Argentina, Mar del Plata, Punta Mogotes. Dived, on sand, ebb.
 Indonesia, West coast Sumatra, Padang.
 Philippines.
 Indonesia, Bali (province), Bali (island).
 New Zealand, Auckland, Brown's Bay. Buried in sand, low tide.

Philippines, Bohol (province), close to Panglao Island, Balicasag Island. € 2,00
 Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep. € 2,50 t/m € 5,00
 Philippines, Bohol (province), close to Panglao Island, Balicasag Island. € 1,80
 South-west Pacific. € 2,00
 Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep. € 1,00
 Panama, Bay of Panama. Gulf of Panama. Dredged at 250 metres deep. € 5,00 t/m € 7,00
 Philippines. € 3,50
 € 4,50

Price Range

€ 0,50 t/m € 1,50
 € 5,00
 € 0,50 t/m € 1,00
 € 0,50 t/m € 1,00
 € 0,80
 € 0,50
 € 0,40
 € 1,30 t/m € 2,30
 € 5,00
 € 3,30
 € 3,80 t/m € 5,50
 € 4,00
 € 2,00 t/m € 3,00
 € 1,80 t/m € 3,80

€ 1,00 t/m € 2,50
 € 0,30
 € 1,80
 € 4,30
 € 6,00
 € 1,30
 € 2,30
 € 1,80
 € 0,20
 € 0,50
 € 0,80 t/m € 1,30

		Price Range
Neocancilla circula (Kiener, 1838).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 2,00
Neocancilla clathrus (Gmelin, 1791).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 2,50
Neocancilla clathrus (Gmelin, 1791).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 2,00
Neocancilla clathrus (Gmelin, 1791).	Thailand, Phuket (island), Raya Island. 25-30 metres deep.	€ 1,80
Mitra contracta Swainson, 1820.	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 2,50 t/m € 4,00
Mitra contracta Swainson, 1820.	Thailand, Changwat Phuket (province), Phuket (island).	€ 1,00
Imbricaria conularis (Lamarck, 1811).	Philippines.	€ 0,50
Pterygia crenulata (Gmelin, 1791).	Philippines, Cebu (province), Caubian Island. Dived, 15-20 m deep.	€ 5,00
Pterygia crenulata (Gmelin, 1791).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,00 t/m € 2,50
Pterygia crenulata (Gmelin, 1791).	Philippines, Sulu (province), Siasi. Sulu Sea. From fisherman. 16 mm	€ 2,50
Mitra cucumerina Lamarck, 1811.	Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.	€ 1,50 t/m € 2,50
Mitra cucumerina Lamarck, 1811.	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,30
Pterygia dactylus (L., 1767).	Philippines, Bicol Region, Masbate Island.	€ 2,00
Pterygia dactylus (L., 1767).	Indonesia, Greater Sundra Islands, East Java (province), Madura Island.	€ 1,50
Mitra decurtata Reeve, 1844.	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,50 t/m € 2,00
Mitra decurtata Reeve, 1844.	Taiwan, south-west. South China Sea.	€ 1,00
Scabricola desetangsi (Kiener, 1838).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,00
Mitra eremitarum Röding, 1798.	Indonesia, Borneo, North Kalimantan, Palau Tarakan, Tarakan. Live.	€ 2,00
Mitra eremitarum Röding, 1798.	Philippines.	€ 1,00 t/m € 2,00
Mitra eremitarum Röding, 1798.	Philippines.	€ 1,80
Mitra eremitarum Röding, 1798.	Thailand, Changwat Phuket (province), Phuket (island).	€ 1,30 t/m € 1,80
Mitra eremitarum Röding, 1798.	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 0,50 t/m € 2,00
Subcancilla erythrogramma (Tomlin, 1931).	Panama, Cebaco Island. Pacific Ocean.	€ 4,50
Mitra fastigium Reeve, 1845.	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 2,50 t/m € 4,00
Mitra ferruginea Lamarck, 1811.	Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.	€ 3,00
Cancilla filaris (L., 1771).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,50
Subcancilla flammea (Quoy & Gaimard, 1833).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 3,50
Mitra fraga Quoy & Gaimard, 1833.	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 2,00
Mitra fulvescens Broderip, 1836.	Philippines, Cebu (province), Caubian Island. Dived, 15 m deep, on sand.	€ 7,50
Scabricola fusca (Swainson, 1824).	Spain, Canary Islands, Fuerteventura, Morro Jable. Live, below water mark	€ 2,00
Cancilla gloriola Cernohorsky, 1970.	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 3,00 t/m € 4,50
Cancilla gloriola Cernohorsky, 1970.	Philippines, Sulu Sea. Fished.	€ 4,00
Cancilla granatina (Lamarck, 1811).	Philippines.	€ 1,00
Cancilla granatina (Lamarck, 1811).	Indonesia, Flores (island), north of Maumere. Shallow, in sand.	€ 0,50 t/m € 1,00
Cancilla granatina (Lamarck, 1811).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,00 t/m € 2,00

		Price Range
Cancilla granatina (Lamarck, 1811).	India, Tamil Nadu (state), off Madras [Chennai]. Trawled.	€ 2,50
Cancilla granatina (Lamarck, 1811).	Philippines.	€ 2,00
Mitra imperialis Röding, 1798.	Madagascar, Anosy Region, Tôlanaro (Fort Dauphin) region. Shallow water.	€ 4,00
Mitra incompta (Lightfoot, 1786).	Mozambique, Sanculo Beach. Shallow water, low tide, in sand.	€ 12,50
Mitra incompta (Lightfoot, 1786).	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 5,00 t/m € 12,50
Mitra incompta (Lightfoot, 1786).	Tanzania, Zanzibar, Nungwi (village). East Africa. Indian Ocean.	€ 4,00 t/m € 7,50
Ziba interlirata (Reeve, 1844). Juvenile.	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 2,00
Ziba interlirata (Reeve, 1844).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 2,00 t/m € 3,50
Cancilla isabella (Swainson, 1831).	Taiwan, off southwest coast. East China Sea. Fished.	€ 4,50
Mitra lienardi Sowerby, 1874.	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 6,00
Mitra litterata Lamarck, 1811.	Taiwan, south-west. South China Sea.	€ 1,30 t/m € 1,80
Mitra luctuosa A. Adams, 1853.	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 2,50 t/m € 4,00
Ziba millepunctata Schepman, 1913.	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 2,00
Mitra mitra (L., 1758).	Philippines.	€ 4,00
Mitra mitra (L., 1758).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,50 t/m € 5,00
Mitra mitra (L., 1758).	Kenya, north of Mombasa. East Africa. Live, on coral reef.	€ 5,00
Mitra mitra (L., 1758).	Malaysia, Sabah (state), Borneo, reef off Semporna. Live in sand, on reef.	€ 7,00
Mitra mitra (L., 1758).	Madagascar, off Toliara (Tulear). East Africa. Scuba diver, shallow water.	€ 9,50
Pterygia nucea (Gmelin, 1791).	Philippines, Central Visayas, Cebu, Bantayan Island. Tangle nets, 80 m.	€ 7,00
Scabricola ocellata (Swainson, 1831).	Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.	€ 2,30
Imbricaria olivaeformis (Swainson, 1821).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 2,50
Mitra papalis (L., 1758).	Madagascar, off Toliara (Tulear). East Africa. Collected by a local.	€ 6,50
Mitra papalis (L., 1758).	Philippines, Eastern Visayas (region), Leyte (island).	€ 3,80 t/m € 6,90
Mitra papalis (L., 1758).	Tanzania, Zanzibar, Nungwi (village). East Africa. Indian Ocean.	€ 6,00
Neocancilla papilio (Link, 1807).	Philippines, Visayas (region), Samar (island).	€ 2,30 t/m € 3,30
Neocancilla papilio (Link, 1807).	French Polynesia, Society Islands, Tahiti. In sand flats.	€ 2,80
Neocancilla papilio (Link, 1807).	Mozambique, Nampula Province, Nacala. Shallow water.	€ 5,00
Neocancilla papilio (Link, 1807).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,50 t/m € 3,00
Mitra paupercula (L., 1758).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 2,50
Mitra paupercula (L., 1758).	Indonesia, Lesser Sunda Islands, Flores (island), ±5 km east of Gelinting.	€ 2,20
Mitra paupercula (L., 1758).	Japan.	€ 2,00 t/m € 6,50
Mitra pele (Cernohorsky, 1970).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 3,00 t/m € 6,00
Cancilla praestantissima (Röding, 1798).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,00
Cancilla praestantissima (Röding, 1798).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,00 t/m € 2,50
Imbricaria punctata (Swainson, 1821).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,00

		Price Range
Mitra puncticulata Lamarck, 1811.	Philippines, Sulu (province), Siasi. Sulu Sea. From fisherman.	€ 2,00 t/m € 3,00
Mitra puncticulata Lamarck, 1811.	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,50 t/m € 2,00
Mitra puncticulata Lamarck, 1811.	Philippines.	€ 2,00 t/m € 2,50
Mitra retusa Lamarck, 1811.	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,50
Mitra retusa Lamarck, 1811.	Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.	€ 2,30
Mitra retusa Lamarck, 1811.	Indonesia, Moluccas Islands, Ambon Island, Latuhalat.	€ 0,70
Mitra rubiginosa Reeve, 1844. Dived, 25-30 m.	Philippines, Central Visayas (region), Bohol (island), Calituban.	€ 7,00
Cancilla scrobiculata crosnieri Cernohorsky, 1970.	Senegal, Cap-Vert, N'Gor Island, Pointe des Almadies. Fishing harbour.	€ 2,00
Mitra scutulata (Gmelin, 1791).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 0,50 t/m € 1,50
Mitra scutulata (Gmelin, 1791).	Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.	€ 1,50 t/m € 1,80
Mitra stictica (Link, 1807).	Tanzania, Zanzibar, Bawé Island. East Africa. Indian Ocean.	€ 1,50 t/m € 2,00
Mitra stictica (Link, 1807).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,00 t/m € 2,00
Mitra stictica (Link, 1807).	Tanzania, Zanzibar, Nungwi (village). East Africa. Indian Ocean.	€ 1,00 t/m € 2,00
Mitra swainsonii Broderip, 1836.	Panama.	€ 20,00
Mitra swainsonii Broderip, 1836.	Mexico, Baja California Sur (state), Pichilique. Bay of La Paz. Fished.	€ 7,00 t/m € 12,50
Mitra tabanula Lamarck, 1811.	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,00
Mitra telescopium Reeve, 1844.	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 3,00 t/m € 5,00
Mitra ticaonica Reeve, 1844.	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 2,50
Mitra ticaonica Reeve, 1844.	Australia, Western Australia, Coral Bay. Indian Ocean.	€ 1,00 t/m € 2,00
Mitra turgida Reeve, 1845.	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 2,50
Mitra vexillum Reeve, 1844.	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 2,50

Modulidae

Modulus catenulatus (Philippi, 1849).	Costa Rica, Bahia Rineau. In mud at low tide. 11 mm	€ 4,50
Modulus disculus (Philippi, 1846).	Mexico, Baja California Sur (state), La Paz.	€ 2,80
Modulus modulus (L., 1758).	Martinique, Anse d'Arlet. In shallow water. 11 mm	€ 1,50
Modulus tectum (Gmelin, 1791).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,50
Modulus tectum (Gmelin, 1791).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,50

Muricidae

Thais aculeata Deshayes, 1844.		€ 1,50
Chicoreus aculeatus (Lamarck, 1822). Synonym: artemis.	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,30
Pterynotus alatus (Röding, 1798).	Philippines, Mindanao (island), Davao Region, Davao City.	€ 6,50 t/m € 10,00
Hexaplex angularis (Lamarck, 1822).	Senegal, Cap-Vert, N'Gor Island, Pointe des Almadies. Fishing harbour.	€ 1,00
Thais armigera (Link, 1807).	Australia, North Western Australia, Christmas Isl., dived 5-6 m. on rocks.	€ 3,00
Chicoreus axicornis (Lamarck, 1822).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,00 t/m € 2,50
Chicoreus axicornis (Lamarck, 1822).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 2,50 t/m € 3,80

		Price Range
Chicoreus axicornis (Lamarck, 1822).	Indonesia, Greater Sundra Islands, East Java (province), Madura Island.	€ 2,50
Chicoreus axicornis (Lamarck, 1822).	Philippines, Mindanao (island), Davao Region, Davao City.	€ 1,50 t/m € 2,50
Naquetia barclayi (Reeve, 1858).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 3,30 t/m € 6,00
Naquetia barclayi (Reeve, 1858).	Philippines, Bohol Island.	€ 7,50
Chicoreus beau (Fischer & Bernardi, 1857). fathoms by captain.	USA, Florida, Dry Tortugas, Riley Black. Gulf of Mexico. Dredged 80	€ 14,50
Rapana bezoar (L., 1758).	Taiwan. East China Sea.	€ 1,30
Rapana bezoar (L., 1758).	Japan, Kochi Prefecture, Mimase.	€ 3,00
Stramonita biserialis (Blainville, 1832).	USA, California, Cedros Island.	€ 1,50 t/m € 2,50
Stramonita biserialis (Blainville, 1832).	Panama, Panamá City, Punta Calafata. Pacific Ocean.	€ 0,80
Stramonita biserialis (Blainville, 1832).	Chile, Tarapacá Region, Iquique, Chorrillos beach.	€ 2,50
Murex brandaris (L., 1758).	Spain, Andalusia (region), Province of Málaga, Marbella.	€ 2,50
Murex brandaris (L., 1758).	Spain, San Carlos de la Rápita.	€ 1,00
Murex brandaris (L., 1758).	Tunisia, Djerba Island, Aghir. In and on egg capsules on beach.	€ 1,00
Murex brandaris (L., 1758).	Italy, offshore Savona. Trawled by local fishermen.	€ 4,00
Murex brandaris (L., 1758).	Greece, Lesbos, Bay of Kalloni. Live, ±1 metre deep.	€ 1,50
Murex brandaris (L., 1758).	Spain, Tarragona (province), Cambrils (city). Fished.	€ 2,00
Murex brandaris (L., 1758).	Italy, Tarente province, Castellaneta. Collected live.	€ 1,00
Murex brandaris (L., 1758).	Italy, Cosenza, Amantea. In nets, from fishermen.	€ 1,00
Murex brandaris (L., 1758).	Italy, Sardinia. Live on nets, 20 metres deep.	€ 6,50
Stramonita brasiliensis Claremont & D.G. Reid, 2011. W/O. Dwarf form.	Uruguay, Rocha Department, Punta del Diablo. Dived at 1-2 metres deep.	€ 10,00
Phyllonotus brassica (Lamarck, 1822).	Peru, Departamento de Tumbes, Puerto Pizarro. Trawled near shore.	€ 5,00 t/m € 6,50
Acanthina brevidentata (Wood, 1828).	Panama, Bay of Panamá, Boca la Caja. Pacific Ocean.	€ 1,00
Chicoreus brevifrons (Lamarck, 1822).	Aruba, Lesser Antilles Islands.	€ 10,00
Chicoreus brevifrons (Lamarck, 1822).	Curaçao, Spaanse Water, Lesser Antilles Islands.	€ 4,00
Murex brevispina macgillivrayi Dohrn, 1862.	Australia.	€ 4,00
Murex brevispina macgillivrayi Dohrn, 1862.	Australia, Western Australia, Cape Keroudren. 8 metres deep in sand. 50 mm	€ 2,50 t/m € 3,80
Murex brevispina macgillivrayi Dohrn, 1862.	Australia, Queensland, Bundaberg.	€ 2,50
Murex brevispina macgillivrayi Dohrn, 1862.	Australia, Queensland, Windy Bay.	€ 1,30 t/m € 2,30
Chicoreus brunneus (Link, 1807). Orange form.	New Caledonia. Pacific Ocean.	€ 14,00
Chicoreus brunneus (Link, 1807). Dark form.	Philippines, Central Visayas (region), Cebu (island).	€ 5,00
Chicoreus brunneus (Link, 1807).	Sri Lanka.	€ 3,00 t/m € 6,00
Chicoreus brunneus (Link, 1807).	Philippines.	€ 4,50
Chicoreus brunneus (Link, 1807).	Philippines.	€ 6,50
Chicoreus brunneus (Link, 1807).	Malaysia, Pulau Perhentian Besar (Big Perhentian Island). By dead coral.	€ 2,00
Chicoreus brunneus (Link, 1807).	Thailand, Changwat Phuket (province), Phuket (island).	€ 6,50

	Price Range
Chicoreus brunneus (Link, 1807).	€ 1,00 t/m € 2,00
Chicoreus brunneus (Link, 1807).	€ 3,00
Chicoreus brunneus (Link, 1807).	€ 1,00
Thais bufo (Lamarck, 1822).	€ 1,50 t/m € 3,00
Thais bufo (Lamarck, 1822).	€ 2,50
Thais bufo (Lamarck, 1822).	€ 5,00
Siratus cailleti (Petit de la Saussaye, 1856).	€ 9,00
Chicoreus capucinus (Lamarck, 1822).	€ 1,30
Chicoreus capucinus (Lamarck, 1822).	€ 3,30
Hexaplex cichoreum f. depressospinosus Dunker, 1869.	€ 2,80
Hexaplex cichoreum (Gmelin, 1791).	€ 2,00
Hexaplex cichoreum (Gmelin, 1791).	€ 2,00 t/m € 10,00
Hexaplex cichoreum (Gmelin, 1791).	€ 2,50
Hexaplex cichoreum (Gmelin, 1791).	€ 3,00 t/m € 5,00
Urosalpinx cinerea (Say, 1822).	€ 2,30
Nucella cingulata (L., 1771).	€ 5,00
Drupa clathrata (Lamarck, 1816).	€ 2,50
Thais clavigera (Küster, 1858).	€ 0,30
Thais clavigera (Küster, 1858).	€ 0,40
Chicoreus cnissodus (Euthyme, 1889).	€ 2,50 t/m € 7,50
Concholepas concholepas (Bruguère, 1792).	€ 15,00
Ergalatax constrictus Reeve, 1847.	€ 0,30
Siratus consuelae (Verrill, 1950).	€ 2,50
Ergalatax contracta (Reeve, 1846).	€ 1,50
Ergalatax contracta (Reeve, 1846).	€ 1,80 t/m € 2,50
Ergalatax contracta (Reeve, 1846).	€ 0,50
Drupella cornus (Röding, 1798).	€ 1,80 t/m € 2,30
Drupella cornus (Röding, 1798).	€ 0,40
Drupella cornus (Röding, 1798).	€ 1,00
Bolinus cornutus (L., 1758).	€ 8,00
Nucella crassilabrum (Lamarck, 1789).	€ 1,40
Chicoreus damicornis (Hedley, 1903).	€ 7,50
Thais deltoidea (Lamarck, 1822).	€ 2,50
Vokesimurex dentifer (Watson, 1883).	€ 1,50 t/m € 3,50
Vokesimurex dentifer (Watson, 1883). A quality.	€ 2,00 t/m € 6,00
Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	
Mayotte Island (overseas department of France), Téal. Indian Ocean.	
Indonesia, Riau Islands, Pulau Sore. Live, under dead coral, shallow.	
Philippines.	
Australia, Queensland, Sarina, Arrmstrong Beach.	
Malaysia, Johor, Big Island (Babi Besar Island). South China Sea.	
Barbados, dredged off St. James at 125 m. deep.	
Philippines.	
Australia, Queensland.	
Philippines, Palawan, Puerto Princesa.	
Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	
Philippines.	
Malaysia, Sabah (state), Borneo, off Semporna. Live in sea grass.	
Philippines, Camotes, Pacijan Islands. On coral reef, 15-22 metres deep.	
USA, Florida, Fernandina Beach.	
South Africa, Port Elizabeth area. In shallow water by diver.	
Indian Ocean.	
Japan, Honshu (island), Wakayama Prefecture, Shirahama.	
Japan, Aitsu.	
Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	
Chile.	
Japan.	
Brazil, All Saint's Bay, Itaparica Island. 5 metres deep, muddy sand.	
Philippines.	
Gulf of Thailand, Ban Hua Hin.	
Thailand, Changwat Phuket (province), Phuket (island).	
Australia, W.A., Houtman Abrolhos. On rocks between coral.	
Taiwan. East China Sea.	
Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	
Senegal. West Africa. Atlantic Ocean.	
Chile, Arica. Intertidal, in pools.	
Philippines.	
USA, Florida, Big Pine Key.	
Philippines.	
Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	

		Price Range
Murex djarianensis poppei Houart, 1979.	Thailand, Changwat Phuket (province), Phuket (island).	€ 2,50 t/m € 10,00
Vokesimurex dolichorus (Ponder & Vokes, 1988).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 2,00
Vokesimurex dolichorus (Ponder & Vokes, 1988).	Japan, Shikoku (island), Kochi Prefecture, Tosa Bay.	€ 1,30
Thais echinata (Blainville, 1832).	Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.	€ 1,30 t/m € 1,80
Thais echinata (Blainville, 1832).	Taiwan, south-west. South China Sea.	€ 0,80
Thais echinulata (Lamarck, 1822).	Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.	€ 0,80 t/m € 1,30
Pterynotus elongatus (Lightfoot, 1786).	Philippines, Cebu, Mactan, Olonga Island. Dived on sandy bottom, 10-15 m.	€ 7,00 t/m € 9,50
Nucella emarginata (Deshayes, 1839).	USA, California, San Simeon.	€ 0,30
Ocenebra erinaceus (L., 1758).	Golf de Mobinan, Locmiquel.	€ 2,00
Ocenebra erinaceus (L., 1758).	France, Brittany, Saint-Lunaire.	€ 0,30 t/m € 1,00
Ocenebra erinaceus (L., 1758).	France, Brittany, Côtes-d'Armor (department), Tréburden.	€ 2,50
Ocenebra erinaceus (L., 1758).	Spain.	€ 0,50 t/m € 2,30
Phyllonotus erythrostomus Swainson, 1831.	Mexico. Gulf of California.	€ 2,00 t/m € 4,50
Phyllonotus erythrostomus Swainson, 1831.	Mexico, Baja California Sur, Mulegé. 10-15 ft.	€ 3,50
Lataxiena fimbriata (Hinds, 1844).	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 2,00 t/m € 3,00
Lataxiena fimbriata (Hinds, 1844).	Philippines, Central Visayas (region), Cebu (island).	€ 3,80
Lataxiena fimbriata (Hinds, 1844).	Gulf of Thailand, Ban Hua Hin.	€ 0,80
Muricodrupa fiscella (Gmelin, 1791).	Egypt, Safaga. Red Sea.	€ 0,40 t/m € 1,00
Chicoreus florifer dilectus (A. Adams, 1855).	USA, Florida.	€ 1,50 t/m € 4,00
Ceratostoma foliatum (Gmelin, 1791).	USA, California. Pacific Ocean.	€ 11,00
Chicoreus formosus (Sowerby II, 1841).	Brazil, All Saint's Bay, Itaparica Island. Atlantic Ocean. Muddy sand.	€ 1,00 t/m € 2,50
Murex forskåli Röding, 1798.	Egypt, Hurghada. Red Sea.	€ 3,50
Nassa francolina (Bruguière, 1789).	Egypt, Safaga. Red Sea.	€ 0,50 t/m € 2,50
Nassa francolina (Bruguière, 1789).	Philippines, Central Visayas (region), Cebu (island).	€ 0,80 t/m € 2,30
Vokesimurex gallinago (Sowerby III, 1903).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,30 t/m € 2,00
Pterynotus gambiensis (Reeve, 1845).	Senegal, Casamance. West Africa. Atlantic Ocean.	€ 2,00 t/m € 4,00
Trophon geversianus (Pallas, 1774).	Argentina, The Valdes Peninsula, Golfo Nuevo. Low tide on rocks. 28 mm	€ 6,00 t/m € 9,50
Trophon geversianus (Pallas, 1774).	Brazil, Bahia (state), Salvador. Atlantic Ocean.	€ 4,80
Trophon geversianus (Pallas, 1774). On mussels, 10-15 m deep.	Chile, XII Región, Magallanes Strait, Gente Grande Bay. By diver.	€ 25,00
Trophon geversianus (Pallas, 1774).	Argentina, Tierra del Fuego, Ushuaia. At low tide on beach. 48 mm	€ 25,00
Trophon geversianus (Pallas, 1774). Mesolitoral inferior.	Argentina, Tierra del Fuego Prov., Canal Beagle, Punta Maria. Tidal pools.	€ 9,50
Chorus giganteus (Lesson, 1831).	Chile, XIV Los Ríos Region, Valdivia (province), Valdivia (city).	€ 17,50
Morula granulata (Duclos, 1832).	French Polynesia, Society Islands, Tahiti, 20 km east of Papeete.	€ 0,80
Morula granulata (Duclos, 1832).	Thailand, Phuket (island), Raya Island. 25-30 metres deep.	€ 0,50 t/m € 0,80
Morula granulata (Duclos, 1832).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 2,00

		Price Range
Morula granulata (Duclos, 1832).	Taiwan. East China Sea.	€ 0,50
Morula granulata (Duclos, 1832).	Egypt, Hurghada. Red Sea.	€ 0,25
Morula granulata (Duclos, 1832).	Kenya, Mombasa Reef. East Africa. Indian Ocean.	€ 0,30
Cytharomorula grayi (Dall, 1889).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,50
Drupa grossularia Röding, 1798.	Philippines, Cebu (province), Mactan (island), Punta Engaño.	€ 1,80
Drupa grossularia Röding, 1798.	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,50
Drupa grossularia Röding, 1798.	French Polynesia, Society Islands, Tahiti, 20 km east of Papeete.	€ 1,50
Drupa grossularia Röding, 1798.	Philippines.	€ 0,80
Stramonita haemastoma floridana (Conrad, 1837).	USA, Florida, South Miami. On rocks.	€ 2,30
Stramonita haemastoma (L., 1767).	Spain, Province of Málaga, Fuengirola.	€ 1,00 t/m € 1,50
Stramonita haemastoma (L., 1767).	Spain, Balearic Islands, Ibiza (island), Cala Vedella.	€ 0,50
Stramonita haemastoma (L., 1767).	Morocco, Torres de Alealá.	€ 1,00 t/m € 2,00
Stramonita haemastoma (L., 1767).	Cape Verde, Santiago (island), Praia (city).	€ 1,50
Stramonita haemastoma (L., 1767).	Spain, Andalusia (region), Almeria.	€ 0,50 t/m € 0,80
Stramonita haemastoma (L., 1767).	Spain, Mallorca Island, Palma.	€ 1,00 t/m € 2,50
Stramonita haemastoma (L., 1767).	Tunisia, Lac de Bizerte.	€ 0,80 t/m € 1,30
Stramonita haemastoma (L., 1767).	Spain, Tarragona, Sant Carles de la Ràpita .	€ 2,00
Stramonita haemastoma (L., 1767).	Cape Verde, Sal (island), Santa Maria.	€ 1,00 t/m € 1,50
Stramonita haemastoma (L., 1767).	Spain, Canary Islands, Fuerteventura.	€ 1,00 t/m € 2,00
Haustellum haustellum (L., 1758).	Vietnam, South Central Coast (region), Da Nang (Đà Nẵng)	€ 5,00
Haustellum haustellum (L., 1758).	Vietnam, South Central Coast (region), Da Nang (Đà Nẵng)	€ 2,50
Haustellum haustellum (L., 1758).	Indonesia.	€ 3,50
Haustellum haustellum (L., 1758).	Indonesia, Jakarta, Pasar Ikan fishmarket. From fishery.	€ 4,00 t/m € 5,00
Haustellum haustellum (L., 1758).	Indonesia, Mid Java, south coast.	€ 2,50
Haustellum haustellum (L., 1758).	Philippines, Visayas (region), Samar (island).	€ 1,50 t/m € 5,00
Haustellum haustellum (L., 1758).	Philippines, Visayas (region), Samar (island).	€ 5,00
Haustellum haustellum (L., 1758).	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 0,50
Thais hippocastanum (L., 1758).		€ 2,00
Murexiella judithae (Attilio & Bertsch, 1980).	Philippines, Cebu, Mactan Island, Punta Engano, tangle nets at 100-120 m.	€ 9,50
Thais kieneri (Deshayes, 1844).	Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.	€ 1,00 t/m € 1,80
Thais kieneri (Deshayes, 1844).	Australia, Queensland, Port Douglas.	€ 2,00
Cronia konkanensis (Melville, 1893).	Red Sea.	€ 1,30
Thais lacera (Born, 1778).	Thailand, Ban Hua Hin. Southeast Asia. Gulf of Thailand.	€ 0,80 t/m € 1,30
Chicomurex laciniatus (Sowerby, 1841).	Indonesia, Banka.	€ 3,80 t/m € 6,50
Chicomurex laciniatus (Sowerby, 1841).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,30 t/m € 3,50

		Price Range
Chicomurex laciniatus (Sowerby, 1841).	Philippines, Batan Island, Albay province. On coral reef, 15-20 m deep.	€ 1,50 t/m € 2,00
Chicomurex laciniatus (Sowerby, 1841).	Philippines, Palawan (province), Palawan (island).	€ 1,00 t/m € 3,00
Nucella lamellosa (Gmelin, 1791).	USA, S.E. Alaska, Mitkof Island, 2 miles N of Petersburg. Sandy Beach.	€ 8,50
Nucella lapillus (L., 1758).	USA, Massachusetts, Swampscott. Atlantic Ocean.	€ 0,80
Nucella lapillus (L., 1758).	England, Cornwall, Holywell Bay.	€ 0,40
Nucella lapillus (L., 1758).	Ile Verdelet.	€ 0,40
Nucella lapillus (L., 1758).	UK, Wales.	€ 0,40
Nucella lapillus (L., 1758). Yellow variation.	France, Brittany, Les Rosaires.	€ 0,30
Nucella lapillus (L., 1758).	USA, Washington, Puget Sound.	€ 1,00
Nucella lima (Gmelin, 1791).	SE Alaska, S. of Wowodski Island & Kah Sheets, Whisky Pass, at a 3' tide.	€ 3,50
Nucella lima (Gmelin, 1791).	USA, SE Alaska, S of Wowodski Isl. & Kah Sheets, Whiskey Pass, 3' tide.	€ 3,00
Drupa lobata (Blainville, 1832).	Indonesia, Atjeh, Pulau We, Pantai Sumur Tiga. Live, sublittoral.	€ 2,00
Drupa lobata (Blainville, 1832).	Tanzania, Zanzibar, Nungwi (village). East Africa. Live, sublittoral.	€ 1,50 t/m € 2,00
Haustellum longicaudum (Baker, 1891).	Philippines, Cebu, Mactan, Olonga Island. Dived on sandy bottom, 10-15 m.	€ 5,00
Acanthina lugubris (Sowerby, 1821).	Mexico, Baja California (state), Punta Banda Beach. Gulf of California.	€ 1,00
Thais luteostoma (Holten, 1802).	Taiwan, south-west. South China Sea.	€ 0,90
Thais mancinella (L., 1758).	Malaysia, Malacca (state), Malacca City	€ 1,30
Thais mancinella (L., 1758).	Philippines.	€ 1,00
Phyllonotus margaritensis (Abbott, 1958).	Venezuela, Isla Margarita.	€ 6,00
Cronia margariticola (Broderip, 1831).	Japan, Honshu (island), Wakayama Prefecture, Shirahama.	€ 0,30
Cronia margariticola (Broderip, 1831).	French Polynesia, Society Islands, Tahiti, 20 km east of Papeete.	€ 0,80
Cronia margariticola (Broderip, 1831).	Thailand, Phuket (island), Raya Island. 25-30 metres deep.	€ 0,80
Murexiella martini Shikama, 1977.	Philippines, Bohol, Panglao Island. By tangle nets in 100 m.	€ 6,00
Thais melones (Duclos, 1832).	Panama, Gulf of Panamá, San Carlos. Live, Littoral zone, on rocks.	€ 1,00
Chicoreus microphyllus (Lamarck, 1822).	Malaysia, Johor, Big Island (Babi Besar). W.coast, live under dead coral.	€ 0,50
Vitularia miliaris (Gmelin, 1791).	Philippines, Visayas (region), Samar (island).	€ 3,80
Vitularia miliaris (Gmelin, 1791).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 2,00 t/m € 3,00
Vokesimurex mindanaoensis (Sowerby II, 1841).	Philippines, Luzon (island), Tayabas Bay.	€ 3,00
Vokesimurex mindanaoensis (Sowerby II, 1841).	Philippines, Central Visayas (region), Bohol (province), Panglao Island.	€ 3,50
Vokesimurex mindanaoensis (Sowerby II, 1841).	Philippines, Luzon (island), Tayabas Bay. From fisherman.	€ 6,00
Pterynotus miyokoae Kosuge, 1979.	Philippines, Central Visayas (region), Bohol (island).	€ 7,50
Drupa morum iodostoma (Lesson, 1840).	French Polynesia, Marquesas Islands, Nuku Hiva Island. 1-3 metres deep.	€ 5,00 t/m € 6,50
Drupa morum Röding, 1798.	Thailand, Phuket (island), Raya Island. 25-30 metres deep.	€ 1,50
Drupa morum Röding, 1798.	Philippines, Central Visayas (region), Cebu (island).	€ 1,50 t/m € 1,80
Drupa morum Röding, 1798.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 0,50 t/m € 3,00

		Price Range
Drupa morum Röding, 1798.	Mozambique, Bazaruto Island region. Shallow water.	€ 1,00 t/m € 2,50
Drupa morum Röding, 1798.	French Polynesia, south of Raiatea. 1 metre deep, on rocks.	€ 1,30
Drupa morum Röding, 1798.	S. Taiwan, Kending. Live, on high tidal flat between coral.	€ 2,00
Morula musiva (Kiener, 1835).	Japan, Honshu (island), Wakayama Prefecture, Shirahama.	€ 0,20
Murex nigrispinosus Reeve, 1845.	Philippines, Visayas (region), Samar (island).	€ 3,00
Murex nigrispinosus Reeve, 1845.	Indonesia, Greater Sundra Islands, East Java (province), Madura Island.	€ 2,50
Eupleura nitida (Broderip, 1833).	Panama, Bay of Chiriqui, dredged in 120-240 feet depth.	€ 3,00
Chicoreus nobilis Shikama, 1977.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 0,50 t/m € 2,50
Purpura nodosa (L., 1758).	Cape Verde, Sal (island), Murdeira Bay. Atlantic Ocean.	€ 3,00 t/m € 5,00
Attiliosa nodulifera (Sowerby, 1841).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 3,00
Cronia ochrostoma (Blainville, 1832).	Solomon Islands, Guadalcanal, Honiara area. Pacific Ocean.	€ 5,00
Thais orbita (Gmelin, 1791).	New Zealand, North Island, Ti Point, Cape Rodney. Amongst rock oysters.	€ 3,50
Thais orbita (Gmelin, 1791).	Australia, Western Australia, Port Denison. Collected live.	€ 2,50
Thais orbita (Gmelin, 1791).	Australia, New South Wales. Royal National Park, Garie Beach. Littoral.	€ 2,00 t/m € 3,50
Thais orbita (Gmelin, 1791).	Australia, Victoria, Port Fairy. Littoral zone.	€ 3,00
Chicoreus orchidiflorus (Shikama, 1973).	Philippines, Mindanao, Balut Island. From tangle nets at 100-150 m.	€ 7,00
Bedeva paivae (Crosse, 1864).	Thailand, Phuket (island), Raya Island. 25-30 metres deep.	€ 2,30
Chicoreus palmarosae (Lamarck, 1822).	Philippines.	€ 7,50
Chicoreus palmarosae (Lamarck, 1822).	Thailand, Changwat Phuket (province), Phuket (island).	€ 7,50 t/m € 17,50
Chicoreus palmarosae (Lamarck, 1822).	Gulf of Mannar. Indian Ocean. Fished.	€ 7,00
Chicoreus palmarosae (Lamarck, 1822).	Thailand, Phuket (island), Raya Island. 25-30 metres deep.	€ 7,50 t/m € 22,50
Purpura pansa Gould, 1853.	Mexico.	€ 5,00
Purpura patula (L., 1758).	Cuba, María la Gorda. Live, on pier.	€ 1,00 t/m € 2,50
Purpura patula (L., 1758).		€ 0,50 t/m € 1,80
Purpura patula (L., 1758).	USA, Florida. South Florida region.	€ 2,50
Murex pecten Lightfoot, 1786.	Philippines.	€ 1,50 t/m € 2,50
Murex pecten Lightfoot, 1786.	Indonesia, off the northeastern coast of Java (island), Madura island.	€ 2,50 t/m € 3,00
Murexiella pelepili (Athilio & Bertsch, 1980).	Philippines, Bohol, Panglao island, tangle nets -150 m.	€ 19,50
Murexiella peregrina Olivera, 1980.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 6,00
Purpura persica (L., 1758).	Indonesia.	€ 2,50
Purpura planospira Lamarck, 1822.	Ecuador, Galápagos Islands. Pacific Ocean.	€ 3,00
Siratus pliciferoides (Kuroda, 1942).	Philippines.	€ 7,50 t/m € 12,50
Phyllonotus pomum (Gmelin, 1791).	Bahamas, Green Turtle Cay (island).	€ 2,50 t/m € 3,80
Phyllonotus pomum (Gmelin, 1791).	USA, Florida, Gulf of Mexico, Sanibel Island.	€ 1,00 t/m € 2,50
Phyllonotus pomum (Gmelin, 1791).	USA, Florida, Gulf of Mexico, Sanibel Island. Shallow water.	€ 1,00 t/m € 2,50

		Price Range
Phyllonotus pomum f. oculatus Reeve, 1845.	Brazil, Ceará, Camocim. Collected in lobster nets at 25-30 metres deep.	€ 12,50
Ocenebra poulsoni (Carpenter, 1864).	USA, California, Orange County, Laguna Beach.	€ 0,30
Chicomurex problematicus (Lan, 1981).	Philippines, Talikud Island. Davao Gulf. Tangle net, 100 metres deep.	€ 2,00 t/m € 7,50
Chicomurex problematicus (Lan, 1981).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 2,00 t/m € 7,50
Chicoreus ramosus (L., 1758).	Indonesia, Borneo (island), Kalimantan.	€ 3,00 t/m € 20,00
Chicoreus ramosus (L., 1758).	Thailand, Changwat Phuket (province), Phuket (island).	€ 1,30 t/m € 5,00
Chicoreus ramosus (L., 1758). Black form.	Northern Madagascar. East Africa. Indian Ocean.	€ 5,00
Rapana rapiformis (Born, 1778).	Thailand. Southeast Asia.	€ 2,50
Rapana rapiformis (Born, 1778).	West Pacific Ocean.	€ 3,00 t/m € 4,00
Rapana rapiformis (Born, 1778).	India, Tamil Nadu (state), Rameswaram. Gulf of Mannar.	€ 2,50
Vokesimurex rectirostris (Sowerby II, 1841).	Philippines, Central Visayas (region), Cebu (island).	€ 1,50 t/m € 2,30
Vokesimurex rectirostris (Sowerby II, 1841).	Indonesia, Greater Sunda Islands, East Java (province), Madura Island.	€ 5,00
Vokesimurex rectirostris (Sowerby II, 1841).	Taiwan. East China Sea.	€ 1,00 t/m € 2,50
Vokesimurex rectirostris (Sowerby II, 1841).	Thailand, Phuket (island), Raya Island, 100 metres deep.	€ 2,50 t/m € 3,40
Phyllonotus regius (Swainson, 1821).	Panama.	€ 3,00 t/m € 6,00
Phyllonotus regius (Swainson, 1821).	Mexico. Gulf of California.	€ 5,00
Drupa ricinus hadari Emerson & Cernohorsky, 1973.	Egypt, South Sinai, Dahab. Gulf of Aqaba.	€ 1,30 t/m € 1,80
Drupa ricinus (L., 1758).	French Polynesia, Society Islands, Tahiti, 20 km east of Papeete.	€ 0,80
Drupa ricinus (L., 1758).	Philippines, Cebu (province), Mactan (island), Punta Engaño.	€ 1,30 t/m € 1,80
Drupa ricinus (L., 1758).	Tanzania, Zanzibar, Kizamkazi. East Africa. On coralblocks.	€ 1,80
Drupa ricinus (L., 1758).	Taiwan, south-west. South China Sea.	€ 0,50 t/m € 0,80
Drupa ricinus (L., 1758).	Thailand, Changwat Phuket (province), Phuket (island).	€ 0,50 t/m € 1,00
Hexaplex rosarium (Röding, 1798).	Senegal, Cap-Vert, N'Gor Island, Pointe des Almadies. Fishing harbour.	€ 2,00 t/m € 3,00
Drupa rubusidaeus Röding, 1798.	Thailand, Changwat Phuket (province), Phuket (island).	€ 2,00 t/m € 2,50
Drupa rubusidaeus Röding, 1798.	Philippines.	€ 2,50
Drupa rubusidaeus Röding, 1798.	Thailand, Changwat Phuket (province), Phuket (island).	€ 2,50
Drupa rubusidaeus Röding, 1798.	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 2,00 t/m € 2,50
Drupa rubusidaeus Röding, 1798.	Taiwan, south-west. South China Sea.	€ 0,80 t/m € 1,00
Drupella rugosa (Born, 1778).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,00
Thais rugosa (Born, 1778).	Thailand, Changwat Phuket (province), Phuket (island).	€ 3,00
Stramonita rustica (Lamarck, 1822).	Brazil, Espírito Santo (state), Meaibe. On rocks, intertidal.	€ 6,50
Stramonita rustica (Lamarck, 1822).	Bahamas, Eleuthera Island, Tarpon Bay. On rocks, water line.	€ 1,50
Stramonita rustica (Lamarck, 1822).	Bahamas, Tarpon Bay.	€ 2,50
Chicoreus saharicus (Locard, 1897). tidingpools.	Senegal, Cap-Vert, N'Gor Island, Pointe des Almadies. Alive in	€ 1,50 t/m € 2,50
Chicoreus saulii (Sowerby, 1834).	Philippines, Sulu Archipelago, Siasi. Fished.	€ 4,00 t/m € 8,00

		Price Range
Thais savignyi (Deshayes, 1844).	Egypt., beach north of Safaga, Red Sea. Near pier, sand/stone.	€ 0,50 t/m € 0,80
Thais savignyi (Deshayes, 1844).	Egypt, Safaga. Red Sea.	€ 2,50 t/m € 4,50
Thais savignyi (Deshayes, 1844).	Taiwan. East China Sea.	€ 1,00 t/m € 1,50
Thais savignyi (Deshayes, 1844).	Eritrea, off Massawa, Dahlak Archipelago. On rocks at low tide.	€ 0,25
Thais savignyi (Deshayes, 1844).	Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.	€ 0,50 t/m € 1,00
Homalocantha scorpio (L., 1758).	Philippines, Central Visayas (region), Cebu (island).	€ 5,00
Homalocantha scorpio (L., 1758).	Philippines, Albay province, Batan Island. On coral reef, 15-22 m deep.	€ 4,50
Phos senticosus (L., 1758).	Japan, Honshu (island), Wakayama Prefecture, Inami-Cho. 20-30 fathoms.	€ 1,20
Murex serratospinosus Dunker, 1883.	Bay of Bengal, fished.	€ 6,00
Murex serratospinosus Dunker, 1883.	Sri Lanka.	€ 7,50
Thais siro (Kuroda, 1931).	Taiwan, south-west. South China Sea.	€ 0,50
Muricopsis spec. .	Thailand, Changwat Phuket (province), Phuket (island).	€ 1,00
Morula spinosa (H. Adams & A. Adams, 1953).	Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.	€ 1,30
Morula spinosa (H. Adams & A. Adams, 1953).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,50 t/m € 2,00
Hexaplex stainforthi (Reeve, 1843).	Australia, Western Australia, North West Cape.	€ 2,50 t/m € 3,50
Hexaplex stainforthi (Reeve, 1843).	Australia, Western Australia, Dampier, Dampier Back Beach, muddy reef.	€ 7,50
Hexaplex stainforthi (Reeve, 1843).	Australia, W.A., Exmouth Gulf, Giralia Station. On mud-covered oysters.	€ 7,50
Hexaplex stainforthi (Reeve, 1843). On rock oysters, exposed rocks	Australia, W.A., off Port Hedland, Finucane Island. Extreme low tide.	€ 12,50
Hexaplex stainforthi (Reeve, 1843).	Australia, Western Australia, Broome. In Littoral zone.	€ 3,00 t/m € 3,50
Hexaplex stainforthi (Reeve, 1843).	Australia, Qld., off Townsville. By fisherman, deep water.	€ 3,00 t/m € 4,00
Eupleura sulcidentata Dall, 1890.	USA, Florida, Gulf of Mexico, Sanibel Island.	€ 1,50
Chicomurex superbus (Sowerby, 1889).	Philippines, Mindanao (island).	€ 9,50 t/m € 11,50
Urosalpinx tampaensis (Conrad, 1846).	USA, Florida, off Everglade City.	€ 1,30
Chicoreus torrefactus (Sowerby, 1841).	Philippines, Camotes, Ponson Island. Taken on coral reef, 15-20 metres.	€ 2,50 t/m € 4,50
Chicoreus torrefactus (Sowerby, 1841).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,00 t/m € 3,50
Chicoreus torrefactus (Sowerby, 1841).	Japan, Wakayama Prefecture, Minabe. From fisherman, 10-20 metres deep. 68 mm	€ 7,50
Chicoreus torrefactus (Sowerby, 1841).	Thailand, Changwat Phuket (province), Phuket (island).	€ 3,50 t/m € 6,00
Chicoreus torrefactus (Sowerby, 1841).	Philippines.	€ 7,50
Chicoreus torrefactus (Sowerby, 1841).	Indonesia, Greater Sundra Islands, East Java (province), Madura Island.	€ 5,50 t/m € 6,50
Murex trapa Röding, 1798.	Philippines.	€ 5,00
Murex trapa Röding, 1798.	Malaysia, Langkawi (archipelago), Langkawi Island. Ebb, in muddy bottom.	€ 5,00
Murex trapa Röding, 1798.	Indonesia, East Java (province). South coast.	€ 3,00
Murex tribulus L., 1758.	Philippines, Luzon (island), Tayabas Bay, Quezon City.	€ 7,00
Murex tribulus L., 1758.	Philippines.	€ 8,50
Murex tribulus L., 1758.	Indonesia, Mid Java, south coast.	€ 4,00

Murex tribulus L., 1758.
 Pterynotus tripterus (Born, 1778).
 Naquetia triqueter (Born, 1778).
 Hexaplex trunculus (L., 1758).
 Hexaplex trunculus (L., 1758).
 Hexaplex trunculus (L., 1758).
 Hexaplex trunculus (L., 1758).
 Hexaplex trunculus (L., 1758).
 Thais tuberosa Röding, 1798.
 Thais tuberosa Röding, 1798.
 Thais tuberosa Röding, 1798.
 Thais tuberosa Röding, 1798.
 Thais tuberosa Röding, 1798.
 Hexaplex varius (Sowerby I, 1834).
 Rapana venosa (Valenciennes, 1846).
 Rapana venosa (Valenciennes, 1846).
 Rapana venosa (Valenciennes, 1846).
 Chicomurex venustus (Rehder & Wilson, 1975).
 Chicomurex venustus (Rehder & Wilson, 1975).
 Chicomurex venustus (Rehder & Wilson, 1975).
 Vexilla vexillum (Gmelin, 1791).
 Haustellum vicdani Kosuge, 1980.
 Chicoreus virgineus (Röding, 1798).
 Chicoreus virgineus (Röding, 1798).
 Homalocantha zamboi (Burch & Burch, 1960).
 Homalocantha zamboi (Burch & Burch, 1960).
 Homalocantha zamboi (Burch & Burch, 1960).
 Homalocantha zamboi (Burch & Burch, 1960).

Myidae

Mya arenaria L., 1758.
 Mya arenaria L., 1758.
 Mya arenaria L., 1758.
 Mya arenaria L., 1758.
 Mya arenaria L., 1758.
 Cryptomya californica (Conrad, 1837).

Indonesia, Flores (island), Geliting, ±12 km east of Maumere.
 Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.
 Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.
 Tunisia, Djerba Island, Ajim. Gulf of Gabès.
 Italy, Pedaso, Adriatic Sea.
 Yugoslavia, Vrsar.
 Spain, Andalusia (region), Province of Málaga, Marbella.
 Croatia, Istrië, Bay of Poreč.
 Taiwan. East China Sea.
 Philippines.
 Thailand, Phuket (island), Raya Island. 25-30 metres deep.
 Taiwan. East China Sea. In coral rubble.
 Taiwan, south-west. South China Sea.
 Gabon, Libreville. Collected from 'Razel'.
 Japan, Aichi Prefecture, Miyacho. 50 m. deep.
 Black Sea.
 Turkey.
 Philippines, Mindanao (island), Davao Region, Davao City.
 Philippines, Central Visayas (region), Cebu (island), Camotes Sea.
 Philippines, Bohol (province), close to Panglao Island, Balicasag Island.
 Madagascar, Anosy Region, Tôlanaro (Fort Dauphin).
 Philippines.
 Sri Lanka, Southern Province, Galle.
 India.
 Philippines, Bohol (province), close to Panglao Island, Balicasag Island.
 Indonesia, Greater Sunda Islands, East Java (province), Madura Island.
 Philippines.
 Philippines, Central Visayas (region), Cebu (province), Mactan (island).
 Mudyug Island, White Sea, Russia.
 The Netherlands, Ijmuiden. Collected between the piers.
 Iceland, Gufunes. Atlantic Ocean.
 Netherlands, between Bloemendaal & Ijmuiden. On the beach.
 USA, Massachusetts, Boston. From fisherman. Atlantic Ocean. 60 mm
 W. Canada, Br. Columbia, Tsawassen, Tsawassen Beach, 6" deep, sand.

Price Range

€ 3,00
 € 3,50
 € 4,00 t/m € 6,00
 € 2,50
 € 2,30
 € 1,80
 € 1,30 t/m € 2,30
 € 0,40
 € 0,80
 € 2,50
 € 0,80 t/m € 2,00
 € 1,50
 € 1,60
 € 3,00
 € 3,50
 € 4,00
 € 3,00
 € 2,50
 € 1,30
 € 1,30
 € 3,00
 € 8,50
 € 5,00
 € 2,50 t/m € 7,00
 € 4,80
 € 2,00 t/m € 5,00
 € 5,00
 € 3,80
 € 1,00
 € 0,70 t/m € 1,30
 € 1,00 t/m € 1,50
 € 1,50 t/m € 2,50
 € 2,00
 € 2,30

		Price Range
Cryptomya californica (Conrad, 1837).	USA, California, San Pedro, Terminal Island.	€ 2,80
Mytilidae		
Modiolus areolatus (Gould, 1850).	Australia, Western Australia, near Perth, Rockingham.	€ 1,50
Modiolus areolatus (Gould, 1850).	Australia, South Australia, Port Adelaide.	€ 1,50
Modiolus areolatus (Gould, 1850).	Australia, South Australia. Port Adelaide.	€ 2,50
Modiolus auriculatus (Krauss, 1848).	Egypt, Safaga. Red Sea.	€ 0,30 t/m € 0,80
Modiolus auriculatus (Krauss, 1848).	Egypt, South Sinai, Dahab. Gulf of Aqaba.	€ 0,50
Modiolus barbatus (L., 1758).	France, Charente-Maritime (department), La Rochelle. Bay of Biscay.	€ 0,50
Modiolus barbatus (L., 1758).	Tunisia, Guellala.	€ 0,30
Modiolus barbatus (L., 1758).	Yugoslavia, Grado.	€ 0,30
Modiolus barbatus (L., 1758).	France, Brittany, Saint-Jacut-de-la-Mer.	€ 0,50
Septifer bilocularis (L., 1758).	Thailand, Phuket (island), Raya Island. 25-30 metres deep.	€ 0,80 t/m € 1,00
Septifer bilocularis (L., 1758).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,50 t/m € 2,00
Septifer bilocularis (L., 1758).	Thailand. From seagypsies, taken in shallow water around Phuket.	€ 1,50 t/m € 2,00
Modiolus capax (Conrad, 1837).	Mexico, Baja California Sur, Mulegé. Gulf of California. Dead on beach.	€ 1,50
Geukensia demissa (Dillwyn, 1817).	USA, California, Newport Bay.	€ 1,00
Mytilus edulis f. galloprovincialis Lamarck, 1819.	Spain, Costa Brava.	€ 0,20 t/m € 1,00
Mytilus edulis f. galloprovincialis Lamarck, 1819.	North Sea, Markham's Hole.	€ 0,50
Mytilus edulis L., 1758.	Japan	€ 0,50
Mytilus edulis L., 1758.	The Netherlands, west of Terschelling. 13 fathoms deep.	€ 1,00 t/m € 1,80
Mytilus edulis L., 1758.	Sri Lanka, Southern Province, Koggala.	€ 1,00
Brachidontes erosus (Lamarck, 1819).	Australia, South Australia, Port Adelaide.	€ 0,10
Brachidontes exustus (L., 1758).	USA, Florida, Big Pine Key.	€ 1,00
Trichomya hirsuta Lamarck, 1819.	Australia, Queensland, Townsville, Pallarenda.	€ 1,20
Lithophaga lithophaga (L., 1758).	Croatia, Istria, Dalja, north of Pelegrin. Cut from rocks by a fisherman.	€ 0,50 t/m € 2,00
Modiolus modiolus (L., 1758).	USA, Massachusetts, Essex County, Marble Head. Atlantic Ocean.	€ 1,80
Modiolus modiolus (L., 1758).	UK, Scotland, Isle of Arran, Corrie.	€ 2,00 t/m € 2,50
Brachidontes modiolus (L., 1767).	Aruba, near the Hilton Hotel, Lesser Antilles Islands. In sea grass.	€ 1,50
Modiolus modiolus (L., 1758).	The Netherlands, north of Terschelling. Fished.	€ 2,00 t/m € 3,50
Modiolus modiolus (L., 1758).	North Sea fishery.	€ 1,80
Brachidontes modiolus (L., 1767).	Cuba, Saetia. Caribbean.	€ 1,80 t/m € 2,00
Brachidontes modiolus (L., 1767).	Grenada. Caribbean Sea.	€ 1,00
Brachidontes modiolus (L., 1767).	Bonaire, Lesser Antilles Islands.	€ 1,50
Modiolus modiolus squamosus Beuperthuy, 1967.	USA, Florida.	€ 0,25 t/m € 0,50
Modiolus nipponicus (Oyama, 1947).	Japan, Aitsu.	€ 2,50

		Price Range
<i>Perna perna</i> (L., 1758).	South Africa, Cape Province, False Bay, bet. Muizenberg & Fishhoek. Beach	€ 1,50
<i>Modiolus philippinarum</i> (Hanley, 1843).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 5,50
<i>Modiolus philippinarum</i> (Hanley, 1843).	Thailand, Talo Kapo.	€ 3,00
<i>Perna picta</i> (Born, 1780).	Oman, Raysūt. Middle East. Arabian Sea.	€ 0,50
<i>Brachidontes variabilis</i> (Krauss, 1848).	Egypt. Suez Canal. Cutter dredger 'Edax'.	€ 1,00
<i>Perna viridis</i> (L., 1758).	Indonesia, Greater Sundra Islands, East Java (province), Madura Island.	€ 1,50 t/m € 2,00
<i>Perna viridis</i> (L., 1758).	Taiwan. East China Sea.	€ 1,20
<i>Perna viridis</i> (L., 1758).	Thailand, Changwat Phuket (province), Phuket (island), Rawai Beach.	€ 2,00
Nassariidae		
<i>Nassarius albescens albescens</i> (Dunker, 1846).	New Caledonia, near the Isle of Pines. In deep water. 17 mm	€ 1,30
<i>Nassarius albescens albescens</i> (Dunker, 1846).	Australia, Queensland.	€ 1,00
<i>Nassarius albescens albescens</i> (Dunker, 1846).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,00
<i>Nassarius arcularius</i> (L., 1758).	Philippines, Central Visayas (region), Cebu (island).	€ 1,30
<i>Nassarius arcularius plicatus</i> (Röding, 1798).	Pacific Ocean.	€ 0,30
<i>Nassarius bimaculosus</i> (A. Adams, 1852).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 2,00
<i>Nassarius canaliculatus</i> (Lamarck, 1822).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 2,50
<i>Nassarius canaliculatus</i> (Lamarck, 1822).	Indonesia, Java.	€ 2,00
<i>Nassarius conoidalis</i> (Deshayes, 1832).	Japan, Honshu (island), Aichi Prefecture, Mikawa. 40 metres deep.	€ 1,50
<i>Nassarius corniculus</i> (Olivi, 1792).	Spain, Valencian Community, Province of Alicante, Alicante.	€ 0,50
<i>Nassarius corniculus</i> (Olivi, 1792).	Croatia, Istrië, Bay of Poreč.	€ 0,50
<i>Nassarius corniculus</i> (Olivi, 1792).	Tunisia, Lac de Bizerte.	€ 0,50
<i>Nassarius coronatus</i> (Bruguière, 1798).	Philippines.	€ 0,20
<i>Nassarius coronatus</i> (Bruguière, 1798).	Tanzania, Zanzibar, Bwejuu. East Africa.	€ 1,00
<i>Nassarius coronatus</i> (Bruguière, 1798).	Philippines.	€ 2,00
<i>Nassarius coronatus</i> (Bruguière, 1798).	Egypt, Safaga. Red Sea.	€ 0,75
<i>Nassarius coronatus</i> (Bruguière, 1798).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,00
<i>Nassarius coronatus</i> (Bruguière, 1798).	Egypt, South Sinai, Dahab. Gulf of Aqaba.	€ 1,50
<i>Nassarius corpulentus</i> (C.B. Adams, 1852).	Panama, Cebaco Island. Pacific Ocean.	€ 2,00
<i>Nassarius crematus</i> (Hinds, 1844).	Gulf of Thailand, Ban Hua Hin.	€ 0,80
<i>Buccinanops duartei</i> Klappenbach, 1961.	Brazil. Atlantic Ocean.	€ 2,00
<i>Nassarius excellens</i> (Kuroda & Habe, 1961).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 2,00
<i>Nassarius globosus</i> Quoy & Gaimard, 1833. Set of 10.	Philippines, Mindanao (island), Zamboanga.	€ 0,75
<i>Nassarius globosus</i> Quoy & Gaimard, 1833.	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,00
<i>Nassarius globosus</i> Quoy & Gaimard, 1833.	Vanuatu, Malapoa Vila, Pacific Ocean.	€ 1,00
<i>Nassarius globosus</i> Quoy & Gaimard, 1833.	Western Samoa Islands, west of Apria. Pacific Ocean.	€ 2,30

		Price Range
Nassarius globosus Quoy & Gaimard, 1833.	Thailand, Changwat Phuket (province), Phuket (island), Rawai Beach.	€ 0,50
Buccinanops globulosum (Kiener, 1834).	Argentina, Rio Negro Province, Golfo San Matías. Dived at 10 m, on sand.	€ 6,00
Buccinanops gradatum (Deshayes, 1844).	Argentina, Chubut Province, Golfo San José, Playa Larraldo. 6-10 metres.	€ 9,50
Naytiopsis granum (Lamarck, 1822).	Spain, Province of Málaga, Fuengirola. Fished.	€ 1,50
Nassarius incrassatus (Ström, 1768).	Spain, Andalusia (region), Province of Málaga, Marbella.	€ 0,80
Nassarius incrassatus (Ström, 1768).	France, Brittany, Roscoff.	€ 1,00
Nassarius kooli Dekker & Dekkers, 2009.	Philippines, Balicasag island, near Panglao, Bohol.	€ 2,00
Nassarius livescens (Philippi, 1849).	Malaysia, Terengganu, Aryani Resort.	€ 0,50
Nassarius luridus (Gould, 1850).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 2,00
Nassarius luridus (Gould, 1850).	Philippines.	€ 0,20
Nassarius luteostoma (Broderip & Sowerby, 1829).	Mexico, Baja California, Bahía de los Ángeles. Gulf of California.	€ 0,30
Bullia mauritiana (Gray, 1839).	Oman, Şalālah. Middle East. Arabian Sea.	€ 0,50
Bullia miran (Bruguère, 1789).	The Gambia, Sanyang. Atlantic Ocean.	€ 0,80
Nassarius mutabilis (L., 1758).	Greece, 200 km northeast of Athens, Évvoia Island, Kimi.	€ 0,30
Nassarius mutabilis (L., 1758).	Spain, San Carlos de la Rápita.	€ 0,50
Nassarius mutabilis (L., 1758).	Greece, Marathón beach. 1-1½ metres deep.	€ 0,80
Nassarius mutabilis (L., 1758).	Spain, Balearic Islands, Ibiza (island).	€ 0,75
Nassarius mutabilis (L., 1758).	Italy, Province of Latina, Formia.	€ 0,20
Cyclope neritea (L., 1758).	Italy, Province of Ravenna, Cérvia.	€ 0,20
Cyclope neritea (L., 1758).	Mediterranean Sea.	€ 0,50
Nassarius obvelatus (Deshayes in Laborde, 1844).	Tanzania, Zanzibar, Bwejuu. East Africa.	€ 1,00
Nassarius obvelatus (Deshayes in Laborde, 1844).	Rode Zee.	€ 1,50
Nassarius olivaceus (Bruguère, 1789).	Thailand, Krabi Province, Noppharat Thara (beach). Strait of Malacca.	€ 1,50
Nassarius pagodus (Reeve, 1844).	Panama, Cebaco Island. Pacific Ocean.	€ 3,00
Nassarius pullus (L., 1758).	Thailand, Changwat Phuket (province), Phuket (island).	€ 0,30
Nassarius pullus (L., 1758).	Thailand, Changwat Phuket (province), Phuket (island), Rawai Beach.	€ 1,50
Nassarius pullus (L., 1758).	Thailand, Changwat Phuket (province), Phuket (island), Chalong Bay.	€ 0,50
Nassarius pullus (L., 1758).	Philippines.	€ 0,20
Nassarius pullus (L., 1758).	Thailand, Krabi Province, Koh Lanta Yai (island), west of Ban Sala Dan.	€ 0,50
Nassarius pullus (L., 1758).	Thailand, Changwat Phuket (province), Phuket (island), Chalong Bay.	€ 0,50
Nassarius pygmaeus (Lamarck, 1822).	Spain, Andalusia (region), Province of Málaga, Marbella.	€ 0,80
Nassarius reticulatus (L., 1758).	Spain, Province of Málaga, Fuengirola.	€ 0,20
Nassarius reticulatus (L., 1758).	Portugal, Algarve (region), Faro.	€ 0,30
Nassarius reticulatus (L., 1758).	France, Brittany, Les Rosaires.	€ 0,30
Nassarius reticulatus (L., 1758).	The Netherlands, Zeeland. Canal through Zuid-Beverland.	€ 1,00

		Price Range
Nassarius reticulatus (L., 1758).	Morocco, Marrakesh-Tensift-El Haouz, Essaouira.	€ 0,30
Nassarius reticulatus (L., 1758).	Greece, northern. In sand.	€ 0,80
Nassarius reticulatus (L., 1758).	France, Cap d'Agde, Golfe du Lion.	€ 0,20
Nassarius reticulatus (L., 1758).	Spain, Province of Málaga, Fuengirola, Mediterranean Sea.	€ 0,50
Nassarius semisulcatus (Rousseau, 1854).	Philippines.	€ 0,30
Nassarius stolatus Gmelin, 1791.	Thailand, Changwat Phuket (province), Phuket (island).	€ 0,50
Nassarius stolatus Gmelin, 1791.	Thailand, Changwat Phuket (province), Phuket (island).	€ 0,50
Nassarius stolatus Gmelin, 1791.	Indonesia.	€ 1,00
Nassarius stolatus Gmelin, 1791.	India. Southern coastal region.	€ 0,40
Hebra subspinosa (Lamarck, 1822).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,00
Hebra subspinosa (Lamarck, 1822).	India.	€ 1,00
Bullia vittata (L., 1767).	India, Tamil Nadu (state), Cuddalore. Bay of Bengal.	€ 2,00
Nassarius wolffi (Knudsen, 1916). In tidal pools.	Senegal, Cap-Vert, N'Gor Island, Pointe des Almadies. Fishing harbour.	€ 1,50
Naticidae		
Polinices aurantius (Röding, 1798).	Philippines.	€ 0,80 t/m € 1,30
Natica bibalteata Sowerby, 1914.	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,50
Lunatia catena (da Costa, 1778).	The Netherlands, 5 miles west of Texel. On rocks.	€ 1,50
Sinum concavum (Lamarck, 1822).	Angola. Dredged off Lobito. Atlantic Ocean.	€ 4,00
Polinices cumingianus (Récluz, 1844).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,00 t/m € 2,00
Polinices didyma (Röding, 1798).	Philippines.	€ 0,80
Polinices didyma (Röding, 1798).	Australia, Queensland, Armstrong Beach.	€ 0,75 t/m € 1,50
Polinices didyma (Röding, 1798).	Japan, Miye-ken, Ise Bay. 50 metres deep.	€ 4,50
Polinices duplicatus (Say, 1822).	Venezuela, Margarita Island.	€ 0,50 t/m € 0,80
Polinices duplicatus (Say, 1822).	USA, Florida.	€ 1,30 t/m € 3,80
Natica fasciata (Röding, 1798).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 m	€ 1,00
Natica fasciata (Röding, 1798).	Indonesia, Greater Sundra Islands, East Java (province), Madura Island.	€ 1,00
Natica fasciata (Röding, 1798).	Philippines.	€ 2,00
Natica fasciata (Röding, 1798).	Philippines, Palawan (province), Palawan (island).	€ 2,00
Polinices fibrosa (Souleyet, 1852).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 2,00 t/m € 4,50
Natica gualtieriana Récluz, 1844.	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 0,50
Lunatia guillemini (Payraudeau, 1826).	Greece, Marathón beach. 1-1½ metres deep.	€ 3,30
Naticarius hebraeus (Martyn, 1786).	Italy, Lampedusa Island. Fished.	€ 2,00
Naticarius hebraeus (Martyn, 1786).	Mediterranean Sea.	€ 0,50 t/m € 1,30
Naticarius hebraeus (Martyn, 1786).	Greece, Marathón beach. 1-1½ metres deep.	€ 1,30
Lunatia heros (Say, 1822).	USA, Massachusetts, Lynn.	€ 5,00

		Price Range
Neverita josephina Risso, 1826.	Mediterranean Sea.	€ 1,50
Neverita josephina Risso, 1826. each. Mediterranean Sea.	Egypt, N. Sinai, E. of Port Said betw. Teij el Farama and Romani; on sand	€ 1,50
Neverita josephina Risso, 1826.	Mediterranean Sea.	€ 2,00
Lunatia lewisi (Gould, 1847).	USA, Washington State. In extreme low tide, in mud.	€ 12,50
Natica lineata (Röding, 1798).	Indonesia, Greater Sundra Islands, East Java (province), Madura Island.	€ 1,00
Natica lineata (Röding, 1798).	India, Laccadive Islands. Arabian Sea.	€ 0,80 t/m € 1,20
Polinices mammilla (L., 1758).	Japan, southern Honshu (island).	€ 0,50
Polinices mammilla (L., 1758).	Philippines, Visayas (region), Samar (island).	€ 0,80
Polinices mammilla (L., 1758).	Malaysia, Pulau Lang Tenga Island.	€ 0,50
Polinices mammilla (L., 1758).	Indonesia, Bali (province), Bali (island).	€ 0,50 t/m € 1,30
Polinices mammilla (L., 1758).	Thailand, Changwat Phuket (province), Phuket (island).	€ 1,50
Polinices mammilla (L., 1758).	Egypt, South Sinai, Dahab. Gulf of Aqaba.	€ 1,50 t/m € 2,50
Polinices mammilla (L., 1758).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 0,25 t/m € 0,50
Natica marochiensis (Gmelin, 1791).	USA, Florida, Tampa Bay. Alive.	€ 2,00
Polinices melanostomus (Gmelin, 1791).	Philippines, Visayas (region), Samar (island).	€ 1,80 t/m € 3,80
Polinices melanostomus (Gmelin, 1791).	Mozambique. East Africa. Indian Ocean.	€ 2,00 t/m € 3,00
Polinices melanostomus (Gmelin, 1791).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 2,50
Natica multipunctata Blainville, 1825.	Senegal, Cap-Vert, N'Gor Island, Pointe des Almadies. Fishing harbour.	€ 2,50
Natica nipponensis Kuroda, 1961.	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 0,80
Natica onca (Röding, 1798).	Philippines, Visayas (region), Samar (island).	€ 2,30 t/m € 3,30
Natica onca (Röding, 1798).	Philippines.	€ 1,00
Natica orientalis Gmelin, 1791.	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 3,00
Sinum perspectivum (Say, 1831).	USA, Florida Keys.	€ 1,80
Polinices sagamiensis Pilsbry, 1904.	Philippines, Visayas (region), Samar (island).	€ 3,30
Polinices sordidus (Swainson, 1821).	Australia, Queensland, Armstrong Beach.	€ 1,00 t/m € 2,00
Natica spec. .	Philippines, Visayas (region), Samar (island).	€ 2,50
Natica stellata Hedley, 1913.	Philippines, Palawan.	€ 1,80
Natica stellata Hedley, 1913.	Philippines, Visayas (region), Samar (island).	€ 2,00
Natica tigrina (Röding, 1798).	Indonesia, Greater Sundra Islands, East Java (province), Madura Island.	€ 1,00
Natica tigrina (Röding, 1798).	India, Tamil Nadu (state), Gulf of Mannar.	€ 0,80 t/m € 1,00
Natica vitellus (L., 1758).	Philippines, Central Visayas (region), Cebu (island).	€ 0,80 t/m € 2,50
Natica vitellus (L., 1758).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,00
Neritidae		
Nerita albicilla L., 1758.	Thailand, Phuket (island), Raya Island. 25-30 metres deep.	€ 0,50 t/m € 1,30
Nerita albicilla L., 1758.	Tanzania, Zanzibar, Bawé Island. East Africa. Indian Ocean	€ 0,20

		Price Range
Nerita albicilla L., 1758.	Sri Lanka, Southern Province, Weligama. Intertidal on rocks. 20 mm	€ 0,30
Nerita albicilla L., 1758.	Philippines.	€ 0,25
Nerita albicilla L., 1758.	Taiwan, south-west. South China Sea.	€ 0,20
Nerita atramentosa Reeve, 1855.	New Zealand, Auckland, Waiheke Island. Hauraki Gulf.	€ 1,10
Nerita chamaeleon L., 1758.	Philippines.	€ 0,40
Nerita chamaeleon L., 1758.	Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.	€ 0,50 t/m € 1,00
Nerita chamaeleon L., 1758.	Thailand, Phuket (island), Raya Island. 25-30 metres deep.	€ 1,00
Neritodryas cornea (L., 1758).	Philippines.	€ 5,00
Neritina coromandeliana Sowerby, 1832.	Philippines, Central Visayas (region), Bohol (island).	€ 1,50
Neritina coromandeliana Sowerby, 1832.	Philippines, Visayas (region), Samar (island).	€ 0,80
Nerita costata Gmelin, 1791.	Thailand, Changwat Phuket (province), Phuket (island), Rawai Beach.	€ 0,50
Nerita costata Gmelin, 1791.	Indonesia, Greater Sundra Islands, East Java (province), Madura Island.	€ 0,50
Nerita exuvia L., 1758.	Philippines, southern Luzon (island), Bantangas.	€ 2,00
Nerita exuvia L., 1758.	Malaysia, Sabah (state), Borneo, Pulau Tetagan. Littoral on rocks.	€ 2,00
Nerita exuvia L., 1758.	Philippines, Luzon (island), Batangas (province), Batangas City.	€ 2,30
Nerita fulgurans Gmelin, 1791.	Caribbean Sea.	€ 0,80
Nerita grossa L., 1758.	Indonesia, Greater Sundra Islands, East Java (province), Madura Island.	€ 2,00
Nerita incerta Philippi, 1844.	Indonesia, Greater Sundra Islands, East Java (province), Madura Island.	€ 1,00
Nerita oryzarum Récluz, 1841.	India.	€ 0,30
Theodoxus oualaniensis (Lesson, 1831).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,50
Theodoxus oualaniensis (Lesson, 1831).	India.	€ 0,80
Theodoxus oualaniensis (Lesson, 1831).	Philippines.	€ 3,00
Nerita peloronta (L., 1758).	Bahamas, Green Turtle Cay (island).	€ 0,50 t/m € 1,30
Nerita peloronta (L., 1758).	Curaçao, Lesser Antilles Islands.	€ 0,80 t/m € 1,50
Nerita planospira Anton, 1839.	Philippines.	€ 0,20
Nerita plicata L., 1758.	Tanzania, Zanzibar, Coconut Beach. At low tide on coral cliffs.	€ 0,50
Nerita polita L., 1758.	Philippines, Visayas (region), Samar (island).	€ 0,60
Nerita polita L., 1758.	Tanzania, Zanzibar, Unguja Ukuu. Coral beach with mangroves.	€ 1,00
Nerita polita L., 1758.	Indonesia, Greater Sundra Islands, East Java (province), Madura Island.	€ 1,00
Nerita polita L., 1758.	Egypt, Safaga. Red Sea.	€ 0,50
Nerita polita L., 1758.	Japan, Okinawa Prefecture, The Cape of Zampa. At low tide.	€ 0,50
Nerita polita L., 1758.	Thailand, Changwat Phuket (province), Phuket (island).	€ 0,25
Septaria porcellana (L., 1758).	Indonesia, Bali (province), Bali (island). Eastern coastal region.	€ 1,50
Neritina punctulata Lamarck, 1822.	The Grenadines Islands, Windward Islands, Caribbean.	€ 2,50
Puperita pupa (L., 1767).	Curaçao, Lesser Antilles Islands.	€ 1,30

		Price Range
Smaragdia rangiana (Récluz, 1843).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,50
Nerita reticulata Karsten, 1789.	Philippines.	€ 0,25
Nerita scabricosta Lamarck, 1822.	Mexico, Sinaloa (state), Mazatlán.	€ 1,30 t/m € 2,30
Nerita spengleriana Récluz, 1843.	Indonesia, Greater Sundra Islands, East Java (province), Madura Island.	€ 1,00
Nerita squamulata Le Guillon, 1841.	Philippines.	€ 0,20
Nerita tessellata Gmelin, 1791.	USA, Florida, Key Largo	€ 0,30
Nerita textilis Gmelin, 1791.		€ 1,50 t/m € 2,00
Neritina turrita (Gmelin, 1791).	Philippines, Visayas (region), Samar (island).	€ 1,00
Nerita undata L., 1758.	Philippines.	€ 0,20
Nerita versicolor Gmelin, 1791.	Bahamas, Green Turtle Cay (island).	€ 0,50
Dostia violacea (Gmelin, 1790).	Indonesia, Kota Bharu, Pantai Cinta Berahi.	€ 1,50 t/m € 2,50
Neritina virginea (L., 1758).		€ 3,00
Smaragdia viridis (L., 1758).	Aruba, Malmok, Boca Catalina, Lesser Antilles Islands.	€ 1,30
Neritina waigiensis Lesson, 1831.	Philippines, Mindanao (island), Zamboanga.	€ 0,75
Noetiidae		
Striarca lactea (L., 1758). Single valves.	France, Brittany, Côtes-d'Armor (department), Tréburden.	€ 0,50
Noetia ponderosa (Say, 1822).	USA, Florida.	€ 1,00 t/m € 1,50
Arcopsis solida (Sowerby, 1833).	Panama, Panamá City, Punta Calafata, live under stones.	€ 1,20
Arcopsis solida (Sowerby, 1833).	Mexico, Baja California, Bahía de los Ángeles. Gulf of California.	€ 0,35
Nuculanidae		
Nuculana minuta (O.F. Müller, 1776).	Canada, Nova Scotia, W. Digby Co., St. Mary's Bay, 40-45 fathoms, trawl.	€ 1,80
Adrana patagonica (Orbigny, 1842).	Uruguay, Rocha Department, La Paloma. From fisherman.	€ 9,50
Nuculidae		
Acila divaricata (Hinds, 1843).	Japan, Honshu (island), Aichi Prefecture, Mikawa. 30-50 fathoms deep.	€ 1,50
Acila divaricata (Hinds, 1843).	Japan, Honshu (island), Aichi Prefecture, Mikawa.	€ 1,00 t/m € 2,00
Nucula nitidosa Winkworth, 1930.	Germany, Helgoland Island.	€ 0,30
Olividae		
Amalda albocallosa (Lischke, 1873)).	China. From East China Sea. Trawled, 140 metres deep.	€ 7,50 t/m € 12,50
Oliva amethystina (Röding, 1798).	Australia.	€ 0,50 t/m € 0,80
Oliva amethystina (Röding, 1798).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,50
Oliva amethystina (Röding, 1798).	Philippines, Palawan (province), Palawan (island).	€ 1,30
Oliva annulata f. carnicolor Dautzenberg, 1927.	Philippines.	€ 1,30 t/m € 1,80
Oliva annulata Gmelin, 1791.	Philippines.	€ 1,30
Oliva australis Duclos, 1835.	Australia, Western Australia, Rottnest Island, Salmon Bay.	€ 1,00

		Price Range
Ancilla balteata (Sowerby, 1823).	Aruba, Malmok, Lesser Antilles Islands.	€ 2,00 t/m € 3,00
Olivella biplicata (Sowerby, 1825).	USA, California, Catalina Island.	€ 0,75 t/m € 1,00
Olivella biplicata (Sowerby, 1825).	USA, Alaska, Sitka. About 57° N-135°W	€ 0,80
Oliva bretteinghami Bridgman, 1909.	Australia, Western Australia, Broome.	€ 0,50
Oliva buelowi Sowerby III, 1889.	Thailand, Phuket (island), Raya Island. 25-30 metres deep.	€ 1,00
Oliva bulbiformis Duclos, 1835.	Philippines, Mimaropa (Region IV-B), Marinduque (island).	€ 1,00
Oliva bulbosa f. inflata Lamarck, 1811.	Kenya, Coast Province, Mombasa County, Mombasa, Diani beach.	€ 1,80 t/m € 2,00
Oliva bulbosa (Röding, 1798).		€ 0,80
Oliva bulbosa (Röding, 1798).	East Africa. Indian Ocean.	€ 0,80 t/m € 1,00
Oliva bulbosa (Röding, 1798).	Egypt, Hurghada. Red Sea.	€ 1,00
Oliva bulbosa (Röding, 1798).	Egypt, Hurghada, Red Sea.	€ 0,75
Oliva caerulea (Röding, 1798).	Philippines, Cebu (province), Mactan (island).	€ 1,20
Oliva caerulea (Röding, 1798).	Thailand, Changwat Phuket (province), Phuket (island), Southeast Asia.	€ 1,30
Oliva carneola (Gmelin, 1791).	Solomon Islands, Pacific Ocean.	€ 0,50
Oliva carneola (Gmelin, 1791).	Philippines.	€ 0,80
Ancilla castanea (Sowerby, 1830).	Z.E. Arabian Sea, Gulf of Oman. Undeep in sand.	€ 3,00
Ancilla castanea (Sowerby, 1830).	Saudi Arabia, Al Khobar. Persian Gulf.	€ 1,80
Olivella dama (Wood, 1828).	Mexico, Baja California, Bahía de los Ángeles.	€ 0,90
Oliva elegans Lamarck, 1811.	Indonesia.	€ 1,80
Agaronia gibbosa (Born, 1778).	India.	€ 2,00
Agaronia gibbosa (Born, 1778).	India, Cuddalore. Dredged.	€ 2,50
Agaronia gibbosa (Born, 1778).	Thailand, Changwat Phuket (province), Phuket (island).	€ 2,00
Ancilla glabrata (L., 1758).	Colombia, trawled off Guajira Peninsula. 10-20 fathoms deep, mud/sand.	€ 3,30
Amalda hinomotoensis (Yokoyama, 1922). W/O.	Vietnam.	€ 2,50
Oliva hirasei Kira, 1959.	Indo-Pacific.	€ 1,30
Oliva incrassata (Lightfoot, 1786).	Mexico, Baja California, San Felipe.	€ 1,30 t/m € 2,00
Oliva irisans Lamarck, 1811.	Philippines.	€ 1,00
Agaronia johnkochi Voskuil, 2006.	Indonesia, West Java (province), Pangadaran.	€ 5,00
Oliva keenii Marrat, 1870.	Philippines.	€ 1,30 t/m € 1,80
Ancilla lienardi (Bernardi, 1821).	Brazil, Ceará, Camocin. Collected by local divers at 15-25 metres deep.	€ 9,00 t/m € 12,50
Ancilla lienardi (Bernardi, 1821).	Brazil, Ceará, Camocin. From lobster divers at 25-40 m on a rocky bottom.	€ 6,00 t/m € 12,00
Ancilla lienardi (Bernardi, 1821).	Brazil. 15 metres deep.	€ 5,00
Melapium lineatum (Lamarck, 1822).	South Africa, off Algoa Bay. In crayfish traps at 20 m.	€ 5,00
Agaronia lutaria Röding, 1798.	Indonesia, Lesser Sunda Islands, Flores (island), Maumere.	€ 1,50
Amalda mamillata Hinds, 1844).	South-west Pacific Ocean.	€ 0,80

		Price Range
Amalda mamillata Hinds,1844).	Taiwan, Taiwan Channel.	€ 1,50
Oliva mantichora Duclos, 1835.	Thailand, Phuket (island), Raya Island. 25-30 metres deep.	€ 1,20
Oliva mantichora Duclos, 1835.	Philippines.	€ 0,50 t/m € 1,30
Oliva miniacea miniacea Röding, 1798.	Philippines.	€ 0,50 t/m € 1,00
Oliva miniacea miniacea Röding, 1798.	Thailand, Phuket (island), Raya Island. 25-30 metres deep.	€ 1,00
Oliva miniacea miniacea Röding, 1798.	Madagascar Island. East Africa. Indian Ocean.	€ 3,50
Oliva miniacea tremulina Lamarck, 1811.	Philippines, Palawan (province), Palawan (island).	€ 0,80
Oliva mustelina Lamarck, 1811.	Taiwan, south-west. South China Sea.	€ 1,50
Olivella nivea (Gmelin, 1791).	Antilles. Caribbean Sea.	€ 0,50
Olivella nivea (Gmelin, 1791).	Bonaire, Lesser Antilles Islands.	€ 1,00
Oliva oliva (L., 1758).	Thailand, Phuket (island), Raya Island. 25-30 metres deep.	€ 0,50 t/m € 0,80
Oliva oliva (L., 1758).	Indonesia, Bali (province), Bali (island), Kuta Beach.	€ 0,70
Oliva oliva (L., 1758).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 0,50
Oliva oliva (L., 1758).	Philippines.	€ 0,40 t/m € 1,00
Oliva oliva (L., 1758).	Philippines.	€ 0,70
Oliva oliva (L., 1758).	Brunei State, Borneo, Seria, Southeast Asia.	€ 0,50
Oliva ornata Marrat, 1867.	Australia, Western Australia, Broome. Live, on sandbank.	€ 0,90
Oliva ornata Marrat, 1867.	Australia, Western Australia, Broome.	€ 1,00
Oliva ornata Marrat, 1867.	Taiwan, south-west. South China Sea.	€ 1,00
Oliva pacifica Marrat, 1870.	Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.	€ 2,50
Oliva reticularis Lamarck, 1811.	Aruba, Lesser Antilles Islands.	€ 1,00
Oliva reticularis Lamarck, 1811.	Bahamas, Green Turtle Cay (island).	€ 1,80
Oliva reticulata (Röding, 1798).	Indonesia, Bali (province), Bali (island).	€ 0,80
Oliva reticulata (Röding, 1798).	Philippines.	€ 1,00
Oliva rufula Duclos, 1835.	Philippines.	€ 1,50
Oliva sayana Ravenel, 1834.	USA, Florida.	€ 1,30
Oliva sericea (Röding, 1798).	Philippines.	€ 2,50
Oliva spicata (Röding, 1798). spots, with sea grass around.	Mexico, about 2 km. N.E. of Pichilique. Live, about 4 m. deep in sandy	€ 0,50 t/m € 1,00
Ancilla suavis Yokoyama, 1922.	Taiwan. East China Sea.	€ 2,00
Oliva tessellata Lamarck, 1811. scattered coral.	Malaysia, Sabah (state), Semporna. Live on deas reef in sandy spots among	€ 1,00
Oliva tessellata Lamarck, 1811.	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,00
Oliva todosina Duclos, 1840.	Thailand, Phuket (island), Raya Island. 25-30 metres deep.	€ 2,80
Oliva tricolor Lamarck, 1811.	Sri Lanka.	€ 1,50
Oliva tricolor Lamarck, 1811.	Indonesia, Sulawesi (island), South Sulawesi (province), Bira.	€ 1,30
Oliva tricolor Lamarck, 1811.	Philippines.	€ 0,80 t/m € 1,30

		Price Range
Olivancillaria urceus (Röding, 1798).	Brazil, Santa Catarina (state), off Itajai. Fisherman, 20-30 metres deep.	€ 1,00 t/m € 2,00
Oliva vidua (Röding, 1798).	Sri Lanka, Eastern Province, Trincomalee.	€ 1,25
Oliva vidua (Röding, 1798).	Indonesia, Greater Sundra Islands, East Java (province), Madura Island.	€ 2,00
Oliva vidua (Röding, 1798).	Philippines, Central Visayas (region), Cebu (province), Mactan (island).	€ 1,50 t/m € 2,00
Oliva vidua (Röding, 1798).	Australia, Queensland, Dunk Island. Alive, in sand.	€ 1,70
Oliva vidua (Röding, 1798).	Indonesia, Greater Sundra Islands, East Java (province), Madura Island.	€ 2,00
Oliva vidua (Röding, 1798).	India, Tamil Nadu (state), Madras [Chennai].	€ 2,00
Olivella volutella (Lamarck, 1811).	Panama.	€ 0,30
Ostreidae		
Crassostrea gigas (Thunberg, 1793).	Nederland, Scheveningen. On beach by breakwater, some live.	€ 0,80 t/m € 1,30
Crassostrea gigas (Thunberg, 1793).	The Netherlands, Zeeland, Yerseke.	€ 1,50
Ostrea palmula Carpenter, 1857.	West Panama. Pacific Ocean.	€ 2,00
Ovulidae		
Phenacovolva angasi (Reeve, 1865).	Japan, Honshu (island), Wakayama Prefecture, Nada.	€ 2,50
Phenacovolva brevirostris (Schumacher, 1817).	Japan, Honshu (island), Chubu region, Aichi Prefecture, Mikawa.	€ 1,80
Pseudosimnia carnea (Poiret, 1789).	Tunisia, Jendouba Governorate, near Tabarka. On coral.	€ 0,80
Ovula costellata Lamarck, 1810.	Australia, Qld., Cairns, Great Barrier Reef. Dived at 10 metres, coral. 34 mm	€ 12,50
Cyphoma gibbosum (L., 1758).	The Grenadines Islands, Windward Islands, Caribbean.	€ 1,00 t/m € 2,00
Cyphoma gibbosum (L., 1758).	Haiti. Caribbean Sea.	€ 1,70
Cyphoma gibbosum (L., 1758).	USA, Florida, Big Pine Key.	€ 0,40
Cyphoma gibbosum (L., 1758).	Curaçao, Lesser Antilles Islands.	€ 0,80
Cyphoma gibbosum (L., 1758).	USA, Florida. On gorgonians.	€ 0,50
Cyphoma gibbosum (L., 1758).	Curaçao, Lesser Antilles Islands.	€ 0,25
Cyphoma gibbosum (L., 1758).	Bahamas, Abaco Cays, Manjack Cay.	€ 1,80
Phenacovolva longirostrata (Sowerby, 1828).	Taiwan. East China Sea.	€ 10,00
Phenacovolva longirostrata (Sowerby, 1828).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 6,50
Pseudosimnia marginata (Sowerby, 1828).	Taiwan, south-west. South China Sea.	€ 2,00
Pseudosimnia marginata (Sowerby, 1828).	Taiwan, south-west. South China Sea.	€ 1,30
Pseudosimnia marginata (Sowerby, 1828).	Japan.	€ 4,00
Ovula ovum (L., 1758).	Tanzania, Zanzibar. East Africa. Indian Ocean.	€ 1,30
Ovula ovum (L., 1758).	Philippines.	€ 1,30 t/m € 2,30
Phenacovolva rosea (A. Adams, 1854).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 2,00
Pseudosimnia sinensis (Sowerby, 1874).	Taiwan. East China Sea.	€ 1,40
Phenacovolva subreflexa (Adams & Reeve, 1848).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 3,50
Calpurnus verrucosus (L., 1758).	Papua New Guinea, East New Britain Province, Rabaul.	€ 0,50

Calpurnus verrucosus (L., 1758).
 Calpurnus verrucosus (L., 1758).
 Calpurnus verrucosus (L., 1758).
 Calpurnus verrucosus (L., 1758).
 Volva volva (L., 1758).
 Volva volva (L., 1758).
 Volva volva (L., 1758).

Pandoridae

Pandora inaequalis (L., 1758).
 Pandora inaequalis (L., 1758).
 Pandora inaequalis (L., 1758).

Patellidae

Patella aspera Röding, 1798.
 Patella caerulea L., 1758.
 Patella caerulea L., 1758.
 Patella caerulea L., 1758.
 Patella caerulea L., 1758.
 Patella candei Orbigny, 1839. Washed ashore, alive.
 Patella candei Orbigny, 1839.
 Patella candei Orbigny, 1839.
 Patella candei Orbigny, 1839.
 Patella compressa L., 1758.
 Cellana denticulata (Martyn, 1784).
 Cellana eucosmia (Pilsbry, 1891).
 Patella granatina L., 1758.
 Patella granatina L., 1758.
 Patella granatina L., 1758.
 Patella intermedia Murray, 1857.
 Patella intermedia Murray, 1857.
 Patella intermedia Murray, 1857.
 Patella laticostata Blainville, 1825.
 Patella longicosta Lamarck, 1819.
 Patella longicosta Lamarck, 1819.
 Patella lugubris Gmelin, 1791.
 Nacella magellanica (Gmelin, 1791). Mesolitoral.

Solomon Islands, Guadalcanal. Pacific Ocean.
 Philippines, Bohol (province), close to Panglao Island, Balicasag Island.
 Philippines.
 Mozambique, Bazaruta Island region. In shallow water. 20 mm - 23 mm
 India, Tamil Nadu (state), off Madras [Chennai]. Trawled.
 Philippines.

France, Brittany, Saint-Jacut-de-la-Mer, Côtes-du-Nord
 France, Brittany, Ille-et-Vilaine (departement), Dinard.
 Spain, San Carlos de la Rápita. Trawled by fisherman 26 mm - 32 mm

Portugal, Azores, Lajes do Pico. Between rocks, in seaweed.
 Tunisia, Nabeul.
 Italy, Savona, Vado Ligure harbour. 1-5 metres deep.
 Turkey, Alanya.
 Spain, Andalusia (region), Province of Málaga, Marbella.
 Portugal, Azores, Santa Cruz des Flores, Porto das Pocas.
 Canary Islands, Lanzarote, Isla Graciosa. Fished, in waste heaps.
 Portugal, Madeira (autonomous region), Madeira (island). Atlantic Ocean.
 Portugal, Azores, Ponto del Gada from fishermen, from Madeira rocks.
 South Africa, Western Cape, Simonstown. False Bay. Scuba, kelp, ±6 m.
 New Zealand, Kaikoura. Intertidal on rocks. 26 mm
 Israel, Elat. Gulf of Aqaba.
 South Africa, Western Cape, Olifantsbos point. Sand beach, by reefs & kelp
 South Africa, South of Cape Town, Hout Bay, Kommetjie. Atlantic Ocean.
 Namibia, Erongo (region), Swakopmund. Atlantic Ocean.
 France, Brittany, Rothéneuf.
 Spain, San Carlos de la Rápita.
 Morocco, West Sahara, Tan Tan.
 Australia, Western Australia, Cape le Grand, Rossiter Bay.
 South Africa, False Bay area, Buffels Bay. Live on rocks at low tide.
 South Africa, Cape Province, Cape Town.
 Cape Verde. Atlantic Ocean.
 Argentina, Tierra del Fuego, Canal Beagle, Punta Maria. On rocks.

Price Range

€ 0,50
 € 0,50
 € 0,60
 € 1,00
 € 3,00
 € 6,00
 € 4,00 t/m € 6,00

 € 0,50
 € 0,20 t/m € 0,50
 € 1,00

 € 2,00 t/m € 2,50
 € 1,00
 € 3,50
 € 0,50 t/m € 1,00
 € 0,20 t/m € 0,80
 € 0,80 t/m € 1,30
 € 2,00
 € 2,50
 € 1,00
 € 2,00 t/m € 3,50
 € 2,30
 € 1,80 t/m € 2,30
 € 1,00 t/m € 2,00
 € 2,00 t/m € 3,00
 € 3,50 t/m € 4,00
 € 0,40
 € 1,00
 € 0,80 t/m € 1,30
 € 4,50 t/m € 7,00
 € 4,50
 € 2,50
 € 0,80
 € 4,00

		Price Range
Patella oculus	Born, 1778.	€ 0,80 t/m € 1,30
Patella oculus	Born, 1778.	€ 6,50
Patella oculus	Born, 1778.	€ 5,00
Helcion pectunculus	(Gmelin, 1791).	€ 0,75
Helcion pectunculus	(Gmelin, 1791).	€ 0,80
Cellana radiata radiata	(Born, 1778).	€ 1,00
Cellana radiata radiata	(Born, 1778).	€ 1,00 t/m € 1,30
Patella rustica	L., 1758.	€ 0,30 t/m € 0,50
Patella rustica	L., 1758.	€ 0,70
Patella tabularis	Krauss, 1848.	€ 7,00 t/m € 9,00
Cellana testudinaria	(L., 1758).	€ 1,00 t/m € 2,50
Cellana tramoserica	(Holten, 1802).	€ 1,00
Patella ulyssiponensis	Gmelin, 1791.	€ 0,75
Patella ulyssiponensis	Gmelin, 1791.	€ 0,80 t/m € 1,50
Patella ulyssiponensis	Gmelin, 1791.	€ 0,20 t/m € 0,30
Patella ulyssiponensis	Gmelin, 1791.	€ 0,50
Patella vulgata	L., 1758.	€ 1,00
Patella vulgata	L., 1758.	€ 0,50 t/m € 1,00
Patella vulgata	L., 1758.	€ 0,80 t/m € 1,00
Patella vulgata	L., 1758.	€ 1,00
Pectinidae		
Semipallium aktinos	(Petterd, 1886).	€ 6,00
Pecten albicans	(Schröter, 1802).	€ 2,30
Pecten albicans	(Schröter, 1802).	€ 2,00
Decatopecten amiculum	(Philippi, 1851). 60 m. deep.	€ 3,00
Mimachlamys asperrima	(Lamarck, 1819).	€ 3,50
Mimachlamys asperrima	(Lamarck, 1819).	€ 4,00
Mimachlamys asperrima	(Lamarck, 1819).	€ 2,50 t/m € 4,00
Mimachlamys asperrima	(Lamarck, 1819).	€ 1,50 t/m € 2,30
Amusium balloti	(Bernardi, 1861).	€ 4,00 t/m € 6,50
Equichlamys bifrons	(Lamarck, 1819).	€ 1,50 t/m € 2,00
Equichlamys bifrons	(Lamarck, 1819).	€ 3,50
Chlamys chosenica	Kuroda, 1932.	€ 14,50
Mimachlamys cloacata	(Reeve, 1853).	€ 3,00
Aequipecten commutatus commutatus	(Monterosato, 1875).	€ 3,00
	South Africa, Cape Province, Jeffreys Bay.	
	South Africa, Transkei.	
	South Africa, False Bay. Mid-tide level, live, collected from rocks.	
	South Africa, Western Cape, Olifantsbos point. Sand beach, by reefs & kelp	
	South Africa, Eastern Cape Province, near East London, Gonoubie.	
	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	
	Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.	
	Spain, Province of Málaga, Fuengirola.	
	Morocco, Marrakesh-Tensift-El Haouz, Essaouira.	
	South Africa, Cape Province, False Bay. 15 metres deep on reef.	
	Thailand, Changwat Phuket (province), Phuket (island).	
	Australia.	
	Portugal, Madeira (island), Porto Santo. Atlantic Ocean.	
	Canary Islands, Lanzarote, Isla Graciosa. Fished, in waste heaps.	
	France, Brittany, Rothéneuf.	
	Portugal, Algarve (region), Quarteira.	
	Ireland, Dublin, Dún Laoghaire.	
	UK, Wales, South Wales (region), Cower Peninsula. Live, littoral, rocks.	
	France, Brittany, Ille-et-Vilaine (departement), Dinard.	
	England, Cornwall.	
	Australia, Western Australia, dived off Forrest Beach.	
	Taiwan. East China Sea.	
	Japan, Wakayama pref., Nada, 10-30 fms, lobster net, mud/sa	
	Thailand, Phuket (island), Raya Island. Dredged on sandy bottom at ca.	
	Australia, Western Australia, Shark Bay. Dredged 3 miles off shore at -8 m	
	Australia.	
	Australia, South Australia, Port Giles Jetty. 45 feet deep.	
	Australia, South Australia, Edithburg, under rocks.	
	Australia, New South Wales, Brunswick Heads.	
	Australia, South Australia, Port Adelaide. On beach, alive, after storm.	
	Australia, Tasmania.	
	Sea of Japan, trawled at 200 m. 45°19'N - 137°28'E.	
	Philippines. Sulu Sea. Fished.	
	Senegal, Cap-Vert, N'Gor Island, Pointe des Almadies. Fishing harbour.	

		Price Range
Mesopeplum convexum (Quoy & Gaimard, 1835).	New Zealand, south of Stewart Island. Trawled 30 fathoms.	€ 4,30 t/m € 5,00
Mimachlamys crassicostata (Sowerby II, 1842).		€ 6,50
Psychrochlamys delicatula (Hutten, 1873).	New Zealand, near Jackson Head. Trawled 15-18 metres deep.	€ 1,80 t/m € 2,50
Semipallium diana (Crandall, 1979).	Japan, Okinawa, Bolo Point, dived at 35 m. deep, under rock.	€ 9,00
Euvola diegensis (Dall, 1898).	Mexico, Sonora (state), Moro Colorado. Gulf of California. Fished.	€ 2,00 t/m € 5,00
Pecten erythraeensis Sowerby II, 1842.	Egypt, south of Safaga. Red Sea. From fishery.	€ 4,00
Pecten excavatus Anton, 1839.	Japan, Shikoku (island), Kochi Prefecture, Tosa Bay. Fished.	€ 4,00
Lissochlamys exotica (Dillwyn, 1817).	Senegal, Casamance, Kafountine, 10 metres deep.	€ 4,00
Lissochlamys exotica (Dillwyn, 1817).	Gabon. Port-Gentil. West Africa. Atlantic Ocean.	€ 4,50
Scaechlamys farreri (Jones & Preston, 1904).	Japan.	€ 3,00 t/m € 4,50
Flexopecten felipponei (Dall, 1922).	Argentina, Chubut Province, Golfo San José. Scuba, 15-25 metres deep.	€ 12,00
Annachlamys flabellata (Lamarck, 1819).	Australia, Queensland, Fraser Coast, Tin Can Bay.	€ 6,50
Annachlamys flabellata (Lamarck, 1819).	Australia, Queensland, Cape Manifold.	€ 4,00
Annachlamys flabellata (Lamarck, 1819).	Australia, Western Australia, Broome, in sand.	€ 5,00
Annachlamys flabellata (Lamarck, 1819).	Australia, Western Australia, Carnarvon.	€ 7,50
Aequipecten flabellum (Gmelin, 1791).	Senegal, Cap-Vert, N'Gor Island, Pointe des Almadies. Fishing harbour.	€ 2,50
Aequipecten flabellum (Gmelin, 1791).	Angola, Luanda province. West Africa. Atlantic Ocean.	€ 1,30
Aequipecten flabellum (Gmelin, 1791). Special offer.	Senegal, Dakar Region, Dakar, north side N'Gor. Diving, 1-8 metres deep.	€ 3,30
Aequipecten flabellum (Gmelin, 1791).	Senegal, Casamance. West Africa. Gulf of Guinea.	€ 3,75 t/m € 5,00
Aequipecten flabellum (Gmelin, 1791).	Senegal, Cape Verde Peninsula. West Africa. Trawled at 30-50 feet deep.	€ 3,50
Semipallium flavicans (Lamarck, 1819).	Philippines, Central Visayas (region), Cebu (island), Mactan Channel.	€ 5,00
Flexopecten flexuosus (Poli, 1795).	Spain, Malaga, trawled in the Gibraltar area, 30-40 m deep.	€ 3,00
Pecten fumatus Reeve, 1852.	Australia, Queensland, Fraser Coast, Tin Can Bay.	€ 3,00
Pecten fumatus Reeve, 1852.	Australia, New South Wales, Sydney, Port Jackson. Fished.	€ 1,00 t/m € 2,00
Serratovola gardineri (E.A. Smith, 1903).	Taiwan. East China Sea.	€ 2,00
Talochlamys gemmulata (Reeve, 1853).	New Zealand, Stewart Island, Paterson Inlet. Dived 10 meters, sand.	€ 4,50
Argopecten gibbus (L., 1758).	USA, Florida, Gulf of Mexico, Sanibel Island.	€ 1,30
Argopecten gibbus (L., 1758).	USA, Florida, Fort Pierce.	€ 1,50
Flexopecten glaber (L., 1758).	Greece, 200 km northeast of Athens, Évvoia Island, Kimi.	€ 1,30 t/m € 1,80
Flexopecten glaber (L., 1758).	Italy, Sicily (region), Sicily.	€ 3,80 t/m € 4,50
Flexopecten glaber (L., 1758).	Italy, Grado. Trawled by fishermen, 15 metres deep on sand, live.	€ 1,50 t/m € 2,50
Flexopecten glaber (L., 1758).	Italy, Sicily (region), Sicily.	€ 3,50
Flexopecten glaber (L., 1758).	Italië, Genua, Mediterranean Sea.	€ 5,50
Flexopecten glaber (L., 1758).	Mediterranean Sea.	€ 2,00
Flexopecten glaber (L., 1758).	Turkey.	€ 2,00 t/m € 6,00

		Price Range
Mimachlamys gloriosa (Reeve, 1853).	Australia, Queensland.	€ 4,00
Mimachlamys gloriosa (Reeve, 1853).	Thailand, Changwat Phuket (province), Phuket (island).	€ 4,00 t/m € 5,00
Aequipecten glyptus (Verrill, 1882).	USA, Florida, Key West. At 100 fathoms.	€ 3,50
Chlamys hastata hericius (Gould, 1850).	Canada, Vancouver Island, Union Bay.	€ 2,30
Chlamys hastata hericius (Gould, 1850).	USA, Washington, Puget Sound.	€ 4,50
Notochlamys hexactes (Péron in Lamarck, 1819). shells, among ribbon weed.	Australia, WA, Albany, Frenchman's Bay. Dived at 15-20 m., att. to Pinna	€ 10,00
Excellichlamys histrionica (Gmelin, 1791).	Thailand, Changwat Phuket (province), Phuket (island).	€ 2,00 t/m € 3,00
Excellichlamys histrionica (Gmelin, 1791).	Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.	€ 3,00 t/m € 4,80
Argopecten irradians irradians (Lamarck, 1819).	USA, Massachusetts. Atlantic Ocean.	€ 1,50 t/m € 3,50
Argopecten irradians irradians (Lamarck, 1819).	USA, Florida.	€ 2,50
Chlamys islandica (Müller, 1776).	Canada, Nova Scotia, Digby.	€ 3,80 t/m € 6,25
Chlamys islandica (Müller, 1776).	Denmark Strait, between Iceland and Greenland. Fished.	€ 4,00
Chlamys islandica (Müller, 1776).	Barents Sea, 68°34' N., 39°14' O., 70-78 metres deep.	€ 3,80 t/m € 5,00
Chlamys islandica (Müller, 1776).	Russia. 68°34'N, 39°14 E. Barents Sea, Arctic Ocean. Fished, 80 m deep.	€ 3,00 t/m € 5,00
Chlamys islandica (Müller, 1776).	Norway, Nordland (province), Lofoten Islands.	€ 5,00
Pecten jacobaeus (L., 1758).	Italy. Mediterranean Sea.	€ 6,50
Pecten jacobaeus (L., 1758).	Italy, Anzio.	€ 1,00 t/m € 5,00
Pecten jacobaeus (L., 1758).	Italy, Veneto (region), Province of Venice, Caorle (city). Adriatic Sea.	€ 4,00
Pecten jacobaeus (L., 1758).	Italy, Chioggia. Adriatic Sea. Fished.	€ 2,50
Amusium japonicum japonicum (Gmelin, 1791).	Japan.	€ 5,00
Mimachlamys lentiginosa (Reeve, 1853).	Philippines, Mindanao (island), Zamboanga.	€ 2,00
Mimachlamys lentiginosa (Reeve, 1853).	Philippines.	€ 2,50
Mimachlamys lentiginosa (Reeve, 1853).	Philippines.	€ 1,00
Scaechlamys livida (Lamarck, 1819).	Australia, Western Australia, near Rockingham. Scuba, attached on mussels.	€ 2,00
Scaechlamys livida (Lamarck, 1819).	Australia, New South Wales, 3 km from Iluka. Littoral zone, under stones.	€ 1,00 t/m € 2,50
Scaechlamys livida (Lamarck, 1819).	Australia, New South Wales, Ulladulla Harbour. Littoral, live and dead.	€ 0,20 t/m € 1,00
Placopecten magellanicus (Gmelin, 1791).	Canada, Nova Scotia, Digby, 50-55 fathoms, trawled.	€ 6,00
Placopecten magellanicus (Gmelin, 1791).	Canada, Vancouver Island. Trawled 110-145 m, fishermen.	€ 5,00 t/m € 7,50
Nodipecten magnificus (Sowerby I, 1835).	Ecuador, Galápagos Islands, Fernandina Island, Bahía Isabel. Taken in sand between rocks at 15-20 metres, by dive.	€ 595,00
Euvola marensis (Weisbord, 1964).	South America, Surinam territory, in a depth of 100 metres.	€ 7,00
Pecten maximus (L., 1758). sand at 20-30 metres.	France, Morbihan, Belle Ile sur Mer. Trawled north of Le Palais on silty	€ 5,00
Pecten maximus (L., 1758).	France, Brittany, Côtes-d'Armor (department), Erquy.	€ 1,00 t/m € 2,80
Pecten maximus (L., 1758).	Ireland, Dundalk Bay, Irish Sea.	€ 1,00 t/m € 3,00
Pecten maximus (L., 1758).	UK, Wales, 40 km north of the Great Ormes Head. 37 mm - 70 mm	€ 1,50 t/m € 2,50

		Price Range
Mirapecten mirificus (Reeve, 1853). Special offer.	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,00 t/m € 5,00
Mirapecten mirificus (Reeve, 1853).	Philippines, Mindanao (island), Zamboanga.	€ 12,50
Talochlamys multistriata (Poli, 1795).	South Africa, False Bay, dived at 25 m., under coral heads.	€ 3,50
Aequipecten muscosus (Wood, 1828).	USA, Florida.	€ 3,50
Nodipecten nodosus (L., 1758).	USA, Florida, Port Canaveral.	€ 6,00
Nodipecten nodosus (L., 1758).	Venezuela, SW of Islas Las Monjes. Gulf of Venezuela. ±25 fathoms deep.	€ 4,30 t/m € 6,50
Nodipecten nodosus (L., 1758).	Brazil, Espírito Santo (state), Guarapari. Flat bottom, 20-25 metres deep.	€ 5,00
Nodipecten nodosus (L., 1758).	Venezuela, Isla Margarita, El Coche.	€ 1,50 t/m € 2,50
Pecten novaezelandiae Reeve, 1852.	New Zealand, N.I., Jackson's Bay. 60 metres deep.	€ 1,30
Aequipecten opercularis (L., 1758).	France, Brittany.	€ 2,50
Aequipecten opercularis (L., 1758).	France, Brittany, Bay of Morbihan. Trawled by commercial scallop boats.	€ 1,50
Aequipecten opercularis (L., 1758). 75-80 m. Trawled, silty sand.	North Sea, Outer Silver Pit (station 18-19). 54°06'20" N 2°16'-2°13'50" E.	€ 2,00
Aequipecten opercularis (L., 1758). sand at 20-30 metres. Live.	France, Belle Ile sur Mer, Morbihan. Trawled north of Le Palais on silty	€ 1,00 t/m € 1,75
Aequipecten opercularis (L., 1758). 20-30 m. Collected alive.	France, Morbihan, Belle Ile sur Mer, N. of Le Palais. Trawled, silty sand.	€ 1,50
Aequipecten opercularis (L., 1758).	France, Brittany, St. Quay-Portrieux.	€ 0,80 t/m € 1,50
Aequipecten opercularis (L., 1758). silty sand.	North Sea, Outer Silver Pit (station 1). 53°59'50"N. 2°28'E. 75-80 m on 43 mm - 70 mm	€ 1,50 t/m € 2,50
Aequipecten opercularis (L., 1758).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,50
Aequipecten opercularis (L., 1758).	Italy, Chioggia, fishery.	€ 0,80
Aequipecten opercularis (L., 1758).	Spain, Province of Málaga, Fuengirola.	€ 0,50
Bractechlamys oweni (De Gregorio, 1884).	Philippines, Cebu, Olango Island, dived off Caw-oy, at 25-30 m.	€ 14,00
Gloripallium pallium (L., 1758).	Thailand, Changwat Phuket (province), Phuket (island).	€ 1,50 t/m € 3,00
Caribachlamys pellucens (L., 1758).	USA, Lower Florida Keys, Looe Key. Between coral on sponges. 29 mm - 40 mm	€ 6,50 t/m € 7,50
Euvola perulus (Olsson, 1961).	Panama, Bay of Chiriqui. Pacific Ocean	€ 3,00
Pseudamussium peslutrae (L., 1771).	Scotland, Kintyre peninsula, Argyll and Bute, Campbeltown.	€ 5,50
Amusium pleuronectes (L., 1758).	Indonesia.	€ 10,00
Amusium pleuronectes (L., 1758).	Taiwan.	€ 6,00
Amusium pleuronectes (L., 1758).	Indonesia, Mollucus Islands.	€ 12,50
Amusium pleuronectes (L., 1758).	Malaysia, Kuala Besut. Fishery.	€ 3,00
Amusium pleuronectes (L., 1758).	Malaysia, Borneo, Sabah, Kudat. Fishmarket.	€ 2,00 t/m € 2,80
Amusium pleuronectes (L., 1758).	Philippines.	€ 4,00
Decatopecten plica (L., 1758).	Japan, Honshu (island), Wakayama Prefecture, Minabe.	€ 5,00
Decatopecten plica (L., 1758).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 2,00
Decatopecten plica (L., 1758).	Philippines, Visayas (region), Samar (island).	€ 3,30
Decatopecten plica (L., 1758).	Japan.	€ 5,00

		Price Range
Decatopecten plica (L., 1758).	Philippines, Luzon (island), Cavite.	€ 5,00
Decatopecten plica (L., 1758).	Philippines, Cebu (island), Olango Island. Dived at 10 metres deep.	€ 2,00
Talochlamys pusio (L., 1758).	UK, Scotland, Isle of Skye, Broadford. In fishing port, on plastic crates.	€ 2,50 t/m € 3,00
Minnivola pyxidata (Born, 1778).	Philippines.	€ 1,80 t/m € 2,30
Minnivola pyxidata (Born, 1778).	Philippines, Luzon (island), Tabayas Bay.	€ 3,00
Decatopecten radula radula (L., 1758).	Philippines, Sulu (province), Siasi Island. Sulu Sea.	€ 1,30 t/m € 2,30
Decatopecten radula radula (L., 1758).	Philippines.	€ 2,50
Decatopecten radula radula (L., 1758).	Vietnam, Quảng Ngãi, trawl, 30 metres.	€ 3,00
Decatopecten radula radula (L., 1758).	Japan , Kagoshima Prefecture, Amami Islands , Amami Ōshima (island).	€ 2,50
Mirapecten rastellum (Lamarck, 1819).	Philippines, Bohol, Caubian Island, dived at 20-30 m.	€ 4,50
Mirapecten rastellum (Lamarck, 1819).	Philippines, Cebu (province), Mactan (island), Punta Engaño.	€ 0,80 t/m € 7,50
Mirapecten rastellum (Lamarck, 1819).	Philippines, Central Visayas (region), Bohol (island).	€ 5,00 t/m € 10,00
Mirapecten rastellum (Lamarck, 1819).	Philippines, Cebu (island), Mactan Channel. 30 m deep, between dead coral.	€ 4,50
Euvola raveneli (Dall, 1898).	USA, Florida, Port Canaveral.	€ 1,80 t/m € 3,80
Serratovola rubicunda (Récluz in Chenu, 1843).	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 1,50 t/m € 2,00
Serratovola rubicunda (Récluz in Chenu, 1843).	Philippines.	€ 2,00
Chlamys rubida (Hinds, 1845).	Canada, Vancouver Island, Union Bay.	€ 4,00
Mimachlamys sanguinea (L., 1758).	Philippines, Basilan Island.	€ 3,30
Mimachlamys sanguinea (L., 1758).	Red Sea.	€ 3,00
Mimachlamys sanguinea (L., 1758).	Philippines.	€ 5,00
Mimachlamys sanguinea (L., 1758). Juvenile.	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,50
Mimachlamys sanguinea (L., 1758).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,80
Mimachlamys sanguinea (L., 1758).	Philippines, Central Visayas (region), Cebu (province), Mactan (island).	€ 4,00
Mimachlamys sanguinea (L., 1758).	Philippines.	€ 3,00
Mimachlamys sanguinea (L., 1758). Brown form.	Thailand, Phuket (island), Raya Island. 25-30 metres deep.	€ 0,80 t/m € 1,50
Mimachlamys sanguinea (L., 1758).	Philippines.	€ 6,50
Mimachlamys sanguinea (L., 1758).	Philippines, Sulu Archipelago. Trawled, 75 metres deep.	€ 3,00
Mimachlamys sanguinea (L., 1758).	Philippines, Mindanao (island), Zamboanga. From fisherman.	€ 2,00 t/m € 3,80
Mimachlamys sanguinea (L., 1758).	Philippines.	€ 2,00
Mimachlamys sanguinea (L., 1758).	Thailand, Changwat Phuket (province), Phuket (island).	€ 2,00 t/m € 5,50
Caribachlamys sentis (Reeve, 1853).	Florida, Government Cut, Miami. Snorkel, 5-10 feet deep, under rubble.	€ 5,00
Caribachlamys sentis (Reeve, 1853).	Florida, Pompano Beach, 2 miles south of Hillsboro Light. 3 m deep.	€ 2,80
Caribachlamys sentis (Reeve, 1853).	USA, Florida, Big Pine Key.	€ 4,50
Euvola sericea (Hinds, 1845).	Panama, Gobernadora Island.	€ 10,00
Gloripallium speciosum (Reeve, 1853).	Japan.	€ 4,00

		Price Range
Pedum spondyloideum (Gmelin, 1791).	Philippines, Mactan (island). 7 m deep, embedded in braincorals, scuba.	€ 10,00
Scaechlamys squamata (Gmelin, 1791).	Japan.	€ 3,00
Scaechlamys squamata (Gmelin, 1791).	Taiwan, south-west of.	€ 1,00 t/m € 1,30
Laevichlamys squamosa (Gmelin, 1791).	Australia, Western Australia, Broome. Shallow, under rocks. 55 mm	€ 4,00
Laevichlamys squamosa (Gmelin, 1791).	Philippines.	€ 1,50
Laevichlamys squamosa (Gmelin, 1791).	Thailand, Changwat Phuket (province), Phuket (island).	€ 1,00 t/m € 2,00
Laevichlamys squamosa (Gmelin, 1791).	Malaysia, Straits of Malacca. From shrimp fishery.	€ 2,00 t/m € 3,50
Laevichlamys squamosa (Gmelin, 1791).	Philippines.	€ 1,30
Laevichlamys squamosa (Gmelin, 1791).	Thailand, Changwat Phuket (province), Phuket (island).	€ 1,00 t/m € 2,00
Laevichlamys squamosa (Gmelin, 1791).	Thailand, Changwat Phuket (province), Phuket (island).	€ 1,00 t/m € 2,00
Laevichlamys squamosa (Gmelin, 1791).	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 1,00 t/m € 2,00
Annachlamys striatula (L., 1758).	Taiwan. East China Sea.	€ 2,50
Annachlamys striatula (L., 1758).	Philippines, Sibuguey Bay.	€ 1,80
Annachlamys striatula (L., 1758).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 m	€ 1,00
Annachlamys striatula (L., 1758).	South China Sea.	€ 3,50
Anguipecten superbus (Sowerby II, 1842).	Japan, Okinawa Island.	€ 8,00
Swiftopecten swiftii (Bernardi, 1858).	Japan.	€ 10,00
Swiftopecten swiftii (Bernardi, 1858).	Japan, Hokkaido.	€ 7,00
Palliolium tigerinum (Müller, 1776).	North Sea, English, Klondyke, trawled at 30-40 metres deep.	€ 6,00
Volachlamys tranquebarica (Gmelin, 1791).	India.	€ 2,50
Mimachlamys varia (L., 1758).	Spain, Province of Málaga, Fuengirola.	€ 0,50
Mimachlamys varia (L., 1758).	Ireland, Bantry Bay, Gerahies Harbour.	€ 1,50 t/m € 2,50
Mimachlamys varia (L., 1758). Meaban.	France, Morbihan, Baie de Quiberon. Live, low tide under stones at Rochers	€ 1,00
Mimachlamys varia (L., 1758).	France, Brittany, Le Pô. In oysterpit and waste heaps at an oysterfarm.	€ 1,50
Mimachlamys varia (L., 1758).	France, Brittany. Gulf of Morbihan.	€ 0,80 t/m € 1,00
Mimachlamys varia (L., 1758).	Portugal. Olhao fishing village. In nets on the quays.	€ 0,75
Mimachlamys varia (L., 1758). rocks; low tide.	France, Brittany, Saint-Jacut-de-la-Mer. Sand/mud flats;	€ 0,75
Mimachlamys varia (L., 1758).	France, Brittany, Morbihan (department), Carnac.	€ 1,00 t/m € 1,80
Mimachlamys varia (L., 1758).	France, Brittany, Golfe du Morbihan, Locq Maria Quer.	€ 1,30
Mimachlamys varia (L., 1758).	Ireland, County Cork, Bantry.	€ 3,00
Mimachlamys varia (L., 1758).	France, Brittany.	€ 2,00
Argopecten ventricosus (Sowerby II, 1842).	Mexico, Baja California Sur (state), La Paz.	€ 3,50
Argopecten ventricosus (Sowerby II, 1842).	Panama, Bay of Panamá, Isla de Melones. Live, dredged 12 m.	€ 3,00
Brachtechlamys vexillum (Reeve, 1853).	Philippines, Moro Gulf.	€ 2,50
Brachtechlamys vexillum (Reeve, 1853).	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 1,50 t/m € 3,50

	Price Range
Bractechlamys vexillum (Reeve, 1853).	€ 3,00
Bractechlamys vexillum (Reeve, 1853).	€ 1,30
Delectopecten vitreus (Gmelin, 1791).	€ 2,50
Complicachlamys wardiana Iredale, 1939.	€ 2,50
Complicachlamys wardiana Iredale, 1939.	€ 4,00
Complicachlamys wardiana Iredale, 1939.	€ 2,00
Mizuhopecten yessoensis (Jay, 1839).	€ 3,80
Mizuhopecten yessoensis (Jay, 1839).	€ 27,50
Talochlamys zelandiae (Gray in Dieffenbach, 1843).	€ 2,50
Talochlamys zelandiae (Gray in Dieffenbach, 1843).	€ 3,80
Talochlamys zelandiae (Gray in Dieffenbach, 1843). m., amongst green mussels.	€ 5,00
Euvola ziczac (L., 1758).	€ 6,00
Euvola ziczac (L., 1758).	€ 7,50
Penicillidae	
Brechites spec.	€ 10,00
Periplomatidae	
Periploma margaritaceum (Lamarck, 1801).	€ 2,00
Personidae	
Distorsio anus (L., 1758).	€ 2,00
Distorsio anus (L., 1758).	€ 2,75
Distorsio anus (L., 1758).	€ 2,00 t/m € 3,00
Distorsio clathrata (Lamarck, 1816).	€ 1,30 t/m € 2,30
Distorsio clathrata (Lamarck, 1816).	€ 2,30
Distorsio decipiens (Reeve, 1844).	€ 1,00 t/m € 6,00
Distorsio decipiens (Reeve, 1844).	€ 1,00 t/m € 2,80
Distorsio habei Lewis, 1972.	€ 3,00
Distorsio habei Lewis, 1972.	€ 4,00 t/m € 6,50
Distorsio kurzi Petuch & Harasewych, 1980.	€ 2,50 t/m € 4,80
Distorsio kurzi Petuch & Harasewych, 1980.	€ 1,00 t/m € 4,50
Distorsio perdistorta Fulton, 1938.	€ 6,00
Distorsio perdistorta Fulton, 1938.	€ 3,50 t/m € 6,00
Distorsio reticularis (L., 1758).	€ 2,50 t/m € 3,80
Distorsio reticularis (L., 1758).	€ 1,50 t/m € 3,00
Distorsio reticularis (L., 1758).	€ 5,00
Philippines, Luzon, Bicol Region, Sorsogon. Dredged, 8-15 metres.	€ 3,00
Philippines.	€ 1,30
Suriname, South America.	€ 2,50
Philippines, Luzon, Sorsogon. In sand under rocks, 10-20 metres deep.	€ 2,50
Philippines, off Masbate Island, dredged at 50-70 metres.	€ 4,00
Australia, Western Australia, Broome. Extreme low tide.	€ 2,00
Japan, northern.	€ 3,80
Russia, Primorskij Kraj, Posjet. Sea of Japan. 10 metres deep, trawled.	€ 27,50
New Zealand, South Island, Otago Peninsula, off Dunedin.	€ 2,50
New Zealand, Foureaux Straits. Trawled at 60 metres by oyster fishermen.	€ 3,80
New Zealand, South Island, Stewart Island, Patterson Inlet. Dived at 10-20 metres.	€ 5,00
Columbia, dredged by trawlers.	€ 6,00
Honduras.	€ 7,50
Australia, W.A., near Broome. Buried in sand, at extreme low tide.	€ 10,00
Venezuela, Nueva Esparta (state), Isla El Coche.	€ 2,00
Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 2,00
Philippines.	€ 2,75
Thailand, Changwat Phuket (province), Phuket (island).	€ 2,00 t/m € 3,00
Florida, W.S.W. off Ft. Myers Beach, 150 feet deep, dredged by trawler.	€ 1,30 t/m € 2,30
Bahamas, Green Turtle Cay (island).	€ 2,30
Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 1,00 t/m € 6,00
Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,00 t/m € 2,80
Philippines.	€ 3,00
Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep. 44 mm	€ 4,00 t/m € 6,50
Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 2,50 t/m € 4,80
Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 1,00 t/m € 4,50
Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep. 53 mm	€ 6,00
Philippines, Bohol (province), Balicasag Island. 380 metres deep.	€ 3,50 t/m € 6,00
Philippines, Luzon (island), Tayabas Bay.	€ 2,50 t/m € 3,80
Taiwan, Taiwan Channel.	€ 1,50 t/m € 3,00
Japan.	€ 5,00

		Price Range
Distorsio reticularis (L., 1758).	Philippines, Cebu (province), Mactan (island), Punta Engaño.	€ 1,00 t/m € 2,50
Distorsio smithi (von Maltzan, 1884).	Senegal, Cap-Vert, N'Gor Island, Pointe des Almadies. Fishing harbour..	€ 2,00 t/m € 4,50
Petricolidae		
Petricola lithophaga (Retzius, 1786).	France, Charente-Maritime (department), La Rochelle. Bay of Biscay.	€ 0,80
Petricola pholadiformis Lamarck, 1818.	France, Brittany, Côtes-d'Armor (department), Erquy.	€ 1,00
Petricola pholadiformis Lamarck, 1818.	The Netherlands, Scheveningen. On the beach after a storm.	€ 1,30
Phasianellidae		
Phasianella australis (Gmelin, 1791).	Australia, Tasmania.	€ 6,50
Phasianella australis (Gmelin, 1791). Amongst ribbon weed & sand.	Australia, Western Australia, east of Esperance, Lucky Bay. 2-3 m deep.	€ 6,50
Phasianella australis (Gmelin, 1791).	Australia, W.A., E. of Esperance, Lucky Bay. 2-3 m, amongst ribbon weed.	€ 4,00 t/m € 7,50
Phasianella australis (Gmelin, 1791).	Australia, Western Australia, Esperance.	€ 3,50
Phasianella australis (Gmelin, 1791).	Australia, W.A., east of Esperance, Lucky Bay. 2-3 m, at night.	€ 9,00
Phasianella solida (Born, 1778).	New Caledonia, Nouméa, Anse Vatá. Beach, Chateau Royal.	€ 1,30
Phasianella solida (Born, 1778).	Japan, Honshu (island).	€ 1,50
Phasianella ventricosa Swainson, 1832.	Australia, Western Australia, Esperance. On sand, 3-5 m under Jetty.	€ 4,50
Pholadidae		
Barnea candida (L., 1758).	North Sea fishery.	€ 2,00 t/m € 2,50
Barnea candida (L., 1758).	UK, Scotland, Fife, St Andrews.	€ 0,80 t/m € 1,00
Barnea candida (L., 1758).	France, Brittany, Saint-Jacut-de-la-Mer. Collected dead.	€ 0,70 t/m € 1,20
Cyrtopleura costata (L., 1758).	USA, Florida, Tampa Bay. Undeep in mud.	€ 3,50 t/m € 10,00
Pholas dactylus L., 1758.	France, Brittany, Ille-et-Vilaine, alive in front of Aquarium of Dinard.	€ 4,00
Pholas dactylus L., 1758.	France, Brittany, St. Cast.	€ 4,50 t/m € 6,50
Pinnidae		
Streptopinna saccata (L., 1758).	Philippines, Central Visayas (region), Cebu (island).	€ 4,00
Atrina vexillum (Born, 1778).	Tanzania, Zanzibar, Fumba (village). On the beach.	€ 3,00
Placunidae		
Placuna ehippium (Philipsson, 1788).	Philippines, Palawan (province), Palawan (island).	€ 3,50
Placuna placenta (L., 1758).	Philippines, Central Visayas (region), Bohol (island).	€ 2,30
Planaxidae		
Planaxis lineatus (da Costa, 1778).	Curacao, Lesser Antilles Islands, Playa Canoa	€ 0,50
Planaxis sulcatus (Born, 1780).	Egypt, Safaga. Red Sea.	€ 0,30 t/m € 0,50
Planaxis sulcatus (Born, 1780).	Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.	€ 0,80
Planaxis sulcatus (Born, 1780).	Vanuatu, Éfaté Island, Port-Vila, Pacific Ocean.	€ 0,40
Planaxis sulcatus (Born, 1780).	Philippines, Luzon (island), Batangas (province), Batangas City.	€ 1,50

		Price Range
Planaxis sulcatus (Born, 1780).	Tanzania, Zanzibar, south of Zanzibar Town, Coconut Beach.	€ 0,50
Planaxis sulcatus (Born, 1780).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,00
Pleurotomariidae		
Perotrochus hirasei (Pilsbry, 1903).	Japan, Shikoku (island), Kochi Prefecture, Tosa Bay. Fished.	€ 25,00
Perotrochus hirasei (Pilsbry, 1903).	E. China, Zhejiang, Hangzhou. East China Sea. Trawl, 200 m, sandy bottom.	€ 15,00 t/m € 25,00
Perotrochus hirasei (Pilsbry, 1903).	China, trawled off Litang. East China Sea. 80-150 metres deep.	€ 5,00 t/m € 7,50
Perotrochus hirasei (Pilsbry, 1903).	Taiwan, northern coast. East China Sea.	€ 30,00
Perotrochus teramachii Kuroda, 1955.	Taiwan, from fisherman of Kaoshiung. Trawled in East China Sea.	€ 40,00
Perotrochus teramachii Kuroda, 1955.	East China, Zhejiang Province, Hangzhou, off Zhoushan Qundao Archipelago. Eastern China Sea. Trawled at 400-500 m, on coarse gravel and sandy mud. W/O. 64½ mm - 100 mm	€ 19,50 t/m € 45,00
Perotrochus westralis (Whitehead, 1987).	Australia, W. Australia, Port Hedland, trawled off North West Shelf.	€ 9,00
Plicatulidae		
Plicatula gibbosa Lamarck, 1801.	USA, Florida, Gulf of Mexico, Sanibel Island.	€ 2,50
Plicatula gibbosa Lamarck, 1801.	USA, Florida, St. Petersburg. Boat ramp.	€ 0,50
Plicatula gibbosa Lamarck, 1801.	Lower Florida Keys, Looe Key Reef. 6 feet deep, coral rubble, snorkel.	€ 1,30 t/m € 1,80
Plicatula muricata Sowerby, 1873.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 0,50 t/m € 1,50
Plicatula muricata Sowerby, 1873.	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,80
Potamididae		
Cerithidea albonodosa Gould & Carpenter, 1857.	Mexico, Baja California, Bahía de los Ángeles. Gulf of California.	€ 0,40
Velacumantis australis Quoy & Gaimard, 1834.	Australia, N.S.W., Port Stephens, off Dutchman's Beach.	€ 1,00 t/m € 2,30
Cerithidea californica Haldeman, 1840.	USA, California, Orange County, Laguna Beach.	€ 0,40
Cerithidea cingulata (Gmelin, 1791).	Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.	€ 0,30 t/m € 1,50
Pirenella conica (de Blainville, 1826).	Egypt, South Sinai, Dahab. Gulf of Aqaba.	€ 1,00
Pirenella conica (de Blainville, 1826).	Tunisia, Monastir.	€ 0,30
Pirenella conica (de Blainville, 1826).	Italy, Sicily (region), Province of Trapani, Marsala. Ebb, taken alive.	€ 2,00
Tympanotonus fuscatus (L., 1758).	The Gambia, Lamin Lodge. Atlantic Ocean.	€ 0,30
Tympanotonus fuscatus (L., 1758).	Senegal. West Africa. Atlantic Ocean.	€ 0,75 t/m € 2,00
Tympanotonus fuscatus f. radula (L., 1758).	The Gambia, Bakau. Atlantic Ocean.	€ 0,50
Rhynocoryne humboldti (Valenciennes, 1832).	Panama, Bocas del Toro, Punta Icaco. Pacific Ocean. Low tide, on rocks.	€ 4,00
Batillaria minima (Gmelin, 1791).	USA, Florida, Key Largo.	€ 1,50
Batillaria minima (Gmelin, 1791).	USA, Florida, Marco Island, Tiger Tail Beach.	€ 0,50
Cerithidea obtusa (Lamarck, 1822).		€ 0,50 t/m € 1,00
Terebralia palustris (L., 1767).	Tanzania, Zanzibar. East Africa. Indian Ocean.	€ 8,00
Terebralia palustris (L., 1767).	Tanzania, Zanzibar, Unguja Ukuu (settlement).	€ 1,80 t/m € 3,30

Terebralia palustris (L., 1767).
 Terebralia palustris (L., 1767).
 Cerithidea reidi Houbriek, 1986.
 Cerithidea scalariformis (Say, 1825).
 Terebralia sulcata (Born, 1778).
 Terebralia sulcata (Born, 1778).
 Terebralia sulcata (Born, 1778).
 Telescopium telescopium (L., 1758).

Propeamussiidae

Propeamussium sibogai (Dautzenberg & Bavay, 1904). Damaged.

Psammobiidae

Tagelus adansonii (Bosc, 1801).
 Tagelus adansonii (Bosc, 1801).
 Tagelus adansonii (Bosc, 1801).
 Tagelus affinis (Adams, 1852).
 Tagelus affinis (Adams, 1852).
 Soletellina alba (Lamarck, 1818).
 Psammotellina biradiata (Wood, 1815).
 Tagelus californianus (Conrad, 1837).
 Azorinus chamasolen (da Costa, 1778).
 Hiatula chinensis (Mörch, 1854).
 Asaphis deflorata (L., 1758).
 Asaphis deflorata (L., 1758).
 Asaphis deflorata (L., 1758).
 Asaphis deflorata (L., 1758).
 Asaphis deflorata (L., 1758).
 Gari depressa (Pennant, 1777).
 Gari depressa (Pennant, 1777).
 Gari depressa (Pennant, 1777).
 Gari depressa (Pennant, 1777).
 Soletellina diphos (L., 1771).
 Soletellina diphos (L., 1771).
 Soletellina diphos (L., 1771).
 Solecurtus divaricatus (Lischke, 1869).
 Solecurtus divaricatus (Lischke, 1869).

Madagascar Island. East Africa. Indian Ocean. In mangrove area.
 Philippines.
 Australia, Western Australia, Port Hedland. Mangrove, mud flats.
 Florida, Lee County, Estero Bay, C. E. Johnson State Park. Ebb, mangroves.
 Australia, Western Australia, Port Hedland. Among mangroves.
 Australia, Western Australia, Carnarvon.
 Philippines, Central Visayas (region), Cebu (island).
 Philippines.
 Philippines, Samar (island). 100-200 metres deep, trawled.
 Senegal, Saint Louis. West Africa. From fisherman, shallow, in sand/mud.
 The Gambia, Tanji. Atlantic Ocean.
 The Gambia, Bakau. Atlantic Ocean.
 Mexico, Baja California Sur (state), Puerto San Carlos. Dead, mangroves.
 Mexico, Baja California Sur (state), Bahía Concepción. Gulf of California.
 Australia, New South Wales, Sydney, Frenchmans Beach.
 Australia, Western Australia, near Albany, Oyster Bay, Coraki. Ebb.
 Mexico, Baja California (state), Ensenada. Bahía de Todos Santos.
 Spain, Andalusia (region), Province of Málaga, Marbella. Fished.
 Indonesia, South Sulawesi, 5 km south off Makassar (city). On mud flats.
 USA, Florida Keys. Between mangroves.
 Aruba, Aruba, Lesser Antilles Islands.
 Suriname, South America.
 Curaçao, Lesser Antilles Islands.
 Curaçao, Spaanse Water, Lesser Antilles Islands.
 Ireland, Clare, Ballyvaghan.
 France, Brittany.
 UK, Scotland, Aultbea.
 France, Brittany, Côtes-d'Armor (department), Tréburden.
 Australia, Queensland, Keppel Bay.
 Malaysia, Sarawak, Santubong. In mud.
 Philippines, Central Visayas (region), Cebu (island).
 Japan, Honshu (island), Kansai (region), Kyoto.
 China, Yellow Sea. Trawled at about 20 metres, on a sand&mud bottom.

Price Range

€ 3,50 t/m € 4,50
 € 7,50
 € 5,00
 € 2,00
 € 1,50
 € 2,50
 € 1,00
 € 2,80 t/m € 3,60
 € 5,00
 € 2,30
 € 0,50
 € 1,00
 € 3,00
 € 2,50
 € 1,00 t/m € 2,00
 € 1,30
 € 2,50 t/m € 3,50
 € 2,00
 € 0,80
 € 0,70 t/m € 0,80
 € 0,40 t/m € 0,80
 € 2,50 t/m € 3,30
 € 1,00 t/m € 2,30
 € 0,80 t/m € 1,50
 € 0,80 t/m € 1,30
 € 0,80
 € 0,80 t/m € 1,50
 € 2,00
 € 2,00
 € 3,50
 € 3,50
 € 9,00

Solecurtus divaricatus (Lischke, 1869).
 Tagelus divisus (Spengler, 1794).
 Gari elongata (Lamarck, 1818).
 Gari elongata (Lamarck, 1818).
 Gari elongata (Lamarck, 1818).
 Gari fervensis (Gmelin, 1791).
 Gari fervensis (Gmelin, 1791).
 Gari fervensis (Gmelin, 1791). Halves.
 Gari inflata (Bertin, 1880).
 Pharus legumen (L., 1758).
 Pharus legumen (L., 1758).
 Pharus legumen (L., 1758).
 Gari maculosa (Lamarck, 1818).
 Gari maculosa (Lamarck, 1818).
 Azorinus minutus (Dunker, 1862).
 Tagelus plebeius (Lightfoot, 1786).
 Tagelus plebeius (Lightfoot, 1786).
 Gari radiata (Dunker, 1845).
 Solecurtus scopula (Turton, 1822).
 Gari spec. .
 Gari stangeri Gray, 1843.
 Gari stangeri Gray, 1843.
 Solecurtus strigilatus (L., 1758).
 Solecurtus strigilatus (L., 1758).
 Gari truncata (L., 1767).
 Gari truncata (L., 1767).
 Asaphis violascens (Forskåål, 1775).
 Asaphis violascens (Forskåål, 1775).
 Asaphis violascens (Forskåål, 1775).
 Asaphis violascens (Forskåål, 1775).
 Asaphis violascens (Forskåål, 1775).
 Gari virescens (Deshayes, 1855).

Pteriidae

Pteria colymbus (Röding, 1798).
 Pinctada maculata (Gould, 1850).

Taiwan. East China Sea.
 Bonaire, Lesser Antilles Islands, Playa Lechi.
 Indonesia, Moluccas Islands, Ambon Island, Natsepa.
 Singapore, from Kranji Park. Collected on a mudflat.
 Indonesia, Oost-Nusa Tenggara, Lembata (island), Lewoleba. On beach.
 UK, Scotland, Aultbea.
 Spain, Andalusia (region), Province of Málaga, Marbella.
 Spain, Andalusia (region), Province of Málaga, Marbella.
 Indonesia, Oost-Nusa Tenggara, Lembata (island), Lewoleba. Dead on beach.
 France, Brittany, Finistre, St. Anne de la Palud.
 France, Brittany, Finistère (department), Point Penmarc'h.
 UK, Wales, North Wales (region), Merionethshire (county), Harleck.
 Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.
 Philippines, Bohol (province), close to Panglao Island, Balicasag Island.
 Australia, Queensland, Kurrimine Beach. Dead, on a muddy bottom.
 Brazil, Bahai (state). Atlantic Ocean.
 USA, Virginia, Northampton County, Cape Charles.
 Indonesia, Oost-Nusa Tenggara, Lembata (island), Lewoleba. On beach.
 Spain, Andalusia (region), Province of Málaga, Marbella. Fished.
 Philippines, Bohol (province), close to Panglao Island, Balicasag Island.
 New Zealand, Auckland, Takapuna Beach. In sand/mud, shallow.
 New Zealand, Auckland, Rangitoto Island. In sand at 25 feet deep.
 Italy, Province of Latina, Formia. Fished.
 Taiwan, south-west. South China Sea.
 Australia, Queensland, Kurrimine Beach. Dead on beach.
 Mauritius. Indian Ocean. In mangrove area.
 Egypt, South Sinai, Dahab. Gulf of Aqaba.
 Indonesia, Greater Sundra Islands, East Java (province), Madura Island.
 Philippines, Palawan (province), Palawan (island).
 West Samoa Island, Upolu (island), Apia.
 Indonesia, Oost-Nusa Tenggara, Lembata (island), Lewoleba. On beach.

Aruba, Punta Brabo.
 Malaysia, Pulau Perhentian Besar. Dead, beach.

Price Range

€ 7,50
 € 1,30
 € 3,50
 € 3,00
 € 1,50 t/m € 2,50
 € 1,50 t/m € 2,00
 € 1,20
 € 0,40
 € 2,00 t/m € 3,00
 € 2,30
 € 2,30
 € 1,00 t/m € 2,00
 € 0,80 t/m € 1,30
 € 1,50
 € 2,50
 € 3,80 t/m € 4,80
 € 3,00 t/m € 4,00
 € 2,00
 € 2,00 t/m € 3,00
 € 2,50
 € 1,00 t/m € 1,80
 € 1,00 t/m € 1,50
 € 5,00
 € 2,00 t/m € 4,00
 € 2,50
 € 2,25
 € 0,50 t/m € 0,75
 € 0,50
 € 1,50
 € 2,50
 € 0,50 t/m € 0,75
 € 1,50
 € 3,50
 € 2,50

Pinctada margaritifera (L., 1758).
Pinctada radiata (Leach, 1814).
Pinctada radiata (Leach, 1814).
Pteria sterna (Gould, 1851).

Pyramidellidae

Otopleura auriscati (Holten, 1802).
Pyramidella ventricosa (Guerin, 1831).

Ranellidae

Cymatium aquatile (Reeve, 1844).
Cymatium aquatile (Reeve, 1844).
Cymatium aquatile (Reeve, 1844).
Cymatium comptum (Adams, 1855).
Cymatium comptum (Adams, 1855).
Gyrineum cuspidatum (Reeve, 1844).
Cabestana cutacea dolaria (L., 1767).
Cymatium encausticum (Reeve, 1844).
Cymatium encausticum (Reeve, 1844).
Cymatium exile (Reeve, 1844).
Cymatium gutturnium (Röding, 1798).
Cymatium gutturnium (Röding, 1798).
Cymatium gutturnium (Röding, 1798).
Cymatium gutturnium (Röding, 1798).
Gyrineum gyrinum gyrinum (L., 1758).
Gyrineum gyrinum gyrinum (L., 1758).
Cymatium hepaticum (Röding, 1798).
Gyrineum lacunatum (Mighels, 1845).
Charonia lampas rubicunda (Perry, 1811).
Gyrineum longicaudatum Beu, 1998.
Cymatium lotorium (L., 1758).
Cymatium lotorium (L., 1758).
Fusitriton magellanicus laudanus Finlay, 1927.
Fusitriton magellanicus magellanicus (Röding, 1798).
Fusitriton magellanicus magellanicus (Röding, 1798).
Fusitriton magellanicus magellanicus (Röding, 1798).
Cymatium mundum (Gould, 1849).

Philippines, Bohol, close to Panglao, Balicasag island.
Egypt, Dahab. Gulf of Aqaba. About 5 m., attached to stone in laguna.
Mexico, Baja California (state), Todos Santos. Dead, beach.
Philippines.
Philippines, Palawan (province), Palawan (island).
Egypt, Safaga. Red Sea.
Thailand, Changwat Phuket (province), Phuket (island).
Solomon Islands, Pacific Ocean.
Philippines, Central Visayas (region), Bohol (island).
Philippines, Bohol (province), close to Panglao Island, Balicasag Island.
Philippines, Bohol (province), close to Panglao Island, Balicasag Island.
Morocco, M'diq. Mediterranean Sea. Trawled by local fishermen.
Philippines, Central Visayas (region), Cebu (island).
Philippines, Caldoban Island, Bohol (island). From divers. 50 mm
Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.
Philippines, Central Visayas (region), Bohol (province), Panglao Island.
Philippines, Bohol (province), close to Panglao Island, Balicasag Island.
Philippines, Sulu Archipelago.
Philippines, Manila Bay. From fisherman. 50 mm
Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.
Philippines, Visayas (region), Samar (island).
Philippines, Visayas (region), Samar (island).
Philippines, Bohol, bij Panglao, Balicasag Island. Tangle net, 160 metres.
Australia, New South Wales, Port Jackson. Fished. Dead.
Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.
Thailand, Changwat Phuket (province), Phuket (island).
Philippines, Central Visayas (region), Cebu (island).
New Zealand, S.I., Otago Peninsula, off Dunedin. 160-190 metres deep.
Uruguay.
Argentina, offshore, 45°00'-45°40'S & 60°07'W, 140 metres, on mud.
Argentina, offshore, 45°00'-45°40'S & 60°07'W, 140 metres deep. 77 mm
Philippines, Panglao, Bohol. From tangle net fisherman. 21 mm

Price Range

€ 3,00
€ 3,00
€ 2,50
€ 2,00
€ 0,50
€ 1,50
€ 1,30
€ 1,00 t/m € 2,00
€ 2,00
€ 2,00
€ 2,50 t/m € 2,80
€ 0,50 t/m € 2,30
€ 3,50
€ 1,50
€ 4,80
€ 5,00
€ 4,50 t/m € 6,50
€ 1,00 t/m € 4,80
€ 3,00 t/m € 6,50
€ 4,80
€ 0,50
€ 1,30 t/m € 1,80
€ 1,00 t/m € 1,30
€ 2,30
€ 3,50
€ 1,00
€ 4,00 t/m € 7,50
€ 4,00 t/m € 6,00
€ 5,00 t/m € 6,50
€ 11,50
€ 2,50 t/m € 6,50
€ 10,00 t/m € 12,50
€ 3,00

		Price Range
Cymatium muricinum (Röding, 1798).	Tanzania, Zanzibar. East Africa. Indian Ocean.	€ 1,30
Cymatium nicobaricum (Röding, 1798).	Bahamas, Green Turtle Cay (island).	€ 2,30 t/m € 3,00
Cymatium nicobaricum (Röding, 1798).	The Grenadines Islands, Windward Islands. Caribbean.	€ 1,30 t/m € 1,50
Ranella olearia (L., 1758).	Spain, Andalusia (region), Málaga. Mediterranean Sea. Fished.	€ 5,00
Cymatium parthenopeum parthenopeum (von Salis, 1793).	New Zealand, South Island, Otago Peninsula.	€ 3,00 t/m € 7,50
Cymatium parthenopeum parthenopeum (von Salis, 1793). beach after storm.	Australia, New South Wales, Kurnell, Botany Bay. Live and littoral and on	€ 3,50
Gyrineum perca (Perry, 1811).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,00 t/m € 3,50
Cymatium perryi Emerson & Old, 1963.	Thailand, Changwat Phuket (province), Phuket (island).	€ 3,50 t/m € 10,00
Cymatium perryi Emerson & Old, 1963.	Sri Lanka, Southern Province, Koggala.	€ 3,00
Cymatium pileare (L., 1758).	Indonesia, Greater Sundra Islands, East Java (province), Madura Island.	€ 1,00 t/m € 1,50
Cymatium pileare (L., 1758).	French Polynesia, Marquesas Islands, Nuku Hiva Island. 1-3 metres deep.	€ 1,30 t/m € 2,30
Cymatium pileare (L., 1758).	Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.	€ 1,30 t/m € 2,30
Cymatium pileare (L., 1758).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,00
Cymatium pileare (L., 1758).	Philippines, Camotes, Pacijan Islands. 8 metres deep, by hooka divers.	€ 1,00
Cymatium pileare (L., 1758).	Australia, northern Queensland, Undine Reef.	€ 0,80 t/m € 8,75
Cymatium pileare (L., 1758).	The Grenadines Islands, Windward Islands, Caribbean.	€ 1,80
Gyrineum pulchrum (Gray, 1836).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,50
Argobuccinum pustulosum tumidum (Dunker, 1862).	New Zealand, South Island, Otago Peninsula, off Dunedin.	€ 1,80 t/m € 2,30
Cymatium pyrum (L., 1758).	Philippines, Central Visayas (region), Bohol (island).	€ 2,30 t/m € 6,50
Cymatium pyrum (L., 1758).	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 2,00 t/m € 6,00
Cymatium pyrum (L., 1758).	Philippines, Central Visayas (region), Bohol (island).	€ 3,50
Gyrineum roseum (Reeve, 1844).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 2,50
Cymatium rubeculum (L., 1758).	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 1,00 t/m € 2,00
Cymatium rubeculum (L., 1758).	Philippines, Cebu (province), Mactan (island), Punta Engaño.	€ 1,00 t/m € 1,80
Sassia semitorta (Kuroda & Habe, 1952).	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 2,50 t/m € 5,00
Cabestana spengleri (Perry, 1811).	Australia, New South Wales, Garie Beach. Live, littoral.	€ 2,50 t/m € 3,00
Cabestana spengleri (Perry, 1811).	Australia, South Australia.	€ 3,50
Linatella succincta (L., 1771).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 2,50 t/m € 4,00
Cymatium tenuiliratum (Lischke, 1873).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 0,50 t/m € 2,50
Cymatium testudinarium (A. Adams & Reeve, 1850).	Philippines, Mindanao (island), Davao Region, Davao City.	€ 2,00 t/m € 3,50
Cymatium testudinarium (A. Adams & Reeve, 1850).	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 2,00 t/m € 3,00
Cymatium trigonum (Gmelin, 1791). Dredged.	Senegal, Cap-Vert, N'Gor Island, Pointe des Almadies. Fishing harbour.	€ 3,00
Charonia tritonis tritonis (L., 1758).	Philippines, Central Visayas (region), Bohol (island).	€ 15,00 t/m € 100,00
Charonia tritonis variegata (Lamarck, 1816).	Cuba, Punta Covarrubias, Hotel Villa Covarrubias. Snorkeling, 15 m deep.	€ 45,00
Charonia tritonis variegata (Lamarck, 1816).	Caribbean area.	€ 19,00

	Price Range
Charonia tritonis variegata (Lamarck, 1816).	€ 85,00
Ringiculidae	
Ringicula conformis Monterosato, 1877.	€ 1,80
Rissoidae	
Alvania lactea (Michaud, 1830).	€ 0,50
Rissoa variabilis (von Mühlfeldt, 1824).	€ 0,50
Rissoina zonata Suter, 1909.	€ 4,00
Semelidae	
Abra alba (W. Wood, 1802).	€ 1,00
Abra alba (W. Wood, 1802).	€ 0,50
Semele jukesii (Reeve, 1853).	€ 1,00
Cumingia lamellosa Sowerby, 1833.	€ 1,80
Scrobicularia plana (da Costa, 1778).	€ 0,30 t/m € 0,70
Scrobicularia plana (da Costa, 1778).	€ 0,50
Semele sinensis Adams, 1853.	€ 2,50
Semele zebuensis (Hanley).	€ 1,30
Siliquariidae	
Siliquaria anguina (L., 1758).	€ 0,50
Siliquaria cumingi Mörch, 1860.	€ 1,30 t/m € 4,30
Siphonariidae	
Siphonaria javanica (Lamarck, 1819).	€ 0,50
Siphonaria javanica (Lamarck, 1819).	€ 1,30
Siphonaria laciniosa (L., 1758).	€ 2,30
Siphonaria lessoni (Blainville, 1824).	€ 2,50
Siphonaria pectinata (L., 1758).	€ 0,50
Siphonaria pectinata (L., 1758).	€ 0,70
Siphonaria pectinata (L., 1758).	€ 0,50
Siphonaria pectinata (L., 1758).	€ 1,00
Siphonaria pectinata (L., 1758).	€ 0,50
Siphonaria pectinata (L., 1758).	€ 1,00
Siphonaria pectinata (L., 1758).	€ 0,40
Siphonaria pectinata (L., 1758).	€ 0,25 t/m € 1,00
Siphonaria pectinata (L., 1758).	€ 0,40
Solenidae	
Brazil, Bahai (state), Porto Seguro. Atlantic Ocean.	€ 85,00
N.W. Spain, Laredo, bij Santander, Bay of Biscay.	€ 1,80
France, Brittany, Saint-Malo.	€ 0,50
France, Var (department), Toulon, le Brusq.	€ 0,50
New Zealand, north Island, Doubtless Bay. Under stones, ebb. 9 mm	€ 4,00
The Netherlands, Zandvoort.	€ 1,00
The Netherlands, Scheveningen.	€ 0,50
Thailand, Changwat Phuket (province), Phuket (island).	€ 1,00
USA, California, La Jolla.	€ 1,80
France, Brittany, Baie de la Frênaye. In mud.	€ 0,30 t/m € 0,70
The Netherlands, Zeeland.	€ 0,50
Thailand. Gulf of Thailand. Southeast Asia.	€ 2,50
Japan, Honshu (island).	€ 1,30
Australia, Western Australia, off Port Hedland. From fisherman. 31 mm	€ 0,50
Japan.	€ 1,30 t/m € 4,30
Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 0,50
Thailand, Changwat Phuket (province), Phuket (island).	€ 1,30
Thailand, Coral Island, offshore Phuket (island). 1 metres deep on rocks.	€ 2,30
Argentina, The Valdes Pen., Golfo Nuevo. Low tide on rocks.	€ 2,50
Portugal, Paredes.	€ 0,50
Tunisia, Jendouba Governorate, Tabarka. Mediteranean Sea.	€ 0,70
USA, Florida.	€ 0,50
Spain, Gran Canaria, Las Palmas.	€ 1,00
Morocco. North Africa.	€ 0,50
Spain, Andalusia (region), Barbate.	€ 1,00
Portugal, Ile de Calatra.	€ 0,40
Spain, Andalusia (region), Province of Málaga, Marbella.	€ 0,25 t/m € 1,00
Cape Verde, Sal(island). Atlantic Ocean.	€ 0,40

Solen gordonis Yokoyama, 1920.
Solen marginatus Pulteney, 1799.

Spirulidae

Spirula spirula L., 1758.
Spirula spirula L., 1758.
Spirula spirula L., 1758.
Spirula spirula L., 1758.
Spirula spirula L., 1758.

Spondylidae

Spondylus americanus Hermann, 1781.
Spondylus barbatus Reeve, 1856.
Spondylus barbatus Reeve, 1856.
Spondylus barbatus Reeve, 1856.
Spondylus croceus Schreibers, 1793.
Spondylus croceus Schreibers, 1793.
Spondylus echinatus f. albibarbatus Reeve, 1856.
Spondylus echinatus f. albibarbatus Reeve, 1856.

Spondylus echinatus Schreibers, 1793.
Spondylus gaederopus L., 1758.
Spondylus gaederopus L., 1758.
Spondylus gaederopus L., 1758.
Spondylus limbatus Sowerby II, 1847.
Spondylus occidens Sowerby, 1902.
Spondylus sinensis Schreibers, 1793.
Spondylus sinensis Schreibers, 1793.
Spondylus sinensis Schreibers, 1793.
Spondylus spec. .
Spondylus squamosus Schreibers, 1793.
Spondylus squamosus Schreibers, 1793.
Spondylus tenuis Schreibers, 1793.
Spondylus tenuis Schreibers, 1793.
Spondylus varius Sowerby, 1829.
Spondylus violaceus Reeve, 1856.
Spondylus zonalis Lamarck, 1819.

Japan, Wakayama prefecture, Nada.
France, Brittany, Ille-et-Vilaine (departement), Bay of Dinard.

Spain, Canary Islands, Fuerteventura.
Australia, Western Australia, Shark Bay.
Egypt, Charm El Naja, Red Sea, at ebb, Littoral zone.
Australia, Western Australia, Geraldton. Floating in surf.
Sri Lanka, Southern Province, Kosgoda.

Venezuela, Margarita Island. Offshore by Cubagnay Island. 20-25 m deep.
Japan, Honshu (island), Kansai (region), Kyoto.
Eastern Thailand, Talokapo.
Philippines, Sulu Archipelago.
Philippines.
Philippines.
Philippines.
Philippines, N. of Cebu (island), Gato Island. Dived at 10-15 metres deep. 99 mm - 105 mm
Philippines.
Greece, Central Macedonia (region), Halkidiki. Dived, ±8 metres deep.
Greece, Leipsoi. Near Turkey.
Mediterranean Sea.
USA, California.
Philippines, Bohol (province), close to Panglao Island, Balicasag Island.
Philippines, Central Visayas (region), Cebu (island), Bantayan Island.
Philippines.
Philippines.

Solomon Islands. Pacific Ocean.
Philippines.
Curaçao, Lesser Antilles Islands.
Brazil, Espírito Santo (state), Meaipe. On reef by lobster nets.
Philippines, Albay province, Batan Island. On coral reef, 15-24 m deep.
Philippines.
Thailand, Phuket, near Raya Island. Scuba diver, on rocks and dead coral.

Price Range

€ 2,25
€ 0,80

€ 0,25
€ 1,50 t/m € 2,30
€ 1,00 t/m € 2,30
€ 1,90
€ 2,00

€ 6,50 t/m € 20,00
€ 4,00
€ 4,00
€ 3,00 t/m € 4,50
€ 4,50
€ 2,50 t/m € 4,50
€ 8,50 t/m € 12,50
€ 10,00 t/m € 15,00

€ 6,50
€ 4,50 t/m € 10,00
€ 19,50
€ 8,00 t/m € 15,00
€ 4,00
€ 5,00 t/m € 10,00
€ 6,00 t/m € 8,00
€ 5,00
€ 3,80
€ 4,00
€ 8,00
€ 5,00
€ 9,00
€ 12,50 t/m € 17,50
€ 12,50 t/m € 15,00
€ 4,50 t/m € 7,50
€ 5,00 t/m € 8,00

Price Range**Stomatellidae**

Stomatella imbricata Lamarck, 1822.

Pseudostomatella papyracea (Gmelin, 1791).

Pseudostomatella papyracea (Gmelin, 1791).

Strombidae

Strombus alatus Gmelin, 1791.

Strombus aratrum (Röding, 1798).

Strombus aratrum (Röding, 1798).

Strombus aratrum (Röding, 1798).

Strombus aurisdianae L., 1758.

Strombus aurisdianae L., 1758.

Strombus bulla (Röding, 1798).

Strombus bulla (Röding, 1798).

Strombus bulla (Röding, 1798).

Strombus bulla (Röding, 1798).

Strombus campbelli Griffith & Pidgeon, 1834.

Strombus campbelli Griffith & Pidgeon, 1834.

Strombus campbelli Griffith & Pidgeon, 1834.

Strombus campbelli Griffith & Pidgeon, 1834.

Strombus canarium L., 1758.

Strombus canarium L., 1758.

Strombus canarium L., 1758.

Strombus canarium L., 1758.

Strombus canarium L., 1758.

Rimella cancellata (Lamarck, 1816). Tube of 9.

Rimella cancellata (Lamarck, 1816).

Lambis chiragra arthritica Röding, 1798.

Lambis chiragra chiragra (L., 1758).

Lambis chiragra chiragra (L., 1758).

Strombus chrysostomus (Kuroda, 1942).

Strombus costatus Gmelin, 1791.

Strombus costatus Gmelin, 1791.

Rimella crispata (Sowerby, 1842).

Lambis crocata crocata (Link, 1807).

Lambis crocata crocata (Link, 1807).

Australia, New South Wales, Botany Bay.

Philippines, Sulu (province), Siasi. Sulu Sea. From fisherman. 22 mm

Indonesia, Nusu Tenggara Islands (Lesser Sunda Islands).

USA, Florida, Big Pine Key.

Vietnam.

Australia, Queensland, Dingo Beach. On sand bar at low tide.

Philippines, Bohol (province), close to Panglao Island, Balicasag Island.

Philippines.

New Guinea.

Philippines, Visayas (region), Samar (island).

Philippines, Bohol (province), close to Panglao Island, Balicasag Island.

Australia, Western Australia, Shark Bay.

Australia, Queensland, Keppel Bay.

Australia, Western Australia, Port Hedland.

Australia, Queensland, Yeppoon.

Philippines.

Indonesia, Riau Islands, Pulau Terkulai. Alive, on mudflat with sea grass.

Indonesia.

India, Tamil Nadu, Rameswaram. Gulf of Mannar. Trawled.

India, Tamil Nadu (state), Madras [Chennai].

Malaysia, Sabah, Borneo, Semporna.

Papua New Guinea, East New Britain Province, Rabaul.

Kenya, Coast Province, Mombasa County, Mombasa. East Africa.

Philippines, Central Visayas (region), Bohol (island).

Indonesia, Greater Sunda Islands, East Java (province), Madura Island.

Philippines, Cebu (province), Mactan (island), Punta Engaño.

Aruba, Lesser Antilles Islands.

USA, Florida, Big Pine Key, 7 Mile Bridge.

Philippines, Bohol (province), close to Panglao, Balicasag island.

Vietnam.

Kenya. East Africa. Indian Ocean.

€ 0,80 t/m € 1,50

€ 6,00

€ 4,00

€ 2,50

€ 7,50

€ 7,50

€ 5,00

€ 1,00

€ 1,00

€ 2,50

€ 1,50

€ 2,00

€ 1,50

€ 2,00

€ 4,00

€ 2,50

€ 3,00

€ 1,50

€ 1,00 t/m € 2,00

€ 1,25

€ 2,80

€ 2,50

€ 3,00

€ 2,00

€ 10,00

€ 3,50

€ 5,00 t/m € 9,50

€ 6,50

€ 5,00 t/m € 12,50

€ 25,00

€ 4,00

€ 4,00 t/m € 7,50

€ 4,00

		Price Range
Lambis crocata crocata (Link, 1807).	Madagascar, Anosy Region, Tôlanaro (Fort Dauphin).	€ 4,00 t/m € 7,50
Lambis crocata crocata (Link, 1807).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 4,00 t/m € 5,50
Strombus decorus decorus (Röding, 1798).	Thailand, Phuket (island), Raya Island. 25-30 metres deep.	€ 0,50 t/m € 0,80
Tibia delicatula Nevill, 1881.	India, Madras. Dredged.	€ 4,00
Strombus dentatus L., 1758.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 1,50
Strombus dentatus L., 1758.	Mozambique. East Africa. Indian Ocean.	€ 2,00
Strombus dilatatus dilatatus Swainson, 1821.	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 2,00
Strombus dilatatus swainsoni Reeve, 1850.	Vietnam, South Central Coast (region), Da Nang (Đà Nẵng). By fisherman.	€ 3,00
Strombus epidromis L., 1758.	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 2,50
Strombus epidromis L., 1758.	Philippines, Cebu (province), Mactan (island), Punta Engaño.	€ 4,00
Strombus erythrinus Dillwyn, 1817.	Thailand, Changwat Phuket (province), Phuket (island).	€ 1,00
Strombus erythrinus Dillwyn, 1817.	Philippines, Visayas (region), Samar (island).	€ 1,00
Strombus erythrinus Dillwyn, 1817. In shallow water.	Philippines, Cebu (province), Caubian Island. Dived, 20-30 m deep.	€ 1,50
Strombus erythrinus Dillwyn, 1817.	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 2,00
Strombus fasciatus Born, 1778.	Egypt, Safaga. Red Sea. In mud.	€ 1,50
Strombus fasciatus Born, 1778.	Tarabin, Beduin village. Gulf of Aqaba.	€ 1,00 t/m € 2,00
Strombus fasciatus Born, 1778.	Egypt, Safaga. Red Sea.	€ 1,80
Tibia fusus (L., 1758).	Philippines, Luzon (island). South China Sea.	€ 7,50 t/m € 10,00
Strombus galeatus Swainson, 1823.	Mexico, Baja California Sur, 5 km north of Mulegé. Gulf of California. Between algae covered rocks.	€ 35,00 t/m € 45,00
Strombus gallus L., 1758.	Haiti. Caribbean Sea.	€ 9,50 t/m € 15,00
Strombus gallus L., 1758.	Brazil, S. Bahia, off Corumbau, in sand at 15-20 m, dived.	€ 8,50
Strombus gallus L., 1758.	Martinique, Cap Salomon. 8 metres deep between huge rocks.	€ 12,50
Strombus gallus L., 1758.	Isla Guadalupe, Pacific Ocean.	€ 4,00
Strombus gibberulus albus Mörch, 1850.	Egypt, Red Sea.	€ 0,50 t/m € 1,00
Strombus gibberulus albus Mörch, 1850.	Egypt, Safaga, Sand Island. Red Sea. Live in sand and seaweed.	€ 1,80
Strombus gibberulus gibberulus L., 1758.	Tanzania, East Zanzibar, Chwaka Beach. East Africa.	€ 2,00
Strombus gibberulus gibberulus L., 1758.	Kenya, Mombasa Reef. Low tide.	€ 0,50 t/m € 1,00
Strombus gibberulus gibberulus L., 1758.	Philippines, Cebu.	€ 2,00
Strombus gibberulus gibberulus L., 1758.	Madagascar, Foulpointe. East Africa. Indian Ocean. In algae.	€ 2,50
Strombus gibberulus gibbosus (Röding, 1798). Dwarf.	Philippines.	€ 3,00
Strombus gibberulus gibbosus (Röding, 1798).	Philippines, Visayas (region), Samar (island).	€ 1,20
Strombus gracilior Sowerby, 1825.	Mexico, Baja California Sur, Mulegé. Undeep, among sand and weeds.	€ 2,00
Strombus granulatus Swainson, 1822.	Mexico, Baja California Sur, Mulegé. At a depth of 10 m. on sand.	€ 3,00
Strombus granulatus Swainson, 1822.	Mexico. Gulf of California.	€ 5,00
Strombus hickeyi (Willan, 2000).	Indonesia.	€ 3,50

		Price Range
Tibia insulaechorab f. curta Sowerby I, 1842.	India.	€ 5,00
Tibia insulaechorab f. curta Sowerby I, 1842.	India, Tamil Nadu (state), Rameswaram.	€ 4,00 t/m € 7,00
Tibia insulaechorab Röding, 1798.	Ethiopia. 18 m. deep.	€ 5,00 t/m € 7,00
Strombus kleckhamae boholensis Mühlhausser, 1981.	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 7,50 t/m € 10,00
Strombus kleckhamae boholensis Mühlhausser, 1981.	Philippines, Bohol (province), Panglao Island. From tangle net fisherman. 57 mm	€ 10,00 t/m € 15,00
Strombus labiatus labiatus (Röding, 1798). On exposed sand flats. ORANGE.	Philippines, Visayas (region), Samar (island). Found by local fisherman.	€ 2,50
Strombus labiatus labiatus (Röding, 1798).		€ 0,75
Strombus labiatus labiatus (Röding, 1798).	Philippines.	€ 0,50
Strombus labiatus labiatus (Röding, 1798).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 0,50 t/m € 1,50
Strombus labiosus Wood, 1828.	Madagascar, Toliara (Tulear). East Africa. Indian Ocean. From fishermen.	€ 6,00
Lambis lambis (L., 1758).	Philippines.	€ 3,00
Strombus latus Gmelin, 1791.	West Africa.	€ 10,00
Strombus latus Gmelin, 1791.	Senegal, Dakar Region, Dakar. West Africa. Atlantic Ocean.	€ 10,00
Strombus latus Gmelin, 1791.	Senegal. West Africa. Atlantic Ocean.	€ 6,50 t/m € 9,50
Strombus lentiginosus L., 1758.	Thailand, Changwat Phuket (province), Phuket (island).	€ 1,80
Strombus lentiginosus L., 1758.	Malaysia, Sabah (state), N.E. Borneo. Live between dead coral on sand.	€ 2,00
Strombus lentiginosus L., 1758.	Tanzania, Zanzibar, Nungwi.	€ 1,80
Strombus lentiginosus L., 1758.	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,50
Strombus lentiginosus L., 1758.	Philippines.	€ 1,50
Strombus listeri Gray, 1852.	India.	€ 6,50
Strombus listeri Gray, 1852.	India, Madras. Fished.	€ 4,50
Strombus listeri Gray, 1852.	India, Andaman Sea. South of Myanmar. Trawled.	€ 4,50
Strombus listeri Gray, 1852.	Philippines.	€ 6,50
Strombus luhuanus L., 1758.	Thailand, Changwat Phuket (province), Phuket (island).	€ 0,50
Strombus luhuanus L., 1758.	Indonesia, Moluccas Islands, Ambon Island, Pulau Pombo.	€ 1,00
Strombus luhuanus L., 1758.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 0,50
Strombus maculatus Sowerby, 1842.	Marshall Islands, Kwajalein Atoll.	€ 3,00
Strombus marginatus marginatus L., 1758.	Malaysia, Langkawi Island, Tanjung Rhu.	€ 1,80
Strombus marginatus marginatus L., 1758.	India.	€ 2,00
Strombus marginatus marginatus L., 1758.	Thailand, Phuket (island), Raya Island. 25-30 metres deep.	€ 0,80
Strombus marginatus robustus Sowerby, 1874.	Indonesia.	€ 1,50
Strombus marginatus septimus Duclos, 1844.	Thailand, Krabi Province, Koh Lanta Yai (island), Koa Kwang Beach.	€ 1,00
Strombus marginatus septimus Duclos, 1844.	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 3,00
Strombus marginatus succinctus L., 1767.	India, Tamil Nadu, South Rameswaram. Gulf of Mannar. From fishermen.	€ 2,00

		Price Range
Tibia martinii (Marratt, 1877).		€ 4,00
Tibia martinii (Marratt, 1877).	Philippines, Luzon (island), Tayabas Bay.	€ 7,50 t/m € 12,50
Strombus microurceus Kira, 1959.	Philippines, Bohol (province), Calituban Island. Dived at ±30 metres deep.	€ 7,00
Lambis millepeda (L., 1758).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 3,50 t/m € 4,50
Lambis millepeda (L., 1758).	Indonesia, Java (island).	€ 4,50
Strombus mutabilis Swainson, 1821.	Philippines.	€ 0,50
Strombus mutabilis Swainson, 1821.	Egypt, Safaga. Red Sea. In coral sand.	€ 0,50
Strombus mutabilis Swainson, 1821.	Indonesia.	€ 0,50
Strombus mutabilis Swainson, 1821.	Kenya, Mombasa Reef. East Africa. Indian Ocean.	€ 1,80
Strombus mutabilis Swainson, 1821.	Tanzania, Zanzibar, Bwejuu. On rocks with hermitkrab.	€ 1,80
Strombus mutabilis Swainson, 1821.	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 0,50
Strombus mutabilis f. zebriolatus Adams & Leloup, 1938.	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 2,50
Strombus oldi Emerson, 1965.	Somalia, Mogadishu. Bajuni Islands.	€ 70,00
Strombus oldi Emerson, 1965.	Somalia, Berbera. East Africa. Indian Ocean.	€ 25,00
Strombus peruvianus Swainson, 1823.	Mexico, Sinaloa (state), off Mazatlán. Trawled. 130 mm	€ 10,00 t/m € 22,50
Strombus pipus Röding, 1798.	Philippines, Batayan Island, N. of Cebu. From pearl fisherman. 58 mm	€ 4,80
Strombus pipus Röding, 1798.	Philippines, Mindanao (island), Zamboanga.	€ 1,50 t/m € 3,00
Strombus pipus Röding, 1798.	Malaysia, Sabah (state), Semporna. Live, fished Sulu Sea.	€ 2,50
Strombus plicatus columba Lamarck, 1822.	Mozambique. East Africa. Indian Ocean.	€ 3,50
Strombus plicatus plicatus (Röding, 1798).	Northern Somalian Coast. Trawled off-shore.	€ 5,00
Strombus plicatus plicatus (Röding, 1798).	Egypt, Red Sea. A little bit South of El Quseir.	€ 1,50 t/m € 3,00
Strombus plicatus pulchellus Reeve, 1851.	Philippines, Cebu, Santa Rosa Island. Dived, 30-40 m, sand.	€ 2,00
Strombus plicatus pulchellus Reeve, 1851.	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 3,00
Strombus plicatus siboldi Sowerby, 1842.	India, Tamil Nadu (state), Madras [Chennai]. Trawled.	€ 6,50
Strombus plicatus siboldi Sowerby, 1842.	India, Tamil Nadu (state), off Madras [Chennai]. Trawled.	€ 5,00
Tibia powisi f. laurenti Duchamps, 1992.	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 2,50
Tibia powisi (Petit, 1842).	Taiwan. East China Sea.	€ 3,00
Tibia powisi (Petit, 1842).	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 2,00
Strombus pugilis pugilis L., 1758.	Caribbean Sea.	€ 5,00
Strombus pugilis pugilis L., 1758.	USA, Florida, Boca Raton. Scuba, 45 feet deep, on sand and algae bottom.	€ 4,50
Strombus pugilis pugilis L., 1758.	Venezuela, Margarita Island, Porlamar region. By diver, 2-15 metres deep.	€ 2,80 t/m € 6,50
Strombus raninus Gmelin, 1791.	USA, Florida, S. of Marathon. On sand & grass flats in 3-6 feet.	€ 3,80
Strombus raninus Gmelin, 1791.	USA, Florida, Key West.	€ 3,50
Strombus raninus Gmelin, 1791.	Saint Vincent and the Grenadines. Lesser Antilles. 6 metres deep.	€ 4,50
Strombus raninus Gmelin, 1791.	Dominican Republic. Collected by local diver.	€ 5,00

		Price Range
Strombus raninus Gmelin, 1791.		€ 3,50 t/m € 6,00
Lambis scorpius indomaris Abbott, 1961.	Sri Lanka, Southern Province, Kosgoda.	€ 4,00 t/m € 7,50
Lambis scorpius indomaris Abbott, 1961.	Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.	€ 3,00
Lambis scorpius indomaris Abbott, 1961.	Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.	€ 4,50
Lambis scorpius scorpius (L., 1758).	Thailand, Changwat Phuket (province), Phuket (island).	€ 2,50 t/m € 5,00
Lambis scorpius scorpius (L., 1758).	Philippines.	€ 3,50 t/m € 4,50
Strombus taurus Reeve, 1857. Bag of five.	Marshall Islands. Dived 15 m. in coral sand.	€ 40,00
Strombus terebellatus terebellatus Sowerby, 1842.	Philippines, Cebu (province), Caubian Island. Dived, ±30 metres deep.	€ 2,50
Terebellum terebellum (L., 1758).	Thailand, Phuket (island). Southeast Asia. 25-30 metres deep.	€ 0,80 t/m € 1,30
Terebellum terebellum (L., 1758).	Philippines, Bohol (province), close to Pangalo, Balicasag island.	€ 1,00 t/m € 1,50
Terebellum terebellum (L., 1758).	Philippines.	€ 0,80
Strombus thersites Swainson, 1823.	New Caledonia Island, Prony Bay. Night time scuba dive, on reef.	€ 20,00 t/m € 40,00
Strombus tricornis Humphrey, 1786.	Red Sea.	€ 4,50 t/m € 12,00
Strombus tricornis Humphrey, 1786.	Eritrea, Dahlak Archipelago. Red Sea.	€ 4,50 t/m € 8,00
Strombus tricornis Humphrey, 1786.	Somalia. East Africa. Indian Ocean.	€ 15,00 t/m € 19,50
Strombus tricornis Humphrey, 1786.	Republic of Djibouti, Sept Freres Island. Northeast Africa.	€ 10,00 t/m € 15,00
Strombus turturella (Röding, 1798).	Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.	€ 1,00 t/m € 2,00
Strombus turturella (Röding, 1798).	Thailand, Changwat Phuket (province), Phuket (island).	€ 3,50
Strombus urceus urceus L., 1758.	Thailand, Phuket, Wayai Island, Qhgng Nga Bay. By local fisherman.	€ 4,50
Strombus urceus urceus L., 1758.	Philippines.	€ 0,50 t/m € 0,80
Strombus urceus urceus L., 1758. Colour form.	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,00
Strombus urceus urceus L., 1758.	Thailand, Changwat Phuket (province), Phuket (island).	€ 0,50
Strombus urceus urceus f. ustulatus Schumacher, 1817.	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,00
Strombus urceus urceus f. ustulatus Schumacher, 1817.	Indonesia, Riau Islands, Pulau Terkulai. Alive, on mud with sea grass	€ 2,50
Strombus urceus urceus f. ustulatus Schumacher, 1817.	Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.	€ 1,00
Strombus variabilis variabilis Swainson, 1820.		€ 1,00
Strombus variabilis variabilis Swainson, 1820.	Indonesia, Greater Sundra Islands, East Java (province), Madura Island.	€ 1,30
Strombus variabilis variabilis Swainson, 1820.	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,50
Strombus variabilis variabilis Swainson, 1820.	Philippines.	€ 1,00 t/m € 1,80
Strombus variabilis variabilis Swainson, 1820.	Thailand. Southeast Asia.	€ 1,50 t/m € 2,50
Strombus vittatus apicatus Man in't Veld & Visser, 1993.	Philippines, N. of Cebu, Bantayan Island, pearl fisherman. 52 mm	€ 3,80
Strombus vittatus apicatus Man in't Veld & Visser, 1993.	Thailand, Krabi Province, Ao Nang. Strait of Malacca.	€ 3,00
Strombus vittatus apicatus Man in't Veld & Visser, 1993.	Thailand, Changwat Phuket (province), Phuket (island).	€ 2,50
Strombus vittatus entropi Man in't Veld & Visser, 1993.	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 3,00
Strombus vittatus entropi Man in't Veld & Visser, 1993.	Philippines, Manilla Bay.	€ 3,50

Strombus vittatus entropi Man in't Veld & Visser, 1993.

Strombus vittatus vittatus L., 1758.

Struthiolariidae

Struthiolaria papulosa (Martyn, 1784).

Struthiolaria papulosa (Martyn, 1784).

Struthiolaria papulosa (Martyn, 1784).

Tylospira scutulata (Gmelin 1791).

Tellinidae

Tellina albinella Lamarck, 1818.

Tellina albinella Lamarck, 1818.

Tellina albinella Lamarck, 1818.

Tellina angulosa Gmelin, 1791.

Macoma balthica (L., 1758).

Macoma balthica (L., 1758).

Macoma balthica (L., 1758).

Strigilla carnaria (L., 1758).

Macoma constricta (Bruguère, 1792).

Arcopagia crassa (Pennant, 1777).

Tellidora cristata (Récluz, 1842).

Tellina fabula Gmelin, 1791.

Tellina fabula Gmelin, 1791.

Tellina fausta Pulteney, 1799.

Tellina fausta Pulteney, 1799.

Tellina foliacea L., 1758.

Tellina foliacea L., 1758.

Gastrana fragilis (L., 1758).

Gastrana fragilis (L., 1758).

Tellina gaimardi Iredale, 1915.

Nitidotellina hokkaidoensis (Habe, 1961).

Tellina incarnata L., 1758.

Tellina incarnata L., 1758.

Tellina incarnata L., 1758.

Tellina inflata Gmelin, 1791.

Tellina lineata Turton, 1819.

Tellina lineata Turton, 1819.

Philippines, Central Visayas (region), Cebu (island).

Southern Philippines.

New Zealand, North Island, Leigh. Dived.

New Zealand, Auckland, Takapuna Beach. Washed up after storm.

New Zealand, Stewart Island, Paterson Inlet. Trawled.

Australia, New South Wales, Eden.

Australia, northern New South Wales.

Australia, South Australia, Goolwa Beach.

Australia, New South Wales, Twofold Bay, Boyds Beach.

Venezuela, Nueva Esparta (state), Isla El Coche.

France, Brittany, Baie de la Frênaye. Ebb, mud.

The Netherlands, Scheveningen.

Netherlands, Oostvoorne.

USA, Florida.

Brazil, Bahai (state). Atlantic Ocean.

France, Brittany, Côtes-d'Armor (department), Erquy.

USA, Florida, Marco Island. On sand, mud flat, on seagrass at low tide.

North Sea, Black Sand, HD7.

The Netherlands, Wijk aan Zee.

Curaçao, San Juan, Lesser Antilles Islands.

Venezuela. 3 metres deep.

Gulf of Oman. South East Arabia.

Philippines.

Spain, Valencian Community, Province of Alicante, Alicante.

Southern France, Banyuls.

New Zealand, Auckland, Browns Bay. In sandy mud, spring ebb.

Japan, Honshu (island), Aichi Prefecture, Mikawa. 40 metres deep.

France, Brittany, Finistère (department), Point Penmarc'h.

Italy, Adria, Lignano Pineta.

France, Brittany, Saint-Jacut-de-la-Mer.

Australia, Queensland, Keibel Bay. Trawled.

USA, Florida, Gulf of Mexico, Fort Myers, Carl Johnson Park.

Mexico, Yucatan. Golf of Mexico.

Price Range

€ 1,80

€ 1,00

€ 3,30

€ 2,30 t/m € 4,50

€ 4,00

€ 1,50 t/m € 2,50

€ 2,00

€ 2,00

€ 1,80

€ 2,50

€ 0,20

€ 0,20

€ 0,50

€ 2,00

€ 2,00

€ 2,30

€ 3,50

€ 0,50

€ 0,80

€ 0,80 t/m € 2,00

€ 1,50

€ 5,00

€ 1,80 t/m € 3,00

€ 0,80

€ 1,00

€ 1,30 t/m € 1,80

€ 1,75

€ 1,80

€ 1,30

€ 1,00

€ 1,80 t/m € 2,30

€ 0,50

€ 1,00

		Price Range
Tellina lineata Turton, 1819.	Suriname, South America.	€ 0,80
Tellina listeri Röding, 1798.	Curaçao, Barbara Beach, Lesser Antilles Islands.	€ 1,30 t/m € 2,30
Tellina listeri Röding, 1798.	Aruba, Spanish Lagoon. Lesser Antilles Islands.	€ 2,00
Tellina listeri Röding, 1798.	Bahamas, Eleuthera Island. 2-3 metres deep, snorkeling.	€ 2,30 t/m € 3,30
Macoma nasuta (Conrad, 1837).	USA, California, Sunset Bay, Seal Beach.	€ 0,80
Macoma nasuta (Conrad, 1837).	USA, California, Sunset Bay.	€ 1,25
Tellina nitida Poli, 1791.	Spain, Valencian Community, Province of Alicante, Alicante, Los Molinos.	€ 0,80
Tellina nitida Poli, 1791.	Spain, San Carlos de la Rápita.	€ 0,80 t/m € 1,50
Tellina palatum (Iredale, 1929).	Tanzania, East Zanzibar, Chwaka Bay. East Africa.	€ 1,30
Tellina palatum (Iredale, 1929).	Tanzania, Zanzibar , Unguja South Region, Uroa Beach.	€ 0,50
Tellina palatum (Iredale, 1929).	Mauritius, Ile aux Cerfs. Indian Ocean.	€ 1,30 t/m € 2,00
Tellina perna Spengler, 1798.		€ 2,00
Tellina perna Spengler, 1798.	Australia, Queensland, Swain Reefs.	€ 2,50
Strigilla pisiformis (L., 1758).	Caribbean Sea.	€ 0,30
Tellina planata L., 1758.	Greece, Marathón beach. 1-1½ metres deep.	€ 0,30 t/m € 1,00
Tellina planata L., 1758.	Spain, Mallorca Island, Arenal.	€ 0,30
Tellina pulcherrima Sowerby, 1825.	Taiwan, southern region. East China Sea.	€ 1,70
Tellina pulcherrima Sowerby, 1825.	Taiwan. East China Sea.	€ 1,80
Tellina pulcherrima Sowerby, 1825.	Australia, northern Queensland, Torres Strait.	€ 1,80
Tellina radiata L., 1758.	Caribbean area.	€ 2,00
Tellina radiata L., 1758.	Cuba, Playa Santa Lucia, 4 metres deep on eelgrass.	€ 1,00 t/m € 2,00
Tellina radiata L., 1758.	Aruba, Malmok, Lesser Antilles Islands. Dived, 3 metres in sand.	€ 1,80 t/m € 2,30
Tellina radiata L., 1758.	Bahamas.	€ 1,30 t/m € 2,00
Tellina rastellum Hanley, 1844.	Australia, Queensland. Dredged in Fitzroy Lagoon.	€ 1,30 t/m € 2,30
Tellina remies L., 1758.	Solomon Islands, Malaita (island), Ata'a (village). Pacific Ocean.	€ 1,00
Tellina remies L., 1758.	Fiji, Fiji Island. Pacific Ocean.	€ 1,30 t/m € 1,80
Tellina rostrata L., 1758.	Australia.	€ 2,50
Tellina spec. .	Thailand, Changwat Phuket (province), Phuket (island), Rawai, Chalong Bay.	€ 1,00
Tellina spec. .	Thailand, Changwat Phuket (province), Phuket (island), Rawai, Chalong Bay.	€ 1,00
Tellina spec. .	Madagascar. East Africa. Indian Ocean.	€ 8,50
Tellina staurella Lamarck, 1818.	Philippines, Sulu Sea. Trawled by local fishermen.	€ 1,30 t/m € 1,50
Tellina staurella Lamarck, 1818.	Solomon Islands, Pacific Ocean.	€ 0,80
Tellina staurella Lamarck, 1818.	Australia, Western Australia, Broome.	€ 2,00
Tellina tenuis da Costa, 1778.	France, Brittany, Les Rosaires.	€ 0,15 t/m € 0,20
Tellina tenuis da Costa, 1778.	Spain, Playa Rio Mar.	€ 0,50

		Price Range
Tellina tenuis da Costa, 1778.	France, Brittany, Côtes-d'Armor (department), Tréburden.	€ 0,40
Tellina tenuis da Costa, 1778.	Southern Europe. Adriatic Sea.	€ 0,20
Tellina tenuis da Costa, 1778.	Greece, Epanomi.	€ 0,20
Tellina tenuis da Costa, 1778.	Spain, Torremolinos.	€ 0,20
Tellina tenuis da Costa, 1778.	Netherlands, Oostvoorne.	€ 0,50
Tellina victoriae Gatliff & Gabriel, 1914.	Australia, Western Australia, Albany, 3 metres deep, in sand.	€ 1,50
Tellina virgata L., 1758.	Australia, Western Australia, Broome.	€ 3,50
Tellina virgata L., 1758.	Philippines, Mindanao (island), Zamboanga.	€ 0,50 t/m € 1,00
Tellina virgata L., 1758.	Australia, Western Australia, Broome.	€ 1,50
Terebridae		
Terebra adamsii E.A. Smith, 1873.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 4,00
Terebra affinis Gray, 1834.	Philippines.	€ 0,50
Terebra affinis Gray, 1834.	Indo-Pacific.	€ 2,30
Terebra affinis Gray, 1834.	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 2,00
Hastula albula (Menke, 1843).	Thailand, Phuket (island), Raya Island. 25-30 metres deep.	€ 1,80
Hastula albula (Menke, 1843).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,00
Terebra amanda Hinds, 1844.	Thailand. Southeast Asia.	€ 4,00
Terebra amanda Hinds, 1844.	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 6,00
Terebra amoena (Deshayes, 1859).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 2,00 t/m € 2,50
Terebra areolata (Link, 1807).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 0,50 t/m € 2,80
Terebra areolata (Link, 1807).	Philippines, Visayas (region), Samar (island).	€ 7,50
Terebra areolata (Link, 1807).	Australia, Queensland, Low Isles, Low Island. Snorkeling.	€ 3,50
Terebra areolata (Link, 1807).	Madagascar, off Toliara (Tulear). East Africa. Collected by a local.	€ 6,00
Terebra areolata (Link, 1807).	Philippines.	€ 1,00 t/m € 2,30
Terebra argus Hinds, 1844.	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 2,50 t/m € 3,80
Terebra argus Hinds, 1844.	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 3,00
Hastula bacillus (Deshayes, 1859).	Thailand, Phuket (island), Raya Island. 25-30 metres deep.	€ 0,50
Duplicaria badia (Deshayes, 1859).	Taiwan. Dredged.	€ 2,50
Terebra boucheti Bratcher, 1981.	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 2,50
Terebra cerithina Lamarck, 1822.	Japan, Okinawa (island). Shallow water.	€ 2,80 t/m € 3,30
Terebra chlorata Lamarck, 1822.	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 2,50
Terebra chlorata Lamarck, 1822.	Philippines, Sulu (province), Siasi. Sulu Sea. From fisherman.	€ 2,00
Terebra chlorata Lamarck, 1822.	Mozambique, Nampula Province, Nacala Bay area. Dived.	€ 2,00
Terebra cinerea (Born, 1778).	Brazil, Maceió.	€ 2,00
Terebra commaculata (Gmelin, 1791).	India, Tamil Nadu (state), Madras [Chennai].	€ 3,00 t/m € 6,50

		Price Range
Terebra commaculata (Gmelin, 1791).	Indonesia, Java (island), North Jakarta city, Jakarta Bay.	€ 2,50
Terebra crenulata (L., 1758).	Philippines, Central Visayas (region), Cebu (province), Mactan (island).	€ 1,30 t/m € 2,30
Terebra crenulata (L., 1758).	Indonesia, West Papua (province), Manokwari, Cenderawasih Bay.	€ 1,50
Terebra crenulata (L., 1758).	Philippines.	€ 2,00 t/m € 6,00
Terebra crenulata (L., 1758).	Thailand, Changwat Phuket (province), Phuket (island).	€ 2,50
Terebra crenulata (L., 1758).	Egypt, Safaga. Red Sea.	€ 1,30 t/m € 2,80
Terebra crenulata (L., 1758).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,00 t/m € 2,30
Terebra cumingii Deshayes, 1857.	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 2,00
Terebra dimidiata (L., 1758).	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 1,00 t/m € 3,00
Terebra dimidiata (L., 1758).	Madagascar, off Toliara (Tulear). East Africa. Collected by a local.	€ 6,00
Terebra dimidiata (L., 1758).	Indo-Pacific.	€ 1,30 t/m € 2,30
Terebra dislocata (Say, 1822).	USA, Florida, Marco Island. Low water on sands.	€ 3,80
Terebra dislocata (Say, 1822).	Bahamas.	€ 1,80
Duplicaria duplicata (L., 1758).	India, Madras. Dredged.	€ 1,50 t/m € 3,00
Duplicaria duplicata (L., 1758).	Malaysia, Pulau Sibiu. "Gypsy Village Beach" 2-4 m. deep on sand.	€ 2,00 t/m € 3,00
Duplicaria dussumierii (Kiener, 1839).	Taiwan. Fished.	€ 2,00 t/m € 3,00
Terebra felina (Dillwyn, 1817).	Mozambique, Nampula Province, Nacala Bay area, shallow water.	€ 3,80
Terebra felina (Dillwyn, 1817).	Thailand, Changwat Phuket (province), Phuket (island).	€ 2,00
Terebra felina (Dillwyn, 1817).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,80 t/m € 3,30
Terebra fenestrata Hinds, 1844.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 0,50 t/m € 3,00
Hastula hastata (Gmelin, 1791).	Bahamas.	€ 1,00 t/m € 1,30
Hastula hastata (Gmelin, 1791).	Martinique, near la Pointe du Bouc. 2 metres deep, on the beach. 18 mm	€ 3,00
Hastula hectica (L., 1758).	Indonesia, Bali (province), Bali (island), N. of Sanur, sandy beach.	€ 2,00
Hastula hectica (L., 1758).	Tanzania, Zanzibar, Uroa. East Africa. Collected by snorkeling.	€ 1,80 t/m € 3,30
Hastula hectica (L., 1758).	Philippines, Luzon (island), Batangas (province), Batangas City.	€ 3,00
Hastula lanceata (L., 1767).	Solomon Islands, Pacific Ocean.	€ 2,50
Hastula lanceata (L., 1767).	Thailand, Changwat Phuket (province), Phuket (island).	€ 1,00 t/m € 2,50
Terebra lima Deshayes, 1857.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 0,50 t/m € 1,50
Terebra mactanensis Bratcher & Cernohorsky, 1982.	Philippines, Mactan (island), Punta Engano.	€ 2,00
Terebra mactanensis Bratcher & Cernohorsky, 1982.	Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 1,00 t/m € 4,00
Terebra maculata (L., 1758).	Thailand, Changwat Phuket (province), Phuket (island).	€ 3,00
Terebra maculata (L., 1758).	Indonesia, West Papua (province), Manokwari, Cenderawasih Bay.	€ 1,00 t/m € 2,50
Terebra maculata (L., 1758).	Philippines, Mindanao (island), Davao Region, Davao City.	€ 3,00 t/m € 9,00
Terebra maculata (L., 1758).	Red Sea. Beach.	€ 3,00 t/m € 5,00
Terebra mariesi (E.A. Smith, 1880).		€ 1,50

Terebra nebulosa Sowerby, 1825.
 Terebra nebulosa Sowerby, 1825.
 Terebra ornata Gray, 1834.
 Terebra pertusa (Born, 1778).
 Terebra plumbea Quoy & Gaimard, 1833. Set of 5.
 Terebra pretiosa Reeve, 1842.
 Terebra quoygaimardi Cernohorsky & Bratcher, 1976.
 Terebra robusta Hinds, 1844.
 Hastula strigilata (L., 1758).
 Terebra subulata (L., 1767).
 Terebra succincta (Gmelin, 1791).
 Terebra taurina (Lightfoot, 1786).
 Duplicaria teramachii Burch, 1965.
 Terebra textilis Hinds, 1844.
 Terebra triseriata Gray, 1834.
 Terebra triseriata Gray, 1834.
 Terebra undulata Gray, 1834.
 Terebra variegata Gray, 1834.
 Terebra waikikiensis Pilsbry, 1921.

Thiaridae

Faunus ater (L., 1758). A fresh water shell.
 Faunus ater (L., 1758).
 Faunus ater (L., 1758).
 Faunus ater (L., 1758).
 Pachymelania aurita (O.F. Müller, 1774).

Thyasiridae

Thyasira flexuosa (Montagu, 1803).

Tonnidae

Tonna allium (Dillwyn, 1817).
 Tonna allium (Dillwyn, 1817).
 Eudolium crosseanum (Monterosato, 1869).
 Tonna dolium (L., 1758).
 Tonna galea (L., 1758).
 Tonna galea (L., 1758).
 Tonna galea (L., 1758).

Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.
 Thailand, Phuket (island), Raya Island. 25-30 metres deep.
 Mexico. North of Manzanillo. By diver 30 metres deep, in sand.
 Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.
 Australia, Queensland, Mission Beach. In sand, about 1.5 metres deep.
 Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.
 Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.
 Panama, Gobernadora Island.
 India, Tamil Nadu (state), Madras [Chennai].
 Philippines.
 Philippines, Bohol (province), close to Panglao Island, Balicasag island.
 Brazil, Bahia (state), Salvador. By diver, 10 metres deep, in sand.
 Solomon Islands, Malaita (island), Ata'a (village). Pacific Ocean.
 Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.
 Taiwan, off An Ping Island. Alive, dredged.
 Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.
 Indonesia, Flores, Bidadari Island. Undeep in sand.
 Mexico, Baja California Sur (state), 5 km. n. of Loreto. Alive in sand.
 Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.

Thailand, Changwat Phuket (province), Phuket (island).
 Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.
 Philippines, Palawan (province), Palawan (island).
 Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.
 West Africa.

France, Brittany, Saint-Lunaire.

Australia, Queensland, Mission Beach. Live in sand, at about 4 metres.
 Mexico, Sinaloa (state), off Mazatlán.
 Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.
 Indonesia.
 Mediterranean Sea.
 Brazil. Atlantic Ocean.
 Malaysia, Langkawi Island, Tanjung Rhu. Fished.

Price Range

€ 2,00 t/m € 3,00
 € 1,00 t/m € 1,80
 € 5,00
 € 2,00 t/m € 8,50
 € 1,50
 € 3,00 t/m € 8,00
 € 1,50 t/m € 2,00
 € 7,50
 € 2,00
 € 0,80 t/m € 3,50
 € 2,50 t/m € 3,80
 € 10,00
 € 2,50
 € 4,00 t/m € 5,00
 € 2,00 t/m € 4,00
 € 1,50 t/m € 3,00
 € 2,00
 € 1,00 t/m € 2,00
 € 5,00 t/m € 7,50

€ 1,00 t/m € 2,50
 € 1,00
 € 1,00
 € 2,50
 € 1,00

€ 0,20

€ 2,50
 € 3,00
 € 2,00 t/m € 4,50
 € 3,00
 € 5,00
 € 2,00 t/m € 4,50
 € 4,00

		Price Range
Tonna lischkeana (Küster, 1857).	Thailand, Changwat Phuket (province), Phuket (island).	€ 0,75 t/m € 2,00
Tonna oentoengi Vos, 2005.	Indonesia, East Java (province), south of Madura Island, Sapekan Island.	€ 5,00
Tonna perdix (L., 1758).	Philippines.	€ 2,50 t/m € 6,50
Tonna perdix (L., 1758).	Madagascar, Toliara (Tulear). East Africa. Indian Ocean. In shallow water.	€ 7,50 t/m € 8,50
Malea pomum (L., 1758).	Egypt, Abu Mingar island, 5 km off Hurghada. Red Sea. Dead on reef.	€ 2,50
Malea pomum (L., 1758).	Egypt, Safaga. Red Sea.	€ 0,50 t/m € 2,30
Malea pomum (L., 1758).	Philippines, Camotes, Ponson Island. Taken on coral reef, 8-15 metres.	€ 3,50
Malea pomum (L., 1758).	Madagascar, Toliara (Tulear). East Africa. Indian Ocean.	€ 2,50 t/m € 3,30
Malea pomum (L., 1758).	Mozambique. East Africa. Indian Ocean.	€ 0,50 t/m € 3,00
Malea pomum (L., 1758).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 0,75
Malea pomum (L., 1758).	Southern Madagascar. East Africa. Indian Ocean.	€ 4,50
Tonna sulcosa (Born, 1778).	Philippines. Sulu Sea.	€ 6,00
Tonna sulcosa (Born, 1778).	Taiwan. East China Sea.	€ 2,00 t/m € 3,50
Tonna sulcosa (Born, 1778).	Malaysia, Langkawi Island, Tanjung Rhu. Fished.	€ 2,00 t/m € 3,50
Tonna sulcosa (Born, 1778).	Indonesia, East Java (state), Probolinggo. Northeastern coast.	€ 2,50
Tonna tessellata (Lamarck, 1816).		€ 2,00
Tonna tessellata (Lamarck, 1816).	Indonesia, West coast Sumatra, 6 km. N. of Padang, Pasir Putih. Trawled.	€ 1,50
Tornidae		
Tornus subcarinatus (Montagu, 1803).	France, Brittany.	€ 0,50
Trichotropidae		
Trichotropis cancellata (Hinds, 1843).	USA, SE Alaska, Mitkof Island, Petersburg Harbour. At a 4 foot tide.	€ 4,50
Trichotropis cancellata (Hinds, 1843).	Canada, Vancouver Island, Departure Bay, Jessica Island.	€ 6,50
Tricoliidae		
Tricolia pullus (L., 1758).	Portugal, Algarve (region), between dry seaweed in harbour.	€ 2,50
Tricolia pullus (L., 1758).	Spain, Andalusia (region), Province of Málaga, Marbella.	€ 0,50
Trigoniidae		
Neotrigonia bednalli Verco, 1907.	Australia, South Australia, 1 km off Port Stanvac. Dredged, 15 m deep.	€ 5,50
Neotrigonia bednalli Verco, 1907.	Australia, South Australia, off port Lincoln. On sandy mud, 20 m deep.	€ 5,00 t/m € 6,50
Neotrigonia margaritacea (Lamarck, 1804).	Australia, South Australia, Port Lincoln. Dredged, 30-40 m. deep.	€ 3,00
Triphoridae		
Tetrastoma princeps (Sowerby, 1904).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 4,00
Triviidae		
Triviella aperta aperta (Swainson, 1822).	South Africa, Kinnibaj.	€ 3,50
Triviella aperta aperta (Swainson, 1822).	South Africa, Ciskei.	€ 3,00

		Price Range
Trivia arctica (Solander in Humphrey, 1797).	France, Brittany, Saint-Lunaire.	€ 0,30
Trivia maltbiana McGintry, 1942.	Brazil, Espírito Santo (state), off Guarapari. Dived at 20-25 metres deep.	€ 3,00
Trivia monacha (da Costa, 1778).	France, Brittany, Saint-Lunaire.	€ 0,30
Niveria pediculus pediculus (L., 1758).	Palm Beach Co. to Broward Co. Scuba, 17 m deep, under rock rubble.	€ 2,30
Niveria pediculus pediculus (L., 1758).	Aruba, Malmok, Boca Catalina, Lesser Antilles Islands.	€ 0,80
Niveria pediculus pediculus (L., 1758).	Bahamas, Green Turtle Cay (island).	€ 0,50 t/m € 1,00
Niveria pediculus pediculus (L., 1758).	USA, Lower Florida Keys, Lone Key Reef. 3-6 feet deep in seaweed.	€ 0,80
Niveria pediculus pediculus (L., 1758).	Curaçao, Lesser Antilles Islands.	€ 1,00 t/m € 2,00
Triviella phalacra Schilder, 1930.	South Africa.	€ 5,00
Niveria quadripunctata quadripunctata (Gray, 1827).	Aruba, Lesser Antilles Islands.	€ 0,50
Trochidae		
Gibbula albida (Gmelin, 1791).	Spain, Province of Málaga, Estepona.	€ 0,50
Ginebis argenteonitens (Lischke, 1872).	Japan, Honshu (island), Aichi Prefecture, Mikawa. 30-50 fathoms deep.	€ 8,50
Calliostoma armillata (Wood, 1828). On rubble, under rocks.	Australia, N. Tasmania, eastern side of Rocky Cape. 8-12 metres deep.	€ 10,00
Monodonta articulata Lamarck, 1822.	Tunisia, Monastir.	€ 0,10
Monodonta articulata Lamarck, 1822.	Malta, Bay of Salina.	€ 0,50
Tegula atra (Lesson, 1830).	Chile, Choapa Province, Los Vilos. Local diver, on rocks in shallow water.	€ 3,00
Tegula atra (Lesson, 1830).	Chile, Tarapacá Region, Iquique, Chucumata. On beach	€ 3,50
Monodonta atrata (Wood, 1828).	Spain, Canary Islands, Fuerteventura.	€ 0,50
Euchelus atratus (Gmelin, 1791).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 2,00 t/m € 3,00
Euchelus atratus (Gmelin, 1791).	Philippines, Cebu (province), Mactan (island). 20 m deep, on coral/rocks.	€ 2,00
Euchelus atratus (Gmelin, 1791).	Australia, Western Australia, off Port Hedland. From divers. 18 mm	€ 2,30 t/m € 5,00
Clanculus atropurpureus (Gould, 1849).	Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.	€ 1,30
Bathybembix bairdii (Dall, 1889).	USA, Washington, Astoria Canyon, 46°15'N, 400 fathoms, brown mud.	€ 12,50
Calliostoma blacki (Powell, 1950).	New Zealand, South Island, Otago Peninsula, off Dunedin.	€ 8,00 t/m € 9,50
Monilea callifera (Lamarck, 1822).	Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.	€ 1,50 t/m € 2,00
Monodonta canalifera Lamarck, 1816.	Thailand, Changwat Phuket (province), Phuket (island).	€ 1,20
Monodonta canalifera Lamarck, 1816.	Indonesia, Sumatra.	€ 4,00
Hybochelus cancellatus orientalis (Pilsbry, 1904).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 3,80
Thalotia chlorostoma (Menke, 1843).	Australia, W.A., Cape Naturaliste. Fish nets at 4-50 m, on ribbon weed.	€ 6,50
Thalotia chlorostoma (Menke, 1843). Colour form.	Australia, W.A., Cape Naturaliste, 40-50 m, on ribbon weed, in fish nets.	€ 6,50
Thalotia chlorostoma (Menke, 1843).	Australia, W.A., Perth, Two Rocks. 80-100 m, in fish nets, with weeds.	€ 6,50
Gibbula cineraria (L., 1758).	France, Brittany, Ille-et-Vilaine (departement), Dinard.	€ 0,20
Gibbula cineraria (L., 1758).	France, Brittany, Finistère, Point Penmarc'h, Porte de Kerity.	€ 0,80
Gibbula cineraria (L., 1758).	Portugal, near Lagos harbour. In dry seaweed.	€ 7,50

		Price Range
Monodonta constricta (Lamarck, 1822).	Australia, New South Wales, Kurnell, Botany Bay. Littoral.	€ 2,50
Trochus conus (Gmelin, 1791).	Philippines, Central Visayas (region), Bohol (island).	€ 6,50
Clanculus cruciatus (L., 1758).	Tunisia, Zarzis.	€ 0,80
Tectus dentatus (Forskål, 1775).	Egypt, Kalau. Red Sea.	€ 0,50 t/m € 6,50
Clanculus denticulatus (Gray, 1827).	Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.	€ 2,00
Trochus erythraeus Brocchi, 1821.	Egypt, Ras Gemsa. Red Sea.	€ 2,30
Trochus erythraeus Brocchi, 1821.	Israel, Elat. Gulf of Aqaba.	€ 1,30 t/m € 1,80
Danilia eucheliformis (Nomura & Hatai).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,50 t/m € 2,30
Jujubinus exasperatus (Pennant, 1777).	Portugal, Algarve (region).	€ 2,50
Cantharidus eximius (Perry, 1811).	Australia, New South Wales, Nambucca Shire, Nambucca Heads.	€ 1,00
Tegula fasciata (Born, 1778).	Honduras, Roatan Island. On rocks, 2 metres deep. 13 mm	€ 3,80
Tegula fasciata (Born, 1778).	Bonaire, Lesser Antilles Islands.	€ 1,00
Tectus fenestratus (Gmelin, 1791).	Australia, Western Australia, Dampier Reef.	€ 1,00 t/m € 2,00
Tectus fenestratus (Gmelin, 1791).	Philippines, Bohol (province), Calituban Island. 9 m, live under stones.	€ 1,50
Tectus fenestratus (Gmelin, 1791).	Australia, Western Australia, off Port Hedland. From fisherman. 33 mm	€ 7,50
Calliostoma formosense Smith, 1907.	Taiwan, off northern coast. East China Sea. Fished.	€ 4,00
Calliostoma formosense Smith, 1907.	Taiwan. East China Sea. Fished.	€ 4,00 t/m € 5,50
Calliostoma formosense Smith, 1907. Some polished.	Taiwan. East China Sea.	€ 1,80
Calliostoma formosense Smith, 1907.	Japan. Southern region.	€ 2,50 t/m € 4,00
Tegula funebris (A. Adams, 1855).	USA, California, Newport Beach.	€ 1,00
Tegula funebris (A. Adams, 1855).	Chile, southern region.	€ 1,50
Tegula funebris (A. Adams, 1855).	Mexico, Baja California (state), Ensenada.	€ 1,30
Tegula gallina Forbes, 1850.	Mexico, Baja California, San Felipe.	€ 3,00
Umbonium giganteum (Lesson, 1831).	Japan, Honshu (island), Aichi Prefecture, Mikawa, Hazu District.	€ 2,00
Cantharidus gilberti (Montrouzier, 1878).	Philippines.	€ 0,80
Calliostoma granulatum (Born, 1778).	S.E. Spain, Peniscola.	€ 0,50
Calliostoma granulatum (Born, 1778).	France, Charente-Maritime (dep.), near La Rochelle. Bay of Biscay. Fished.	€ 1,00
Calliostoma granulatum (Born, 1778).	Irish Sea.	€ 1,50
Calliostoma granulatum (Born, 1778).	Spain, Province of Málaga, Fuengirola. Fished.	€ 1,00 t/m € 2,50
Calliostoma granulatum (Born, 1778).	Spain, Andalusia (region), off Málaga. Trawled in 30 metres. Mud bottom.	€ 1,50 t/m € 2,50
Calliostoma haliarchus (Melvill, 1889).	Japan, Honshu (island), Kansai (region), Kyoto. Fished, ±100 metres deep.	€ 10,00
Trochus hanleyanus Reeve, 1843.	Australia, Western Australia, Pilbara region, Point Samson. Live.	€ 2,00
Calliostoma jujubinum (Gmelin, 1791).	Florida, Pompano Beach, 2 miles S. of Hillsboro Light. 15 feet deep.	€ 4,50
Calliostoma jujubinum (Gmelin, 1791).	USA, Florida, 2 miles S. of Hillsboro Light. 15 feet deep, scuba.	€ 6,50
Clanculus jussieui (Payraudeau, 1826).	Spain, Andalusia (region), Province of Málaga, Marbella, Calypso.	€ 0,50

		Price Range
Trochus kochi Philippi, 1844.	Oman, Sadah (Şadh). Middle East. Arabian Sea.	€ 4,50
Monodonta labio (L., 1758).	Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.	€ 0,80 t/m € 1,30
Monodonta labio (L., 1758).	Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.	€ 0,80 t/m € 1,30
Monodonta labio (L., 1758).	Philippines, Samar (island), Calbayog area. Intertidal. 27 mm	€ 1,50 t/m € 2,50
Monodonta labio (L., 1758).	Australia, Western Australia, Dampier.	€ 1,30
Monodonta labio (L., 1758).	Australia, W.A., Exmouth Gulf. On algae covered rocks at low tide.	€ 4,50
Monodonta labio (L., 1758).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,00
Monodonta labio (L., 1758).	Australia, Queensland, Mission Beach. Alive, Littoral zone.	€ 3,50
Prothalotia lehmanni (Menke, 1843).	Australia, Western Australia, near Perth, Rockingham. Shoalhaven Bight.	€ 1,00
Calliostoma ligatum (Gould, 1849).	USA, California, Monterey County, Pacific Grove. On beach.	€ 2,50
Monodonta lineata (da Costa, 1778).	France, Brittany, Saint-Lunaire.	€ 0,80
Monodonta lineata (da Costa, 1778).	Morocco, Marrakesh-Tensift-El Haouz, Essaouira.	€ 0,20
Monodonta lineata (da Costa, 1778).	Portugal, Algarve (region), Faro.	€ 0,20
Monodonta lineata (da Costa, 1778).	Morocco. North Africa.	€ 1,30
Chlorostoma lischkei (Tapparone Canefri, 1874).	Japan, Hokkaido.	€ 2,00 t/m € 4,00
Tegula lividomaculata (C.B. Adams, 1845).	Bonaire, Lesser Antilles Islands.	€ 1,00
Turcica maculata (Brazier, 1877).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 4,50
Trochus maculatus L., 1758.	Gabon, Olongo Island. West Africa. Atlantic Ocean. 3 metres deep.	€ 1,30 t/m € 1,80
Trochus maculatus L., 1758.	Malaysia, Terengganu (state), Pulau Kapas. Littoral on stones. Shallow.	€ 1,00 t/m € 1,50
Trochus maculatus L., 1758.	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,00
Trochus maculatus L., 1758.	Malaysia, Kapar Peninsula.	€ 1,00 t/m € 2,00
Gibbula magus (L., 1767).	France, Brittany, Ille-et-Vilaine (departement), Dinard.	€ 0,30
Gibbula magus (L., 1767).	Southern Europe. Adriatic Sea.	€ 1,30
Tegula melaleucus (Jonas, 1844).	Peru, Piura Province, Perachique. Trawled in shallow water, from locals.	€ 2,50
Umbonium moniliferum (Lamarck, 1822).	Japan.	€ 0,80
Umbonium moniliferum (Lamarck, 1822).	Japan.	€ 0,80
Monodonta nebulosa (Forskåll, 1775).	Oman, Sadah (Şadh). Middle East. Arabian Sea.	€ 1,00
Tegula nigerrimum (Gmelin).	Chile, Tarapacá Region, Iquique. On rocks at intertidal level.	€ 2,00
Trochus niloticus L., 1767.	Australia, North Queensland, Low Isles. Sublittoral.	€ 2,00
Gibbula pennanti (Philippi, 1836).	Spain, Andalusia (region), Málaga. Under stones, 2-3 metres deep. 10 mm	€ 2,00
Gibbula pennanti (Philippi, 1836).	France, Brittany, Finistère, Point Penmarc'h, Porte de Kerity.	€ 0,80
Gibbula pennanti (Philippi, 1836).	France, Brittany, Ille-et-Vilaine (departement), Dinard.	€ 0,20
Clanculus pharaonius (L., 1758).	Egypt, South Sinai, Dahab. Gulf of Aqaba.	€ 1,80
Cittarium pica (L., 1758).	Dominican Republic. Greater Antilles archipelago, Caribbean region.	€ 8,50 t/m € 17,50
Cittarium pica (L., 1758).	Bahamas, Abaco Cays. On rocks in intertidal and splash zone.	€ 4,50 t/m € 9,50

	Price Range
Cittarium pica (L., 1758).	€ 2,00
Calliostoma punctulatum (Martyn, 1784).	€ 1,30
Clanculus puniceus (Philippi, 1846).	€ 1,00
Tectus pyramis (Born, 1778).	€ 1,00 t/m € 3,00
Tectus pyramis (Born, 1778).	€ 2,50 t/m € 3,50
Tectus pyramis (Born, 1778).	€ 3,80
Euchelus quadricarinatus (Holten, 1802).	€ 1,00
Trochus radiatus Gmelin, 1791.	€ 0,50
Gibbula rarilineata (Michaud, 1829).	€ 0,50
Gibbula richardi (Payraudeau, 1826).	€ 0,30
Euchelus rubra (Adams, 1853).	€ 6,50 t/m € 7,50
Tegula rugosa (A. Adams, 1853).	€ 0,50
Tegula rustica (Gmelin).	€ 3,50
Pseudotalopia sakuraii Habe, 1961.	€ 3,00
Calliostoma scotti Kilburn, 1973.	€ 6,00
Calliostoma selectum (Dillwyn, 1817).	€ 6,00
Oxysteles sinensis (Gmelin, 1791).	€ 2,00 t/m € 2,50
Trochus stellatus Gmelin, 1791.	€ 0,80 t/m € 1,30
Trochus stellatus Gmelin, 1791. Polished.	€ 0,80 t/m € 1,30
Gibbula stoliczkana (Nevill, 1869).	€ 2,30
Jujubinus striatus (L., 1767).	€ 0,30
Jujubinus striatus (L., 1767).	€ 1,00
Jujubinus striatus (L., 1767).	€ 2,50
Oxysteles tigrina (Dillwyn, 1817).	€ 2,00
Tectus triserialis (Lamarck, 1822).	€ 2,00
Monodonta turbinata (Born, 1780).	€ 4,00
Monodonta turbinata (Born, 1780).	€ 0,50
Gibbula umbilicalis (da Costa, 1778).	€ 0,30
Umbonium vestiarum (L., 1758).	€ 0,20
Umbonium vestiarum (L., 1758).	€ 0,50
Umbonium vestiarum (L., 1758).	€ 0,20
Calliostoma waikanae Oliver, 1926.	€ 0,40
Umbonium zelandicum (Hombron & Jacquinot, 1855).	€ 5,00 t/m € 7,50
Calliostoma zizyphinum (L., 1758).	€ 0,50
Calliostoma zizyphinum (L., 1758).	€ 0,40
	€ 0,50
Dominican Republic. Live in surfzone on rocky island off Playa Dorada.	€ 2,00
New Zealand, southeast, Otago Peninsula. 110 metres deep.	€ 1,30
Zanzibar, Pongwe. Live on reef.	€ 1,00
Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.	€ 1,00 t/m € 3,00
Indo-Pacific.	€ 2,50 t/m € 3,50
Philippines, Central Visayas (region), Cebu (province), Mactan (island).	€ 3,80
Thailand, Phuket (island), Raya Island, about 2 hours by boat from Rawai.	€ 1,00
Sri Lanka, Southern Province, Kosgoda. Low tide.	€ 0,50
Cyprus, Bay of Garnaca.	€ 0,50
Spain, Andalusia (region), Province of Málaga, Marbella.	€ 0,30
Philippines, Mactan (island), Punta Engano. Tangle net, 10-35 metres deep. 6 mm	€ 6,50 t/m € 7,50
Mexico, Baja California, Bahía de los Ángeles. Gulf of California.	€ 0,50
Japan.	€ 3,50
Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 3,00
Somalia, S. of Mogadishu. East Africa. Trawled on Continental Shelf. 28 mm	€ 6,00
New Zealand, North Island, Auckland Harbour.	€ 6,00
South Africa, Eastern Cape (prov.), Gonubie. Low tide, on exposed rocks.	€ 2,00 t/m € 2,50
Thailand, Phuket (island), Raya Island. 25-30 metres deep.	€ 0,80 t/m € 1,30
Philippines.	€ 0,80 t/m € 1,30
Philippines.	€ 2,30
France, Brittany, St. Cast, live in seaweed.	€ 0,30
Spain, Province of Málaga, Fuengirola, Mediterranean Sea.	€ 1,00
Portugal, Algarve (region).	€ 2,50
South Africa, Western Cape, Olifantsbos point. Sand beach, by reefs & kelp	€ 2,00
Philippines, Central Visayas (region), Cebu (island).	€ 4,00
Cyprus, Paphos.	€ 0,50
Tunisia, Djerba Island, Ajim. Gulf of Gabès.	€ 0,30
France, Brittany, Ille-et-Vilaine (departement), Dinard.	€ 0,20
Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.	€ 0,50
Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 0,20
Japan.	€ 0,40
New Zealand, South Island, Otago Peninsula, off Dunedin.	€ 5,00 t/m € 7,50
New Zealand, Auckland Harbour.	€ 0,50
France, Brittany, Côtes-d'Armor (department), Tréburden.	€ 0,40
France, Brittany, Saint-Jacut-de-la-Mer.	€ 0,50

Calliostoma zizyphinum (L., 1758).

Calliostoma zizyphinum (L., 1758).

Turbinidae

Turbo argyrostoma argyrostoma L., 1758.

Turbo aurantius Kiener, 1847.

Turbo bruneus (Röding, 1798).

Astraea caelata (Gmelin, 1791).

Astraliium calcar (L., 1758).

Astraliium calcar (L., 1758).

Astraliium calcar (L., 1758).

Turbo castanea Gmelin, 1791.

Turbo castanea Gmelin, 1791.

Turbo chrysostoma L., 1758.

Turbo chrysostoma L., 1758.

Turbo chrysostoma L., 1758.

Turbo cinereus Born, 1778.

Turbo cinereus Born, 1778.

Turbo cinereus Born, 1778.

Turbo cinereus Born, 1778.

Turbo cornutus cornutus Lightfoot, 1786.

Turbo cornutus cornutus Lightfoot, 1786.

Turbo cornutus cornutus Lightfoot, 1786.

Turbo coronatus Gmelin, 1791.

Arene cruentata Mühlfeld, 1829.

Turbo fluctuosus Wood, 1828.

Turbo fluctuosus Wood, 1828.

Bolma girgylla (Reeve, 1843).

Bolma girgylla (Reeve, 1843).

Bolma girgylla (Reeve, 1843).

Bolma girgylla (Reeve, 1843).

Astraea haematraga (Menke, 1829).

Astraea haematraga (Menke, 1829).

Astraea heliotropium (Martyn, 1784).

Turbo intercostalis Menke, 1846.

Turbo laminiferus Reeve, 1848.

France, Brittany, Saint-Lunaire, Pointe du Décollé.

UK, Scotland, Inner Hebrides, Isle of Mull, Loch Scridain.

Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.

Philippines, Bohol (province), close to Panglao Island, Balicasag Island.

Philippines, Bohol (province), close to Panglao Island, Balicasag Island.

USA, Florida, Big Pine Key. On coral reef.

Philippines, Bohol (province), Calituban Island. 20-25 m, night dive.

Indonesia, Greater Sunda Islands, East Java (province), Madura Island.

Philippines.

Bahamas, South Bimini, Turtle Rocks. 8-10 feet deep.

Bahamas, Green Turtle Cay (island).

Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.

Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.

Malaysia, Pulau Kapas (island). South China Sea. Shallow, littoral zone.

Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.

Philippines, Bohol (province), close to Panglao Island, Balicasag Island.

Australia, Western Australia, Port Hedland. From fisherman. 16 mm

Fiji, Mamanuca Group, Mana Island. At ebb under coral.

North Korea.

Japan, Honshu (island), Wakayama Prefecture, Shirahama.

Japan, Honshu (island), Wakayama Prefecture, Nada-Cho. 2-5 fathoms deep.

Oman, Sadah (Ṣadh). Middle East. Arabian Sea.

Martinique, Grande Anse. 8 metres deep, scuba. 8 mm

Mexico, Baja California Sur (state), Bahía Concepción. Gulf of California.

Mexico, Baja California (state).

Philippines.

Philippines, Central Visayas (region), Cebu (island).

Philippines, Mindanao (region), Balut Island.

Philippines, Bohol (province), close to Panglao Island, Balicasag Island.

Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.

Philippines, Central Visayas (region), Cebu (island).

New Zealand, by Jackson Bay near Haast River. 25 metres deep, trawled.

Philippines, Bohol (province), close to Panglao Island, Balicasag Island.

Australia, Western Australia, Pilbara region, Point Samson. Littoral.

Price Range

€ 0,50

€ 1,30

€ 1,00 t/m € 4,50

€ 3,50

€ 3,50

€ 2,00 t/m € 4,50

€ 1,00 t/m € 3,00

€ 2,00

€ 3,00

€ 2,30

€ 0,50 t/m € 1,30

€ 2,50 t/m € 3,50

€ 2,50

€ 3,00

€ 0,50 t/m € 3,00

€ 0,50

€ 2,00

€ 1,00 t/m € 1,30

€ 17,50 t/m € 35,00

€ 2,00

€ 8,50

€ 2,50

€ 3,00

€ 7,50

€ 7,50

€ 7,50

€ 10,00

€ 2,00 t/m € 3,50

€ 1,00 t/m € 4,00

€ 3,00 t/m € 4,00

€ 5,00

€ 2,50

€ 1,00

€ 3,00

Turbo marmoratus L., 1758.
 Turbo marmoratus L., 1758. Operculum.
 Turbo marmoratus L., 1758. Polished.
 Bolma modesta (Reeve, 1843).
 Liotina peronii (Kiener, 1839).
 Bolma persica (Dall, 1907).
 Turbo petholatus L., 1758.
 Turbo petholatus L., 1758.
 Astraea phoebia Röding, 1798.
 Astraea phoebia Röding, 1798.
 Astralium pileola Reeve, 1842.
 Turbo pulcher Reeve, 1842.
 Turbo radiatus Gmelin, 1791.
 Turbo radiatus Gmelin, 1791.
 Turbo reevei Philippi, 1847.
 Astraea rhodostoma (Lamarck, 1822).
 Astraea rhodostoma (Lamarck, 1822).
 Astraea rugosa (L., 1767).
 Astraea rugosa (L., 1767).
 Astraea rugosa (L., 1767). W/O.
 Astraea rugosa (L., 1767).
 Astraea rugosa (L., 1767).
 Astraea rugosa (L., 1767).
 Astraea rugosa (L., 1767).
 Turbo sarmaticus L., 1758. Polished.
 Turbo sarmaticus L., 1758.
 Astralium saturnum Chino, 1999.
 Astraea stellare (Gmelin, 1791).
 Astraea stellare (Gmelin, 1791).
 Astralium tentorium (Thiele, 1930).
 Turbo torquatus Gmelin, 1791.
 Turbo torquatus Gmelin, 1791.
 Turbo undulatus Lightfoot, 1786. Among kelp on boulders.
 Turbo undulatus Lightfoot, 1786.
 Guildfordia yoka Jousseaume, 1888.

Kenya, Mombasa Reef. East Africa. Indian Ocean.
 Philippines, Eastern Visayas (region), Leyte (island). In deep water.
 Japan, Honshu, Kii Province, Kii Peninsula.
 Philippines, Bohol (province), close to Panglao Island, Balicasag Island.
 Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.
 Philippines, Cebu (island), Bantayan Island. On corals, 15-20 metres deep.
 Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.
 Guadeloupe, near Pigeon. Caribbean Sea. 5 metres deep.
 Madagascar Island. East Africa. Indian Ocean.
 Australia, Western Australia, Pilbara (region), Point Samson. Littoral.
 Australia, Western Australia, Albany, Frenchman's Bay. 5-8 metres deep.
 Egypt, Safaga. Red Sea.
 Egypt, Safaga. Red Sea.
 Japan.
 Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.
 Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.
 Greece, Kos Island. Mediterranean Sea.
 Spain, Andalusia (region), Province of Málaga, Marbella.
 Croatia, Istria, Umag. Adriatic Sea. Collected live, 3 metres deep.
 Italy, Liguria, Province of Savona, Savona.
 Portugal, Algarve (region), Quarteira.
 Italy, offshore Savona. Trawled by local fishermen.
 Spain, Province of Málaga, Fuengirola.
 South Africa, Natal (province).
 South Africa, Simonstown. False Bay. Scuba, ±6 m, in sand/shell debris.
 Philippines, Bohol (province), close to Panglao Island, Balicasag Island.
 Australia, Western Australia, Broome.
 Australia, Western Australia, Pilbara (region), Point Samson. Littoral.
 Australia, W.A., Broome. Under rocks and coral at extreme low tide.
 Australia, W.A., Cape Le Grand National Park. Live, sublittoral.
 Australia.
 Australia, Tasman Peninsula, Port Arthur, near Dead Man's Island.
 Australia, Victoria, Phillip Island, Cowes.
 Taiwan. East China Sea.

Price Range

€ 15,00 t/m € 29,50
 € 2,00 t/m € 5,00
 € 75,00 t/m € 95,00
 € 3,00 t/m € 4,00
 € 1,00
 € 2,50
 € 4,50
 € 2,00 t/m € 3,50
 € 3,50
 € 2,00 t/m € 3,00
 € 2,50
 € 5,00
 € 1,00 t/m € 2,80
 € 0,50 t/m € 4,50
 € 0,80 t/m € 2,30
 € 2,00
 € 4,00
 € 12,00
 € 1,00 t/m € 2,00
 € 2,50
 € 8,50
 € 6,00
 € 5,00
 € 1,50 t/m € 2,00
 € 6,50 t/m € 14,50
 € 3,00
 € 2,50
 € 7,00
 € 1,00 t/m € 2,00
 € 12,50
 € 4,00 t/m € 7,00
 € 12,50
 € 7,00 t/m € 9,00
 € 3,00
 € 5,00 t/m € 6,50

Guildfordia yoka Jousseume, 1888.

Turridae

Lophiotoma acuta (Perry, 1811).

Lophiotoma acuta (Perry, 1811).

Lophiotoma acuta (Perry, 1811).

Lophiotoma acuta (Perry, 1811).

Lophiotoma acuta (Perry, 1811).

Inquisitor alabastes (Reeve, 1843).

Inquisitor angustus (Kuroda & Oyama, 1971).

Turris annulata Reeve, 1843.

Turris babylonia (L., 1758).

Turris babylonia (L., 1758).

Gemmula butonensis (Martin, 1933).

Clavus canicularis (Röding, 1798).

Turridrupa cerithina (Anton, 1838).

Turridrupa cerithina (Anton, 1838).

Xenoturris cingulifera (Lamarck, 1822).

Gemmula congener congener (E.A. Smith, 1894).

Gemmula congener cosmoi (Sykes, 1930).

Turris crispa (Lamarck, 1816).

Turris crispa (Lamarck, 1816).

Cochlespira elegans (Dall, 1881).

Clavus enna (Dall, 1918).

Clathrodrillia flavidula (Lamarck, 1822).

Clathrodrillia flavidula (Lamarck, 1822).

Clathrodrillia flavidula (Lamarck, 1822).

Lophiotoma indica (Röding, 1798).

Lophiotoma indica (Röding, 1798).

Lophiotoma indica (Röding, 1798).

Lophiotoma indica (Röding, 1798).

Inquisitor intercincta (Smith, 1877).

Turricula javana (L., 1767).

Comitas kamakurana (Pilsbry, 1895).

Gemmula kieneri Doumet, 1840.

Thatcheria mirabilis Angas, 1877.

Philippines, Bohol, Panglao Island, Balicasag Island. 130-230 metres deep.

Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.

Australia, Queensland, North West Island. Capricornia Cays National Park.

Fiji, Fiji Island Bay. Pacific Ocean.

Andaman Sea, Bay of Bengal.

Japan.

Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.

Philippines, Bohol (province), close to Panglao Island, Balicasag Island.

Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.

Indonesia, Greater Sunda Islands, East Java (province), Madura Island.

Indonesia, Greater Sunda Islands, East Java (province), Madura Island.

Philippines, Bohol (province), close to Panglao Island, Balicasag Island.

Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.

Philippines, Bohol Island, Balicasag Island. Tangle nets, 130-230 metres.

Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.

Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.

Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.

Philippines, Bohol (province), close to Panglao Island, Balicasag Island.

Philippines, Cebu (province), Mactan (island), Punta Engaño.

Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.

Brazil, northern coast. Atlantic Ocean.

Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.

Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.

Japan.

Philippines, Bohol (province), close to Panglao Island, Balicasag Island.

Indonesia, Greater Sunda Islands, East Java (province), Madura Island.

Thailand, Phuket (island), Raya Island. 25-30 metres deep.

Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.

Philippines, Bohol (province), close to Panglao Island, Balicasag Island.

Philippines, Bohol Island, Balicasag Island. Tangle nets, 130-230 metres.

Thailand, Changwat Phuket (province), Phuket (island).

Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.

Philippines, Bohol (province), close to Panglao Island, Balicasag Island.

Japan.

Price Range

€ 2,50 t/m € 6,50

€ 1,30 t/m € 2,80

€ 2,00

€ 0,50

€ 1,30 t/m € 2,50

€ 1,50

€ 3,50

€ 3,50

€ 3,00 t/m € 4,00

€ 1,50 t/m € 3,50

€ 1,00 t/m € 2,00

€ 2,00 t/m € 3,50

€ 2,00 t/m € 4,00

€ 1,50 t/m € 3,50

€ 1,50 t/m € 5,00

€ 4,00 t/m € 7,00

€ 4,00 t/m € 6,50

€ 2,50

€ 2,30 t/m € 3,80

€ 1,00 t/m € 2,50

€ 12,00

€ 2,00 t/m € 5,00

€ 2,50 t/m € 3,50

€ 2,50

€ 1,50 t/m € 3,50

€ 2,00

€ 1,00 t/m € 2,50

€ 1,50 t/m € 3,00

€ 2,00

€ 1,00

€ 1,50

€ 3,00 t/m € 5,00

€ 0,50 t/m € 2,00

€ 10,00

Turris nadaensis Azuma, 1973.
Daphnella nobilis Kira, 1959.
Glyphostoma otohimaeya Kosuge, 1981.
Nauderdrillia perardua Kilburn, 1988.
Cochlespira pulchella fossata Powell, 1969.
Cochlespira pulchella fossata Powell, 1969.
Drillia roseola (Hertlein & Strong, 1955).
Inquisitor rufovaricosa (Kuroda & Oyama, 1971).
Fusiturris similis (Bivona, 1838).
Glyphostoma spec. .
Clavus spec. .
Conorbis spec. .
Turris spec. .
Turris spectabilis (Reeve, 1843).
Turris spectabilis (Reeve, 1843).
Conopleura striata (Hinds, 1844).
Aguilaria subochracea (E.A. Smith, 1877).
Gemmula unedo (Kiener, 1839).
Inquisitor varicosa (Reeve, 1843).
Ptychobela vexillum (Habe & Kosuge, 1966).
Turris yeddoensis (Jousseume, 1883).

Turritellidae

Turritella banksi Reeve, 1849.
Turritella cingulata Sowerby, 1825.
Turritella communis Risso, 1826.
Turritella communis Risso, 1826.
Turritella communis Risso, 1826.
Turritella duplicata (L., 1758).
Vermicularia fargoi Olsson, 1951.
Turritella maculata Reeve, 1849.
Turritella maculata Reeve, 1849.
Turritella maculata Reeve, 1849.
Turritella mariana Dall, 1908.
Mesalia mesal (Deshayes in Lamarck, 1843).
Mesalia mesal (Deshayes in Lamarck, 1843).

Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.
 Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.
 Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.
 Philippines, Bohol (province), close to Panglao Island, Balicasag Island.
 Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.
 Philippines, Mindanao, Davao. Tangle nets, 120 m. deep.
 Panama.
 Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.
 Gabon, Port-Gentil. West Africa. Atlantic Ocean.
 Philippines, Bohol (province), close to Panglao Island, Balicasag Island.
 Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.
 Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.
 Indonesia, Greater Sundra Islands, East Java (province), Madura Island.
 Philippines, Balicasag island, near Panglao, Bohol.
 Mexico.
 Philippines, Bohol Island, close to Panglao Island, Balicasag Island.
 Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.
 Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.
 Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.
 Gulf of Thailand, Ban Hua Hin.
 Japan, Wakayama Prefecture, Nada-Cho, Kusui. Trawled at 30-50 fathoms.

Panama, Gulf of Panamá, San Carlos, El Palmar. Pacific Ocean.
 Chile, IV Región, off Coquimbo. Trawled at 20-40 metres deep. `.
 France, Brittany, Côtes-d'Armor (department), Tréburden. Live.
 Spain, Playa Rio Mar.
 Italy, Province of Latina, Formia. From fishery.
 Thailand, Changwat Phuket (province), Phuket (island).
 USA, Florida, Gulf of Mexico, Fort Myers, Carl Johnson Park.
 Egypt, South Sinai, Dahab. Gulf of Aqaba.
 Oman, Muscat. Middle East. Arabian Sea.
 Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.
 Panama, Canal de Afuera Island. Pacific Ocean. Trawled at 240 feet deep.
 Morocco, Agadir. Atlantic Ocean.
 Spain, San Carlos de la Rápita.

Price Range

€ 3,00 t/m € 6,00
 € 5,00 t/m € 9,50
 € 7,50
 € 1,50
 € 3,00
 € 3,50
 € 2,30
 € 1,00 t/m € 4,50
 € 9,50
 € 3,50
 € 3,00
 € 2,00
 € 1,00
 € 4,00
 € 5,00
 € 2,00
 € 7,50
 € 2,50 t/m € 4,00
 € 3,00 t/m € 6,50
 € 1,30
 € 5,00
 € 1,30
 € 3,00
 € 1,30 t/m € 1,80
 € 0,50
 € 0,40 t/m € 0,80
 € 1,50
 € 1,30
 € 1,30
 € 2,50
 € 1,30
 € 2,50
 € 0,80
 € 0,80

Mesalia mesal (Deshayes in Lamarck, 1843).

Maoricolpus roseus roseus (Quoy & Gaimard, 1834).

Turritella sanguinea Reeve, 1849.

Turritella terebra (L., 1758).

Turritella terebra (L., 1758). Juvenile.

Turritella terebra (L., 1758).

Turritella variegata (L., 1758).

Vanikoridae

Vanikoro cancellata (Lamarck, 1822).

Vanikoro cancellata (Lamarck, 1822).

Vanikora helicoidea (Le Guillou, 1842).

Vasidae

Vasum capitellum (L., 1758).

Vasum cassiforme (Kiener, 1841).

Vasum cassiforme (Kiener, 1841).

Vasum cassiforme (Kiener, 1841).

Vasum ceramicum (L., 1758).

Tudivasum cumingii (Reeve, 1844).

Turbinella laevigata Anton, 1839.

Turbinella laevigata Anton, 1839.

Turbinella laevigata Anton, 1839.

Turbinella pyrum (L., 1758).

Turbinella pyrum (L., 1758).

Vasum rhinoceros (Gmelin, 1791).

Vasum tubiferum (Anton, 1839).

Vasum turbinellus (L., 1758).

Vasum turbinellus (L., 1758).

Vasum turbinellus (L., 1758).

Vasum turbinellus (L., 1758).

Vasum turbinellus (L., 1758).

Vasum turbinellus (L., 1758).

Vasum turbinellus (L., 1758).

Vasum turbinellus (L., 1758).

Veneridae

Paphia alapapilionis Röding, 1798.

Spain, Province of Málaga, Estepona.

New Zealand, Auckland Harbour. 20 feet deep on shelly bottom.

South Africa, Cape Province.

Thailand, Phuket (island), Raya Island. 25-30 metres deep.

Indonesië.

Philippines.

Martinique Island, Ste. Luce, Lesser Antilles. 3 metres deep.

Australia, Queensland, Cape Tribulation.

Australia, Queensland, Port Douglas.

Indonesia, West Lombok. Dead, beach about 2 km. north of Senggigi Beach.

Bonaire, Lesser Antilles Islands.

Brazil, Pernambuco (state), Recife. Atlantic Ocean.

Brazil, Guarapari. Scuba, 10-15 m, on sand & grass bottom.

Brazil, Espírito Santo (state), Guarapari. Atlantic Ocean. 70 mm

Indonesia.

Taiwan. East China Sea. Fished off the coast.

Brazil. Atlantic Ocean.

Brazil. Atlantic Ocean.

USA, Florida.

Sri Lanka.

Bay of Bengal.

Kenya, Mombasa Reef. East Africa. Indian Ocean.

Philippines, Palawan (province), Coron Island. Local collector.

Thailand, Changwat Phuket (province), Phuket (island).

Philippines.

Philippines.

Philippines, Bohol (province), close to Panglao Island, Balicasag Island.

Egypt, Safaga. Red Sea.

Kenya, Mombasa Reef. On reef.

Egypt, Red Sea, Gifâtîn Islands. Coastal reef, sand.

Philippines, Mindanao (island), Zamboanga.

India.

Price Range

€ 0,40

€ 2,00 t/m € 2,50

€ 2,80

€ 2,80

€ 1,00

€ 2,50

€ 1,20

€ 2,50

€ 2,20

€ 0,50

€ 0,50 t/m € 2,30

€ 4,00 t/m € 9,00

€ 6,50

€ 3,00 t/m € 4,00

€ 5,00 t/m € 9,50

€ 2,50

€ 15,00

€ 6,00

€ 14,50

€ 20,00

€ 27,00 t/m € 32,50

€ 1,80 t/m € 3,80

€ 3,50

€ 0,80 t/m € 3,00

€ 2,50 t/m € 3,50

€ 0,50 t/m € 1,50

€ 0,75 t/m € 1,50

€ 2,80

€ 1,50 t/m € 1,80

€ 1,50 t/m € 2,80

€ 1,00

€ 1,80

	Price Range
Pitar albidus (Gmelin, 1791).	€ 1,50
Antigona albocancellata Huber, 2010.	€ 6,00
Paphia amabilis (Philippi, 1847).	€ 0,70
Chione amathusia (Philippi, 1844).	€ 0,80 t/m € 1,30
Dosinia anus (Philippi, 1848).	€ 1,00 t/m € 2,00
Dosinia anus (Philippi, 1848).	€ 1,50 t/m € 2,50
Protothaca asperrima (Sowerby, 1835).	€ 1,30
Meretrix astricta (Reeve, 1864).	€ 0,75 t/m € 1,00
Megapitaria aurantiaca (Sowerby, 1831).	€ 4,00
Megapitaria aurantiaca (Sowerby, 1831).	€ 7,00
Megapitaria aurantiaca (Sowerby, 1831).	€ 6,00
Paphia aurea f. mabiliei (Locard, 1886).	€ 1,00
Politiapes aureus (Gmelin, 1791).	€ 0,50
Politiapes aureus (Gmelin, 1791).	€ 0,40
Politiapes aureus (Gmelin, 1791).	€ 0,50
Placamen berrii (Wood, 1828).	€ 3,00
Dosinia bilunulata (Gray, 1838).	€ 5,00
Anomalocardia brasiliiana (Gmelin, 1791).	€ 1,00
Chione californiensis (Broderip, 1835).	€ 2,00 t/m € 3,00
Circentia callipyga (Born, 1778).	€ 3,00 t/m € 4,00
Circentia callipyga (Born, 1778).	€ 0,80
Circentia callipyga (Born, 1778).	€ 0,75
Placamen calophyllum (Philippi, 1836).	€ 2,00
Mercenaria campechiensis (Gmelin, 1791).	€ 1,00 t/m € 2,00
Chione cancellata (L., 1767).	€ 0,70
Venus casina L., 1758.	€ 3,80
Venus casina L., 1758.	€ 2,30 t/m € 2,80
Lioconcha castrensis (L., 1758).	€ 2,50
Lioconcha castrensis (L., 1758).	€ 1,00 t/m € 2,50
Antigona chemnitzii (Hanley, 1845).	€ 4,50
Callista chione (L., 1758).	€ 1,00 t/m € 1,50
Callista chione (L., 1758).	€ 1,00 t/m € 2,00
Callista chione (L., 1758).	€ 1,50 t/m € 2,00
Pitar citrinus (Lamarck, 1818).	€ 2,00
Pitar citrinus (Lamarck, 1818).	€ 2,00
Venezuela, Nueva Esparta (state), Isla El Coche.	€ 1,50
Philippines.	€ 6,00
Taiwan, south-west. South China Sea.	€ 0,70
Mexico, Baja California, Bahía de los Ángeles. Gulf of California.	€ 0,80 t/m € 1,30
New Zealand, Piha Beach.	€ 1,00 t/m € 2,00
New Zealand, North Island, Auckland Harbour.	€ 1,50 t/m € 2,50
Panama, Canal de Afuera Island. Pacific Ocean.	€ 1,30
Thailand, Changwat Phuket (province), Phuket (island).	€ 0,75 t/m € 1,00
Panama, Pearl Islands, Isla Pedro Gonzalez.	€ 4,00
Mexico, Bahia de la Paz.	€ 7,00
Panama, Bay of Chiriqui.	€ 6,00
Italy, Grado. 1-2 metres deep on sandflats. 24 mm - 27 mm	€ 1,00
Italy, Grado. In sand, ½-1 metre deep. 20 mm - 30 mm	€ 0,50
Portugal, Algarve (region), Faro.	€ 0,40
Italy, Grado. In sand, ½-1 metre deep. 17 mm - 32 mm	€ 0,50
Australia, Western Australia, Broome.	€ 3,00
Japan, Aichi Prefecture, Mikawa.	€ 5,00
Leeward Islands, Antigua Island, Indian Creek.	€ 1,00
Mexico, Baja California Sur (state), La Paz. 1-6 metres deep.	€ 2,00 t/m € 3,00
Egypte, Hurghada, Gebel Esh. Red Sea. Under stones at low tide. 24 mm - 33 mm	€ 3,00 t/m € 4,00
Egypt, Safaga. Red Sea.	€ 0,80
Egypt, South Sinai, Dahab. Gulf of Aqaba.	€ 0,75
Singapore, Changi Coast. Collected on a sandy mudflat.	€ 2,00
USA, Florida, Tampa Bay.	€ 1,00 t/m € 2,00
USA, Florida, Gulf of Mexico, Boca Grande.	€ 0,70
France, Brittany, Baie de St. Brieuc.	€ 3,80
France, Brittany, Pors Even-Ploubazlanec, fishery.	€ 2,30 t/m € 2,80
Philippines, Central Visayas (region), Bohol (island).	€ 2,50
Malaysia, Sabah, Borneo, Semporna. On dead reef with sand and seagrass.	€ 1,00 t/m € 2,50
Australia.	€ 4,50
Spain, Province of Málaga, Benajarafe.	€ 1,00 t/m € 1,50
Greece, 200 km northeast of Athens, Évvoia Island, Kimi.	€ 1,00 t/m € 2,00
France, Brittany, Ile Grande. Low tide, live, dug up.	€ 1,50 t/m € 2,00
Singapore, Changi Beach Park. Low tide, buried under sand.	€ 2,00
Australia, Western Australia, Shark Bay, Monkey Mia.	€ 2,00

		Price Range
Pitar citrinus (Lamarck, 1818).	Australia, Western Australia, Shark Bay. Subtidal sand.	€ 1,30
Antigona clathrata (Deshayes, 1854).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,00 t/m € 2,00
Dosinia concentrica (Born, 1778).	Venezuela, Isla El Cocha, Nueva Esparta.	€ 2,00
Dosinia contusa (Reeve, 1850).	Australia, Western Australia, Port Hedland. In littoral sand. 22 mm	€ 1,30
Venerupis corrugata (Gmelin, 1791).	France, Brittany, Côtes-d'Armor (department), Tréburden.	€ 0,50 t/m € 0,70
Venerupis corrugata (Gmelin, 1791).	The Netherlands, Scheveningen.	€ 0,70
Venerupis corrugata (Gmelin, 1791).	Portugal, Algarve (region), Olhao.	€ 0,70
Circe corrugata (Dillwyn, 1817).	Egypt, South Sinai, Dahab. Gulf of Aqaba.	€ 0,75
Venerupis corrugata (Gmelin, 1791).	France, Brittany, Saint-Jacut-de-la-Mer.	€ 0,50
Paphia crassisulca (Lamarck, 1818).	Australia, W.A., Cockburn Sound, between seaweed and sand.	€ 1,30 t/m € 1,80
Irus crebrelamellatus (Tate, 1887).	Australia, Western Australia, Albany, intertidal. 27 mm	€ 1,80
Venus crebrisulca Lamarck, 1818.	Senegal, Dakar, Bay of Gorée. West Africa. 20 metres deep, scuba.	€ 2,00 t/m € 4,00
Circe crocea (Gray, 1838).	Egypt, South Sinai, Dahab. Gulf of Aqaba.	€ 0,75
Venerupis decussata (L., 1758).	The Netherlands, Zeeland, Yerseke, oesterput.	€ 0,50 t/m € 1,00
Venerupis decussata (L., 1758).	Morocco, Moulay.	€ 0,20
Venerupis decussata (L., 1758).	Spain, Andalusia (region), Province of Málaga, Marbella.	€ 0,50
Pitar dione (L., 1758).	Venezuela, Isla Margarita, Playa el Saco.	€ 3,00 t/m € 5,00
Dosinia discus (Reeve, 1850).	USA, Florida, Gulf of Mexico.	€ 2,50
Bassina disjecta (Perry, 1811).	Australia, NW coast of Tasmania, on beach.	€ 3,50
Bassina disjecta (Perry, 1811).	Australia.	€ 2,50
Gafrarium dispar (Holten, 1802).	Thailand, Phuket (island), Raya Island. 25-30 metres deep.	€ 0,80
Gafrarium divaricatum (Gmelin, 1791).	Singapore, Changi Coast. Attached under a small rock.	€ 1,00
Gafrarium divaricatum (Gmelin, 1791).	Thailand, Changwat Phuket (province), Phuket (island).	€ 1,50
Tapes dorsatus (Lamarck, 1818).	Thailand, Changwat Phuket (province), Phuket (island).	€ 0,50 t/m € 1,00
Tapes dorsatus (Lamarck, 1818).	Australia, Western Australia, King Bay.	€ 0,50 t/m € 1,00
Polititapes durus (Gmelin, 1791).	Senegal. West Africa. Atlantic Ocean.	€ 1,50
Dosinia elegans Conrad, 1846.	USA, Florida.	€ 0,30 t/m € 1,50
Callista erycina (L., 1758).	India.	€ 3,00
Callista erycina (L., 1758).	Gulf of Oman, NW of Muscat, Batinakcoast.	€ 3,00
Dosinia erythraea Römer, 1860.	Egypt, South Sinai, Dahab. Gulf of Aqaba.	€ 1,00
Dosinia erythraea Römer, 1860.	Egypt, South Sinai, Dahab. Gulf of Aqaba.	€ 0,80 t/m € 1,30
Paphia euglypta (Philippi, 1847).	Japan.	€ 0,50
Dosinia exoleta (L., 1758).	France, Brittany, Finistre, St. Anne de la Palud.	€ 0,30
Dosinia exoleta (L., 1758).	North Sea, Klaverbank.	€ 1,00 t/m € 2,00
Dosinia exoleta (L., 1758).	France, Brittany, Trebeurden.	€ 0,50 t/m € 1,00

		Price Range
Dosinia exoleta (L., 1758).	Greece, Makrónisos - Kéa Island.	€ 0,30 t/m € 0,50
Clausinella fasciata (da Costa, 1778).	Great Britain, Herm Island, Shell Beach. Low tide, sand/mud. 16 mm - 23 mm	€ 3,80
Clausinella fasciata (da Costa, 1778).	UK, Scotland, Inner Hebrides, Isle of Mull.	€ 2,50
Lioconcha fastigiata (Sowerby, 1832).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,00
Placamen flindersi (Cotton & Godfrey, 1938).	Australia, South Australia, Adelaide, Brighton Reef. Buried in sand. 14 mm	€ 2,50
Callista florida (Lamarck, 1818).	Egypt, Dahab. Gulf of Aqaba. Low tide in mud.	€ 1,00 t/m € 2,00
Callista florida (Lamarck, 1818).	Egypt, South Sinai, Dahab. Gulf of Aqaba.	€ 1,00
Pitar floridella Gray, 1838.	Congo, Brazzaville, Pointe Noire. At low tide on the beach. 17 mm - 25 mm	€ 1,30
Pitar floridella Gray, 1838.	Senegal, Hann. West Africa. 5-10 metres deep, from fisherman. 24 mm	€ 1,30
Chione fluctifraga (Sowerby, 1835).	USA, California. Pacific Ocean.	€ 0,70
Pitar fulminatus (Menke, 1828).	Brazil, Bahai (state), Itaparica. Atlantic Ocean.	€ 4,00
Venerupis galactites (Lamarck, 1818).	Australia, Western Australia, Albany, 3 metres deep in sand.	€ 1,30
Chamelea gallina (L., 1758).	Spain, Province of Málaga, Fuengirola.	€ 0,50
Chamelea gallina (L., 1758).	Spain, San Carlos de la Rápita.	€ 0,30
Chamelea gallina (L., 1758).	Spain, Estepona (harbour).	€ 0,50
Chamelea gallina (L., 1758).	Greece, Makrónisos - Kéa Island.	€ 0,40 t/m € 0,80
Chamelea gallina (L., 1758).	Cyprus, Limassol.	€ 0,50
Tawera gallinula (Lamarck, 1818).	Australia, Tasmania, Devonport, intertidal, sand/mud.	€ 1,50
Paphia gallus (Gmelin, 1791).	Australia, Queensland, Gladstone. In muddy sand.	€ 1,50
Clausinella gayi (Hupé, 1854).	Argentina, Tierra del Fuego, Ushuaia. At low tide in mud. 22 mm	€ 2,30
Saxidomus gigantea (Deshayes, 1839).	USA, Washington State, Hood Canal Bridge.	€ 3,00
Saxidomus gigantea (Deshayes, 1839).	USA, Washington, Indian Island. Gravel, 6-10 inches deep.	€ 3,50
Placamen gravescens (Menke, 1843).	Australia, Western Australia, Shark Bay, Denham. Dead on beach.	€ 3,60
Marcia hiantina (Lamarck, 1818).	Thailand, Changwat Phuket (province), Phuket (island).	€ 2,00 t/m € 2,50
Marcia hiantina (Lamarck, 1818).	Indonesia, South Sulawesi, S. of Makassar (city). Live in muddy bottom.	€ 3,00
Marcia hiantina (Lamarck, 1818).	Indonesia.	€ 2,50
Callista impar (Lamarck, 1818).	Australia, Western Australia, Monkey Mia.	€ 1,00
Callista impar (Lamarck, 1818).	Australia, Western Australia, Shark Bay. Intertidal, in sand.	€ 1,30 t/m € 1,80
Irus irus (L., 1758).	Spain, Valencian Community, Province of Alicante, Alicante.	€ 0,40
Ventricolaria isocardia (Verrill, 1870).	Mexico, Baja California Sur (state), Pichilique. Bay of La Paz. Fishery.	€ 3,80
Marcia japonica (Gmelin, 1791).	Indonesia, Bali (province), Bali (island).	€ 1,50
Marcia japonica (Gmelin, 1791).	Singapore, Changi Coast. On sandy bottom.	€ 2,00
Marcia japonica (Gmelin, 1791).	Thailand, Krabi Province, Koh Lanta Yai (island), Koa Kwang Beach.	€ 0,80
Tapes japonica Deshayes.	Japan, Honshu (island), Fukuoka Prefecture, Tsuyazaki.	€ 0,40 t/m € 0,70
Marcia japonica (Gmelin, 1791).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 1,00 t/m € 1,75

		Price Range
Chione kellettii (Hinds, 1845).	Mexico, Baja California (state), Todos Santos.	€ 3,50
Tawera lagopus (Lamarck, 1818).	Australia, Western Australia, Dunsborough, 10 metres deep in sand.	€ 1,30
Antigona lamellaris Schumacher, 1817.	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 2,50
Antigona lamellaris Schumacher, 1817.	Philippines, Batayan Island, north of Cebu. Pearl fisherman. 33 mm - 40 mm	€ 2,00 t/m € 3,00
Antigona lamellaris Schumacher, 1817.	Thailand, Phuket (island), Raya Island.	€ 3,00
Placamen lamellosum (Chemnitz, Sowerby I, 1825).	Australia, Western Australia, Broome. In sand at extreme low tide.	€ 3,50
Placamen lamellosum (Chemnitz, Sowerby I, 1825).	Australia, Western Australia, Broome. Dead, ebb, on sandbank.	€ 3,00 t/m € 4,00
Chione latilirata (Conrad, 1841).	USA, Florida.	€ 2,50
Callista lilacina (Lamarck, 1818).	Australia, Queensland, Kurrimine Beach.	€ 2,00 t/m € 3,50
Tapes literatus (L., 1758).	Australia, Western Australia, Port Hedland.	€ 2,20
Tapes literatus (L., 1758).	Indonesia, Papua (province), Yapen Island, Serui.	€ 2,25
Tapes literatus (L., 1758).	Philippines.	€ 1,00 t/m € 1,50
Psephidia lordi W.baird, 1863.	Oregon, W. off Tillamook Bay. 43°30'N 124°23'W. 230 m, on mud. 3 mm	€ 3,80
Pitar lupanaria (Lesson, 1830).	Mexico, Sonora, Guaymas. Low tide on sandbar.	€ 2,00 t/m € 4,00
Dosinia lupinus (L., 1758).	Italy, Emilia-Romagna (region), Rimini. Adriatic Sea.	€ 0,50
Dosinia lupinus (L., 1758).	Greece, Marathón beach. 1-1½ metres deep.	€ 0,80 t/m € 1,00
Dosinia lupinus (L., 1758).	Spain, Rio Mar, Ebra delta.	€ 0,40
Dosinia lupinus (L., 1758).	North Sea, Botneygat.	€ 0,70 t/m € 0,80
Dosinia lupinus (L., 1758).	Greece, Makrónisos - Kéa Island.	€ 2,00
Meretrix lusoria (Röding, 1798).	Japan, Honshu (island), Wakayama Prefecture, Minabe.	€ 2,50
Meretrix lusoria (Röding, 1798).	Philippines.	€ 2,50
Tivela mactroides (Born, 1778).	Venezuela, Isla Margarita, Playa el Saco, La Restinga.	€ 1,00
Tivela mactroides (Born, 1778).	Venezuela, Margarita Island.	€ 1,00
Tivela mactroides (Born, 1778).	Venezuela, Isla Margarita, Playa el Saco, La Restinga. In zand.	€ 0,50 t/m € 1,00
Tivela mactroides (Born, 1778).	Venezuela, Miranda, Higuerote.	€ 0,80
Macrocallista maculata (L., 1758).	Florida, 12 miles west of Sanibel Island. Scuba, 52 feet deep in sand.	€ 1,50 t/m € 2,50
Macrocallista maculata (L., 1758).	USA, Florida.	€ 1,30
Sunetta menstrualis (Menke, 1842).	Japan, Aichi Prefecture, Mikawa.	€ 3,00
Gouldia minima (Montagu, 1803).	Italy, Isola Gorgona, 30 metres deep. 6 mm	€ 1,80
Antigona multicostata (Sowerby I, 1835).	Mexico.	€ 7,00
Macrocallista nimbose (Lightfoot, 1786).	USA, Florida, Marco Island. In shallow water at extreme low tide.	€ 2,50 t/m € 2,80
Macrocallista nimbose (Lightfoot, 1786).	USA, Florida, Fort Myers Beach.	€ 1,00 t/m € 3,00
Venus nux Gmelin, 1791.	Spain, San Carlos de la Rápita.	€ 1,50
Marcia opima (Gmelin, 1791).	Oman, Muscat. Middle East. Arabian Sea.	€ 2,00
Marcia opima (Gmelin, 1791).	Thailand, Changwat Phuket (province), Phuket (island).	€ 1,50 t/m € 3,00

		Price Range
Marcia opima (Gmelin, 1791).	Thailand, Krabi Province, Koh Lanta Yai (island), west of Ban Sala Dan.	€ 1,00
Timoclea ovata (Pennant, 1777).	Angola, Ambuz. Trawled at a depth of 50 metres deep. 9 mm - 10 mm	€ 2,50
Chione paphia (L., 1767).	The Grenadines Islands, Windward Islands. Caribbean.	€ 2,00
Gafrarium pectinatum (L., 1758).	Australia. Queensland, Cairns, Koombal Point. Intertidal. 25 mm	€ 0,80
Gafrarium pectinatum (L., 1758).	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 0,80
Gafrarium pectinatum (L., 1758).	Mauritius, Ile aux Cerfs. Indian Ocean.	€ 0,75
Gafrarium pectinatum (L., 1758).	Egypt, Safaga. Red Sea.	€ 0,80
Katelysia peronii (Lamarck, 1818).	South Australia. On sandy open beach, dug from sand. 26 mm	€ 0,80
Meretrix petechialis (Lamarck, 1818).	China, Yellow Sea. Along coast, local fisherman, low tide. ½-1 m diep.	€ 4,00 t/m € 4,50
Venerupis philippinarum (Adams & Reeve, 1850).	Italy, Emilia-Romagna, Rimini. Adriatic Sea. Artificially cultivated.	€ 0,80
Placamen placidum (Philippi, 1844).	Australia, Western Australia, Albany. 7 metres deep on sand. 19 mm	€ 2,30
Callista planatella (Lamarck, 1818).	Australia, Western Australia, Garden Island. On sand bars.	€ 2,00 t/m € 3,00
Callista planatella (Lamarck, 1818).	Australia.	€ 3,00
Dosinia ponderosa (Gray, 1838).	Mexico, Baja California Sur (state), Puerto San Carlos. Dead.	€ 2,00 t/m € 7,50
Antigona puerpera (L., 1771).	Philippines.	€ 1,80 t/m € 3,80
Antigona puerpera (L., 1771).	Thailand, Changwat Phuket (province), Phuket (island).	€ 2,00
Saxidomus purpurata (Sowerby, 1852).	Japan, Honshu (island), Wakayama Prefecture, Minabe.	€ 3,50 t/m € 5,00
Amiantis purpuratus purpuratus (Lamarck, 1818).	Argentina, Bahía Blanca. Washed ashore dead on island.	€ 2,00
Amiantis purpuratus purpuratus (Lamarck, 1818).	Brazil, Sao Paulo, Bertioga.	€ 1,70
Amiantis purpuratus purpuratus (Lamarck, 1818).	Argentina, San Antonio Este, Rio Negro. 3-5 metres deep, low tide.	€ 3,30
Amiantis purpuratus purpuratus (Lamarck, 1818).	Brazil, Sao Paulo, Bertioga. On sand, low tide.	€ 4,00
Timoclea recognita (Smith, 1885).	Australia, Queensland, Palm Island. Trawled. 14 mm	€ 1,50
Katelysia rhytiphora (Lamy, 1937).	Australia, Western Australia, King Bay.	€ 0,30
Katelysia rhytiphora (Lamy, 1937).	Australia, Western Australia, Albany, intertidal on sand bar. 31 mm	€ 0,80 t/m € 1,00
Katelysia scalarina (Lamarck, 1818).	South Australia, Semaphore. Dug from sand at low tide. 26 mm	€ 0,80
Paphia schnelliana (Dunker, 1866).	Philippines.	€ 2,30
Circe scripta (L., 1758).	Australia, Western Australia, Shark Bay, Cape Peron.	€ 1,30
Circe scripta (L., 1758).	Philippines.	€ 0,80
Circe scripta (L., 1758).	Philippines.	€ 1,00
Paphia semirugata (Philippi, 1847).	Australia, Western Australia, off Port Hedland. In sand at low tide. 38 mm	€ 1,30
Callista semisulcata (Sowerby, 1851).	Australia, Queensland, Palm Island. Trawled. 30 mm	€ 2,00
Meretrix spec. .	Sri Lanka, Southern Province, Unawatuna.	€ 2,00
Placamen spec. .	Indonesia, Greater Sundra Islands, East Java (province), Madura Island.	€ 2,50
Megapitaria squalida (Sowerby, 1835).	Panama, Gulf of Panamá, San Carlos, El Palmar, live/shallows.	€ 1,00
Megapitaria squalida (Sowerby, 1835).	Mexico, Baja California, Bahía de los Ángeles. Gulf of California.	€ 3,00

Megapitaria squalida (Sowerby, 1835).
 Anomalocardia squamosa (L., 1758).
 Anomalocardia squamosa (L., 1758).
 Anomalocardia squamosa (L., 1758).
 Anomalocardia squamosa (L., 1758).
 Anomalocardia squamosa (L., 1758).
 Anomalocardia squamosa (L., 1758).
 Protothaca staminea (Conrad, 1837).
 Protothaca staminea (Conrad, 1837).
 Chamelea striatula (da Costa, 1778).
 Chamelea striatula (da Costa, 1778).
 Chamelea striatula (da Costa, 1778).
 Tivela stultorum (Mawe, 1823).
 Chione stutchburyi (Wood, 1828).
 Chione subimbricata (Sowerby, 1835).
 Dosinia subrosea (Gray, 1835).
 Dosinia subrosea (Gray, 1835).
 Tapes sulcarius (Lamarck, 1818).
 Tapes sulcarius (Lamarck, 1818).
 Placamen tiara (Dillwyn, 1817).
 Venus toreuma (Gould, 1850).
 Tivela tripla (L., 1777).
 Tivela tripla (L., 1777).
 Sunetta truncata (Deshayes, 1854).
 Gafrarium tumidum Röding, 1798.
 Gafrarium tumidum Röding, 1798.
 Gafrarium tumidum Röding, 1798.
 Callista umbonella (Lamarck, 1818).
 Chione undatella (Sowerby, 1835).
 Paphia undulata (Born, 1778).
 Paphia undulata (Born, 1778).
 Paphia undulata (Born, 1778).
 Paphia undulata (Born, 1778).
 Gomphina undulosa (Lamarck, 1818).
 Tapes variegatus Sowerby, 1852.

Mexico, Baja California, Bahía de los Ángeles. Gulf of California.
 Philippines, Panay (eiland), Iloilo (provincie), Iloilo City.
 Singapore, Changi Coast. On sand bed.
 Australia, Western Australia, Shark Bay. Intertidal, in sand.
 Australia, Western Australia, Shark Bay, Monkey Mia.
 Australia, Western Australia, Wickham. In sand, 3 metres deep. 22 mm
 Philippines, near Cebu (island), Bantayan Island. By local fisherman.
 USA, California, Bolsa Bay, Sunset Beach, E.of Coast Highway.
 Venezuela, Isla Margarita, Manglillo.
 France, Brittany, Finistère (department), Point Penmarc'h.
 Spain, Province of Málaga, Fuengirola.
 North Sea, Klaverbank.
 Mexico, Baja California, San Quintin.
 New Zealand, North Island, Coromandel Ranges.
 Panama, Bay of Panamá, Isla de Melones. Live, dredged.
 New Zealand, Martins Bay.
 New Zealand, near Nelson, Tapananui beach.
 Thailand, Phuket (island), ±2 hours by boat from Rawai, Raya Island.
 Egypt, South Sinai, Dahab. Gulf of Aqaba.
 Philippines.
 Philippines, Bohol (province), close to Panglao Island, Balicasag Island.
 Senegal, Cambarene. West Africa.
 The Gambia, Kololi. Atlantic Ocean.
 Malaysia, Terengganu (state), Merang.
 Thailand, Phuket (island), Raya Island. 25-30 metres deep.
 Indonesia, Jakarta Bay, Pari Island. ½-2 metres deep, buried in sand.
 Thailand, Krabi Province. Strait of Malacca.
 Saudi Arabia, Al Khobar.
 Mexico, Baja California, Pichilingue. Dead on beach.
 Thailand, Southeast Asia. Andaman Sea.
 Philippines.
 Philippines, Bohol (province), close to Panglao Island, Balicasag Island.
 Thailand, Changwat Phuket (province), Phuket (island).
 Australia, Western Australia, Cockburn Sound, 1 metres deep in sand.
 Thailand, Phuket (island), Raya Island. 25-30 metres deep.

Price Range

€ 1,30 t/m € 1,80
 € 1,50
 € 0,75
 € 1,30
 € 1,50
 € 1,00 t/m € 1,30
 € 35,00
 € 0,80
 € 0,50
 € 0,80
 € 0,20
 € 0,30 t/m € 0,50
 € 3,50 t/m € 4,75
 € 0,50
 € 1,00
 € 1,00 t/m € 2,50
 € 2,00 t/m € 3,00
 € 0,50 t/m € 1,00
 € 0,50
 € 1,30
 € 1,50
 € 3,80
 € 1,50
 € 0,50
 € 2,00
 € 1,00
 € 1,50
 € 1,80
 € 1,00
 € 1,80 t/m € 2,30
 € 0,50 t/m € 1,50
 € 2,00 t/m € 3,00
 € 1,00
 € 0,80

Venus verrucosa L., 1758. with sand and shell debris
 Venus verrucosa L., 1758.
 Venus verrucosa L., 1758.
 Venus verrucosa L., 1758.
 Venus verrucosa L., 1758.
 Polititapes virgineus (L., 1767).
 Polititapes virgineus (L., 1767).
 Polititapes virgineus (L., 1767).
 Polititapes virgineus (L., 1767).
 Polititapes virgineus (L., 1767).
 Bassina yatei (Gray, 1835).
 Bassina yatei (Gray, 1835).

Vermetidae

Serpulorbis colubrinus (Röding, 1798).
 Vermetus spec. .
 Serpulorbis xenophorus Habe, 1961.

Volutidae

Athleta abyssicola (Adams & Reeve, 1848).
 Melo amphora (Lightfoot, 1786).
 Melo amphora (Lightfoot, 1786).
 Adelmelon ancilla (Lightfoot, 1786).
 Alcithoe arabica (Gmelin, 1791).
 Alcithoe arabica f. swainsoni Marwick, 1926.
 Harpulina arausiaca (Lightfoot, 1786).
 Cymbiola aulica (Sowerby, 1825).
 Cymbiola aulica (Sowerby, 1825).
 Adelmelon beckii (Broderip, 1836).
 Volutoconus bednalli (Brazier, 1878).
 Melo broderipii (Griffith & Pidgeon, 1834).
 Callipara bullatiana Weaver & Du Pont, 1967.
 Amoria canaliculata (McCoy, 1869).
 Amoria canaliculata (McCoy, 1869).
 Amoria canaliculata (McCoy, 1869).
 Fulgoraria cancellata Kuroda & Habe, 1950.
 Cymbiola cathcartiae (Reeve, 1856).

South Africa, Simonstown. False Bay. 6 m deep, scuba, rocky bottom.
 France, Brittany, Côtes-d'Armor (department), Tréburden.
 France, Brittany, Ile Grande.
 France, Brittany, Roscoff.
 Italy, Grado. Trawled by fisherman, 12-15 metres deep. 46 mm - 55 mm
 France, Brittany, Côtes-d'Armor (department), Tréburden.
 Spain, Andalusia (region), Province of Málaga, Marbella, Calypso.
 Spain, Province of Málaga, Fuengirola.
 France, Brittany, St. Cast.
 Spain, Andalusia (region), Province of Málaga, Marbella, Calypso.
 New Zealand, Omakau.
 New Zealand.

Philippines.
 Spain, Canary Islands, Fuerteventura, Corralejo. Tidal pools.
 Japan, Honshu (island), Wakayama Prefecture, Minabe. 30-50 fathoms deep.

South Africa, Western Cape, Agulhas Bank. Fished. 100 fathoms deep.
 Australia, Western Australia, Carnarvon. Fished.
 Indonesia, Greater Sunda Islands, East Java (province), Madura Island.
 Uruguay, La Coronilla, off Coronella Beach. 20-50 deep fathoms in mud.
 New Zealand.
 New Zealand.
 Sri Lanka, northern region. Fished, 30 fathoms deep.
 Philippines, Bohol, Balicasag Island. Tangle mets, 130-230 metres deep.
 Philippines, Davao.
 Uruguay, Montevideo Department, Montevideo. Fished.
 Indonesia, Arafura Sea S. of Tanimbar Isand. 60-80 metres deep.
 Indonesia, Greater Sunda Islands, East Java (province), Madura Island.
 South Africa, Cape Province, Jeffreys Bay.
 Australia, Queensland, off Bundaberg. Fished, ±70 metres deep.
 Australia, Queensland, Cairns.
 Australia, Queensland, Lady Musgrave Island. Great Barrier Reef. Fished.
 Japan, fished off East Shikoku.
 Philippines, Mindanao (island), Zamboanga. Trawled, 110 metres deep.

Price Range

€ 1,00 t/m € 2,00
 € 1,00
 € 1,50
 € 1,75
 € 1,80
 € 0,70 t/m € 1,30
 € 0,70
 € 0,70
 € 0,80
 € 0,50
 € 2,00 t/m € 3,50
 € 2,50
 € 9,50
 € 0,50
 € 3,50
 € 4,00 t/m € 9,00
 € 2,50 t/m € 20,00
 € 7,50 t/m € 35,00
 € 12,50
 € 15,00
 € 7,00
 € 10,00
 € 5,00 t/m € 9,00
 € 5,00
 € 10,00
 € 25,00 t/m € 35,00
 € 3,50 t/m € 25,00
 € 3,50 t/m € 6,00
 € 8,00
 € 3,00 t/m € 5,00
 € 7,00
 € 3,50 t/m € 5,00
 € 9,00

		Price Range
Fulgoraria clara (Sowerby, 1914).	Japan.	€ 7,50
Fulgoraria clara (Sowerby, 1914).	Japan, Honshu (island), Aichi Prefecture, Mikawa. 200 metres.	€ 2,00 t/m € 4,00
Fusivoluta clarkei Rehder, 1969.	Mozambique, off San Martinho. East Africa. Indian Ocean. 140 fathoms deep.	€ 5,00
Lyria cloveriana Weaver, 1963.	Sri Lanka. Along the south-west coast.	€ 5,00
Fulgoraria concinna (Broderip, 1836).	Japan.	€ 4,00
Enaeta cumingii (Broderip, 1832).	Mexico, Baja California, Bahía de los Ángeles. Gulf of California.	€ 0,80 t/m € 1,00
Cymbiola cymbiola (Gmelin, 1791).	Indonesia, Moluccas Islands, Ambon Island.	€ 5,00 t/m € 12,50
Cymbium cymbium (L., 1758).	Senegal, Dakar. West Africa. On sandy bottom at 5-10 metres deep.	€ 4,00 t/m € 6,00
Cymbium cymbium (L., 1758). fishermen.	The Gambia, between Kololi and Fajara. In tideline and from shell	€ 2,50 t/m € 3,00
Cymbium cymbium (L., 1758). fishermen, alive.	Senegal, Fatick, Joal. Between fishing boats on the beach. From	€ 6,00
Cymbium cymbium (L., 1758).	Gambia, Serekunda, Bijilo. From fishermen on the beach in Bakau, alive.	€ 3,50
Cymbium cymbium (L., 1758). the beach. Sometimes alive.	The Gambia, Western, Ghana Town near Brufut. Between fishing boats on the	€ 3,50
Amoria damonii damonii Gray, 1864.	Australia, Northern Territory, Darwin. Sand, 40 metres deep.	€ 11,00 t/m € 15,00
Amoria damonii damonii Gray, 1864.	Australia, Western Australia, Geraldton.	€ 2,00 t/m € 4,00
Amoria damonii damonii Gray, 1864.	Australia, Western Australia, Broome. On sand bars.	€ 6,50 t/m € 17,50
Amoria damonii damonii Gray, 1864.	Australia, Western Australia, Port Hedland. Dead on beach.	€ 5,00 t/m € 12,50
Amoria damonii ludbrookae Bail & Limpus, 1997.	Australia.	€ 5,00
Lyria delessertiana (Petit de la Saussaye, 1842).	Madagascar, Nosy Be. Live, shallow water, on sand bank, at rising tide.	€ 10,00
Cymbiola deshayesi (Reeve, 1855).	New Caledonia, Balabio Island.	€ 15,00
Zidona dufresnei (Donovan, 1823).	Brazil, off southern coast. Fished. Atlantic Ocean.	€ 15,00 t/m € 20,00
Zidona dufresnei (Donovan, 1823).	Brazil, off southern coast. Atlantic Ocean. Fished.	€ 4,00 t/m € 7,50
Voluta ebraea L., 1758.	Brazil, Rio Grande do Norte, Natal. 10-20 m, on sand & coral.	€ 10,00 t/m € 65,00
Amoria elliotti (Sowerby, 1864).	Australia, off Port Hedland, on sand, at low tide.	€ 15,00
Amoria exoptanda (Reeve, 1849).	Australia, South Australia, Port Lincoln. Dived about 15 m. deep in sand.	€ 17,50
Alcithoe fissurata (Dell, 1963).	New Zealand, South Island, west coast. 400 metres deep.	€ 35,00
Fulgoraria formosana Azuma, 1967.	Taiwan, Formosa Strait.	€ 1,50 t/m € 5,00
Fulgoraria formosana Azuma, 1967.	Taiwan Straits, about 100 metres deep.	€ 10,00
Ericusa fulgetrum (Sowerby, 1825).	Australia, South Australia, Tumby Bay. Low water.	€ 21,00
Alcithoe fusus (Quoy & Gaimard, 1833).	New Zealand, S. Island, 12 km from Tasman Bay. 30 metres, fishery. 56 mm - 69 mm	€ 10,00
Neptuneopsis gilchristi Sowerby, 1898.	South Africa, Western Cape, Agulhas Bank. Fished.	€ 25,00
Neptuneopsis gilchristi Sowerby, 1898.	South Africa, Cape, Mossel Bay.	€ 17,50
Cymbium glans (Gmelin, 1791). boats. Sometimes alive.	The Gambia, Sanyang, Paradise Beach. From fishermen between the	€ 6,00 t/m € 8,00
Cymbium glans (Gmelin, 1791).	Senegal. West Africa. Atlantic Ocean.	€ 6,50 t/m € 17,50
Amoria grayi Ludbrook, 1953.	Australia, Western Australia, Carnarvon. Fished.	€ 7,50
Amoria grayi Ludbrook, 1953.	Australia, Western Australia, Broome. Live on mudflats at low tide.	€ 6,00 t/m € 12,50

Amoria grayi Ludbrook, 1953.
 Paramoria guntheri (Smith, 1886).
 Fulgoraria hirasei (Sowerby, 1912).
 Amoria hunteri (Iredale, 1931).
 Cymbiola imperialis (Lightfoot, 1786).
 Cymbiola imperialis (Lightfoot, 1786).
 Cymbiola innexa (Reeve, 1849).
 Cymbiola innexa (Reeve, 1849).
 Teramachia johnsoni (Bartsch, 1942).
 Teramachia johnsoni (Bartsch, 1942).
 Lyria kurodai (Kawamura, 1964).
 Harpulina lapponica (L., 1767).
 Harpulina lapponica (L., 1767).
 Harpulina lapponica (L., 1767).
 Harpulina lapponica (L., 1767).
 Alcithoe larochei Marwick, 1926.
 Harpulina larochei (Valenciennes, 1863).
 Harpulina larochei (Valenciennes, 1863).
 Amoria maculata (Swainson, 1822).
 Amoria maculata (Swainson, 1822).
 Amoria maculata (Swainson, 1822).
 Amoria maculata (Swainson, 1822).
 Amoria maculata (Swainson, 1822).
 Cymbiola magnifica (Gebauer, 1802).
 Cymbiola magnifica (Gebauer, 1802).
 Cymbium marmoratum Link, 1807.
 Melo melo (Lightfoot, 1786).
 Melo melo (Lightfoot, 1786).
 Melo melo tessellata (Lamarck, 1811).
 Melo melo (Griffith & Pidgeon, 1834).
 Lyria mitraeformis (Lamarck, 1811).
 Lyria mitraeformis (Lamarck, 1811).
 Lyria mitraeformis (Lamarck, 1811).
 Amoria mollerii (Iredale, 1936).
 Amoria mollerii (Iredale, 1936).

Australia, Western Australia, Broome.
 Australia, Western Australia, Esperance. 25 meter deep by diver.
 Japan, Tomioko.
 Australia, New South Wales, Iluka. Fished, 20 metres deep.
 Philippines, Mindanao (island), Zamboanga.
 Philippines, Bohol Island, close to Panglao Island, Balicasag Island.
 Indonesia, southern Java (island).
 Indonesia, southern Java. In depths between 20 & 30 metre on sandy bottom.
 Philippines, Central Visayas (region), Bohol. Trawled in deep water.
 Australia, W.A. Trawled by fishery off Scott Reef, ±450 metres deep.
 Vietnam, off Nha Trang. Trawled at 30 metres, on sand.
 India, Thumpura.
 India, Tamil Nadu (state), Tuticorin. With nets at 20-25 metres.
 India, Tamil Nadu (state), Rameswaram. Gulf of Mannar.
 Sri Lanka.
 New Zealand, North Island, Bay of Plenty, Alderman Island. Trawled, 300 m.
 India (South).
 Sri Lanka.
 Australia, Queensland, off Townsville. 20 fathoms deep.
 Australia, Queensland, Keppel Bay.
 Australia, Queensland, Keppel Bay.
 Australia, Queensland, Lady Musgrove Island.
 Australia, Queensland, Capricorn Channel, trawled in up to 70 fathoms.
 Australia, New South Wales, off Iluka. Fished.
 Australia, New South Wales, Currarong, Crookhaven Bight.
 Senegal, Dakar Region, Dakar, Hann. West Africa. 15 metres deep.
 Thailand, Ko Samui. Shallow water, ±0 metres deep, on a muddy bottom.
 Malaysia, Sabah (state), Kota Kinabalu. Fished live.
 Malaysia, Sabah (state), Borneo, Semporna. Fished.
 Australia, Western Australia, Shark Bay.
 Australia, South Australia, Edithburg.
 Australia, South Australia, Corny Point.
 Australia, South Australia, Port Lincoln. Live, shallow water, sandbank.
 Australia, Queensland, Moreton Bay.
 Australia, Queensland, trawled Capricorn channel.

Price Range

€ 3,00
 € 10,00
 € 5,00
 € 5,00 t/m € 10,00
 € 17,50 t/m € 30,00
 € 12,50 t/m € 47,50
 € 3,00 t/m € 5,00
 € 17,50
 € 30,00
 € 35,00
 € 7,50 t/m € 19,50
 € 5,00
 € 6,00
 € 7,50 t/m € 12,50
 € 5,00
 € 9,00
 € 12,00
 € 17,50
 € 2,50
 € 6,00
 € 14,00
 € 5,00 t/m € 10,00
 € 6,50
 € 15,00 t/m € 67,50
 € 5,00
 € 2,50 t/m € 10,00
 € 5,50
 € 5,00 t/m € 7,00
 € 5,00
 € 9,50
 € 5,00
 € 6,50
 € 5,50
 € 6,50
 € 7,00

		Price Range
<i>Voluta musica</i> L., 1758.	Venezuela, Margarita Island, offshore near Cubagnay Island, 2-8 m deep.	€ 6,00 t/m € 12,50
<i>Voluta musica</i> L., 1758.	Curaçao, St. Michiel Bay, Lesser Antilles Islands.	€ 1,00 t/m € 2,00
<i>Voluta musica</i> L., 1758.	Bonaire, Lesser Antilles Islands.	€ 4,00 t/m € 7,00
<i>Cymbiola nivosa</i> (Lamarck, 1804).	Australia, Western Australia, Shire of Shark Bay, Denham.	€ 4,00
<i>Cymbiola nivosa oblita</i> (Smith, 1909).	Australia, Western Australia, Shire of Shark Bay, Denham.	€ 6,50 t/m € 8,50
<i>Cymbiola nobilis</i> (Lightfoot, 1786).	Thailand, Changwat Chonburi (province), Pattaya. Southeast Asia.	€ 20,00
<i>Cymbiola nobilis</i> (Lightfoot, 1786).	Indonesia, Ambon. Dived at 10-20 metres, by local fisherman.	€ 8,00
<i>Cymbiola nobilis</i> (Lightfoot, 1786).	Philippines.	€ 7,50
<i>Cymbiola nobilis octogonalis</i> (Senders, 1995).	Indonesia, East Java (province), south of Madura Island, Sapekan Island.	€ 12,00
<i>Cymbium olla</i> (L., 1758).	Portugal, Algarve (region).	€ 2,00 t/m € 6,50
<i>Cymbium olla</i> (L., 1758).		€ 2,50 t/m € 6,50
<i>Cymbium olla</i> (L., 1758).		€ 0,50 t/m € 3,80
<i>Ericusa papillosa</i> (Swainson, 1822).	Spain, Province of Málaga, Estepona.	€ 10,00
<i>Cymbium pepo</i> (Lightfoot, 1786).	Australia, Victoria, Lakes Entrance. By scallop fishers.	€ 13,00 t/m € 17,50
<i>Lyria planicostata bohollensis</i> Kosuge, 1980.	Senegal, Dakar Region, Dakar. West Africa. Atlantic Ocean.	€ 2,00 t/m € 3,50
<i>Lyria planicostata planicostata</i> (Sowerby, 1903).	Philippines. Fishing industry.	€ 2,00 t/m € 3,50
<i>Voluta polypleura</i> Crosse, 1876.	Philippines, Bohol (province), close to Panglao Island, Balicasag Island.	€ 5,00
<i>Cymbiola pulchra peristicta</i> McMichael, 1963.	Honduras.	€ 10,00
<i>Cymbiola pulchra pulchra</i> (Sowerby I, 1825).	Australia, Queensland, Swain Reef, Big Sandy Cay. From fisherman.	€ 10,00
<i>Cymbiola pulchra pulchra</i> (Sowerby I, 1825).	Australia, Queensland, Lady Musgrave Island. 150 metres deep.	€ 2,00 t/m € 7,00
<i>Livonia roadnightae</i> (McCoy, 1881). Near 127°E longitude.	Australia, Queensland, Swain Reefs.	€ 6,50 t/m € 12,50
<i>Livonia roadnightae</i> (McCoy, 1881).	Australia, S.A., Great Australian Bight. Trawled, sand/rubble. 150-170 m.	€ 55,00
<i>Fulgoraria rupestris</i> (Gmelin, 1791).	Australia, New South Wales, South Coast region, Eden.	€ 27,50
<i>Fulgoraria rupestris</i> (Gmelin, 1791).	Taiwan. East China Sea.	€ 3,00
<i>Fulgoraria rupestris</i> (Gmelin, 1791).	Philippines.	€ 7,50
<i>Cymbiola rutila</i> (Broderip, 1826).	Taiwan. East China Sea.	€ 6,50
<i>Cymbiola rutila</i> (Broderip, 1826).	Papua New Guinea, Louisiade Archipelago. ±5 m deep, on sand with coral.	€ 6,00
<i>Cymbiola rutila</i> (Broderip, 1826).	Australia, Queensland, Cairns. In tangle net of fisherman.	€ 10,00
<i>Notopeplum sericatum</i> Thornley, 1951.	Australia, N. Queensland, Thursday Island. Torres Strait. Dived. ±4 m.	€ 15,00
<i>Notopeplum sericatum</i> Thornley, 1951.	Australia, Queensland, Cape Moreton.	€ 12,00
<i>Cymbiola sophiae</i> (Gray, 1846).	Australia, Queensland, Moreton Bay. Fished.	€ 8,00
<i>Ericusa sowerbyi</i> (Kiener, 1839).	Australia.	€ 4,00
<i>Ericusa sowerbyi</i> (Kiener, 1839).	Australia, New South Wales, Eden. Fished.	€ 3,00 t/m € 6,50
<i>Athleta studeri</i> (Martens, 1897).	Australia, New South Wales, Sydney.	€ 14,00
<i>Amoria turneri</i> (Griffith & Pidgeon, 1834).	Australia, Queensland, Moreton Island, Cape Moreton. Fished.	€ 4,50
	Indonesia, Greater Sundra Islands, East Java (province), Madura Island.	€ 14,00

Amoria turneri (Griffith & Pidgeon, 1834).
Melo umbilicatus Broderip, 1826.
Melo umbilicatus Broderip, 1826.
Amoria undulata (Lamarck, 1804).
Cymbiola vespertilio (L., 1758).
Cymbiola vespertilio (L., 1758).
Alcithoe wilsonae f. *smithi* (Powell, 1950).
Amoria zebra (Leach, 1814).
Amoria zebra (Leach, 1814).

Xenophoridae

Onustus caribaeus (Petit de la Saussaye, 1857).
Xenophora cerea (Reeve, 1845).
Xenophora cerea f. *torrida* Kuroda & Ito, 1961.
Stellaria chinensis chinensis (Philippi, 1841).
Stellaria chinensis chinensis (Philippi, 1841).
Xenophora crispa (König, 1825).
Xenophora crispa (König, 1825).
Xenophora crispa (König, 1825).
Xenophora crispa (König, 1825).
Stellaria gigantea Schepman, 1909.
Xenophora japonica Kuroda & Habe, 1971.
Xenophora japonica Kuroda & Habe, 1971.
Xenophora pallidula (Reeve, 1842).
Stellaria solaris (L., 1764).
Stellaria solaris (L., 1764).

Australia, Queensland, Friday Island. Torres Strait. Coral sand, low tide.
 Indonesia, Greater Sundra Islands, East Java (province), Madura Island.
 Australia, Queensland, Keppel Bay.
 Australia, Victoria, Lakes Entrance.
 Philippines.
 Philippines, Central Visayas (region), Bohol (island).
 New Zealand, South Island, Otago Peninsula, off Dunedin.
 Australia, New South Wales, Laurieton. Trawled.
 Australia, Queensland.

USA, Florida, SW. of Dry Tortugas, Riley Black. Trawled, 100 fathoms
 Philippines, Bohol, Balicasag Island. Tangle nets, 130-230 metres deep.
 Philippines.

 Thailand.
 Italy, Sicily (region), Sicily.
 Italy, Sicily (region), Sicily.
 Tunisia, Calite island. Fished at about 80 metres.
 Spain, Estepona.
 Madagascar Island. East Africa. Indian Ocean.
 Philippines, Mindanao (island), Davao Region, Davao City.
 Philippines.
 Philippines.
 Indonesia, Moluccas Islands, Ambon Island.
 Indonesia, South of East Java.

Price Range

€ 10,00
 € 15,00
 € 19,00
 € 8,50
 € 1,80 t/m € 2,50
 € 2,00 t/m € 3,50
 € 4,50 t/m € 12,50
 € 4,50
 € 5,00

 € 9,00 t/m € 11,50
 € 5,00 t/m € 7,50
 € 7,50
 € 6,00
 € 6,50
 € 3,50
 € 3,50
 € 1,50
 € 3,00
 € 17,50
 € 2,50 t/m € 3,80
 € 3,50
 € 6,50 t/m € 11,50
 € 1,00 t/m € 3,00
 € 3,50